

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

										DISTRICT = 4 COUNTY = MARTIN																			
RDWYID	SR	US	BMP	G_BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE					
INTERSECT	AT	(MP SIDE)				LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012						
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																								
CONTRACTOR	(AGE_ONE YEAR)			FY-F	ASTYPE						2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)					
ITMSEG-F	W_BMP	W_EMP	RW		WKMX-F																								
89010000	5	1	0.000	5.050	R	1	7.3	1	55	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	6.5	6.5	6.5	6.5						
FRONTAGE RD(0.2R)					2			16300	RIDE		9.0	8.9	8.6	8.8	8.3	8.3	8.1	8.1	8.0	7.6	7.9	7.9	7.8						
4270231	5	1	0.000	5.050	C	2013		0012	CRACKING		6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	7.5					
J.W. CHEATHAM, LLC					(2016)				SPRIDE		7.7	7.5		8.4	8.3	8.4	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.3					
89010000	5	1	5.050	7.256	R	1	7.3	1	45	CRACKING	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
CR A1A R(5.6R)					2			16300	RIDE		8.2	7.9	7.5	8.4	7.7	7.7	7.7	7.8	7.6	7.5	7.7	7.7	7.6						
2288291	5	1	5.050	7.042	C	2001		0012	CRACKING		10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	7.0	3.5*					
					(2003)				SPRIDE		7.6	7.5	7.6	7.7	7.7	7.7	7.8	7.8	7.8	7.6	7.6	7.8	7.7	7.5					
4484471	5	1	5.025	10.130	C	2026		0012																					
89010000	5	1	7.256	9.171	R	1	9.0	1	45	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*		10.0	10.0	10.0	10.0	10.0						
SIDE ROAD(7.5R)					2			25500	RIDE		8.2	7.9	7.5	7.7	6.4*	6.2*	5.6		7.4	7.4	7.5	7.5	7.4						
2288511	5	1	7.268	9.171	C	2004		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	6.0*					
COMMUNITY ASPHALT CORP.					(2008)				SPRIDE		7.5	7.4	7.1	7.6	7.4	7.4	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.3					
4484471	5	1	5.025	10.130	C	2026		0012																					
89010000	5	1	9.171	11.156	R	1	4.8	1	55	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
HOBE TERR(10.0R)					2			37500	RIDE		8.2	7.9	7.5	7.7	6.4*	6.2*	7.5	7.5	7.5	7.5	7.7	7.6	7.6						
2288581	5	1	9.170	11.996	C	2003		0012	CRACKING		10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	3.5*					
DICKERSON FLORIDA INC.					(2006)				SPRIDE		7.6	7.6	7.5	7.7	7.6	7.7	7.7	7.7	7.7	7.7	7.6	7.6	7.6	7.4					
89010000	5	1	11.156	14.722	R	1	4.8	1	45	CRACKING	2.0*	2.0*	2.0*				10.0	10.0	10.0	10.0	10.0	10.0	9.0						
HERITAGE BLVD SE(11.3C)					3			37500	RIDE		8.2	7.9	7.5				7.2	7.2	7.2	7.0	7.0	7.1	7.1	7.0					
4378381	5	1	11.596	14.710	R	2019		0012	CRACKING		9.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.4	8.0					
J.W. CHEATHAM, LLC					(2022)				SPRIDE		6.9	6.8	6.8	6.8	6.7	6.8	6.8	6.8		8.4	8.4	8.4	8.4	8.2					
89010000	5	1	14.722	16.295	R	1	5.0	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5						
BROOK ST SE R(14.8R)					3			41000	RIDE		8.2	8.2	7.4	8.1	7.6	7.6	7.5	7.5	7.2	6.9	7.2	7.1	6.9						
4360961	5	1	14.710	16.320	C	2018		0012	CRACKING		6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	9.0					
COMMUNITY ASPHALT CORP.					(2021)				SPRIDE		7.1	6.8	6.8	7.3	7.1	7.1	7.3		8.1	8.1	8.1	8.1	8.1	7.7					
89010000	5	1	16.295	18.040	R	1	12.6	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5						
INDIAN ST SE(16.5C)					3			33000	RIDE		8.2	8.2	7.4	8.1	7.6	7.6	7.5	7.5	7.2	6.9	7.2	7.1	6.9						
					(2013)				CRACKING		9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0					
4476491	5	1	16.294	18.018	C	2025		0012	RIDE		6.4	6.3	5.8	6.3	5.8	5.8	6.2	6.2	6.1	5.8	6.1	6.0	6.2	5.8					
89010000	5	1	18.040	19.558	R	1	3.0	8	40	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0						
DIXIE CUT OFF RD(18.3R)					3			37000	RIDE		7.4	7.3	6.3	7.1	6.6	6.4		8.0	7.5	7.4	7.4	7.5	7.4						
2288591	5	1	18.000	19.450	C	2004		0012	CRACKING		9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0						
DICKERSON FLORIDA INC.					(2007)				SPRIDE		7.2	7.3	7.2	6.8	6.5	6.9	6.9	6.8	6.6	6.4	6.5	6.5							
4461101	5	1	18.018	19.545	C	2023		0012																					
89010000	5	1	20.880	23.060	R	1	4.0	8	45	CRACKING	5.5*	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0						
FORK RD(20.9R)					3			53000	RIDE		8.1	8.0	7.9	7.9	6.4*	6.2*	6.0	5.8	7.7	8.3	8.2	8.3	8.1						
4035921	5	1	21.051	22.836	R	2006		0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0						
RANGER CONSTRUCTION INDUST(2008)					(2008)				SPRIDE		8.1	8.2	8.0	7.9	8.0	8.0	7.9	7.9	7.8	7.8	7.8	7.7							
4461101	5	1	20.890	23.013	C	2023		0012																					
89010000	5	1	23.060	24.476	R	1	13.4	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0						
JACK WILLIAMS NW(23.1R)					4			47500	RIDE			8.1	8.9	9.0	8.5	8.5	7.5	7.7	6.5	7.6	6.5	7.2	7.2						
4439921	5	1	23.050	24.476	R	2022		0012	CRACKING		8.0	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	9.5	9.0					
OHLA USA, INC.					(2024)				SPRIDE		7.2	7.0	6.9	6.9	6.9	6.9	6.8	7.0	6.9	6.8	6.7	7.8	7.6	7.2					
89010000	5	1	23.060	24.476	L	1	13.4	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5						
HOME DEPOT(23.2L)					4			47500	RIDE			8.1	8.0	8.7	8.1	7.9	8.0	7.4	7.8	7.7	7.9	7.5	7.7						
4439921	5	1	23.258	24.476	L	2022		0012	CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	10.0	9.7	9.0					
OHLA USA, INC.					(2024)				SPRIDE		7.6	7.5	7.2	6.5	6.3	7.0	7.0	7.0	6.9	7.0	7.2	7.9	7.8	7.4					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = MARTIN																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKM-X-P	ASTYPE	=====																		
ITMSEG-P	(AGE ONE YEAR)							2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																		2030 (PMRS)		
89010000	20.880	23.060	L	1	8 45	CRACKING		5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0					
5 1			3	4.0	53000	RIDE		8.3	8.0	8.0	7.9	6.9	6.8	6.6	6.5	8.3	8.1	8.2	8.1	8.0					
NW FORK RD(20.9L)																									
4035921	21.051	23.024	L	2006	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5					
2288591	18.000	19.450	C	(2008)	SPRIDE			8.1	8.0	7.5	7.3	7.7	7.8	7.7	7.7	7.5	7.5	7.4	7.3						
4461101	20.890	23.013	C	2023	0012																				
89010000	18.040	19.558	L	1	8 40	CRACKING		7.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.5	9.5					
5 1			3	3.0	37000	RIDE		7.1	7.0	7.0	6.6	6.2	6.3		8.1	7.2	7.2	7.3	7.2	7.2					
SE TRESSLER DR(18.3L)																									
2288591	18.000	19.450	C	2004	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0						
DICKERSON FLORIDA INC.				(2007)	SPRIDE			7.1	7.0	6.7	6.2	6.6	6.7	6.7	6.5	6.3	6.2	6.0	6.1						
4461101	18.018	19.545	C	2023	0012																				
89010000	16.295	18.040	L	1	1 45	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0					
5 1			3	12.6	33000	RIDE		8.2	8.1	8.1	8.0	7.6	7.4	7.5	7.4	7.5	7.3	7.4	7.3	7.2					
INDIAN ST SE(16.5C)																									
				(2014)		CRACKING		6.5	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0			6.0*		
4476491	16.294	18.018	C	2025	0012	RIDE		6.7	6.7	6.0	6.0	6.2	6.2	6.4	6.2	6.3	6.3	6.1	5.8	5.9	5.5				
89010000	14.722	16.295	L	1	1 45	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0					
5 1			3	5.0	41000	RIDE		8.2	8.1	8.1	8.0	7.6	7.4	7.5	7.4	7.5	7.3	7.4	7.3	7.2					
SUNSHINE NOB MANOR(14.8L)																									
4360961	14.710	16.320	C	2018	0012	CRACKING		9.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	9.0				
COMMUNITY ASPHALT CORP.				(2021)	SPRIDE			7.5	7.4	7.3	7.4	7.2	7.4	7.4		8.0	8.0	7.9	8.0	8.0	8.0			7.6	
89010000	11.156	14.722	L	1	1 45	CRACKING		3.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0	9.5					
5 1			3	4.8	37500	RIDE		8.1	8.1	8.1				7.3	7.2	7.1	6.9	6.7	6.7	6.6					
HERITAGE BLVD SE(11.3C)																									
4378381	11.596	14.710	L	2019	0012	CRACKING		9.0	9.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.5	8.5				
J.W. CHEATHAM, LLC				(2022)	SPRIDE			6.5	6.4	6.2	6.6	6.4	6.6	6.7	6.6		8.3	8.2	8.1	8.1	7.9				
89010000	9.171	11.156	L	1	1 55	CRACKING		3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
5 1			2	4.8	37500	RIDE		8.1	8.1	8.1	7.9	7.0	6.8	7.5	7.7	7.6	7.6	7.7	7.7	7.7					
OSPREY ST(10.1L)																									
2288581	9.170	11.996	C	2003	0012	CRACKING		10.0	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	3.5*				
DICKERSON FLORIDA INC.				(2006)	SPRIDE			7.6	7.5	7.3	7.6	7.5	7.6	7.6	7.6	7.5	7.4	7.4	7.4	7.4	7.2			7.2	
89010000	7.256	9.171	L	1	1 45	CRACKING		3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0					
5 1			2	9.0	25500	RIDE		8.1	8.1	8.1	7.9	7.0	6.8	6.2		7.2	7.2	7.3	7.3	7.2					
ALGOZZINI ST SE(7.5L)																									
2288511	7.268	9.171	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	6.0*				
COMMUNITY ASPHALT CORP.				(2008)	SPRIDE			7.2	7.2	7.1	7.2	7.1	7.2	7.2	7.2	7.2	7.1	7.1	7.1	7.2	7.1			6.9	
4484471	5.025	10.130	C	2026	0012																				
89010000	5.050	7.256	L	1	1 45	CRACKING		3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
5 1			2	7.3	16300	RIDE		8.1	8.1	8.1	8.3	7.7	7.7	7.7	7.6	7.5	7.5	7.6	7.5	7.5					
HIGHBORN WAY SE L(5.7L)																									
2288291	5.050	7.042	C	2001	0012	CRACKING		9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	7.0	3.5*				
				(2003)	SPRIDE			7.5	7.4	7.3	7.8	7.7	7.7	7.8	7.8	7.7	7.7	7.7	7.5	7.6	7.4			7.4	
4484471	5.025	10.130	C	2026	0012																				
89010000	0.000	5.050	L	1	1 55	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	6.5					
5 1			2	7.3	16300	RIDE		8.9	8.9	8.9	8.9	8.5	8.5	8.0	8.3	8.0	7.5	8.0	8.3	8.1					
SIDE ROAD(0.9C)																									
4270231	0.000	5.050	C	2013	0012	CRACKING		4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	6.5				
J.W. CHEATHAM, LLC				(2016)	SPRIDE			6.7	6.5		8.5	8.5	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6			8.4	
89015000	0.000	0.123	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*					
5 1			3	4.4	58190	RIDE																			
JOAN JEFFERSON WAY(0.0C)																									
				(2022)		CRACKING		4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0				
						RIDE											8.0	8.1	8.1	8.0	7.6				
89015000	0.968	1.171	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5					
5 1			3	4.4	58190	RIDE																			
WRIGHT BLVD(1.2R)																									
				(2022)		CRACKING		4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0				
						RIDE											8.4	8.4	8.4	8.3	7.9				

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = MARTIN																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)																						
ITMSEG-P	W BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
89015000	0.968	1.171	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
5 1			3	4.4	58190	RIDE																
RAMP TO DIXIE HWY(1.1L)					FC95M																	
(2022)						CRACKING		8.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	
						RIDE											8.5	8.5	8.4	8.5	8.1	
89015000	0.000	0.123	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
5 1			3	4.4	58190	RIDE																
JOAN JEFFERSON WAY(0.0C)					FC95M																	
(2022)						CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0		10.0	10.0	10.0	10.0	9.0	
						RIDE											8.3	8.2	8.0	8.1	7.7	
89020000	0.552	6.124	R	1	4 60	CRACKING		1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	6.5		
710			2	23.3	9700	RIDE		8.0	7.7	8.1	8.3	7.8	7.9	7.8	7.8	7.7	7.6	7.3	7.6	7.5		
					LGD																	
4327051	0.552	6.124	C	2017	0213	CRACKING		6.5	5.5*	5.5*	5.5*	5.5*	5.5*		9.4	9.9	9.4	9.4	9.4	9.4	9.0	
RANGER CONSTRUCTION INDUST(2020)						RIDE		7.3	7.1	7.0	7.1	7.2	7.2		9.2	9.1	8.9	9.1	9.0	8.7	8.5	
89020000	0.552	6.124	L	1	4 60	CRACKING		1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	6.5		
710			2	23.3	9700	RIDE		8.0	7.7	8.1	8.3	7.8	7.9	7.8	7.8	7.7	7.6	7.3	7.6	7.5		
					LGD																	
4327051	0.552	6.124	C	2017	0213	CRACKING		6.5	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	9.5	9.5	9.4	9.4	9.4	9.0	
RANGER CONSTRUCTION INDUST(2021)						RIDE		7.3	7.1	7.0	7.1	7.2	7.2		9.1	9.2	9.1	9.2	8.8	8.6		
89030000	26.600	26.944	R	1	1 40	CRACKING		6.5	6.5	6.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0		
732			1	3.0	15500	RIDE		7.0	6.6	6.7	6.8				7.1	6.5	6.7	6.4	6.4	6.5		
					FC125																	
(2007)						CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	6.0*	
						RIDE		6.6	6.6	6.4	6.3	5.7	6.0	5.9	6.3	5.9	5.8	5.8	5.7	6.0	5.6	
89030000	27.436	28.552	R	1	1 40	CRACKING		6.5	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0		
732			1	3.0	15500	RIDE		7.0	6.6	6.7	6.8	5.1*			7.2	7.5	7.1	7.2	7.1	7.2		
BREAKWATER DR NE(27.9R)					FC125																	
(2007)						CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.3	6.0*		
						RIDE		7.2	7.1	6.8	6.8	6.3	6.6	6.5	6.6	6.5	6.8	6.6	6.7	6.8	6.4	
89030000	27.436	28.552	L	1	1 40	CRACKING		6.5	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0		
732			1	3.0	15500	RIDE		7.0	6.6	6.7	6.8	5.1*			6.9	7.3	7.2	7.3	7.4	7.2		
JENSEN BCH CLUB CIR(28.4L)					FC125																	
(2007)						CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0	7.1	5.5*	
						RIDE		7.1	7.2	6.7	6.7	6.6	6.8	6.8	6.7	6.7	6.8	6.8	6.8	6.8	6.4	
89030000	26.600	26.944	L	1	6 40	CRACKING		6.5	6.5	6.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0		
732			1	3.0	15500	RIDE		7.0	6.6	6.7	6.8				7.3	7.0	7.2	7.2	7.2	7.2		
CAUSAWAY BLVD(26.7L)					FC125																	
(2007)						CRACKING		9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.3*	5.0*	
						RIDE		6.9	6.7	6.6	6.7	6.5	6.6	6.0								
89040000	1.750	2.537	R	1	1 35	CRACKING		6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0		
A1A			2	8.3	26000	RIDE		6.4*	6.0*	5.8	5.8	5.7	5.3*	5.0*		6.7	7.4	7.4	7.2	7.4		
MONTEREY RD(1.8R)					FC95																	
2288531	1.600	2.537	C	2005	0012	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.5	7.0	
CAROLINA CONSULTING CORP. (2008)					SPRIDE			7.4	7.2	6.8	6.8	6.6	6.5	6.4	6.3	6.4	6.2	6.0	5.9	5.9	5.5	
89040000	3.143	3.519	C	1	1 40	CRACKING		9.5	9.5	8.0	8.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5		
A1A			2	5.4	25500	RIDE		6.9	5.8*	4.0*					6.1	5.6	6.0	6.2	5.9	6.4	6.3	
RIVER RD(3.2C)					FC125																	
4246391	3.143	3.436	L	2012	0012	CRACKING		6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	7.5	
DICKERSON FLORIDA INC. (2014)						RIDE		6.3	8.0	7.2	6.4	6.8	7.2	6.7	7.1	6.7	6.9	7.0	7.0	6.9	6.5	
89040000	4.401	5.738	C	1	1 45	CRACKING		4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
A1A			2	4.2	8696	RIDE		7.6	7.4	7.6	7.3	6.8	6.7	7.4	7.3	7.0	7.4	7.5	7.4	7.4		
EAST ISLAND ACCESS(4.5R)					FC95																	
2288371	4.547	5.685	C	2003	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.1	7.5	
DICKERSON FLORIDA INC. (2006)					SPRIDE			7.3	7.3	6.8	6.2	6.4	6.7	6.6	6.6	6.4	6.4	6.5	6.4	6.3	5.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = MARTIN																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																
89040000	5.738	8.110	C	1	1 45	CRACKING		4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
A1A			2	4.2	8696	RIDE		7.6	7.4	7.6	7.3	6.8	6.7		8.0	8.0	8.0	8.0	7.8	8.0	
NE SHORE VILLAGE TER(5.7L)					FC95																
4051671	5.685	8.669	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.0*
COMMUNITY ASPHALT CORP.				(2007)	SPRIDE			7.9	8.0	7.5	7.9	7.6	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.6	7.2
4476501	5.738	8.015	C	2026	0012																
89040000	8.110	8.630	C	1	1 35	CRACKING		4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
A1A			1	4.6	17900	RIDE		7.6	7.4	7.6	7.3	6.8	6.7		8.0	8.0	8.0	8.0	7.8	7.6	
JENSEN BEACH CLUB(8.3L)					FC95																
4051671	5.685	8.669	C	2004	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.5
COMMUNITY ASPHALT CORP.				(2007)	SPRIDE			7.8	7.8	7.3	7.3	7.2	7.2	7.5	7.5	7.3	7.4	7.1	7.3	7.3	6.9
89040000	1.750	2.537	L	1	1 35	CRACKING		4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
A1A			2	8.3	26000	RIDE		7.6	5.9*	7.8	7.9	6.3	5.6	5.2*		7.1	7.0	7.4	7.4	7.5	
SMITHFIELD PLAZA(1.8L)					FC95																
2288531	1.600	2.537	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	7.5
CAROLINA CONSULTING CORP.				(2008)	SPRIDE			7.4	7.5	7.2	6.9	6.8	7.0	6.9	6.8	6.7	6.8	6.8	6.7	6.6	6.2
89050000	0.000	1.182	C	1	8 55	CRACKING		7.0	6.0*	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*		10.0	10.0	10.0	9.5	
15 98			2	31.7	5400	RIDE		8.1	7.8	7.6	7.5	7.0	6.6	6.3*	6.2*		8.4	8.3	8.3	8.2	
					DGFC																
4114361	0.000	1.182	C	2007	0012	CRACKING		9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*		
COMMUNITY ASPHALT CORP.				(2009)	SPRIDE			8.0	7.9	7.5	7.3	7.3	7.1	6.9	6.7	6.3*	6.2*	6.0*	6.0*		
4461711	0.000	1.718	C	2023	0012																
89050000	1.182	1.718	C	1	8 45	CRACKING		3.5*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
15 98			2	33.2	3000	RIDE		7.6	6.9	8.9	8.9	8.3	8.4	8.2	8.1	8.1	8.0	7.9	8.1	7.9	
KANNER HWY(1.4R)					DGFC																
				(2002)		CRACKING		9.5	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0		
4461711	0.000	1.718	C	2023	0012	RIDE		7.9	8.0	7.9	7.4	7.6	7.8	8.0	8.0	7.9	7.9	7.9	7.9		
89050000	2.184	2.658	C	1	8 45	CRACKING		3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
15 98			2	33.2	3000	RIDE		8.2	8.1	8.6	8.8	8.4	8.4	8.2	8.2	8.1	8.1	7.9	8.0	8.2	
ACCES RD(2.5L)					DGFC																
				(2003)		CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0		
4461711	2.184	12.333	C	2023	0012	RIDE		8.0	7.9	8.0	7.5	7.0									
89050000	2.658	12.333	C	1	8 55	CRACKING		10.0	10.0	9.5	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	
15 98			2	33.2	3000	RIDE		8.6	8.5	8.3	8.3	7.4	7.3	7.0	7.2	6.7	6.4*	6.3*	6.2*	8.5	
PORT MAYACA DR(6.9R)					FC95																
4168881	2.658	12.333	C	2010	0012	CRACKING		10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*		
COMMUNITY ASPHALT CORP.				(2012)	SPRIDE			8.3	8.1	7.8	7.6	7.1	7.4	7.2	7.1	6.8	6.7	6.3*	6.2*		
4461711	2.184	12.333	C	2023	0012																
89060000	0.000	1.843	C	1	1 55	CRACKING		7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	7.0	
76			2	35.1	2400	RIDE		7.7	7.4	8.5	8.5	7.8	7.6	7.6	7.4	7.4	7.0	7.1	7.1	7.1	
CONNERS HWY(0.0C)					FC125M																
4342751	0.000	1.843	C	2017	0012	CRACKING		6.0*	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.0
LYNCH PAVING & CONSTRUCTIO				(2018)	SPRIDE			7.0	7.0	6.8	5.9*	6.0*	8.0	7.7	7.7	7.6	7.5	7.4	7.4	7.4	7.0
89060000	1.843	9.918	C	1	1 55	CRACKING		9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	4.5*	
76			2	43.8	2700	RIDE		8.5	8.4	8.3	8.3	7.3	7.4	7.2	7.1	7.0	6.6	6.8	6.7	6.4*	
LAKE POINT CIR SW(2.1R)					FC95																
4229531	1.810	9.918	C	2011	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	9.5	8.5
COMMUNITY ASPHALT CORP.				(2014)	SPRIDE				8.7	7.7	6.8	7.3	8.0	8.0	7.9	7.8	7.6	7.4	7.5	7.4	7.0
89060000	9.918	12.487	C	1	1 45	CRACKING		10.0	10.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	
76			2	43.8	2700	RIDE		8.5	8.9	8.8	8.8	8.3	8.4	8.3	8.2	8.0	7.7	7.8	7.8	7.7	
INDIANTOWN AVE SW(11.5R)					FC125																
4216801	9.918	12.486	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.0
DICKERSON FLORIDA INC.				(2013)	SPRIDE			8.4	8.6	7.5	7.3	7.7	8.3	8.3	8.2	8.1	8.1	7.9	8.0	8.1	7.7
89060000	12.487	14.400	C	1	7 55	CRACKING		7.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	2.0*	10.0	10.0	10.0	10.0	
76			2	11.2	4600	RIDE		8.5	8.5	8.5	8.6	8.1	7.8	7.6	7.5	7.3	7.7	7.6	7.8	7.8	
					FC125H																
4461121	12.487	14.400	C	2023	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	8.0	7.0	7.0	7.0	6.0*	5.5*	3.5*	10.0	9.5
J.W. CHEATHAM, LLC				(2025)	SPRIDE			7.7	7.7	7.6	7.7	7.7	7.8	7.8	7.8	7.8	7.8	7.6	7.7	8.3	7.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = MARTIN																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR															FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012				
INTERSECT AT (MP SIDE)																								
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-X-P																			
CONTRACTOR (AGE ONE YEAR)					ASTYPE																			
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-X-F																			
89060000	25.162	25.935	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5				
76			3	6.6	46500	RIDE		8.7	8.9	8.8	8.7	8.4	8.4	8.2	8.2	8.1	8.0	8.1	8.0	8.0				
JACK JAMES DR(25.2C)					DGFC																			
				(2021)		CRACKING		6.5	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0				
						RIDE		7.7	7.7	7.6	7.9	7.9				6.9	6.9	6.8	6.9	6.8				9.0
																								6.4
89060000	24.600	25.162	L	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	10.0				
76			2	10.5	22500	RIDE		8.7	8.9	8.8	8.7	8.4	8.4	8.2	8.2	8.1	8.0	8.1	8.0	7.9				
KANSAS AVE SW(24.8L)					FC5M																			
4226412	24.699	25.159	L	2018	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	9.6	8.5			
RANGER CONSTRUCTION INDUST(2022)					SPRIDE			7.8	7.8	7.7	8.1	8.0	8.0	8.1	8.1	7.2	8.3	8.2	8.1	8.2				8.0
89060000	23.381	24.600	L	1	1 50	CRACKING		5.5*	3.0*	3.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0				
76			2	10.5	22500	RIDE		7.0	6.9	7.3	7.5	6.8	6.5	6.6	7.7	7.5	7.3	7.9	8.1	8.0				
CR 711(23.6L)					FC5M																			
4226412	23.948	24.699	L	2018	0213	CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	10.0	10.0	10.0	10.0	9.0			
RANGER CONSTRUCTION INDUST(2022)					SPRIDE			8.0	7.9	7.6	7.8	7.3	7.7	7.8	7.7	7.8	8.7	8.6	8.6	8.6				8.4
89070000	0.000	2.000	C	1	1 60	CRACKING		8.0	8.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0				
710			2	17.4	9400	RIDE		8.9	8.9	8.8	8.8	8.1	8.0	7.8	7.6	7.1	6.9	8.4	8.4	8.4				
CR 714(0.0L)					FC95																			
4138441	0.154	14.648	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.2	6.0*			
J.W. CHEATHAM, LLC				(2010)		RIDE		8.4	8.4	7.9	7.7	8.1	8.1	8.0	8.0	8.0	8.0	8.0	7.8	8.0				7.6
89070000	2.000	4.059	C	1	1 60	CRACKING		8.0	8.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0				
710			2	17.4	9400	RIDE		8.9	8.9	8.8	8.8	8.1	8.0	7.8	7.6	7.1	6.9	8.4	8.4	8.4				
					FC95MR																			
4327071	2.000	12.600	C	2014	0213	CRACKING		10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5			
				(2018)		RIDE		8.4	8.4	7.9	7.7		8.0	7.9	7.8	7.9	7.8	7.8	7.8	7.9				7.5
89070000	4.059	10.430	C	1	1 60	CRACKING		8.0	8.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0				
710			2	17.4	9400	RIDE		8.9	8.9	8.8	8.8	8.1	8.0	7.8	7.6	7.1	6.9	8.4	8.4	8.4				
HIGH HORSE RANCH(4.2L)					FC95																			
4327071	2.000	12.600	C	2014	0213	CRACKING		10.0	10.0	10.0	10.0		9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.3	7.5			
				(2018)		RIDE		8.4	8.4	7.9	7.7		8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.1				7.7
89070000	10.430	12.446	C	1	1 60	CRACKING		9.5	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	3.5*	10.0	10.0	10.0				
710			3	17.4	9400	RIDE		8.8	8.8	8.7	8.6	8.0	7.8	7.6	7.4	6.9	6.4*	8.4	8.4	8.4				
NO NAME(10.9L)					FC95MR																			
4327071	2.000	12.600	C	2014	0213	CRACKING		10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	8.5			
				(2018)		RIDE		8.4	8.4	7.9	7.7		8.0	7.9	7.9	7.8	7.8	7.7	7.7	7.6				7.2
89070000	12.446	14.648	C	1	1 55	CRACKING		9.5	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	3.5*	10.0	10.0	10.0				
710			2	17.4	9400	RIDE		8.8	8.8	8.7	8.6	8.0	7.8	7.6	7.4	6.9	6.4*	8.4	8.4	8.4				
SIDE ROAD(12.5L)					FC95																			
4138441	0.154	14.648	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	7.5			
J.W. CHEATHAM, LLC				(2010)		RIDE		8.4	8.4	7.9	7.7	7.7	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2				7.8
89070000	14.648	15.700	C	1	1 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.5	9.0	9.0				
710			2	15.1	14700	RIDE		9.0	8.9	8.8	8.9	8.5	8.5	8.5	8.4	8.5	8.3	8.2	8.3	8.3				
M L KING DR SW(14.7R)					FC95																			
4271121	14.648	15.720	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.0			
DICKERSON FLORIDA INC.				(2013)	SPRIDE			9.0	9.0	8.6	8.5	7.9	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5				8.1
4533334	14.872	15.710	C	2030	0213																			
89070000	15.700	16.456	C	1	1 35	CRACKING		10.0	10.0	9.0	10.0	10.0	10.0	9.5	10.0	9.5	9.5		10.0	10.0				
710			4	15.1	14700	RIDE		8.3	8.1	8.1	8.2	7.5	7.0	7.1	6.8	7.4	7.2		7.8	8.1				
SW VAN BUREN AVE(15.7L)					FC95																			
4138451	15.747	16.605	R	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.8	7.5			
HARDRIVES OF DELRAY, INC.				(2011)	SPRIDE			8.0	7.9	7.8	7.4	6.6	7.5	7.4	7.4	7.2	7.1	7.0	6.7	7.0				6.6
89070000	16.456	16.985	R	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5		10.0	10.0				
710			2	15.1	14700	RIDE		8.3	8.1	8.1	8.0	7.5	7.7	7.1	7.3	7.4	7.3		7.8	8.1				
FERNWOOD FOREST RD(16.5R)					FC5M																			
				(2016)		CRACKING		10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.0*			
						RIDE		8.0			7.8	7.6	7.7	7.6	7.7	7.7	7.8	7.4	7.5	7.6				7.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = MARTIN

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-X-P																	
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030	
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-X-F																(PMRS)	
89091000	0.000	2.475	R	1	1 45	CRACKING		10.0	10.0	10.0	9.5	9.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		
714			2	7.2	35500	RIDE		8.4	8.4	8.3	8.3	7.5	7.8	7.1	7.3	7.2	7.1	7.2	7.0	6.9		
CR 714(0.0C)					FC125																	
4216811	0.013	2.458	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	7.5	
COMMUNITY ASPHALT CORP.				(2013)	SPRIDE			8.5	8.4	8.0	7.9	7.8	8.1	8.1	8.1	8.0	7.9	8.0	8.0	8.0	7.6	
89091000	0.000	2.475	L	1	1 45	CRACKING		10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*		
714			2	7.2	35500	RIDE		8.4	8.5	8.2	8.3	7.6	7.8	7.6	7.6	7.5	6.7	6.7	6.3	6.0		
CR 714(0.0C)					FC125																	
4216811	0.013	2.458	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.2	8.0	
COMMUNITY ASPHALT CORP.				(2013)	SPRIDE			8.6	8.4	8.0	7.3	7.7	8.0	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.5	
89092000	0.000	1.314	R	1	1 40	CRACKING		7.5	7.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0		
714			2	2.7	31000	RIDE		6.5	6.6	6.9	6.4	6.2	6.2	5.9	5.7	6.5	6.3	6.2	6.1	6.5		
CR 714(0.0C)					DGFC																	
2288621	0.000	1.800	C	2006	0012	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.5	
RANGER CONSTRUCTION INDUST(2008)						RIDE		6.1	5.9	5.8	5.8	5.7	5.9	5.7	5.7	5.7	5.6	5.9	5.9	5.5	5.1*	
4498291	0.000	1.310	C	2028	0012																	
89092000	1.314	1.633	R	1	6 40	CRACKING		7.5	7.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0		
714			2	6.4	26500	RIDE		6.5	6.6	6.9	6.4	6.2	6.2	5.9	5.7	6.5	6.3	6.2	6.1	6.5		
CR A1A(1.6C)					DGFC																	
2288621	0.000	1.800	C	2006	0012	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.9	7.5	
RANGER CONSTRUCTION INDUST(2008)						RIDE		6.1	5.9	5.8	5.8	5.7	5.9	5.7	5.7	5.7	5.6					
89092000	1.633	3.166	R	1	1 40	CRACKING		7.5	7.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0		
714			2	5.9	20000	RIDE		6.5	6.6	6.9	6.4	6.2	6.2	5.9	5.7		7.7	7.9	7.9	7.8		
FLYING FORTRESS LN(2.5R)					DGFC																	
2288612	1.730	2.773	C	2007	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	8.0	
(2009)						RIDE		7.8	7.7	7.1	7.0	7.4	7.7	7.6	7.5	7.5	7.3	7.4	7.4	7.3	6.9	
89092000	1.633	3.166	L	1	1 40	CRACKING		7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0		
714			2	5.9	20000	RIDE		6.4*	6.3*	6.2	6.1	5.9	5.9	5.4*	5.6		6.8	7.8	8.0	7.9		
CHILD CARE(2.9L)					DGFC																	
2288612	1.730	2.773	C	2007	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5	
(2009)						RIDE		7.8	7.8	7.6	6.6	6.5	7.3	7.6	7.5	7.5	7.1	7.2	7.3	7.2	6.8	
89092000	1.314	1.633	L	1	6 40	CRACKING		7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0		
714			2	6.4	26500	RIDE		6.4*	6.3*	6.2	6.1	5.9	5.9	5.4*	5.6		6.8	6.0	6.5	6.8		
SPUR(1.3L)					DGFC																	
2288621	0.000	1.800	C	2006	0012	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.9	7.5	
RANGER CONSTRUCTION INDUST(2008)						RIDE		6.8	6.7	6.2	5.9	6.0	6.1	5.9	5.9	6.0	6.0	5.7				
89092000	0.000	1.314	L	1	1 40	CRACKING		7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0		
714			2	2.7	31000	RIDE		6.4*	6.3*	6.2	6.1	5.9	5.9	5.4*	5.6		6.8	6.0	6.5	6.8		
SW PALM CITY RD(0.0L)					DGFC																	
2288621	0.000	1.800	C	2006	0012	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.8	7.5	
RANGER CONSTRUCTION INDUST(2008)						RIDE		6.8	6.7	6.2	5.9	6.0	6.1	5.9	5.9	6.0	5.7	6.2	6.3	6.2	5.8	
4498291	0.000	1.310	C	2028	0012																	
89095000	0.000	7.849	R	4	1 70	CRACKING		4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	8.0	8.0		
9 I95	88.6	96.4	3	7.6	103500	RIDE		8.5	8.4	8.5	8.6	7.8	7.7	7.7	7.6	7.5	7.4	7.2	7.1	7.3		
					FC5M																	
4342731	0.000	7.825	R	2017	0012	CRACKING		7.0	7.0	7.0	5.5*	5.5*	5.5*			10.0	10.0	10.0	10.0	9.4	8.0	
COMMUNITY ASPHALT CORP.				(2021)	SPRIDE			7.2	7.2	7.2	7.6	7.6	7.7			8.6	8.6	8.6	8.6	8.6	8.5	
89095000	7.849	11.490	R	4	1 70	CRACKING		10.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	10.0		
9 I95	96.4	100.0	3	10.8	111500	RIDE		8.8	8.8	8.7	8.8	8.3	8.3	8.1	8.0	7.9	7.7	7.6	7.6	8.0		
					FC5																	
4153951	7.849	11.490	R	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	4.0*	
(2012)						RIDE		8.0	8.0	8.0	8.2	8.3	8.3	8.4	8.4	8.5	8.4	8.4	8.4	8.4	8.3	
4491591	7.815	11.490	C	2025	0012																	
89095000	11.490	24.817	R	4	1 70	CRACKING		10.0	9.5	8.0	8.0	7.5	7.5	6.5	6.5	3.5*	3.5*	10.0	10.0	10.0		
9 I95	100.0	113.4	3	13.4	74500	RIDE		8.9	8.8	8.6	8.6	7.7	7.4	7.2	7.0	6.5	6.7	8.3	8.0	8.3		
					FC5M																	
4153961	11.494	24.835	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	6.5	3.5*	
DICKERSON FLORIDA INC.				(2010)		RIDE		8.2	8.2	8.0	8.6	8.6	8.7	8.9	8.9	8.9	8.9	8.8	8.8	8.9	8.8	
4491601	11.490	24.817	C	2025	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = MARTIN																					
RDWYID	SR	US	BMP	G BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	RATINGS	SURVEYED YEAR									
INTERSECT	AT	(MP)	(SIDE)									2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-F	ASTYPE						2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
CONTRACTOR	(AGE ONE YEAR)																				
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-F																
																					FUTURE
																					2030 (PMRS)
89095000	11.490	24.817	L	4	1	70	CRACKING					10.0	9.5	7.5	7.5	7.5	7.5	4.5*	4.5*	4.5*	4.5*
9 I95	100.0	113.4	3	13.4	74500	RIDE						8.8	8.8	8.2	8.4	7.5	7.4	7.4	7.2	7.0	6.8
					FC5M																8.3
4153961	11.494	24.835	C	2008	0012	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5
DICKERSON	FLORIDA INC.			(2010)		RIDE						8.2	8.2	8.1	8.5	8.5	8.6	8.7	8.8	8.7	8.6
4491601	11.490	24.817	C	2025	0012																8.7
89095000	7.849	11.490	L	4	1	70	CRACKING					9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*
9 I95	96.4	100.0	3	10.8	111500	RIDE						8.9	8.8	8.5	8.6	8.0	8.0	8.0	7.9	7.9	7.4
					FC5																7.7
4153951	7.849	11.490	L	2010	0012	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5
J.W. CHEATHAM, LLC				(2012)		SPRIDE						7.8	7.8	7.7	8.3	8.3	8.3	8.4	8.5	8.5	8.5
4491591	7.815	11.490	C	2025	0012																8.4
89095000	0.000	7.849	L	4	1	70	CRACKING					4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
9 I95	88.6	96.4	3	7.6	103500	RIDE						8.4		8.1	8.5	7.7	7.7	7.7	7.6	7.4	7.4
					FC5M																7.2
4342731	0.000	7.825	L	2017	0012	CRACKING						7.0	7.0	7.0	5.5*	5.5*	5.5*				10.0
COMMUNITY ASPHALT CORP.				(2021)		SPRIDE						7.2	7.2	7.2	7.6	7.5	7.5				8.8
																					8.7
89470000	0.000	8.689	R	5	1	70	CRACKING					9.5	8.0	8.0	7.5	7.5	7.5	5.5*	5.5*	4.5*	10.0
91	117.9	126.6	2	18.0	56000	RIDE						9.1	9.0	8.4	8.8	8.3	8.1	7.8	7.7	7.3	7.7
					FC5M																10.0
				(2024)		CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
						RIDE						7.9	7.8	7.8	8.1	8.1	8.1	8.2	8.3	8.2	8.1
89470000	8.689	12.952	R	5	1	70	CRACKING					7.5	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0
91	126.6	130.9	2	18.0	56000	RIDE						9.0	8.9	8.5	8.8	8.1	7.7	7.4	7.4		7.7
					FC5M																10.0
4379921	0.000	20.194	C	2019	0012	CRACKING						10.0	9.5	9.0	9.0	8.0	8.0	8.0	6.5	6.5	
CENTRAL MORRISON COBALT JV(2023)				(2023)		SPRIDE						7.6	7.5	7.4	7.8	7.7	7.8	7.9	8.0	7.9	8.8
																					10.0
89470000	13.474	20.249	R	5	1	70	CRACKING					8.0	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0
91	131.4	138.2	2	18.0	63300	RIDE						8.6	8.8	8.3	8.4	8.1	7.7	7.5	7.3		7.5
					FC5M																10.0
4379921	0.000	20.194	C	2019	0012	CRACKING						9.0	9.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	
CENTRAL MORRISON COBALT JV(2023)				(2023)		SPRIDE						7.6	7.5	7.4	7.9	7.8	7.8	7.9	7.9	7.7	8.6
																					10.0
89470000	13.474	20.249	L	5	1	70	CRACKING					7.5	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0
91	131.4	138.2	2	18.0	63300	RIDE						8.2	8.7	8.3	8.2	7.5	7.6	7.1	7.1		7.7
					FC5M																10.0
4379921	0.000	20.194	C	2019	0012	CRACKING						9.5	9.0	8.0	8.0	6.5	6.5	5.5*	5.5*		10.0
CENTRAL MORRISON COBALT JV(2023)				(2023)		SPRIDE						7.6	7.6	7.5	7.9	7.8	7.8	7.9	8.0		8.6
																					10.0
89470000	5.967	12.952	L	5	1	70	CRACKING					7.5	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0
91	123.9	130.9	2	18.0	56000	RIDE						8.9	8.8	8.4	8.6	7.8	7.6	7.2	7.1		7.7
					FC5M																10.0
4379921	0.000	20.194	C	2019	0012	CRACKING						9.5	9.5	9.5	9.5	8.0	8.0	6.5	6.5		10.0
CENTRAL MORRISON COBALT JV(2023)				(2023)		SPRIDE						7.7	7.7	7.4	8.1	8.0	8.0	8.2	8.2		8.9
																					10.0
89470000	0.000	5.967	L	5	1	70	CRACKING					7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	4.5*	10.0
91	117.9	123.9	2	18.0	56000	RIDE						9.0	8.9	8.7	8.7	8.0	7.7	7.6	7.3	6.9	7.7
					FC5M																10.0
				(2024)		CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
						RIDE						7.8	7.7	7.5	8.2	8.0	8.1	8.2	8.2	8.2	8.1
89530000	0.000	2.213	R	1	1	45	CRACKING											9.0	9.0	9.0	9.0
732			2	2.7	14500	RIDE												6.7	6.7	6.8	6.3
SR 5(0.0C)					FC125M																9.0
4323481	0.000	2.213	C	2019	0012	CRACKING						8.0	8.0	6.5	6.5	5.5*	5.5*	3.5*	3.5*	10.0	10.0
RANGER CONSTRUCTION INDUST(2021)				(2021)		SPRIDE						6.5	6.5	6.3	5.8	5.9	6.0	6.0	6.0	8.0	8.0
																					10.0
89530000	0.000	2.213	L	1	1	45	CRACKING											9.0	9.0	9.0	9.0
732			2	2.7	14500	RIDE												6.0	6.0	5.9	5.8
SR 5(0.0C)					FC125M																9.0
4323481	0.000	2.213	C	2019	0012	CRACKING						8.0	8.0	6.5	5.5*	5.5*	5.5*	3.5*	3.5*	10.0	10.0
RANGER CONSTRUCTION INDUST(2021)				(2021)		SPRIDE						5.6	5.7	5.4*	5.2*	5.5	5.7	5.7	5.6	7.7	7.6
																					10.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).