

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = MONROE -----

RDWYID	SR	US	BMP	G_BMP	EMP LN	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE			
											1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010	2011
INTERSECT AT (MP SIDE)		W_BMP		W_EMP LN		FY-P		WKM-F		RATINGS		SURFTYPE		ASTYPE										
CONTRACTOR (AGE_ONE YEAR)		W_BMP		W_EMP LN		FY-F		WKM-F		RATINGS		SURFTYPE		ASTYPE						2029 (REG)				
90003000	A1A		0.000		0.759	C	1	8	30	CRACKING RIDE	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	
BERTHA ST(0.0L)											5.6*	5.6*	5.7*	5.4*	5.1*	4.6*	3.7*	4.3*	4.7*	4.6*	4.7*	4.3*	4.2*	
											0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
(2014)											3.9*	3.4*	6.9	6.9	6.0	5.9	6.0	5.9	5.7	5.9	5.8	5.9	5.9	
2505488	A1A		0.000		0.977	C	2022		0221	CRACKING RIDE	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	0.0*					10.0	10.0	
FARALDO CIR(1.3L)											5.6*	5.6*	5.7*	5.4*	5.1*	4.6*	3.7*	4.3*				6.6	6.2	6.4
THE DE MOYA GROUP INC.											10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
(2009)											6.3	6.3	6.3	6.2	6.0	6.0	6.0	5.9	5.9	5.9	5.9	5.7	5.9	5.5
90003000	A1A		2.588		2.895	C	1	2	30	CRACKING RIDE	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	0.0*	0.0*				10.0	10.0	
CR 5A(2.6L)											5.6*	5.6*	5.7*	5.4*	5.1*	4.6*	3.7*	4.3*	3.7*			6.6	6.2	6.4
											10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	
(2016)											6.3	6.3	6.3	6.2	6.0	5.8	5.3*	5.5	5.3*	5.4*	5.1*	5.0*	4.0*	3.6
4460071	A1A		2.572		2.895	C	2022		0015	CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
FLEMING ST(0.0C)											7.6	6.8	6.9	7.2	5.6	5.5	5.3*	6.6	5.1*	5.6	5.2*			
TOPPINO'S INC.											9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	4.5*	3.5*		
(1998)											10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
90010000	A1A		0.401		1.335	C	1	8	25	CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
TRUMAN AVE(0.4R)											6.5	6.7	6.1*	6.5	6.0	5.7	5.7	5.5	5.5	5.2*	5.4*	5.2*	4.8*	4.8*
GENERAL ASPHALT CO., INC.											10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
(2017)											4.9*	4.8*	4.6*	4.1*										
90010000	A1A		1.335		3.969	C	1	1	35	CRACKING RIDE	6.5	4.0*	4.5*	4.0*	4.0*	4.0*	4.0*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	
JOSE MARTI DR(1.3R)											6.6	6.3*	6.5	6.4	5.8	5.3*	5.3*	4.7*	5.0*	4.7*	5.1*	4.2*	3.9*	
											1.0*	1.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
(2016)											4.2*	4.0*			6.1	6.0	6.0	5.6	5.3*	5.4*	5.7	5.7	5.5	5.1
4460111	A1A		1.394		3.945	C	2025		0012	CRACKING RIDE	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	
CROSS ST(4.5R)											7.7	7.6	7.1	7.1	7.2	6.1	6.1	6.0	5.8	5.8	6.3	6.4	7.6	
											10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	9.5	8.3
(2022)											7.5	7.6	7.5	7.4	7.3									
90010000	A1A		3.969		4.531	L	1	6	35	CRACKING RIDE	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	
COLLEGE RD(4.2L)											7.9	7.8	7.5	7.6	7.2	6.6	6.2	6.0	6.4	6.4	6.4	6.5	7.4	
											10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	
(2022)											7.5	7.4	7.5	7.5	7.4				7.2	6.5				
90020000	A1A		0.000		0.942	R	1	1	45	CRACKING RIDE	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	4.5*	
S OF MCDONALD AVE(0.0C)											8.1	8.1	7.8	8.0	7.6	7.0	6.9	7.0	7.1	7.0	7.0	6.6	6.4	
GENERAL ASPHALT CO., INC.											4.5*	4.5*	3.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	
(2018)											6.1	5.9	5.8	5.4*	5.8	8.0	7.9	7.9	7.9	7.8	7.9	7.9	7.8	
90020000	A1A		0.942		1.466	R	1	1	55	CRACKING RIDE	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	4.5*	
GENERAL ASPHALT CO., INC.											8.1	8.1	7.8	8.0	7.6	7.0	6.9	7.0	7.1	7.0	7.0	6.6	6.4*	
											4.5*	4.5*	3.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	
(2018)											6.1*	5.9*	5.8*	5.4*	5.8*	8.0	7.9	7.9	7.9	7.8	7.9	7.9	8.0	
90020000	A1A		1.967		5.213	R	1	1	55	CRACKING RIDE	9.0	9.0	8.0	6.5	5.5*	10.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	
NAVY YARD ENT(2.3R)											8.3	8.3	8.2	8.2	7.9	6.9	6.9	6.9	7.1	7.1	7.0	6.8	6.7	
GENERAL ASPHALT CO., INC.											6.5	6.5	6.5	6.5	4.5*				10.0	10.0	10.0	10.0	9.0	
(2018)											6.6	6.4*	6.3*	6.1*	6.4*	8.1	7.9	8.1	8.1	8.1	8.1	8.1	8.1	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 COUNTY = MONROE

RDWYID	SR	US	BMP	G_BMP	EMP LN	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE				
											1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010	2011	
INTERSECT AT (MP SIDE)																									
ITMSEG-P	W_BMP	W_EMP LN	RW	FY-P	WKM-X	P	ADT	RATINGS	SURFTYPE	*****															
											CONTRACTOR (AGE_ONE YEAR)	ASTYPE													
ITMSEG-F	W_BMP	W_EMP LN	RW	FY-F	WKM-X	F	ADT	RATINGS	SURFTYPE	*****	2012		2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029 (REG)
90020000	5	1	5.213	6.356	C	1	1	45	CRACKING	FC4	6.5	4.5*	4.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	9.0	7.5		10.0	
COPPITT RD(5.3L)											7.9	7.5	7.1	7.2	6.6	6.3*	6.3*	6.4	6.7	6.5	6.4		7.7		
(2011)											10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2
											7.8	7.7	7.8	7.7	7.5	7.4	7.4	7.3	7.4	7.3	7.4	7.2	7.2	6.9	
90020000	5	1	6.356	6.778	C	1	1	45	CRACKING	FC95	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	5.5*	5.0*	5.0*	3.5*	3.5*	
BOAT RAMP(6.5R)											7.7	7.4	7.4	7.2	6.9	6.4*	6.1*	6.2	6.2	6.1	6.0	5.8	5.6		
GENERAL ASPHALT CO., INC. (2013)											3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
											5.2*	8.1	7.9	8.0	7.4	7.4	7.3	7.2	7.2	7.1	7.2	6.9	6.9	6.3	
90020000	5	1	7.170	10.085	C	1	1	55	CRACKING	FC95	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*		
BLUE WATER DR(9.8R)											7.9	7.9	7.8	7.9	7.6	7.2	6.7	7.1	7.1	7.0	6.7	6.7	6.5		
GENERAL ASPHALT CO., INC. (2015)											6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
											6.5	6.3*	6.1*	8.3	7.8	7.9	7.8	7.6	7.6	7.6	7.6	7.6	7.7	7.7	7.3
90020000	5	1	10.085	10.730	C	1	1	55	CRACKING	FC95	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	7.0	8.0	6.5	6.5	4.5*		
BAY POINT DR(10.3R)											7.9	7.9	7.8	7.9	7.6	7.2	6.7	7.1	7.1	7.1	6.9	6.7	6.5		
COMMUNITY ASPHALT CORP. (2014)											4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
											6.4*	6.4*	7.3	7.5	7.3	7.3	7.2	7.1	7.2	7.1	6.6	7.0	7.1	6.7	
90020000	5	1	10.730	11.388	C	1	1	55	CRACKING	FC95	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*		
GENERAL ASPHALT CO., INC. (2015)											7.9	7.9	7.8	7.9	7.6	7.2	6.7	7.1	7.1	7.1	6.6	6.4*	6.4*	6.1*	
											6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
											5.9*	5.6*	5.5*	8.4	7.6	7.5	7.5	7.2	7.3	7.3	7.1	7.4	7.5	6.8	
90020000	5	1	11.388	14.899	C	1	1	45	CRACKING	DGFC	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		
S POINT DR(12.1R)											8.3	8.0	8.0	8.1	7.7	6.9	7.1	6.6	6.4	6.3	6.1	6.1	5.7		
GENERAL ASPHALT CO., INC. (2013)											4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
											5.7	8.6	8.4	8.3	7.8	7.8	7.7	7.6	7.7	7.6	7.5	7.6	7.6	6.9	
90020000	5	1	14.899	15.274	C	1	1	45	CRACKING	FC2	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC. (2014)											8.2	8.5	8.5	8.8	8.3	7.3	7.0	7.6	7.8	7.3	7.2	7.1	7.1		
											10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.5	6.5	4.5*	4.5*	3.5*	3.1		
											7.0	7.2	7.1	7.1	6.9	6.8	6.9	6.5	6.8	7.1	7.0	6.9	6.8	6.8	
90020000	5	1	15.274	16.158	C	1	1	45	CRACKING	FC4	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0		
JOHNSON RD N(15.3L)											7.8	7.7	8.0	7.8	7.7	6.9	7.0	7.2	7.2	7.2	7.1	7.0	7.0		
											9.0	9.0	8.5	8.5	8.5	8.5	8.5		10.0	10.0	10.0	10.0	10.0		
											7.0	7.0	6.8	6.6	6.1	5.9	5.7		7.1	7.1	6.9	6.8	6.3		
90020000	5	1	16.158	18.585	C	1	1	45	CRACKING	FC5	9.0	9.0	8.0	7.0	7.0	6.5	4.0*	4.0*	4.5*	4.5*	4.5*	10.0	10.0		
DROST DR(16.5R)											8.4	8.4	8.4	8.4	8.2	7.6	7.4	7.5	7.3	6.6	7.0	7.6	7.7		
COMMUNITY ASPHALT CORP. (2010)											10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	3.5*	1.4	
											7.7	7.7	7.7	7.7	7.6	7.6	7.5	7.4	7.5	7.4	7.4	7.3	7.2	7.1	
90020000	5	1	18.585	20.882	C	1	1	45	CRACKING	FC95M	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
HENRY ST(19.4R)											8.1	8.1	8.0	8.0	7.7	8.1	8.1	8.1	8.1	8.1	8.0	7.6	7.5		
											10.0	9.0	9.0	9.0	8.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0		
											7.5	7.4	7.2	6.7	6.8	6.8	6.6	6.2		7.7	7.7	7.7	7.6	7.5	
90020000	5	1	21.747	22.890	C	1	1	45	CRACKING	FC95	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0		
AMBERJACK RD(22.2R)											8.6	8.5	8.4	8.5	8.1	7.1	7.1	7.0	7.2	7.2	7.2	7.4	7.3		
GENERAL ASPHALT CO., INC. (2006)											10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	4.3	
											7.3	7.3	7.3	7.2	7.3	7.3	7.3	7.2	7.3	7.3	7.3	7.1	7.1	7.1	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 COUNTY = MONROE

Table with columns: RDWYID, SR, US, G_BMP, W_BMP, EMP, G_EMP, RW, W_EMP, LN, %T, SYS, TYP, SPD, DISTRESS, SURVEYED YEAR (1999-2029), and FUTURE (2029). Rows include project details like 'MIDDLE TORCH RD(23.3L)', 'GENERAL ASPHALT CO., INC.', and 'THE DE MOYA GROUP INC.' with associated pavement condition ratings and forecasted values.

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 COUNTY = MONROE

RDWYID SR US BMP G_BMP EMP LN SYS TYP SPD DISTRESS SURVEYED YEAR FUTURE
INTERSECT AT (MP|SIDE) SURFTYPE =====
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P
CONTRACTOR (AGE_ONE YEAR) ASTYPE
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F

90030000 7.282 8.966 C 1 1 50 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0 9.0
5 1 2 16.3 11300 RIDE 8.2 8.2 7.9 8.2 7.9 7.6 7.6 7.1 7.3 7.2 7.2 7.5 7.6
REST AREA ENTRANCE(8.8R) FC95M
(1982) CRACKING 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 10.0 10.0
RIDE 7.5 7.6 7.4 6.9 6.9 6.9 6.8 6.6 7.4 7.3 7.3 7.3 7.3 7.3 7.3 9.0

90030000 15.672 16.059 C 1 1 35 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0 8.0 8.0
5 1 2 16.3 11300 RIDE 8.2 8.4 8.0 7.7 7.6 7.6 7.4 7.4 7.5 7.3 7.0 7.1 7.1
FC95M
4291873 15.725 16.060 C 2017 0012 CRACKING 8.0 8.0 6.5 6.5 6.5 6.5 6.5 10.0 10.0 10.0 10.0 10.0 10.0
GENERAL ASPHALT CO., INC. (2020) SPRIDE 7.0 6.7 6.4 6.7 6.4 6.4 6.8 7.8 7.8 7.7 7.7 7.5

90030000 16.059 16.872 C 1 1 35 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 9.0 8.0 6.5 6.5 4.5* 4.5* 4.5*
5 1 2 16.3 11300 RIDE 9.0 8.8 9.0 8.9 8.2 8.4 7.5 7.3 7.8 7.5 7.4 7.3 7.2
CAMP GROUNDS(16.1R) FC125A
4256005 16.060 16.702 C 2014 0012 CRACKING 4.5* 4.5* 4.5* 4.5* 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0
GENERAL ASPHALT CO., INC. (2016) SPRIDE 6.5 6.6 6.2 5.6 7.6 7.6 7.5 7.5 7.3 7.4 7.3 7.3 7.1 6.9

90030000 5.487 6.129 L 1 1 55 CRACKING 9.0 9.0 9.0 9.0 9.0 9.0 7.5 7.5 7.5 6.5 6.5 10.0 10.0
5 1 2 13.3 13700 RIDE 7.8 8.2 8.0 8.2 7.9 7.7 7.5 7.7 6.8 6.4* 6.2* 7.3 7.4
FC5
4146481 5.465 5.977 C 2008 0012 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0 9.0 8.8
THE DE MOYA GROUP INC. (2010) SPRIDE 7.4 7.5 7.4 7.4 7.3 7.2 7.1 7.2 7.3 7.3 7.3 7.3 7.3 7.2
4478061 5.465 7.283 C 2024 0012

90030000 1.545 2.051 L 1 1 45 CRACKING 9.0 9.0 9.0 9.0 9.0 9.0 8.0 7.5 7.5 7.0 6.5 6.5 6.5
5 1 1 13.3 13700 RIDE 7.9 7.9 7.9 7.9 7.8 7.6 7.1 7.1 7.0 6.3 6.6 6.1 6.1
FC95A
4291431 1.683 1.975 C 2014 0012 CRACKING 6.5 6.5 6.5 6.5 10.0 10.0 10.0 10.0 10.0 9.0 9.0 9.0 8.8
COMMUNITY ASPHALT CORP. (2016) RIDE 6.1 5.9 5.5 5.4* 8.0 7.9 7.9 7.8 7.7 7.8 7.8 7.7 7.6 7.4

90040000 0.000 1.003 C 1 1 35 CRACKING 10.0 10.0 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.0 7.0 7.0 7.0
5 1 4 13.9 18800 RIDE 8.6 8.3 7.9 8.4 7.9 7.5 7.6 7.5 7.5 7.5 7.4 7.3 7.1
PALM ISLAND AVE(0.0L) FC95M
(2020) CRACKING 8.0 8.0 8.0 6.5 6.5 6.5 6.5 10.0 10.0 10.0 10.0 10.0 10.0
RIDE 7.2 7.5 7.3 7.3 7.9 7.3 7.9 7.8 7.8 7.7 7.7 7.7 7.5

90040000 1.003 6.455 R 1 1 45 CRACKING 9.0 9.0 7.5 7.5 7.0 7.0 6.5 4.5* 3.5* 3.5* 3.5* 3.5*
5 1 2 11.7 30500 RIDE 8.0 8.0 8.0 7.9 7.7 7.4 7.2 7.0 6.8 6.6 6.6 6.4
MARATHON PARK ENT(1.2R) FC95
4198541 2.180 5.982 C 2010 0012 CRACKING 3.5* 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0
COMMUNITY ASPHALT CORP. (2013) RIDE 5.1* 8.0 7.9 8.0 7.8 7.8 7.5 7.6 7.6 7.6 7.6 7.6 7.6 7.3

90040000 6.455 9.509 C 1 1 55 CRACKING 9.0 9.0 9.0 9.0 9.0 9.0 7.5 7.5 7.5 6.5 6.5 4.5* 4.5* 4.5*
5 1 2 19.0 15300 RIDE 7.9 7.8 7.7 7.8 7.6 6.9 6.7 6.5 6.7 6.4* 6.3* 6.0* 5.9*
DOLPHIN AVE(8.3R) FC125A
4256004 6.455 9.393 C 2014 0012 CRACKING 4.5* 4.5* 4.5* 4.5* 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0
GENERAL ASPHALT CO., INC. (2016) SPRIDE 6.3* 6.4* 6.2* 6.0* 8.3 8.3 8.2 8.2 8.2 8.2 8.1 8.1 8.1 8.0

90040000 9.509 11.713 C 1 1 55 CRACKING 8.0 7.0 7.0 6.5 5.5* 3.5* 2.5* 2.5* 2.5* 2.5* 2.5* 2.5*
5 1 2 19.0 15300 RIDE 8.7 8.7 8.5 8.5 8.3 7.4 7.0 7.0 7.3 7.2 6.9 6.9
KYLE AVE(9.7L) FC5
4055826 9.393 11.637 C 2008 0005 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0 9.0 8.6
GENERAL ASPHALT CO., INC. (2012) SPRIDE 8.1 8.0 7.9 8.0 8.0 8.0 7.9 7.9 8.0 7.9 7.9 7.8 7.8 7.8

90040000 1.003 6.455 L 1 1 45 CRACKING 9.0 9.0 7.5 7.0 7.0 7.0 5.5* 3.5* 3.5* 3.5* 1.0* 1.0* 1.0*
5 1 2 11.7 30500 RIDE 8.3 8.2 8.2 8.1 7.8 7.3 6.9 6.9 6.8 6.8 6.6 6.6 6.3
37 STREET(1.1L) FC95
4198541 2.180 5.982 C 2010 0012 CRACKING 1.0* 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 8.0
COMMUNITY ASPHALT CORP. (2013) RIDE 5.8 7.9 7.8 7.7 7.6 7.6 7.4 7.4 7.4 7.4 7.4 7.3 7.2 6.9

90050000 0.000 0.864 C 1 1 55 CRACKING 6.5 6.5 6.5 5.0* 4.5* 4.5* 2.0* 1.0* 1.0* 1.0* 1.0* 3.5*
5 1 2 15.0 12700 RIDE 8.5 8.4 8.1 8.4 8.2 7.0 6.8 6.8 7.1 7.2 6.7 6.7 7.0
W OF TOMS HARBOR BRIDGE(0.0C) FC95
4256001 0.187 8.530 C 2013 0012 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0
THE DE MOYA GROUP INC. (2015) SPRIDE 7.9 7.9 7.9 8.5 8.4 8.4 8.3 8.3 8.3 8.2 8.3 8.1 8.1 7.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
*@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 COUNTY = MONROE

RDWYID	SR	US	BMP		RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE					
			G_BMP	G_EMP LN						ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006		2007	2008	2009	2010	2011
			AT (MP SIDE)							†T	*****														
ITMSEG-P	W_BMP	W_EMP	RY	FY-P	WKM-X-P				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029			
CONTRACTOR	(AGE_ONE	YEAR)	RW	ASTYPE	WKM-X-F																	(REG)			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																				
90060000	5		1		L	1	1	45	CRACKING	9.0	9.0	8.5	10.0	10.0	10.0	10.0	9.0	7.0	6.5		10.0	10.0			
SUMMERLAND RD(32.8L)																									
						1	13.1		29500	RIDE	8.5	8.5	8.2	8.3	7.8	7.7	7.6	7.6	7.2	6.2		7.9	8.0		
									FC2																
							(2015)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
									RIDE	7.8	7.7	7.7	7.6	7.2	7.1	7.0	6.8	6.8	6.7	6.8	6.8	6.9	6.8	6.3	
90060000	5		1		L	1	11.7	1	45	9.0	9.0	8.5	7.5	7.5	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		
SIDE ROAD(26.2L)																									
4198461			2	11.7					36000	RIDE	8.5	8.5	8.2	8.3	8.1	7.9	7.4	7.1	7.1	6.9	6.7	6.7	6.6		
									FC5																
							(2015)		0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
									SPRIDE	6.4	6.5	6.0	8.1	8.4	8.4	8.4	8.3	8.4	8.4	8.4	8.4	8.4	8.4		
																							8.5		
90060000	5		1		L	1	11.7	1	45	10.0	10.0	10.0	9.0	9.0	7.5	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*		
SPUR(25.7L)																									
									47500	RIDE	8.9	8.9	8.9	8.9	8.7	8.2	8.0	8.0	8.0	7.7	7.3	7.2	6.8		
									OGFC																
							(2015)		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	5.0		
									SPRIDE	8.4	8.4	8.4	7.6	8.2	8.1	8.0	8.0	7.9	8.0	8.0	7.9	7.8	7.6		
90060000	5		1		L	1	10.3	1	50	10.0	9.0	8.5	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	4.0*	4.0*	4.0*	4.0*		
LEG 002 *(19.3L)																									
									31000	RIDE	8.0	8.1	8.0	8.2	7.7	6.9	6.5	7.6	7.5	7.2	6.7	6.9	6.3*		
									FC5																
							(2016)		0012	CRACKING	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.1		
									SPRIDE	6.1*	5.6*	5.2*		8.2	8.3	8.3	8.2	8.3	8.3	8.3	8.3	8.3	8.3		
90060000	5		1		L	1	11.7	1	45	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5		
TAVERNIER TOWNE(17.7L)																									
									30500	RIDE	8.1	7.0	7.4	7.4	7.5	6.9	7.0	7.0	7.1	7.1	7.1	7.1	6.8		
									DGFC																
							(2016)		0012	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
									SPRIDE	6.7	6.5	6.1	5.7	8.2	8.1	7.9	8.0	7.9	7.9	7.9	7.9	7.8	7.6		
90060000	5		1		L	1	11.7	1	45	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*		
ROYAL POINCIANA(16.3L)																									
									30500	RIDE	8.3	8.1	8.2	8.0	7.8	6.9	7.0	6.7	6.8	6.9	6.7	6.7	6.4		
									FC95																
							(2014)		0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
									SPRIDE	6.6	6.4	8.0	7.4	7.3	7.5	7.3	7.2	7.2	7.1	7.2	7.1	7.0	6.6		
90060001	5		1		C	1	12.0	1	45	10.0	9.0	9.0	9.0	8.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*		
N OCEAN BAY DR(0.0R)																									
									18000	RIDE	8.2	8.3	8.1	8.1	7.6	6.7	6.6	7.4	7.4	7.1	6.7	6.4	6.3		
									OGFC																
							(2012)		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.6		
									SPRIDE	8.1	8.1	8.1	8.1	8.2	8.3	8.1	8.0	8.1	8.1	8.1	8.1	8.0	8.0		
90060001	5		1		C	1	12.0	1	50	10.0	9.0	9.0	9.0	8.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*		
BUTTONWOOD BAY(3.1R)																									
									18000	RIDE	8.2	8.3	8.1	8.1	7.6	6.7	6.6	7.4	7.4	7.1	6.7	6.4*	6.3*		
									FC5																
							(2016)		0012	CRACKING	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3		
									SPRIDE	5.8*	5.4*	5.0*		8.3	8.4	8.3	8.3	8.4	8.4	8.4	8.4	8.4	8.4		
90060002	5		1		C	1	10.3	1	45	9.0	8.5	8.5	8.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*		
US-1/SR-5/ID90060000(0.0C)																									
									15500	RIDE	8.1	7.9	8.4	7.9	7.5	6.7	6.3*	6.4	6.2	5.6	5.0*	5.5	5.2*		
									DGFC																
							(2012)		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
									SPRIDE	8.4	8.4	8.4	8.1	7.9	8.1	7.7	7.8	7.8	7.6	7.6	7.7	7.7	7.2		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
@* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).