

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = MONROE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)								=====														
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																						
CONTRACTOR (AGE_ONE YEAR) ASTYPE																						
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																						
90003000	0.000	0.967	C	1	7	30	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	
A1A			4	7.0		9800	RIDE	5.7*	5.4*	5.1*	4.6*	3.7*	4.3*	4.7*	4.6*	4.7*	4.3*	4.2*	3.9*	3.4*		
BERTHA ST( 0.0L)								FC95M														
2505488	0.190	0.977	C	2022		0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				10.0	9.5
GENERAL ASPHALT CO., INC. (2026)								SPRIDE														
90003000	0.967	2.588	C	1	1	30	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	0.0*			10.0	10.0	10.0	10.0	10.0	10.0	
A1A			4	7.0		12600	RIDE	5.7*	5.4*	5.1*	4.6*	3.7*	4.3*			6.6	6.2	6.4	6.3	6.3		
FARALDO CIR( 1.3L)								DGFC														
2505482	0.830	2.895	C	2005		0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	10.0	8.5	
THE DE MOYA GROUP INC. (2009)								SPRIDE														
90003000	2.588	2.895	C	1	7	30	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	0.0*	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	
A1A			4	7.0		17700	RIDE	5.7*	5.4*	5.1*	4.6*	3.7*	4.3*	3.7*		6.6	6.2	6.4	6.3	6.3		
CR 5A( 2.6L)								FC125														
4460071	2.572	2.865	C	2022		0015	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.6	10.0	9.5	
GENERAL ASPHALT CO., INC. (2026)								SPRIDE														
90010000	0.000	0.401	C	1	6	25	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		9.5	9.5	9.5	9.5	
5			2	7.0		9100	RIDE	6.9	7.2	5.6	5.5	5.3*	6.6	5.1*	5.6	5.2*						
FLEMING ST( 0.0C)								UNKW														
4438921	0.000	0.401	C	2022		0012	CRACKING	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	4.5*	3.5*		10.0	10.0	9.5	
GENERAL ASPHALT CO., INC. (2025)								SPRIDE														
90010000	0.401	1.335	C	1	6	25	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			2	7.0		13900	RIDE	6.1*	6.5	6.0	5.7	5.5	5.2*	5.4*	5.2*	4.8*	4.8*	4.9*	4.8*			
TRUMAN AVE( 0.4R)								UNKW														
							CRACKING	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0		9.2	10.0	9.5	
							RIDE	4.6*	4.1*													
90010000	1.335	3.969	C	1	1	35	CRACKING	4.0*	4.5*	4.0*	4.0*	4.0*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	
5			4	7.0		34000	RIDE	6.3*	6.1	5.8	5.3*	5.3*	4.7*	5.0*	4.7*	5.1*	4.2*	3.9*	4.2*	4.0*		
JOSE MARTI DR( 1.3R)								FC125														
							CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.1	9.0	8.0	
							RIDE			6.1	6.0	6.0	5.6	5.3*	5.4*	5.7	5.7	5.5	5.7	5.7	5.3*	
4460111	1.394	3.945	C	2025		0012																
90010000	3.969	4.531	R	1	6	30	CRACKING	9.0	9.0	9.0	9.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
5			2	4.3		40209	RIDE	7.1	7.1	7.2	6.1	6.1	6.0	5.8	5.8	6.3	6.4	7.6	7.5	7.6		
CROSS ST( 4.5R)								DGFC														
							CRACKING	10.0	10.0	10.0		10.0	10.0	10.0		10.0	10.0	9.5	9.4	8.8	8.0	
							RIDE	7.5	7.4	7.3		6.8	7.1	7.1								
90010000	3.969	4.531	L	1	6	35	CRACKING	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.4	4.5*	4.5*	4.5*	10.0	10.0	10.0	
5			2	4.3		40209	RIDE	7.5	7.6	7.2	6.6	6.2	6.0	6.4	6.4	6.5	6.5	7.4	7.5	7.4		
COLLEGE RD( 4.2L)								DGFC														
							CRACKING	10.0	10.0	10.0		10.0	10.0	10.0		10.0	10.0	10.0	8.5	8.2	7.5	
							RIDE	7.5	7.5	7.4		7.2	6.5									
90020000	0.000	0.942	R	1	1	45	CRACKING	5.5*	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	4.5*	4.5*	4.5*		
5			2	10.8		26000	RIDE	7.8	8.0	7.6	7.0	6.9	7.0	7.1	7.0	7.0	6.6	6.4	6.1	5.9		
S OF MCDONALD AVE( 0.0C)								FC125M														
4291401	0.000	4.484	R	2014		0012	CRACKING	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.7	7.5	
GENERAL ASPHALT CO., INC. (2018)								SPRIDE														
								5.8	5.4*	5.8		8.0	7.9	7.9	7.9	7.8	7.9	7.9	7.9	7.8	7.4	
90020000	0.942	1.466	R	1	1	55	CRACKING	5.5*	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	4.5*	4.5*	4.5*		
5			2	10.8		26000	RIDE	7.8	8.0	7.6	7.0	6.9	7.0	7.1	7.0	7.0	6.6	6.4*	6.1*	5.9*		
4291401								FC5M														
GENERAL ASPHALT CO., INC. (2018)							CRACKING	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.1	8.6	7.0	
							RIDE	5.8*	5.4*	5.8*		8.0	7.9	7.9	7.9	7.8	7.9	8.0	7.9	7.9	7.8	
90020000	1.967	5.213	R	1	1	55	CRACKING	8.0	6.5	5.5*	10.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5		
5			2	10.8		21500	RIDE	8.2	8.2	7.9	6.9	6.9	6.9	7.1	7.1	7.0	6.8	6.7	6.6	6.4*		
NAVY YARD ENT( 2.3R)								FC5M														
4291401	0.000	4.484	R	2014		0012	CRACKING	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.2	8.8	7.5	
GENERAL ASPHALT CO., INC. (2018)								SPRIDE														
								6.3*	6.1*	6.4*		8.1	7.9	8.1	8.1	8.1	8.1	8.1	8.1	8.0	7.9	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = MONROE -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2013		
INTERSECT	AT	(MP	SIDE)				SURFTYPE	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE																
CONTRACTOR	(AGE_ONE	YEAR)						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(PMRS)		
90020000	5.213	6.356	C	1	1	45	CRACKING	4.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	9.0	7.5		10.0	10.0	10.0			
5	1		2	10.8		21500	RIDE	7.1	7.2	6.6	6.3*	6.3*	6.4	6.7	6.5	6.4		7.7	7.8	7.7			
COPPITT RD( 5.3L)							FC4																
				(2011)			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.3	7.0		
							RIDE	7.8	7.7	7.5	7.4	7.4	7.3	7.4	7.3	7.4	7.2	7.2	7.2	7.1	6.7		
90020000	6.356	6.778	C	1	1	45	CRACKING	8.5	8.5	8.5	8.5	8.0	8.0	5.5*	5.0*	5.0*	3.5*	3.5*	3.5*	10.0			
5	1		2	10.8		17300	RIDE	7.4	7.2	6.9	6.4*	6.1*	6.2	6.2	6.0	5.8	5.6	5.2*	8.1				
BOAT RAMP( 6.5R)							FC95																
4231351	6.356	6.781	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.3	7.9	7.0			
GENERAL ASPHALT CO., INC.							SPRIDE	7.9	8.0	7.4	7.4	7.3	7.2	7.2	7.1	7.2	6.9	6.9	6.9	6.7	6.3		
90020000	7.170	10.085	C	1	1	55	CRACKING	8.5	8.5	8.5	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*			
5	1		2	10.8		17300	RIDE	7.8	7.9	7.6	7.2	6.7	7.1	7.1	7.0	6.7	6.7	6.5	6.5	6.3*			
BLUE WATER DR( 9.8R)							FC95																
4284771	6.778	10.085	C	2013	0012	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5		
GENERAL ASPHALT CO., INC.							SPRIDE	6.1*	8.3	7.8	7.9	7.8	7.6	7.6	7.6	7.6	7.7	7.7	7.7	7.7	7.6	7.2	
90020000	10.085	10.730	C	1	1	55	CRACKING	8.5	8.5	8.5	8.0	8.0	8.0	7.0	8.0	6.5	6.5	4.5*	4.5*	4.5*			
5	1		2	10.8		17300	RIDE	7.8	7.9	7.6	7.2	6.7	7.1	7.1	7.1	6.9	6.7	6.5	6.4*	6.4*			
BAY POINT DR(10.3R)							FC95																
4256007	10.085	10.730	C	2012	0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.2	9.0	8.0		
COMMUNITY ASPHALT CORP.							RIDE	7.3	7.5	7.3	7.3	7.2	7.1	7.2	7.1	7.2	6.6	7.0	7.1	7.1	7.0	6.6	
90020000	10.730	11.388	C	1	1	55	CRACKING	8.5	8.5	8.5	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*			
5	1		2	10.8		17300	RIDE	7.8	7.9	7.6	7.2	6.7	7.1	7.1	6.6	6.4*	6.4*	6.1*	5.9*	5.6*			
GENERAL ASPHALT CO., INC.							SPRIDE	5.5*	8.4	7.6	7.5	7.5	7.2	7.3	7.3	7.1	7.4	7.5	7.4	7.3	6.9		
90020000	11.388	14.899	C	1	1	45	CRACKING	9.0	9.0	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0			
5	1		2	10.8		17300	RIDE	8.0	8.1	7.7	6.9	7.1	6.6	6.4	6.3	6.1	6.1	5.7	5.7	8.6			
S POINT DR(12.1R)							DGFC																
4231361	11.388	14.899	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.9	8.0		
GENERAL ASPHALT CO., INC.							SPRIDE	8.4	8.3	7.8	7.8	7.7	7.6	7.7	7.6	7.5	7.6	7.6	7.5	7.3	6.9		
90020000	14.899	15.274	C	1	7	45	CRACKING	8.0	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0			
5	1		2	10.8		17300	RIDE	8.5	8.8	8.3	7.3	7.0	7.6	7.8	7.3	7.2	7.1	7.1	7.0	7.2			
GENERAL ASPHALT CO., INC.							SPRIDE	7.1	7.1	6.9	6.8	6.9	6.5	6.8	6.5	7.0	4.5*	4.5*	3.5*	3.7*	10.0		
4438981	14.899	15.284	C	2023	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
GENERAL ASPHALT CO., INC.							SPRIDE	7.1	7.1	6.9	6.8	6.9	6.5	6.8	7.1	7.0	7.1	6.9	6.8	6.8	6.8	7.3	7.2
90020000	15.274	15.619	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			
5	1		2	10.8		18000	RIDE	8.0	7.8	7.7	6.9	7.0	7.2	7.2	7.2	7.1	7.0	7.0	7.0	7.0			
JOHNSON RD N(15.3L)							FC2																
4308373	15.284	15.619	C	2018	0012	CRACKING	8.5	8.5	8.5	8.5	8.5			10.0	10.0	10.0	10.0	9.2	8.3	7.0			
GENERAL ASPHALT CO., INC.							SPRIDE	6.8	6.6	6.1	5.9	5.7			7.1	7.1	6.9	6.8	6.8	5.9	5.8		
90020000	15.899	16.158	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			
5	1		2	10.8		18000	RIDE	8.0	7.8	7.7	6.9	7.0	7.2	7.2	7.2	7.1	7.0	7.0	7.0	7.0			
GENERAL ASPHALT CO., INC.							SPRIDE	6.8	6.6	6.1	5.9	5.7			7.1	7.1	6.9	6.8	6.8	7.7	7.3		
4308373	15.902	16.178	C	2018	0012	CRACKING	8.5	8.5	8.5	8.5	8.5			10.0	10.0	10.0	10.0	10.0	9.2	10.0			
GENERAL ASPHALT CO., INC.							SPRIDE	6.8	6.6	6.1	5.9	5.7			7.1	7.1	6.9	6.8	6.8	7.7	7.3		
90020000	16.158	18.585	R	1	7	45	CRACKING	8.0	7.0	7.0	6.5	4.0*	4.0*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0			
5	1		2	10.8		18000	RIDE	8.4	8.4	8.2	7.6	7.4	7.5	7.3	7.1	7.0	7.6	7.7	7.7	7.7			
DROST DR(16.5R)							FC125M																
4438981	16.178	18.583	C	2023	0012	CRACKING	10.0	10.0	10.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	9.5			
GENERAL ASPHALT CO., INC.							SPRIDE	7.7	7.7	7.6	7.6	7.5	7.4	7.5	7.4	7.4	7.3	7.2	7.1	7.0	6.6		
90020000	18.585	20.882	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0			
5	1		2	10.8		18000	RIDE	8.0	8.0	7.7	8.1	8.1	8.1	8.1	8.0	8.1	7.6	7.5	7.5	7.4			
HENRY ST(19.4R)							FC95M																
				(2021)			CRACKING	9.0	9.0	8.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	9.2	9.0			
							RIDE	7.2	6.7	6.8	6.8	6.6	6.2		7.7	7.7	7.7	7.6	7.7	7.5			

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = MONROE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	W_RW	FY-F	WKM-F																(PMRS)
90020000	21.747	22.890	C	1	7	45	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5 1			2	10.8		18000	RIDE	8.4	8.5	8.1	7.1	7.1	7.0	7.2	7.2	7.2	7.4	7.3	7.3	7.3	
AMBERJACK RD(22.2R) FC125M																					
4439201	21.747	22.675	C	2023	0012	CRACKING	10.0	10.0	10.0	8.5	7.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	9.5	
GENERAL ASPHALT CO., INC.			(2026)			SPRIDE	7.3	7.2	7.3	7.3	7.3	7.3	7.2	7.3	7.3	7.3	7.1	7.2	7.6	7.2	
90020000	22.890	24.987	C	1	1	45	CRACKING	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*
5 1			2	9.9		18200	RIDE	7.6	7.6	7.4	6.7	6.3*	6.5	6.4	6.1	5.8	5.6	5.4*	5.4*	5.2*	
MIDDLE TORCH RD(23.3L) FC95M																					
4231371	22.952	24.086	L	2013	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	9.0
GENERAL ASPHALT CO., INC.			(2015)			SPRIDE	5.1*	8.3	7.8	7.7	7.7	7.6	7.6	7.6	7.6	7.7	7.6	7.7	7.5	7.6	7.2
90020000	24.987	26.548	C	1	1	45	CRACKING	7.5	7.5	8.0	10.0	10.0	10.0	10.0	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
5 1			2	10.3		17298	RIDE	7.9	7.8	7.5	7.6	7.1	7.5	7.2	6.1	5.8	5.6	5.4*	7.4	7.4	
W CAHILL CT(25.2R) FC5																					
			(2012)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.2	6.8	5.0*
						RIDE	7.4	7.3	7.3	7.3	7.2	7.2	7.3	7.2	7.2	7.1	7.1	7.1	7.1	7.0	6.9
90020000	1.967	5.213	L	1	1	55	CRACKING	7.0	6.5	6.5	10.0	10.0	10.0	10.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5
5 1			2	10.8		21500	RIDE	7.9	8.0	7.8	6.7	6.7	6.7	7.0	6.9	6.8	6.6	6.4*	6.1*	6.0*	
CALLE UNO( 4.9L) FC5M																					
4291401	0.000	4.703	L	2014	0012	CRACKING	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	7.5	8.3	7.9	6.5	
GENERAL ASPHALT CO., INC.			(2018)			SPRIDE	5.9*	5.4*	6.1*		8.0	7.9	8.1	8.1	8.1	8.0	8.0	8.0	8.0	8.0	7.9
90020000	0.942	1.466	L	1	1	55	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	
5 1			2	10.8		26000	RIDE	8.4	8.1	7.9	7.2	7.1	7.1	7.3	7.2	7.1	6.8	6.4*	6.1*	5.7*	
FC5M																					
4291401	0.000	4.703	L	2014	0012	CRACKING	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.3	7.0	5.5*	
GENERAL ASPHALT CO., INC.			(2018)			SPRIDE	5.4*	4.9*	5.8*		8.1	7.8	8.1	8.1	8.1	8.1	8.3	8.2	8.1	8.0	
90020000	0.000	0.942	L	1	1	45	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	
5 1			2	10.8		26000	RIDE	8.4	8.1	7.9	7.2	7.1	7.1	7.3	7.2	7.1	6.8	6.4	6.1	5.7	
US-1/SR-5/ID90010000( 0.0L) FC125M																					
4291401	0.000	4.703	L	2014	0012	CRACKING	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.8	8.0	
GENERAL ASPHALT CO., INC.			(2018)			SPRIDE	5.4*	4.9*	5.8		8.1	7.8	8.1	8.1	8.1	8.1	8.1	7.8	7.9	7.9	7.5
90020005	0.000	0.398	C	1	7	30	CRACKING														
975			2	6.8		300	RIDE														
4439001	0.093	0.408	C	2022	0012	CRACKING														3.4*	10.0
GENERAL ASPHALT CO., INC.			(2026)			SPRIDE														6.9	7.3
90030000	0.000	0.415	C	1	1	45	CRACKING	7.0	4.5*	4.5*	4.5*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	
5 1			2	10.8		14200	RIDE	8.4	8.5	7.5	6.5	6.9	7.0	6.6	6.2	6.1	5.7	5.9	7.4	7.3	
INDUSTRIAL RD( 0.0R) OGFC																					
4056122	0.000	0.440	C	2010	0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	5.8*	5.0*	3.0*
ASPHALT GROUP, INC.			(2012)			RIDE	7.3	7.3	7.0	7.0	6.8								6.9	6.8	
90030000	0.415	1.545	C	1	1	45	CRACKING	7.0	4.5*	4.5*	4.5*	2.0*	2.0*	2.0*	2.0*		10.0	10.0	10.0	10.0	
5 1			2	10.8		14200	RIDE	8.4	8.5	7.5	7.4	7.5	7.7	7.0	6.5		7.5	7.4	7.4	7.3	
BEACH DR( 0.6L) DGFC																					
4438971	0.414	1.545	C	2022	0012	CRACKING	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	4.5*		10.0	9.6	10.0	9.5
GENERAL ASPHALT CO., INC.			(2024)			SPRIDE	7.4	7.4	7.0	7.0	7.0	6.6	6.7	6.8	6.7		7.7	7.8	7.8	7.4	
90030000	1.545	2.051	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	
5 1			1	10.8		14200	RIDE	7.9	7.8	7.6	7.1	7.1	7.0	7.1	7.0	7.0	7.0	6.8	6.8	6.6	
LONG BEACH BLVD( 1.9R) FC95A																					
4291431	1.683	1.975	C	2014	0012	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.5	7.5
COMMUNITY ASPHALT CORP.			(2016)			RIDE	6.6	6.6	8.0	8.0	7.8	7.7	7.8	7.8	7.8	7.8	7.8	7.8	7.7	7.6	7.2
90030000	2.724	4.209	C	1	1	55	CRACKING	8.0	6.5	5.5*	10.0	10.0	10.0	10.0	10.0		10.0	10.0	9.5		
5 1			2	10.8		14200	RIDE	8.5	8.5	8.1	7.9	8.0	7.9	7.9	7.8	7.9		7.5	7.6	7.5	
SIDE ROAD( 3.8L) FC125M																					
4438951	2.051	3.794	C	2022	0012	CRACKING	9.5	9.5	9.0	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	9.5
GENERAL ASPHALT CO., INC.			(2024)			SPRIDE	7.5	7.5	7.6	7.5	7.5	7.4	7.5	7.5	7.5	7.4		7.4	7.5	7.5	7.1

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

-----															DISTRICT = 6		COUNTY = MONROE		-----																	
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE										FUTURE																
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****																													
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																															
ITMSEG-P	ITMSEG-F																																			
90030000	5.487	6.086	R	1	7 55	CRACKING	9.0	9.0	9.0	9.0	8.0	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
5 1				2	10.8	14200	RIDE	7.8	7.9	7.4	6.9	6.5	6.4*	6.8	6.3*	5.8*	7.2	7.1	7.2	7.2	7.2															
						FC7M																														
4478061	5.465	5.845	R	2024	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.8	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
GENERAL ASPHALT CO., INC.				(2026)		SPRIDE	7.2	7.2	7.1	7.2	7.1	7.1	6.6	6.7	6.7	6.8	6.8	6.8	6.8	6.7	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.2		
90030000	6.086	7.282	C	1	7 55	CRACKING	7.5	7.0	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
5 1				2	13.9	12100	RIDE	8.6	8.3	7.7	7.5	7.4	7.5	7.1	7.0	6.8	7.5	7.5	7.5	7.6	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7		
						FC125M																														
4478061	6.044	7.283	C	2024	0012	CRACKING	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	9.5	
GENERAL ASPHALT CO., INC.				(2026)		SPRIDE	7.6	7.6	7.7	7.7	7.6	7.6	7.6	7.7	7.7	7.7	7.7	7.7	7.7	7.6	7.4	7.3	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	6.7	6.7	
90030000	7.282	8.966	C	1	1 50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
5 1				2	13.9	12100	RIDE	7.9	8.2	7.9	7.6	7.6	7.1	7.3	7.2	7.2	7.5	7.6	7.5	7.6	7.5	7.6	7.5	7.6	7.5	7.6	7.5	7.6	7.5	7.6	7.5	7.6	7.5	7.6		
REST AREA ENTRANCE( 8.8R)						FC95M																														
						CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5		
						RIDE	7.4	6.9	6.9	6.9	6.8	6.6	7.4	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.2	6.8	6.8		
90030000	15.672	16.059	C	1	1 35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0		
5 1				2	13.9	12100	RIDE	8.0	7.7	7.6	7.6	7.4	7.4	7.5	7.3	7.0	7.1	7.1	7.1	7.0	7.1	7.1	7.0	7.1	7.1	7.0	7.1	7.1	7.0	7.1	7.0	6.7	6.7			
						FC95M																														
4291873	15.725	16.060	C	2017	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
GENERAL ASPHALT CO., INC.				(2020)		SPRIDE	6.4	6.7	6.4	6.4	6.4	6.8			7.8	7.8	7.7	7.7	7.7	7.8	7.8	7.7	7.8	7.8	7.7	7.8	7.8	7.7	7.8	7.8	7.6	7.6	7.2	7.2		
90030000	16.059	16.872	C	1	1 35	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*			
5 1				2	13.9	12100	RIDE	9.0	8.9	8.2	8.4	7.5	7.3	7.8	7.5	7.4	7.3	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	6.6	
CAMP GROUNDS(16.1R)						FC125A																														
4256005	16.060	16.702	C	2014	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	
GENERAL ASPHALT CO., INC.				(2016)		SPRIDE	6.2	5.6	7.6	7.6	7.5	7.5	7.5	7.3	7.4	7.3	7.3	7.3	7.1	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.0	6.6	
90030000	5.487	6.086	L	1	7 55	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5 1				2	10.8	14200	RIDE	8.0	8.2	7.9	7.7	7.5	7.7	6.8	6.4*	6.2*	7.3	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.5		
						FC7M																														
4478061	5.465	5.960	L	2024	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
GENERAL ASPHALT CO., INC.				(2026)		SPRIDE	7.4	7.4	7.3	7.2	7.1	7.2	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.8	
90030000	1.545	2.051	L	1	1 45	CRACKING	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
5 1				1	10.8	14200	RIDE	7.9	7.8	7.6	7.1	7.1	7.0	7.1	6.3	6.6	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	5.9	
						FC95A																														
4291431	1.683	1.975	C	2014	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	
COMMUNITY ASPHALT CORP.				(2016)		RIDE	5.5	5.4*	8.0	7.9	7.9	7.9	7.8	7.7	7.8	7.8	7.7	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.4	7.0	
90040000	0.000	1.003	C	1	1 35	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		
5 1				4	11.1	18700	RIDE	7.9	8.4	7.9	7.5	7.6	7.5	7.5	7.5	7.4	7.3	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.5	
PALM ISLAND AVE( 0.0L)						FC95M																														
						CRACKING	8.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0		
						RIDE	7.3	7.3	7.9	7.3	7.9	7.9	7.8	7.8	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.3		
90040000	1.003	6.455	R	1	1 45	CRACKING	7.5	7.5	7.0	7.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0		
5 1				2	10.8	27000	RIDE	8.0	7.9	7.7	7.4	7.2	7.2	7.0	6.8	6.6	6.6	6.4	6.4																	

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = MONROE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)			*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE	ONE	YEAR)		ASTYPE																(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
90040000	1.003	6.455	L	1	1	45	CRACKING	7.5	7.0	7.0	7.0	5.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	10.0		
5	1			2	10.8	27000	RIDE	8.2	8.1	7.8	7.3	6.9	6.9	6.8	6.8	6.6	6.6	6.3	5.8	7.9		
37 STREET( 1.1L)																						
4198541	2.180	5.982	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.7	8.5	7.5
COMMUNITY ASPHALT CORP. (2013)																						
90050000	0.000	0.864	C	1	1	55	CRACKING	6.5	5.0*	4.5*	4.5*	2.0*	1.0*	1.0*	1.0*	1.0*	1.0*	3.5*	10.0	10.0		
5	1			2	11.5	13000	RIDE	8.1	8.4	8.2	7.0	6.8	6.8	7.1	7.2	6.7	6.7	7.0	7.9	7.9		
W OF TOMS HARBOR BRIDGE( 0.0C)																						
4256001	0.187	8.530	C	2013	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	8.8	7.5	
THE DE MOYA GROUP INC. (2015)																						
90050000	1.144	1.778	R	1	1	55	CRACKING	4.0*	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	4.5*		
5	1			1	11.5	13000	RIDE	8.0	8.6	8.4	7.9	7.8	7.8	7.9	7.9	7.8	7.7	7.6	7.5	7.3		
FC95																						
4256001	0.187	8.530	C	2013	0012		CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5	
THE DE MOYA GROUP INC. (2015)																						
90050000	1.778	3.517	C	1	1	55	CRACKING	4.0*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.5	7.5	6.5	6.5		
5	1			2	11.5	13000	RIDE	8.0	8.3	8.2	7.6	7.5	7.6	7.7	7.6	7.5	7.3	7.0	6.7	6.7		
CORAL KEY VILLAGE( 3.2R)																						
4256001	0.187	8.530	C	2013	0012		CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	9.0	
THE DE MOYA GROUP INC. (2015)																						
90050000	5.784	8.527	C	1	1	55	CRACKING	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.0	6.5	6.5	6.5	4.5*		
5	1			2	11.5	13000	RIDE	7.9	8.5	8.3	7.7	7.8	7.7	7.8	7.8	7.6	7.4	7.2	6.9	6.9		
LAYTON CITY LIMITS( 8.4R)																						
4256001	0.187	8.530	C	2013	0012		CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
THE DE MOYA GROUP INC. (2015)																						
90050000	8.527	11.137	C	1	1	55	CRACKING	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.0	6.5	6.5	6.5	4.5*		
5	1			2	11.5	13000	RIDE	7.9	8.5	8.3	7.7	7.8	7.7	7.8	7.8	7.6	7.4	7.2	6.9	6.9		
SOUTH LAYTON DR( 8.7R)																						
4322761	8.530	14.126	C	2014	0012		CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	9.1	8.0	
GENERAL ASPHALT CO., INC. (2016)																						
90050000	12.000	14.072	C	1	1	50	CRACKING	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
5	1			2	11.5	13000	RIDE	8.0	7.8	7.6	7.2	7.2	7.4	7.6	7.6	7.6	7.5	7.5	7.4	7.4		
FC95M																						
4322761	8.530	14.126	C	2014	0012		CRACKING	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
GENERAL ASPHALT CO., INC. (2016)																						
90050000	1.144	1.778	L	1	1	55	CRACKING	4.0*	10.0	10.0	10.0	9.0	9.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0		
5	1			1	11.5	13000	RIDE	8.0	8.6	8.4	7.9	7.8	7.8	8.2	8.2	7.8	7.9	8.0	8.0	8.0		
FC95																						
4256001	0.187	8.530	C	2013	0012		CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
THE DE MOYA GROUP INC. (2015)																						
90060000	0.000	3.712	C	1	1	50	CRACKING	7.0	4.5*	4.5*	4.5*	3.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0		
5	1			2	19.3	14900	RIDE	8.6	8.4	8.1	7.0	6.9	6.8	6.9	6.3*	7.8	7.7	7.7	7.8	7.7		
CALOOSA COVE ENT( 0.0R)																						
					(2024)		CRACKING	10.0	9.0	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.5	
							RIDE	7.7	7.7	7.9	7.9	7.8	7.7	7.8	7.8	7.7	7.7	8.1	8.1	8.1	7.7	
90060000	3.712	4.183	C	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5		
5	1			2	19.3	14900	RIDE	7.7	7.7	7.5	7.3	7.1	6.9	7.2	6.7	6.6	6.0	6.1	6.5	6.1		
FC2																						
4256006	3.712	4.563	C	2016	0012		CRACKING	7.5	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
GENERAL ASPHALT CO., INC. (2018)																						
90060000	4.564	7.685	C	1	1	45	CRACKING	9.0	8.0	8.0	8.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		
5	1			2	19.3	14900	RIDE	9.0	9.0	8.7	8.3	8.3	8.3	7.9	7.7	7.6	8.1	7.9	7.6	7.5		
FRONTAGE RD( 6.2L)																						
4256006	5.971	7.675	C	2016	0012		CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
GENERAL ASPHALT CO., INC. (2018)																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = MONROE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKM-F		ASTYPE												(PMRS)
		(AGE_ONE YEAR)		RW		FY-F		WKM-F														
90060000	5	7.685	11.939	C	1	1	45 CRACKING	9.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
PALM AVE( 7.7R)				2		13.7	20500 RIDE	9.0	9.0	8.7	8.3	8.3	8.3	8.3	8.1	7.6	8.1	7.9	7.6	7.5		
4256003	5	7.675	10.240	C	2013		0012 CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
GENERAL ASPHALT CO., INC. (2017)							SPRIDE	7.4	7.3		8.5	8.5	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.0
90060000	5	11.939	13.135	C	1	8	45 CRACKING	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0			10.0	10.0	10.0		
NB OFF WEIGH(12.2R)				2		13.7	20500 RIDE	8.2	7.8	7.6	6.9		6.6	6.8	6.7	6.7		7.7	7.7	7.7		
4055826	5	11.769	13.209	C	2008		0005 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5			
GENERAL ASPHALT CO., INC. (2011)							SPRIDE	7.7	7.6	7.6	7.5	7.4	7.3	7.3	7.2	7.3	7.2	7.0	6.9			
4497381	5	11.931	13.459	C	2027		0012															
90060000	5	13.135	16.313	C	1	1	45 CRACKING	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0		
FRONTAGE RD(13.5R)				2		10.8	29500 RIDE	8.5	8.5	8.1	7.4	7.4	7.5	7.4	7.3	7.0	7.6	7.6	7.6	7.7		
4146491	5	13.027	16.322	C	2008		0012 CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	2.5*	
THE DE MOYA GROUP INC. (2010)							SPRIDE	7.6	7.6	7.7	7.7	7.6	7.5	7.7	7.6	7.6	7.5	7.5	7.5	7.5	7.6	7.5
4478101	5	13.459	16.412	C	2028		0012															
90060000	5	16.313	17.105	R	1	8	45 CRACKING	10.0	8.0	8.0	8.0	8.0	7.5	7.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
BESSIE RD(16.7R)				2		10.8	29500 RIDE	8.3	8.3	7.9	7.7	7.5	7.6	7.7	7.6	7.4	7.3	7.2	6.6	6.8		
4255991	5	16.465	17.105	C	2012		0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9			
COMMUNITY ASPHALT CORP. (2014)							SPRIDE	8.3	8.1	7.9	7.8	7.9	7.8	7.7	7.7	7.8	7.7	7.7	7.6			
90060000	5	17.105	18.507	R	1	1	45 CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.0		
OCEAN BLVD(17.7R)				2		10.8	29500 RIDE	8.4	8.3	8.1	7.7	7.7	7.7	7.9	7.8	7.7	7.7	7.8	7.7	7.2		
4256008	5	17.105	18.279	C	2013		0012 CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
GENERAL ASPHALT CO., INC. (2016)							SPRIDE	7.3	7.1	8.4	8.3	8.3	8.2	8.2	8.2	8.3	8.2	8.1	8.1	8.1	8.1	7.7
90060000	5	18.507	19.253	C	1	1	45 CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0		9.5		
JULEP RD(18.6C)				2		10.8	15000 RIDE	8.3	8.2	7.9	7.6	7.3	7.5	7.4	7.5	7.2	7.0	7.1		7.2		
4256009	5	18.507	19.232	C	2013		0012 CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
GENERAL ASPHALT CO., INC. (2016)							SPRIDE	7.3	7.4	8.1	8.1	8.0	7.9	7.7	7.9	7.7	7.6	7.7	7.6	7.6	7.6	7.5
90060000	5	19.253	22.623	R	1	1	50 CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0		
PEACE AVE(20.2R)				2		11.2	30000 RIDE	8.0	7.8	7.5	7.2	7.2	7.2	7.3	7.2	7.0	7.1	7.0	6.7	6.3*		
4198481	5	19.298	22.682	R	2013		0012 CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.6	7.5	6.0*	
GENERAL ASPHALT CO., INC. (2016)							SPRIDE	6.5		8.2	8.3	8.2	8.2	8.2	8.3	8.3	8.3	8.3	8.3	8.2	8.2	8.1
90060000	5	22.623	23.218	C	1	1	50 CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5		
COASTAL TR(23.5R)				2		10.8	21000 RIDE	8.0	8.1	7.7	7.4	7.4	7.3	7.5	7.5	7.5	8.5	7.4	7.3	7.3	7.2	
4198481	5	22.682	23.218	C	2013		0012 CRACKING	8.5		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	
GENERAL ASPHALT CO., INC. (2016)							SPRIDE	7.2		7.5	7.5	7.4	7.8	7.8	7.9	7.9	7.9	7.9	7.8	7.9	7.8	7.7
90060000	5	23.218	25.728	C	1	7	50 CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5		
COASTAL TR(23.5R)				2		10.8	21000 RIDE	8.0	8.1	7.7	7.4	7.4	7.3	7.5	7.5	7.5	7.4	7.3	7.3	7.2		
4439211	5	23.203	25.703	C	2023		0012 CRACKING	8.5		10.0	9.0	9.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.8	10.0	9.0	
RYAN INC. SOUTHERN (2026)							SPRIDE	7.2		7.5	7.5	7.4	7.2	7.2	7.2	7.1	7.1	7.1	7.0	7.1	7.0	
90060000	5	25.728	32.450	R	1	1	45 CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.0	6.5	6.5	6.5	6.5	6.5		
TRN LN TO ATLANTIC B(25.8R)				2		10.8	33500 RIDE	8.8	8.9	8.7	8.2	8.2	8.1	8.2	8.2	8.2	8.1	7.8	7.7	7.6		
4198461	5	29.243	32.432	C	2013		0012 CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.5	8.0	
GENERAL ASPHALT CO., INC. (2016)							SPRIDE	7.6		8.3	8.3	8.3	8.1	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.2
90060000	5	32.450	32.937	R	1	1	45 CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.0	6.5		10.0	10.0	10.0	10.0		
CARD SOUND DR(32.5R)				2		15.3	28000 RIDE	8.8	8.3	7.8	7.7	7.6	7.6	7.2	6.2		7.9	8.0	7.6	7.7		
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0
							RIDE	7.6	7.7	7.2	7.0	6.6	6.6	6.7	6.6	6.9	6.4	6.3	6.3	6.3	6.3	6.2

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = MONROE -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE				
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031			
INTERSECT	AT	(MP		SIDE)			*****																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																		
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																(PMRS)		
90060000	34.360	38.777	R	1	8	55	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.0			10.0	10.0	10.0	8.5				
5	1			2	10.8	24500	RIDE	8.3	8.3	7.8	7.7	7.6	7.6	6.7			7.9	7.4	7.2	7.0				
MORRIS AVE(38.7R)							DGFC																	
					(2010)		CRACKING	8.5	8.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*					
44600051	34.346	38.777	C	2024		0012	RIDE	6.7	6.2*	7.7	7.6	7.4	7.2	7.1	6.8	6.8	6.4*	6.2*	5.8*					
90060000	34.360	38.777	L	1	8	55	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.0			10.0	10.0	10.0	8.5				
5	1			2	10.8	24500	RIDE	8.3	8.3	7.8	7.7	7.6	7.6	6.7			7.9	7.4	7.2	7.0				
							DGFC																	
					(2010)		CRACKING	8.5	8.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5					
44600051	34.346	38.777	C	2024		0012	RIDE	6.7	6.2*	6.6	6.9	6.9	6.7	6.7	6.6	6.6	6.5	6.5	6.4*					
90060000	32.459	32.937	L	1	1	45	CRACKING	8.5	10.0	10.0	10.0	10.0	9.0	7.0	6.5		10.0	10.0	10.0	10.0				
5	1			1	15.3	28000	RIDE	8.2	8.3	7.8	7.7	7.6	7.6	7.2	6.2		7.9	8.0	7.8	7.7				
SUMMERLAND RD(32.8L)							FC2																	
					(2015)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.1	8.8	7.0			
							RIDE	7.7	7.6	7.2	7.1	7.0	6.8	6.8	6.7	6.8	6.9	6.8	6.9	6.6	6.5			
90060000	26.207	32.459	L	1	1	45	CRACKING	8.5	7.5	7.5	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*				
5	1			2	10.8	33500	RIDE	8.2	8.3	8.1	7.9	7.4	7.1	7.1	6.9	6.7	6.7	6.6	6.4	6.5				
SIDE ROAD(26.2L)							FC5																	
4198461	29.243	32.432	C	2013		0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.9	8.8	7.0			
GENERAL ASPHALT CO., INC.							(2015)	SPRIDE	6.0	8.1	8.4	8.4	8.4	8.3	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.2		
90060000	25.728	26.207	L	1	8	45	CRACKING	10.0	9.0	9.0	7.5	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	10.0	10.0				
5	1			2	10.8	40000	RIDE	8.9	8.9	8.7	8.2	8.0	8.0	8.0	7.7	7.3	7.2	6.8	8.4	8.4				
SPUR(25.7L)							FC125M																	
4198531	25.728	25.951	L	2010		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.6					
COMMUNITY ASPHALT CORP.							(2012)	SPRIDE	8.4	7.6	8.2	8.1	8.0	8.0	7.9	8.0	8.0	7.9	7.8	7.8				
4439211	23.203	26.177	C	2023		0012																		
90060000	19.253	22.623	L	1	1	45	CRACKING	8.5	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	4.0*	4.0*	4.0*	4.0*	4.0*				
5	1			2	11.2	30000	RIDE	8.0	8.2	7.7	6.9	6.5	7.6	7.5	7.2	6.7	6.9	6.3	6.1	5.6				
LEG 002 *(19.3L)							FC5																	
4198481	19.376	22.682	L	2013		0012	CRACKING	4.0*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.6	8.6	7.0			
GENERAL ASPHALT CO., INC.							(2016)	SPRIDE	5.2*		8.2	8.3	8.3	8.2	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.2		
90060000	17.105	18.507	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0				
5	1			2	10.8	29500	RIDE	7.4	7.4	7.5	6.9	7.0	7.0	7.1	7.1	7.1	6.7	6.8	6.7	6.5				
TAVERNIER TOWNE(17.7L)							DGFC																	
4256008	17.105	18.279	C	2013		0012	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.1	8.0			
GENERAL ASPHALT CO., INC.							(2016)	SPRIDE	6.1	5.7	8.2	8.1	7.9	8.0	7.9	7.9	7.9	7.8	7.8	7.7	7.6	7.2		
90060000	16.313	17.105	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*				
5	1			2	10.8	29500	RIDE	8.2	8.0	7.8	6.9	7.0	6.7	6.8	6.9	6.7	6.7	6.4	6.6	6.4				
ROYAL POINCIANA(16.3L)							FC95																	
4255991	16.465	17.105	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	9.1	8.0			
COMMUNITY ASPHALT CORP.							(2014)	SPRIDE	8.0	7.4	7.3	7.5	7.3	7.2	7.2	7.1	7.2	7.1	7.0	6.9	7.0	6.6		
90060001	0.000	2.494	C	1	1	45	CRACKING	9.0	9.0	8.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0				
5	1			2	10.1	16000	RIDE	8.1	8.1	7.6	6.7	6.6	7.4	7.4	7.1	6.7	6.4	6.3	8.1	8.1				
OCEAN BAY DR( 0.0C)							OGFC																	
4198531	0.000	2.494	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.0	4.5*	2.5*			
COMMUNITY ASPHALT CORP.							(2012)	SPRIDE	8.1	8.1	8.2	8.3	8.1	8.0	8.1	8.1	8.1	8.0	8.0	7.9	7.9	7.8		
90060001	2.494	3.105	C	1	1	50	CRACKING	9.0	9.0	8.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	7.0	7.0				
5	1			2	10.1	16000	RIDE	8.1	8.1	7.6	6.7	6.6	7.4	7.4	7.1	6.7	6.4*	6.3*	5.8*	5.4*				
SECTION 90060000( 3.1C)							FC5																	
4198481	2.494	3.026	C	2013		0012	CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2	8.2	6.5			
GENERAL ASPHALT CO., INC.							(2016)	SPRIDE	5.0*		8.3	8.4	8.3	8.3	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.2		
90060002	0.000	0.772	C	1	1	45	CRACKING	8.5	8.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0				
5	1			2	10.6	14500	RIDE	8.4	7.9	7.5	6.7	6.3*	6.4	6.2	5.6	5.0*	5.5	5.2*	8.4	8.4				
US-1/SR-5/ID90060000( 0.0C)							DGFC																	
4198491	0.000	0.772	R	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	8.4	7.0			
COMMUNITY ASPHALT CORP.							(2012)	SPRIDE	8.4	8.1	7.9	8.1	7.7	7.8	7.8	7.6	7.6	7.7	7.7	7.7	7.7	7.7	7.3	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).