

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKMX-P		=====									
CONTRACTOR (AGE_ONE YEAR)		(AGE_ONE YEAR)		RW		FY-F		WKMX-F													
ITMSEG-P		W_BMP		W_EMP		RW		FY-F		WKMX-F											
ITMSEG-F		W_BMP		W_EMP		RW		FY-F		WKMX-F											
93001000	0.000	1.954	C	1	1	55	CRACKING	8.5	7.5	7.0	6.5	5.0*	5.0*	5.0*	5.0*	3.5*	1.0*	1.0*	1.0*		
786			2	7.9		3600	RIDE	8.6	8.5	8.4	8.4	8.0	7.3	7.4	7.1	7.2	7.1	6.9	6.8		
BEELINE HWY(0.0C)						FC95M															
2293962	0.000	1.980	C	2015		0102	CRACKING	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
						(2018)	RIDE	8.7	8.7	8.6	8.3	8.3		8.8	8.6	8.6	8.7	8.6	8.6	10.0	
93001000	1.954	2.610	C	1	1	55	CRACKING	8.5	7.5	7.0	6.5	5.0*	5.0*	5.0*	5.0*	3.5*	1.0*	1.0*	1.0*		
786			2	7.9		3600	RIDE	8.6	8.5	8.4	8.4	8.0	7.3	7.4	7.1	7.2	7.1	6.9	6.8		
SIDE ROAD(2.0R)						FC95															
						(2018)	CRACKING	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	8.5	8.5	
							RIDE	8.7	8.7	8.6	8.3	8.3		8.2	8.1	8.1	7.9	8.0	8.0	7.7	
93001000	2.610	3.888	R	1	1	45	CRACKING	8.5	7.5	7.0	6.5	5.0*	5.0*	5.0*	5.0*	3.5*	1.0*	10.0	10.0	10.0	
786			2	5.4		20000	RIDE	8.6	8.5	8.4	8.4	8.0	7.3	7.4	7.1	7.2	7.1	8.1	7.9	7.9	
JOG RD(3.0R)						DGFC															
						(2009)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
							RIDE	7.9	7.9	7.9	7.8	7.5	7.4	7.3	7.0	7.4	7.3	7.3	7.2	7.3	
93001000	3.888	4.127	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5		10.0	10.0	10.0	
786			3	5.4		20000	RIDE	8.1	7.7	7.9	7.8	7.5	6.8	6.8	6.7	6.8		7.8	7.6	7.6	
AV OF CHAMPIONS(3.9R)						DGFC															
						(2009)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE	7.5	7.4	7.4	7.5	7.0	7.1	7.0	7.0	7.0	10.0	10.0	7.0	7.1	
93001000	4.127	6.117	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	
786			3	5.2		51000	RIDE	8.0	7.9	7.8	7.8	7.5	6.8	6.8	6.7	6.8	6.6	6.5	6.3	6.2	
FAIRWAY DR(4.1R)						FC125															
4216821	4.127	5.860	C	2011		0012	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	
COMMUNITY ASPHALT CORP.						(2013)		RIDE	6.1	8.1	8.0	8.0	8.0	8.0	7.8	7.5	7.8	7.8	7.8	7.8	
93001000	6.117	6.700	R	1	1	45	CRACKING	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0		
786			4	3.2		62500	RIDE	6.9	6.7	6.8	6.7	6.3*	6.3*		7.1	7.1	7.2	7.4	7.2		
RCA BLVD(6.3R)						FC5															
						(2006)	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	
							RIDE	7.0	7.2	7.2	7.1	7.4	7.4	7.5	7.3	7.3	7.2	6.9	7.1		
4461741	6.114	7.036	C	2024		0012															
93001000	6.700	7.020	R	1	6	45	CRACKING	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0		
786			3	4.2		49500	RIDE	6.9	6.7	6.8	6.7	6.3*	6.3*		7.1	7.1	7.2	7.1	6.6		
LAKE VICTORIA(6.7R)						FC5															
						(2006)	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	
							RIDE	6.6	6.6	6.4	6.5	6.8	6.5	6.7	6.3	6.6	6.6	6.6	6.6		
4461741	6.114	7.036	C	2024		0012															
93001000	7.020	7.763	R	1	1	45	CRACKING	4.5*	4.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
786			3	4.2		49500	RIDE	6.9	6.7	6.8	6.7	6.3*	8.3	8.3	8.3	8.4	8.3	8.2	8.2		
CAMPUS DR(7.3R)						FC125															
2297561	6.992	8.540	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
COMMUNITY ASPHALT CORP.						(2004)		SPRIDE	8.2	8.0	8.0	8.0	7.8	7.8	7.6	7.7	7.7	7.6	7.7		
93001000	7.763	8.112	R	1	6	40	CRACKING	4.5*	4.5*	3.5*	1.0*	1.0*	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*		
786			3	4.2		49500	RIDE	6.9	6.7	6.8	6.7	6.3	6.4	6.3	6.6	6.2	6.2	6.2	6.1		
PROSPERITY FARM RD(8.0C)						DGFC															
						(2013)	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
							RIDE		7.8	7.7	7.3	7.1	7.0	6.2	6.4						
93001000	8.112	8.412	R	1	6	40	CRACKING	4.5*	4.5*	3.5*	1.0*	1.0*	6.5	6.5	6.5	6.5	6.5	10.0	10.0		
786			3	5.5		38000	RIDE	6.9	6.7	6.8	6.7	6.3	6.4	6.3	6.6	6.2	6.2	7.9	7.9		
KIDD LN(8.2R)						DGFC															
						(2009)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
							RIDE	7.6	7.7	7.7	7.9	7.6	7.7	7.0							
93001000	8.412	8.636	R	1	6	40	CRACKING	4.5*	4.5*	3.5*	1.0*	1.0*	6.5	6.5	6.5	10.0	10.0	10.0	10.0		
786			2	5.9		26500	RIDE	6.9	6.7	6.8	6.7	6.3	6.4	6.3	6.6	6.6	6.5	6.7	6.4		
ELLISON WILSON RD(8.4C)						DGFC															
						(2007)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
							RIDE	5.7	5.7	6.3	6.6	6.5	6.6								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE											
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-F											
		(AGE_ONE YEAR)		YEAR		ASTYPE															
		W_BMP		W_EMP		RW		FY-F		WKM-F											
93004000	4.647	6.106	R	1	8	45	CRACKING	10.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	5.5*	5.5*	3.5*	3.5*	3.5*	
808			3	2.6			54000 RIDE	8.3	8.3	8.3	8.4	7.6	7.3	7.3	7.2	7.3	7.2	7.2	7.0	7.0	
RENAISSANCE WAY(4.9R)																					
4216841	5.106	6.390	C	2011			0012 CRACKING	3.5*	3.5*	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.0		
RANGER CONSTRUCTION INDUST(2014) SPRIDE																					
93004000	6.106	7.615	R	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	5.5*	10.0	10.0	10.0	
808			3	3.4			26000 RIDE	6.4*	6.0*	6.4*	6.5	6.0*	5.2*	7.4	7.3	7.3	7.2	8.0	8.0	8.0	
NW 7 AVE(6.4R)																					
2297811	6.500	7.238	C	2006			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	
WEEKLEY ASPHALT PAVING, IN(2009) SPRIDE																					
93004000	6.106	7.615	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.0	6.5	5.5*	5.5*	10.0	10.0	10.0	
808			3	3.4			26000 RIDE	6.3*	6.4*	4.3*	6.4*	6.4*	5.8*	7.3	7.4	7.5	6.9	8.0	7.9	8.0	
SPUR(6.6L)																					
2297811	6.500	7.238	C	2006			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	
WEEKLEY ASPHALT PAVING, IN(2009) SPRIDE																					
93004000	4.647	6.106	L	1	8	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.5	6.5	5.5*	5.5*	3.5*	3.5*	
808			3	2.6			54000 RIDE	8.1	8.1	8.1	8.1	7.6	7.4	7.4	7.3	7.4	6.9	7.4	7.3	7.1	
COMMERCIAL TR(4.9L)																					
4216841	5.106	6.390	C	2011			0012 CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5		
RANGER CONSTRUCTION INDUST(2014) SPRIDE																					
93004000	2.500	4.647	L	1	1	45	CRACKING	10.0	9.0	8.0	7.5	7.5	7.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*		
808			3	3.3			43500 RIDE	8.1	8.1	8.1	8.1	7.9	7.4	7.4	7.3	7.4	7.3	7.2	7.2		
BOCA WEST DR(2.7L)																					
4153081	2.020	4.779	C	2010			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.9	
COMMUNITY ASPHALT CORP. (2012) SPRIDE																					
93004000	0.000	2.500	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.0	7.0	7.0	7.0	
808			3	11.7			41500 RIDE	8.7	8.6	8.6	8.5	8.3	7.7	7.7	7.5	7.7	7.4	7.4	7.2	7.1	
SR 7(0.0C)																					
4270141	0.042	1.195	C	2013			0012 CRACKING	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2016) SPRIDE																					
93005000	0.000	1.549	R	1	1	45	CRACKING	6.5	6.5	5.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	9.0	9.0	
794			4	4.3			35000 RIDE	7.4	7.4	7.4	7.1	7.7	6.8			7.7	7.4	7.4	7.4	7.3	
MILITARY TR(0.0C)																					
2298081	0.000	1.447	C	2003			0213 CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.9	6.8	9.0	8.5	7.5	7.2	
(2007) RIDE																					
93005000	1.549	2.780	R	1	1	45	CRACKING	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
794			3	5.7			50500 RIDE	7.3	7.4	6.9	7.1	7.4	8.0	7.5	7.8	8.0	7.7	7.8	7.9	7.2	
NW 4TH AVE(2.1R)																					
2297581	1.174	2.780	C	2002			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	7.6	
COMMUNITY ASPHALT CORP. (2004) RIDE																					
4476571	2.128	2.761	C	2025			0012	7.5	7.4	7.6	7.3	7.8	7.7	7.6	7.0	7.2	7.3	7.3	7.5	7.1	
93005000	1.549	2.780	L	1	1	45	CRACKING	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
794			3	5.7			50500 RIDE	7.2	7.0	6.9	6.9	7.5	7.7	7.6	7.7	7.7	7.7	8.1	7.7	7.5	
NW 5TH AVE(2.1L)																					
2297581	1.174	2.780	C	2002			0012 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	7.6	
COMMUNITY ASPHALT CORP. (2004) RIDE																					
4476571	2.128	2.761	C	2025			0012	7.3	7.2	7.3	7.0	7.5	7.6	6.5	6.6	6.8	7.1	7.1	7.1	6.6	
93005000	0.000	1.549	L	1	1	45	CRACKING	6.5	6.5	5.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	
794			4	4.3			35000 RIDE	7.3	7.1	7.7	7.2	7.1	6.8			8.0	7.9	7.6	7.8	7.9	
MILITARY TR(0.0C)																					
2298081	0.000	1.447	C	2003			0213 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.5	7.5	7.5	
(2007) RIDE																					
93006000	2.078	4.225	R	1	1	40	CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
807			3	2.6			39000 RIDE	6.9	6.9		8.7	8.5	7.9	7.9	8.0	8.2	8.0	8.0	7.9	7.8	
LAKE WORTH RD(2.1C)																					
2296111	2.078	5.916	C	1999			0012 CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	
COMMUNITY ASPHALT CORP. (2002) S RIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE											
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	P	*****														(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	P	*****														
93006000	4.225	4.534	R	1	1	40	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
807			3	3.9	36000		RIDE	7.0	7.0		8.0	7.6	7.1	7.4	7.3	7.6	7.3	7.2	7.2	7.5	
APALACHEE RD(4.3R)																					
2296111	2.078	5.916	C	1999	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0
COMMUNITY ASPHALT CORP.				(2002)			S RIDE	7.5	7.0	6.9	6.9	7.3	7.5	7.3	6.9	7.3	7.1	7.3	6.9	7.1	6.9
FC3																					
93006000	4.534	5.462	R	1	1	40	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
807			3	3.5	32500		RIDE	7.0	7.0		8.5	8.7	8.1	7.6	7.9	8.1	8.0	8.0	8.0	7.7	7.8
CHEROKEE RD(4.6R)																					
2296111	2.078	5.916	C	1999	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5
COMMUNITY ASPHALT CORP.				(2002)			S RIDE	7.8	7.6	7.3	7.2	7.6	7.6	7.5	7.4	7.4	7.3	7.3	7.3	7.2	6.9
FC3																					
93006000	5.462	5.872	R	1	1	40	CRACKING	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
807			3	5.2	34500		RIDE	7.0	7.0				8.0	8.0	7.9	8.0	7.9	7.9	7.9	7.9	7.8
KENTUCKY ST(5.6R)																					
				(2004)			CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.1
							RIDE	7.8	7.8	7.7	7.7	7.7	7.8	7.8	7.6	7.7	7.6	7.5	7.4	7.6	7.4

93006000	5.462	5.872	L	1	1	40	CRACKING	10.0	10.0		10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
807			3	5.2	34500		RIDE	6.6	6.4*		8.7		8.2	7.3	8.1	8.2	7.9	8.0	7.9	7.9	
GUN CLUB RD(5.9L)																					
				(2004)			CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0
							RIDE	7.8	7.8	7.5	7.4	7.4	7.6	7.1	6.9	7.1	6.7	7.1	6.9	7.1	6.6
FC3																					
93006000	4.563	5.462	L	1	1	40	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
807			3	3.5	32500		RIDE	6.6	6.4*		8.7	8.0	8.0	8.0	8.1	8.2	8.1	8.1	8.0	8.0	
MELALEUCA DR(4.7C)																					
2296111	2.078	5.916	C	1999	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.1
COMMUNITY ASPHALT CORP.				(2002)			S RIDE	8.0	8.0	7.9	7.8	8.0	8.1	7.9	7.8	7.9	7.8	7.8	7.6	7.8	7.6
FC3																					
93006000	4.250	4.563	L	1	6	40	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
807			3	3.5	32500		RIDE	7.2	7.2		8.4	8.3	7.6	7.7	7.6	7.7	7.6	7.6	7.5	7.4	
FOREST HILL BLVD(4.4C)																					
2296111	2.078	5.916	C	1999	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0
COMMUNITY ASPHALT CORP.				(2002)			S RIDE	7.3	7.1	7.0	6.9	7.1	7.3								
FC3																					
93006000	2.078	4.250	L	1	1	40	CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
807			3	3.9	36000		RIDE	5.9*	5.9*		8.5	8.3	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.6	7.4
LAKE WORTH RD(2.1C)																					
2296111	2.078	5.916	C	1999	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0
COMMUNITY ASPHALT CORP.				(2002)			S RIDE	7.5	7.3	7.2	7.2	7.5	7.5	7.3	7.0	7.1	7.1	7.1	6.6	7.1	6.6
FC3																					

93006100	0.000	1.015	R	1	1	45	CRACKING											10.0	10.0	10.0	
807			3	5.2	34500		RIDE											8.2	8.1	8.2	
RANCH HOUSE RD(0.0R)																					
				(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.2	8.1	8.1	8.1	7.7	7.8	7.8	7.7	7.7	7.7	7.6	7.7	7.7	7.4
DGFC																					

93006100	0.000	1.015	L	1	1	45	CRACKING											10.0	10.0	10.0	
807			3	5.2	34500		RIDE											8.3	8.2	8.2	
GUN CLUB RD(0.0C)																					
				(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.3	8.2	8.0	8.2	7.8	7.7	7.8	7.7	7.8	7.8	7.8	7.7	7.8	7.4
DGFC																					

93010000	0.000	1.434	R	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	
5	1		3	3.8	31500		RIDE	8.9	8.6	8.6	8.6	8.4	8.0	8.0	7.6	7.9	7.9	7.9	8.0	7.8	
SPUR(0.3R)																					
4153101	0.000	1.288	R	2011	0012		CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.7	
WEKLEY ASPHALT PAVING, IN				(2013)			RIDE	7.8	8.2	8.2	8.1	8.0	8.0	7.9	7.8	7.8	7.8	7.9	7.8	7.8	7.5
FC95																					
93010000	1.434	2.691	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	
5	1		2	2.5	26500		RIDE	8.1	8.4	8.2	8.3	7.5	7.0	7.1	7.0	7.2	7.1	7.0	6.8	6.8	
SE 3 ST(1.5C)																					
4246461	1.434	2.287	R	2012	0012		CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST				(2014)			RIDE	6.9	6.8	8.2	8.3	8.0	8.1	7.5	7.9	7.5	7.6	7.6	7.6	7.6	7.1
FC125M																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																											
RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	RATINGS	SURVEYED YEAR										FUTURE				
													1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010	2011	
												2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
												(REG)															
93010000	5	1	2.691	4.857	R	1	1	45	CRACKING	8.5	8.0	8.0	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		
INTERSECT AT (MP SIDE)																											
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																											
CONTRACTOR (AGE_ONE YEAR) ASTYPE																											
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																											
ATRIUM FINANCIAL CENTER(2.9R)																											
RANGER CONSTRUCTION INDUST(2013)																											
93010000	5	1	4.857	6.801	R	1	1	45	CRACKING	10.0	10.0	10.0	8.5	7.5	7.0	6.5	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		
SANCTUARY CENTER(4.9R)																											
WEEKLEY ASPHALT PAVING, IN(2012)																											
4498301 4.857 6.801 C 2028 0012																											
93010000	5	1	6.801	7.931	R	1	1	45	CRACKING	6.5	6.5	6.5	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0		
TROPIC ISLE DR(7.0R)																											
WEEKLEY ASPHALT PAVING, IN(2010)																											
4476581 6.801 7.931 C 2025 0012																											
93010000	5	1	7.931	8.391	R	1	1	45	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
EVE ST(8.0R)																											
GENERAL ASPHALT CO., INC. (2022)																											
93010000	5	1	8.391	10.777	C	1	1	35	CRACKING	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
HARBOUR SIDE DR *(8.4R)																											
(2017)																											
												CRACKING RIDE 7.0 7.0 7.0 10.0 10.0 10.0 10.0 10.0 8.5 8.5 8.5 7.2															
												6.6 6.5 6.5 8.3 8.1 8.2 8.2 8.0 8.1 8.0 7.9 7.7															
93010000	5	1	10.777	15.117	R	1	1	35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5		
BOND WAY(10.8R)																											
HARDRIVES OF DELRAY, INC. (2022)																											
93010000	5	1	15.117	17.435	R	1	1	40	CRACKING	9.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		
OCEAN INLET(15.2R)																											
COMMUNITY ASPHALT CORP. (2012)																											
93010000	5	1	17.435	18.774	C	1	1	35	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0	8.0		
E STERNS ST(17.6R)																											
(2021)																											
												CRACKING RIDE 8.0 8.0 8.0 6.5 6.5 6.5 6.5 6.5 6.5 10.0 10.0 10.0 10.0 10.0															
												6.3 6.2 6.4 6.0 5.7 5.7 5.5 5.5 5.5 6.7 6.7 6.3 6.3 6.3 5.5															
93010000	5	1	15.117	17.435	L	1	1	40	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		
NE 22 LN(15.7L)																											
COMMUNITY ASPHALT CORP. (2012)																											
93010000	5	1	10.777	15.117	L	1	1	35	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.0	8.0	8.0	8.0	8.0	8.0		
FOURTEENTH ST NE(10.9L)																											
HARDRIVES OF DELRAY, INC. (2022)																											
93010000	5	1	7.931	8.391	L	1	1	45	CRACKING	8.5	8.5	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
CR 782(8.1C)																											
(2022)																											
												CRACKING RIDE 10.0 10.0 9.0 6.5 6.5 6.5 6.5 6.5 6.5 6.5 4.5* 10.0 10.0 10.0 10.0															
												7.0 7.0 6.8 6.8 6.5 6.6 6.0 6.1 6.3 6.4 7.1 7.0 6.9 6.4															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																																			
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE																									
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE																										(REG)			
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																														
93010000	6.801	7.931	L	1	1	45	CRACKING	8.5	8.5	7.0	6.5	5.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0															
5 1				2	12.0	27500	RIDE	7.9	7.9	7.8	7.8	7.4	6.5	6.6	6.0	6.4	5.9	6.2	7.5	7.5															
TROPIC ISLE DR(7.0L)																																			
4138391	6.813	7.940	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5															
WEEKLEY ASPHALT PAVING, IN(2010)																																			
4476581	6.801	7.931	C	2025		0012																													
93010000	4.857	6.801	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0	8.0	7.0	6.5	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*															
5 1				2	2.7	27863	RIDE	8.9	8.8	8.6	8.6	8.2	7.6	7.6	7.4	7.2	7.1	6.9	6.6	6.6															
NE 49 ST(4.9L)																																			
4168971	4.857	6.801	C	2010		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.5	7.5	7.0	7.0	7.0															
WEEKLEY ASPHALT PAVING, IN(2012)																																			
4498301	4.857	6.801	C	2028		0012		8.0	8.0	7.9	7.9	7.6	7.6	7.4	7.2	7.3	7.2	7.3	7.1	7.1	7.1														
93010000	2.691	4.857	L	1	1	45	CRACKING	8.5	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*															
5 1				2	1.6	28500	RIDE	7.8	7.6	7.5	7.4	7.1	6.6	6.9	6.6	6.6	6.5	6.5	6.2	6.5															
FOURTEENTH ST NE(2.7L)																																			
4229101	2.691	4.857	C	2011		0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0														
RANGER CONSTRUCTION INDUST(2013)																																			
93010000	1.434	2.691	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	8.0	6.5	6.5	6.5	6.5															
5 1				2	2.5	26500	RIDE	8.5	8.5	8.5	8.5	8.1	7.7	7.7	7.6	7.7	7.7	7.8	7.6	7.5															
SE 4 ST(1.5L)																																			
4246461	1.434	2.419	L	2012		0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
RANGER CONSTRUCTION INDUST(2014)																																			
93010000	0.000	1.434	L	1	1	45	CRACKING	9.0	9.0	8.0	7.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5															
5 1				3	3.8	31500	RIDE	8.6	8.7	8.4	8.5	8.2	7.7	7.8	7.6	8.1	7.6	7.6	7.6	7.4	7.2														
ROYAL PALM WAY(0.3L)																																			
4153101	0.000	1.352	L	2011		0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.1														
WEEKLEY ASPHALT PAVING, IN(2013)																																			
93010101	0.000	2.336	C	1	1	35	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	7.5	7.0	6.0*	5.5*	5.5*	5.5*	5.5*															
5 1				2	3.8	13000	RIDE	7.3	7.4	7.2	7.2	6.6	6.7	6.5	6.4	6.6	6.5	6.6	6.5	6.4															
SPUR TO OLD DIXIE HW(0.0R)																																			
							CRACKING	5.5*	5.5*	5.5*																									
							RIDE	6.4	6.4	6.3			8.3	8.1	8.0	8.1	7.9	8.1	7.9	7.9															
93012000	0.000	0.678	R	1	1	40	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0															
708				3	10.5	2000	RIDE	7.5	7.3	7.1	7.3	7.2	6.6	6.3		7.7	7.1	7.5	7.4	7.4															
BEE LINE HWY(0.0C)																																			
2296481	0.235	0.901	C	2004		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
HUBBARD CONSTRUCTION COMPA(2007)																																			
93012000	0.678	2.003	R	1	1	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5															
708				3	6.7	41000	RIDE		8.0	8.1	7.9	7.7	7.2	7.2	6.9	6.7	6.2	6.8	6.7	7.3															
CENTRAL INDUSTRIAL D(1.1C)																																			
							CRACKING	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.5															
							RIDE	6.9	7.0	8.0	8.2	7.9	7.8	7.8	7.5	7.6	7.6	7.5	7.6	7.6															
93012000	2.003	2.905	R	1	1	40	CRACKING		9.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0															
708				3	6.7	41000	RIDE		5.0*	5.5*	6.2	6.4	6.0	6.0	6.2	6.2	6.1	6.0	8.3	8.1															
ACREHOME BLVD(2.0C)																																			
4114311	1.962	2.767	R	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0															
RANGER CONSTRUCTION INDUST(2010)																																			
93012000	2.905	3.682	R	1	1	35	CRACKING		6.5	4.5*	10.0	10.0	10.0	10.0	10.0	8.0	7.0	7.0	7.0	7.0															
708				2	3.3	29500	RIDE		5.0*	5.1*	7.8	7.2	6.9	6.2	5.9	6.0	5.6	5.6	5.5	6.3															
CR 811(2.9C)																																			
4246491	3.096	3.659	R	2013		0012	CRACKING	7.0	7.0		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5															
DICKERSON FLORIDA INC. (2015)																																			
93012000	2.905	3.682	L	1	1	35	CRACKING		6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0															
708				2	3.3	29500	RIDE		4.3*	4.4*	7.2	6.2	6.0	5.9	5.7	5.6	5.7	5.0*	5.5	5.7															
CR 811(2.9C)																																			
4246491	3.096	3.659	L	2013		0012	CRACKING	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
DICKERSON FLORIDA INC. (2015)																																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																									
RDWYID	SR	US	BMP	G_BMP	EMP	G_EMP	LN	RW	SYS	TYP	SPD	DISTRESS	RATINGS	SURVEYED YEAR										FUTURE	
														1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009
INTERSECT AT	(MP)	(SIDE)																							
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X	P																			
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	F											(REG)								
93020000	5		3.209		3.651		C	1	1	35	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	
VANDERBILT DR(3.2L)																									
2297061	5		2.029		3.651		C	1998		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.9
RUSSELL ENGINEERING, INC (2000)																									
4476601	5		2.071		3.651		C	2025		0012	CRACKING	6.6	6.7	6.7	6.7	6.2	6.2	6.1	6.2	6.3	6.2	6.2	6.1	6.0	5.4
DGFC																									
93020000	5	1	9.242		10.037		C	1	1	30	CRACKING	6.5	6.5	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0
THIRTEENTH ST L(9.3L)																									
								4	7.0	15300	RIDE	4.9*	4.7*	4.5*	4.3*	4.5*	3.7*		7.3	7.3	7.2	7.1	7.1	6.9	
FC4																									
											CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
(2006)																									
											RIDE	7.1	7.0	6.8	6.9	6.0	5.9	5.6	5.3*	5.7	5.6	5.7	5.3*	5.7	4.7
93020000	5	1	10.037		10.270		C	1	6	30	CRACKING	8.5	7.0	7.5		8.5	8.5	7.5	8.5	7.0	7.0	5.5*	5.5*	5.5*	
DIXIE HWY(10.0R)																									
								2	7.0	15300	RIDE	7.4	7.4	7.2		6.4	5.9	6.0	6.1	6.1	5.9	5.2*	5.6	5.6	
FC125																									
											CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
(2013)																									
											RIDE														
93020000	5	1	10.270		11.445		R	1	1	35	CRACKING	3.0*	0.0*	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
28TH ST(10.5C)																									
2293391	5		9.952		12.200		C	2000		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0
LANZO CONSTRUCTION CO FLOR(2004)																									
											SPRIDE	6.7	6.3	6.2	6.1	6.8	6.5	6.4	6.2	6.3	6.4	6.4	6.4	6.1	5.7
93020000	5	1	11.445		12.127		R	1	1	35	CRACKING	3.0*	0.0*	0.0*	0.0*				10.0	10.0	10.0	10.0	10.0	10.0	10.0
46TH ST(11.5C)																									
								2	4.9	21500	RIDE	4.3*	4.6*	4.2*	3.8*				6.9	7.0	7.1	7.0	6.9	6.8	6.7
FC125																									
											CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.9
(2005)																									
											RIDE	6.8	6.7	6.6	6.7	5.8	5.7	5.8	5.4*	5.5	5.6	5.3*	5.4*	5.6	4.7
93020000	5	1	12.729		12.789		R	1	6	35	CRACKING	3.0*		10.0	10.0	8.5	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*
E 11 ST(12.7R)																									
								2	9.3	24000	RIDE	4.3*		7.5	6.2	3.7*	5.3*	4.5*	4.0*	3.9*	3.6*	3.7*	3.3*	3.4*	
FC95A																									
											CRACKING	3.5*	3.5*	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0
(2001)																									
											RIDE	3.2*	2.9*	6.5											
93020000	5	1	12.789		14.150		R	1	1	35	CRACKING	9.5	9.5	9.5	9.5	8.5	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*
E 12TH ST(12.8C)																									
2297443	5		12.796		14.144		C	2012		0012	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2
GIBBS & REGISTER, INC. (2015)																									
											SPRIDE	3.2*	2.9*		7.9	7.0	6.5	6.5	6.4	6.0	6.2	6.2	5.8	5.4*	4.5
93020000	5	1	14.150		14.558		R	1	2	35	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.5	8.5	8.5	8.5
SILVER BEACH RD(14.2C)																									
2297471	5		14.184		14.539		C	2002		0012	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5
RANGER CONSTRUCTION INDUST(2006)																									
											SPRIDE	6.3	5.9	6.5	6.3	5.8	5.7	5.6	5.4*	5.3*	5.5	5.7	5.7	5.1*	5.1
93020000	5	1	14.150		14.558		L	1	1	35	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0
SILVER BEACH RD(14.2C)																									
2297471	5		14.184		14.539		C	2002		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.2
RANGER CONSTRUCTION INDUST(2006)																									
											SPRIDE	6.9	6.7	6.9	7.0	6.7	6.6	6.2	6.6	6.6	6.4	6.3	6.4	6.3	5.9
93020000	5	1	12.789		14.150		L	1	1	35	CRACKING	10.0	10.0	10.0	5.0*	5.0*	5.0*	5.0*	4.0*	6.5	6.5	6.5	6.5	6.5	6.5
E 12TH ST(12.8C)																									
2297443	5		12.796		14.144		C	2012		0012	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GIBBS & REGISTER, INC. (2015)																									
											SPRIDE	6.2	5.9		7.9	7.5	7.4	7.2	7.1	7.3	7.0	7.1	6.9	6.8	6.3
93020000	5	1	12.729		12.789		L	1	6	35	CRACKING	0.0*		10.0	10.0	5.0*	5.0*	5.0*	4.0*	6.5	6.5	6.5	6.5	6.5	6.5
W 11 ST(12.7L)																									
								2	9.3	24000	RIDE	5.4*		7.6	7.5	7.0	6.5	6.6	6.4	6.7	6.4	6.5	6.4	6.2	
FC95A																									
											CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.2
(2001)																									
											RIDE	6.2	5.9	6.9											

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE				
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																	
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)	
93020000	11.445	12.127	L	1	1	35	CRACKING	0.0*	0.0*	0.0*	0.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1				2	4.9	21500	RIDE	5.4*	4.6*	4.3*	4.4*			7.1	6.8	6.8	6.7	6.6	6.5	6.1		
46TH ST(11.5C)																						
					(2005)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
							RIDE	6.0	5.4*	5.8	5.4*	6.2	6.2	6.0	6.1	6.1	5.5	5.7	5.9	5.3		
93020000	10.270	11.445	L	1	1	35	CRACKING	0.0*	0.0*	0.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1				2	7.0	15300	RIDE	5.4*	4.6*	4.3*			7.1	7.3	6.9	6.8	6.9	6.9	5.9	5.8		
BROADWAY AVE(10.3L)																						
					(2004)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
							SPRIDE	5.9	5.7	6.1	5.9	6.2	6.0	6.0	5.8	5.9	5.8	5.9	5.9	5.7	5.2	
93020001	0.000	0.413	C	1	1	30	CRACKING	7.0	7.0	6.5	5.5*	5.5*		10.0			10.0	10.0	10.0	10.0	10.0	
5 1				4	4.8	18700	RIDE	6.5	6.6	5.0*	4.5*	3.5*		7.3			6.8	6.2	6.5	5.8	6.0	
PALM BEACH LAKES BLVD *(0.0C)																						
					(2007)		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3
							RIDE	6.4	5.8	6.0	5.8	5.2*	5.2*	5.0*	4.9*	4.9*	4.8*	5.0*	4.8*	4.7*	4.0	
4460991	0.000	0.424	C	2023		0012																
93020001	1.238	2.356	C	1	1	35	CRACKING	7.0	7.0	6.5	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1				4	4.9	26000	RIDE	6.5	6.6	5.0*	4.2*			7.6	7.3	7.2	7.4	7.2	7.1			
LAKEVIEW AVE(1.2L)																						
					(2006)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.3
							RIDE	7.0	7.0	6.8	6.6	6.2	6.2	6.3	6.1	6.2	6.1	5.8	5.8	5.5	5.1	
4484151	1.238	2.356	C	2026		0012																
93020002	0.000	0.291	C	1	6	30	CRACKING	7.0	7.0	7.0	7.0		10.0			7.0	7.0	7.0	5.5*	5.5*		
5 1				2	7.0	15300	RIDE	6.6	5.3*	5.9*	5.2*			5.3*	5.5	5.3*	5.8	5.3*				
25 ST(0.0R)																						
					(2013)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE															
93020100	0.000	0.540	R	1	1	30	CRACKING							10.0								
5 1				2	3.9	15400	RIDE							4.8*								
OKEECHOBEE BLV/SR704(0.0C)																						
					(2012)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0
							RIDE	5.1*	5.4*	5.5	5.0*	4.9*	4.9*	4.8*	4.5*	4.4*	4.8*	5.1*	4.9*	5.1*	4.6	
93020100	0.540	0.960	C	1	6	30	CRACKING							10.0								
5 1				2	3.0	12200	RIDE							4.8*								
CLEMATIS ST(0.5C)																						
					(2017)		CRACKING	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
							RIDE	4.8*	4.2*	4.3*	5.0*	3.9*										
J.W. CHEATHAM, LLC																						
93020100	0.000	0.540	L	1	1	30	CRACKING							10.0								
5 1				2	3.9	15400	RIDE							4.8*								
OKEECHOBEE BLV/SR704(0.0C)																						
					(2012)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0
							RIDE	5.1*	5.0*	5.0*	5.1*	4.6*	4.6*	4.6*	4.3*	4.4*	4.6*	4.7*	4.6*	4.6*	4.2	
93020500	0.000	0.147	R	1	6	35	CRACKING														10.0	
5 1				2	3.8	21000	RIDE															
RIVIERA BEACH CITY LIMIT(0.0C)																						
					(2011)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.7
							RIDE															
93020500	0.521	0.590	R	1	6	35	CRACKING														10.0	
5 1				2	3.8	21000	RIDE															
					(2011)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.7
							RIDE															
93020500	0.521	0.590	L	1	6	35	CRACKING														10.0	
5 1				2	3.8	21000	RIDE															
					(2011)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.7
							RIDE															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011			
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKM-F		WKM-F		WKM-F		WKM-F		WKM-F		WKM-F		WKM-F		2029	
		(AGE_ONE YEAR)		RW		ASTYPE		CONTRACTOR		CONTRACTOR		CONTRACTOR		CONTRACTOR		CONTRACTOR		CONTRACTOR		CONTRACTOR		(REG)	
93020500		0.000	0.147	L	1	6	35	CRACKING														10.0	
5	1				2	3.8	21000	RIDE															
RIVIERA BEACH CITY LIMIT(0.0C)		DGFC				CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.5	
		(2011)						RIDE															
93030000		0.000	0.261	C	1	1	40	CRACKING	7.0	6.0*	4.5*	3.5*	1.0*	1.0*	1.0*	8.5	10.0	10.0	10.0	10.0	10.0	10.0	
806					3	10.0	19800	RIDE	7.9	8.2	8.2	8.1	7.5	7.0	6.8	6.7	6.8	6.9	6.4	6.4	6.4	6.7	
SR 7/US 441(0.0C)				DGFC				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	6.2	
		(2007)						RIDE	6.6	6.6	6.6	6.7	5.7	5.7	5.9	5.5	5.7	5.9	5.5	5.5	5.5	5.0	
2296584		0.000	1.252	C	2024		0213																
93030000		0.261	0.768	C	1	1	45	CRACKING	7.0	6.0*	4.5*	3.5*	1.0*	1.0*	1.0*	8.5	4.5*	1.0*	10.0	10.0	10.0	10.0	
806					2	10.0	19800	RIDE	7.9	8.2	8.2	8.1	7.5	7.0	6.8	6.7	6.7	6.7	8.2	7.7	7.7	7.7	
HALF MILE RD(0.5R)				FC95M				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	6.0	
2297861		0.300	0.775	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	6.0	
RANGER CONSTRUCTION INDUST(2009)				SPRIDE				SPRIDE	7.7	7.3	7.4	7.2	7.0	7.0	7.0	6.9	7.0	7.0	7.0	6.9	6.8	6.3	
2296584		0.000	1.252	C	2024		0213																
93030000		0.768	1.910	R	1	1	45	CRACKING	7.0	6.0*	4.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	9.0	9.0	
806					2	7.5	28500	RIDE	7.9	8.2	8.2	8.1	7.5	7.0	6.8	6.5	6.6	6.4	6.2	6.7	6.7	6.7	
LYONS RD(1.1C)				DGFC				CRACKING	9.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
		(2015)						RIDE	6.7	6.7		8.2	7.3	7.2	7.0	6.7	6.9	7.3	7.2	7.2	7.1	6.7	
4405752		1.252	1.960	C	2024		0213																
93030000		1.910	3.400	R	1	1	45	CRACKING	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
806					2	6.0	37000	RIDE	7.6	7.4	7.2	7.2	8.3	7.8	7.8	7.2	7.9	7.8	7.9	7.7	7.7	7.8	
LEXINGTON CLUB BLVD(2.2R)				FC125				CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5
2296001		1.814	3.367	C	2000		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5
RANGER CONSTRUCTION INDUST(2003)				SPRIDE				SPRIDE	7.8	7.8	7.7	7.7	7.7	7.6	7.7	7.4	7.3	7.3	7.4	7.6	7.6	7.3	
4405754		1.748	3.078	C	2029		0213																
93030000		3.400	4.275	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	
806					3	5.2	40000	RIDE	8.2	8.4	8.5	8.5	8.2	7.7	7.5	7.7	7.7	7.6	6.8	6.7	6.8	6.8	
CARTER RD(3.6C)				FC95				CRACKING	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.6
4246511		3.390	4.275	R	2013		0012	CRACKING	6.5	6.5	8.2	7.8	7.9	7.9	7.3	7.1	7.1	7.6	7.8	7.7	7.1	7.0	
WEEKLEY ASPHALT PAVING, IN(2014)				SPRIDE				SPRIDE	6.5	6.5	8.2	7.8	7.9	7.9	7.3	7.1	7.1	7.6	7.8	7.7	7.1	7.0	
4405755		3.078	3.847	C	2029		0213																
93030000		4.275	6.798	R	1	1	45	CRACKING	9.0	9.0	9.0	7.5	7.5	7.0	7.0	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	
806					3	6.2	43500	RIDE	7.4	8.1	8.4	8.4	8.3	7.7	7.6	7.6	7.7	7.7	7.5	7.7	7.4	7.4	
VIA FLORA(4.3R)				FC95				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.6	
4138412		4.275	7.097	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.6	
WEEKLEY ASPHALT PAVING, IN(2010)				RIDE				RIDE	7.5	7.5	7.7	7.5	7.3	7.9	7.1	7.5	7.0	7.7	7.7	7.7	7.7	6.9	
93030000		6.798	7.502	R	1	1	35	CRACKING	9.0	9.0	9.0	7.5	7.5	7.0	7.0	6.5	6.5	5.0*	10.0	10.0	10.0	10.0	
806					2	5.4	48500	RIDE	7.4	8.1	8.4	8.4	8.3	7.7	7.6	7.6	7.7	5.0*	7.5	7.0	6.9	6.9	
SPUR(7.0R)				FC95M				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	
		(2022)						RIDE	6.8	6.6	7.1	7.1	6.9	6.8					7.2	7.2	7.1	6.9	
93030000		7.502	8.270	R	1	1	35	CRACKING	8.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.0*	5.0*	10.0	10.0	
806					2	6.9	24000	RIDE	6.9	7.1	7.0	7.1	6.0	6.0	5.7	6.6	6.8	6.5	6.4	5.4*	6.6		
W 12 AVE(7.5C)				FC125M				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
4138401		7.513	8.270	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2011)				SPRIDE				SPRIDE	6.6	6.6	6.7	6.7	6.6	6.6	6.4	6.3	6.3	6.6	6.4	6.4	6.5	6.3	
93030000		8.582	8.667	C	1	6	35	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	
806					4	10.2	10100	RIDE	5.3*	6.2*	5.5*	5.5	5.2*	4.6*	4.4*	4.9*	4.2*	3.3*	3.0*	3.0*			
SR 5 NB(8.6C)				FC125M				CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	2.7	
		(1990)						RIDE															
93030000		8.667	9.180	C	1	6	25	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	10.0	10.0	
806					4	4.8	16000	RIDE	5.3*	6.2*	5.5*	5.5	5.2*	4.6*	4.4*	4.9*	4.2*	6.5	6.6	5.0*	6.1		
ALLEY(8.7C)				FC125M				CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
		(2015)						RIDE	5.5	5.7		7.7											

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE											
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
ITMSEG-P																					
ITMSEG-F																					
93030000	7.502	8.270	L	1	1	35	CRACKING	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.0*	5.5*	5.5*	10.0	
806				2	6.9	24000	RIDE	7.3	7.1	7.3	7.5	6.8	6.7	6.0	6.8	7.0	6.8	6.8	5.5	7.0	
W 12 AVE(7.5C)																					
4138401	7.513	8.270	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2011)																					
93030000	6.798	7.502	L	1	1	35	CRACKING	9.0	9.0	9.0	7.5	7.5	7.0	7.0	5.5*	5.5*	10.0	10.0	10.0	10.0	
806				3	5.4	48500	RIDE	7.0	8.1	8.4	8.1	7.7	7.4	6.8	7.3	7.4	7.3	7.4	7.3	6.9	
CONGRESS AVE(7.0C)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0
							RIDE	7.2	7.2	7.0	6.9	7.0	7.1	7.1			6.8	6.5	6.6	6.0	
93030000	4.275	6.798	L	1	1	45	CRACKING	9.0	9.0	9.0	7.5	7.5	7.0	7.0	5.5*	5.5*	4.0*	3.5*	10.0	10.0	
806				3	6.2	43500	RIDE	7.0	8.1	8.4	8.1	7.7	7.4	6.8	7.3	7.4	7.3	7.2	8.1	7.9	
VIA FLORA(4.3L)																					
4138412	4.275	7.097	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
WEEKLEY ASPHALT PAVING, IN(2010)																					
93030000	3.400	4.275	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	
806				3	5.2	40000	RIDE	8.2	8.8	8.7	8.7	8.3	7.9	6.7	7.9	8.0	7.9	7.9	7.6	7.5	
CARTER RD(3.6C)																					
4246511	3.683	4.275	L	2013		0012	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2014)																					
4405755	3.078	3.847	C	2029		0213		7.4	7.2	8.2	8.1	8.0	7.9	7.5	7.6	7.8	7.6	7.7	7.7	7.6	7.3
93030000	1.910	3.400	L	1	1	45	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
806				2	6.0	37000	RIDE	8.0	7.9	7.9	7.6	8.1	7.7	7.4	7.7	7.7	7.8	7.8	7.3	7.5	
STONE QUARRY BLVD(2.2L)																					
2296001	1.814	3.367	C	2000		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9
RANGER CONSTRUCTION INDUST(2003)																					
4405754	1.748	3.078	C	2029		0213		7.5	7.5	7.5	7.2	7.4	7.4	7.3	7.1	7.4	7.6	7.3	7.5	7.4	7.2
93030000	0.768	1.910	L	1	1	45	CRACKING	7.0	6.0*	4.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	9.0	9.0	
806				2	7.5	28500	RIDE	7.9	8.2	8.2	8.1	7.5	7.0	6.8	6.5	6.6	6.4	6.2	6.7	6.7	
LYONS RD(1.1C)																					
							CRACKING	9.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	6.7	6.7		8.0	7.8	7.8	7.6	7.1	7.5	7.5	7.4	7.4	7.5	7.0
4405752	1.252	1.960	C	2024		0213															
93040000	0.000	0.637	R	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5				2	7.0	30000	RIDE	4.1*	3.9*	3.5*	4.0*	3.8*		7.9	7.2	7.0	7.2	6.9	6.8	6.1	
END 93020(0.0C)																					
2297471	0.001	0.657	R	2002		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5	5.5
RANGER CONSTRUCTION INDUST(2005)																					
							SPRIDE	6.2	6.5	6.2	6.2	6.2	5.8	5.6	5.7	5.9	5.6	5.7	5.5	5.5	4.7
93040000	0.637	2.290	R	1	1	35	CRACKING	8.5	7.5	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5				3	3.1	29500	RIDE	7.5	7.2	7.2	7.6	7.4	6.9	8.3	8.1	7.8	7.8	7.7	7.3	7.3	
ANCHORAGE DR(0.8R)																					
2297471	0.657	2.125	R	2002		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0
RANGER CONSTRUCTION INDUST(2005)																					
							SPRIDE	7.4	7.3	7.3	7.2	7.4	7.4	7.3	7.2	7.3	7.3	7.4	7.1	7.3	6.9
93040000	2.290	3.447	R	1	1	45	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	
5				2	3.1	29500	RIDE	8.2	8.4	8.5	8.5	8.1	7.9	7.8	7.9	8.0	8.0	7.7	7.0	6.9	
LAKESHORE DR(2.6R)																					
4229641	2.389	9.468	R	2011		0012	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
(2014)																					
							RIDE	7.0	6.9	7.9	7.9	7.6	7.6	7.2	7.1	7.4	7.4	7.5	7.5	7.5	7.1
93040000	3.447	5.869	R	1	1	45	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	
5				2	4.3	27500	RIDE	8.2	8.4	8.5	8.5	8.1	7.9	7.8	7.9	8.0	8.0	7.7	8.0	7.9	
PLAZA(3.5R)																					
4229641	2.389	9.468	R	2011		0012	CRACKING	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
(2015)																					
							RIDE	7.9	7.7	7.7	8.4	10.0	8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.2	8.0
93040000	5.869	9.708	R	1	1	45	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	
5				2	3.0	29500	RIDE	8.2	8.4	8.5	8.5	8.1	7.9	7.8	7.9	8.0	8.0	7.7	8.0	7.9	
DONALD ROSS RD(5.9C)																					
4229641	2.389	9.468	R	2011		0012	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
(2014)																					
							RIDE	7.9	7.7	8.4	8.3	8.2	8.2	8.2	8.1	8.1	8.2	8.2	8.2	8.1	8.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMXP	P	*****														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKMXP	F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMXP	F															(REG)
93040000	9.708	9.838	R	1	6	45	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5 1							RIDE	8.2	8.4	8.5	8.0	7.9	7.5	7.5	7.4	7.5	7.7	7.5	7.3	7.3	
INDIANTOWN RD(9.8R)																					
							DGFC														
							CRACKING	9.5	9.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	7.2	7.0	7.1	8.0										10.0
							(2015)														
93040000	9.838	10.527	R	1	1	45	CRACKING	9.0	9.0	9.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	
5 1							RIDE	8.3	8.2	8.1	8.4	7.9	6.8	7.7	7.5	7.7	7.7	7.8	7.5	7.5	
INDIANTOWN RD(9.8R)																					
							DGFC														
							CRACKING	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	7.2		8.0	7.9	7.6	7.5	7.4	6.9	7.3	7.4	7.4	7.4	7.5	7.0
							(2014)														
93040000	10.527	10.848	R	1	8	45	CRACKING	9.0	9.0	9.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	
5 1							RIDE	8.3	8.2	8.1	8.4	7.9	6.8	7.7	7.5	7.7	7.7	7.8	7.5	7.5	
CR ALA(10.5R)																					
							DGFC														
4246521	10.565	11.047	R	2012	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
J.W. CHEATHAM, LLC																					
							SPRIDE	7.3	7.2	7.4	7.6										
							(2015)														
93040000	10.848	11.127	R	1	8	45	CRACKING	9.0	9.0	9.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	
5 1							RIDE	8.3	8.2	8.1	8.4	7.9	6.8	7.7	7.5	7.7	7.7	7.8	7.5	7.5	
ALT ALA(11.1R)																					
							DGFC														
4246521	10.565	11.047	R	2012	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
J.W. CHEATHAM, LLC																					
							SPRIDE	7.3	7.2	8.3	8.0	7.8	7.6	7.7	7.1	7.4	7.5	7.3	7.2		
							(2014)														
93040000	11.127	12.396	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	7.0	7.0	7.0	7.0	
5 1							RIDE	8.8	8.7	8.7	8.4	8.3	8.1	8.1	8.0	8.1	8.1	8.1	8.1	8.1	8.1
COVE RD(11.4R)																					
							FC125M														
4287181	11.049	12.134	R	2018	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0
J.W. CHEATHAM, LLC																					
							SPRIDE	8.1	7.9	7.9	8.0	8.1	8.1	7.9	7.8	8.4	8.4	8.4	8.3	8.3	8.2
							(2020)														
93040000	11.127	12.396	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	
5 1							RIDE	8.8	8.1	8.6	8.7	8.5	8.1	8.0	7.8	8.0	8.2	8.1	7.9	8.2	
EYEBALL AVE(11.3L)																					
							FC125M														
4287181	11.126	12.411	L	2018	0012	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0
J.W. CHEATHAM, LLC																					
							RIDE	8.2	8.0	8.0	8.1	8.3	8.2	8.0	8.1	8.5	8.4	8.5	8.5	8.4	8.4
							(2020)														
93040000	9.838	11.127	L	1	8	45	CRACKING	9.0	9.0	9.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
5 1							RIDE	8.1	7.8	7.9	8.7	8.3	7.5	7.6	7.7	7.8	7.7	7.8	7.5	7.6	
JUPITER HARBOUR(10.5L)																					
							DGFC														
							CRACKING	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
							RIDE	7.7		8.1	8.0	7.7	7.5	7.2	7.4	7.3	7.4	7.4	7.4		
							(2014)														
93040000	5.869	9.838	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	
5 1							RIDE	8.2	8.6	8.6	8.8	8.3	7.8	7.9	7.8	8.0	7.8	7.8	7.6	7.5	
DONALD ROSS RD(5.9C)																					
							FC125														
4229641	2.389	9.468	L	2011	0012	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5
COMMUNITY ASPHALT CORP.																					
							SPRIDE	7.5	7.3	8.1	8.2	8.0	8.0	7.9	7.7	7.9	7.9	7.9	7.9	7.9	7.7
							(2014)														
93040000	3.447	5.869	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	
5 1							RIDE	8.2	8.6	8.6	8.8	8.3	7.8	7.9	7.8	8.0	7.8	7.8	7.6	7.5	
KATHY LN(3.5L)																					
							FC125														
4229641	2.389	9.468	L	2011	0012	CRACKING	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.																					
							SPRIDE	7.5	7.3	7.1	8.3	8.1	8.0	8.1	8.0	8.0	8.0	8.1	8.0	8.0	7.9
							(2015)														
93040000	2.290	3.447	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	
5 1							RIDE	8.2	8.6	8.6	8.8	8.3	7.8	7.9	7.8	8.0	7.8	7.8	7.6	7.2	
GOLFVIEW RD(2.6L)																					
							FC125														
4229641	2.389	9.468	L	2011	0012	CRACKING	6.5	6.5	10.0	10.											

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	=====	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(REG)	
93040000	0.000	0.637	L	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5 1			2	7.0		30000	RIDE	7.4	7.1	6.9	7.3	7.0		7.8	7.5	7.6	7.6	7.5	7.5	7.1		
PARK AVE(0.0L)						FC125																
2297471	0.001	0.657	L	2002		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	
RANGER CONSTRUCTION INDUST(2005)						SPRIDE		7.2	7.3	7.1	7.3	6.9	6.8	6.5	6.4	6.6	6.6	6.9	6.8	6.5	8.0	
93050000	0.000	1.540	C	1	1	35	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
805 1			4	4.0		14900	RIDE	7.2		8.4	8.3	8.0	7.7	7.8	7.6	7.7	7.6	7.7	7.5	7.2		
SR-5/FEDERAL HWY(0.0R)						FC3																
2290881	0.000	1.278	C	1998		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6
COMMUNITY ASPHALT CORP. (2001)						S RIDE		7.3	7.0	6.7	6.8	6.8	6.7	6.6	6.2	6.4	6.3	6.2	6.1	5.9	5.4	
93050000	1.540	1.921	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.5	7.5		
805 1			2	3.8		21000	RIDE	7.5	7.0	7.5	7.3	7.3	6.9	6.6	6.5	6.7	6.8	6.8	6.7	6.7		
1ST AVE S(1.6R)						FC3																
2294251	1.278	2.680	C	1998		0005	CRACKING	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	3.7	
COMMUNITY ASPHALT CORP. (1999)						S RIDE		6.6	6.3	6.2	6.1	5.6	5.2*	5.5	5.0*	5.0*	5.1*	5.1*	4.9*	5.1*	4.3	
93050000	1.921	3.700	C	1	1	35	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
805 1			4	2.4		23000	RIDE	7.6		8.3	8.0	7.9	7.5	7.7	7.7	7.8	7.8	7.8	7.6	7.6		
3 AVE N(1.9C)						FC3																
2290041	2.680	3.800	C	1998		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	
RUSSELL ENGINEERING INC (2001)						S RIDE		7.7	7.5	7.3	7.2	7.2	7.3	7.3	6.9	7.1	6.8	6.9	6.6	6.5	6.4	
93050000	3.700	4.166	C	1	1	35	CRACKING	6.5	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
805 1			4	3.0		25500	RIDE	7.0	6.7	6.6	6.6		7.3	7.2	7.3	7.3	6.9	6.9	6.9	6.8		
ARLINGTON RD(3.7R)						FC125																
2297541	3.725	5.874	C	2001		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	
COMMUNITY ASPHALT CORP. (2004)						SPRIDE		7.0	6.8	6.8	6.8	6.3	6.3	6.3	5.7	6.0	6.2	6.0	6.2	6.0	5.5	
93050000	4.166	5.860	C	1	1	35	CRACKING	6.5	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
805 1			4	3.0		25500	RIDE	7.0	6.7	6.6	6.6		7.3	7.2	7.3	7.3	7.5	7.5	7.4	7.1		
DESOTA RD(4.2R)						FC125																
2297541	3.725	5.874	C	2001		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
COMMUNITY ASPHALT CORP. (2004)						SPRIDE		7.0	7.2	7.2	7.2	6.4	6.4	6.5	6.3	6.3	6.3	6.3	6.0	6.2	5.7	
93050000	5.860	6.844	C	1	1	35	CRACKING	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		
805 1			4	7.8		26000	RIDE	7.0	6.7	6.6	6.6	6.7	5.9	5.8	5.9	5.8	5.5	5.8	5.6	5.7		
CONNISTON RD(5.9R)						FC95																
4153121	5.859	6.367	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.5	7.0	7.0	6.3	
WEEKLEY ASPHALT PAVING, IN(2012)						SPRIDE		7.6	7.5	7.4	7.3	6.8	6.7	6.5	6.5	6.3	6.4	6.3	6.2	6.2	5.3	
93050000	1.540	1.921	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0		
805 1			2	3.8		21000	RIDE	7.5	7.0	7.5	7.3	7.3	6.9	6.6	6.5	6.8	6.7	6.8	6.5	6.5		
FIRST AVE S(1.6L)						FC3																
2294251	1.278	2.680	C	1998		0005	CRACKING	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	4.1	
COMMUNITY ASPHALT CORP. (1999)						S RIDE		6.5	6.3	6.0	5.9	5.3*	5.3*	5.4*	5.2*	5.2*	5.3*	5.5	5.3*	5.0*	4.5	
93060000	0.000	1.409	C	1	1	35	CRACKING	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		
ALA			2	7.3		11300	RIDE	7.2	7.1	6.9	7.1	6.6	6.3	6.5	6.3	6.5	6.4	7.5	7.5	7.5		
NE 7 ST / SE 31 ST(0.0L)						FC95																
(2009)						CRACKING		9.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5		6.0*	6.0*	6.0*	4.3	
4476611	0.000	4.883	C	2028		0012	RIDE	7.5	7.5	7.4	7.4	6.9	7.0	6.9	6.7	6.8		6.8	6.7	6.7	6.3	
93060000	1.409	4.883	C	1	1	35	CRACKING	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	10.0	10.0	10.0		
ALA			2	4.0		13100	RIDE	8.1	8.0	7.8	8.1	7.7	7.1	7.2	7.2	7.3	7.2	7.8	7.5	7.5		
PALM AVE(2.0L)						FC95																
(2009)						CRACKING		9.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	5.1	
4476611	0.000	4.883	C	2028		0012	RIDE	7.5	7.5	7.4	7.4	6.9	7.0	6.9	6.7	6.8	6.8	6.8	6.7	6.6	6.2	
93060000	4.883	8.242	C	1	1	35	CRACKING	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
ALA			2	6.5		11200	RIDE	7.7	7.6	7.5	7.4	7.1	6.4	7.3	7.3	7.5	7.3	7.4	7.3	7.1		
GRAND CT(5.0L)						FC125																
2297851	4.545	8.187	C	2003		0012	CRACKING	8.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	4.4	
WEEKLEY ASPHALT PAVING, IN(2005)						S RIDE		7.2	7.2	7.2	7.2	6.8	6.8	6.8	6.7	6.6	6.7	6.5	6.5	6.5	6.3	
4444771	4.883	8.232	C	2024		0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011			
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		W_KMX-P		=====											2029		
CONTRACTOR (AGE_ONE YEAR)		(AGE_ONE YEAR)		RW		FY-F		W_KMX-F													(REG)		
ITMSEG-P	ITMSEG-F	W_BMP	W_EMP	RW	FY-F	W_KMX-F																	
93060000	27.914	28.271	R	1	1	35	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0			
A1A			2	2.2		12600	RIDE	6.7	6.5	7.2	7.0	6.9	6.1	6.0	6.4	5.9	5.9	5.7	5.9	5.3*			
MAIN ST(27.9R)							DGFC																
					(2020)		CRACKING	10.0	9.0	9.0												10.0	
							RIDE	4.9*	4.8*	4.6*												10.0	
																					10.0		
93060000	28.614	28.929	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0			
A1A			4	3.9		17909	RIDE	6.5	6.8	6.4*	6.6	6.7	6.1			5.3*	4.9*	5.0*	4.6*	5.3*			
FLAGLER DR(28.7C)							DGFC																
					(2020)		CRACKING	10.0	9.0	9.0												10.0	
							RIDE	4.7*	4.7*	4.7*												10.0	
																					10.0		
93060000	28.614	28.929	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0			
A1A			2	3.9		17909	RIDE	6.5	6.8	6.4*	6.6	6.7	6.1			5.3*	4.9*	5.0*	4.6*	5.3*			
FLAGLER DR(28.7C)							DGFC																
					(2020)		CRACKING	10.0	9.0	9.0												10.0	
							RIDE	4.7*	4.7*	4.7*												10.0	
																					10.0		
93060000	27.914	28.271	L	1	1	35	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0			
A1A			2	2.2		12600	RIDE	7.3	6.9	7.4	7.9	7.2	6.3	5.5	6.8	5.6	5.4*	5.2*	5.1*	4.7*			
COCOANUT ROW(28.2L)							DGFC																
					(2020)		CRACKING	10.0	9.0	9.0												10.0	
							RIDE	4.5*	4.6*	4.3*												10.0	
																					10.0		
93060101	0.000	0.145	C	1	6	30	CRACKING																
A1A			2	5.8		7500	RIDE																
BRAZILIAN AVE(0.0C)																							
					(2012)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
							RIDE	5.3*	4.4*	4.3*	4.1*												10.0
93070000	20.401	24.491	R	1	1	40	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	7.0	7.0		
809			3	7.2		46500	RIDE			8.5	8.3	8.2	8.2	7.9	8.0	7.8	7.9	7.9	7.1	6.9	7.4		
LAKE WORTH RD(20.4C)							FC125M																
4287191	20.359	24.290	C	2017	0012	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0		
RANGER CONSTRUCTION INDUST(2020)							SPRIDE	6.8	6.8	6.6	6.6	7.0	7.4	7.4	7.2	8.2	8.2	8.2	8.1	8.1	8.0		
93070000	20.401	24.491	L	1	1	40	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5		
809			3	7.2		46500	RIDE			8.3	8.6	8.5	8.4	8.0	8.0	7.4	7.9	7.8	7.7	7.6	7.5		
LAKE WORTH RD(20.4C)							FC125M																
4287191	20.359	24.290	C	2017	0012	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0		
RANGER CONSTRUCTION INDUST(2020)							SPRIDE	7.5	7.6	7.3	7.5	7.5	7.5	7.3	7.2	8.3	8.3	8.3	8.3	8.3	8.3		
93080000	0.000	0.414	R	1	2	35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	5.5*		
A1A			2	8.0		21800	RIDE	6.4*	7.0	6.5	6.3	6.2	6.2	4.8*	4.9*	4.7*	4.5*	4.9*	4.7*	4.5*			
BROADWAY(0.0C)							DGFC																
4203251	0.000	1.378	R	2010	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
(2014)							RIDE			8.0	7.5	7.1	7.3	7.1	6.4	6.4	7.0	6.5	6.3	6.9	5.7		
93080000	0.788	1.327	R	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5				
A1A			2	3.1		10800	RIDE	6.6	6.9	6.6	6.6	6.1	5.5	5.3*	5.5	5.4*	5.3*	5.2*	5.2*				
LAKE DR(1.0C)							DGFC																
4203251	0.000	1.378	R	2010	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
(2014)							RIDE			7.9	7.7	7.3	7.4	6.7	7.0	6.4	6.2	6.9	6.4	6.7	5.6		
93080000	1.327	3.995	C	1	1	35	CRACKING	7.5	7.0	7.0	4.5*	4.5*	3.5*	3.5*	1.0*	1.0*	0.0*	1.0*	0.0*	0.0*			
A1A			2	3.1		10800	RIDE	8.1	7.6	7.9	7.4	7.5	6.9	7.0	6.1	7.0	5.9	6.7	5.7	5.4*			
THE RITZ CARLTON(1.3R)							DGFC																
4203251	1.378	3.323	R	2010	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
(2014)							RIDE			8.0	7.8	7.5	7.5	7.4	7.3	7.3	7.1	7.2	7.1	7.0	6.5		
93080000	3.995	5.830	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5		
A1A			2	3.1		9300	RIDE	8.2	8.1	8.1	8.1	7.8	7.6	7.6	7.5	7.7	7.7	7.7	7.5	7.4			
MC ARTHUR PARK(4.2R)							DGFC																
2296081	4.006	6.183	C	1995	0215	CRACKING	8.5	8.5	8.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5		
COMMUNITY ASPHALT CORP. (1998)							S RIDE	7.3	7.4	7.3	7.3	6.9	6.9	6.9	6.8	6.7	6.6	6.7	6.5	6.6	6.2		
4461761	3.995	5.830	C	2024	0012																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE											
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	FY-F	WKM-X-F																(REG)
CONTRACTOR																					
ITMSEG-F																					
93080000	5.830	6.207	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	6.5	6.5	6.5	6.5	6.5
ALA			2	2.6		10900	RIDE	6.7	6.4*	6.7	7.2	6.7	6.6	6.7	6.2	6.6	5.9	5.9	6.4	5.8	
PORTAGE LANDING N (5.8R)																					
4229841	5.945	6.207	C	2011		0012	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2014)			SPRIDE	5.7		7.6	7.6	6.7	6.4	5.9	5.3*	6.3	5.9	5.7	5.9	5.7	4.5

93080000	0.788	1.327	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5
ALA			2	3.1		10800	RIDE	7.1	7.0		6.6	6.2	5.6	5.8	5.6	5.5	5.7	5.3*	5.2*		
PHIL FOSTER PARK (0.8L)																					
4203251	0.000	1.402	L	2010		0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
				(2014)			RIDE			7.6	7.6	7.2	7.1	7.0	6.3	6.6	6.8	7.0	6.5	6.5	5.9

93080000	0.000	0.414	L	1	2	35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5
ALA			2	8.0		21800	RIDE	6.3*	6.9	6.7	6.9	5.5	6.2	5.9	5.9	5.6	5.1*	5.6	4.9*	5.1*	
BROADWAY (0.0C)																					
4203251	0.000	1.402	L	2010		0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
				(2014)			RIDE			8.0	8.1	7.6	7.8	7.6	6.9	7.1	7.4	7.4	7.2	6.7	6.4

93090000	1.245	1.950	R	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.5	6.5
811			2	4.3		20500	RIDE	7.9	7.7	7.8	7.4	7.2	7.3	7.5	7.0	7.0	7.1	6.9	7.2	6.9	
PARK RD (1.3R)																					
4153141	1.247	3.571	R	2011		0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
RANGER CONSTRUCTION INDUST				(2013)			SPRIDE	6.8	7.4	7.0	7.1	8.0	7.9	7.9	7.7	7.7	7.6	7.7	7.6	7.6	7.6

93090000	1.950	3.571	R	1	1	45	CRACKING	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5
811			2	4.3		20500	RIDE	8.9	8.3	8.6	8.8	8.3	8.2	8.2	8.0	8.2	8.2	8.1	8.1	8.1	8.1
LIGHTHOUSE DR (2.1C)																					
4153141	1.247	3.571	R	2011		0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
RANGER CONSTRUCTION INDUST				(2013)			SPRIDE	8.1	8.4	8.0	8.2	8.1	8.1	8.0	8.0	7.9	7.9	8.0	8.1	8.0	7.8

93090000	3.571	4.572	R	1	1	45	CRACKING	7.5	6.5	5.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0
811			3	3.3		27000	RIDE	7.8	7.6	7.5	7.8	7.3			7.1	7.3	7.3	7.5	7.2	7.2	
RCA BLVD (3.6C)																					
				(2006)			CRACKING	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	3.8
							RIDE	7.2	7.1	7.2	7.1	7.3	7.2	6.6	6.9	6.8	7.1	7.3	7.3	7.1	7.0
4484351	3.556	6.866	C	2026		0012															

93090000	4.572	6.866	R	1	1	50	CRACKING	7.5	6.5	5.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0
811			3	2.5		34000	RIDE	7.8	7.6	7.5	7.8	7.3			8.1	8.1	8.2	8.2	8.1	8.0	8.1
ATLANTIC RD (4.7R)																					
				(2005)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5
							RIDE	8.1	8.1	8.1	8.0	7.9	7.8	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.6
4484351	3.556	6.866	C	2026		0012															

93090000	6.866	10.775	R	1	1	50	CRACKING	9.0	8.0	8.0	8.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*
811			3	5.8		33000	RIDE	8.7	8.8	8.5	8.7	8.5	8.1	8.0	7.9	8.1	7.9	7.8	7.3		
FREDERICK SMALL RD (7.7C)																					
2293941	7.045	10.039	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
				(2012)			RIDE	8.5	8.4	8.4	8.3	8.2	8.2	8.0	8.1	8.1	8.1	8.1	8.1	8.1	7.8

93090000	10.775	11.382	R	1	1	45	CRACKING	9.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	3.5*			10.0	10.0	10.0
811			3	7.3		42000	RIDE	7.4	7.3	7.0	7.3	6.7	6.3*	6.2*	6.6	5.9			8.0	7.5	7.8
FC125M																					
				(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
							RIDE	7.8	7.6	7.7	7.8	7.4	7.3	7.2	7.2	7.1	7.1	7.1	7.1	7.1	6.7

93090000	11.382	11.689	R	1	6	45	CRACKING	9.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	3.5*	5.5*	5.5*	5.5*	10.0	10.0
811			3	7.3		42000	RIDE	7.4	7.3	7.0	7.3	6.7	6.3*	6.2*	6.6	5.9	5.7	6.1	6.2	8.0	
RIVERSIDE DR (11.4C)																					
4196481	11.426	11.576	R	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2011)			RIDE	8.2	7.3	7.3	6.9	7.2	7.2	6.6	6.5	6.8					

93090000	11.382	11.689	L	1	6	45	CRACKING	9.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	3.5*	6.5	6.5	4.5*	4.5*	10.0
811			3	7.3		42000	RIDE	7.8	7.3	7.5	7.4	7.2	6.5	6.7	6.7	6.5	6.5	4.9*	5.3*	4.9*	7.6
RIVERSIDE DR (11.4C)																					
4196481	11.426	11.576	L	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
COMMUNITY ASPHALT CORP.				(2011)			RIDE	7.3	7.4	7.1	7.1	7.5	7.4	7.6	7.6	6.9	7.0	7.3			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE			
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	W_KMX-P	ASTYPE	=====															
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	W_KMX-F			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	(REG)
ITMSEG-P	ITMSEG-F																					
93090000 811	10.775	11.382	L	1	1	45	CRACKING	9.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	6.5		10.0	10.0	10.0		
				3	7.3	42000	RIDE	7.8	7.3	7.5	7.4	7.2	6.5	6.7	6.7	6.5		8.0	7.6	7.9		
						FC125M																
						(2009)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
							RIDE	8.0	7.9	7.9	7.9	7.5	7.6	7.4	7.3	7.1	7.0	7.0	7.5	7.5	7.0	
93090000 811	6.866	10.775	L	1	1	50	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*			
				3	5.8	33000	RIDE	9.0	8.9	8.7	8.7	8.6	7.9	8.1	8.0	8.1	8.0	8.0	7.5			
						DGFC																
						FREDERICK SMALL RD(7.7C)																
						2293941	0012	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
						(2012)	RIDE	8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.1	8.2	8.2	8.2	8.2	8.2	8.2	8.0
93090000 811	4.572	6.866	L	1	1	50	CRACKING	7.5	6.5	5.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
				3	2.5	34000	RIDE	8.2	8.1	8.0	8.1	7.8		8.1	7.9	8.0	7.9	7.8	7.8	7.7		
						DGFC																
						HOOD RD(5.4C)																
						(2005)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.4
						4484351	0012	7.8	7.9	7.9	7.8	7.7	7.7	7.6	7.2	7.4	7.4	7.6	7.3	7.5	7.2	
93090000 811	3.571	4.572	L	1	1	45	CRACKING	7.5	6.5	5.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0			
				3	3.3	27000	RIDE	8.2	8.1	8.0	8.1	7.8		7.5	7.6	7.5	7.3	7.5	7.3			
						FC2																
						RCA BLVD(3.6C)																
						(2006)	CRACKING	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	3.8	
						4484351	0012	7.4	7.2	7.3	7.3	7.4	7.3	7.3	7.1	7.2	7.3	7.1	6.9	7.0	6.9	
93090000 811	1.950	3.571	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5			
				2	4.3	20500	RIDE	8.9	8.9	8.8	8.9	8.6	8.3	8.1	8.1	8.2	8.2	8.1	8.0	8.0		
						FC125																
						LIGHTHOUSE DR(2.1C)																
						4153141	0012	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
						RANGER CONSTRUCTION INDUST(2013)	SPRIDE	8.0	8.3	8.3	8.3	8.0	8.1	8.0	8.0	7.9	7.8	7.9	7.9	7.7	7.5	
93090000 811	1.245	1.950	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0		
				2	4.3	20500	RIDE	8.8	8.7	8.6	8.7	8.5	8.0	7.9	7.9	7.8	7.9	7.8	7.5	7.0		
						FC125																
						RICHARD RD(1.6C)																
						4153141	0012	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
						RANGER CONSTRUCTION INDUST(2013)	SPRIDE	7.7	8.3	8.0	8.3	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.9	7.7	
93100000 25	0.000	11.698	R	1	8	65	CRACKING	8.5	7.5	7.5	6.5	6.5	4.5*	4.5*	2.0*	2.0*	2.0*	2.0*		10.0		
				2	25.2	17400	RIDE	8.5	9.0	8.3	8.2	7.9	7.2	6.9	6.4*	6.4*	6.3*	5.6*		8.0		
						FC5M																
						CORKSCREW RD(2.1R)																
						4138421	0012	10.0	10.0	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*			
						RANGER CONSTRUCTION INDUST(2011)	RIDE	8.1	8.0	8.0	7.9	8.1	8.0	7.7	7.6	7.9	7.6	7.6	7.4			
						4416311	0012															
93100000 25	11.698	12.599	R	1	1	35	CRACKING	10.0	10.0	8.0	8.0	8.0	4.5*	4.5*	4.5*	4.5*	2.0*	1.0*	1.0*	10.0		
				2	25.9	18400	RIDE	8.0	9.0	8.3	8.1	7.8	6.7	6.3	6.1	5.7	5.4*	5.5	5.3*	8.0		
						FC5M																
						SPUR(11.7R)																
						4138421	0012	10.0	10.0	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	0.0	
						RANGER CONSTRUCTION INDUST(2011)	RIDE	8.1	8.0	8.0	7.9	8.1	8.0	7.7	7.6	7.9	7.6	7.6	7.4	6.6	6.6	
						4416311	0012															
93100000 25	0.000	12.599	L	1	1	65	CRACKING	8.5	7.5	7.5	6.5	6.5	4.5*	4.5*	2.0*	2.0*	1.0*	0.0*		10.0		
				2	25.2	17400	RIDE	8.8	8.8	8.6	8.5	8.1	7.1	6.9	6.2*	6.1*	5.8*	5.6*		8.0		
						FC5M																
						LEVEE RD(11.0L)																
						4138421	0012	10.0	10.0	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	0.0	
						RANGER CONSTRUCTION INDUST(2011)	RIDE	8.1	8.0	7.9	7.7	8.0	7.9	7.8	7.5	7.7	7.4	7.3	6.9	7.0	6.7	
						4416311	0012															
93110000 80	0.000	2.620	R	1	1	45	CRACKING	10.0	9.0	8.0	7.5	5.5*	4.0*	4.0*	4.0*	4.0*	1.5*	1.0*		10.0		
				2	18.8	20500	RIDE	8.0	8.0	8.0	8.0	7.5	6.9	6.7	6.1	6.3	5.9	5.6		7.8		
						FC5																
						PALM BEACH RD E(0.0C)																
						4153151	0012	10.0	10.0	10.0	8.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	1.0*	0.0	
						COMMUNITY ASPHALT CORP. (2011)	SPRIDE	7.8	7.9	7.8	7.8	7.9	7.8	7.5	7.4	7.7	7.5	7.5	7.2	7.0	7.0	
						4461001	0012															
93110000 80	2.620	3.992	R	1	1	45	CRACKING	10.0	10.0	10.0	8.0	8.0	7.5	7.5	7.0	7.0	6.5	4.5*	4.5*	4.5*		
				2	11.6	20000	RIDE	8.4	8.3	8.1	8.2	7.9	7.5	7.4	7.3	7.7	7.4	7.2	7.0	6.8		</

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																																			
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE															
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====																												
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-X-F																														
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR																												
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																														
93110000	3.992	4.473	C	1	1	35	CRACKING	10.0	10.0	10.0	8.0	8.0	7.5	7.5	7.0	6.5	6.5	6.5	4.5*	4.5*															
880				4	8.2		6600 RIDE	8.4	8.3	7.9	7.8	7.9	7.5	7.4	6.9	6.1	5.8	5.5	5.3*	5.0*															
AVE E SE(4.0L)																																			
4229861	4.030	4.469	C	2012		0012	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	6.2	6.2	6.6	6.9	6.7	6.9	6.2	6.2	6.6	6.4	6.4	6.2	5.5	
WEEKLEY ASPHALT PAVING, IN(2014)																																			
93110000	2.623	3.992	L	1	1	45	CRACKING	10.0	10.0	10.0	8.0	8.0	7.5	7.5	7.0	7.0	6.5	4.5*	4.5*	4.5*															
80				2	11.6		20000 RIDE	8.2	7.7	7.9	7.8	7.6	7.2	7.0	6.9	6.9	7.2	7.1	7.0	6.6															
AVE J SE(3.3L)																																			
4229861	2.620	3.921	L	2012		0012	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2014)																																			
93110000	0.000	2.623	L	1	1	45	CRACKING	10.0	9.0	9.0	7.5	5.5*	4.0*	4.0*	4.0*	4.0*	4.0*	3.5*																	10.0
80				2	18.8		20500 RIDE	8.4	8.3	7.8	8.3	7.9	7.3	7.1	6.9	6.8	6.7	6.5																	8.0
PALM BEACH RD E(0.0C)																																			
4153151	0.000	2.620	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0	7.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	5.7
COMMUNITY ASPHALT CORP.																																			
4461001	0.094	2.456	C	2023		0012		8.0	8.0	8.0	8.0	8.1	8.1	8.1	7.9	8.1	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
RANGER CONSTRUCTION INDUST(2017)																																			
93110001	0.000	3.439	R	1	1	65	CRACKING	6.5	4.0*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5															
80	98			2	18.3		13000 RIDE	8.5	8.3	8.4	8.3	7.8		7.8	7.8	8.1	8.2	8.1	8.0	8.0	7.9														
SR-15 / SR-80(0.0R)																																			
4287201	0.024	3.439	R	2014		0012	CRACKING	7.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	4.6
RANGER CONSTRUCTION INDUST(2017)																																			
93110001	3.439	18.181	R	1	1	65	CRACKING	8.5	8.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	9.5	9.5	9.5															
80	98			2	18.3		13000 RIDE	9.0	8.9	9.0	8.9	8.7		8.0	8.0	8.1	8.2	8.1	8.0	8.0	7.9														
TRACTOR CROSSING(3.5R)																																			
4344271	3.439	18.246	R	2018		0012	CRACKING	7.5	6.5	4.5*	4.5*		4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
(2020)																																			
93110001	3.439	18.181	L	1	1	65	CRACKING	8.5	8.5	7.5	6.0*	6.0*		10.0	10.0	10.0	10.0	9.5	8.5	8.5															
80	98			2	18.3		13000 RIDE	9.0	9.0	8.9	8.9	8.6		8.1	8.0	8.1	8.1	8.1	8.1	8.0	7.9														
TRACTOR CROSSING(6.5C)																																			
4344271	3.439	18.246	L	2018		0012	CRACKING	8.0	6.5	5.5*	5.5*		3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5
RANGER CONSTRUCTION INDUST(2020)																																			
93110001	0.000	3.439	L	1	1	65	CRACKING	6.5	6.0*	6.0*	5.5*	3.5*		10.0	10.0	10.0	10.0	8.0	6.5	6.5															
80	98			2	18.3		13000 RIDE	8.8	8.8	8.5	8.6	8.1		7.9	7.8	8.1	8.1	7.8	7.6	7.3															
US-441 / SR-15(0.0L)																																			
4287201	0.063	3.439	L	2014		0012	CRACKING	6.5	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2017)																																			
93120000	0.228	1.632	R	1	1	55	CRACKING	8.5	8.0	6.0*	5.0*	5.0*	5.0*	3.5*	2.5*	2.5*																			
80	98			2	14.3		17600 RIDE	8.6	8.5	8.2	8.4	7.9	7.1	7.0	6.8	6.9																			
HUBBARD CONSTRUCTION COMPA(2010)																																			
4138011	0.228	8.709	R	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	
HUBBARD CONSTRUCTION COMPA(2010)																																			
93120000	1.632	9.218	R	1	1	55	CRACKING	8.5	8.0	6.0*	5.0*	5.0*	5.0*	3.5*	2.5*	2.5*																			
80	98			3	14.3		17600 RIDE	8.6	8.5	8.2	8.4	7.9	7.1	7.0	6.8	6.9																			
WATER TREATMNT PLANT(1.7R)																																			
4193452	1.725	8.704	R	2018		0218	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0																			
COMMUNITY ASPHALT CORP. (2023)																																			
93120000	9.218	9.758	R	1	1	50	CRACKING	8.0	7.5	7.5	7.0	7.0	7.0																						
80	98			3	8.8		54000 RIDE	8.7	8.5	8.3	8.2	7.6	7.0																						
RUSSELL ENGINEERING, INC (2007)																																			
2294971	8.935	10.951	C	2003		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
RUSSELL ENGINEERING, INC (2007)																																			
93120000	9.758	11.164	R	1	1	50	CRACKING	8.0	7.5	7.5	7.0	7.0	7.0																						
80	98			4	6.6		76055 RIDE	8.7	8.5	8.3	8.2	7.6	7.0																						
LITTLE RANCHES TR(10.0R)																																			
2294971	8.935	10.951	C	2003		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RUSSELL ENGINEERING, INC (2007)																																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
INTERSECT AT	(MP)	(SIDE)					SURFTYPE	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P		ASTYPE															
CONTRACTOR	(AGE_ONE	YEAR)						2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	(REG)
93120000	21.232	21.945	C	1	8	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	10.0	10.0	10.0	10.0		
80			2	8.1		9100	RIDE	7.1	6.7	6.1*	6.7	6.4	5.7	6.1	6.3	6.4	7.1	6.8	6.8	6.6		
FLAGLER DR(21.2C)																						
4136801	21.467	21.824	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
COMMUNITY ASPHALT CORP. (2008) SPRIDE 7.0 7.0 7.0 6.2 5.9 5.7 5.2* 4.8*																						
93120000	19.915	20.393	L	1	1	35	CRACKING	8.5	7.5	7.5	6.5	6.5	6.5				10.0	10.0	10.0	10.0		
80	98		3	5.3		31000	RIDE	6.8	6.5	6.7	7.5	7.2	6.5				6.6	6.9	6.8	6.3		
MERRILL AVE(20.1L)																						
						FC125																
						(2008)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5
							RIDE	6.1	6.3	6.6	5.9	6.2	5.9	5.9	6.2	6.3	6.2	6.3	6.1	5.9	5.8	
93120000	19.551	19.915	L	1	1	45	CRACKING	8.5	7.5	7.5	6.5	6.5	10.0				10.0	10.0	10.0	10.0		
80	98		4	6.2		68500	RIDE	6.8	6.5	6.7	7.5	7.2	8.3				8.0	8.1	8.1	8.1		
GEM LAKE DR(19.5C)																						
						FC125																
						(2008)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5
							RIDE	8.2	8.0	8.1	7.8	7.7	8.0	7.4	7.7	7.7	7.7	7.6	7.7	7.7	7.4	
93120000	18.668	19.551	L	1	1	45	CRACKING	8.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
80	98		4	4.3		65000	RIDE	6.8	6.5	6.7			8.3	8.0	8.1	8.3	8.3	8.3	8.2	8.1		
THE DE MOYA GROUP INC.																						
						FC125																
						(2004)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
							RIDE	8.1	8.1	8.1	8.2	7.9	7.9	7.9	7.7	7.8	7.8	7.8	7.8	7.8	7.8	7.6
93120000	17.697	18.668	L	1	1	45	CRACKING	3.0*	3.0*	10.0	10.0	10.0	10.0						10.0	10.0		
80	98		4	4.3		65000	RIDE	7.1	7.2	8.3	7.9	7.7	7.3						8.2	8.0		
KIRK RD(17.8C)																						
						FC125																
						(2010)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.0	8.0	8.0	7.9	7.9	7.8	7.8	7.7	7.8	7.7	7.7	7.8	7.7	7.5	7.5
93120000	16.506	17.697	L	1	1	45	CRACKING	8.5	8.0	8.0	8.0	8.0	8.0						10.0	10.0		
80	98		3	4.6		79500	RIDE	7.2	6.9	7.3	7.3	6.8	6.2*						8.0	8.0		
TROPICAL AVE(16.6L)																						
						FC125																
						(2010)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.0	8.0	8.0	8.0	7.7	7.8	7.7	7.7	7.6	7.7	7.7	7.6	7.7	7.4	
93120000	16.196	16.506	L	1	1	50	CRACKING	8.5	8.0	8.0	8.0	8.0	8.0						10.0	10.0		
80	98		4	4.6		79500	RIDE	7.2	6.9	7.3	7.3	6.8	6.2*						8.2	8.2		
CAROLINE DR(16.2L)																						
						FC125																
						(2010)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	8.2	8.1	8.2	8.0	7.9	7.9	7.8	7.7	7.7	7.8	7.7	7.8	7.7	7.4	
93120000	15.652	16.196	L	1	1	50	CRACKING	8.5	8.0	8.0	8.0	8.0	8.0						10.0	10.0	10.0	10.0
80	98		4	9.1		82500	RIDE	7.2	6.9	7.3	7.3	6.8	6.2*						8.1	7.7	8.1	8.1
PINE AVE(15.9L)																						
						FC125																
						(2008)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							SPRIDE	8.1	8.2	8.1	8.1	8.0	8.0	8.0	7.8	8.0	8.0	7.9	7.9	8.0	7.9	
93120000	14.942	15.652	L	1	1	50	CRACKING	8.5	8.0	8.0	8.0	8.0	8.0						10.0	10.0	10.0	10.0
80	98		3	9.1		82500	RIDE	7.2	6.9	7.3	7.3	6.8	6.2*						8.2	8.1	8.1	8.1
TALL PINES RD(15.0L)																						
						FC125																
						(2008)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							SPRIDE	8.0	8.1	8.1	8.0	7.7	7.7	7.6	7.6	7.6	7.6	7.6	7.7	7.5	7.5	7.2
93120000	13.915	14.942	L	1	1	50	CRACKING	8.5	8.0	8.0	8.0	8.0	8.0						10.0	10.0	10.0	10.0
80	98		4	8.9		65000	RIDE	7.2	6.9	7.3	7.3	6.8	6.2*						8.2	8.0	8.0	8.2
DRAWDY RD(14.1L)																						
						FC125																
						(2008)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							SPRIDE	8.1	7.9	8.1	7.9	8.0	7.9	7.6	7.6	7.8	7.9	7.9	7.9	7.7	7.8	7.6
93120000	12.147	13.915	L	1	1	50	CRACKING	8.5	8.0	8.0	8.0	8.0	8.0						10.0	10.0		
80	98		4	8.9		65000	RIDE	7.2	6.9	7.3	7.3	6.8	6.2*						8.1	8.0		
SUNSHINE RD(12.2L)																						
						FC125																
						(2010)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5
							SPRIDE	8.0	8.0	7.9	7.9	7.9	8.0	7.8	7.7	7.9	7.8	7.9	8.0	7.9	7.8	7.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE											
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
93120000	11.300	12.147	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0							10.0	10.0
80 98			3	6.6		76055	RIDE	8.1	8.1	7.7	7.8	7.8	7.4							8.2	8.2
SR 7(11.7L)						FC125															
2294981	11.164	13.740	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2010)		SPRIDE	8.2	8.3	8.2	8.3	7.9	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.5
93120000	10.016	11.300	L	1	1	50	CRACKING	9.0	7.5	7.5	7.0	7.0	6.0*			10.0	10.0	10.0	10.0	10.0	10.0
80 98			4	6.6		76055	RIDE	7.6	7.5	7.2	7.3	7.0	6.4*			8.1	8.0	7.9	8.0	8.1	8.1
LAMSTEIN LN(10.6L)						FC125															
2294971	8.935	10.951	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
RUSSELL ENGINEERING, INC				(2007)		SPRIDE	8.1	8.0	8.1	8.0	7.8	7.7	7.6	7.6	7.5	7.6	7.7	7.6	7.5	7.6	7.3
93120000	9.218	10.016	L	1	1	50	CRACKING	9.0	7.5	7.5	7.0	7.0	6.0*			10.0	10.0	10.0	10.0	10.0	10.0
80 98			3	8.8		54000	RIDE	7.6	7.5	7.2	7.3	7.0	6.4*			8.1	8.0	7.8	7.8	7.8	7.8
OLD CRESTWOOD BLVD(9.2L)						FC125															
				(2023)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
						RIDE	7.9	7.8	7.8	7.7	7.1	7.3	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.3	7.2
93120000	1.632	9.218	L	1	1	55	CRACKING	10.0	8.0	7.5	7.5	7.0	6.5	5.5*	5.5*	3.5*				10.0	10.0
80 98			3	14.3		17600	RIDE	8.8	8.8	8.7	8.7	8.4	7.6	7.6	7.5	7.9				8.2	8.2
TRACTOR CROSSING(1.7L)						FC5M															
4193452	1.725	8.800	L	2018	0218	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2023)		SPRIDE	8.2	8.1	8.1	8.1	8.1	8.1	8.1	8.0	7.8	8.0	8.0	8.0	8.0	8.3	8.3
93120000	0.228	1.632	L	1	1	55	CRACKING	10.0	8.0	7.5	7.5	7.0	6.5	5.5*	5.5*	3.5*				10.0	10.0
80 98			2	14.3		17600	RIDE	8.8	8.8	8.7	8.7	8.4	7.6	7.6	7.5	7.9				8.2	8.3
210 TER(0.9L)						FC5															
4138011	0.228	8.709	L	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
HUBBARD CONSTRUCTION COMPA				(2010)		RIDE	8.3	8.3	8.3	8.3	8.4	8.4	8.3	8.3	8.2	8.4	8.2	8.2	8.2	8.2	8.2
93121000	0.000	1.054	C	1	1	45	CRACKING													6.0*	6.0*
812			2	21.2		5100	RIDE													4.9*	5.1*
SR 715(0.0C)						FC95M															
4260531	0.028	1.034	C	2015	0012	CRACKING	5.5*	5.5*	3.5*	3.5*	3.0*	10.0	10.0	9.5	9.5	9.5	9.5	9.5	6.0*	6.0*	3.9
COMMUNITY ASPHALT CORP.				(2017)		SPRIDE	4.1*	3.9*	4.3*	3.9*	4.0*	7.7	7.4	7.1	7.1	6.8	6.8	6.8	6.4	6.5	5.5
93130000	0.000	0.260	R	1	6	35	CRACKING	7.5	7.5	7.0	2.0*	1.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0
15			2	14.8		21000	RIDE	6.9	5.7*	5.5*	5.5	4.8*	4.2*	3.7*	3.6*	3.3*	3.2*	7.0	6.6	6.6	6.0
SR-880/DR MLK JR BLV(0.0R)						FC95M															
4137991	0.000	0.242	C	2007	0012	CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	3.5*	3.5
COMMUNITY ASPHALT CORP.				(2009)		SPRIDE	6.4	6.5	6.3	5.9	5.0*	4.9*									
4498341	0.000	0.260	C	2027	0012																
93130000	0.260	2.994	R	1	1	45	CRACKING	10.0	10.0	9.0	8.5	7.5	7.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0
15			2	11.9		16400	RIDE	7.2	8.5	8.4	8.6	8.3	8.1	7.7	7.6	7.5	7.4	7.1	6.7	8.7	8.7
E CANAL ST N(0.3R)						FC95M															
4153161	0.260	2.993	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
RANGER CONSTRUCTION INDUST				(2011)		SPRIDE	8.6	8.6	8.6	8.6	8.2	8.2	8.1	7.9	8.0	7.9	8.0	7.9	8.0	7.9	7.9
93130000	2.994	3.290	R	1	1	45	CRACKING	10.0	10.0	9.0	8.5	7.5	7.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*
15 441			2	21.2		7200	RIDE	7.2	8.5	8.4	8.6	8.3	8.1	7.7	7.6	7.5	7.4	7.1	6.7	7.5	7.5
US-441 / SR 80(3.0R)						FC5															
4246551	3.010	3.237	R	2012	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
RANGER CONSTRUCTION INDUST				(2014)		SPRIDE	7.4	7.4	7.7	7.9	7.8	7.5	7.8	7.7	7.8	7.3	7.1	7.5	7.8	7.3	7.3
93130000	3.290	3.978	C	1	1	45	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5	6.5	6.5	6.5
15 441			2	21.2		7200	RIDE		8.2	8.1	8.2	8.1	7.9	7.4			7.9	7.7	7.7	7.5	7.5
LIVESTOCK MARKET RD(3.3L)						FC5															
4246551	3.326	3.959	L	2012	0012	CRACKING	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5
RANGER CONSTRUCTION INDUST				(2014)		SPRIDE	7.2	7.2	7.8	7.6	7.8	7.9	7.8	7.6	7.7	7.3	7.4	7.6	7.5	7.5	7.3
93130000	3.978	6.447	C	1	1	45	CRACKING		0.0*	0.0*	0.0*	0.0*	0.0*	0.0*			10.0	10.0	10.0	10.0	10.0
15 441			2	21.2		7200	RIDE		5.0*	4.5*	4.5*	4.2*	2.9*	2.9*			8.3	8.1	7.8	8.0	8.0
OLD VANDERCRAFT RD(4.6C)						FC125															
2298181	3.999	6.843	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0
COMMUNITY ASPHALT CORP.				(2008)		SPRIDE	7.9	7.8	7.8	7.7	7.1	7.0	6.9	6.8	6.8	6.8	6.9	6.8	6.8	6.8	6.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																																				
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR											FUTURE																
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
INTERSECT AT	(MP)	(SIDE)					*****																										(REG)			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029															
CONTRACTOR	(AGE_ONE	YEAR)					ASTYPE																													
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																														
93130000	6.447	8.918	C	1	1	45	CRACKING		6.5	5.5*	5.5*	3.5*	3.5*	3.5*																						
15 441			2	22.6		8000	RIDE		6.2*	5.7*	5.4*	4.8*	4.6*	4.6*					10.0	10.0	10.0	10.0														
TRACTOR CROSSING(6.6R)																																				
4398431	6.582	8.898	C	2020		0012	CRACKING	9.5	8.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0														
OHLA USA, INC. (2021) SPRIDE																																				
93130000	8.918	9.274	C	1	8	35	CRACKING		6.5	5.5*	5.5*	3.5*	3.5*	3.5*					10.0	10.0	9.0	9.0														
15 441			2	22.6		8000	RIDE		6.2*	5.7*	5.4*	4.8*	4.6*	4.6*					8.3	8.1	7.9	7.7														
SHIRLEY DR(9.0R)																																				
4036001	8.949	9.332	L	2005		0012	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	4.5*	4.5*	4.5*																	
COMMUNITY ASPHALT CORP. (2008) SPRIDE																																				
4439941	8.896	10.871	C	2022		0012		7.0	6.9	6.6	6.4	5.8	5.1*	5.1*	4.6*	4.5*	4.1*	4.3*	3.9*																	
93130000	9.274	10.888	C	1	8	35	CRACKING		7.5	5.5*	5.5*	3.5*	3.5*	3.5*					10.0	10.0	9.0	9.0														
15 441			2	5.2		5800	RIDE		6.4*	5.9*	5.8	5.5	4.5*	4.6*	4.4*				8.1	7.8	7.7	7.5														
FARM MARKET RD(9.3R)																																				
4036001	9.332	10.336	C	2005		0012	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*																	
COMMUNITY ASPHALT CORP. (2008) SPRIDE																																				
4439941	8.896	10.871	C	2022		0012		7.3	7.2	7.0	6.9	6.1	6.1	5.7	5.6	5.5	5.2*	5.1*																		
93130000	10.888	14.223	C	1	1	35	CRACKING	4.0*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	8.0	6.0*	5.5*	5.5*	3.5*																
15 441			2	11.3		3000	RIDE	7.1	6.1*	4.9*	6.0	8.1	7.6	7.6	7.4	7.1	6.8	6.3	6.2	6.0																
BARFIELD HWY N(11.1R)																																				
4246561	10.307	14.265	C	2012		0012	CRACKING	3.5*	3.5*	3.0*	10.0	10.0	10.0	8.5	8.5	7.5	7.0	6.0*	5.5*	3.5*	1.0															
COMMUNITY ASPHALT CORP. (2015) RIDE																																				
4476641	10.871	14.213	C	2025		0012		5.8	5.6	5.3*	8.4	7.8	7.5	7.4	6.9	6.8	6.6	6.4	5.9	5.8	4.4															
93130000	0.260	3.290	L	1	1	45	CRACKING	10.0	10.0	8.5	8.5	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0														
15 441			2	11.9		16400	RIDE	8.6	8.4	8.3	8.5	8.4	7.9	7.7	7.4	7.6	7.3	7.2	7.0	8.6																
CANAL ST(0.3L)																																				
4153161	0.260	2.993	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.3															
RANGER CONSTRUCTION INDUST(2011) SPRIDE																																				
93130000	0.000	0.260	L	1	6	35	CRACKING	7.5	7.5	7.5	2.0*	1.0*	1.0*	1.0*	1.0*	1.0*	0.0*	10.0	10.0	10.0																
15 441			2	14.8		21000	RIDE	7.9	7.3	5.7*	6.4	6.1	5.6	6.2	5.0*	4.8*	4.7*	7.8	7.4	7.4																
AVE E SE(0.0C)																																				
4137991	0.000	0.242	C	2007		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	6.5	3.5*	3.5															
COMMUNITY ASPHALT CORP. (2009) SPRIDE																																				
4498341	0.000	0.260	C	2027		0012		7.3	7.0	7.1	7.0	5.5	5.7																							
93140000	5.017	14.000	C	1	1	55	CRACKING			10.0	10.0	9.0	8.5	7.5	7.0	6.5	6.0*	4.0*	3.5*																	
700			2	15.9		2700	RIDE			8.8	8.3	7.9	6.8	6.7	6.2*	5.7*	5.2*	5.1*	4.8*																	
FIELD RD(5.6R)																																				
4153171	5.137	19.652	C	2009		0012	CRACKING	10.0	10.0	9.5	9.5	9.5	8.5	7.5	7.5	7.0	7.0	7.0	6.0*	4.0*	4.0															
RANGER CONSTRUCTION INDUST(2012) SPRIDE																																				
4463741	5.017	19.655	C	2024		0012		8.8	8.5	8.2	7.9	7.3	6.9	6.6	6.1*	5.9*	5.3*	5.2*	4.8*	2.6																
93140000	14.000	19.652	C	1	1	55	CRACKING			10.0	10.0	9.0	8.5	7.5	7.0	6.5	6.0*	4.0*	3.5*																	
700 98			2	25.9		750	RIDE			8.8	8.3	7.9	6.8	6.7	6.2*	5.7*	5.2*	5.1*	4.8*																	
CR 717(14.0L)																																				
4153171	5.137	19.652	C	2009		0012	CRACKING	10.0	10.0	9.5	9.5	9.5	8.5	7.5	7.5	7.0	7.0	7.0	6.0*	4.0*	3.8															
RANGER CONSTRUCTION INDUST(2012) SPRIDE																																				
4463741	5.017	19.655	C	2024		0012		8.8	8.5	8.2	7.9	7.3	6.9	6.6	6.1*	5.9*	5.3*	5.2*	4.8*	2.8																
93140000	19.652	26.288	C	1	1	55	CRACKING	8.5		7.5	5.5*	3.5*	1.5*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0																
15 98			2	24.8		4100	RIDE	8.2		7.9	7.6	7.3	6.2*	6.0*	5.5*	5.0*	4.7*		8.3	8.4																
CANAL POINT REC AREA(19.7L)																																				
4138041	19.674	26.519	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	3.4															
COMMUNITY ASPHALT CORP. (2010) SPRIDE																																				
4461021	19.528	26.288	C	2023		0012		8.4	8.2	8.1	7.9	7.4	7.3	7.0	6.8	6.5	6.2*	6.2*	5.9*	5.9*	4.7															
93140001	0.560	0.848	C	1	6	55	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0																	
700			2	15.9		2700	RIDE	5.9*	7.5	6.9	7.6	7.5	7.0	6.6	7.2	6.8	6.4*	6.2*	6.2*																	
CRACKING																																				
(2018) RIDE																																				
4463741	0.658	0.848	C	2024		0012		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
RIDE																																				
93150000	0.000	0.288	R	1	1	40	CRACKING	9.0	8.0	7.5	7.5	7.5																								

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----

RDWYID	SR	US	BMP	G_BMP	EMP	LN	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE		
												1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR	W_YEAR
CONTRACTOR (AGE_ONE YEAR)	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-P	ITMSEG-F	ITMSEG-P	ITMSEG-F	ITMSEG-P	ITMSEG-F	ITMSEG-P	ITMSEG-F	ITMSEG-P	ITMSEG-F	ITMSEG-P	ITMSEG-F	ITMSEG-P	ITMSEG-F	ITMSEG-P	ITMSEG-F	ITMSEG-P	ITMSEG-F	ITMSEG-P	ITMSEG-F	ITMSEG-P	ITMSEG-F	ITMSEG-P	ITMSEG-F	ITMSEG-P
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
93150000	809		0.288	2.025	R	1	3	1	40	42500	CRACKING	9.0	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
COUNTRY CLUB RD(0.5R)																								
4169111	809		0.288	2.025	C	1010	3	3.7	42500	RIDE	7.2	8.1	7.9	8.0	8.7	8.0	7.9	7.7	7.2	7.2	6.8	6.7	6.2	
RANGER CONSTRUCTION INDUST(2012)																								
93150000	809		2.025	5.583	R	1	3	1	45	36500	CRACKING	9.0	8.0	8.0	7.0	6.0*	6.0*					10.0	10.0	10.0
ZIP CODE RD(2.2R)																								
2295872	809		2.008	5.583	C	2003	3	3.3	36500	RIDE	7.4	7.3	7.3	7.3	6.9	6.8					7.9	7.7	7.6	
COMMUNITY ASPHALT CORP. (2009)																								
93150000	809		5.583	7.043	R	1	3	1	45	35000	CRACKING	9.0	8.0	8.0	7.0	6.0*	6.0*					10.0	10.0	10.0
CR 702(5.7C)																								
2295871	809		5.583	7.154	C	2002	3	5.5	35000	RIDE	7.4	7.3	7.3	7.3	6.9						7.5	7.5	7.6	
COMMUNITY ASPHALT CORP. (2007)																								
93150000	809		7.043	7.451	R	1	3	1	45	29500	CRACKING	9.0	9.0	9.0	9.0	9.0						10.0	10.0	10.0
DEVONS RD(7.1R)																								
4461031	809		6.882	7.451	C	2023	3	9.4	29500	RIDE	7.8	7.6	7.6	7.6	7.4						6.5	6.3	6.3	
(2007)																								
93150000	809		7.451	10.441	R	1	3	6.2	34500	RIDE	9.0	9.0	9.0	9.0	9.0						7.0	7.0	7.0	
UNDESIGNED(7.5R)																								
4229881	809		7.451	10.966	C	2011	3	10.1	0012	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP. (2013)																								
93150000	809		10.441	10.802	R	1	3	2.1	6	45	CRACKING	9.0	9.0	9.0	9.0	9.0					7.0	7.0	7.0	
BURNS RD(10.5R)																								
											UNKW	7.8	7.6	7.6	7.6	7.4					7.5	7.5	7.3	
											CRACKING	7.0	9.5	9.5	9.5	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
											RIDE	7.5	7.6	7.5	7.4	7.5	6.2							
											(2018)													
93150000	809		10.802	11.059	R	1	3	2.1	6	45	CRACKING	9.0	9.0	9.0	9.0	9.0					7.0	7.0	7.0	
TANGLEWOOD ST(10.9R)																								
4229881	809		7.451	10.966	C	2011	3	10.1	0012	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP. (2013)																								
93150000	809		10.802	11.059	L	1	3	2.1	6	45	CRACKING	9.0	8.0	8.0	8.0	8.0					7.0	7.0	6.5	
JOHNSON DAIRY RD(10.8L)																								
4229881	809		7.451	10.966	C	2011	3	10.1	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP. (2013)																								
93150000	809		10.441	10.802	L	1	3	2.1	6	45	CRACKING	9.0	8.0	8.0	8.0	8.0					7.0	7.0	6.5	
VISION ONE(10.5L)																								
											UNKW	7.8	7.7	7.6	7.6	7.3					7.4	7.4	7.5	
											CRACKING	6.5	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
											RIDE	7.1	6.7	6.4	6.5	6.8	6.9	10.0	10.0	10.0	10.0	10.0	10.0	
											(2018)													
93150000	809		7.451	10.441	L	1	3	6.2	34500	RIDE	9.0	8.0	8.0	8.0	8.0						7.0	7.0	6.5	
MEDITERRANEA(7.6L)																								
4229881	809		7.451	10.966	C	2011	3	10.1	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP. (2013)																								
93150000	809		7.043	7.451	L	1	3	9.4	29500	RIDE	9.0	8.0	8.0	8.0	8.0						10.0	10.0	10.0	
SPUR TO SR 710(7.1L)																								
											UNKW	7.8	7.7	7.6	7.6	7.3					7.1	7.0	7.0	
											CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
											RIDE	6.6	6.6	6.9	6.3	6.6	6.1	6.0	5.7	6.0	5.8	6.2	6.0	
											(2007)													
4461031	809		6.882	7.451	C	2023	3	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)		W_BMP W_EMP		RW W_EMP		FY-P WKMX-P		=====												2029	
CONTRACTOR (AGE_ONE YEAR)		W_BMP W_EMP		RW W_EMP		FY-F WKMX-F														(REG)	
93150000	5.630	7.043	L	1	1	45	CRACKING	9.0	9.0	8.0	8.0	8.0				10.0	10.0	10.0	10.0	10.0	
809			3	5.5		35000	RIDE	7.7	7.6	7.4	7.4	7.2				7.2	7.1	7.0	6.8	7.1	
CR 702(5.7C)																					
2295871	5.583	7.154	C	2002		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0
COMMUNITY ASPHALT		CORP.		(2007)		SPRIDE														8.0	
93150000	2.025	5.630	L	1	1	45	CRACKING	9.0	9.0	8.0	8.0	8.0						10.0	10.0	10.0	
809			3	3.3		36500	RIDE	7.7	7.6	7.4	7.4	7.2						7.8	7.6	7.6	
SCHALL WAY(2.2L)																					
2295872	2.008	5.583	C	2003		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.4
COMMUNITY ASPHALT		CORP.		(2009)		SPRIDE														6.3	
93150000	0.288	2.025	L	1	1	40	CRACKING	10.0	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	
809			3	3.7		42500	RIDE	8.7	6.6	6.6	6.9	6.4	8.3	7.0	7.7	7.3	7.2	7.1	7.0	6.8	
CAMBRIDGE(0.3L)																					
4169111	0.288	2.025	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.6
RANGER CONSTRUCTION		INDUST		(2012)		SPRIDE														7.3	
93150000	0.000	0.288	L	1	6	40	CRACKING	10.0	8.0	7.5	7.5	7.5	7.5	7.5	7.5				10.0	10.0	
809			3	2.3		45000	RIDE	8.7	6.6	6.6	6.9	6.4	8.3	7.0	7.7				7.1	6.5	
SOUTHERN BLVD(0.0C)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	6.4	6.3	6.3	7.5										

93160000	0.000	12.550	R	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.0	3.5*		10.0	10.0	10.0
25 27			2	32.4		11800	RIDE	8.8	8.8	8.8	8.9	8.5	8.1	8.0	7.8	6.1*		7.8	7.8	7.8	
PUMP STATION S7(0.1R)																					
4398421	0.000	7.846	R	2020		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0				10.0	10.0
OHLA USA, INC.				(2023)		RIDE														8.5	
93160000	12.550	16.050	R	1	2	65	CRACKING	10.0	9.0	8.5	7.5	7.5	7.0	6.5	4.5*	4.5*	2.0*	10.0	10.0	10.0	
25 27			2	32.4		11800	RIDE	8.8	8.8	8.8	8.8	8.5	7.2	6.7	6.5	5.6*	5.9*	7.5	7.4	7.4	
ACCESS RD(12.6R)																					
							CRACKING	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	4.2
							RIDE	7.4	7.4	7.3	7.2	7.4	7.4	7.3	7.1	7.4	7.6	7.4	7.4	7.1	7.1
(2009)																					
4401501	12.626	16.000	R	2021		9924															
93160000	16.050	26.086	R	1	2	65	CRACKING	10.0	9.0	7.5	7.0	7.0	7.0	6.0*	4.5*	4.5*	4.5*	1.0*	1.0*	1.0*	
25 27			2	32.4		11800	RIDE	8.3	8.2	8.3	8.2	7.9	6.7	6.4*	5.9*	5.8*	5.6*	5.0*	4.9*	4.6*	
KING RANCH(17.0R)																					
4036181	17.403	24.643	R	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	5.9
				(2012)		RIDE														8.1	
4401581	20.150	25.661	R	2021		9924															
93160000	16.050	26.086	L	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	7.0	7.0	
25 27			2	32.4		11800	RIDE	8.7	8.6	8.6	8.7	8.5	8.2	8.2	8.1	8.2	8.1	8.1	8.0	8.0	
DAN GUFFIN SOD(18.3L)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	6.8
							RIDE	8.2	8.2	8.2	8.2	8.3	8.4	8.3	8.2	8.4	8.3	8.3	8.3	8.2	8.2
(2012)																					
93160000	12.550	16.050	L	1	1	65	CRACKING	10.0	9.0	9.0	9.0	9.0	8.5	8.0	7.0	7.0	6.5	6.5	5.5*	3.5*	
25 27			2	32.4		11800	RIDE	8.7	8.7	8.7	8.8	8.6	8.2	8.1	8.0	8.0	7.8	7.7	7.4	7.4	
ACCESS RD L(13.0L)																					
							CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0
							RIDE	7.4	7.1	7.9	8.0	8.3	8.4	8.3	8.2	8.4	8.4	8.4	8.3	8.4	8.4
(2014)																					
4498351	12.901	16.050	C	2027		0012															
93160000	5.360	12.550	L	1	1	65	CRACKING	10.0	9.5	9.5	9.5	9.5	9.0	8.0	6.5	6.5			10.0	10.0	10.0
25 27			2	32.4		11800	RIDE	8.8	8.8	8.7	8.8	8.6	8.0	8.0	7.8	7.9			7.7	7.6	7.6
PUMP HOUSE ACCESS(6.7L)																					
4398421	5.292	10.186	L	2020		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5				10.0	10.0
				(2023)		RIDE														8.5	
93160000	4.230	5.360	L	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	
25 27			3	32.4		11800	RIDE	9.0	9.0	8.9	9.1	8.8	8.3	8.2	8.2	8.2	8.1	8.1	7.7	7.7	
4398421																					
4.322	5.292		L	2020		0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				10.0	10.0
				(2023)		RIDE														8.4	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P	(AGE_ONE YEAR)	ASTYPE		FY-F	WKM-M	F															(REG)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-M	F															
ITMSEG-F																					
93160000	2.120	4.230	L	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	
25 27				2	32.4		11800 RIDE	9.0	9.0	8.9	9.1	8.8	8.3	8.2	8.2	8.2	8.1	8.1	7.7	7.7	
SERVICE RD(3.1L)							FC5M														
4398421	0.000	3.669	L	2020		0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	
OHLA USA, INC.				(2023)			SPRIDE	7.6	8.0	8.1	8.0	8.2	8.1	8.0	8.0	8.1			8.5	8.5	
93160000	0.850	2.120	L	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	
25 27				3	32.4		11800 RIDE	9.0	9.0	8.9	9.1	8.8	8.3	8.2	8.2	8.2	8.1	8.1	7.7	7.7	
							FC5M														
4398421	0.000	3.669	L	2020		0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	
OHLA USA, INC.				(2023)			SPRIDE	7.6	8.0	8.1	8.0	8.2	8.1	8.0	8.0	8.1			8.6	8.6	
93160000	0.000	0.850	L	1	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	
25 27				2	32.4		11800 RIDE	9.0	9.0	8.9	9.1	8.8	8.3	8.2	8.2	8.2	8.1	8.1	7.7	7.7	
PUMP STATION S8(0.2L)							FC5M														
4398421	0.000	3.669	L	2020		0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	
OHLA USA, INC.				(2023)			SPRIDE	7.6	8.0	8.1	8.0	8.2	8.1	8.0	8.0	8.1			8.6	8.6	
93170000	0.000	0.540	C	1	1	35	CRACKING	8.5	7.5	10.0	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	
717				2	10.8		2700 RIDE	7.7	7.7	8.5	8.2	8.1	7.5	7.1	7.3	7.2	6.9	6.9	6.6	6.4	
AVENUE E(0.0C)							FC95														
4246591	0.033	0.534	C	2012		0226	CRACKING	6.0*	5.5*	10.0	10.0	10.0	10.0	8.5	8.5	8.5			6.5	6.5	4.2
COMMUNITY ASPHALT CORP.				(2014)			RIDE	6.1	5.8	8.3	7.1	5.9	5.9	7.0	6.9	6.8			6.3	5.9	5.5
93170000	0.580	1.350	C	1	1	35	CRACKING	10.0	10.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	6.0*	5.0*	5.0*	5.0*	
717				4	6.0		3900 RIDE	6.8	6.3*	6.2*	6.5	6.0	5.5	5.7	5.5	5.2*	5.5	5.7	5.7	5.3*	
BELLE GRADE CITY LIMITS(0.6R)							FC95														
4229891	0.590	1.276	C	2012		0012	CRACKING	5.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2014)				(2014)			SPRIDE	5.5		7.5	7.5	7.2	7.2	6.9	6.4	6.7	6.3	6.6	6.5	6.3	5.6
93170000	1.350	1.727	C	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	5.5*	3.5*	3.5*	3.5*	
717				2	6.0		3900 RIDE	7.8	8.0	8.1	7.8	7.8	7.0	6.9	7.1	7.5	7.3	6.8	6.6	7.1	
NW 12 ST(1.4R)							FC95														
4229891	1.276	1.704	C	2012		0012	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2014)				(2014)			SPRIDE	6.5		7.8	7.8	6.6	6.2	6.4	6.6	6.9	6.8	6.9	6.6	6.1	5.8
93180000	0.000	0.477	R	1	1	45	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	
802				3	6.1		3700 RIDE	8.4	8.3	8.5	8.4	8.1	7.3	7.3	7.6	7.3	7.1	7.1	7.5	7.4	
LAKEWORTH RD(0.0C)							FC125M														
4216911	0.014	1.565	C	2011		0012	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	7.0	7.0	6.2
WEEKLEY ASPHALT PAVING, IN(2013)				(2013)			SPRIDE	7.3	7.8	7.3	7.5	7.0	7.1	7.2	6.9	7.0	7.3	7.0	7.0	7.2	6.8
93180000	0.477	1.565	R	1	1	50	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	
802				3	4.1		43500 RIDE	8.4	8.3	8.5	8.4	8.1	7.3	7.3	7.6	7.3	7.1	7.1	7.5	7.4	
HUNTING TRAIL(0.6R)							FC5M														
4216911	0.014	1.565	C	2011		0012	CRACKING	3.5*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	4.9
WEEKLEY ASPHALT PAVING, IN(2013)				(2013)			SPRIDE	7.3	7.3	7.3	7.2	7.4	7.4	7.3	7.3	7.4	7.4	7.4	7.1	7.1	7.1
4484361	0.477	1.565	C	2026		0012															
93180000	1.565	2.139	R	1	1	45	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.0	6.5	6.5	4.5*	3.5*	3.5*		
802				3	4.1		43500 RIDE	8.4	8.3	8.5	8.4	8.1	7.3	7.3	7.6	7.3	7.1	7.1	7.5		
ACCESS RD(1.6R)							DGFC														
				(2013)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE		8.3	8.3	8.2	8.1	8.1	7.8	8.1	7.9	8.0	7.8	7.8	7.9	7.6
93180000	2.139	3.602	R	1	1	45	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	
802				3	5.5		40500 RIDE	7.8	7.7	7.7	7.6	7.2	6.5	6.6	6.4	6.7	8.0	8.1	8.0	8.0	
OHIO RD(2.5R)							DGFC														
2297501	2.139	3.602	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2008)				(2008)			SPRIDE	8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.7	7.4	7.7	7.8	7.7	7.7	7.5
93180000	3.602	5.497	R	1	1	45	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	
802				3	5.7		46500 RIDE	7.8	7.7	7.7	7.6	7.2	6.5	6.6	6.4	6.7	8.2	8.2	8.1	8.1	
JOG RD(3.6C)							DGFC														
2297511	3.690	5.660	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5
RANGER CONSTRUCTION INDUST(2008)				(2008)			SPRIDE	8.1	7.9	8.0	8.1	7.9	7.9	7.8	7.5	7.7	7.8	7.7	7.8	7.8	7.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	WKM-F	WKM-F	ASTYPE	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	(REG)
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	ASTYPE														
CONTRACTOR	(AGE_ONE YEAR)																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															
93180000	5.497	7.165	R	1	2	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5
802				3	4.5	46500	RIDE	8.6	7.5	8.1	8.5	8.3	7.6	7.8	7.7	8.0	8.0	7.9	7.5	7.6	
MILITARY TR(5.7C)							DGFC														
							CRACKING	9.5	9.5	8.5	8.5	7.0	7.0	7.0	7.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5
							RIDE	7.4	7.4	7.5	7.4	7.7	7.7	7.4	7.1	7.4	7.3	7.4	7.2	6.6	6.6
4416321	5.497	7.359	C	2022		0012															
93180000	7.165	7.950	R	1	1	40	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	
802				2	3.2	26500	RIDE	8.8	8.7	8.7	8.7	8.3	7.8	7.9	7.8	7.6	7.5	7.4	7.3		
CONGRESS AVE(7.2C)							FC95														
4229901	7.233	8.010	R	2012		0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2013)							SPRIDE	7.4	7.9	7.3	7.3	7.2	7.2	6.8	7.1	7.2	7.1	7.2	7.1	7.1	6.8
93180000	7.950	8.680	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5
802				2	3.2	26500	RIDE	7.5	7.4	7.0	7.6	7.3	6.1	6.7	6.6	6.6	6.9	7.0	6.8	6.7	
BOUTWELL RD (L)(8.1R)							FC95														
							CRACKING	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5
							RIDE	6.5	6.5	6.5	6.6	6.4	6.2	6.0	6.1	5.9	5.9	6.2	6.1	6.1	5.6
4498101	7.888	8.370	C	2027		0012															
93180000	8.680	9.859	C	1	6	25	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
802				2	17.9	7300	RIDE	7.3	7.2	6.9	6.4	6.9	7.0	7.0	6.7	6.4	6.6	6.0	4.9*	4.8*	
LAKE AVE(8.7R)							DGFC														
							CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5
							RIDE	4.8*	4.8*	4.7*	4.5*	4.7*	4.7*	4.4*	4.2*	4.5*	4.4*				
4461041	8.693	9.854	C	2024		0012															
93180000	10.156	10.313	C	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0
802				4	9.9	14700	RIDE	6.1*	5.2*	5.3*	4.5*	4.9*	4.6*	5.9	4.7*	7.7	6.8	7.7	6.3	7.5	
LAKE WORTH CITY LIMITS(10.3C)							DGFC														
2298641	10.156	10.313	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2007)							SPRIDE	6.9													
93180000	7.950	8.680	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
802				2	3.2	26500	RIDE	6.9	7.8	7.6	6.6	6.8	7.1	7.0	7.0	7.2	7.0	6.9	6.8	6.5	
BOUTWELL RD(8.1L)							FC95														
							CRACKING	9.0	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.2
							RIDE	6.5	6.6	6.6	6.4	6.3	6.1	5.6	5.9	6.0	6.0	6.2	6.3	5.9	5.6
4498101	7.888	8.370	C	2027		0012															
93180000	7.343	7.950	L	1	1	40	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	
802				2	3.2	26500	RIDE	8.1	8.0	7.7	7.9	7.4	7.3	7.4	7.4	7.5	7.7	7.4	7.1	7.1	
CLUB MANGER ASSOC OF AME(7.5L)							FC95														
4229901	7.233	8.010	L	2012		0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2013)							SPRIDE	7.0	7.8	7.9	7.6	7.4	7.3	7.2	7.1	7.3	7.3	7.3	7.2	7.3	6.9
93180000	5.497	7.343	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
802				3	4.5	46500	RIDE	8.3	8.2	8.4	8.3	8.1	7.5	7.4	7.1	7.3	7.3	7.1	7.1	6.8	
MILITARY TR(5.7C)							DGFC														
							CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5
							RIDE	7.0	7.0	6.9	7.0	7.1	7.1	6.9	7.1	7.0	7.0	7.1	6.9	6.4	
4416321	5.497	7.359	C	2022		0012															
93180000	3.602	5.497	L	1	1	45	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0
802				3	5.7	46500	RIDE	7.3	7.2	6.9	6.9	6.5	6.3*	6.1*	6.1	6.0	8.0	7.8	7.8	7.7	
JOG RD(3.6C)							DGFC														
2297511	3.690	5.660	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2008)							SPRIDE	7.9	7.8	7.8	7.8	7.9	7.9	7.5	7.3	7.6	7.7	7.6	7.5	7.7	7.4
93180000	2.139	3.602	L	1	1	45	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0
802				3	5.5	40500	RIDE	7.3	7.2	6.9	6.9	6.5	6.3*	6.1*	6.1	6.0	7.9	7.8	7.8	7.7	
HADJES DR(2.2L)							DGFC														
2297501	2.139	3.602	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5
RANGER CONSTRUCTION INDUST(2008)							SPRIDE	7.7	7.7	7.8	7.7	7.8	7.8	7.3	7.3	7.6	7.7	7.5	7.7	7.7	7.5
93180000	1.565	2.139	L	1	6	45	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*		
802				3	4.1	43500	RIDE	8.1	8.1	8.4	8.2	7.7	7.8	7.7	7.7	7.8	7.8	7.7	7.4		
CYPRESS ISLAND WAY L(1.6L)							DGFC														
							CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE		8.4	8.5	8.5	8.2	8.2	8.2							

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															
93180000	0.477	1.565	L	1	1	50	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	
802			3	4.1		43500	RIDE	8.1	8.1	8.4	8.2	7.7	7.8	7.7	7.7	7.8	7.8	7.7	7.4	7.4	
CYPRESS EDGE DR(0.6L)																					
4216911	0.014	1.565	C	2011		0012	CRACKING	4.5*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.6
WEEKLEY ASPHALT PAVING, IN(2013)																					
4484361	0.477	1.565	C	2026		0012	SPRIDE	7.3	7.6	7.5	7.4	7.6	7.5	7.3	7.4	7.5	7.4	7.4	7.2	7.4	7.2
FC5M																					
93180000	0.000	0.477	L	1	6	45	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	
802			3	6.1		37000	RIDE	8.1	8.1	8.4	8.2	7.7	7.8	7.7	7.7	7.8	7.8	7.7	7.4	7.4	
LAKEWORTH RD(0.0C)																					
4216911	0.014	1.565	C	2011		0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.6
WEEKLEY ASPHALT PAVING, IN(2013)																					
FC125M																					
93180001	0.000	1.167	C	1	1	25	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
802			2	6.0		8700	RIDE	7.1	7.0	6.2*	6.3	6.1	6.9	6.5	6.2	6.2	6.3	6.1	4.9*	4.8*	
BR# 930103(0.0C)																					
UNKNW																					
							CRACKING	9.0	9.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.3
							RIDE	4.8*	4.7*	4.7*	4.6*	4.6*	4.6*	4.6*	4.5*	4.5*	4.5*	4.4*	4.5*	4.6*	3.3
(1992)																					
93190000	12.081	12.371	R	1	1	50	CRACKING	8.5	7.5	7.5	7.5	7.5	7.0	6.5	5.5*	5.5*	5.5*	5.5*	8.0	8.0	
706			3	11.9		47500	RIDE	8.6	8.5	8.3	8.6	8.5	7.3	7.6	7.7	7.6	7.3	7.5	7.7	7.8	
FC5																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
							RIDE	7.9	7.8	7.8	7.7	8.0	7.9	7.9	7.6	7.7	7.9	7.8	8.0	7.9	7.9
(2012)																					
4397581	12.081	13.527	C	2023		0231															
93190000	12.371	13.740	R	1	1	45	CRACKING	8.5	7.5	7.5	7.5	7.5	7.0	6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0	
706			3	6.7		56000	RIDE	8.6	8.5	8.3	8.6	8.5	7.3	7.6	7.7	7.6	7.3	7.5	8.2	8.0	
FC5																					
68 TER(13.2R)							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.8
4138431	12.795	13.781	R	2008		0012	RIDE	8.2	8.1	8.1	7.9	8.1	8.0	7.9	7.6	8.0	7.8	7.9	7.5	7.9	7.6
HUBBARD CONSTRUCTION COMPA(2010)																					
4397581	12.081	13.527	C	2023		0231															
93190000	13.740	16.047	R	1	1	45	CRACKING	8.5	7.5	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	2.5*	2.5*	
706			3	4.7		44000	RIDE	8.0	7.8	7.7	7.7	7.4	6.3*	6.3*	6.6	6.0	5.9	5.6	5.5	5.4*	
FC125																					
BUSH RD(13.9R)							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5
4169051	13.740	16.070	C	2010		0012	RIDE	7.5	7.5	7.3	7.1	7.0	7.0	6.8	6.7	6.8	6.6	6.5	6.5	6.6	6.0
COMMUNITY ASPHALT CORP. (2012)																					
93190000	16.047	16.859	R	1	6	45	CRACKING	10.0		10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	
706			3	3.2		32000	RIDE	8.0		7.8	7.2	7.2	6.2*	6.2*	6.5	6.6	6.7	7.1	6.9	7.0	
FC95																					
ALT A1A(16.1C)							CRACKING	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9
4246601	16.047	16.661	R	2012		0012	RIDE	7.0	6.9	7.0	7.5	7.5	7.0	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9
J.W. CHEATHAM, LLC (2015)																					
93190000	16.047	16.859	L	1	6	45	CRACKING	7.5		10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	
706			3	3.2		32000	RIDE	7.7		7.3	6.7	6.9	6.1*	6.2*	6.3	6.9	6.6	6.4	6.1	6.8	
FC95																					
ALT A1A(16.1C)							CRACKING	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.4
4246601	16.047	16.859	L	2012		0012	RIDE	7.0	6.9	7.3	7.5	7.0	6.9	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8
J.W. CHEATHAM, LLC (2015)																					
93190000	13.740	16.047	L	1	1	45	CRACKING	10.0	10.0	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	2.5*	2.5*	
706			3	4.7		44000	RIDE	8.5	7.8	8.4	8.2	8.0	7.3	7.2	7.1	7.0	7.0	6.9	6.7	6.5	
FC125																					
CARVER AVE(13.8L)							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
4169051	13.740	16.070	C	2010		0012	RIDE	8.5	8.3	8.2	8.0	8.0	8.0	7.9	7.6	7.8	7.7	7.7	7.5	7.6	7.1
COMMUNITY ASPHALT CORP. (2012)																					
93190000	12.371	13.740	L	1	1	45	CRACKING	8.5	7.5	7.5	7.5	7.5	7.0	6.5	5.5*	5.5*	3.5*	3.5*	10.0	10.0	
706			3	6.7		56000	RIDE	8.2	8.5	8.7	8.5	8.4	7.7	7.6	7.6	7.5	7.4	7.5	8.1	8.0	
FC5																					
ISLAND WAY(13.2L)							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.8
4138431	13.063	13.781	L	2008		0012	RIDE	7.9	8.0	8.1	8.0	8.1	8.1	7.8	7.6	8.0	7.9	8.0	8.0	7.9	7.9
HUBBARD CONSTRUCTION COMPA(2010)																					
4397581	12.081	13.527	C	2023		0231															
93190000	12.081	12.371	L	1	6	50	CRACKING	8.5	7.5	7.5	7.5	7.5	7.0	6.5	5.5*	5.5*	3.5*	3.5*	10.0	10.0	
706			3	11.9		47500	RIDE	8.2	8.5	8.7	8.5	8.4	7.7	7.6	7.6	7.5	7.4	7.5	8.0	7.9	
DGFC																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0
							RIDE	8.1	8.0	8.0	7.5	7.7	7.6	7.7							
(2010)																					
4397581	12.081	13.527	C	2023		0231															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE														
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE			
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKMX-P																
		(AGE_ONE YEAR)		YEAR		ASTYPE																		
		W_BMP		W_EMP		FY-F		WKMX-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
										(REG)														
93200000	0.000	1.049	R	1	1	45	CRACKING	8.5	7.5	7.5	7.5	6.5	6.5	6.0*		10.0	10.0	10.0	9.0	9.0				
804				2	8.5	14900	RIDE	8.4	8.3	7.8	8.1	7.4	6.9	6.9		7.6	7.6	7.4	7.4	7.4				
BOYNTON BEACH BLVD(0.0C)						OGFC																		
						(2007)		CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5		
4476651	0.000	1.061	C	2025		0012	RIDE	7.5	7.4	7.3	7.2	7.3	7.4	7.4	7.3	7.3	7.2	7.2	7.1	7.0	7.0			
93200000	1.049	2.172	R	1	1	45	CRACKING	10.0	9.0	9.0		7.5	7.5	7.0		10.0	10.0	10.0	10.0	9.5				
804				3	8.5	34500	RIDE	8.5	8.4	8.4		8.5	8.0	7.3		8.0	8.0	7.9	7.9	7.7				
ACME DAIRY BLVD(1.6C)						FC125M																		
4398441	1.041	1.768	R	2020		0012	CRACKING	9.5	9.5	9.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC. (2022)						RIDE		7.8	7.7	7.5	7.5	7.5	7.4	7.4	7.0	7.3	7.0	7.9	7.9	7.9	7.9	7.9		
93200000	2.172	2.740	R	1	1	45	CRACKING	10.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
804				3	4.4	53500	RIDE	8.5	8.4	8.4		8.2	8.1	8.0	7.9	7.9	7.6	7.4	7.3	7.3				
TURNPIKE(2.2R)						DGFC																		
						(2003)		CRACKING		9.5	9.5	9.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.2	
4484371	2.193	2.887	C	2026		0012	RIDE	7.3	7.3	6.9	7.1	7.6	7.5	7.2	7.4	7.4	7.4	7.7	7.6	7.6	7.6	7.2		
93200000	2.740	3.440	R	1	1	45	CRACKING	10.0	9.0	9.0		8.5	8.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*				
804				3	4.4	53500	RIDE	8.5	8.4	8.4		8.3	7.8	7.7	7.6	7.7	7.6	7.5	7.2	6.9				
MIZNER FALLS WAY(2.9R)						FC125M																		
4229911	2.739	3.439	C	2011		0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		
WEEKLEY ASPHALT PAVING, IN(2013)						RIDE		6.9	8.2	8.1	8.2	8.0	8.0	7.6	7.5	7.9	8.0	8.0	8.0	8.0	8.0	8.0	7.8	
93200000	3.440	7.147	R	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5			
804				3	3.5	39000	RIDE	7.6	7.4	7.2	7.7	7.4	7.2	7.1	7.2	7.4	7.3	7.2	7.1	6.9				
JOG RD(3.6C)						FC95M																		
4323441	3.439	7.150	C	2019		0012	CRACKING	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC. (2022)						SPRIDE		7.0	6.9	6.9	6.9	7.0	7.1	7.0	6.8	6.9		8.3	8.2	8.2	8.2	7.9		
93200000	7.147	7.786	R	1	1	40	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5				
804				3	3.7	35000	RIDE	6.4*	7.5	7.9	8.7	8.5	8.0	8.3	8.1	8.2	8.2	8.3	8.1	8.3				
CROSS CREEK CENTER(7.4R)						DGFC																		
2297461	7.031	8.090	C	2000		0012	CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5			
RANGER CONSTRUCTION INDUST(2001)						S RIDE		8.3	8.1	8.0	8.0	8.1	8.1	8.0	7.9	7.7	7.9	7.9	8.0	7.9	7.8			
4476671	7.148	7.801	R	2025		0012																		
93200000	7.786	8.035	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0				
804				3	2.6	56000	RIDE	8.6	8.3	8.2	8.3	7.9	7.4	7.1	7.0	7.2		7.9	7.9	7.4				
NW 8TH ST(7.8R)						DGFC																		
4036051	7.786	8.030	R	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
HUBBARD CONSTRUCTION COMPA(2009)						SPRIDE		7.4	7.4	7.3	7.4	7.4	7.4	7.4	7.3	7.3	7.2	7.2	7.3	7.5	7.4	7.1		
93200000	8.035	9.140	R	1	1	35	CRACKING	10.0	9.0	9.0	9.0	9.0	8.0	10.0	10.0		10.0	10.0	10.0					
804				2	5.5	30500	RIDE	7.5	7.6	7.7	7.5	7.2	7.0	6.9	6.6	7.1		7.5	6.9	7.5				
NW 3 ST(8.5R)						DGFC																		
4036051	8.030	9.115	R	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		
HUBBARD CONSTRUCTION COMPA(2009)						SPRIDE		6.9	6.8	6.8	6.8	6.6	6.6	6.7	6.5	6.6	6.4	6.6	6.7	6.6	6.6	6.2		
93200000	9.256	9.440	R	1	6	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
804				1	5.7	7300	RIDE	4.0*	4.5*		8.2	7.9	7.7	7.8	7.8	7.7	7.5	7.6	7.4	7.3				
SE 6TH ST(9.4R)						DGFC																		
						(2002)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
4476691	9.268	9.855	C	2025		0012	RIDE	5.4*																
93200000	9.440	9.855	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0				
804				2	5.7	7300	RIDE	6.5			8.0	7.5	7.5	7.5	7.4	7.5	7.4	7.4	7.1	7.0				
OCEAN RIDGE CITY LIMITS(9.9C)						DGFC																		
						(1986)		CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0		
4476691	9.268	9.855	C	2025		0012	RIDE	7.4	7.4	6.9	7.2	6.7	6.7	6.6	6.6	6.5	6.2	6.3	6.5	6.5	6.5	6.5		
93200000	9.256	9.440	L	1	6	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
804				1	5.7	7300	RIDE	4.0*	4.5*		8.2	7.9	7.7	7.8	7.8	7.1	6.9	7.0	6.8	6.9				
NE 6TH ST(9.4L)						UNKNW																		
						(2002)		CRACKING		9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.4		
4476691	9.268	9.855	C	2025		0012	RIDE	6.9																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE					
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029				
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-F		ASTYPE													
		(AGE_ONE YEAR)		YEAR		RW		FY-F		WKM-F															
93210000	8.678	13.750	R	1	1	55	CRACKING	6.0*	6.0*	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0					
7	441			2	7.6	23080	RIDE	8.7	8.5	8.5			7.4	7.5	7.4	7.5	7.5	7.5	7.4	7.4					
TIVOLI ISLES BLVD(9.1R)																									
4378361	8.670	13.594	R	2019		0012	CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0				
GENERAL ASPHALT CO., INC. (2022)																									
93210000	13.750	19.931	R	1	1	50	CRACKING	6.0*	6.0*	6.0*			10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0					
7	441			3	6.5	31500	RIDE	8.7	8.5	8.5			8.3	8.2	8.3	8.4	8.2	8.2	8.1	8.1					
BOYNTON BCH BLVD(13.8R)																									
2291841	14.135	19.500	C	2000		0213	CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5				
SMITH & COMPANY (2004)																									
4484381	13.775	19.725	C	2027		0012	SPRIDE	8.1	8.0	7.9	8.0	7.7	7.7	7.7	7.6	7.6	7.6	7.6	7.6	7.6	7.3				
93210000	19.931	24.250	R	1	1	50	CRACKING	7.5			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0					
7	441			4	5.2	60000	RIDE	8.2			8.6	8.5	8.4	8.3	8.2	8.1	8.1	8.1	8.0	8.1					
MISSING DESCRIPTION I(20.7R)																									
2291851	19.787	24.244	C	1998		0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.2				
HARDRIVES OF DELRAY, INC. (2002)																									
93210000	19.931	24.250	L	1	1	50	CRACKING	7.5			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0					
7	441			4	5.2	60000	RIDE	8.2			8.5	8.3	8.4	8.2	8.0	8.4	7.9	8.0	7.9	7.9					
WELLINGTON PARC DR(20.5L)																									
2291851	19.787	24.244	C	1998		0213	CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	7.5				
HARDRIVES OF DELRAY, INC. (2002)																									
93210000	13.750	19.931	L	1	1	50	CRACKING	6.0*	6.0*	6.0*			10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0					
7	441			3	6.5	31500	RIDE	8.7	8.5	8.5			8.5	7.9	8.5	8.6	8.2	8.2	8.1	8.1					
BOYNTON BEACH BLVD(13.8L)																									
2291841	14.135	19.500	C	2000		0213	CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0				
SMITH & COMPANY (2004)																									
4484381	13.775	19.725	C	2027		0012	SPRIDE	8.1	8.0	7.8	7.9	7.6	7.6	7.4	7.3	7.4	7.3	7.5	7.3	7.4	6.9				
93210000	8.678	13.750	L	1	1	55	CRACKING	6.0*	6.0*	6.0*			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0					
7	441			2	7.6	23080	RIDE	8.7	8.5	8.5			7.8	7.4	7.8	7.9	7.9	7.8	7.7	7.5					
PERO FAMILY FARM(9.7L)																									
4378361	8.670	13.593	L	2019		0012	CRACKING	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0				
GENERAL ASPHALT CO., INC. (2022)																									
93210000	6.283	8.678	L	1	1	55	CRACKING	3.0*	3.0*	1.0*			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0					
7	441			2	9.0	35000	RIDE	6.3*	6.0*	6.0*			7.8	7.4	7.8	7.9	7.9	7.8	7.7	7.5					
EL PARAISO PL(7.9L)																									
4323491	6.283	8.678	L	2017		0012	CRACKING	6.5	6.5	5.5*	5.5*	5.5*	5.5*	3.5*	10.0	10.0	9.0	9.0	9.0	9.0	7.6				
HARDRIVES OF DELRAY, INC. (2019)																									
93210000	2.880	6.283	L	1	1	45	CRACKING	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0					
7	441			3	3.6	42500	RIDE	6.9	7.3	7.0			7.7	7.8	7.7	7.7	7.7	7.7	7.7	7.5					
KIMBERLY BLVD(3.8C)																									
2290921	2.877	9.001	C	2000		0213	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.3				
BERGERON LAND DEVELOPMENT, (2004)																									
4476701	2.880	6.283	L	2025		0012	SPRIDE	7.6	7.5	7.4	7.4	7.1	7.0	6.8	6.8	6.8	6.7	6.8	6.6	6.8	6.3				
93210000	0.000	2.880	L	1	1	45	CRACKING	10.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	10.0					
7	441			3	4.6	53000	RIDE	8.8	8.4	8.4	8.7	8.2	7.6	7.5	7.6	7.5	7.4	7.5	7.4	7.9					
MARINA BLVD(0.2C)																									
(2020)																									
CRACKING 10.0																									
RIDE 7.8 7.8 7.7 7.8 7.4 7.4 7.4 7.4 6.9 8.0 7.9 7.8 7.7 7.8 7.7 7.8 7.4 7.9																									
93220000	0.000	2.260	R	4	1	65	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	6.5		10.0	10.0	10.0	10.0	10.0					
9	195			3	9.9	227000	RIDE	8.9	8.8	8.6	8.7	8.3	7.6	7.6		8.3	8.2	8.3	8.2	8.0					
FC5M																									
(2023)																									
CRACKING 10.0 9.0 9.0 9.0 7.5 7.5 6.5 6.5																									
RIDE 8.0 7.9 7.7 7.7 8.0 8.0 7.9 7.7																									
93220000	2.260	8.110	R	4	7	65	CRACKING	9.0	7.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0					
9	195			4	8.4	231000	RIDE	8.5	8.4	8.4	8.4	8.1	7.2	7.1		8.1	8.1	8.1	8.0	7.9					
FC5M																									
(2024)																									
CRACKING 10.0 9.0 9.0 6.5 6.5 6.5 6.5 6.5																									
RIDE 7.9 7.7 7.6 7.6 7.9 7.9 7.8 7.6 8.0																									

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT	AT	(MP	SIDE)				SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE														
CONTRACTOR	(AGE	ONE	YEAR)					2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(REG)
93220000	36.539	43.975	R	4	1	70	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0		
9 I95			5	8.7	149000		RIDE	8.6	8.4	8.3	8.3	8.1		7.9	8.0	8.3	8.2	8.2	8.2		
							FC5M														
4068702	39.642	44.029	C	2008	0213		CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.6
POSEN	CONSTRUCTION			(2013)			SPRIDE		8.1	7.8	8.3	8.4	8.4	8.4	8.3	8.4	8.5	8.5	8.4	8.5	8.5
93220000	43.975	46.018	R	4	1	70	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	
9 I95			3	7.6	91500		RIDE	8.6	8.4	8.3	8.3	8.1		7.9	8.0	8.3	8.2	8.2	8.2	8.1	
							FC5M														
4342732	44.023	46.018	R	2017	0012		CRACKING	8.5	8.5	7.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0
COMMUNITY	ASPHALT	CORP.		(2021)			SPRIDE	8.1	8.0	7.9	8.0	8.1	8.2	8.2	8.1		8.8	8.7	8.7	8.6	8.3
93220000	43.975	46.018	L	4	1	70	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
9 I95			3	7.6	91500		RIDE	8.5	8.2	8.1	8.1	7.7		7.9	8.1	8.2	8.1	8.1	8.0	8.0	
							FC5M														
4342732	44.005	46.018	L	2017	0012		CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0
COMMUNITY	ASPHALT	CORP.		(2021)			SPRIDE	8.0	7.8	7.8	7.8	8.0	8.0	8.0	7.8		8.6	8.6	8.5	8.6	8.5
93220000	36.539	43.975	L	4	1	70	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0		
9 I95			5	8.7	149000		RIDE	8.5	8.2	8.1	8.1	7.7		7.9	8.1	8.2	8.1	8.1	8.0	8.0	
							FC5M														
4068702	39.642	44.029	C	2008	0213		CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.3
POSEN	CONSTRUCTION			(2013)			SPRIDE		8.0	8.0	8.2	8.2	8.3	8.2	8.1	8.3	8.3	8.3	8.2	8.2	8.2
93220000	34.934	36.539	L	4	2	65	CRACKING	10.0	10.0	10.0	9.0	9.0		10.0			10.0	10.0	10.0	10.0	
9 I95			6	7.6	187000		RIDE	8.8	8.9	8.8	8.8	8.6		7.5			7.9	8.0	7.9	7.8	
							FC5														
2319211	34.152	36.733	C	2002	0213		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	5.8
PCL CIVIL	CONSTRUCTORS,			(2008)			SPRIDE	7.8	7.6	7.8	7.8	7.6	7.7	7.6	7.8	7.6	7.7	7.7	7.6	7.8	7.6
93220000	32.877	34.934	L	4	1	65	CRACKING			10.0	10.0	10.0		10.0					10.0	10.0	
9 I95			5	7.6	187000		RIDE			8.7	8.8	8.3		7.5					8.2	8.2	
							FC5														
2319201	33.183	34.152	L	2004	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5
ARCHER WESTERN	CONTRACTORS			(2010)			SPRIDE	8.3	8.2	8.3	8.3	8.3	8.4	8.3	8.2	8.4	8.4	8.4	8.3	8.0	8.0
93220000	30.093	32.877	L	4	1	65	CRACKING			10.0	10.0	10.0	10.0	10.0					10.0	10.0	
9 I95			5	7.6	191000		RIDE			8.7	8.8	8.3	7.9	7.5					8.3	8.3	
							FC5														
2319201	29.560	31.737	L	2004	0213		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.4
ARCHER WESTERN	CONTRACTORS			(2010)			SPRIDE	8.3	8.2	8.3	8.4	8.3	8.4	8.3	8.2	8.3	8.4	8.4	8.3	8.2	8.2
93220000	27.213	30.093	L	4	1	65	CRACKING	7.0		10.0	10.0	10.0	8.5	7.5						10.0	
9 I95			5	7.6	191000		RIDE	8.3		8.7	8.8	8.6	8.0	8.0						8.1	
							OGFC														
				(2011)			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.1
							RIDE	8.2	8.1	8.2	8.2	8.1	8.2	8.1	8.0	8.1	8.2	8.1	8.1	7.8	7.8
93220000	25.373	27.213	L	4	1	65	CRACKING	7.0							10.0	10.0	10.0	10.0	10.0	10.0	
9 I95			5	8.0	238000		RIDE	8.3							8.1	8.0	8.0	7.9	7.8	7.9	
							OGFC														
2319193	25.328	27.979	C	2004	0234		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5
HUBBARD	CONSTRUCTION	COMP		(2006)			SPRIDE	8.0	7.9	8.0	8.0	8.1	8.2	8.0	8.0	8.2	8.2	8.2	8.1	7.8	7.8
93220000	24.817	25.373	L	4	1	65	CRACKING	7.0							10.0			10.0	10.0	10.0	
9 I95			5	6.8	245000		RIDE	8.3							8.1			7.9	8.0	7.5	8.0
							OGFC														
2319191	24.594	25.328	C	2003	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5
ARCHER WESTERN	CONTRACTORS			(2008)			SPRIDE	7.7	7.8	7.8	7.7	8.0	8.1	8.0	8.0	8.2	8.2	8.2	8.2	8.0	8.0
93220000	23.520	24.817	L	4	1	65	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0					10.0	10.0	10.0
9 I95			5	6.8	245000		RIDE		8.9	9.0	8.5	8.9	8.4	8.3					7.6	7.7	7.6
							FC2														
				(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.4
							RIDE	7.8	7.7	7.7	7.8	7.7	7.7	7.6	7.4	7.7	7.8	7.7	7.7	7.4	7.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	=====	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
93270000	0.770	2.008	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7				3	7.2	40500	RIDE		8.6	8.3	8.1	8.3	7.7	8.0	7.8	8.2	8.1	7.8	7.3	7.7	
MIKADO RD(1.2L)						DGFC															
2296501	0.000	2.008	C	1997	0213	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	6.5	6.0*	6.0*	6.0
					(2000)	RIDE		7.7	8.0	7.6	7.6	7.7	7.8	7.5	7.6	7.6	7.5	7.4	7.3	7.6	7.2
4461771	0.058	2.008	C	2023	0012																
93270000	0.000	0.770	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7				4	4.9	52500	RIDE		7.9	8.6	9.1	8.7	7.9	7.2	7.0	7.3	7.5	7.8	8.0	8.0	
SPUR FROM EB/SR-80(0.0L)						DGFC															
2296501	0.000	2.008	C	1997	0213	CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	6.5
					(2000)	RIDE		8.1	8.0	7.7	7.8	7.8	7.9	7.3	7.1	7.5	7.7	7.6	7.4	7.6	7.3
4461771	0.058	2.008	C	2023	0012																
93270001	0.000	0.389	R	1	1 45	CRACKING															
7				2	8.3	20500	RIDE														
OKEECHOBEE BLVD(0.0C)						DGFC															
					(2020)	CRACKING															
2296647	0.058	4.455	C	2028	0213	RIDE															
93270001	0.389	4.455	C	1	1 45	CRACKING															
7				2	8.3	20500	RIDE														
PORTO DEL SOL(0.9L)						DGFC															
					(2020)	CRACKING															
2296647	0.058	4.455	C	2028	0213	RIDE															
93270001	0.000	0.389	L	1	1 45	CRACKING															
7				2	8.3	20500	RIDE														
OKEECHOBEE BLVD(0.0C)						DGFC															
					(2020)	CRACKING															
2296647	0.058	4.455	C	2028	0213	RIDE															
93280000	0.000	3.034	R	1	1 50	CRACKING		9.0	7.5	6.5	6.5	6.5	4.5*	2.0*	2.0*	2.0*	1.0*	1.0*		10.0	
704				4	8.3	63500	RIDE		8.5	8.5	8.6	8.5	8.4	7.6	7.6	7.3	7.5	6.8	6.9		8.3
SR 7(0.0C)						DGFC															
4097011	0.000	3.995	C	2007	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	9.0	8.8
					(2011)	RIDE		8.9	8.8	8.7	8.8	8.7	8.7	8.5	8.4	8.5	8.5	8.6	8.6	8.5	8.4
93280000	3.034	3.940	R	1	1 50	CRACKING		9.0	7.5	6.5	6.5	6.5	4.5*	2.0*	2.0*	2.0*	1.0*	1.0*			
704				4	5.6	65500	RIDE		8.5	8.5	8.6	8.5	8.4	7.6	7.6	7.3	7.5	6.8	6.9		
JOG RD(3.0C)						DGFC															
4097011	0.000	3.995	C	2007	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	8.5	7.1
					(2012)	RIDE		8.6	8.5	8.6	8.5	8.3	8.3	8.3	8.0	8.0	8.0	8.2	8.1	8.2	7.8
93280000	3.940	5.559	R	1	1 45	CRACKING		9.0	9.0	8.5	8.5	8.5	7.5	7.0	6.5	6.5	4.5*	4.5*	3.5*	3.5*	
704				4	6.3	72500	RIDE		8.8	8.6	8.8	8.7	8.4	7.8	7.8	7.6	7.8	7.6	7.3	7.3	7.0
DREXEL RD(4.0R)						FC95M															
4216941	3.848	5.535	R	2011	0012	CRACKING		1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5
RANGER CONSTRUCTION INDUST(2013)						SPRIDE		7.1	8.8	8.8	8.7	8.7	8.7	8.4	8.6	8.6	8.6	8.6	8.5	8.5	8.4
93280000	5.559	7.552	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.5	6.5	4.5*	4.5*	
704				4	3.2	47000	RIDE		8.8	8.6	8.6	8.6	8.4	8.0	7.8	7.9	8.0	7.9	7.6	7.7	7.6
DONNELL RD(5.9R)						FC95R															
4270201	6.242	7.550	R	2013	0012	CRACKING		4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.7
RANGER CONSTRUCTION INDUST(2015)						SPRIDE		7.7	7.5		8.9	8.8	8.7	8.6	8.5	8.6	8.5	8.5	8.2	8.6	8.1
93280000	7.552	8.160	R	1	1 45	CRACKING		9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
704				3	2.6	68000	RIDE		7.6	7.1			8.1	7.7	7.7	8.0	7.9	8.0	7.9	7.8	7.7
						OGFC															
					(2003)	CRACKING															
4476711	7.552	8.160	C	2025	0012	RIDE		9.5	9.5	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.0
								7.8	7.7	7.6	7.6	7.5	7.5	7.2	7.3	7.4	7.4	7.4	7.4	7.6	7.6
93280000	8.160	8.616	R	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5		10.0	10.0	
704				3	3.1	80000	RIDE		7.6	7.1	7.2	6.8	7.0	6.5	6.2*	5.9	5.8	5.7		7.0	6.8
PARKER AVE(8.6R)						DGFC															
					(2010)	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
						RIDE		7.0	7.1	7.3	7.1	6.8	6.9	6.7	6.4	6.5	6.5	6.3	6.6	6.3	6.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT	(MP	SIDE)					*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																	(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
93280000	8.616	8.898	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	
704				3	3.1	80000	RIDE	8.0	7.8	8.2	7.9	7.8	7.8	7.7	6.3	6.3	6.0	6.0	5.5	5.5		
PB CONVENTION CENTER(8.8R)							DGFC															
				(1994)			CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	4.5*	4.5*	4.5
4461791	8.616	9.405	R	2025		0012	RIDE	5.7	5.5	5.5	5.3*	5.5	5.2*	5.6	5.3*	5.2*	5.3*	5.1*	4.2*	4.9*	3.8	
93280000	8.898	9.405	C	1	1	35	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*				10.0	10.0	9.5	9.5	9.5		
704	1			2	2.4	21000	RIDE	6.1*	5.7*	5.9*	4.8*	4.8*				4.9*	5.2*	5.6	4.9*	4.9*		
SPUR(8.9R)							DGFC															
				(2007)			CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0
4461791	8.616	9.405	R	2025		0012	RIDE	5.0*	4.9*	4.9*	4.6*	4.6*	4.5*	4.7*	4.1*	4.2*	4.4*	5.1*	4.1*	4.2*	3.9	
93280000	9.405	9.823	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	
704				2	6.9	25000	RIDE	6.1*	5.8*	5.6*	4.8*	3.9*	3.2*	6.4			6.1	6.0	5.4*	5.7	5.8	
LAKE DR S(9.8R)							DGFC															
				(2007)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5
							RIDE	5.9	5.6	4.8*	5.6	4.4*	4.6*	4.4*	4.6*	4.5*	4.5*	4.0*	4.0*	4.2*	3.3	
93280000	9.823	10.210	R	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
704				2	6.9	25000	RIDE	6.1*	5.8*	5.6*	4.8*	3.9*	3.2*	6.4	6.1	5.7	5.2*	5.9	5.2*	5.1*		
COCOANUT ROW(9.9C)							DGFC															
2298301	9.711	10.199	C	1998		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0
(1999)							RIDE	5.2*	5.4*	5.2*	5.0*	4.2*	4.2*	4.3*	4.1*	3.8*	3.7*	3.8*	4.0*	3.9*	3.6	
4498141	9.704	10.210	C	2027		0012																
93280000	9.823	10.210	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
704				2	6.9	25000	RIDE	6.1*	5.8*	5.6*	4.8*	3.9*	3.2*	6.4	6.1	5.7	5.2*	5.9	5.2*	5.1*		
COCOANUT ROW(9.9C)							DGFC															
2298301	9.711	10.199	C	1998		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
(1999)							RIDE	5.5	5.4*	5.3*	5.3*	4.1*	4.2*	4.0*	4.0*	3.6*	3.9*	3.9*	3.7*	3.8*	3.4	
4498141	9.704	10.210	C	2027		0012																
93280000	9.405	9.823	L	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	
704				2	6.9	25000	RIDE	5.7*	6.4*	6.6	4.7*	4.8*	4.9*	4.4*		5.4*	5.3*	5.4*	5.0*	5.0*		
FLAGLER DR(9.4L)							UNKNW															
				(2007)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
							RIDE	5.4*	5.5	5.0*	5.7	4.5*	4.8*									
93280000	8.616	8.898	L	1	6	35	CRACKING	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
704				3	3.1	80000	RIDE	7.8	8.1	6.9	7.5	7.3	6.7	6.6	6.0	6.2	6.3	6.6	6.0	5.7		
S SAPODILLA AVE(8.8L)							DGFC															
				(1994)			CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.4
							RIDE	6.1	5.7	5.5	6.6	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0		
93280000	8.160	8.616	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0		10.0	10.0		
704				3	3.1	80000	RIDE	6.5	6.7	7.5	7.5	7.3	6.7	6.6	6.0	6.2	6.3		7.0	7.0		
S. TAMARIND AVE(8.6L)							DGFC															
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
							RIDE	7.2	7.3	7.0	7.3	6.9	6.5	6.7	6.6	6.4	6.6	6.6	6.5	6.7	6.2	
93280000	7.552	8.160	L	1	1	45	CRACKING	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
704				4	2.6	68000	RIDE	6.5	6.7			8.3	7.8	7.8	7.7	7.9	7.8	7.7	7.6	7.6		
							OGFC															
				(2003)			CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.4	
4476711	7.552	8.160	C	2025		0012	RIDE	7.5	7.5	7.3	7.5	7.3	7.4	7.3	6.9	7.3	7.4	7.1	7.1	6.6	6.6	
93280000	5.559	7.552	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.5	6.5	6.5	6.5		
704				4	3.2	47000	RIDE	8.5	8.6	8.5	8.3	8.3	7.8	7.6	7.4	7.4	7.4	7.3	7.2	7.1		
ZIP CODE PL(5.7L)							FC95R															
4270201	6.242	7.550	L	2013		0012	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.4	
RANGER CONSTRUCTION INDUST(2015)							SPRIDE	7.3	7.2		8.5	8.7	8.6	8.4	8.0	8.4	8.4	8.4	8.4	8.3	8.4	8.2
93280000	3.848	5.559	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.5	6.0*	4.0*	4.0*	2.0*	2.0*	
704				4	6.3	72500	RIDE	8.7	8.3	8.8	8.3	8.3	7.7	7.5	7.2	7.5	7.5	7.3	7.2	7.0	6.9	
WEST DR(4.2L)							FC95M															
4216941	4.115	5.535	L	2011		0012	CRACKING	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2013)							SPRIDE	6.9	8.8	8.7	8.7	8.6	8.6	8.5	8.4	8.5	8.5	8.6	8.2	8.4	8.4	8.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011			
INTERSECT AT (MP)	(SIDE)	=====																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE													2029				
CONTRACTOR	(AGE_ONE YEAR)																			(REG)			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																		
93280000	3.034	3.848	L	1	1	50	CRACKING	9.0	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*					
704			4	5.6		65500	RIDE	8.8	8.7	9.0	8.7	8.7	7.8	7.9	7.5	7.6	6.8	6.8					
JOG RD(3.0C)																							
4097011	0.000	3.995	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5			
				(2012)		DGFC	RIDE	8.7	8.5	8.3	8.4	8.3	8.3	8.1	7.9	8.0	8.0	8.0	8.0	9.5			
																			9.5	9.5			
93280000	0.000	3.034	L	1	1	50	CRACKING	9.0	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*		10.0			
704			4	8.3		63500	RIDE	8.8	8.7	9.0	8.7	8.7	7.8	7.9	7.5	7.6	6.8	6.8		8.4			
SR 7(0.0C)																							
4097011	0.000	3.995	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0			
				(2011)		DGFC	RIDE	9.0	8.9	8.6	8.8	8.8	8.8	8.6	8.6	8.6	8.6	8.6	8.5	8.5			
																			9.0	8.4			
93280001	0.000	0.522	C	1	2	35	CRACKING	8.5	7.5	7.0	7.0	6.5				10.0	10.0	9.5	8.0	8.0			
704	1		3	2.2		19500	RIDE	5.5*	4.5*	5.2*	4.4*	3.7*				4.8*	5.1*	4.8*	4.4*	4.4*			
FLAGLER DR(0.0C)																							
				(2007)		DGFC	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*			
							RIDE	4.5*	4.4*	4.6*	3.8*	3.5*	3.8*	3.7*	3.5*	3.7*	3.6*	3.5*	3.3*	3.6*			
4461791	0.000	0.522	C	2025		0012													4.5*	2.6			
																			4.5*	2.8			
93290000	0.000	2.097	C	1	1	40	CRACKING	8.5	8.5	8.5		10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	8.5			
715			2	9.8		12000	RIDE	7.8	7.8	7.4		8.2	7.7	7.6	7.7	7.9	7.9	7.9	7.4	7.2			
BELLE GLADE CITY LIMITS(0.0C)																							
2297171	0.000	9.300	C	2000		0012	CRACKING	7.5	7.5	7.5	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*			
HUBBARD CONSTRUCTION CO (2003)																							
4398451	0.052	2.088	C	2023		0012	SPRIDE	7.1	7.3	7.0	7.1	7.1	7.2	7.1	6.9	6.9	6.9	7.0	6.8	6.7			
																			6.4	6.4			
93290000	2.097	12.072	C	1	1	55	CRACKING	3.5*	1.0*	1.0*		10.0	10.0	9.5	9.5	8.0	8.0	8.0	6.5	6.5			
715			2	9.5		4200	RIDE	6.0*	5.9*	5.8*		8.3	8.0	8.0	7.8	7.9	7.7	7.5	7.1	7.0			
W CANAL ST S(2.1C)																							
4287221	2.090	12.070	C	2016		0012	CRACKING	6.5	6.5	5.5*	3.5*	3.0*	3.0*	10.0	10.0	10.0	10.0	8.5	8.5	7.5			
COMMUNITY ASPHALT CORP. (2018)																							
							SPRIDE	7.1	7.1	6.9	6.7	6.6	6.8	7.7	7.6	7.6	7.6	7.6	7.4	7.4			
																			7.2	7.2			
93310000	0.000	5.631	R	1	1	60	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.0	7.0	5.0*	4.5*	4.5*	4.5*	4.5*			
710			2	24.3		7463	RIDE	8.8	8.8	8.7	8.8	8.5	8.1	7.9	7.6	7.5	7.5	7.0	6.9	6.6			
J W CORBETT AREA(1.5R)																							
4327041	1.941	5.225	C	2014		0213	CRACKING	2.0*	10.0	10.0	10.0			10.0	10.0	10.0	10.0	9.0	9.0	9.0			
				(2018)		FC5M	RIDE	6.5	8.4	8.4	8.4			8.5	8.3	8.6	8.6	8.6	8.6	8.6			
																			7.9	8.6			
93310000	5.631	6.900	R	1	7	60	CRACKING	3.0*	0.0*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
710			2	24.3		7463	RIDE	7.2	7.2	6.9	6.8	6.2*	4.9*	7.8	7.8	7.9	7.9	8.0	7.9	7.8			
INNOVATION DR(6.4R)																							
4460971	5.597	6.888	C	2023		0012	CRACKING	9.0	9.0	9.0	8.0	8.0		4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0			
J.W. CHEATHAM, LLC (2024)																							
							SPRIDE	7.7	7.7	7.6	7.6	7.7		7.7	7.6	7.9	7.7	7.6	7.6	8.3			
93310000	6.900	11.800	R	1	1	60	CRACKING	7.5	7.5	7.0	7.0	7.0	7.0	5.0*	5.0*	5.0*		10.0	10.0	10.0			
710			2	21.7		14400	RIDE	9.0	8.8	8.8	8.9	8.6	7.9	7.8	7.6	7.8		8.3	8.3	8.3			
HALPATIOKEE RD(9.9R)																							
4137981	7.228	11.800	C	2006		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0			
RANGER CONSTRUCTION INDUST(2009)																							
4484391	6.900	11.800	C	2028		0012	RIDE	8.3	8.2	8.2	8.3	8.3	8.2	8.1	8.0	8.3	8.4	8.4	8.4	8.4			
																			8.3	8.3			
93310000	11.800	16.900	R	1	1	55	CRACKING	6.5	5.5*	3.0*	3.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0			
710			2	15.6		15700	RIDE	8.4	8.2	8.2	8.2	7.9	6.8	6.7	6.5	6.5	8.1	8.1	8.0	8.0			
4036191																							
				(2008)		FC5	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			
							SPRIDE	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.0	8.1	8.1	8.1	8.2	8.2			
																			8.2	8.2			
93310000	16.900	20.631	R	1	1	55	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0			
710			2	10.1		24000	RIDE	8.3	8.3	8.3	8.3	8.1	7.3	7.1	7.0	7.1	8.1	8.2	7.9	8.1			
CR 809A(17.0C)																							
2298151	16.861	20.474	C	2006		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5			
RANGER CONSTRUCTION INDUST(2008)																							
4192511	17.006	20.148	C	2023		0213	RIDE	8.1	8.1	8.1	8.0	8.0	8.0	7.8	7.6	7.9	8.0	8.0	8.0	8.0			
																			7.5	7.4			
93310000	20.631	22.010	R	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0		10.0			
710			2	10.5		13300	RIDE	8.3	8.2	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7			8.4			
CONGRESS AVE(21.9C)																							
2298971	20.631	21.994	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
RANGER CONSTRUCTION INDUST(2011)																							
							SPRIDE	8.4	8.5	7.9	8.4	8.0	8.0	7.8	7.5	7.8	7.7	7.9	7.8	7.8			
																			7.3	7.3			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE											
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P															
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F														(REG)	
93310000	22.010	22.832	R	1	1	35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0	7.0	7.0	7.0	
710			2	14.7		18100	RIDE	8.3	8.2	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7	7.5	7.3	7.5	
CHENEY WAY(22.2R)						FC125M															
				(2015)			CRACKING	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
							RIDE	7.4	7.4		7.7	7.4	7.2	7.2	7.1	7.2	7.1	7.2	7.1	7.0	6.7
93310000	22.832	23.605	R	1	1	35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0	7.0	7.0	7.0	
710			2	17.3		6600	RIDE	8.3	8.2	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7	7.5	7.3	7.5	
AVE N(22.9C)						FC95M															
2298961	22.836	23.655	C	2016		0213	CRACKING	7.0	7.0		6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0
J.W. CHEATHAM, LLC				(2020)			SPRIDE	7.4	7.4		7.0	6.6	6.5			8.0	7.3	8.0	7.9	7.9	7.9
93310000	22.010	23.605	L	1	1	35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0	7.0	7.0	7.0	
710			2	14.7		18100	RIDE	8.3	8.2	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7	7.5	7.3	7.5	
AVE U(22.2L)						FC125M															
2298961	22.836	23.655	C	2016		0213	CRACKING	7.0	7.0		10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0
J.W. CHEATHAM, LLC				(2020)			SPRIDE	7.4	7.4		7.9	7.5	7.1			7.4	7.1	7.2	7.0	7.0	6.5
93310000	20.631	22.010	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0				10.0
710			2	10.5		13300	RIDE	8.3	8.2	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7				8.3
42ND WAY(20.7L)						FC95															
2298971	20.631	21.994	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2011)							SPRIDE	8.3	8.1	7.6	8.0	8.0	7.9	7.9	7.7	7.7	7.7	7.8	7.8	7.7	7.5
93310000	16.900	20.631	L	1	1	55	CRACKING	6.5	5.5*	5.5*	3.5*	2.5*	2.5*	2.5*	2.5*	2.5*	10.0	10.0	10.0	10.0	
710			2	10.1		24000	RIDE	8.2	8.1	8.0	7.9	7.7	6.8	6.6	6.6	6.5	8.1	8.1	8.1	8.1	8.1
CR 809A(17.0C)						FC5M															
2298151	16.861	20.474	C	2006		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.0
RANGER CONSTRUCTION INDUST(2008)							RIDE	8.1	8.1	8.1	8.1	8.0	8.0	8.0	7.9	8.0	8.0	8.0	7.9	8.0	7.9
4192511	17.006	20.148	C	2023		0213															
93310000	11.800	16.900	L	1	1	55	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	
710			2	15.6		15700	RIDE	8.6	8.6	8.5	8.5	8.1	7.7	7.7	7.6	7.6	8.1	8.1	8.0	8.1	
BEELINE HWY(13.5L)						FC5															
4036191	11.800	16.930	C	2005		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5
COMMUNITY ASPHALT CORP.				(2008)			SPRIDE	8.1	8.2	8.1	8.2	8.1	8.0	8.1	8.0	8.0	8.0	8.0	8.0	7.9	7.9
93310000	7.912	11.800	L	1	1	60	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	10.0	
710			2	21.7		14400	RIDE	8.8	8.8	8.8	8.7	8.5	8.0	7.9	7.8	7.6		8.3	8.2	8.2	
CALOOSA BLVD W(8.2L)						FC5M															
4137981	7.228	11.800	C	2006		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.3
RANGER CONSTRUCTION INDUST(2009)							RIDE	8.3	8.2	8.1	8.2	8.3	8.2	8.2	8.1	8.2	8.2	8.2	8.2	8.1	8.1
4484391	6.900	11.800	C	2028		0012															
93310000	6.900	7.912	L	1	1	60	CRACKING	7.5	7.0	7.0	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
710			2	21.7		14400	RIDE	7.9	7.8	8.3	7.7	7.3	5.7*	7.8	7.7	7.9	7.8	7.8	7.7	7.7	
CR 711(7.4L)						FC5M															
4061301	5.006	7.500	C	2003		0012	CRACKING	9.0	8.0	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.0
COMMUNITY ASPHALT CORP.				(2005)			SPRIDE	7.6	7.5	7.3	7.0	7.4	7.5	7.4	7.0	7.6	8.4	8.6	8.3	8.4	8.0
4484391	6.900	11.800	C	2028		0012															
93310000	5.631	6.900	L	1	7	60	CRACKING	3.0*	0.0*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
710			2	24.3		7463	RIDE	7.8	7.4	7.3	7.2	6.8	7.2	7.8	7.7	7.9	7.8	7.8	7.7	7.7	
ENTRANCE RD N(6.4L)						FC2															
4460971	5.597	6.888	C	2023		0012	CRACKING	9.0	9.0	9.0	8.0	8.0		6.5	6.5	6.5	4.5*	3.5*	3.5*	10.0	
J.W. CHEATHAM, LLC				(2024)			SPRIDE	7.6	7.7	7.7	7.5	7.7		7.4	7.4	7.6	7.6	7.6	7.8	8.2	
93310000	0.000	5.631	L	1	1	60	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.0	7.0	5.0*	4.5*	4.5*	4.5*	4.5*	
710			2	24.3		7463	RIDE	8.8	8.8	8.7	8.8	8.5	8.1	7.9	7.6	7.5	7.0	6.9	6.6	6.6	
CR 706(1.6L)						FC5M															
4327041	1.941	5.225	C	2014		0213	CRACKING	2.0*	10.0	10.0	10.0	10.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.7
				(2018)			RIDE	6.5	8.4	8.4	8.4			8.4	8.3	8.4	8.5	8.5	8.5	8.4	8.4
93470000	0.000	2.996	R	5	1	65	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0	
91			3	13.6		110900	RIDE	8.5	8.2	8.4	8.3	8.4	8.4	8.8	8.8	8.8	8.8	8.0	8.0	8.0	
						FC5M															
4170241	0.000	3.000	C	2007		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3
RANGER CONSTRUCTION INDUST(2009)							SPRIDE	8.0	7.9	8.0	7.9	8.0	8.0	7.9	7.9	8.1	8.1	8.1	8.1	8.1	8.1
4182145	0.000	3.406	C	2025		0548															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT	AT	(MP	SIDE)				*****													(REG)	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
93470000	2.996	8.152	R	5	1	65	CRACKING	7.5	6.0*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
91				3	13.6	103300	RIDE	8.7	8.6	7.5			7.8	7.8	7.5	7.5	7.5	7.3	7.2	7.1	
							FC5M														
4310791	2.996	7.976	C	2013		0012	CRACKING	9.5	9.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
COMMUNITY	ASPHALT	CORP.		(2015)			SPRIDE	7.1	7.1	7.1	8.0	8.0	8.0	8.0	7.9	8.1	8.0	8.1	8.0	8.0	8.0
4171321	3.660	7.035@	C	2027		0213															
93470000	8.152	13.608	R	5	1	65	CRACKING	7.5	6.0*	5.5*	5.5*	5.5*	5.5*	5.0*		10.0	10.0	10.0	10.0		
91				3	13.6	97678	RIDE	8.7	8.6	7.5	8.6	8.4	7.7	7.3		8.2	8.1	7.9	7.9		
							FC5M														
4379911	8.181	14.071	R	2019		0012	CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.9	
RANGER	CONSTRUCTION	INDUST		(2021)			SPRIDE	7.9	7.9	7.8		8.5	8.5	8.6	8.5	8.6	8.7	8.7	8.7	8.7	8.7
93470000	13.608	21.695	R	5	8	65	CRACKING	8.0	7.5		10.0	10.0	10.0	10.0	10.0	9.5	9.5	10.0	10.0	10.0	
91				3	16.1	82800	RIDE	9.0	8.8		8.9	8.8	8.4	8.3	8.2	8.2	7.9	8.1	7.9	7.9	
							FC2														
							CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5					
4061441	14.000	21.000@	C	2019		0213	RIDE	7.9	7.9	7.8	7.1	7.8	7.8	7.8	7.7	7.9					
93470000	21.695	29.210	R	5	1	70	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
91				2	13.6	83000	RIDE	8.5	9.0	9.0	9.0	8.9	8.0	8.0	8.1	8.2	8.1	8.1	8.0	7.9	
							FC5M														
4351711	21.287	26.260	R	2017		0012	CRACKING	10.0	10.0	9.0	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0
COMMUNITY	ASPHALT	CORP.		(2021)			SPRIDE	7.9	7.7	7.6	7.6	7.8	7.8	7.8	7.7		8.6	8.6	8.6	8.6	8.6
93470000	29.210	30.499	R	5	1	70	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.0	6.5	6.5	5.5*	5.5*	
91				2	19.2	72500	RIDE	8.7	8.6	8.6	8.6	8.5	7.9	7.8	7.8	7.8	7.7	7.5	7.4	7.3	
							FC5M														
4351721	29.410	32.900	C	2017		0012	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0		10.0	10.0	8.0	8.0	3.8	
COMMUNITY	ASPHALT	CORP.		(2021)			SPRIDE	7.5	7.2	8.1	8.1	8.1	8.1	8.1		8.6	8.6	8.0	8.1	7.0	
4061436	27.800	32.800	C	2026		0213															
93470000	30.499	39.000	R	5	1	70	CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
91				2	19.2	55449	RIDE	8.7	8.6	8.5	8.6	8.4	7.8	7.8	7.9	8.0	8.0	8.0	7.9	7.8	
							FC5M														
							CRACKING	9.5	9.5	9.0	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0
							RIDE	7.8	7.7	7.6	7.5	8.1	8.2	8.1	8.0		8.6	8.6	8.6	8.6	8.6
93470000	39.000	44.561	R	5	7	70	CRACKING	9.0	9.0	8.5	8.5	7.5	7.0	6.0*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
91				2	19.2	55449	RIDE	8.9	8.9	8.9	8.9	8.7	8.2	8.2	8.1	8.1	7.9	8.2	8.2	8.2	
							FC5M														
4426241	39.020	44.560	C	2022		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	10.0	
OHLA USA,	INC.			(2024)			SPRIDE	8.0	8.1	8.1	8.0	8.3	8.2	8.2	8.1	8.4	8.3	8.3	8.2	8.8	
4157484	36.804	44.319	C	2029		0213															
93470000	39.000	44.561	L	5	7	70	CRACKING	10.0	10.0	9.0	8.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.5	
91				2	19.2	55449	RIDE	8.9	8.9	8.8	8.9	8.7	8.0	7.7	7.5	7.5	7.3	8.2	8.1	8.0	
							FC5M														
4426241	39.020	44.560	C	2022		0012	CRACKING	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	10.0
OHLA USA,	INC.			(2024)			SPRIDE	8.0	7.9	7.9	7.9	8.1	8.1	8.1	8.0	8.3	8.3	8.3	8.2	8.7	
4157484	36.804	44.319	C	2029		0213															
93470000	30.499	39.000	L	5	1	70	CRACKING	10.0	10.0	9.0	8.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.5	
91				2	19.2	55449	RIDE	8.9	8.9	8.8	8.9	8.7	8.0	7.7	7.5	7.5	7.3	8.2	8.1	8.0	
							FC5M														
4365211	32.881	38.993	L	2018		0012	CRACKING	9.5	9.5	8.5	8.5	8.5	8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0
RANGER	CONSTRUCTION	INDUST		(2021)			SPRIDE	8.0	7.9	7.9	7.9	8.1	8.1	8.1	8.0		8.8	8.7	8.7	8.7	8.5
93470000	29.210	30.499	L	5	1	70	CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	
91				2	19.2	72500	RIDE	8.6	8.8	8.7	8.8	8.6	8.0	7.9	7.6	7.7	7.2	7.0	7.2	7.0	
							FC5M														
4351721	29.410	32.900	C	2017		0012	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0		10.0	10.0	8.0	8.0	3.8	
COMMUNITY	ASPHALT	CORP.		(2021)			SPRIDE	6.8	6.4*	8.2	8.2	8.3	8.3	8.3	8.2		8.8	8.7	8.2	8.3	7.2
4061436	27.800	32.800	C	2026		0213															
93470000	21.695	29.210	L	5	1	70	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
91				2	13.6	83000	RIDE	8.1	9.0	9.0	9.1	8.9	8.4	8.4	8.3	8.4	8.4	8.3	8.1	8.1	
							FC5M														
4351711	24.690	29.248	L	2017		0012	CRACKING	9.5	8.5	8.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY	ASPHALT	CORP.		(2021)			SPRIDE	8.1	7.9	7.8	7.7	8.0	7.9	7.9	7.8		8.8	8.7	8.8	8.9	8.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE			
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029			
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKMX-P		=====													(REG)	
CONTRACTOR (AGE_ONE YEAR)		W_BMP		W_EMP		FY-F		WKMX-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024		
ITMSEG-F		W_BMP		W_EMP		RW		FY-F		WKMX-F														
93470000	13.608	21.695	L	5	8	65	CRACKING	6.5	6.5		10.0	10.0	10.0	9.0	8.5	8.5	7.0	6.5	6.5					
91				2	16.1	82800	RIDE	8.4	8.1		8.7	8.5	8.1	8.1	8.0	8.1	8.0	8.1	7.7					
							FC5																	
							CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0						
							RIDE	7.9	7.8	7.8	7.8	7.9	8.1	8.0	8.0	8.0	8.3							
4061441	14.000	21.000@	C	2019		0213																		
93470000	8.152	13.608	L	5	1	65	CRACKING	8.0	6.0*	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0				
91				3	13.6	97678	RIDE	8.6	8.5	8.4	8.4	8.4	7.5	7.5	7.5		8.0	8.0	8.0	7.9				
							FC5M																	
4379911	8.726	14.071	L	2019		0012	CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
RANGER CONSTRUCTION INDUST				(2021)			SPRIDE	7.9	7.8	7.8		8.5	8.7	8.5	8.6	9.0	8.6	8.7	8.6	8.6	8.6	8.6		
93470000	2.996	8.152	L	5	1	65	CRACKING	8.0	6.0*	5.5*			10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5				
91				3	13.6	103300	RIDE	8.6	8.5	8.4			7.7	7.6	7.6	7.6	7.7	7.3	7.2	7.3				
							FC5M																	
4310791	2.996	7.976	C	2013		0012	CRACKING	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	8.0	6.8			
COMMUNITY ASPHALT CORP.				(2015)			SPRIDE	6.8	7.0	6.5	8.1	8.2	8.4	8.2	8.3	8.3	8.5	8.2	8.2	8.2	8.2	8.2		
4171321	3.660	7.035@	C	2027		0213																		
93470000	0.000	2.996	L	5	1	65	CRACKING	9.0	8.5	8.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	10.0	10.0	10.0				
91				3	13.6	110900	RIDE	8.5	8.3	8.4	8.3	8.4	7.6	7.6	7.2	7.6	7.6	8.2	8.2	8.2				
							FC5M																	
4170241	0.000	3.000	C	2007		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5			
RANGER CONSTRUCTION INDUST				(2009)			SPRIDE	8.3	8.2	8.2	8.1	8.0	8.3	8.0	8.2	8.2	8.4	8.2	8.1	8.1	8.1	8.1		
4182145	0.000	3.406	C	2025		0548																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).