

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE	
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2023	2024	2025	2030
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P	ASTYPE	=====	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W BMP	W EMP	RW	FY-F	WKMX-F																			
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																			
93001000	0.000	1.954	C	1	1 55	CRACKING		7.5	7.0	6.5	5.0*	5.0*	5.0*	5.0*	3.5*	1.0*	1.0*	1.0*				10.0		
786			2	9.7	3500	RIDE		8.5	8.4	8.4	8.0	7.3	7.4	7.1	7.2	7.1	6.9	6.8				8.7		
BEELINE HWY(0.0C)					FC95M																			
2293962	0.000	1.980	C	2015	0102	CRACKING		10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
				(2018)		RIDE		8.7	8.6	8.3	8.3			8.8	8.6	8.6	8.7	8.6	8.6	8.6	8.6	8.6	8.2	
93001000	1.954	2.610	C	1	1 55	CRACKING		7.5	7.0	6.5	5.0*	5.0*	5.0*	5.0*	3.5*	1.0*	1.0*	1.0*				10.0		
786			2	9.7	3500	RIDE		8.5	8.4	8.4	8.0	7.3	7.4	7.1	7.2	7.1	6.9	6.8				8.7		
SIDE ROAD(2.0R)					FC95																			
				(2018)		CRACKING		10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	8.5	8.5	8.0	7.7	7.8	7.4	
						RIDE		8.7	8.6	8.3	8.3			8.2	8.1	8.1	7.9	8.0	8.0	7.7	7.8	7.4		
93001000	2.610	3.888	R	1	1 45	CRACKING		7.5	7.0	6.5	5.0*	5.0*	5.0*	5.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0		
786			2	3.7	23500	RIDE		8.5	8.4	8.4	8.0	7.3	7.4	7.1	7.2	7.1	8.1	7.9	7.9	7.9	7.9	7.9		
JOG RD(3.0R)					DGFC																			
				(2009)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.4	7.3	7.3	6.9	
						RIDE		7.9	7.9	7.8	7.5	7.4	7.3	7.0	7.4	7.3	7.3	7.2	7.3	7.2	7.3	7.3		
93001000	3.888	4.127	R	1	1 45	CRACKING		10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0		
786			3	3.7	23500	RIDE		7.7	7.9	7.8	7.5	6.8	6.8	6.7	6.8		7.8	7.6	7.6	7.5	7.5	7.5		
AV OF CHAMPIONS(3.9R)					DGFC																			
				(2009)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	7.2	7.2	8.0	
						RIDE		7.4	7.4	7.5	7.0	7.1	7.0	7.0	7.0	10.0	10.0	7.0	7.1	7.1	7.2	6.8		
93001000	4.127	6.117	R	1	1 45	CRACKING		10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		
786			3	3.7	42500	RIDE		7.9	7.8	7.8	7.5	6.8	6.8	6.7	6.8	6.6	6.5	6.3	6.2	6.1	6.1	6.1		
FAIRWAY DR(4.1R)					FC125																			
4216821	4.127	5.860	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.6	7.5	7.4		
COMMUNITY ASPHALT CORP.				(2013)		RIDE		8.1	8.0	8.0	8.0	8.0	7.8	7.5	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8		
93001000	6.117	6.700	R	1	1 45	CRACKING		4.5*	3.5*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
786			4	3.2	67500	RIDE		6.7	6.8	6.7	6.3*	6.3*		7.1	7.1	7.2	7.4	7.2	7.1	7.0	7.0	7.0		
RCA BLVD(6.3R)					FC5																			
				(2006)		CRACKING		10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	0.5*		
						RIDE		7.2	7.2	7.1	7.4	7.4	7.5	7.3	7.3	7.2	6.9	7.1	7.4	7.2	7.0	7.0		
4461741	6.114	7.036	C	2024	0012																			
93001000	6.700	7.020	R	1	6 45	CRACKING		4.5*	3.5*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
786			3	5.8	48500	RIDE		6.7	6.8	6.7	6.3*	6.3*		7.1	7.1	7.2	7.1	6.6	6.6	6.6	6.6	6.6		
LAKE VICTORIA(6.7R)					FC5																			
				(2006)		CRACKING		10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	0.5*		
						RIDE		6.6	6.4	6.5	6.8	6.5	6.7	6.3	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6		
4461741	6.114	7.036	C	2024	0012																			
93001000	7.020	7.763	R	1	1 45	CRACKING		4.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
786			3	5.8	48500	RIDE		6.7	6.8	6.7	6.3*	8.3	8.3	8.3	8.3	8.4	8.3	8.2	8.2	8.2	8.2	8.2		
CAMPUS DR(7.3R)					FC125																			
2297561	6.992	8.540	C	2002	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.3	6.5		
COMMUNITY ASPHALT CORP.				(2004)		SPRIDE		8.0	8.0	8.0	7.8	7.8	7.6	7.7	7.7	7.7	7.6	7.7	7.6	7.6	7.6	7.2		
93001000	7.763	8.112	R	1	6 40	CRACKING		4.5*	3.5*	1.0*	1.0*	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		
786			3	5.8	48500	RIDE		6.7	6.8	6.7	6.3	6.4	6.3	6.6	6.2	6.2	6.2	6.2	6.1	6.1	6.1	6.1		
PROSPERITY FARM RD(8.0C)					DGFC																			
				(2013)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0		
						RIDE		7.8	7.7	7.3	7.1	7.0	6.2	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4		
93001000	8.112	8.412	R	1	6 40	CRACKING		4.5*	3.5*	1.0*	1.0*	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0		
786			3	5.5	32000	RIDE		6.7	6.8	6.7	6.3	6.4	6.3	6.6	6.2	6.2	7.9	7.9	7.9	7.9	7.9	7.6		
KIDD LN(8.2R)					DGFC																			
				(2009)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	7.5		
						RIDE		7.7	7.7	7.9	7.6	7.7	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		
93001000	8.412	8.636	R	1	6 40	CRACKING		4.5*	3.5*	1.0*	1.0*	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
786			2	5.9	25500	RIDE		6.7	6.8	6.7	6.3	6.4	6.3	6.6	6.6	6.5	6.7	6.4	6.5	5.7	5.7	5.7		
ELLISON WILSON RD(8.4C)					DGFC																			
				(2007)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.4	7.0		
						RIDE		5.7	6.3	6.6	6.5	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)																									
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKMX-P																				
CONTRACTOR (AGE ONE YEAR)					ASTYPE																				
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																				2030 (PMRS)
93001000	8.412	8.636	L	1	6 40	CRACKING		4.5*	3.5*	1.0*	1.0*	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
786			2	5.9	25500	RIDE		6.6	6.6	6.6	6.1	5.8	6.0	5.3*	6.3	6.5	6.4	6.6	7.2	6.3					
ELLISON WILSON RD(8.4C)					DGFC																				
					(2007)	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.3	7.0			
						RIDE		6.0	6.6	6.4															
93001000	8.112	8.412	L	1	1 40	CRACKING		4.5*	3.5*	1.0*	1.0*	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
786			3	5.5	32000	RIDE		6.6	6.6	6.6	6.1	5.8	6.0	5.3*	5.3*	5.6	7.5	7.1	7.0	7.0					
					DGFC																				
					(2009)	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
						RIDE		6.9	6.9	7.3	6.9	6.9	6.7	6.5	6.5	6.7	6.7	6.6	6.5	6.9	6.5				6.5
93001000	7.763	8.112	L	1	1 40	CRACKING		4.5*	3.5*	1.0*	1.0*	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
786			3	5.8	48500	RIDE		6.6	6.6	6.6	6.1	5.8	6.0	5.3*	5.3*	5.6	5.2*	5.4*	5.0*						
MOBILE HOME PARK ENT(7.8L)					DGFC																				
					(2013)	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	8.0			
						RIDE		7.7	7.5	7.5	7.2	7.0	6.5	6.9	6.5	6.3	6.6	6.2	6.6	6.6	6.6	6.2			6.2
93001000	7.020	7.763	L	1	1 45	CRACKING		4.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
786			3	5.8	48500	RIDE		6.6	6.6	6.6	6.1*	7.9	7.9	7.7	8.0	8.0	8.0	7.8	7.7	7.8					
CAMPUS(7.3L)					FC125																				
2297561	6.992	8.540	C	2002	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	7.0				
COMMUNITY ASPHALT CORP.					(2004)	SPRIDE		7.8	7.7	7.6	7.5	7.5	7.4	7.1	7.4	7.4	7.3	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.0
93001000	6.117	7.020	L	1	1 45	CRACKING		4.5*	3.5*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
786			3	5.8	48500	RIDE		6.6	6.6	6.6	6.1*	7.2		7.6	7.7	7.6	7.7	7.5	7.5	7.5	7.4				
LAKE VICTORIA GARDEN(6.7L)					FC5																				
					(2006)	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.2	4.0*				
						RIDE		7.1	7.1	7.2	7.4	7.4	7.4	7.1	7.3	7.3	7.4	7.3	7.2	7.2	7.0				7.0
4461741	6.114	7.036	C	2024	0012																				
93001000	4.127	6.117	L	1	1 45	CRACKING		9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*	5.5*	3.5*	3.5*					
786			3	3.7	42500	RIDE		7.4	7.5	8.0	7.7	6.5	6.9	6.9	7.0	6.9	6.7	6.7	6.8	6.6					
OLD PALM DR(4.5L)					FC125																				
4216821	4.127	5.860	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.2	7.0				
COMMUNITY ASPHALT CORP.					(2013)	RIDE		8.4	8.3	8.1	8.1	8.0	7.7	7.6	7.8	7.8	7.8	7.8	7.8	7.9	7.5				
93001000	3.888	4.127	L	1	1 45	CRACKING		10.0	10.0	9.0	8.0	8.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0					
786			3	3.7	23500	RIDE		7.7	8.0	8.0	7.7	6.5	6.9	6.9	7.0		7.8	7.7	7.5	7.7					
MIRASOL DR(3.9L)					DGFC																				
					(2009)	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.7	6.5				
						RIDE		7.5	7.5	7.3	7.1	7.2	7.1	9.0	9.0	9.0	9.0	7.1	7.0	7.0	6.6				6.6
93001000	2.610	3.888	L	1	1 45	CRACKING		7.5	7.0	6.5	5.0*	5.0*	5.0*	5.0*	3.5*	1.0*	10.0	10.0	10.0	10.0					
786			2	3.7	23500	RIDE		8.5	8.4	8.4	8.0	7.3	7.4	7.1	7.2	7.1	7.9	7.8	7.8	7.8					
JOG RD(3.0L)					DGFC																				
					(2009)	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.8	6.5				
						RIDE		7.8	7.8	7.5	7.1	7.4	7.3	6.9	7.2	7.3	7.3	7.2	7.3	7.3	6.9				6.9
93002000	0.000	0.574	R	1	1 35	CRACKING		8.0	8.0	8.0	8.0	8.0	6.5	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*					
800			2	3.6	17600	RIDE		7.1	7.4	7.0	6.6	6.7	6.3	5.7	6.5	6.4	6.0	5.5	5.8	5.3*					
FEDERAL HWY(0.0C)					FC95																				
4216831	0.023	0.568	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.6	7.5				
WEEKLEY ASPHALT PAVING, IN(2013)						RIDE		7.6	7.2	7.2	7.0	7.1	7.1	6.4	6.9	6.9	6.9	6.5	6.6	6.2	5.8				
93002000	0.000	0.574	L	1	1 35	CRACKING		8.0	8.0	8.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*					
800			2	3.6	17600	RIDE		7.3	7.7	7.2	7.8	6.6	6.2	5.8	6.8	6.4	6.7	6.4	6.3	6.0					
FEDERAL HWY(0.0C)					FC95																				
4216831	0.023	0.568	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.0	8.0	8.5	7.5				
WEEKLEY ASPHALT PAVING, IN(2013)						RIDE		7.6	7.4	7.5	7.4	7.4	6.6	6.5	6.9	6.7	6.9	6.6	6.9	6.6	6.2				
93004000	0.000	4.647	R	1	1 45	CRACKING		9.0	8.0	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*		10.0					
808			3	3.3	51500	RIDE		8.3	8.3	8.1	7.8	7.5	7.6	7.4	7.5	7.4	7.3	7.2		8.8					
SR 7(0.0C)					FC95																				
4153081	2.020	4.779	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	9.0				
COMMUNITY ASPHALT CORP.					(2012)	SPRIDE		8.6	8.6	8.5	8.5	8.5	7.9	7.7	7.8	7.9	7.9	7.8	8.0	8.0	8.0	7.6			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE
INTERSECT AT (MP SIDE)						=====															
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE ONE YEAR)					ASTYPE																
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																2030 (PMRS)
93004000	4.647	6.106	R	1	7 45	CRACKING	10.0	10.0	9.0	8.0	8.0	8.0	8.0	6.5	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	
808			3	4.4	56500	RIDE	8.3	8.3	8.4	7.6	7.3	7.3	7.2	7.2	7.3	7.2	7.2	7.0	7.0	7.0	
RENAISSANCE WAY(4.9R)					FC2																
				(2025)		CRACKING	3.5*	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		10.0	9.0
						RIDE	6.6	8.3	8.3	8.1	8.0	8.0	7.9	7.7	7.8	7.9	7.9	7.8		7.6	7.4
93004000	6.106	7.615	R	1	1 45	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	
808			3	3.4	23500	RIDE	6.0*	6.4*	6.5	6.0*	5.2*	7.4	7.4	7.3	7.3	7.2	8.0	8.0	8.0	8.0	
NW 7 AVE(6.4R)					FC125																
2297811	6.500	7.238	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.3	7.0
WEEKLEY ASPHALT PAVING, IN(2009)					SPRIDE		7.9	8.0	7.9	7.7	7.7	7.9	7.7	7.8	7.9	7.9	7.9	7.8	7.4	7.2	6.8
93004000	6.106	7.615	L	1	1 45	CRACKING	10.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	
808			3	3.4	23500	RIDE	6.4*	4.3*	6.4*	6.4*	5.8*	7.3	7.4	7.4	7.5	6.9	8.0	7.9	8.0	8.0	
SPUR(6.6L)					FC125																
2297811	6.500	7.238	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	8.4	7.0
WEEKLEY ASPHALT PAVING, IN(2009)					SPRIDE		8.0	8.0	7.9	7.8	7.8	7.8	7.8	7.8	8.0	7.9	8.0	7.9	7.3	7.3	6.9
93004000	4.647	6.106	L	1	7 45	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	5.5*	5.5*	3.5*	3.5*	3.5*	
808			3	4.4	56500	RIDE	8.1	8.1	8.1	7.6	7.4	7.4	7.3	7.4	7.4	6.9	7.4	7.3	7.1	7.1	
COMMERCIAL TR(4.9L)					FC2																
				(2025)		CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5		10.0	9.0
						RIDE	6.8	8.3	8.3	8.1	8.1	7.8	7.8	8.0	8.0	7.9	8.0	7.9		7.6	7.4
93004000	2.500	4.647	L	1	1 45	CRACKING	9.0	8.0	7.5	7.5	7.5	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*		10.0	
808			3	3.3	51500	RIDE	8.1	8.1	8.1	7.9	7.4	7.4	7.3	7.4	7.3	7.2	7.2			8.8	
BOCA WEST DR(2.7L)					FC95																
4153081	2.020	4.779	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	9.2	8.0
COMMUNITY ASPHALT CORP. (2012)					SPRIDE		8.7	8.6	8.5	8.5	8.5	7.8	7.8	8.0	7.9	8.0	7.9	8.3	8.3	8.3	7.9
93004000	0.000	2.500	L	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.0	7.0	7.0	7.0	7.0	5.5*	
808			3	11.7	36000	RIDE	8.6	8.6	8.5	8.3	7.7	7.7	7.5	7.7	7.4	7.4	7.2	7.1	6.4		
SR 7(0.0C)					FC95																
4270141	0.042	1.195	C	2013	0012	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5
WEEKLEY ASPHALT PAVING, IN(2016)					SPRIDE		6.3	6.4	8.1	7.7	7.6	7.8	7.4	7.6	7.7	7.3	7.4	7.5	7.5	7.1	
93005000	0.000	1.549	R	1	1 45	CRACKING	6.5	5.5*	4.5*	4.5*	4.5*				10.0	10.0	10.0	9.0	9.0	9.0	
794			4	5.0	40500	RIDE	7.4	7.4	7.1	7.7	6.8				7.7	7.4	7.4	7.4	7.3	7.4	
MILITARY TR(0.0C)					DGFC																
2298081	0.000	1.447	C	2003	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	8.1	6.5	
				(2007)	RIDE		7.3	7.1	7.2	7.1	7.1	6.9	6.8	6.7	6.8	6.8	6.8	6.7	6.8	6.8	6.4
93005000	1.549	2.780	R	1	1 45	CRACKING	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
794			3	5.7	46500	RIDE	7.4	6.9	7.1	7.4	8.0	7.5	7.8	8.0	7.7	7.8	7.9	7.2	7.5		
NW 4TH AVE(2.1R)					FC125																
2297581	1.174	2.780	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.8	7.0	
COMMUNITY ASPHALT CORP. (2004)					RIDE		7.4	7.6	7.3	7.8	7.7	7.6	7.0	7.2	7.3	7.3	7.5	7.3	7.1	6.7	
4476571	2.128	2.761	C	2025	0012																
93005000	1.549	2.780	L	1	1 45	CRACKING	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
794			3	5.7	46500	RIDE	7.0	6.9	6.9	7.5	7.7	7.6	7.7	7.7	7.7	7.7	8.1	7.7	7.5	7.3	
NW 5TH AVE(2.1L)					FC125																
2297581	1.174	2.780	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.7	7.0	
COMMUNITY ASPHALT CORP. (2004)					RIDE		7.2	7.3	7.0	7.5	7.6	6.5	6.6	6.8	7.1	7.1	7.1	7.0	7.1	6.7	
4476571	2.128	2.761	C	2025	0012																
93005000	0.000	1.549	L	1	1 45	CRACKING	6.5	5.5*	4.5*	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	
794			4	5.0	40500	RIDE	7.1	7.7	7.2	7.1	6.8				8.0	7.9	7.6	7.8	7.9	7.8	
MILITARY TR(0.0C)					DGFC																
2298081	0.000	1.447	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.5	7.5	7.5	8.5	7.0	
				(2007)	RIDE		7.4	7.7	7.6	7.7	7.6	7.4	7.1	7.3	7.4	7.4	7.3	7.3	7.2	6.8	
93006000	2.078	4.225	R	1	1 40	CRACKING	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
807			3	2.6	46000	RIDE	6.9		8.7	8.5	7.9	7.9	8.0	8.2	8.0	8.0	8.0	7.9	7.8	7.8	
LAKE WORTH RD(2.1C)					FC3																
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	6.0*
COMMUNITY ASPHALT CORP. (2002)					S RIDE		7.5	7.4	7.5	7.8	7.8	7.7	7.5	7.6	7.6	7.6	7.6	7.6	7.5	7.4	7.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.

@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)																									
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKMX-P			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030				
CONTRACTOR (AGE ONE YEAR)					ASTYPE																(PMRS)				
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																				
93006000	4.225	4.534	R	1	1 40	CRACKING	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0				
807			3	4.3	41000	RIDE	7.0			8.0	7.6	7.1	7.4	7.3	7.6	7.3	7.2	7.2	7.5	7.5					
APALACHEE RD(4.3R)					FC3																				
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.1	5.5*				
COMMUNITY ASPHALT CORP.				(2002)	S	RIDE	7.0	6.9	6.9	7.3	7.5	7.3	6.9	7.3	7.1	7.3	6.9	7.1	7.2	6.8					
93006000	4.534	5.462	R	1	1 40	CRACKING	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0					
807			3	3.5	31500	RIDE	7.0			8.5	8.7	8.1	7.6	7.9	8.1	8.0	8.0	9.0	7.7	7.8	7.8				
CHEROKEE RD(4.6R)					FC3																				
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	8.2	6.5				
COMMUNITY ASPHALT CORP.				(2002)	S	RIDE	7.6	7.3	7.2	7.6	7.6	7.5	7.4	7.4	7.3	7.3	7.3	7.3	7.2	7.3	6.9				
93006000	5.462	5.872	R	1	1 40	CRACKING	10.0					10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0					
807			3	5.2	35500	RIDE	7.0					8.0	8.0	7.9	8.0	7.9	7.9	7.9	7.8	7.8					
KENTUCKY ST(5.6R)					FC3																				
				(2004)		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.3	6.5				
						RIDE	7.8	7.7	7.7	7.7	7.8	7.8	7.6	7.7	7.6	7.5	7.4	7.6	7.5	7.1	6.7				
93006000	5.462	5.872	L	1	1 40	CRACKING	10.0			10.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0					
807			3	5.2	35500	RIDE	6.4*			8.7		8.2	7.3	8.1	8.2	7.9	8.0	7.9	7.9	7.8					
GUN CLUB RD(5.9L)					FC3																				
				(2004)		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.8	6.0*				
						RIDE	7.8	7.5	7.4	7.4	7.6	7.1	6.9	7.1	6.7	7.1	6.9	7.1	7.1	7.1	6.7				
93006000	4.563	5.462	L	1	1 40	CRACKING	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0					
807			3	3.5	31500	RIDE	6.4*			8.7	8.0	8.0	8.0	8.1	8.2	8.1	8.1	8.0	8.0	8.0					
MELALEUCA DR(4.7C)					FC3																				
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.0				
COMMUNITY ASPHALT CORP.				(2002)	S	RIDE	8.0	7.9	7.8	8.0	8.1	7.9	7.8	7.9	7.8	7.8	7.6	7.8	7.7	7.3					
93006000	4.250	4.563	L	1	6 40	CRACKING	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0					
807			3	3.5	31500	RIDE	7.2			8.4	8.3	7.6	7.7	7.6	7.7	7.6	7.6	7.5	7.4	7.3					
FOREST HILL BLVD(4.4C)					FC3																				
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.0*	6.0*	7.0	5.5*				
COMMUNITY ASPHALT CORP.				(2002)	S	RIDE	7.1	7.0	6.9	7.1	7.3														
93006000	2.078	4.250	L	1	1 40	CRACKING	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0					
807			3	4.3	41000	RIDE	5.9*			8.5	8.3	7.7	7.7	7.7	7.7	7.7	7.7	7.6	7.4	7.5					
LAKE WORTH RD(2.1C)					FC3																				
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.6	6.0*				
COMMUNITY ASPHALT CORP.				(2002)	S	RIDE	7.3	7.2	7.2	7.5	7.5	7.5	7.3	7.0	7.1	7.1	7.1	6.6	7.0	7.0	6.6				
93006100	0.000	1.015	R	1	1 45	CRACKING											10.0	10.0	10.0	10.0					
807			3	5.2	35500	RIDE											8.2	8.1	8.2	8.2					
RANCH HOUSE RD(0.0R)					DGFC																				
				(2009)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.3	7.0				
						RIDE	8.1	8.1	8.1	7.7	7.8	7.8	7.7	7.7	7.7	7.7	7.6	7.7	7.7	7.7	7.3				
93006100	0.000	1.015	L	1	1 45	CRACKING											10.0	10.0	10.0	10.0					
807			3	5.2	35500	RIDE											8.3	8.2	8.2	8.3					
GUN CLUB RD(0.0L)					DGFC																				
				(2009)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.0				
						RIDE	8.2	8.0	8.2	7.8	7.7	7.8	7.7	7.8	7.8	7.8	7.8	7.7	7.8	7.8	7.4				
93010000	0.000	1.434	R	1	1 45	CRACKING	10.0	10.0	9.0	9.0	7.5	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*					
5			3	3.8	29000	RIDE	8.6	8.6	8.6	8.4	8.0	8.0	8.0	7.6	7.9	7.9	7.9	8.0	7.8	7.8					
SPUR(0.3R)					FC95																				
4153101	0.000	1.288	R	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.7	7.5				
WEEKLEY ASPHALT PAVING, IN(2013)						RIDE	8.2	8.2	8.1	8.0	8.0	8.0	7.9	7.8	7.8	7.8	7.9	7.8	7.8	7.7	7.3				
93010000	1.434	2.691	R	1	1 35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	5.5*					
5			2	2.5	28500	RIDE	8.4	8.2	8.3	7.5	7.0	7.1	7.0	7.2	7.1	7.0	6.8	6.8	6.8	6.9					
SE 3 ST(1.5C)					FC125M																				
4246461	1.434	2.287	R	2012	0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.0				
RANGER CONSTRUCTION INDUST(2014)						RIDE	6.8	8.2	8.3	8.0	8.1	7.5	7.9	7.5	7.6	7.6	7.6	7.6	7.6	7.8	7.4				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

```

**" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
**" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2030 FORECASTED BY PAVEMARS (PMRS).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																									
RDWYID	SR	US	BMP	G_BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	RATINGS	SURVEYED YEAR												FUTURE	
INTERSECT AT (MP SIDE)	AT	(MP SIDE)	W_BMP	W_EMP	RW	FY-P	W_KMX-P	ASTYPE				2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2030
CONTRACTOR (AGE_ONE YEAR)												2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	(PMRS)
ITMSEG-F			W_BMP	W_EMP	RW	FY-F	W_KMX-F																		
93010000	5	1	6.801	7.931	L	1	45	CRACKING	8.5	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0		
TROPIC ISLE DR(7.0L)					2	3.2	29500	RIDE	7.9	7.8	7.8	7.4	6.5	6.6	6.0	6.4	5.9	6.2	7.5	7.5	7.5				
4138391			6.813	7.940	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	6.8	5.5*			
WEEKLEY ASPHALT PAVING, IN(2010)								SPRIDE	7.4	7.4	7.3	6.9	6.9	6.9	6.7	6.8	6.6	6.6	6.6	6.6	6.5	6.5	6.5	6.1	
4476581			6.794	7.931	C	2025	0012																		
93010000	5	1	4.857	6.801	L	1	45	CRACKING	10.0	9.0	8.0	7.0	6.5	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0		
NE 49 ST(4.9L)					2	2.6	27780	RIDE	8.8	8.6	8.6	8.2	7.6	7.6	7.4	7.2	7.1	6.9	6.6	6.6	6.6	6.6	8.0		
4168971			4.857	6.801	C	2010	0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	6.5	5.5*		
WEEKLEY ASPHALT PAVING, IN(2012)								SPRIDE	8.0	7.9	7.9	7.6	7.6	7.4	7.2	7.3	7.2	7.3	7.1	7.1	7.1	7.1	6.7		
4498301			4.857	6.801	C	2030	0012																		
93010000	5	1	2.691	4.857	L	1	45	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		
FOURTEENTH ST NE(2.7L)					2	1.6	29500	RIDE	7.6	7.5	7.4	7.1	6.6	6.9	6.6	6.6	6.5	6.5	6.2	6.5	6.5	6.3			
4229101			2.691	4.857	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	8.3	7.0			
RANGER CONSTRUCTION INDUST(2013)								SPRIDE	8.6	8.5	8.5	8.2	8.2	7.9	8.0	8.0	7.9	7.9	7.8	7.9	7.9	7.9	7.5		
93010000	5	1	1.434	2.691	L	1	35	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
SE 4 ST(1.5L)					2	2.5	28500	RIDE	8.5	8.5	8.5	8.1	7.7	7.7	7.6	7.7	7.7	7.8	7.6	7.5	7.5	7.5			
4246461			1.434	2.419	L	2012	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.0		
RANGER CONSTRUCTION INDUST(2014)								SPRIDE	7.4	8.4	7.8	8.0	8.0	7.9	7.6	7.9	7.8	8.0	7.7	7.8	7.8	7.9	7.9	8.0	
93010000	5	1	0.000	1.434	L	1	45	CRACKING	9.0	8.0	7.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*		
ROYAL PALM WAY(0.3L)					3	3.8	29000	RIDE	8.7	8.4	8.5	8.2	7.7	7.8	7.6	8.1	7.6	7.6	7.6	7.6	7.4	7.2	7.2		
4153101			0.000	1.352	L	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.2	7.0		
WEEKLEY ASPHALT PAVING, IN(2013)								RIDE	8.3	8.2	8.2	8.1	8.1	8.0	7.4	7.9	7.8	7.8	7.8	7.8	7.7	7.6	7.2		
93010101	5	1	0.000	2.336	C	1	35	CRACKING	8.0	8.0	8.0	8.0	8.0	7.5	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		
SPUR TO OLD DIXIE HW(0.0R)					2	3.8	12500	RIDE	7.4	7.2	7.2	6.6	6.7	6.5	6.4	6.6	6.5	6.6	6.5	6.6	6.5	6.4	6.4		
(2017)								CRACKING	5.5*	5.5*															
								RIDE	6.4	6.3															
93012000	708		0.000	0.678	R	1	40	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
BEE LINE HWY(0.0C)					3	10.3	20800	RIDE	7.3	7.1	7.3	7.2	6.6	6.3		7.7	7.1	7.5	7.4	7.4	7.5	7.5	7.5		
2296481			0.235	0.901	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.2	7.0		
HUBBARD CONSTRUCTION COMPA(2007)								SPRIDE	7.4	7.3	7.4	7.1	7.1	7.1	6.5	6.5	6.6	6.4	6.4	6.7	7.0	6.6			
93012000	708		0.678	2.003	R	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5		
CENTRAL INDUSTRIAL D(1.1C)					3	6.7	35500	RIDE	8.0	8.1	7.9	7.7	7.2	7.2	6.9	6.7	6.2	6.8	6.7	6.7	7.3	6.9			
(2014)								CRACKING	7.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5	8.1	7.0		
								RIDE	7.0	8.0	8.2	7.9	7.8	7.8	7.5	7.6	7.6	7.5	7.6	7.6	7.6	7.6	7.2		
93012000	708		2.003	2.905	R	1	40	CRACKING	9.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0			
ACREHOME BLVD(2.0C)					3	6.7	35500	RIDE	5.0*	5.5*	6.2	6.4	6.0	6.0	6.2	6.2	6.1	6.0	8.3	8.1	8.0				
4114311			1.962	2.767	R	2007	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.6	6.5			
RANGER CONSTRUCTION INDUST(2010)								SPRIDE	7.7	7.5	7.6	7.8	7.8	7.7	7.2	7.7	7.6	7.5	7.5	7.6	7.4	7.0			
93012000	708		2.905	3.682	R	1	35	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0			
CR 811(2.9C)					2	3.3	28500	RIDE	5.0*	5.1*	7.8	7.2	6.9	6.2	5.9	6.0	5.6	5.6	5.5	5.5	6.3	6.3			
4246491			3.096	3.659	R	2013	0012	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.4	6.5		
DICKERSON FLORIDA INC. (2015)								RIDE	6.6		7.6	7.1	6.9	6.9	6.1	6.7	6.5	6.6	6.5	6.4	6.3	5.9			
93012000	708		2.905	3.682	L	1	35	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0			
CR 811(2.9C)					2	3.3	28500	RIDE	4.3*	4.4*	7.2	6.2	6.0	5.9	5.7	5.6	5.7	5.0*	5.5	5.5	5.7	5.7			
4246491			3.096	3.659	L	2013	0012	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.1	7.0		
DICKERSON FLORIDA INC. (2015)								RIDE	5.7		6.8	6.3	6.0	5.7	5.6	5.9	5.9	5.5	5.6	5.6	5.6	5.6	5.2*		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

.....

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P																	
CONTRACTOR (AGE ONE YEAR)	W BMP	W EMP	RW	FY-F	WKMX-F																	
ITMSEG-F																					(PMRS)	
93016000	8.161	8.516	L	1	1 35	CRACKING		8.5	8.5	8.5	7.5	7.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	9.0		
882			3	3.2	48000	RIDE		5.2*	5.7*	6.2	5.9	5.7	5.3*	5.7	7.6	4.5*	4.4*	4.1*	4.3*	6.7		
PINE TREE CIR(8.2L)					FC2																	
				(2012)		CRACKING		9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	6.5	4.5*	3.5*	3.5*	3.5*	1.0*	
4463731	8.156	9.233	C	2027	0012	RIDE		6.6	6.6	6.7	5.7	5.9	5.3*	5.7	6.0	5.2*	4.5*	5.9	5.6	5.9	5.7	
93016000	5.124	8.161	L	1	1 45	CRACKING		8.5	7.5	6.0*	6.0*	5.5*	5.5*	3.5*	4.5*	4.5*	4.5*	10.0	10.0			
882			3	4.2	46000	RIDE		6.8	6.9	6.8	6.4*	7.0	6.7	7.0	6.8	6.6	6.2	6.1	8.1	7.9		
HAVERHILL RD(5.1C)					FC125																	
2298172	5.124	8.161	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.0	
J.W. CHEATHAM, LLC				(2011)	SPRIDE			7.9	7.9	7.7	7.8	7.8	7.7	7.4	7.6	7.6	7.7	7.5	7.6	7.6	7.2	
93016000	3.794	5.124	L	1	1 45	CRACKING		8.5	7.5	6.0*	6.0*	5.5*	5.5*	3.5*	6.0*	6.0*	6.0*	10.0	10.0	10.0		
882			3	3.1	36000	RIDE		6.8	6.9	6.8	6.4*	7.0	6.7	7.0	7.6	7.6	7.6	8.5	8.2	7.9		
FOREST HILL VILLAS(4.1C)					FC125																	
2298171	3.800	5.124	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	7.5	
J.W. CHEATHAM, LLC				(2010)	SPRIDE			8.1	8.0	7.9	7.9	7.9	7.7	7.7	7.8	7.7	7.8	7.7	7.8	7.7	7.3	
93016000	3.342	3.794	L	1	1 45	CRACKING		8.5	7.5	6.0*	6.0*	5.5*	5.5*	3.5*	6.0*	6.0*	6.0*	6.0*	7.0	7.0		
882			3	5.2	44000	RIDE		6.8	6.9	6.8	6.4*	7.0	6.7	7.0	7.6	7.6	7.6	7.4	7.0	6.9		
GREENACRES CITY CITY LIM(3.6C)					FC125M																	
				(2025)		CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	9.1	8.5	
						RIDE		6.6	6.6	6.7	6.7	7.0	7.7	7.9	7.9	7.6	7.8	7.6	7.6	7.8	7.4	
93016000	2.960	3.342	L	1	1 45	CRACKING		8.5	7.5	6.0*	6.0*	5.5*	5.5*	3.5*	6.0*	6.0*	6.0*	6.0*	10.0	10.0		
882			3	5.2	44000	RIDE		6.8	6.9	6.8	6.4*	7.0	6.7	7.0	7.6	7.6	7.6	7.4	8.4	8.0		
FAIRWAY ISLES(3.2L)					FC125																	
2298171	2.902	3.425	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	7.5	
J.W. CHEATHAM, LLC				(2011)	SPRIDE			8.1	8.0	7.8	8.1	8.3	8.2	8.0	8.0	8.1	8.1	8.1	8.1	8.2	7.8	
93016000	0.000	2.960	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5		
882			3	2.0	41000	RIDE		8.0	7.9	8.1	7.6	8.2	7.9	8.1	8.0	8.2	8.1	7.8	7.7	7.9		
SR 7(0.0C)					FC95M																	
4416331	0.126	2.897	L	2021	0012	CRACKING		9.5	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	9.0	
GENERAL ASPHALT CO., INC.				(2023)	SPRIDE			7.7	7.6	7.4	7.9	7.8	7.7	7.7	7.5	7.5	7.5	8.0	8.0	7.9	7.5	
93020000	0.000	0.773	C	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0		
5			2	2.5	9500	RIDE		8.0	7.8	7.6	7.6	7.1	7.0	6.8	7.0	6.9	6.8	6.6	6.1	6.1		
SR-805/DIXIE HWY(0.0L)					DGFC																	
2296291	0.000	2.029	C	1997	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.8	6.0*	
RUSSELL ENGINEERING INC				(2000)	S RIDE			5.9	6.0	5.9	6.1	5.8	5.3*	5.5	5.7	5.8	5.6	5.5	5.7	5.3*	4.9*	
4498321	0.000	0.773	C	2027	0012																	
93020000	0.773	1.238	C	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5			2	2.5	9500	RIDE		8.0	8.0	7.9	7.8	6.5	6.5	6.0	6.3	6.4	6.2	5.6	5.5	5.9		
TENTH AVE S(0.8L)					DGFC																	
2296291	0.000	2.029	C	1997	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.4	5.5*	
RUSSELL ENGINEERING INC				(2000)	S RIDE			5.8	5.3*	5.5	5.2*	5.0*	5.1*	4.7*	4.9*	4.9*	4.9*	4.7*	4.8*	4.9*	4.5*	
4461731	0.773	2.071	C	2024	0012																	
93020000	1.238	1.645	C	1	6 25	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
5			2	2.5	9500	RIDE		7.6	7.2	7.1	6.7	6.4	6.5	6.2	6.6	6.5	6.4	6.1	6.0	5.8		
4TH AV S(1.3R)					DGFC																	
2296291	0.000	2.029	C	1997	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	6.0*	
RUSSELL ENGINEERING INC				(2000)	S RIDE			5.7	5.9	5.8	5.7	5.8	5.4*	4.8*								
4461731	0.773	2.071	C	2024	0012																	
93020000	1.645	2.071	C	1	1 25	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5			2	1.0	9700	RIDE		8.0	7.8	7.7	7.6	7.3	7.3	7.2	6.3	6.3	6.2	6.3	6.3	6.2		
LUCERNE AVE(1.7C)					DGFC																	
2296291	0.000	2.029	C	1997	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.9	6.0*	
RUSSELL ENGINEERING INC				(2000)	S RIDE			6.0	5.7	5.7	5.7	5.4*	5.4*	5.5	5.4*	5.3*	5.3*	5.3*	4.9*	5.3*	4.9*	
4461731	0.773	2.071	C	2024	0012																	
93020000	2.071	3.209	C	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
5			2	3.3	7400	RIDE		8.0	7.8	7.7	7.6	7.3	7.3	7.2	7.8	7.8	7.8	7.7	7.5	7.6		
SIXTH AVE N(2.1C)					DGFC																	
2297061	2.029	3.651	C	1998	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.6	6.0*	
RUSSELL ENGINEERING, INC				(2000)	S RIDE			7.6	7.4	7.6	7.3	7.0	7.1	7.2	7.3	7.3	7.2	6.9	7.1	7.0	6.6	
4476601	2.071	3.661	C	2025	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.

@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR															FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012				
INTERSECT AT (MP SIDE)																								
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKMX-P																			
CONTRACTOR (AGE ONE YEAR)					ASTYPE																			
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																			2030 (PMRS)
93020000	3.209	3.651	C	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0				
5			2	3.3	7400	RIDE		8.0	7.9	7.9	7.6	7.5	7.4	7.3	6.9	6.9	7.1	6.8	6.7	6.6				
VANDERBILT DR(3.2L)					DGFC																			
2297061	2.029	3.651	C	1998	0012	CRACKING		8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.3	5.5*			
RUSSELL ENGINEERING, INC				(2000)	S	RIDE		6.7	6.7	6.7	6.3	6.2	6.2	6.1	6.2	6.3	6.2	6.1	6.0	6.0	6.0			5.6
4476601	2.071	3.661	C	2025	0012																			
93020000	9.242	10.037	C	1	1 30	CRACKING		6.5	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0				
5			4	7.7	16600	RIDE		4.7*	4.5*	4.3*	4.5*	3.7*		7.3	7.3	7.2	7.1	7.1	6.9	7.1				
THIRTEENTH ST L(9.3L)					DGFC																			
				(2006)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.2	6.5			
						RIDE		7.0	6.8	6.9	6.0	5.9	5.6	5.3*	5.7	5.6	5.7	5.3*	5.7	5.3*	4.9*			
93020000	10.037	10.270	C	1	6 30	CRACKING		7.5	7.5		7.5	8.5	7.5	7.5	7.0	7.0	5.5*	5.5*	5.5*					
5			2	7.7	16600	RIDE		6.9	7.2		6.9	5.9	6.0	5.8	6.1	5.9	5.2*	5.6	5.6					
DIXIE HWY(10.0R)					FC125																			
				(2013)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0			
						RIDE																		
93020000	10.270	11.445	R	1	1 35	CRACKING		0.0*	0.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
5			2	7.7	16600	RIDE		4.6*	4.2*			7.6	7.6	7.4	7.3	7.5	7.2	6.5	6.3	6.7				
28TH ST(10.5C)					FC125																			
2293391	9.952	12.200	C	2000	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.6	7.0			
LANZO CONSTRUCTION CO FLOR(2004)					SPRIDE			6.3	6.2	6.1	6.8	6.5	6.4	6.2	6.3	6.4	6.4	6.4	6.1	6.1	6.1			5.7
93020000	11.445	12.127	R	1	1 35	CRACKING		0.0*	0.0*	0.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
5			2	2.4	26500	RIDE		4.6*	4.2*	3.8*			6.9	7.0	7.1	7.0	6.9	6.8	6.7	6.8				
46TH ST(11.5C)					FC125																			
				(2005)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.6	7.0			
						RIDE		6.7	6.6	6.7	5.8	5.7	5.8	5.4*	5.5	5.6	5.3*	5.4*	5.6	5.5	5.1*			
93020000	12.729	12.789	R	1	6 35	CRACKING			10.0	10.0	8.5	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*				
5			2	9.3	28500	RIDE			7.5	6.2	3.7*	5.3*	4.5*	4.0*	3.9*	3.6*	3.7*	3.3*	3.4*	3.2*				
E 11 ST(12.7R)					FC95A																			
				(2001)		CRACKING		3.5*	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	5.8*	4.0*			
						RIDE		2.9*	6.5															
93020000	12.789	14.150	R	1	1 35	CRACKING		9.5	9.5	9.5	8.5	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*				
5			2	9.3	28500	RIDE		4.6*	4.2*	4.0*	3.7*	5.3*	4.5*	4.0*	3.9*	3.6*	3.7*	3.3*	3.4*	3.2*				
E 12TH ST(12.8C)					FC95A																			
2297443	12.796	14.144	C	2012	0012	CRACKING		3.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5			
GIBBS & REGISTER, INC.				(2015)	SPRIDE			2.9*	7.9	7.0	6.5	6.5	6.5	6.0	6.0	6.2	6.2	5.8	5.4*	5.7	5.3*			
93020000	14.150	14.558	R	1	2 35	CRACKING		7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.5	8.5	8.5	8.5	8.5				
5			2	9.3	28500	RIDE		3.8*	3.7*	3.4*	3.4*	3.6*	4.7*	5.9	6.3	6.1	6.3	5.7	6.3	6.3				
SILVER BEACH RD(14.2C)					FC125																			
2297471	14.184	14.539	C	2002	0012	CRACKING		8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.6	5.0*			
RANGER CONSTRUCTION INDUST(2006)					SPRIDE			5.9	6.5	6.3	5.8	5.7	5.6	5.4*	5.3*	5.5	5.7	5.7	5.1*	4.2*	3.8*			
93020000	14.150	14.558	L	1	2 35	CRACKING		7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5				
5			2	9.3	28500	RIDE		6.6	3.3*	6.8	6.3	6.4	7.1	7.1	7.4	7.5	7.5	6.9	6.9	6.9				
SILVER BEACH RD(14.2C)					FC125																			
2297471	14.184	14.539	C	2002	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.8	6.5			
RANGER CONSTRUCTION INDUST(2006)					SPRIDE			6.7	6.9	7.0	6.7	6.6	6.2	6.6	6.6	6.4	6.3	6.4	6.3	5.4*	5.0*			
93020000	12.789	14.150	L	1	1 35	CRACKING		10.0	10.0	5.0*	5.0*	5.0*	5.0*	4.0*	6.5	6.5	6.5	6.5	6.5	6.5				
5			2	9.3	28500	RIDE		7.7	7.6	7.5	7.0	6.5	6.6	6.4	6.7	6.4	6.5	6.4	6.2	6.2				
E 12TH ST(12.8C)					FC95A																			
2297443	12.796	14.144	C	2012	0012	CRACKING		6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0			
GIBBS & REGISTER, INC.				(2015)	SPRIDE			5.9	7.9	7.5	7.4	7.2	7.1	7.3	7.0	7.1	6.9	6.8	6.8	6.8	6.4			
93020000	12.729	12.789	L	1	6 35	CRACKING			10.0	10.0	5.0*	5.0*	5.0*	4.0*	6.5	6.5	6.5	6.5	6.5	6.5				
5			2	9.3	28500	RIDE			7.6	7.5	7.0	6.5	6.6	6.4	6.7	6.4	6.5	6.4	6.2	6.2				
W 11 ST(12.7L)					FC95A																			
				(2001)		CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	8.0	6.5			
						RIDE		5.9	6.9															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-X-P																
CONTRACTOR (AGE ONE YEAR)					ASTYPE																
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-X-F																2030 (PMRS)
93020000	11.445	12.127	L	1	1	35	CRACKING	0.0*	0.0*	0.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1			2	2.4	26500		RIDE	4.6*	4.3*	4.4*			7.1	6.8	6.8	6.7	6.6	6.5	6.1	6.0	
46TH ST(11.5C)					FC125																
			(2005)				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.8	7.5
							RIDE	5.4*	5.8	5.4*	6.2	6.2	6.2	6.0	6.1	6.1	5.5	5.7	5.9	5.7	5.3*
93020000	10.270	11.445	L	1	1	35	CRACKING	0.0*	0.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1			2	7.7	16600		RIDE	4.6*	4.3*			7.1	7.3	6.9	6.8	6.9	6.9	5.9	5.8	5.9	
BROADWAY AVE(10.3L)					FC125																
2293391	9.952	12.200	C	2000	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.0
LANZO CONSTRUCTION CO FLOR(2004)					SPRIDE			5.7	6.1	5.9	6.2	6.0	6.0	5.8	5.9	5.8	5.9	5.9	5.7	5.6	5.2*
93020001	0.000	0.413	C	1	8	30	CRACKING	7.0	6.5	5.5*	5.5*		10.0		10.0	10.0	10.0	10.0	10.0	10.0	
5 1			4	4.8	19100		RIDE	6.6	5.0*	4.5*	3.5*		7.3		6.8	6.2	6.5	5.8	6.0	6.4	
PALM BEACH LAKES BLVD *(0.0C)					FC125M																
			(2007)				CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
4460991	0.000	0.424	C	2023	0012		RIDE	5.8	6.0	5.8	5.2*	5.2*	5.0*	4.9*	4.9*	4.8*	5.0*	4.8*	4.7*		
93020001	1.238	2.356	C	1	1	35	CRACKING	7.0	6.5	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1			4	4.0	25000		RIDE	6.6	5.0*	4.2*			7.6	7.3	7.2	7.4	7.2	7.1	7.0		
LAKEVIEW AVE(1.2L)					FC125																
			(2006)				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.9	7.5
4484151	1.331	2.356	C	2026	0012		RIDE	7.0	6.8	6.6	6.2	6.2	6.3	6.1	6.2	6.1	5.8	5.5	5.5	5.5	5.1*
93020002	0.000	0.291	C	1	6	30	CRACKING	7.0	7.0	7.0		10.0		7.0	7.0	7.0	5.5*	5.5*			
5 1			2	7.7	16600		RIDE	5.3*	5.9*	5.2*				5.3*	5.5	5.3*	5.8	5.3*			
25 ST(0.0R)					FC125																
			(2013)				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5
							RIDE														
93020100	0.000	0.540	R	1	1	30	CRACKING						10.0							10.0	
5 1			2	3.9	14500		RIDE						4.8*							5.1*	
OKEECHOBEE BLV/SR704(0.0C)					DGFC																
			(2012)				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	7.4	6.0*
							RIDE	5.4*	5.5	5.0*	4.9*	4.9*	4.8*	4.5*	4.4*	4.8*	5.1*	4.9*	5.1*	4.9*	4.5*
93020100	0.540	0.960	C	1	6	30	CRACKING						10.0							5.5*	
5 1			2	3.0	12700		RIDE						4.8*							4.8*	
CLEMATIS ST(0.5C)					FC125A																
4323501	0.741	0.960	L	2016	0012		CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.4	7.5
J.W. CHEATHAM, LLC				(2017)			RIDE	4.2*	4.3*	5.0*	3.9*										
93020100	0.000	0.540	L	1	1	30	CRACKING						10.0							10.0	
5 1			2	3.9	14500		RIDE						4.8*							5.1*	
OKEECHOBEE BLV/SR704(0.0C)					DGFC																
			(2012)				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.2	6.0*
							RIDE	5.0*	5.0*	5.1*	4.6*	4.6*	4.6*	4.3*	4.4*	4.6*	4.7*	4.6*	4.6*	4.6*	4.2*
93020500	0.000	0.147	R	1	6	35	CRACKING												10.0	10.0	
5 1			2	5.2	23000		RIDE														
RIVIERA BEACH CITY LIMIT(0.0C)					DGFC																
			(2011)				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.6	6.5
							RIDE														
93020500	0.521	0.590	R	1	6	35	CRACKING												10.0	10.0	
5 1			2	5.2	23000		RIDE														
			(2011)				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.3*	5.0*
							RIDE														
93020500	0.521	0.590	L	1	6	35	CRACKING												10.0	10.0	
5 1			2	5.2	23000		RIDE														
			(2011)				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.9	5.5*
							RIDE														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR															FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012				
INTERSECT AT (MP SIDE)						=====																		
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKMX-P			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030			
CONTRACTOR (AGE ONE YEAR)					ASTYPE																(PMRS)			
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																			
93020500	0.000	0.147	L	1	6	35	CRACKING													10.0	10.0			
5	1		2	5.2	23000		RIDE																	
RIVIERA BEACH CITY LIMIT(0.0C)							DGFC																	
							(2011)	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	6.5	5.0*		
							RIDE																	
93030000	0.000	0.261	C	1	2	40	CRACKING	6.0*	4.5*	3.5*	1.0*	1.0*	1.0*	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
806			3	10.0	19700		RIDE	8.2	8.2	8.1	7.5	7.0	6.8	6.7	6.8	6.9	6.4	6.4	6.7	6.6				
SR 7/US 441(0.0C)							DGFC																	
							(2007)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
							RIDE	6.6	6.6	6.7	5.7	5.7	5.9	5.5	5.7	5.9	5.5	5.5	5.5	5.6	5.0*	4.6*		
2296584	0.000	1.252	C	1		0213																		
93030000	0.261	0.768	C	1	1	45	CRACKING	6.0*	4.5*	3.5*	1.0*	1.0*	1.0*	8.5	4.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
806			2	10.0	19700		RIDE	8.2	8.2	8.1	7.5	7.0	6.8	6.7	6.7	6.7	8.2	7.7	7.7	7.7	7.7	7.7	7.7	
HALF MILE RD(0.5R)							FC95M																	
2297861	0.300	0.775	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	6.6	5.5*		
RANGER CONSTRUCTION INDUST(2009)							SPRIDE	7.3	7.4	7.2	7.0	7.0	7.0	6.9	7.0	7.0	6.9	6.8	6.8	6.7	6.3			
2296584	0.000	1.252	C	2024		0213																		
93030000	0.768	1.910	R	1	1	45	CRACKING	6.0*	4.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	9.0	9.0	9.0	9.0	9.0		
806			2	7.5	37000		RIDE	8.2	8.2	8.1	7.5	7.0	6.8	6.5	6.6	6.4	6.2	6.7	6.7	6.7	6.7	6.7		
LYONS RD(1.1C)							DGFC																	
							(2015)	CRACKING	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5		
							RIDE	6.7		8.2	7.3	7.2	7.0	6.7	6.9	7.3	7.2	7.2	7.1	7.3	7.3	6.9		
4405752	1.252	1.960	C	2024		0213																		
93030000	1.910	3.400	R	1	1	45	CRACKING	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
806			2	3.5	43000		RIDE	7.4	7.2	7.2	8.3	7.8	7.8	7.2	7.9	7.8	7.9	7.7	7.8	7.8	7.8	7.8		
LEXINGTON CLUB BLVD(2.2R)							FC125																	
2296001	1.814	3.367	C	2000		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	8.0	6.5		
RANGER CONSTRUCTION INDUST(2003)							SPRIDE	7.8	7.7	7.7	7.7	7.6	7.7	7.4	7.3	7.3	7.4	7.6	7.6	7.6	7.6	7.2		
4405754	1.653	3.078	C	2029		0213																		
93030000	3.400	4.275	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	8.5	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
806			3	5.2	40500		RIDE	8.4	8.5	8.5	8.2	7.7	7.5	7.7	7.7	7.6	6.8	6.7	6.8	6.5	6.5			
CARTER RD(3.6C)							FC95																	
4246511	3.390	4.275	R	2013		0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.7	7.5			
WEEKLEY ASPHALT PAVING, IN(2014)							SPRIDE	6.5	8.2	7.8	7.9	7.9	7.3	7.1	7.1	7.6	7.8	7.7	7.1	7.6	7.2			
4405755	3.078	4.112	C	2029		0213																		
93030000	4.275	6.798	R	1	1	45	CRACKING	9.0	9.0	7.5	7.5	7.0	7.0	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0		
806			3	3.3	43500		RIDE	8.1	8.4	8.4	8.3	7.7	7.6	7.6	7.7	7.7	7.5	7.7	7.4	7.5	7.5			
VIA FLORA(4.3R)							FC95																	
4138412	4.275	7.097	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.7	7.5			
WEEKLEY ASPHALT PAVING, IN(2010)							RIDE	7.5	7.7	7.5	7.3	7.9	7.1	7.5	7.0	7.7	7.7	7.7	7.7	6.9	7.7	7.3		
93030000	6.798	7.502	R	1	1	35	CRACKING	9.0	9.0	7.5	7.5	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0		
806			2	5.4	46500		RIDE	8.1	8.4	8.4	8.3	7.7	7.6	7.6	7.7	5.0*	7.5	7.0	6.9	6.8				
SPUR(7.0R)							FC95M																	
							(2022)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	9.5	8.5		
							RIDE	6.6	7.1	7.1	6.9	6.8						7.2	7.2	7.1	7.1	6.7		
93030000	7.502	8.270	R	1	1	35	CRACKING	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.0*	5.0*	10.0	10.0	10.0	10.0		
806			2	3.7	33000		RIDE	7.1	7.0	7.1	6.0	6.0	5.7	6.6	6.8	6.5	6.4	5.4*	6.6	6.6				
W 12 AVE(7.5C)							FC125M																	
4138401	7.513	8.270	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	7.5			
WEEKLEY ASPHALT PAVING, IN(2011)							SPRIDE	6.6	6.7	6.7	6.6	6.6	6.4	6.3	6.3	6.6	6.4	6.4	6.5	6.4	6.0			
93030000	8.582	8.667	C	1	6	35	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
806			4	10.2	13500		RIDE	6.2*	5.5*	5.5	5.2*	4.6*	4.4*	4.9*	4.2*	3.3*	3.0*	3.0*						
SR 5 NB(8.6C)							FC125M																	
							(2025)	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	8.8	8.0		
							RIDE																	
93030000	8.667	9.180	C	1	6	25	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0		
806			4	4.8	12700		RIDE	6.2*	5.5*	5.5	5.2*	4.6*	4.4*	4.9*	4.2*	6.5	6.6	5.0*	6.1	5.5				
ALLEY(8.7C)							FC125M																	
							(2015)	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.9	7.0		
							RIDE	5.7		7.7														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																									
RDWYID	SR	US	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															FUTURE
INTERSECT	AT	(MP)	(SIDE)	LN	%T	ADT	RATINGS	=====	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE				2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030		
CONTRACTOR	(AGE ONE YEAR)																						(PMRS)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																				
93030000	7.502	8.270	L	1	1	35	CRACKING	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.0*	5.5*	5.5*	10.0	10.0			
806			2	3.7		33000	RIDE	7.1	7.3	7.5	6.8	6.7	6.0	6.8	7.0	6.8	6.8	6.8	6.8	5.5	7.0	6.7			
W 12 AVE(7.5C)						FC125M																			
4138401	7.513	8.270	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	7.5		
WEEKLEY ASPHALT PAVING, IN(2011)						SPRIDE		6.8	6.4	6.9	6.2	6.6	6.2	6.4	6.5	6.6	6.5	6.3	6.5	6.4	6.5	6.4	6.0		
93030000	6.798	7.502	L	1	1	35	CRACKING	9.0	9.0	7.5	7.5	7.0	7.0	7.0	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0			
806			3	5.4		46500	RIDE	8.1	8.4	8.1	7.7	7.4	6.8	7.3	7.4	7.3	7.4	7.3	7.4	7.3	6.9	7.2			
CONGRESS AVE(7.0C)						FC95M																			
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	9.1	8.5			
							RIDE	7.2	7.0	6.9	7.0	7.1	7.1					6.8	6.5	6.6	6.8	6.4			
(2022)																									
93030000	4.275	6.798	L	1	1	45	CRACKING	9.0	9.0	7.5	7.5	7.0	7.0	7.0	5.5*	5.5*	4.0*	3.5*	10.0	10.0	10.0				
806			3	3.3		43500	RIDE	8.1	8.4	8.1	7.7	7.4	6.8	7.3	7.4	7.3	7.2	8.1	7.9	7.9	7.9				
VIA FLORA(4.3L)						FC95																			
4138412	4.275	7.097	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	7.5			
WEEKLEY ASPHALT PAVING, IN(2010)						SPRIDE		7.9	7.9	7.9	7.9	7.9	7.9	7.6	7.5	7.8	7.8	7.8	7.7	7.7	7.8	7.4			
93030000	3.400	4.275	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0			
806			3	5.2		40500	RIDE	8.8	8.7	8.7	8.3	7.9	6.7	7.9	8.0	7.9	7.9	7.9	7.6	7.5	7.4				
CARTER RD(3.6C)						FC95																			
4246511	3.683	4.275	L	2013		0012	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0			
WEEKLEY ASPHALT PAVING, IN(2014)						SPRIDE		7.2	8.2	8.1	8.0	7.9	7.5	7.6	7.8	7.6	7.6	7.7	7.7	7.6	7.4	7.0			
4405755	3.078	4.112	C	2029		0213																			
93030000	1.910	3.400	L	1	1	45	CRACKING	7.0	7.0	7.0	8.1	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
806			2	3.5		43000	RIDE	7.9	7.9	7.6	8.0	7.7	7.4	7.7	7.4	7.7	7.8	7.8	7.3	7.5	7.5				
STONE QUARRY BLVD(2.2L)						FC125																			
2296001	1.814	3.367	C	2000		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	6.5			
RANGER CONSTRUCTION INDUST(2003)						SPRIDE		7.5	7.5	7.2	7.4	7.4	7.3	7.1	7.4	7.6	7.3	7.5	7.4	7.5	7.4	7.5	7.1		
4405754	1.653	3.078	C	2029		0213																			
93030000	0.768	1.910	L	1	1	45	CRACKING	6.0*	4.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	9.0	9.0	9.0				
806			2	7.5		37000	RIDE	8.2	8.2	8.1	7.5	7.0	6.8	6.5	6.6	6.4	6.2	6.7	6.7	6.7	6.7				
LYONS RD(1.1C)						DGFC																			
							CRACKING	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5			
							RIDE	6.7		8.0	7.8	7.8	7.6	7.1	7.5	7.5	7.4	7.4	7.5	7.4	7.5	7.0			
4405752	1.252	1.960	C	2024		0213																			
93040000	0.000	0.637	R	1	1	35	CRACKING	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5			
5			2	6.5		24000	RIDE	3.9*	3.5*	4.0*	3.8*			7.9	7.2	7.0	7.2	6.9	6.8	6.1	6.2				
END 93020(0.0C)						FC125																			
2297471	0.001	0.657	R	2002		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	5.0*			
RANGER CONSTRUCTION INDUST(2005)						SPRIDE		6.5	6.2	6.2	6.2	5.8	5.6	5.7	5.9	5.6	5.6	5.7	5.5	5.5	5.3*	5.4*	5.0*		
93040000	0.637	2.290	R	1	1	35	CRACKING	7.5	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
5			3	3.1		22000	RIDE	7.2	7.2	7.6	7.4	6.9	8.3	8.1	7.8	7.8	7.7	7.3	7.3	7.3	7.4				
ANCHORAGE DR(0.8R)						FC125																			
2297471	0.657	2.125	R	2002		0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.2	5.5*			
RANGER CONSTRUCTION INDUST(2005)						SPRIDE		7.3	7.3	7.2	7.4	7.4	7.3	7.2	7.3	7.3	7.3	7.4	7.1	7.3	7.3	6.9			
93040000	2.290	3.447	R	1	1	45	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			
5			2	3.1		22000	RIDE	8.4	8.5	8.5	8.1	7.9	7.8	7.9	7.9	8.0	8.0	7.7	7.0	6.9	7.0				
LAKESHORE DR(2.6R)						FC125																			
4229641	2.389	9.468	R	2011		0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.0			
							RIDE	6.9	7.9	7.9	7.6	7.6	7.2	7.1	7.4	7.4	7.5	7.5	7.5	7.5	7.4	7.0			
(2014)																									
93040000	3.447	5.869	R	1	1	45	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			
5			2	4.3		27500	RIDE	8.4	8.5	8.5	8.1	7.9	7.8	7.9	7.9	8.0	8.0	8.0	8.0	7.9	7.9				
PLAZA(3.5R)						FC125																			
4229641	2.389	9.468	R	2011		0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.0			
							RIDE	7.7	7.7	8.4	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.2	8.1	7.7			
(2015)																									
93040000	5.869	9.708	R	1	1	45	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			
5			2	1.5		22500	RIDE	8.4	8.5	8.5	8.1	7.9	7.8	7.9	7.9	8.0	8.0	7.7	8.0	7.9	7.9				
DONALD ROSS RD(5.9C)						FC125																			
4229641	2.389	9.468	R	2011		0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5			
							RIDE	7.7	8.4	8.3	8.2	8.2	8.2	8.2	8.1	8.1	8.2	8.2	8.2	8.1	8.2	7.8			
(2014)																									

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

										DISTRICT = 4 COUNTY = PALM BEACH																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED			YEAR										FUTURE										
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012											
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKM-X-P	ASTYPE	=====																								
CONTRACTOR (AGE ONE YEAR)	W BMP	W EMP	RW	FY-F	WKM-X-F			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)										
ITMSEG-F																															
93040000	9.708	9.838	R	1	6 45	CRACKING		9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5											
5 1			2	1.5	22500	RIDE		8.4	8.5	8.0	7.9	7.5	7.5	7.4	7.5	7.7	7.5	7.3	7.3	7.2											
INDIANTOWN RD(9.8R)					DGFC																										
				(2015)		CRACKING		9.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0										
						RIDE		7.0	7.1	8.0																					
93040000	9.838	10.527	R	1	1 45	CRACKING		9.0	9.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	9.5											
5 1			2	3.5	20100	RIDE		8.2	8.1	8.4	7.9	6.8	7.7	7.5	7.7	7.7	7.8	7.5	7.5	7.2											
					DGFC																										
				(2014)		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.0										
						RIDE			8.0	7.9	7.6	7.5	7.4	6.9	7.3	7.4	7.4	7.4	7.5	7.4	7.0										
93040000	10.527	11.127	R	1	8 45	CRACKING		9.0	9.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5											
5 1			2	3.5	20100	RIDE		8.2	8.1	8.4	7.9	6.8	7.7	7.5	7.7	7.7	7.8	7.5	7.5	7.3											
CR A1A(10.5R)					DGFC																										
4246521	10.565	11.047	R	2012	0012	CRACKING		6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
J.W. CHEATHAM, LLC				(2015)		SPRIDE		7.2	7.4	7.6																					
93040000	11.127	12.396	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	7.0	7.0	7.0	7.0	7.0											
5 1			3	5.1	26500	RIDE		8.7	8.7	8.4	8.3	8.1	8.1	8.0	8.1	8.1	8.1	8.1	8.1	8.1											
COVE RD(11.4R)					FC125M																										
4287181	11.049	12.134	R	2018	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0										
J.W. CHEATHAM, LLC				(2020)		SPRIDE		7.9	7.9	8.0	8.1	8.1	7.9	7.8	8.4	8.4	8.4	8.3	8.3	8.4	8.0										
93040000	11.127	12.396	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.5											
5 1			3	5.1	26500	RIDE		8.1	8.6	8.7	8.5	8.1	8.0	7.8	8.0	8.2	8.1	7.9	8.2	8.2											
EYEBALL AVE(11.3L)					FC125M																										
4287181	11.126	12.411	L	2018	0012	CRACKING		8.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0										
J.W. CHEATHAM, LLC				(2020)		RIDE		8.0	8.0	8.1	8.3	8.2	8.0	8.1	8.5	8.4	8.5	8.5	8.4	8.5	8.1										
93040000	9.838	11.127	L	1	8 45	CRACKING		9.0	9.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0											
5 1			2	3.5	20100	RIDE		7.8	7.9	8.7	8.3	7.5	7.6	7.7	7.8	7.7	7.8	7.5	7.6	7.7											
JUPITER HARBOUR(10.5L)					DGFC																										
				(2014)		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0													
						RIDE			8.1	8.0	7.7	7.5	7.2	7.4	7.3	7.4	7.4	7.4													
93040000	5.869	9.838	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5											
5 1			2	1.5	22500	RIDE		8.6	8.6	8.8	8.3	7.8	7.9	7.8	8.0	7.8	7.8	7.6	7.5	7.5											
DONALD ROSS RD(5.9C)					FC125																										
4229641	2.389	9.468	L	2011	0012	CRACKING		4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.1	8.0										
COMMUNITY ASPHALT CORP.				(2014)		SPRIDE		7.3	8.1	8.2	8.0	8.0	7.9	7.7	7.9	7.9	7.9	7.9	7.9	7.9	7.5										
93040000	3.447	5.869	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5											
5 1			2	4.3	27500	RIDE		8.6	8.6	8.8	8.3	7.8	7.9	7.8	8.0	7.8	7.8	7.6	7.5	7.5											
KATHY LN(3.5L)					FC125																										
4229641	2.389	9.468	L	2011	0012	CRACKING		4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0										
COMMUNITY ASPHALT CORP.				(2015)		SPRIDE		7.3	7.1	8.3	8.1	8.0	8.1	8.0	8.0	8.0	8.1	8.0	8.0	8.1	7.7										
93040000	2.290	3.447	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5											
5 1			2	3.1	22000	RIDE		8.6	8.6	8.8	8.3	7.8	7.9	7.8	8.0	7.8	7.8	7.6	7.2	7.2											
GOLFVIEW RD(2.6L)					FC125																										
4229641	2.389	9.468	L	2011	0012	CRACKING		6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	9.0	8.0										
COMMUNITY ASPHALT CORP.				(2014)		SPRIDE		7.1	8.1	8.1	7.7	7.7	7.4	7.3	7.5	7.4	7.6	7.7	7.7	7.6	7.2										
93040000	0.637	2.290	L	1	1 35	CRACKING		8.0	8.0	8.0	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0											
5 1			3	3.1	22000	RIDE		7.3	7.3	7.3	7.1	6.6	8.3	8.3	8.2	8.0	8.2	7.8	7.7	7.8											
S ANCHORAGE DR(0.8L)					FC125																										
2297471	0.657	2.200	L	2002	0012	CRACKING		10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.1	5.5*										
RANGER CONSTRUCTION INDUST(2005)						SPRIDE		7.6	7.7	7.6	7.8	7.7	7.7	7.4	7.5	7.6	7.7	7.5	7.5	7.5	7.1										
93040000	0.000	0.637	L	1	1 35	CRACKING		6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5											
5 1			2	6.5	24000	RIDE		7.1	6.9	7.3	7.0		7.8	7.5	7.6	7.6	7.5	7.5	7.1	7.2											
PARK AVE(0.0L)					FC125																										
2297471	0.001	0.657	L	2002	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.2	5.5*										
RANGER CONSTRUCTION INDUST(2005)						SPRIDE		7.3	7.1	7.3	6.9	6.8	6.5	6.4	6.6	6.6	6.9	6.8	6.5	6.4	6.0										

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																(PMRS)
93050000	0.000	1.540	C	1	1 35	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
805 1			4	4.0	13700	RIDE			8.4	8.3	8.0	7.7	7.8	7.6	7.7	7.6	7.7	7.5	7.2	7.3	
SR-5/FEDERAL HWY(	0.00R)				FC3																
2290881	0.000	1.278	C	1998	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5
COMMUNITY ASPHALT	CORP.			(2001)	S	RIDE		7.0	6.7	6.8	6.8	6.7	6.6	6.2	6.4	6.3	6.2	6.1	5.9	5.8	5.4*
93050000	1.540	1.921	R	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.5	7.5	7.5	
805 1			2	3.8	20700	RIDE		7.0	7.5	7.3	7.3	6.9	6.6	6.5	6.7	6.8	6.8	6.7	6.7	6.6	
1ST AVE S(1.6R)					FC3																
2294251	1.278	2.680	C	1998	0005	CRACKING		7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	5.3*	3.5*
COMMUNITY ASPHALT	CORP.			(1999)	S	RIDE		6.3	6.2	6.1	5.6	5.2*	5.5	5.0*	5.0*	5.1*	5.1*	4.9*	5.1*	5.2*	4.8*
93050000	1.921	3.700	C	1	1 35	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
805 1			4	2.4	21100	RIDE			8.3	8.0	7.9	7.5	7.7	7.7	7.8	7.8	7.8	7.6	7.6	7.7	
3 AVE N(1.9C)					FC3																
2290041	2.680	3.800	C	1998	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.4	6.5
RUSSELL ENGINEERING INC				(2001)	S	RIDE		7.5	7.3	7.2	7.2	7.3	7.3	6.9	7.1	6.8	6.9	6.6	6.5	6.4	6.0
93050000	3.700	4.166	C	1	1 35	CRACKING		6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
805 1			4	3.0	27500	RIDE		6.7	6.6	6.6		7.3	7.2	7.3	7.3	6.9	6.9	6.9	6.8	7.0	
ARLINGTON RD(3.7R)					FC125																
2297541	3.725	5.874	C	2001	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.1	6.5
COMMUNITY ASPHALT	CORP.			(2004)	SPRIDE			6.8	6.8	6.8	6.3	6.3	6.3	5.7	6.0	6.2	6.0	6.2	6.0	6.2	5.8
93050000	4.166	5.860	C	1	1 35	CRACKING		6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
805 1			4	3.0	27500	RIDE		6.7	6.6	6.6		7.3	7.2	7.3	7.3	7.5	7.5	7.4	7.1	7.0	
DESOTA RD(4.2R)					FC125																
2297541	3.725	5.874	C	2001	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.2	6.5
COMMUNITY ASPHALT	CORP.			(2004)	SPRIDE			7.2	7.2	7.2	6.4	6.4	6.5	6.3	6.3	6.3	6.3	6.0	6.2	6.1	5.7
93050000	5.860	6.844	C	1	1 35	CRACKING		6.5	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	
805 1			4	7.8	23500	RIDE		6.7	6.6	6.6	6.7	5.9	5.8	5.9	5.8	5.5	5.8	5.6	5.7	7.6	
CONNISTON RD(5.9R)					FC95																
4153121	5.859	6.367	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.5	7.0	7.0	6.2*	5.0*
WEEKLEY ASPHALT PAVING, IN(2012)					SPRIDE			7.5	7.4	7.3	6.8	6.7	6.5	6.5	6.3	6.4	6.3	6.2	6.2	5.9	5.5
93050000	1.540	1.921	L	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	7.5	
805 1			2	3.8	20700	RIDE		7.0	7.5	7.3	7.3	6.9	6.6	6.5	6.8	6.7	6.8	6.5	6.5	6.5	
FIRST AVE S(1.6L)					FC3																
2294251	1.278	2.680	C	1998	0005	CRACKING		7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*
COMMUNITY ASPHALT	CORP.			(1999)	S	RIDE		6.3	6.0	5.9	5.3*	5.3*	5.4*	5.2*	5.2*	5.3*	5.3*	5.3*	5.0*	5.2*	4.8*
93060000	0.000	1.409	C	1	1 30	CRACKING		7.0	6.5	5.5*	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	
A1A			2	7.3	11800	RIDE		7.1	6.9	7.1	6.6	6.3	6.5	6.3	6.5	6.4	7.5	7.5	7.5	7.5	
NE 7 ST / SE 31 ST(0.0L)					FC95																
				(2009)		CRACKING		8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5		6.0*	6.0*	6.0*	6.7	5.5*
						RIDE		7.5	7.4	7.4	6.9	7.0	6.9	6.7	6.8		6.8	6.7	6.7	6.8	6.4
4476611	0.000	4.883	C	2030	0012																
93060000	1.409	4.883	C	1	1 35	CRACKING		6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	10.0	10.0	10.0	9.5	
A1A			2	4.0	11500	RIDE		8.0	7.8	8.1	7.7	7.1	7.2	7.2	7.3	7.2	7.8	7.5	7.5	7.5	
PALM AVE(2.0L)					FC95																
				(2009)		CRACKING		8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.0*	6.3*	5.0*
						RIDE		7.5	7.4	7.4	6.9	7.0	6.9	6.7	6.8	6.8	6.8	6.7	6.6	6.6	6.2
4476611	0.000	4.883	C	2030	0012																
93060000	4.883	8.242	C	1	1 35	CRACKING		4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	
A1A			2	6.5	11700	RIDE		7.6	7.5	7.4	7.1	6.4	7.3	7.3	7.5	7.3	7.4	7.3	7.1	7.2	
GRAND CT(5.0L)					FC125																
2297851	4.545	8.187	C	2003	0012	CRACKING		8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.1*	4.5*
WEEKLEY ASPHALT PAVING, IN(2005)					S	RIDE		7.2	7.2	7.2	6.8	6.8	6.8	6.7	6.7	6.6	6.7	6.5	6.5	6.5	6.1
4444771	4.883	8.232	C	2024	0012																
93060000	8.242	9.836	C	1	1 35	CRACKING		4.0*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0	
A1A			2	1.7	9100	RIDE		7.2	7.1	7.3	6.9	6.0	6.1	6.0	6.0	6.0		8.2	7.5	7.3	
CR 872(8.3L)					DGFC																
4036031	8.209	9.836	C	2007	0012	CRACKING		8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	5.4*	4.0*
RANGER CONSTRUCTION INDUST(2010)					SPRIDE			7.2	7.3	7.1	7.7	7.8	7.6	7.5	7.4	7.1	7.2	7.1	6.9	7.0	6.6
4476621	8.245	9.802	C	2025	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR															FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012				
INTERSECT AT (MP SIDE)							=====																	
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-X-P			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030			
CONTRACTOR (AGE ONE YEAR)					ASTYPE																(PMRS)			
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-X-F																			
93060000	9.836	10.750	C	1	1 30	CRACKING		4.0*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0				
A1A			2	2.4	7900	RIDE		7.2	7.1	7.3	6.9	6.0	6.1	6.0	6.0	6.0	6.1	8.4	8.3	8.1				
THOMAS ST(10.1L)					DGFC																			
2297481	9.836	10.708	C	2007	0012	CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.0*	5.6*	4.5*			
RANGER CONSTRUCTION INDUST(2010)					SPRIDE			8.1	8.2	8.0	8.0	7.9	7.8	7.7	7.8	7.3	7.1	7.1	7.2	7.1	6.7			
93060000	10.750	15.798	C	1	1 35	CRACKING		7.0	4.5*	4.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0				
A1A			2	6.0	7400	RIDE		7.8	7.8	7.7	7.4	6.7	6.5	6.3	6.1	7.5	7.4	7.3	7.4					
DELRAY BEACH CITY LIMITS(10.8L)					DGFC																			
4036061	12.670	15.698	C	2007	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	7.0			
WEEKLEY ASPHALT PAVING, IN(2009)					SPRIDE			7.3	7.4	7.4	6.9	6.8	6.8	6.8	6.7	6.7	6.7	6.7	6.6	6.6	6.2			
93060000	15.798	18.400	C	1	1 35	CRACKING		7.0	4.5*	4.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0				
A1A			2	3.7	6600	RIDE		7.8	7.8	7.7	7.4	6.7	6.5	6.5	6.3	6.1	5.9	8.3	8.1	8.1				
OCEAN LN(18.1R)					DGFC																			
4036101	15.698	18.274	C	2007	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	7.5			
HARDRIVES OF DELRAY, INC. (2010)					SPRIDE			8.0	7.8	7.8	7.1	7.1	7.1	6.9	6.9	6.6	6.8	6.7	6.6	6.5	6.1			
93060000	18.400	20.307	C	1	1 35	CRACKING		7.0	4.5*	4.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0				
A1A			2	3.4	10600	RIDE		7.8	7.8	7.7	7.4	6.7	6.5	6.5	6.3	6.1	8.3	8.0	8.1	8.1				
CR 812(18.4C)					DGFC																			
4036101	18.501	20.484	C	2007	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	9.1	8.0			
(2009)					RIDE			8.1	7.9	7.9	7.3	7.1	6.9	7.0	6.9	6.5	6.5	6.3	6.5	6.1				
93060000	20.307	22.313	C	1	1 35	CRACKING		0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0				
A1A			2	9.0	10600	RIDE		5.3*	5.3*	5.2*	4.9*	4.2*	4.4*	4.3*	7.7	7.5	7.6	7.4	7.4	7.4				
LAKE WORTH CASINO(20.6R)					FC95																			
2298581	20.616	22.754	C	2005	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.6	6.0*			
WEEKLEY ASPHALT PAVING, IN(2007)					SPRIDE			7.3	7.3	7.3	6.8	6.8	6.7	6.6	6.6	6.4	6.6	6.4	6.3	6.5	6.1			
4476631	20.307	22.381	C	2025	0012																			
93060000	22.313	24.835	C	1	1 35	CRACKING		9.0	8.0	7.5	7.5	7.5	7.5	7.0	6.5	10.0	10.0	10.0	10.0	9.5				
A1A			2	7.1	8400	RIDE		8.1	7.9	7.8	7.5	6.8	6.7	6.9	6.7	6.7	7.0	6.9	6.8	6.8				
SLOANS CURVE DR(22.9R)					FC125																			
(2014)					CRACKING				10.0	10.0	10.0	10.0	10.0	8.5	8.0	8.0	7.0	7.0	7.0	7.5	6.5			
4484171	22.381	24.481	C	2030	0012	RIDE			7.0	7.0	6.7	6.5	6.4	6.3	6.3	6.0	6.0	5.7	6.1	6.0	5.6			
93060000	24.835	25.531	C	1	1 30	CRACKING		8.0	7.0	7.0	7.0	5.5*	3.5*	8.5	8.0	6.5	10.0	10.0	9.0	8.0				
A1A			2	11.6	12700	RIDE		6.4*	6.4*	6.4	5.9	4.4*	5.3*	6.2	5.7	5.8	7.1	6.7	6.8	6.6				
SPUR FROM SR-80(24.9L)					FC95M																			
(2014)					CRACKING			8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0			
4461751	24.796	27.091	C	2025	0012	RIDE		6.6	6.4	6.3	6.2	6.0	5.5	6.0	6.0	5.9	5.8	5.5	5.6	5.6	5.2*			
93060000	25.531	26.795	C	1	1 30	CRACKING		8.0	7.0	7.0	7.0	5.5*	3.5*	8.5	8.0	6.5	10.0	10.0	9.0	8.0				
A1A			2	11.6	12700	RIDE		6.4*	6.4*	6.4	5.9	4.4*	5.3*	6.2	5.7	5.8	7.1	6.7	6.8	6.6				
VIA VIZCAYA(25.6R)					FC95M																			
2297491	24.890	26.711	C	2007	0012	CRACKING		8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	4.0*			
RANGER CONSTRUCTION INDUST(2009)					SPRIDE			6.6	6.6	6.6	6.3	6.1	6.1	5.9	6.0	5.8	5.0*	4.9*	4.9*	4.6*	4.2*			
4461751	24.796	27.091	C	2025	0012																			
93060000	26.795	27.044	C	1	6 30	CRACKING		10.0	8.0	8.0	8.0	8.0	7.0	6.5	7.0	6.5	10.0	10.0	10.0	10.0				
A1A			2	11.9	6300	RIDE		6.5	5.3*	5.5	5.1*	4.4*	4.5*	5.0*	4.8*	5.1*	7.3	7.0	6.9	6.3				
PERUVIAN AVE(26.8C)					FC95M																			
(2009)					CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.8	6.5			
4461751	24.796	27.091	C	2025	0012	RIDE		6.5	6.9				5.0*											
93060000	27.044	27.914	C	1	1 30	CRACKING		9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
A1A			4	9.2	11500	RIDE		6.3*	6.4*	7.8	7.1	6.7	7.1	6.6	6.6	6.3	6.6	6.9	6.9	6.7				
ROYAL PALM WAY(27.1C)					FC95M																			
2297531	27.044	27.914	C	1999	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.1	6.5			
RANGER CONSTRUCTION INDUST(2002)					S RIDE			6.7	6.6	6.6	6.8	6.9	6.5	6.1	6.4	6.3	6.5	6.3	6.3	6.4	6.0			
93060000	27.914	28.271	R	1	1 30	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
A1A			2	2.2	13400	RIDE		6.5	7.2	7.0	6.9	6.1	6.0	6.4	5.9	5.9	5.7	5.9	5.3*	4.9*				
MAIN ST(27.9R)					DGFC																			
(2020)					CRACKING			9.0	9.0						10.0	10.0	10.0	10.0	10.0	8.3	7.5			
					RIDE			4.8*	4.6*								5.4*	5.2*	5.6	5.5	5.5	5.1*		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																									
RDWYID	SR	US	BMP	G	EMP	RW	SYS	TYP	SPD	DISTRESS	RATINGS	SURVEYED YEAR			2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE
INTERSECT AT (MP SIDE)	AT	(MP SIDE)	W_BMP	G	W_EMP	RW	FY-P	W_KMX-P	ASTYPE	=====		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2030
ITMSEG-P	CONTRACTOR	(AGE ONE YEAR)	W_BMP	G	W_EMP	RW	FY-F	W_KMX-F				2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	(PMRS)
ITMSEG-F	CONTRACTOR	(AGE ONE YEAR)	W_BMP	G	W_EMP	RW	FY-F	W_KMX-F																	
93060000	A1A	FLAGLER DR(28.7C)	28.614		28.929	R	1	1	30	CRACKING		10.0	10.0	10.0	10.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	
						4	3.9	19024	DGFC	RIDE		6.8	6.4*	6.6	6.7	6.1				5.3*	4.9*	5.0*	4.6*	5.3*	4.7*
		(2020)								CRACKING		9.0	9.0						10.0	10.0	10.0	10.0	10.0	9.6	8.5
										RIDE		4.7*	4.7*							5.9	5.5	5.4*	5.8	6.0	5.6
93060000	A1A	FLAGLER DR(28.7C)	28.614		28.929	L	1	1	30	CRACKING		10.0	10.0	10.0	10.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	
						2	3.9	19024	DGFC	RIDE		6.8	6.4*	6.6	6.7	6.1				5.3*	4.9*	5.0*	4.6*	5.3*	4.7*
		(2020)								CRACKING		9.0	9.0						10.0	10.0	10.0	10.0	10.0	9.0	8.0
										RIDE		4.7*	4.7*							5.7	6.1	6.0	6.0	6.0	5.6
93060000	A1A	COCOANUT ROW(28.2L)	27.914		28.271	L	1	1	30	CRACKING		10.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
						2	2.2	13400	DGFC	RIDE		6.9	7.4	7.9	7.2	6.3	5.5	6.8	5.6	5.4*	5.2*	5.1*	4.7*	4.5*	
		(2020)								CRACKING		9.0	9.0						10.0	10.0	10.0	10.0	10.0	9.0	8.0
										RIDE		4.6*	4.3*							5.9	5.5	5.6	5.6	5.5	5.1*
93060101	A1A	BRAZILIAN AVE(0.0C)	0.000		0.145	C	1	6	30	CRACKING														10.0	
						2	11.9	7500		RIDE														5.3*	
		(2012)								CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	7.5
										RIDE		4.4*	4.3*	4.1*											
93070000	809	LAKE WORTH RD(20.4C)	20.401		24.491	R	1	1	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	7.0	7.0	
						3	7.2	46000	FC125M	RIDE		8.5	8.3	8.2	8.2	7.9	8.0	7.8	7.9	7.9	7.9	7.1	7.0	7.0	6.8
4287191		RANGER CONSTRUCTION INDUST	20.359		24.290	C	2017	0012		CRACKING		7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0
		(2020)								SPRIDE		6.8	6.6	6.6	7.0	7.4	7.4	7.2	8.2	8.2	8.2	8.1	8.1	8.1	7.7
93070000	809	LAKE WORTH RD(20.4C)	20.401		24.491	L	1	1	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
						3	7.2	46000	FC125M	RIDE		8.3	8.6	8.5	8.4	8.0	8.0	7.4	7.9	7.8	7.7	7.6	7.5	7.5	
4287191		RANGER CONSTRUCTION INDUST	20.359		24.290	C	2017	0012		CRACKING		8.5	8.5	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
		(2020)								SPRIDE		7.6	7.3	7.5	7.5	7.5	7.3	7.2	8.3	8.3	8.3	8.3	8.3	8.3	7.9
93080000	A1A	BROADWAY(0.0C)	0.000		0.414	R	1	1	35	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	5.5*		
						2	5.7	18200	DGFC	RIDE		7.0	6.5	6.3	6.2	6.2	4.8*	4.9*	4.7*	4.5*	4.9*	4.7*	4.5*		
4203251			0.000		1.378	R	2010	0012		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.0
		(2014)								RIDE			8.0	7.5	7.1	7.3	7.1	6.4	6.4	7.0	6.5	6.3	6.9	6.5	6.1
93080000	A1A	LAKE DR(1.0C)	0.788		1.327	R	1	1	30	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5		
						2	5.7	10400	DGFC	RIDE		6.9	6.6	6.6	6.1	5.5	5.3*	5.5	5.4*	5.3*	5.2*	5.2*			
4203251			0.000		1.378	R	2010	0012		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.0
		(2014)								RIDE			7.9	7.7	7.3	7.4	6.7	7.0	6.4	6.2	6.9	6.4	6.7	6.6	6.2
93080000	A1A	THE RITZ CARLTON(1.3R)	1.327		3.995	C	1	1	35	CRACKING		7.0	6.0*	4.5*	4.5*	3.5*	3.5*	1.0*	1.0*	1.0*	0.0*	0.0*	0.0*		
						2	5.7	10400	DGFC	RIDE		8.1	7.4	7.4	7.5	6.4	6.4	6.1	6.0	6.8	5.9	5.7	5.4*		
4203251			1.378		3.323	R	2010	0012		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
		(2014)								RIDE			8.0	7.8	7.5	7.5	7.4	7.3	7.1	7.2	7.1	7.1	7.0	7.1	6.7
93080000	A1A	MC ARTHUR PARK(4.2R)	3.995		5.830	C	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
						2	3.1	9500	DGFC	RIDE		8.1	8.1	8.1	7.8	7.6	7.6	7.5	7.7	7.7	7.7	7.5	7.4	7.3	
2296081		COMMUNITY ASPHALT CORP.	4.006		6.183	C	1995	0215		CRACKING		8.5	8.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*
		(1998)								S RIDE		7.4	7.3	7.3	6.9	6.9	6.9	6.8	6.7	6.6	6.7	6.5	6.6	6.6	6.2
4461761			3.995		5.830	C	2024	0012																	
93080000	A1A	PORTAGE LANDING N(5.8R)	5.830		6.207	C	1	1	35	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	6.5	6.5	6.5	6.5	6.5	
						2	2.6	13600	DGFC	RIDE		6.4*	6.7	7.2	6.7	6.6	6.7	6.2	6.6	5.9	5.9	6.4	5.8	5.7	
4229841		COMMUNITY ASPHALT CORP.	5.945		6.207	C	2011	0012		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	7.5
		(2014)								SPRIDE			7.6	7.6	6.7	6.4	5.9	5.3*	6.3	5.9	5.7	5.9	5.7	5.8	5.4*

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																								
RDWYID	SR	US	BMP	G	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR										FUTURE		
INTERSECT	AT	(MP)	SIDE							RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
ITMSEG-P	W	BMP	W	EMP	RW	FY-P	W	KMX-P		=====	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030
CONTRACTOR	(AGE	ONE	YEAR)					ASTYPE																(PMRS)
ITMSEG-F	W	BMP	W	EMP	RW	FY-F	W	KMX-F																
93080000		0.788	1.327	L	1	1	30	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	6.5	6.5			
A1A				2	5.7	10400		RIDE	7.0		7.0	7.0	6.6	6.2	5.6	5.8	5.6	5.5	5.7	5.3*	5.2*			
PHIL FOSTER PARK(			0.8L)					DGFC																
4203251		0.000	1.402	L	2010	0012		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	7.5
					(2014)			RIDE			7.6	7.6	7.2	7.1	7.0	7.0	6.3	6.6	6.8	7.0	6.5	6.5	6.9	6.5
93080000		0.000	0.414	L	1	1	35	CRACKING	10.0		10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5			
A1A				2	5.7	18200		RIDE	6.9		6.7	6.9	5.5	5.5	6.2	5.9	5.9	5.6	5.1*	5.6	6.5	5.1*		
BROADWAY(0.0C)								DGFC																
4203251		0.000	1.402	L	2010	0012		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5
					(2014)			RIDE			8.0	8.1	7.6	7.8	7.6	6.9	7.1	7.4	7.4	7.4	7.2	6.7	6.7	6.3
93090000		1.245	1.950	R	1	1	45	CRACKING	10.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.5	6.5	6.5	
811				2	3.2	21000		RIDE	7.7		7.8	7.4	7.2	7.3	7.5	7.5	7.0	7.0	7.1	6.9	7.2	6.9	6.8	
PARK RD(1.3R)								FC125																
4153141		1.247	3.571	R	2011	0012		CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.6	8.5
RANGER CONSTRUCTION INDUST(2013)								SPRIDE	7.4		7.0	7.1	8.0	7.9	7.9	7.7	7.7	7.6	7.7	7.6	7.6	7.5	7.5	7.1
93090000		1.950	3.571	R	1	1	45	CRACKING	10.0		9.0	8.5	8.5	8.5	8.5	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	
811				2	3.2	21000		RIDE	8.3		8.6	8.8	8.3	8.2	8.2	8.0	8.2	8.2	8.1	8.1	8.1	8.1	8.1	
LIGHTHOUSE DR(2.1C)								FC125																
4153141		1.247	3.571	R	2011	0012		CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.2	8.0
RANGER CONSTRUCTION INDUST(2013)								SPRIDE	8.4		8.0	8.2	8.1	8.1	8.0	8.0	8.0	7.9	7.9	8.0	8.1	8.0	8.0	7.6
93090000		3.571	4.572	R	1	1	45	CRACKING	6.5		5.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	
811				3	3.3	29000		RIDE	7.6		7.5	7.8	7.3				7.1	7.3	7.3	7.5	7.2	7.2	7.2	
RCA BLVD(3.6C)								FC2																
					(2006)			CRACKING	10.0		10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	1.5*
4484351		3.556	6.866	C	2026	0012		RIDE	7.1		7.2	7.1	7.3	7.2	6.6	6.9	6.8	7.1	7.3	7.3	7.1	7.1	7.1	6.9
93090000		4.572	6.866	R	1	1	50	CRACKING	6.5		5.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
811				3	2.5	36000		RIDE	7.6		7.5	7.8	7.3			8.1	8.1	8.2	8.2	8.1	8.0	8.1	8.1	
ATLANTIC RD(4.7R)								DGFC																
					(2005)			CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	7.0
4484351		3.556	6.866	C	2026	0012		RIDE	8.1		8.1	8.0	7.9	7.8	7.7	7.7	7.7	7.7	7.7	7.7	7.6	7.7	7.7	7.3
93090000		6.866	10.775	R	1	1	50	CRACKING	8.0		8.0	8.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*			10.0	
811				3	5.0	39000		RIDE	8.8		8.5	8.7	8.5	8.1	8.0	7.9	8.1	7.9	7.8	7.8	7.3		8.5	
FREDERICK SMALL RD(7.7C)								DGFC																
2293941		7.045	10.039	C	2011	0012		CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	8.5
					(2012)			RIDE	8.4		8.4	8.3	8.2	8.2	8.0	8.0	8.1	8.1	8.1	8.1	8.1	8.1	8.1	7.7
93090000		10.775	11.382	R	1	1	45	CRACKING	6.5		5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	3.5*		10.0	10.0	10.0	10.0	
811				3	4.3	41000		RIDE	7.3		7.0	7.3	6.7	6.3*	6.2*	6.6	5.9			8.0	7.5	7.8	7.8	
								FC125M																
					(2009)			CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5
								RIDE	7.6		7.7	7.8	7.4	7.3	7.2	7.2	7.1	7.1	7.1	7.1	7.1	7.1	7.1	6.7
93090000		11.382	11.689	R	1	6	45	CRACKING	6.5		5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	3.5*	5.5*	5.5*	5.5*	10.0	10.0	
811				3	4.3	41000		RIDE	7.3		7.0	7.3	6.7	6.3*	6.2*	6.6	5.9	5.7	6.1	6.2	6.2	8.0	8.2	
RIVERSIDE DR(11.4C)								DGFC																
4196481		11.426	11.576	R	2010	0012		CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	7.5
COMMUNITY ASPHALT CORP.					(2011)			RIDE	7.3		7.3	6.9	7.2	7.2	6.6	6.5	6.8							
93090000		11.382	11.689	L	1	6	45	CRACKING	6.5		5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	6.5	6.5	6.5	4.5*	10.0	10.0	
811				3	4.3	41000		RIDE	7.3		7.5	7.4	7.2	6.5	6.7	6.7	6.5	4.9*	5.3*	4.9*	7.6	7.3		
RIVERSIDE DR(11.4C)								DGFC																
4196481		11.426	11.576	L	2010	0012		CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0
COMMUNITY ASPHALT CORP.					(2011)			RIDE	7.4		7.1	7.1	7.5	7.4	7.6	7.6	6.9	7.0	7.3					
93090000		10.775	11.382	L	1	1	45	CRACKING	6.5		5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	6.5		10.0	10.0	10.0	10.0	
811				3	4.3	41000		RIDE	7.3		7.5	7.4	7.2	6.5	6.7	6.7	6.5			8.0	7.6	7.9	8.0	
								FC125M																
					(2009)			CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.4	8.0
								RIDE	7.9		7.9	7.9	7.5	7.6	7.4	7.4	7.3	7.1	7.0	7.5	7.5	7.5	7.5	7.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)																						
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-X-P			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030	
CONTRACTOR (AGE ONE YEAR)					ASTYPE																(PMRS)	
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-X-F																	
93090000	6.866	10.775	L	1	1 50	CRACKING		8.0	7.0	7.0	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*		10.0		
811			3	5.0	39000	RIDE		8.9	8.7	8.7	8.6	7.9	8.1	8.0	8.1	8.1	8.0	7.5		8.5		
FREDERICK SMALL RD(7.7C)					DGFC																	
2293941	7.045	10.039	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	7.5	
			(2012)			RIDE		8.4	8.4	8.4	8.4	8.4	8.3	8.1	8.2	8.2	8.2	8.2	8.2	8.2	7.8	
93090000	4.572	6.866	L	1	1 50	CRACKING		6.5	5.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
811			3	2.5	36000	RIDE		8.1	8.0	8.1	7.8		8.1	7.9	8.0	7.9	7.8	7.7	7.8	7.8		
HOOD RD(5.4C)					DGFC																	
			(2005)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.2	6.5	
4484351	3.556	6.866	C	2026	0012	RIDE		7.9	7.9	7.8	7.7	7.7	7.6	7.2	7.4	7.4	7.6	7.3	7.5	7.5	7.1	
93090000	3.571	4.572	L	1	1 45	CRACKING		6.5	5.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0		
811			3	3.3	29000	RIDE		8.1	8.0	8.1	7.8			7.5	7.6	7.5	7.3	7.5	7.3	7.4		
RCA BLVD(3.6C)					FC2																	
			(2006)			CRACKING		10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	1.5*	
4484351	3.556	6.866	C	2026	0012	RIDE		7.2	7.3	7.3	7.4	7.3	7.3	7.1	7.2	7.3	7.1	6.9	7.0	7.3	7.1	
93090000	1.950	3.571	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5		
811			2	3.2	21000	RIDE		8.9	8.8	8.9	8.6	8.3	8.1	8.1	8.2	8.2	8.1	8.0	7.8	8.0		
LIGHTHOUSE DR(2.1C)					FC125																	
4153141	1.247	3.571	L	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.6	8.5	
RANGER CONSTRUCTION INDUST(2013)					SPRIDE			8.3	8.3	8.3	8.0	8.1	8.0	8.0	7.9	7.8	7.9	7.9	7.7	7.8	7.4	
93090000	1.245	1.950	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5		
811			2	3.2	21000	RIDE		8.7	8.6	8.7	8.5	8.0	7.9	7.9	7.8	7.9	7.8	7.5	7.0	7.7		
RICHARD RD(1.6C)					FC125																	
4153141	1.247	3.571	L	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.0	
RANGER CONSTRUCTION INDUST(2013)					SPRIDE			8.3	8.0	8.3	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.9	7.9	7.5	
93100000	0.000	11.657	R	1	7 65	CRACKING		7.5	7.5	6.5	6.5	4.5*	4.5*	2.0*	2.0*	2.0*	2.0*		10.0	10.0		
25 27			2	25.2	17800	RIDE		9.0	8.3	8.2	7.9	7.2	6.9	6.4*	6.4*	6.3*	5.6*		8.0	8.1		
CORKSCREW RD(2.1R)					FC5M																	
4416311	0.000	12.325	R	2022	0012	CRACKING		10.0	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*		10.0	9.0	
JOHNSON BROS. CORPORATION,(2025)						RIDE		8.0	8.0	7.9	8.1	8.0	7.7	7.6	7.9	7.6	7.6	7.4		7.9	7.7	
93100000	11.657	12.599	R	1	7 35	CRACKING		10.0	8.0	8.0	8.0	4.5*	4.5*	4.5*	4.5*	2.0*	1.0*	1.0*	10.0	10.0		
25 27			2	25.9	18800	RIDE		9.0	8.3	8.1	7.8	6.7	6.3	6.1	5.7	5.4*	5.5	5.3*	8.0	8.1		
CORKSCREW BLVD(11.7R)					FC125M																	
4416311	0.000	12.325	R	2022	0012	CRACKING		10.0	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	10.0	9.5	
JOHNSON BROS. CORPORATION,(2025)						RIDE		8.0	8.0	7.9	8.1	8.0	7.7	7.6	7.9	7.6	7.6	7.4	6.6	7.1	6.7	
93100000	11.657	12.599	L	1	7 35	CRACKING		10.0	8.0	7.5	7.5	6.5	6.0*	4.5*	2.0*	2.0*	2.0*	1.0*	10.0	10.0		
25 27			2	25.2	18800	RIDE		8.9	7.9	8.1	7.8	6.8	6.5	6.4	6.2	6.0	6.0	5.9	8.0	8.1		
ROCK RD(11.7L)					FC125M																	
4416311	0.000	12.325	L	2022	0012	CRACKING		10.0	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	10.0	9.5	
JOHNSON BROS. CORPORATION,(2025)						SPRIDE		8.0	7.9	7.7	8.0	7.9	7.8	7.5	7.7	7.4	7.3	6.9	7.0	7.1	6.7	
93100000	0.000	11.657	L	1	7 65	CRACKING		7.5	7.5	6.5	6.5	4.5*	4.5*	2.0*	2.0*	1.0*	0.0*		10.0	10.0		
25 27			2	25.2	17800	RIDE		8.8	8.6	8.5	8.1	7.1	6.9	6.2*	6.1*	5.8*	5.6*		8.0	8.1		
LEVEE RD(11.0L)					FC5M																	
4416311	0.000	12.325	L	2022	0012	CRACKING		10.0	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	10.0	9.0	
JOHNSON BROS. CORPORATION,(2025)						SPRIDE		8.0	7.9	7.7	8.0	7.9	7.8	7.5	7.7	7.4	7.3	6.9	7.0	8.1	7.9	
93110000	0.000	2.450	R	1	8 45	CRACKING		9.0	8.0	7.5	5.5*	4.0*	4.0*	4.0*	4.0*	1.5*	1.0*		10.0	10.0		
80			2	18.8	20500	RIDE		8.0	8.0	8.0	7.5	6.9	6.7	6.1	6.3	5.9	5.6		7.8	7.8		
PALM BEACH RD E(0.0C)					FC5																	
4153151	0.000	2.620	C	2009	0012	CRACKING		10.0	10.0	8.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	1.0*			
COMMUNITY ASPHALT CORP.			(2011)			SPRIDE		7.9	7.8	7.8	7.9	7.8	7.5	7.4	7.7	7.5	7.5	7.2	7.0			
4461001	0.094	2.456	C	2023	0012																	
93110000	2.450	3.992	R	1	1 45	CRACKING		10.0	10.0	8.0	8.0	7.5	7.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*		
80			2	12.4	21000	RIDE		8.3	8.1	8.2	7.9	7.5	7.4	7.3	7.7	7.4	7.2	7.0	6.8	6.6		
CR 827A(2.9R)					FC95																	
4229861	2.620	3.921	R	2012	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.0	
WEEKLEY ASPHALT PAVING, IN(2014)						SPRIDE			8.4	8.4	8.2	8.1	8.2	8.0	8.0	8.1	8.1	8.1	8.1	8.1	7.7	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.

@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.

2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKMX-P																	
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)	
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																	
93110000	3.992	4.473	C	1	1	35	CRACKING	10.0	10.0	8.0	8.0	7.5	7.5	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*		
880			4	8.2		7500	RIDE	8.3	7.9	8.2	7.6	7.2	7.0	6.9	6.1	5.8	5.5	5.3*	5.0*	4.9*		
AVE E SE(4.0L)						FC95																
4229861	4.030	4.469	C	2012		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	8.1	7.0	
WEEKLEY ASPHALT PAVING, IN(2014)						SPRIDE		8.0	6.8	7.5	7.1	6.8	6.7	6.9	6.2	6.2	6.6	6.4	6.4	6.4	6.0	
93110000	2.450	3.992	L	1	1	45	CRACKING	10.0	10.0	8.0	8.0	7.5	7.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*		
80			2	12.4		21000	RIDE	7.7	7.9	7.8	7.6	7.2	7.0	6.9	6.9	7.2	7.1	7.0	6.6	6.5		
AVE J SE(3.3L)						FC95																
4229861	2.620	3.921	L	2012		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.0	
WEEKLEY ASPHALT PAVING, IN(2014)						SPRIDE		8.2	8.3	8.1	8.2	8.2	8.1	8.0	8.0	8.0	8.2	8.2	8.1	8.1	7.7	
93110000	0.000	2.450	L	1	8	45	CRACKING	9.0	9.0	7.5	5.5*	4.0*	4.0*	4.0*	4.0*	4.0*	3.5*		10.0	10.0		
80			2	18.8		20500	RIDE	8.3	7.8	8.3	7.9	7.3	7.1	6.9	6.8	6.7	6.5		8.0	8.0		
PALM BEACH RD E(0.0C)						FC5																
4153151	0.000	2.620	C	2009		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0			
COMMUNITY ASPHALT CORP. (2011)						SPRIDE		8.0	8.0	8.0	8.1	8.1	8.1	7.9	8.1	8.0	8.0	8.0	8.0			
4461001	0.094	2.456	C	2023		0012																
93110001	0.000	3.439	R	1	1	65	CRACKING	4.0*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.5		
80 98			2	19.6		14200	RIDE	8.3	8.4	8.3	7.8		7.8	7.8	8.1	8.2	8.1	8.0	7.9	7.8		
MAIN ST N(0.0C)						FC5A																
4287201	0.024	3.439	R	2014		0012	CRACKING	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	6.0*	
RANGER CONSTRUCTION INDUST(2017)						SPRIDE		7.7	7.4	7.3		8.6	8.5	8.4	8.5	8.5	8.5	8.4	8.4	8.4	8.2	
93110001	3.439	18.181	R	1	1	65	CRACKING	8.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.5		
80 98			2	19.6		14200	RIDE	8.9	9.0	8.9	8.7		8.0	8.0	8.1	8.2	8.1	8.0	7.9	7.8		
TRACTOR CROSSING(3.5R)						FC5M																
4344271	3.439	18.246	R	2018		0012	CRACKING	6.5	4.5*	4.5*		4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
(2020)						RIDE		7.7	7.4	7.3		7.8	7.6	7.6	8.7	8.7	8.7	8.6	8.6	8.6	8.4	
93110001	3.439	18.181	L	1	1	65	CRACKING	8.5	7.5	6.0*	6.0*		10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.0		
80 98			2	19.6		14200	RIDE	9.0	8.9	8.9	8.6		8.1	8.0	8.1	8.1	8.1	8.0	7.9	7.9		
TRACTOR CROSSING(6.5C)						FC5M																
4344271	3.439	18.246	L	2018		0012	CRACKING	6.5	5.5*	5.5*		3.5*	3.5*	3.5*	10.0	10.0	10.0	9.0	9.0	9.4	8.0	
RANGER CONSTRUCTION INDUST(2020)						SPRIDE		7.9	7.8	7.4		7.9	7.6	7.5	8.7	8.7	8.7	8.7	8.7	8.6	8.4	
93110001	0.000	3.439	L	1	1	65	CRACKING	6.0*	6.0*	5.5*	3.5*		10.0	10.0	10.0	10.0	8.0	6.5	6.5	6.5		
80 98			2	19.6		14200	RIDE	8.8	8.5	8.6	8.1		7.9	7.8	8.1	8.1	7.8	7.6	7.3	7.0		
US-441 / SR-15(0.0L)						FC5A																
4287201	0.063	3.439	L	2014		0012	CRACKING	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.5	5.5*	
RANGER CONSTRUCTION INDUST(2017)						SPRIDE		7.1	6.6	6.2*		8.6	8.4	8.4	8.6	8.6	8.6	8.5	8.5	8.4	8.2	
93120000	0.228	1.632	R	1	1	55	CRACKING	8.0	6.0*	5.0*	5.0*		5.0*	3.5*	2.5*	2.5*		10.0	10.0	10.0		
80 98			2	17.6		18100	RIDE	8.5	8.2	8.4	7.9		7.1	7.0	6.8	6.9		8.0	8.0	8.2		
						FC5																
4138011	0.228	8.709	R	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	5.0*	
HUBBARD CONSTRUCTION COMPA(2010)						RIDE		8.1	8.1	8.1	8.1	8.1	8.1	8.0	7.9	8.1	8.1	8.1	8.1	8.1	7.9	
93120000	1.632	9.218	R	1	1	55	CRACKING	8.0	6.0*	5.0*	5.0*		5.0*	3.5*	2.5*	2.5*		10.0	10.0	10.0		
80 98			3	17.6		18100	RIDE	8.5	8.2	8.4	7.9		7.1	7.0	6.8	6.9		8.0	8.1	8.1		
WATER TREATMNT PLANT(1.7R)						FC5M																
4193452	1.725	8.704	R	2018		0218	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	9.1	8.0	
COMMUNITY ASPHALT CORP. (2023)						SPRIDE		8.0	8.1	8.1	8.1	8.1	8.0	7.9	8.0			8.2	8.3	8.3	8.1	
93120000	9.218	9.758	R	1	1	50	CRACKING	7.5	7.5	7.0	7.0				10.0	10.0	10.0	10.0	10.0	10.0		
80 98			3	10.1		73000	RIDE	8.5	8.3	8.2	7.6		7.0		7.3	7.2	7.1	7.0	7.4	7.5		
						FC125																
2294971	8.935	10.951	C	2003		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	7.5	
RUSSELL ENGINEERING, INC (2007)						SPRIDE		7.2	7.2	7.2	6.7	6.8	6.3*	6.5	6.4*	7.9	7.1	6.9	6.8	6.9	6.5	
93120000	9.758	11.164	R	1	1	50	CRACKING	7.5	7.5	7.0	7.0				10.0	10.0	10.0	10.0	10.0	10.0		
80 98			4	6.7		79007	RIDE	8.5	8.3	8.2	7.6		7.0		7.2	7.2	7.2	7.1	7.2	7.0		
LITTLE RANCHES TR(10.0R)						FC125																
2294971	8.935	10.951	C	2003		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	7.7	6.5	
RUSSELL ENGINEERING, INC (2007)						SPRIDE		7.0	7.1	7.2	7.1	7.1	6.9	6.7	7.0	6.9	7.0	6.8	7.0	7.1	6.7	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P		=====															
CONTRACTOR (AGE ONE YEAR)	W BMP	W EMP	RW	FY-F	WKMX-F			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)	
ITMSEG-F																						
93120000 80 98	19.551	19.915	L 4	1 4.9	1 45 76500 FC125	CRACKING RIDE		7.5 6.5	7.5 6.7	6.5 7.5	6.5 7.2	10.0 8.3				10.0 8.0	10.0 8.1	10.0 8.1	10.0 8.1	10.0 8.2		
				(2008)		CRACKING RIDE		10.0 8.0	10.0 8.1	10.0 7.8	10.0 7.7	10.0 8.0	10.0 7.4	10.0 7.7	10.0 7.7	10.0 7.7	10.0 7.6	9.5 7.7	9.5 7.7	8.9 7.6	7.5 7.2	
93120000 80 98	18.668	19.551	L 4	1 6.4	1 45 78500 FC125	CRACKING RIDE		7.5 6.5	7.5 6.7			10.0 8.3	10.0 8.0	10.0 8.1	10.0 8.3	10.0 8.3	10.0 8.3	10.0 8.2	10.0 8.1	10.0 8.1		
GEM LAKE DR(19.5C) 2289871 18.200 20.393 THE DE MOYA GROUP INC.			C 1999	0213		CRACKING RIDE		10.0 8.1	10.0 8.1	10.0 8.2	10.0 7.9	10.0 7.9	10.0 7.9	10.0 7.7	10.0 7.8	10.0 7.8	10.0 7.8	9.0 7.8	9.0 7.8	8.0 7.8	6.5 7.4	
93120000 80 98	17.697	18.668	L 4	1 6.4	1 45 78500 FC125	CRACKING RIDE		3.0* 7.2	10.0 8.3	10.0 7.9	10.0 7.7	10.0 7.3						10.0 8.2	10.0 8.0	10.0 8.0		
KIRK RD(17.8C)				(2010)		CRACKING RIDE		10.0 8.0	10.0 8.0	10.0 7.9	10.0 7.9	10.0 7.8	10.0 7.8	10.0 7.7	10.0 7.8	10.0 7.7	10.0 7.7	10.0 7.8	10.0 7.7	10.0 7.7	8.5 7.3	
93120000 80 98	16.506	17.697	L 3	1 8.0	1 45 73000 FC125	CRACKING RIDE		8.0 6.9	8.0 7.3	8.0 7.3	8.0 6.8	8.0 6.2*						10.0 8.0	10.0 8.0	10.0 8.0		
TROPICAL AVE(16.6L)				(2010)		CRACKING RIDE		10.0 8.0	10.0 8.0	10.0 8.0	10.0 7.7	10.0 7.8	10.0 7.7	10.0 7.7	10.0 7.6	10.0 7.7	10.0 7.7	10.0 7.6	10.0 7.7	9.4 7.7	8.0 7.3	
93120000 80 98	16.196	16.506	L 4	1 8.0	1 50 73000 FC125	CRACKING RIDE		8.0 6.9	8.0 7.3	8.0 7.3	8.0 6.8	8.0 6.2*						10.0 8.2	10.0 8.2	10.0 8.2		
CAROLINE DR(16.2L)				(2010)		CRACKING RIDE		10.0 8.1	10.0 8.2	10.0 8.0	10.0 7.9	10.0 7.9	10.0 7.8	10.0 7.7	10.0 7.7	10.0 7.8	10.0 7.7	10.0 7.8	10.0 7.7	8.8 7.7	7.5 7.3	
93120000 80 98	15.652	16.196	L 4	1 5.9	1 50 90000 FC125	CRACKING RIDE		8.0 6.9	8.0 7.3	8.0 7.3	8.0 6.8	8.0 6.2*				10.0 8.1	10.0 7.7	10.0 8.1	10.0 8.1	10.0 8.1		
PINE AVE(15.9L) 2297971 15.900 18.200 ARCHER WESTERN CONTRACTORS			C 2003	0213		CRACKING SPRIDE		10.0 8.2	10.0 8.1	10.0 8.1	10.0 8.0	10.0 8.0	10.0 8.0	10.0 7.8	10.0 8.0	10.0 8.0	10.0 7.9	10.0 7.9	8.0 8.0	6.5 7.5		
93120000 80 98	14.942	15.652	L 3	1 5.9	1 50 90000 FC125	CRACKING RIDE		8.0 6.9	8.0 7.3	8.0 7.3	8.0 6.8	8.0 6.2*				10.0 8.2	10.0 8.1	10.0 8.1	10.0 8.1	10.0 8.0		
TALL PINES RD(15.0L) 2294991 13.709 15.902 COMMUNITY ASPHALT CORP.			C 2003	0213		CRACKING SPRIDE		10.0 8.1	10.0 8.1	10.0 8.0	10.0 7.7	10.0 7.7	10.0 7.6	10.0 7.6	10.0 7.6	10.0 7.6	10.0 7.7	10.0 7.5	10.0 7.5	9.0 7.6	7.5 7.2	
93120000 80 98	13.915	14.942	L 4	1 6.8	1 50 81000 FC125	CRACKING RIDE		8.0 6.9	8.0 7.3	8.0 7.3	8.0 6.8	8.0 6.2*				10.0 8.2	10.0 8.0	10.0 8.0	10.0 8.2	10.0 8.1		
DRAWDY RD(14.1L) 2294991 13.709 15.902 COMMUNITY ASPHALT CORP.			C 2003	0213		CRACKING SPRIDE		10.0 7.9	10.0 8.1	10.0 7.9	10.0 8.0	10.0 7.9	10.0 7.6	10.0 7.6	10.0 7.8	10.0 7.9	10.0 7.9	10.0 7.7	10.0 7.8	8.6 7.9	7.0 7.5	
93120000 80 98	12.147	13.915	L 4	1 6.8	1 50 81000 FC125	CRACKING RIDE		8.0 6.9	8.0 7.3	8.0 7.3	8.0 6.8	8.0 6.2*						10.0 8.1	10.0 8.0	10.0 8.0		
SUNSHINE RD(12.2L) 2294981 11.164 13.740 COMMUNITY ASPHALT CORP.			C 2004	0213		CRACKING SPRIDE		10.0 8.0	10.0 7.9	10.0 7.9	10.0 7.9	10.0 8.0	10.0 7.8	10.0 7.7	10.0 7.9	10.0 7.8	10.0 7.9	9.5 8.0	9.5 7.9	8.8 8.0	7.5 7.6	
93120000 80 98	11.300	12.147	L 3	1 6.7	1 50 79007 FC125	CRACKING RIDE		10.0 8.1	10.0 7.7	10.0 7.8	10.0 7.8	10.0 7.4						10.0 8.2	10.0 8.2	10.0 8.2		
SR 7(11.7L) 2294981 11.164 13.740 COMMUNITY ASPHALT CORP.			C 2004	0213		CRACKING SPRIDE		10.0 8.3	10.0 8.2	10.0 8.3	10.0 7.9	10.0 7.9	10.0 7.9	10.0 7.8	10.0 7.8	10.0 7.8	10.0 7.8	10.0 7.8	10.0 7.7	9.3 7.9	8.0 7.5	
93120000 80 98	10.016	11.300	L 4	1 6.7	1 50 79007 FC125	CRACKING RIDE		7.5 7.5	7.5 7.2	7.0 7.3	7.0 7.0	6.0* 6.4*			10.0 8.1	10.0 8.0	10.0 7.9	10.0 8.0	10.0 8.1	10.0 8.1		
LAMSTEIN LN(10.6L) 2294971 8.935 10.951 RUSSELL ENGINEERING, INC			C 2003	0213		CRACKING SPRIDE		10.0 8.0	10.0 8.1	10.0 8.0	10.0 7.8	10.0 7.7	10.0 7.6	10.0 7.5	10.0 7.6	10.0 7.7	10.0 7.6	9.0 7.5	8.3 7.6	7.0 7.2		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P	ASTYPE	=====														
ITMSEG-P	CONTRACTOR (AGE ONE YEAR)	W BMP	W EMP	RW	FY-F	WKMX-F		2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)
ITMSEG-F																					
93120000	9.218	10.016	L	1	1	50	CRACKING	7.5	7.5	7.0	7.0	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	
80 98			3	10.1	73000		RIDE	7.5	7.2	7.3	7.0	6.4*			8.1	8.0	7.8	7.8	7.8	7.9	
OLD CRESTWOOD BLVD(9.2L)							FC125														
				(2023)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0				10.0	9.0	9.1	8.5
							RIDE	7.8	7.8	7.7	7.1	7.3	7.1	7.1	10.0			7.3	7.2	7.1	6.7
93120000	1.632	9.218	L	1	1	55	CRACKING	8.0	7.5	7.5	7.0	6.5	5.5*	5.5*	3.5*			10.0	10.0	10.0	
80 98			3	17.6	18100		RIDE	8.8	8.7	8.7	8.4	7.6	7.6	7.5	7.9			8.2	8.2	8.2	
TRACTOR CROSSING(1.7L)							FC5M														
4193452	1.725	8.800	L	2018	0218		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	9.0	8.0
COMMUNITY ASPHALT CORP.							SPRIDE	8.1	8.1	8.1	8.1	8.1	8.0	7.8	8.0			8.3	8.3	8.4	8.2
93120000	0.228	1.632	L	1	1	55	CRACKING	8.0	7.5	7.5	7.0	6.5	5.5*	5.5*	3.5*			10.0	10.0	10.0	
80 98			2	17.6	18100		RIDE	8.8	8.7	8.7	8.4	7.6	7.6	7.5	7.9			8.2	8.3	8.3	
210 TER(0.9L)							FC5														
4138011	0.228	8.709	L	2007	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	5.5*
HUBBARD CONSTRUCTION COMPA(2010)							RIDE	8.3	8.3	8.3	8.4	8.4	8.3	8.2	8.4	8.2	8.2	8.2	8.2	8.2	8.0
93121000	0.000	1.054	C	1	1	45	CRACKING											6.0*	6.0*	5.5*	
812			2	20.7	4500		RIDE											4.9*	5.1*	4.1*	
SR 715(0.0C)							FC95M														
4260531	0.028	1.034	C	2015	0012		CRACKING	5.5*	3.5*	3.5*	3.0*	10.0	10.0	9.5	9.5	9.5	9.5	6.0*	6.0*	5.7*	4.5*
COMMUNITY ASPHALT CORP.							SPRIDE	3.9*	4.3*	3.9*	4.0*	7.7	7.4	7.1	7.1	6.8	6.8	6.4	6.5	6.4	6.0
93130000	0.000	0.260	R	1	6	35	CRACKING	7.5	7.0	2.0*	1.0*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	9.0	
15			2	16.2	23000		RIDE	5.7*	5.5*	5.5	4.8*	4.2*	3.7*	3.6*	3.3*	7.0	6.6	6.0	6.0	6.4	
AVE E SE(0.0C)							FC95M														
4137991	0.000	0.242	C	2007	0012		CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	3.5*	3.7*	2.5*
COMMUNITY ASPHALT CORP.							SPRIDE	6.5	6.3	5.9	5.0*	4.9*									
4498341	0.000	0.260	C	2027	0012																
93130000	0.260	2.994	R	1	1	45	CRACKING	10.0	9.0	8.5	7.5	7.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	
15			2	17.0	18100		RIDE	8.5	8.4	8.6	8.3	8.1	7.7	7.6	7.5	7.4	7.1	6.7	8.7	8.6	
E CANAL ST N(0.3R)							FC95M														
4153161	0.260	2.993	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	6.0*
RANGER CONSTRUCTION INDUST(2011)							SPRIDE	8.6	8.6	8.6	8.2	8.2	8.1	7.9	8.0	7.9	8.0	7.9	7.9	7.8	7.4
93130000	2.994	3.290	R	1	1	45	CRACKING	10.0	9.0	8.5	7.5	7.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	
15 441			2	21.3	7100		RIDE	8.5	8.4	8.6	8.3	8.1	7.7	7.6	7.5	7.4	7.1	6.7	7.5	7.4	
US-441 / SR 80(3.0R)							FC5														
4246551	3.010	3.237	R	2012	0012		CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	6.0*
RANGER CONSTRUCTION INDUST(2014)							SPRIDE	7.4	7.7	7.9	7.8	7.5	7.8	7.7	7.8	7.3	7.1	7.5	7.8	7.7	7.5
93130000	3.290	3.978	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5	6.5	6.5	4.5*	
15 441			2	21.3	7100		RIDE	8.2	8.1	8.2	8.1	7.9	7.4			6.8	6.7	6.7	7.5	7.2	
LIVESTOCK MARKET RD(3.3L)							FC5														
4246551	3.326	3.959	L	2012	0012		CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.3	5.0*
RANGER CONSTRUCTION INDUST(2014)							SPRIDE	7.2	7.8	7.6	7.8	7.9	7.8	7.6	7.7	7.3	7.4	7.6	7.5	7.4	7.2
93130000	3.978	6.447	C	1	1	45	CRACKING	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*			10.0	10.0	10.0	10.0	10.0	
15 441			2	21.3	7100		RIDE	5.0*	4.5*	4.5*	4.2*	2.9*	2.9*			8.3	8.1	7.8	8.0	7.9	
OLD VANDERCRAFT RD(4.6C)							FC125														
2298181	3.999	6.843	C	2005	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.7	5.5*
COMMUNITY ASPHALT CORP.							SPRIDE	7.8	7.8	7.7	7.1	7.0	6.9	6.8	6.8	6.9	6.8	6.8	6.8	6.8	6.4
93130000	6.447	8.918	C	1	1	45	CRACKING	6.5	5.5*	5.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	9.5	
15 441			2	23.6	8700		RIDE	6.2*	5.7*	5.4*	4.8*	4.6*	4.6*			8.3	8.1	7.9	7.7	7.5	
TRACTOR CROSSING(6.6R)							FC125H														
4398431	6.582	8.898	C	2020	0012		CRACKING	8.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	9.0
OHLA USA, INC.							SPRIDE	7.2	7.1	6.8	5.9	5.6	5.4*	4.9*	4.7*	7.8	7.8	7.6	7.5	7.3	6.9
93130000	8.918	10.888	C	1	7	35	CRACKING	7.5	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	9.0	9.0	9.0	
15 441			2	6.8	6000		RIDE	6.4*	5.9*	5.8	5.5	4.5*	4.6*	4.4*		8.1	7.8	7.7	7.5	7.3	
SHIRLEY DR(9.0R)							FC125H														
				(2025)			CRACKING	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*		10.0	9.5
							RIDE	7.2	7.0	6.9	6.1	6.1	5.7	5.6	5.5	5.5	5.2*	5.1*		7.3	6.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																									
RDWYID	SR	US	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															FUTURE
INTERSECT	AT	(MP)	(SIDE)	LN	%T	AADT	RATINGS	=====	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P	ASTYPE				2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030		
CONTRACTOR	(AGE ONE YEAR)																						(PMRS)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																				
93130000	10.888	14.223	C	1	1	35	CRACKING	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.0*	5.5*	5.5*	3.5*	3.5*		
15 441			2	23.9	6000	RIDE	6.1*	4.9*	6.0	8.1	7.6	7.6	7.4	7.1	6.8	6.3	6.2	6.0	5.8						
BARFIELD HWY N(11.1R)					FC95																				
4246561	10.307	14.265	C	2012	0012	CRACKING	3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.0	6.0*	5.5*	3.5*	3.5*	2.5*			
COMMUNITY ASPHALT CORP.				(2015)		RIDE	5.6	5.3*	8.4	7.8	7.5	7.4	6.9	6.8	6.6	6.4	5.9	5.8	5.6						
4476641	10.871	14.213	C	2025	0012																				
93130000	0.260	3.290	L	1	1	45	CRACKING	10.0	8.5	8.5	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0					
15 441			2	17.0	18100	RIDE	8.4	8.3	8.5	8.4	7.9	7.7	7.4	7.6	7.3	7.2	7.0	8.6	8.6						
CANAL ST(0.3L)					FC95M																				
4153161	0.260	2.993	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.8	6.5				
RANGER CONSTRUCTION INDUST(2011)					SPRIDE		8.6	8.5	8.4	8.2	8.1	8.0	7.9	8.0	7.8	7.8	7.9	8.0	7.8	7.8	7.4				
93130000	0.000	0.260	L	1	6	35	CRACKING	7.5	7.5	2.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	0.0*	10.0	10.0	10.0	9.0				
15			2	16.2	23000	RIDE	7.3	5.7*	6.4	6.1	5.6	6.2	5.0*	4.8*	4.7*	7.8	7.4	7.4	7.3						
AVE E SE(0.0C)					FC95M																				
4137991	0.000	0.242	C	2007	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	6.5	3.5*	4.1*	3.0*				
COMMUNITY ASPHALT CORP.				(2009)		SPRIDE	7.0	7.1	7.0	5.5	5.7														
4498341	0.000	0.260	C	2027	0012																				
93140000	5.017	12.797	C	1	7	55	CRACKING		10.0	10.0	9.0	8.5	7.5	7.0	6.5	6.0*	4.0*	3.5*			10.0				
700			2	15.9	3100	RIDE		8.8	8.3	7.9	6.8	6.7	6.2*	5.7*	5.2*	5.1*	4.8*			8.8					
FIELD RD(5.6R)					FC95M																				
4463741	5.017	19.270	C	2024	0012	CRACKING	10.0	9.5	9.5	9.5	8.5	7.5	7.5	7.0	7.0	7.0	6.0*	6.0*	10.0	9.5					
GENERAL ASPHALT CO., INC. (2025)					SPRIDE		8.5	8.2	7.9	7.3	6.9	6.6	6.1*	5.9*	5.3*	5.2*	4.8*	4.6*	8.3	7.9					
93140000	12.797	19.508	C	1	1	55	CRACKING		10.0	10.0	9.0	8.5	7.5	7.0	6.5	6.0*	4.0*	3.5*		10.0					
700 98			2	25.1	1300	RIDE		8.8	8.3	7.9	6.8	6.7	6.2*	5.7*	5.2*	5.1*	4.8*		8.8						
TRACTOR CROSSING(13.4L)					FC95M																				
4153171	5.137	19.652	C	2009	0012	CRACKING	10.0	9.5	9.5	9.5	8.5	7.5	7.5	7.0	7.0	7.0			5.5*	5.0*	4.0*				
RANGER CONSTRUCTION INDUST(2012)					SPRIDE		8.5	8.2	7.9	7.3	6.9	6.6	6.1*	5.9*	5.3*	5.2*			5.1*	5.1*	4.7*				
4463741	5.017	19.655	C	2024	0012																				
93140000	19.508	26.288	C	1	8	55	CRACKING		7.5	5.5*	3.5*	1.5*	1.0*	1.0*	1.0*	1.0*			10.0	10.0	10.0				
15 98			2	11.5	5000	RIDE		7.9	7.6	7.3	6.2*	6.0*	5.5*	5.0*	4.7*			8.3	8.4	8.4					
CONNORS HWY(19.5R)					FC95																				
4138041	19.674	26.519	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*							
COMMUNITY ASPHALT CORP. (2010)					SPRIDE		8.2	8.1	7.9	7.4	7.3	7.0	6.8	6.5	6.2*	6.2*	5.9*	5.9*							
4461021	19.528	26.288	C	2023	0012																				
93140001	0.560	0.848	C	1	6	55	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0		10.0				
700			2	15.9	3100	RIDE		7.5	6.9	7.6	7.5	7.0	6.6	7.2	6.8	6.4*	6.2*	6.2*		8.8					
					FC95M																				
				(2018)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	7.5				
4463741	0.658	0.848	C	2024	0012	RIDE		8.6																	
93150000	0.000	0.288	R	1	1	40	CRACKING	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5			10.0	10.0	10.0				
809			3	2.3	47500	RIDE		8.1	7.9	8.0	8.7	8.0	7.9	7.7	7.2			7.8	7.7	7.4					
SOUTHERN BLVD(0.0C)					UNKW																				
				(2010)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	7.5				
						RIDE		7.6	7.7	7.6	7.2	7.2	7.3	7.4	7.1	7.2	7.3	7.0	7.1	7.4	7.0				
93150000	0.288	2.025	R	1	2	40	CRACKING	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	10.0				
809			3	13.2	40500	RIDE		8.1	7.9	8.0	8.7	8.0	7.9	7.7	7.2	7.2	6.8	6.7	6.2	8.1					
COUNTRY CLUB RD(0.5R)					FC95																				
4169111	0.288	2.025	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	9.5	8.5				
RANGER CONSTRUCTION INDUST(2012)					SPRIDE		7.9	7.5	7.2	7.5	7.4	7.4	7.9	7.3	7.0	7.3	7.1	6.9	8.0	7.6					
93150000	2.025	5.583	R	1	1	45	CRACKING	8.0	8.0	7.0	6.0*	6.0*						10.0	10.0	10.0	10.0				
809			3	3.3	38000	RIDE		7.3	7.3	7.3	6.9	6.8					7.9	7.7	7.6	7.7					
ZIP CODE RD(2.2R)					FC125																				
2295872	2.008	5.583	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.0				
COMMUNITY ASPHALT CORP. (2009)					SPRIDE		7.6	7.6	7.7	7.3	7.3	7.2	7.1	6.7	7.1	7.1	7.1	7.1	7.1	7.1	6.7				
93150000	5.583	7.043	R	1	1	45	CRACKING	8.0	8.0	7.0	6.0*						10.0	10.0	10.0	10.0	10.0				
809			3	5.5	35000	RIDE		7.3	7.3	7.3	6.9					7.5	7.5	7.6	7.4	7.4	7.6				
CR 702(5.7C)					FC125																				
2295871	5.583	7.154	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	7.5				
COMMUNITY ASPHALT CORP. (2007)					SPRIDE		7.3	7.5	7.3	7.3	7.2	7.1	6.9	6.8	7.0	7.2	7.1	7.1	7.1	7.3	6.9				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																									
RDWYID	SR	US	G_BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															FUTURE
INTERSECT	AT	(MP)	(SIDE)	LN	%T	AADT	RATINGS	=====	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE				2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030		
CONTRACTOR	(AGE)	ONE	YEAR																				(PMRS)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																				
93150000	7.043	7.451	R	1	8 45	CRACKING	9.0	9.0	9.0	9.0							10.0	10.0	10.0	10.0	10.0	10.0			
809			3	5.5	33000	RIDE	7.6	7.6	7.6	7.4							6.5	6.3	6.3	6.3	6.4	6.1			
DEVONS RD(	7.1R)				FC125M																				
					(2007)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
4461031	6.882	7.451	C	2023	0012	RIDE	6.1	6.0	6.3	5.7	5.9	5.6	5.2*	5.5	5.5	5.5	5.5	4.8*	5.4*	5.5					
93150000	7.451	10.441	R	1	1 45	CRACKING	9.0	9.0	9.0	9.0					7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0			
809			3	6.2	37500	RIDE	7.6	7.6	7.6	7.4					7.5	7.5	7.3	7.6	7.5	7.4	7.3	7.5			
UNSIGNED(	7.5R)				FC125																				
4229881	7.451	10.966	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
COMMUNITY ASPHALT CORP.			(2013)		SPRIDE		8.4	8.3	8.2	8.1	8.1	8.1	8.1	8.1	8.1	7.8	7.9	7.8	7.8	7.9	7.9	7.9	7.5		
93150000	10.441	10.802	R	1	6 45	CRACKING	9.0	9.0	9.0	9.0					7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0			
809			3	2.1	40000	RIDE	7.6	7.6	7.6	7.4					7.5	7.5	7.3	7.6	7.5	7.4	7.3	7.5			
BURNS RD(10.5R)					UNKW																				
					(2018)	CRACKING	9.5	9.5	9.5	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	8.5		
						RIDE	7.6	7.5	7.4	7.5	6.2														
93150000	10.802	11.059	R	1	6 45	CRACKING	9.0	9.0	9.0	9.0					7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0			
809			3	2.1	40000	RIDE	7.6	7.6	7.6	7.4					7.5	7.5	7.3	7.6	7.5	7.4	7.3	7.5			
TANGLEWOOD ST(10.9R)					UNKW																				
4229881	7.451	10.966	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
COMMUNITY ASPHALT CORP.			(2013)		SPRIDE		7.3	7.6	7.3	7.3	7.3	6.6													
93150000	10.802	11.059	L	1	6 45	CRACKING	8.0	8.0	8.0	8.0					7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5			
809			3	2.1	40000	RIDE	7.7	7.6	7.6	7.3					7.4	7.4	7.5	7.5	7.3	7.2	7.0	7.1			
JOHNSON DAIRY RD(10.8L)					UNKW																				
4229881	7.451	10.966	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0		
COMMUNITY ASPHALT CORP.			(2013)		SPRIDE		6.7	6.7	6.9	6.6	6.6	6.5													
93150000	10.441	10.802	L	1	6 45	CRACKING	8.0	8.0	8.0	8.0					7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5			
809			3	2.1	40000	RIDE	7.7	7.6	7.6	7.3					7.4	7.4	7.5	7.5	7.3	7.2	7.0	7.1			
VISION ONE(10.5L)					UNKW																				
					(2018)	CRACKING	8.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	8.5		
						RIDE	6.7	6.4	6.5	6.8	6.9														
93150000	7.451	10.441	L	1	1 45	CRACKING	8.0	8.0	8.0	8.0					7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5			
809			3	6.2	37500	RIDE	7.7	7.6	7.6	7.3					7.4	7.4	7.5	7.5	7.3	7.2	7.0	7.1			
MEDITERRANEA(7.6L)					FC125																				
4229881	7.451	10.966	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
COMMUNITY ASPHALT CORP.			(2013)		SPRIDE		8.5	8.4	8.2	8.2	8.1	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.5		
93150000	7.043	7.451	L	1	8 45	CRACKING	8.0	8.0	8.0	8.0							10.0	10.0	10.0	10.0	10.0	10.0			
809			3	5.5	33000	RIDE	7.7	7.6	7.6	7.3							7.1	7.0	7.0	6.9	6.3	6.6			
SPUR TO SR 710(7.1L)					FC125M																				
					(2007)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0				
4461031	6.882	7.451	C	2023	0012	RIDE	6.6	6.9	6.3	6.6	6.1	6.0	5.7	6.0	5.8	6.2	6.0	6.0							
93150000	5.630	7.043	L	1	1 45	CRACKING	9.0	8.0	8.0	8.0							10.0	10.0	10.0	10.0	10.0	10.0			
809			3	5.5	35000	RIDE	7.6	7.4	7.4	7.2							7.2	7.1	7.0	6.8	7.1	7.2			
CR 702(5.7C)					FC125																				
2295871	5.583	7.154	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.6	7.0		
COMMUNITY ASPHALT CORP.			(2007)		SPRIDE		7.0	6.9	7.1	6.8	6.8	6.7	6.4	6.6	6.6	6.6	6.6	6.4	6.5	6.5	6.7	6.3			
93150000	2.025	5.630	L	1	1 45	CRACKING	9.0	8.0	8.0	8.0									10.0	10.0	10.0	10.0			
809			3	3.3	38000	RIDE	7.6	7.4	7.4	7.2									7.8	7.6	7.6	7.6			
SCHALL WAY(2.2L)					FC125																				
2295872	2.008	5.583	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.1	8.0		
COMMUNITY ASPHALT CORP.			(2009)		SPRIDE		7.6	7.5	7.5	7.1	7.0	7.0	7.0	7.0	7.0	6.8	6.9	6.9	6.8	6.8	6.8	6.9	6.5		
93150000	0.288	2.025	L	1	1 40	CRACKING	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	10.0			
809			3	13.2	40500	RIDE	6.6	6.6	6.9	6.4	8.3														
CAMBRIDGE(0.3L)					FC95																				
4169111	0.288	2.025	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	9.0		
RANGER CONSTRUCTION INDUST(2012)					SPRIDE		8.0	8.0	8.3	7.8	8.3														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																							
RDWYID	SR	US	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR											FUTURE	
INTERSECT	AT	(MP)	(SIDE)	LN	%T	AADT	SURFTYPE		=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P	ASTYPE																	
CONTRACTOR	(AGE)	ONE YEAR								2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																		
93150000	0.000	0.288	L	1	6	40	CRACKING			8.0	7.5	7.5	7.5	7.5	7.5	7.5				10.0	10.0	10.0	
809			3	2.3	47500	RIDE			6.6	6.6	6.9	6.4	8.3	7.0	7.7					7.1	6.5	6.4	
SOUTHERN BLVD(0.0C)																							
				(2010)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5
							RIDE		6.3	6.3	7.5												
93160000	0.000	12.550	R	1	1	65	CRACKING		10.0	10.0	10.0	10.0	8.5	7.5	7.0	3.5*		10.0	10.0	10.0	10.0		
25 27			2	32.4	15100	RIDE			8.8	8.8	8.9	8.5	8.1	8.0	7.8	6.1*		7.8	7.8	7.8	7.7		
PUMP STATION S7(0.1R)																							
4398421	0.000	7.846	R	2020	0012	FC5M	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	9.0	
OHLA USA, INC.																			8.5	8.5	8.4	8.2	
				(2023)			RIDE		7.5	7.6	7.5	7.8	7.8	7.7	7.6	7.9							
93160000	12.550	16.050	R	1	1	65	CRACKING		9.0	8.5	7.5	7.5	7.0	6.5	4.5*	4.5*	2.0*	10.0	10.0	10.0	10.0		
25 27			2	32.4	15100	RIDE			8.8	8.8	8.8	8.5	7.2	6.7	6.5	5.6*	5.9*	7.5	7.4	7.4	7.4		
ACCESS RD(12.6R)																							
				(2009)			CRACKING		10.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	5.7*	3.0*	
							RIDE		7.4	7.3	7.2	7.4	7.4	7.3	7.1	7.4	7.6	7.4	7.4	7.4	7.1	7.0	6.8
4401501	12.626	16.000	R	2021	9924																		
93160000	16.050	21.839	R	1	1	65	CRACKING		9.0	7.5	7.0	7.0	7.0	6.0*	4.5*	4.5*	4.5*	1.0*	1.0*	1.0*	10.0		
25 27			2	32.4	15100	RIDE			8.2	8.3	8.2	7.9	6.7	6.4*	5.9*	5.8*	5.6*	5.0*	4.9*	4.6*	8.1		
KING RANCH(17.0R)																							
4036181	17.403	24.643	R	2010	0012	FC5M	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	4.0*	
(2012)																				8.2	8.2	8.1	7.8
4401081	16.000	20.150@	C	2021	9924																		
93160000	21.839	22.922	R	1	7	65	CRACKING		7.5	4.5*	4.5*	3.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	10.0		
25 27			2	48.6	10200	RIDE			8.5	8.3	8.4	7.9	7.2	7.1	7.7	7.2	7.1	7.3	7.1	7.0	8.1		
CR 827(22.3R)																							
4399301	19.853	22.926	C	2021	0234	FC5M	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	10.0	9.0	
OHLA USA, INC.																				8.2	8.2	8.1	7.6
				(2025)			SPRIDE		8.2	8.2	8.1	8.3	8.2	8.2	8.1	8.3	8.3	8.2	8.2	8.1	7.8		
93160000	22.922	26.086	R	1	1	45	CRACKING		7.5	4.5*	4.5*	3.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	10.0		
25 27			2	48.6	10200	RIDE			8.5	8.3	8.4	7.9	7.2	7.1	7.7	7.2	7.1	7.3	7.1	7.0	8.1		
SW 1 AVE(25.6R)																							
4036181	17.403	24.643	R	2010	0012	FC5M	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	4.0*	
(2012)																				8.2	8.2	8.1	7.9
4401581	20.150	25.661	R	2021	9924																		
93160000	22.922	26.086	L	1	1	45	CRACKING		6.5	4.5*	4.5*	3.5*	2.5*	2.5*	2.5*	2.5*	3.5*	2.5*	2.5*	2.5*	10.0		
25 27			2	48.6	10200	RIDE			8.3	8.2	8.2	7.8	6.8	6.5	6.5	6.5	6.5	6.4	6.1	6.1	8.2		
CANAL ST R(25.6L)																							
4036181	20.386	24.643	L	2010	0012	FC5M	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.8	5.5*	
(2012)																				8.3	8.3	8.2	8.1
							RIDE		8.2	8.2	8.2	8.3	8.4	8.3	8.2	8.4	8.3	8.3	8.3	8.2	7.8		
93160000	21.839	22.922	L	1	7	65	CRACKING		10.0	10.0	10.0	9.5	8.5	8.5	7.0	6.5	6.5	4.5*	3.5*	3.5*	10.0		
25 27			2	48.6	10200	RIDE			8.4	8.4	8.4	8.3	7.7	7.7	7.8	7.6	7.4	7.3	7.4	7.4	8.2		
JOHN L EVANS LN(22.3L)																							
4399301	19.853	22.926	C	2021	0234	FC5M	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	10.0	9.0	
OHLA USA, INC.																				8.2	8.2	8.1	7.9
				(2025)			SPRIDE		8.2	8.2	8.2	8.3	8.4	8.3	8.2	8.4	8.3	8.3	8.3	8.2	8.1		
93160000	16.050	21.839	L	1	1	65	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	7.0	7.0	10.0		
25 27			2	32.4	15100	RIDE			8.6	8.6	8.7	8.5	8.2	8.2	8.1	8.2	8.1	8.1	8.0	8.0	8.2		
DAN GUFFIN SOD(18.3L)																							
				(2012)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.9	5.5*	
							RIDE		8.2	8.2	8.2	8.3	8.4	8.3	8.2	8.4	8.3	8.3	8.3	8.2	8.2	8.0	
4401081	16.000	20.150@	C	2021	9924																		
93160000	12.550	16.050	L	1	1	65	CRACKING		9.0	9.0	9.0	9.0	8.5	8.0	7.0	6.5	6.5	5.5*	3.5*	3.5*			
25 27			2	32.4	15100	RIDE			8.7	8.7	8.8	8.6	8.2	8.1	8.0	8.0	7.8	7.7	7.4	7.4	7.4		
ACCESS RD L(13.0L)																							
				(2014)			CRACKING		3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.4	6.5		
							RIDE		7.1	7.9	8.0	8.3	8.4	8.3	8.2	8.4	8.4	8.4	8.3	8.4	8.4	8.2	
4401501	13.002	16.000	L	2021	9924																		
93160000	5.360	12.550	L	1	1	65	CRACKING		9.5	9.5	9.5	9.5	9.0	8.0	6.5	6.5		10.0	10.0	10.0	10.0		
25 27			2	32.4	15100	RIDE			8.8	8.7	8.8	8.6	8.0	8.0	7.8	7.9		7.7	7.6	7.6	7.7		
PUMP HOUSE ACCESS(6.7L)																							
4398421	5.292	10.186	L	2020	0012	FC5M	CRACKING		10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5			10.0	10.0	10.0	9.0	
(2023)																				8.5	8.5	8.4	8.2
							RIDE		7.7	7.7	7.6	7.7	7.8	7.7	7.6	7.8							

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
INTERSECT AT (MP SIDE)					SURFTYPE		=====														
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																
93160000 25 27	4.230	5.360	L 3	1 32.4	1 65 15100 FC5M	CRACKING RIDE		10.0 9.0	10.0 8.9	10.0 9.1	10.0 8.8	9.5 8.3	9.5 8.2	8.0 8.2	7.0 8.2	6.5 8.1	6.5 8.1	6.5 7.7	6.5 7.7	5.5* 7.6	
4398421	4.322	5.292	L 2020 (2023)	0012	FC5M	CRACKING RIDE		10.0 8.0	10.0 8.1	10.0 8.0	10.0 8.2	10.0 8.1	10.0 8.0	10.0 8.0	10.0 8.1			10.0 8.4	10.0 8.4	10.0 8.3	9.0 8.1
93160000 25 27	2.120	4.230	L 2	1 32.4	1 65 15100 FC5M	CRACKING RIDE		10.0 9.0	10.0 8.9	10.0 9.1	10.0 8.8	9.5 8.3	9.5 8.2	8.0 8.2	7.0 8.2	6.5 8.1	6.5 8.1	6.5 7.7	6.5 7.7	5.5* 7.6	
SERVICE RD(3.1L) 4398421	0.000	3.669	L 2020 (2023)	0012	FC5M	CRACKING SPRIDE		10.0 8.0	10.0 8.1	10.0 8.0	10.0 8.2	10.0 8.1	10.0 8.0	10.0 8.0	10.0 8.1			10.0 8.5	10.0 8.5	10.0 8.4	9.0 8.2
OHLA USA, INC.																					
93160000 25 27	0.850	2.120	L 3	1 32.4	1 65 15100 FC5M	CRACKING RIDE		10.0 9.0	10.0 8.9	10.0 9.1	10.0 8.8	9.5 8.3	9.5 8.2	8.0 8.2	7.0 8.2	6.5 8.1	6.5 8.1	6.5 7.7	6.5 7.7	5.5* 7.6	
4398421	0.000	3.669	L 2020 (2023)	0012	FC5M	CRACKING SPRIDE		10.0 8.0	10.0 8.1	10.0 8.0	10.0 8.2	10.0 8.1	10.0 8.0	10.0 8.0	10.0 8.1			10.0 8.6	10.0 8.6	10.0 8.5	9.0 8.3
OHLA USA, INC.																					
93160000 25 27	0.000	0.850	L 2	1 32.4	1 65 15100 FC5M	CRACKING RIDE		10.0 9.0	10.0 8.9	10.0 9.1	10.0 8.8	9.5 8.3	9.5 8.2	8.0 8.2	7.0 8.2	6.5 8.1	6.5 8.1	6.5 7.7	6.5 7.7	5.5* 7.6	
PUMP STATION S8(0.2L) 4398421	0.000	3.669	L 2020 (2023)	0012	FC5M	CRACKING SPRIDE		10.0 8.0	10.0 8.1	10.0 8.0	10.0 8.2	10.0 8.1	10.0 8.0	10.0 8.0	10.0 8.1			10.0 8.6	10.0 8.6	10.0 8.6	9.0 8.4
OHLA USA, INC.																					
93170000 717	0.000	0.540	C 2	1 9.2	1 35 2800 FC95	CRACKING RIDE		7.5 7.7	10.0 8.5	9.5 8.2	9.5 8.1	9.5 7.5	9.5 7.1	8.0 7.3	7.0 7.2	7.0 6.9	7.0 6.9	7.0 6.6	7.0 6.4	6.0* 6.1	
E CANAL ST N(0.0R) 4246591	0.033	0.534	C 2012 (2014)	0226	FC95	CRACKING RIDE		5.5* 5.8	10.0 8.3	10.0 7.1	10.0 5.9	10.0 5.9	8.5 7.0	8.5 6.9	8.5 6.8		6.5 6.3	6.5 5.9	6.5 5.5	6.4* 5.3*	5.5* 4.9*
COMMUNITY ASPHALT CORP.																					
93170000 717	0.580	1.350	C 4	1 5.8	1 35 3700 FC95	CRACKING RIDE		10.0 6.3*	8.0 6.2*	8.0 6.5	8.0 6.0	8.0 5.5	8.0 5.7	7.5 5.5	7.5 5.2*	6.0* 5.5	5.0* 5.7	5.0* 5.7	5.0* 5.3*	5.0* 5.5	
BELLE GRADE CITY LIMITS(0.6R) 4229891	0.590	1.276	C 2012 (2014)	0012	FC95	CRACKING SPRIDE			10.0 7.5	10.0 7.5	10.0 7.2	10.0 7.2	10.0 6.9	10.0 6.4	10.0 6.7	10.0 6.3	10.0 6.6	10.0 6.5	10.0 6.3	8.4 5.9	7.5 5.5
WEEKLEY ASPHALT PAVING, IN																					
93170000 717	1.350	1.727	C 2	1 5.8	1 35 3700 FC95	CRACKING RIDE		9.0 8.0	9.0 8.1	9.0 7.8	9.0 7.8	9.0 7.0	9.0 6.9	9.0 7.1	7.0 7.5	5.5* 7.3	3.5* 6.8	3.5* 6.6	3.5* 7.1	3.5* 6.1	
NW 12 ST(1.4R) 4229891	1.276	1.704	C 2012 (2014)	0012	FC95	CRACKING SPRIDE			10.0 7.8	10.0 7.8	10.0 6.6	10.0 6.2	10.0 6.4	10.0 6.6	10.0 6.9	10.0 6.8	10.0 6.9	10.0 6.6	10.0 6.1	7.6 5.6	6.5 5.2*
WEEKLEY ASPHALT PAVING, IN																					
93180000 802	0.000	0.477	R 3	1 6.1	1 45 34500 FC125M	CRACKING RIDE		8.5 8.3	8.5 8.5	8.5 8.4	8.5 8.1	7.5 7.3	7.0 7.3	6.5 7.6	6.5 7.3	4.5* 7.1	3.5* 7.1	3.5* 7.5	3.5* 7.4	3.5* 7.3	
LAKEWORTH RD(0.0C) 4216911	0.014	1.565	C 2011 (2013)	0012	FC125M	CRACKING SPRIDE		10.0 7.8	10.0 7.3	10.0 7.5	10.0 7.0	10.0 7.1	10.0 7.2	9.5 6.9	9.5 7.0	8.5 7.3	8.5 7.0	7.0 7.0	7.0 7.2	7.0 6.8	6.0* 6.4
WEEKLEY ASPHALT PAVING, IN																					
93180000 802	0.477	1.565	R 3	1 4.1	1 50 43000 FC5M	CRACKING RIDE		8.5 8.3	8.5 8.5	8.5 8.4	8.5 8.1	7.5 7.3	7.0 7.3	6.5 7.6	6.5 7.3	4.5* 7.1	3.5* 7.1	3.5* 7.5	3.5* 7.4	3.5* 7.3	
HUNTING TRAIL(0.6R) 4216911	0.014	1.565	C 2011 (2013)	0012	FC5M	CRACKING SPRIDE		10.0 7.3	10.0 7.3	9.0 7.2	9.0 7.4	9.0 7.4	9.0 7.3	9.0 7.3	9.0 7.4	7.5 7.4	6.5 7.4	6.5 7.1	6.5 7.1	7.2 7.3	5.0* 7.1
WEEKLEY ASPHALT PAVING, IN																					
4484361	0.477	1.565	C 2027	0012																	
93180000 802	1.565	2.139	R 3	1 4.1	1 45 43000 DGFC	CRACKING RIDE		8.5 8.3	8.5 8.5	8.5 8.4	8.5 8.1	7.5 7.3	7.0 7.3	6.5 7.6	6.5 7.3	4.5* 7.1	3.5* 7.1	3.5* 7.5			
ACCESS RD(1.6R) (2013)								10.0 8.3	10.0 8.3	10.0 8.2	10.0 8.1	10.0 8.1	10.0 7.8	10.0 8.1	10.0 7.9	10.0 8.0	10.0 7.8	10.0 7.8	10.0 7.9	8.5 7.8	7.5 7.4
93180000 802	2.139	3.602	R 3	1 7.6	1 45 40000 DGFC	CRACKING RIDE		1.0* 7.7	1.0* 7.7	1.0* 7.6	1.0* 7.2	1.0* 6.5	1.0* 6.6	1.0* 6.4	1.0* 6.7	10.0 8.0	10.0 8.1	10.0 8.0	10.0 8.0	10.0 8.0	
OHIO RD(2.5R) 2297501	2.139	3.602	C 2005 (2008)	0012	DGFC	CRACKING SPRIDE		10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 7.9	10.0 7.7	10.0 7.4	10.0 7.7	10.0 7.8	10.0 7.7	10.0 7.7	10.0 7.7	8.6 7.8	7.0 7.4
RANGER CONSTRUCTION INDUST																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR															
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE			
INTERSECT AT (MP SIDE)							=====																	
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKMX-P			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030			
CONTRACTOR (AGE ONE YEAR)					ASTYPE																(PMRS)			
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																			
93180000	3.602	5.497	R	1	1 45	CRACKING		1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0			
802				3	4.2	43000	RIDE	7.7	7.7	7.6	7.2	6.5	6.6	6.4	6.7	8.2	8.2	8.1	8.1	8.1				
JOG RD(3.6C)						DGFC																		
2297511	3.690	5.660	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	8.1	6.5			
RANGER CONSTRUCTION INDUST(2008)						SPRIDE		7.9	8.0	8.1	7.9	7.9	7.8	7.5	7.7	7.8	7.7	7.8	7.8	7.7	7.3			
93180000	5.497	7.165	R	1	1 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5				
802				3	4.5	44500	RIDE	7.5	8.1	8.5	8.3	7.6	7.8	7.7	8.0	8.0	9.5	9.5	9.5	9.5				
MILITARY TR(5.7C)						DGFC																		
					(1994)																			
4416321	5.497	7.359	C	2022	0012	CRACKING		9.5	8.5	8.5	7.0	7.0	7.0	7.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.5*			
						RIDE		7.4	7.5	7.4	7.7	7.7	7.4	7.1	7.4	7.3	7.4	7.2	6.6	6.5	6.1			
93180000	7.165	7.950	R	1	1 40	CRACKING		9.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*				
802				2	8.2	32000	RIDE	8.7	8.7	8.7	8.3	7.8	7.9	7.8	7.6	7.5	7.5	7.4	7.3	7.4				
CONGRESS AVE(7.2C)						FC95																		
4229901	7.233	8.010	R	2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0			
WEEKLEY ASPHALT PAVING, IN(2013)						SPRIDE		7.9	7.3	7.3	7.2	7.2	6.8	7.1	7.2	7.1	7.2	7.1	7.1	7.1	6.7			
93180000	7.950	8.680	R	1	2 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5				
802				2	8.2	32000	RIDE	7.4	7.0	7.6	7.3	6.1	6.7	6.6	6.6	6.9	7.0	6.8	6.7	6.5				
BOUTWELL RD (L)(8.1R)						FC95																		
					(1999)																			
4498101	7.888	8.370	C	2027	0012	CRACKING		9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.6	5.0*			
						RIDE		6.5	6.5	6.6	6.4	6.2	6.0	6.1	5.9	5.9	6.2	6.1	6.1	5.5	5.1*			
93180000	8.680	9.859	C	1	6 25	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5				
802				2	17.9	7300	RIDE	7.2	6.9	6.4	6.9	7.0	7.0	6.7	6.4	6.6	6.0	9.5	4.9*	4.8*	4.8*			
LAKE AVE(8.7R)						DGFC																		
					(1999)																			
4461041	8.693	9.854	C	2024	0012	CRACKING		9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	2.5*			
						RIDE		4.8*	4.7*	4.5*	4.7*	4.7*	4.4*	4.2*	4.5*	4.4*								
93180000	10.156	10.313	C	1	6 35	CRACKING		10.0	9.0	9.0	9.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0				
802				4	6.7	13400	RIDE	5.2*	5.6*	5.9	6.1	4.6*	5.9	5.3*	7.7	6.8	7.7	6.3	7.5	6.9				
LAKE WORTH CITY LIMITS(10.3C)						DGFC																		
2298641	10.156	10.313	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.1	6.5			
WEEKLEY ASPHALT PAVING, IN(2007)						SPRIDE																		
93180000	7.950	8.680	L	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0				
802				2	8.2	32000	RIDE	7.8	7.6	6.6	6.8	7.1	7.0	7.0	7.2	7.0	6.9	6.8	6.5	6.5				
BOUTWELL RD(8.1L)						FC95																		
					(1999)																			
4498101	7.888	8.370	C	2027	0012	CRACKING		8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	7.0	6.5	6.5	6.5	7.4	5.5*			
						RIDE		6.6	6.6	6.4	6.3	6.1	5.6	5.9	6.0	6.0	6.2	6.3	5.9	6.1	5.7			
93180000	7.343	7.950	L	1	1 40	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*				
802				2	8.2	32000	RIDE	8.0	7.7	7.9	7.4	7.3	7.4	7.4	7.5	7.7	7.4	7.1	7.1	7.0				
CLUB MANGER ASSOC OF AME(7.5L)						FC95																		
4229901	7.233	8.010	L	2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0			
WEEKLEY ASPHALT PAVING, IN(2013)						SPRIDE		7.8	7.9	7.6	7.4	7.3	7.2	7.1	7.3	7.3	7.3	7.2	7.3	7.3	6.9			
93180000	5.497	7.343	L	1	1 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5				
802				3	4.5	44500	RIDE	8.2	8.4	8.3	8.1	7.5	7.4	7.1	7.3	7.3	7.1	7.1	6.8	7.0				
MILITARY TR(5.7C)						DGFC																		
					(1994)																			
4416321	5.497	7.359	C	2022	0012	CRACKING		8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	1.5*			
						RIDE		7.0	6.9	7.0	7.1	7.1	7.1	6.9	7.1	7.0	7.0	7.1	6.9	6.9	6.5			
93180000	3.602	5.497	L	1	1 45	CRACKING		1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0				
802				3	4.2	43000	RIDE	7.2	6.9	6.9	6.5	6.3*	6.1*	6.1	6.0	8.0	7.8	7.8	7.7	7.9				
JOG RD(3.6C)						DGFC																		
2297511	3.690	5.660	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	7.5			
RANGER CONSTRUCTION INDUST(2008)						SPRIDE		7.8	7.8	7.8	7.9	7.9	7.5	7.3	7.6	7.7	7.6	7.5	7.7	7.7	7.3			
93180000	2.139	3.602	L	1	1 45	CRACKING		1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0				
802				3	7.6	40000	RIDE	7.2	6.9	6.9	6.5	6.3*	6.1*	6.1	6.0	7.9	7.8	7.8	7.7	7.7				
HADJES DR(2.2L)						DGFC																		
2297501	2.139	3.602	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.3	7.0			
RANGER CONSTRUCTION INDUST(2008)						SPRIDE		7.7	7.8	7.7	7.8	7.8	7.3	7.3	7.6	7.7	7.5	7.7	7.7	7.7	7.3			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)						=====																
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKMX-P																	
CONTRACTOR (AGE ONE YEAR)					ASTYPE																	
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																(PMRS)	
93180000	1.565	2.139	L	1	6 45	CRACKING		9.0	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*				
802				3	4.1	43000	RIDE	8.1	8.4	8.2	7.7	7.8	7.7	7.7	7.8	7.8	7.7	7.4				
CYPRESS ISLAND WAY	L (1.6L)					DGFC																
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	7.5	
							RIDE	8.4	8.5	8.5	8.2	8.2	8.2									
93180000	0.477	1.565	L	1	1 50	CRACKING		9.0	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		
802				3	4.1	43000	RIDE	8.1	8.4	8.2	7.7	7.8	7.7	7.7	7.8	7.8	7.7	7.4	7.4	7.3		
CYPRESS EDGE DR(0.6L)						FC5M																
4216911	0.014	1.565	C	2011	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.8	4.5*	
WEEKLEY ASPHALT PAVING, IN(2013)						SPRIDE		7.6	7.5	7.4	7.6	7.5	7.3	7.4	7.5	7.4	7.4	7.2	7.4	7.4	7.2	
4484361	0.477	1.565	C	2027	0012																	
93180000	0.000	0.477	L	1	6 45	CRACKING		9.0	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		
802				3	6.1	34500	RIDE	8.1	8.4	8.2	7.7	7.8	7.7	7.7	7.8	7.8	7.7	7.4	7.4	7.3		
LAKEWORTH RD(0.0C)						FC125M																
4216911	0.014	1.565	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.1	6.0*	
WEEKLEY ASPHALT PAVING, IN(2013)						SPRIDE		7.7	7.7	7.6	7.4	7.4	7.3									
93180001	0.000	1.167	C	1	1 25	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
802				2	6.2	7600	RIDE	7.0	6.2*	6.3	6.1	6.9	6.5	6.2	6.2	6.3	6.1	4.9*	4.8*	4.8*		
BR# 930103(0.0C)						UNKW																
							CRACKING	9.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	7.5	5.5*	
							RIDE	4.7*	4.7*	4.6*	4.6*	4.6*	4.6*	4.5*	4.5*	4.5*	4.4*	4.5*	4.6*	4.2*	3.8*	
93190000	12.081	12.371	R	1	1 50	CRACKING		7.5	7.5	7.5	7.5	7.0	6.5	5.5*	5.5*	5.5*	5.5*	8.0	8.0	10.0		
706				3	11.9	44000	RIDE	8.5	8.3	8.6	8.5	7.3	7.6	7.7	7.6	7.3	7.5	7.7	7.8	7.9		
						FC5																
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	5.0*	
							RIDE	7.8	7.8	7.7	8.0	7.9	7.9	7.6	7.7	7.9	7.8	8.0	7.9	8.0	7.8	
4397581	12.081	13.527	C	2023	0231																	
93190000	12.371	13.740	R	1	2 45	CRACKING		7.5	7.5	7.5	7.5	7.0	6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0		
706				3	6.7	61000	RIDE	8.5	8.3	8.6	8.5	7.3	7.6	7.7	7.6	7.3	7.5	8.2	8.0	8.2		
68 TER(13.2R)						FC5																
4138431	12.795	13.781	R	2008	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.4*	4.0*	
HUBBARD CONSTRUCTION COMPA(2010)						RIDE		8.1	8.1	7.9	8.1	8.0	7.9	7.6	8.0	7.8	7.9	7.5	7.9	7.7	7.5	
4397581	12.081	13.527	C	2023	0231																	
93190000	13.740	16.047	R	1	1 45	CRACKING		7.5	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	2.5*	2.5*	10.0		
706				3	4.7	39000	RIDE	7.8	7.7	7.7	7.4	6.3*	6.3*	6.6	6.0	5.9	5.6	5.5	5.4*	7.5		
BUSH RD(13.9R)						FC125																
4169051	13.740	16.070	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.7	7.5	
COMMUNITY ASPHALT CORP.						SPRIDE		7.5	7.3	7.1	7.0	7.0	6.8	6.7	6.8	6.6	6.5	6.5	6.6	6.5	6.1	
93190000	16.047	16.859	R	1	6 45	CRACKING			10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5		
706				3	5.5	34500	RIDE		7.8	7.2	7.2	6.2*	6.2*	6.5	6.6	6.7	7.1	6.9	7.0	7.0		
ALT A1A(16.1C)						FC95																
4246601	16.047	16.661	R	2012	0012	CRACKING		6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	
J.W. CHEATHAM, LLC						SPRIDE		6.9	7.0	7.5	7.5	7.0	6.9									
93190000	16.047	16.859	L	1	6 45	CRACKING			10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5		
706				3	5.5	34500	RIDE		7.3	6.7	6.9	6.1*	6.2*	6.3	6.9	6.6	6.4	6.1	6.8	7.0		
ALT A1A(16.1C)						FC95																
4246601	16.047	16.859	L	2012	0012	CRACKING		7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	8.0	
J.W. CHEATHAM, LLC						SPRIDE		6.9	7.3	7.5	7.0	6.9	6.8									
93190000	13.740	16.047	L	1	1 45	CRACKING		10.0	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	2.5*	2.5*	10.0		
706				3	4.7	39000	RIDE	7.8	8.4	8.2	8.0	7.3	7.2	7.1	7.0	7.0	6.9	6.7	6.5	8.5		
CARVER AVE(13.8L)						FC125																
4169051	13.740	16.070	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	7.5	
COMMUNITY ASPHALT CORP.						SPRIDE		8.3	8.2	8.0	8.0	8.0	7.9	7.6	7.8	7.7	7.5	7.6	7.6	7.2		
93190000	12.371	13.740	L	1	2 45	CRACKING		7.5	7.5	7.5	7.5	7.0	6.5	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0		
706				3	6.7	61000	RIDE	8.5	8.7	8.5	8.4	7.7	7.6	7.6	7.5	7.4	7.5	8.1	8.0	7.9		
ISLAND WAY(13.2L)						FC5																
4138431	13.063	13.781	L	2008	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	4.0*	
HUBBARD CONSTRUCTION COMPA(2010)						RIDE		8.0	8.1	8.0	8.1	8.1	7.8	7.6	8.0	7.9	8.0	8.0	7.9	7.7	7.5	
4397581	12.081	13.527	C	2023	0231																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012					
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKM-X-P	ASTYPE	=====																		
ITMSEG-P	(AGE ONE YEAR)							2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025					
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKMX-F																				(PMRS)
ITMSEG-F																									
93190000 706	12.081	12.371	L 3	11.9	6 50 44000 DGFC	CRACKING RIDE		7.5 8.5	7.5 8.7	7.5 8.5	7.5 8.4	7.0 7.7	6.5 7.6	5.5* 7.6	5.5* 7.5	3.5* 7.4	3.5* 7.5	10.0 8.0	10.0 7.9	10.0 8.1					
					(2010) C 2023	CRACKING RIDE		10.0 8.0	10.0 8.0	10.0 7.5	10.0 7.7	10.0 7.6	10.0 7.7	10.0	10.0	10.0	10.0	9.0	8.0	8.0					6.5
4397581	12.081	13.527	C 2023		0231																				
93200000 804 BOYNTON BEACH BLVD(0.0C)	0.000	1.049	R 2	7.9	1 45 16700 OGFC	CRACKING RIDE		7.5 8.3	7.5 7.8	7.5 8.1	6.5 7.4	6.5 6.9	6.0* 6.9		10.0 7.6	10.0 7.6	10.0 7.4	9.0 7.4	9.0 7.4	9.0 7.5					
					(2007) C 2025	CRACKING RIDE		9.0 7.4	9.0 7.3	9.0 7.2	9.0 7.3	9.0 7.4	9.0 7.4	9.0 7.3	6.5 7.3	6.5 7.2	5.5* 7.2	3.5* 7.1	3.5* 7.0	4.5* 7.2	1.5* 7.0				
4476651	0.000	1.022	C 2025		0012																				
93200000 804 ACME DAIRY BLVD(1.6C)	1.049	2.172	R 3	4.3	1 45 44000 FC125M	CRACKING RIDE		9.0 8.4	9.0 8.4		7.5 8.5	7.5 8.0	7.0 7.3		10.0 8.0	10.0 8.0	10.0 7.9	10.0 7.9	9.5 7.7	9.5 7.8					
4398441 GENERAL ASPHALT CO., INC.	1.041	1.768	R 2020 (2022)		0012	CRACKING RIDE		9.5 7.7	9.0 7.5	6.5 7.5	6.5 7.5	6.5 7.4	6.5 7.4	6.5 7.0	6.5 7.3	4.5* 7.0	10.0 7.9	10.0 7.9	10.0 7.9	9.5 7.9	8.5 7.5				
93200000 804 TURNPIKE(2.2R)	2.172	2.740	R 3	4.4	1 45 55500 DGFC	CRACKING RIDE		9.0 8.4	9.0 8.4		10.0 8.2	10.0 8.1	10.0 8.0	10.0 7.9	10.0 7.9	10.0 7.6	10.0 7.4	10.0 7.3	10.0 7.3	9.5 7.3					
					(2003) R 2026	CRACKING RIDE		9.5 7.3	9.5 6.9	7.5 7.1	7.5 7.6	7.5 7.5	7.5 7.2	7.5 7.4	7.5 7.4	7.5 7.4	7.5 7.7	7.5 7.6	7.5 7.6	7.5 7.6	6.0* 7.2				
4484371	2.295	2.890	R 2026		0012																				
93200000 804 MIZNER FALLS WAY(2.9R)	2.740	3.440	R 3	4.4	1 45 55500 FC125M	CRACKING RIDE		9.0 8.4	9.0 8.4		8.5 8.3	8.5 7.8	7.0 7.7	6.5 7.6	6.5 7.7	4.5* 7.6	4.5* 7.5	4.5* 7.2	4.5* 6.9	4.5* 6.9					
4229911 WEEKLEY ASPHALT PAVING, INC.	2.739	3.439	C 2011 (2013)		0012	CRACKING RIDE		10.0 8.2	10.0 8.1	10.0 8.2	10.0 8.0	10.0 8.0	10.0 7.6	10.0 7.5	10.0 7.9	10.0 8.0	10.0 8.0	9.5 8.0	9.5 8.0	8.2 8.0	7.0 7.6				
93200000 804 JOG RD(3.6C)	3.440	7.147	R 3	3.5	1 45 43500 FC95M	CRACKING RIDE		10.0 7.4	9.0 7.2	9.0 7.7	9.0 7.4	9.0 7.2	9.0 7.1	9.0 7.2	9.0 7.4	9.0 7.3	9.0 7.2	7.5 7.1	7.5 6.9	7.5 7.0					
4323441 GENERAL ASPHALT CO., INC.	3.439	7.150	C 2019 (2022)		0012	CRACKING SPRIDE		7.5 6.9	6.5 6.9	6.5 6.9	4.5* 7.0	4.5* 7.1	4.5* 7.0	4.5* 6.8	4.5* 6.9		10.0 8.3	10.0 8.2	10.0 8.2	9.7 8.2	9.0 7.8				
93200000 804 CROSS CREEK CENTER(7.4R)	7.147	7.786	R 3	5.4	1 40 37000 DGFC	CRACKING RIDE		4.5* 7.5	10.0 7.9	10.0 8.7	10.0 8.5	10.0 8.0	10.0 8.3	10.0 8.1	10.0 8.2	10.0 8.2	10.0 8.3	10.0 8.1	9.5 8.3	9.5 8.3					
2297461 RANGER CONSTRUCTION INDUST(2001)	7.031	8.090	C 2000 (2001)		0012	CRACKING S RIDE		9.0 8.1	9.0 8.0	9.0 8.0	9.0 8.1	9.0 8.1	9.0 8.0	9.0 7.9	9.0 7.7	9.0 7.9	7.5 7.9	7.5 8.0	7.5 7.9	6.7 7.9	5.0* 7.5				
4476671	7.116	7.800	C 2025		0012																				
93200000 804 NW 8TH ST(7.8R)	7.786	8.035	R 3	2.6	1 40 52000 DGFC	CRACKING RIDE		9.0 8.3	9.0 8.2	9.0 8.3	9.0 7.9	9.0 7.4	9.0 7.1	9.0 7.0	9.0 7.2		10.0 7.9	10.0 7.9	10.0 7.4	10.0 7.4					
4036051 HUBBARD CONSTRUCTION COMPA(2009)	7.786	8.030	R 2006 (2009)		0012	CRACKING SPRIDE		10.0 7.4	10.0 7.3	10.0 7.4	10.0 7.4	10.0 7.4	10.0 7.3	10.0 7.3	10.0 7.2	10.0 7.2	10.0 7.3	10.0 7.5	10.0 7.4	8.5 7.2	7.0 6.8				
93200000 804 NW 3 ST(8.5R)	8.035	9.140	R 2	3.8	1 35 31500 DGFC	CRACKING RIDE		9.0 7.6	9.0 7.7	9.0 7.5	9.0 7.2	9.0 7.0	8.0 6.9	10.0 6.6	10.0 7.1		10.0 7.5	10.0 6.9	10.0 7.5	10.0 6.9					
4036051 HUBBARD CONSTRUCTION COMPA(2009)	8.030	9.115	R 2006 (2009)		0012	CRACKING SPRIDE		10.0 6.8	10.0 6.8	10.0 6.8	10.0 6.6	10.0 6.6	10.0 6.7	10.0 6.5	10.0 6.6	10.0 6.4	10.0 6.6	9.5 6.7	9.5 6.6	7.6 6.5	6.5 6.1				
93200000 804 SE 6TH ST(9.4R)	9.256	9.440	R 1	5.7	6 30 7500 DGFC	CRACKING RIDE		10.0 4.5*	10.0	10.0 8.2	10.0 7.9	10.0 7.7	10.0 7.8	10.0 7.8	10.0 7.7	10.0 7.5	10.0 7.6	10.0 7.4	10.0 7.3	10.0 5.4*					
					(2002) C 2025	CRACKING RIDE		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.9	6.5				
4476691	9.268	9.855	C 2025		0012																				
93200000 804 OCEAN RIDGE CITY LIMITS(9.9C)	9.440	9.855	C 1	5.7	1 30 7500 DGFC	CRACKING RIDE		10.0	10.0	10.0 8.0	10.0 7.5	10.0 7.5	9.0 7.5	9.0 7.4	9.0 7.5	9.0 7.4	9.0 7.4	9.0 7.1	9.0 7.0	9.0 7.4					
					(1986) C 2025	CRACKING RIDE		9.0 7.4	9.0 6.9	9.0 7.2	9.0 6.7	9.0 6.7	9.0 6.6	9.0 6.6	9.0 6.5	9.0 6.2	8.0 6.3	8.0 6.5	8.0 6.5	8.2 6.5	6.0* 6.1				
4476691	9.268	9.855	C 2025		0012																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

											DISTRICT = 4 COUNTY = PALM BEACH															
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE				
SR US	G BMP	G EMP	LN	%T	ADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012						
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKMX-P		=====																			
ITMSEG-P	(AGE ONE YEAR)				ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)					
CONTRACTOR	W BMP	W EMP	RW	FY-F	WKMX-F																					
ITMSEG-F																										
93200000	9.256	9.440	L	1	6 30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0					
804			1	5.7	7500	RIDE		4.5*																		
NE 6TH ST(9.4L)					UNKW																					
					</																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH

[illegible]

```

**" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2030 FORECASTED BY PAVEMARS (PMRS).

```

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH

RDWYID	SR		BMP		EMP		RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR			FUTURE										
	US	G	G	LN	%T	AADT						RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
	AT	(MP)	(SIDE)																						
	ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P						ASTYPE													
CONTRACTOR	(AGE ONE YEAR)				FY-F	WKMX-F																			
ITMSEG-F	W_BMP	W_EMP	RW																		2030 (PMRS)				
932200009	I95	2.260 44.8	8.110 50.6	R 4	4 8.4	1 220000	65 FC5M	CRACKING RIDE	7.5 8.4	6.5 8.4	6.5 8.4	6.5 8.1	4.5* 7.2	4.5* 7.1		10.0 8.1	10.0 8.1	10.0 8.1	10.0 8.0	10.0 7.9	10.0 7.9				
					(2024)			CRACKING RIDE	9.0 7.7	9.0 7.6	6.5 7.6	6.5 7.9	6.5 7.9	6.5 7.8		6.5 7.6	4.5* 8.0			10.0 8.4	9.7 8.3	8.5 8.2			
932200009	I95	8.110 50.6	14.400 56.9	R 5	4 6.9	1 214351	65 FC5M	CRACKING RIDE	10.0 8.6	10.0 8.7					10.0 7.0	10.0 7.7	10.0 7.6	10.0 7.6	10.0 7.4	10.0 7.1	9.0 7.1				
4268432	COMMUNITY	7.715 ASPHALT	14.400 CORP.	R (2013)	2011	0012	CRACKING SPRIDE	10.0 8.1	10.0 8.2	10.0 8.2	10.0 8.4	10.0 8.5	10.0 8.4	10.0 8.3	10.0 8.5	9.0 8.5	7.5 8.5	7.5 8.5	7.5 8.5	8.1 8.5	5.5* 8.4				
932200009	I95	14.400 56.9	16.460 59.0	R 5	4 6.4	1 247000	65 FC5M	CRACKING RIDE	10.0 8.6	10.0 8.7					10.0 7.8	10.0 7.6	10.0 7.6	9.0 7.5	9.0 7.4	9.0 7.2	9.0 7.2				
4275161	COMMUNITY	14.366 ASPHALT	16.427 CORP.	R (2021)	2018	0012	CRACKING SPRIDE	9.0 7.2	8.0 7.1	5.5* 6.9	5.5* 7.4	5.5* 7.4	3.5* 7.4	3.5* 7.0	3.5* 7.5	10.0 8.8	10.0 8.7	10.0 8.7	10.0 8.7	9.4 8.6	8.0 8.5				
932200009	I95	16.460 59.0	18.781 61.3	R 5	4 7.6	1 249000	65 FC5M	CRACKING RIDE	10.0 9.0	10.0 9.0	10.0 9.0	10.0 8.9	10.0 8.5		10.0 7.4	10.0 7.4	10.0 7.5	9.0 7.5	9.0 7.4	9.0 7.5					
4275162	HALLEY ENGINEERING	16.427 CONTRAC	18.781 (2023)	R (2023)	2020	0012	CRACKING SPRIDE	9.0 7.2	7.5 7.1	7.5 7.0	6.5 7.4	6.5 7.3	4.5* 7.1	4.5* 7.0	3.5* 7.3	3.5* 7.0		10.0 8.0	10.0 8.0	10.0 7.8	9.0 7.7				
932200009	I95	18.781 61.3	20.409 62.9	R 5	4 7.6	1 249000	65 FC5	CRACKING RIDE	10.0 9.0	10.0 9.0	10.0 9.0	10.0 8.9	10.0 8.5		10.0 7.7	10.0 7.5	10.0 7.8	10.0 7.8	10.0 7.7	10.0 7.8	10.0 7.8				
					(2009)			CRACKING RIDE	10.0 7.8	10.0 7.8	9.0 7.8	9.0 7.8	9.0 8.0	9.0 7.9	9.0 7.8	9.0 8.0	9.0 8.1	7.5 8.1	6.5 7.9	6.5 8.0	7.6 7.8	4.5* 7.7			
932200009	I95	20.844 63.4	21.570 64.1	R 5	4 7.6	1 251000	65 FC5	CRACKING RIDE	10.0 9.0	10.0 8.9	10.0 8.8	10.0 8.7	10.0 8.3	10.0 8.4			10.0 7.6	10.0 7.7	10.0 7.7	10.0 7.9					
2319181	ASTALDI CONSTRUCTION	19.807 CORP.	21.610 (2009)	C (2009)	2004	0213	CRACKING SPRIDE	10.0 7.7	10.0 7.7	10.0 7.9	10.0 7.6	10.0 7.8	9.0 7.6	9.0 7.4	9.0 7.8	9.0 7.9	7.5 7.8	6.5 7.8	6.5 7.6	7.5 7.6	4.5* 7.5				
932200009	I95	21.570 64.1	24.555 67.1	R 5	4 7.6	1 251000	65 FC5	CRACKING RIDE	10.0 9.0	10.0 8.9	10.0 8.8	10.0 8.7													

```

**" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2030 FORECASTED BY PAVEMARS (PMRS).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																								
RDWYID	SR	US	BMP	G	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
INTERSECT	AT	(MP)	(SIDE)				%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	
ITMSEG-P	W	BMP	W	EMP	RW	FY-P	WKMX-P																	
CONTRACTOR	(AGE)	ONE	YEAR				ASTYPE				2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030
ITMSEG-F	W	BMP	W	EMP	RW	FY-F	WKMX-F																	(PMRS)
93220000	34.326	36.032	R	4	1	65	CRACKING	10.0	8.5	8.5	7.5				10.0				10.0	10.0	10.0	10.0	10.0	
9 I95	76.9	78.6	5	7.6	176000	RIDE	8.7	8.8	8.8	8.5					8.0				7.8	7.6	7.7	7.6	7.7	
					FC5																			
2319211	34.152	36.733	C	2002	0213	CRACKING	10.0	10.0	9.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	5.8*	2.5*	
PCL CIVIL	CONSTRUCTORS,	IN(2008)			SPRIDE	7.6	7.5	7.6	7.4	7.7									7.6	7.6	7.4	7.6	7.6	7.5
4358031	33.898	36.539	R	2026	0236																			
93220000	36.032	37.024	R	4	7	65	CRACKING	10.0	8.5	8.5	7.5				10.0				10.0	10.0	10.0	10.0	10.0	
9 I95	78.6	79.6	5	7.6	176000	RIDE	8.7	8.8	8.8	8.5					8.0				7.8	7.6	7.7	7.6	7.7	
					FC5																			
					(2025)																			
4358031	33.898	36.539	R	2026	0236																			
93220000	37.024	43.975	R	4	1	70	CRACKING	4.5*	4.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
9 I95	79.6	86.5	5	8.5	139500	RIDE	8.4	8.3	8.3	8.1					7.9	8.0	8.3	8.2	8.2	8.2	8.2	8.2	8.2	
					FC5M																			
4068702	39.642	44.029	C	2008	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	9.0	6.5	
POSEN CONSTRUCTION			(2013)		SPRIDE	8.1	7.8	8.3	8.4	8.4					8.4	8.4	8.3	8.4	8.5	8.5	8.4	8.5	8.5	8.4
93220000	43.975	46.018	R	4	1	70	CRACKING	4.5*	4.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	
9 I95	86.5	88.6	3	7.6	103500	RIDE	8.4	8.3	8.3	8.1					7.9	8.0	8.3	8.2	8.2	8.2	8.2	8.1	8.1	
					FC5M																			
4342732	44.023	46.018	R	2017	0012	CRACKING	8.5	7.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
COMMUNITY ASPHALT CORP.			(2021)		SPRIDE	8.0	7.9	8.0	8.1	8.2					8.2	8.2	8.1		8.8	8.7	8.7	8.6	8.7	8.6
93220000	43.975	46.018	L	4	1	70	CRACKING	4.5*	4.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
9 I95	86.5	88.6	3	7.6	103500	RIDE	8.2	8.1	8.1	7.7					7.9	8.1	8.2	8.1	8.1	8.0	8.0	8.0	8.0	
					FC5M																			
4342732	44.005	46.018	L	2017	0012	CRACKING	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	7.5
COMMUNITY ASPHALT CORP.			(2021)		SPRIDE	7.8	7.8	7.8	8.0	8.0					8.0	7.8		8.6	8.6	8.5	8.6	8.5	8.4	
93220000	37.024	43.975	L	4	1	70	CRACKING	4.5*	4.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
9 I95	79.6	86.5	5	8.5	139500	RIDE	8.2	8.1	8.1	7.7					7.9	8.1	8.2	8.1	8.1	8.0	8.0	8.0	8.0	
					FC5M																			
4068702	39.642	44.029	C	2008	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	8.0	5.5*	
POSEN CONSTRUCTION			(2013)		SPRIDE	8.0	8.0	8.2	8.2	8.3					8.2	8.2	8.1	8.3	8.3	8.3	8.2	8.2	8.3	8.2
93220000	36.032	37.024	L	4	7	65	CRACKING	9.0	9.0	9.0	9.0				10.0				10.0	10.0	10.0	10.0	10.0	
9 I95	78.6	79.6	5	7.6	176000	RIDE	8.7	8.7	8.6	8.6					7.5				7.9	8.0	7.9	7.8	7.8	
					FC5																			
					(2025)																			
93220000	34.934	36.032	L	4	1	65	CRACKING	10.0	10.0	9.0	9.0				10.0				10.0	10.0	10.0	10.0	10.0	
9 I95	77.5	78.6	6	7.6	176000	RIDE	8.9	8.8	8.8	8.6					7.5				7.9	8.0	7.9	7.8	7.8	
					FC5																			
2319211	34.152	36.733	C	2002	0213	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	7.2	4.0*	
PCL CIVIL	CONSTRUCTORS,	IN(2008)			SPRIDE	7.6	7.8	7.8	7.6	7.7					7.6	7.8	7.6	7.7	7.7	7.6	7.8	7.8	7.7	
93220000	32.877	34.934	L	4	2	65	CRACKING		10.0	10.0	10.0				10.0					10.0	10.0	10.0	10.0	
9 I95	75.4	77.5	5	7.6	176000	RIDE		8.7	8.8	8.3					7.5					8.2	8.2	8.3	8.3	
					FC5																			
2319201	33.183	34.152	L	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	8.6	5.5*	
ARCHER WESTERN CONTRACTORS			(2010)		SPRIDE	8.2	8.3	8.3	8.3	8.4					8.3	8.2	8.4	8.4	8.4	8.3	8.0	8.5	8.4	
93220000	30.093	32.877	L	4	1	65	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0						10.0	10.0	10.0	10.0	
9 I95	72.6	75.4	5	7.6	191000	RIDE		8.7	8.8	8.3	7.9	7.5								8.3	8.3	8.3	8.3	
					FC5																			
2319201	29.560	31.737	L	2004	0213	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	8.3	5.5*
ARCHER WESTERN CONTRACTORS			(2010)		SPRIDE	8.2	8.3	8.4	8.3	8.4					8.3	8.2	8.3	8.4	8.4	8.3	8.2	8.3	8.2	
93220000	27.213	30.093	L	4	1	65	CRACKING		10.0	10.0	10.0	8.5	7.5								10.0	10.0	10.0	
9 I95	69.7	72.6	5	7.6	191000	RIDE		8.7	8.8	8.6	8.0				8.0						8.1	8.2	8.2	
					OGFC																			
					(2011)																			
						CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.9	5.0*	
						RIDE	8.1	8.2	8.2	8.1	8.2	8.1	8.2	8.1	8.0	8.1	8.0	8.1	8.2	8.1	8.1	7.8	8.1	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED	YEAR													FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-X-P																	
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030	
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-X-F																(PMRS)	
93220000	25.373	27.213	L	4	2	65	CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0		
9 I95	67.9	69.7	5	8.0	256000		RIDE							8.1	8.0	8.0	7.9	7.8	7.9	8.0		
					OGFC																	
2319193	25.328	27.979	C	2004	0234		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	4.0*	
HUBBARD	CONSTRUCTION	COMPA	(2006)		SPRIDE		RIDE	7.9	8.0	8.0	8.1	8.2	8.0	8.0	8.2	8.2	8.2	8.1	7.8	8.2	8.1	
93220000	24.817	25.373	L	4	1	65	CRACKING							10.0		10.0	10.0	10.0	10.0	10.0		
9 I95	67.4	67.9	5	6.8	263000		RIDE							8.1		7.9	8.0	7.5	8.0	7.7		
					OGFC																	
2319191	24.594	25.328	C	2003	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	7.5	4.5*	
ARCHER WESTERN CONTRACTORS	(2008)				SPRIDE		RIDE	7.8	7.8	7.7	8.0	8.1	8.0	8.0	8.2	8.2	8.2	8.2	8.0	8.2	8.1	
93220000	23.520	24.817	L	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0		
9 I95	66.1	67.4	5	6.8	263000		RIDE	8.9	9.0	8.5	8.9	8.4	8.3				7.6	7.7	7.6	7.8		
					FC2																	
					(2009)		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.7	4.5*	
							RIDE	7.7	7.7	7.8	7.7	7.7	7.6	7.4	7.7	7.8	7.7	7.7	7.4	7.7	7.6	
93220000	22.038	23.520	L	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0		
9 I95	64.6	66.1	5	7.6	251000		RIDE	8.9	9.0	8.5	8.9	8.4	8.3				8.1	7.8	8.1	8.1		
					FC5																	
2319182	21.610	23.993	C	2004	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	5.5*	
HUBBARD	CONSTRUCTION	COMPA	(2009)		S		RIDE	8.1	8.1	8.1	7.9	8.0	7.8	7.8	7.8	8.0	8.0	7.9	7.8	8.0	7.9	
93220000	20.844	22.038	L	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0		
9 I95	63.4	64.6	5	7.6	251000		RIDE	8.9	9.0	8.5	8.9	8.4	8.3				7.9	7.8	7.7	7.9		
					FC5																	
2319181	19.807	21.610	C	2004	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.3	5.5*	
ASTALDI	CONSTRUCTION	CORP.	(2009)		SPRIDE		RIDE	7.9	7.8	7.8	7.7	7.7	7.6	7.5	7.6	7.7	7.7	7.7	7.6	7.7	7.6	
93220000	18.802	20.409	L	4	2	65	CRACKING	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
9 I95	61.3	62.9	5	7.6	249000		RIDE	8.9	8.9	8.8	8.9	8.3		7.5	7.6	7.5	7.8	7.7	7.7	7.8		
					FC5																	
					(2009)		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.2	4.0*	
							RIDE	7.8	7.8	7.8	7.6	7.7	7.6	7.5	7.7	7.8	7.8	7.6	7.1	7.6	7.5	
93220000	16.383	18.802	L	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0		
9 I95	58.9	61.3	5	7.6	249000		RIDE	8.9	8.9	8.8	8.9	8.3			7.3	7.5	7.5	7.3	7.3	7.4		
					FC5M																	
4275162	16.427	18.781	L	2020	0012		CRACKING	9.0	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.0	
HALLEY ENGINEERING CONTRAC	(2023)				SPRIDE		RIDE	7.4	7.4	7.3	7.6	7.7	7.7	7.4	7.8	7.7	7.8	8.1	7.9	8.1	8.0	
93220000	11.476	16.383	L	4	1	65	CRACKING	10.0	10.0					10.0	10.0	10.0	10.0	10.0	9.0	9.0		
9 I95	54.0	58.9	5	6.9	214351		RIDE	8.6	8.6					7.9	8.0	8.1	8.0	7.9	7.8	7.7		
					FC5M																	
4275161	11.442	14.042	L	2018	0012		CRACKING	9.0	9.0	8.0	6.5	6.5	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	9.0	7.5	
COMMUNITY ASPHALT CORP.	(2021)				SPRIDE		RIDE	7.7	7.7	7.5	8.0	8.0	7.9	7.7	8.1	8.8	8.8	8.7	8.5	8.7	8.6	
93220000	8.062	11.476	L	4	1	65	CRACKING	10.0	10.0					10.0	10.0	10.0	10.0	9.0	9.0	10.0		
9 I95	50.6	54.0	5	6.9	214351		RIDE	8.6	8.6					7.3	7.4	7.4	7.3	7.3	7.2	8.3		
					FC5M																	
4268431	8.200	11.476	L	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	8.3	5.5*	
RANGER CONSTRUCTION INDUST	(2012)				SPRIDE		RIDE	8.3	8.4	8.1	8.6	8.7	8.6	8.5	8.7	8.8	8.8	8.6	8.4	8.7	8.6	
93220000	2.225	8.062	L	4	1	65	CRACKING	7.5	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	9.5	9.5		
9 I95	44.8	50.6	4	8.4	220000		RIDE	8.3	8.3	8.2	7.8	7.0	7.7		8.3	8.2	8.3	7.8	7.9	7.8		
					FC5M																	
					(2024)		CRACKING	9.5	9.0	6.5	6.5	6.5	4.5*	4.5*	3.5*				10.0	10.0	9.0	
							RIDE	7.7	7.6	7.5	7.9	7.9	7.8	7.6	8.0				8.5	8.4	8.3	
93220000	0.000	2.225	L	4	1	65	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0		
9 I95	42.5	44.8	4	9.9	237000		RIDE	8.6	8.7	8.7	8.4	7.7	7.7		8.3	8.3	8.3	8.1	8.0	8.0		
					FC5M																	
					(2023)		CRACKING	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*				10.0	10.0	8.6	7.5	
							RIDE	7.8	7.7	7.6	8.1	8.1	8.0	7.8				8.2	8.1	8.2	8.1	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	YEAR																FUTURE
SR US	G BMP	G EMP	LN	%T	AADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012				
INTERSECT AT (MP SIDE)	W BMP	W EMP	RW	FY-P	WKM-F	ASTYPE	=====																	
ITMSEG-P	(AGE ONE YEAR)							2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)			
CONTRACTOR	W BMP	W EMP	RW	FY-F	WKM-F																			
ITMSEG-F																								
93280000 704 DONNELL RD(5.9R)	5.559	7.552	R 4	1 3.2	1 42500 FC4	CRACKING RIDE		10.0 8.6	10.0 8.6	10.0 8.6	10.0 8.4	9.0 8.0	9.0 7.8	8.0 7.9	8.0 8.0	7.5 7.9	6.5 7.6	4.5* 7.7	4.5* 7.6	4.5* 7.7				
				(2025)		CRACKING RIDE		4.5* 7.5		10.0 8.9	10.0 8.8	10.0 8.7	10.0 8.6	10.0 8.5	10.0 8.6	9.0 8.5	9.0 8.5	8.5 8.2	8.5 8.6	10.0 8.4	9.5 8.0			
93280000 704	7.552	8.160	R 3	1 8.1	1 67000 OGFC	CRACKING RIDE		9.0 7.1			10.0 8.1	10.0 7.7	10.0 7.7	10.0 8.0	10.0 7.9	10.0 8.0	10.0 7.9	10.0 7.8	9.5 7.7	9.5 7.8				
				(2003)		CRACKING RIDE		9.5 7.7	9.5 7.6	9.5 7.6	9.5 7.5	9.0 7.5	7.5 7.2	7.5 7.3	7.5 7.4	7.5 7.4	6.5 7.4	6.5 7.6	6.5 7.6	6.5 7.5	3.0* 7.3			
4476711	7.552	8.160	C 2025		0012																			
93280000 704 PARKER AVE(8.6R)	8.160	8.616	R 3	1 3.1	1 79500 DGFC	CRACKING RIDE		9.0 7.1	9.0 7.2	9.0 6.8	9.0 7.0	9.0 6.5	9.0 6.2*	7.5 5.9	6.5 5.8	6.5 5.7		10.0 7.0	10.0 6.8	10.0 7.0				
				(2010)		CRACKING RIDE		10.0 7.1	10.0 7.3	10.0 7.1	10.0 6.8	10.0 6.9	10.0 6.7	10.0 6.4	10.0 6.5	10.0 6.5	10.0 6.3	9.0 6.6	9.0 6.3	7.7 6.3	6.5 5.9			
93280000 704 PB CONVENTION CENTER(8.8R)	8.616	8.898	R 3	1 3.1	1 79500 DGFC	CRACKING RIDE		10.0 7.8	10.0 8.2	10.0 7.9	10.0 7.8	10.0 7.8	10.0 7.7	10.0 6.3	9.5 6.3	9.5 6.0	7.0 6.0	7.0 5.5	7.0 5.5	7.0 5.7				
				(1994)		CRACKING RIDE		7.0 5.5	7.0 5.5	7.0 5.3*	7.0 5.5	7.0 5.2*	7.0 5.6	7.0 5.3*	7.0 5.2*	7.0 5.3*	6.0* 5.1*	4.5* 4.2*	4.5* 4.9*	5.1* 5.2*	3.0* 4.8*			
4461791	8.616	9.405	R 2028		0012																			
93280000 704 1 SPUR(8.9R)	8.898	9.405	C 2	1 2.4	1 21000 DGFC	CRACKING RIDE		3.5* 5.7*	3.5* 5.9*	3.5* 4.8*	3.5* 4.8*				10.0 4.9*	10.0 5.2*	9.5 5.6	9.5 4.9*	9.5 4.9*	9.5 5.0*				
				(2007)		CRACKING RIDE		9.5 4.9*	9.5 4.9*	9.5 4.6*	9.5 4.6*	9.5 4.5*	9.5 4.7*	9.5 4.1*	9.5 4.2*	9.5 4.4*	9.5 5.1*	8.0 4.1*	7.0 4.2*	7.4 4.1*	6.0* 3.7*			
4461791	8.616	9.405	R 2028		0012																			
93280000 704 LAKE DR S(9.8R)	9.405	9.823	R 2	1 6.9	1 27000 UNKW	CRACKING RIDE		10.0 5.8*	10.0 5.6*	10.0 4.8*	10.0 3.9*	10.0 3.2*	10.0 6.4		10.0 6.1	10.0 6.0	10.0 5.4*	10.0 5.7	10.0 5.8	10.0 5.9				
				(2007)		CRACKING RIDE		10.0 5.6	10.0 4.8*	10.0 5.6	10.0 4.4*	10.0 4.6*	10.0 4.4*	10.0 4.6*	10.0 4.5*	10.0 4.5*	10.0 4.0*	9.5 4.0*	9.5 4.2*	8.9 4.3*	7.5 3.9*			
93280000 704 COCOANUT ROW(9.9C)	9.823	10.210	R 2	1 6.9	1 27000 DGFC	CRACKING RIDE		10.0 5.8*	10.0 5.6*	10.0 4.8*	10.0 3.9*	10.0 3.2*	10.0 6.4	10.0 6.1	10.0 5.7	10.0 5.2*	10.0 5.9	10.0 5.2*	10.0 5.1*	10.0 5.2*				
2298301	9.711	10.199	C 1998		0012			10.0 5.4*	10.0 5.2*	10.0 5.0*	10.0 4.2*	10.0 4.2*	10.0 4.3*	10.0 4.1*	10.0 3.8*	10.0 3.7*	10.0 3.8*	8.0 4.0*	8.0 3.9*	7.2 3.2*	5.5* 2.8*			
4498141	9.704	10.210	C 2027		0012																			
93280000 704 COCOANUT ROW(9.9C)	9.823	10.210	L 2	1 6.9	1 27000 DGFC	CRACKING RIDE		10.0 6.4*	10.0 6.6	10.0 4.7*	10.0 4.8*	10.0 4.9*	10.0 4.4*	10.0 5.5	10.0 5.7	10.0 5.7	10.0 5.6	10.0 5.4*	10.0 5.5	10.0 5.5				
2298301	9.711	10.199	C 1998		0012			10.0 5.4*	10.0 5.3*	10.0 5.3*	10.0 4.1*	10.0 4.2*	10.0 4.0*	10.0 4.0*	10.0 3.6*	10.0 3.9*	10.0 3.9*	9.0 3.7*	9.0 3.8*	8.5 3.9*	6.5 3.5*			
4498141	9.704	10.210	C 2027		0012																			
93280000 704 FLAGLER DR(9.4L)	9.405	9.823	L 2	1 6.9	6 35 UNKW	CRACKING RIDE		10.0 6.4*	10.0 6.6	10.0 4.7*	10.0 4.8*	10.0 4.9*	10.0 4.4*		10.0 5.4*	10.0 5.3*	10.0 5.4*	10.0 5.0*	10.0 5.0*	10.0 5.4*				
				(2007)		CRACKING RIDE		10.0 5.5	10.0 5.0*	10.0 5.7	10.0 4.5*	10.0 4.8*	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	9.0 9.0	9.0 9.0	8.9 8.9	7.5			
93280000 704 S SAPODILLA AVE(8.8L)	8.616	8.898	L 3	1 3.1	6 35 DGFC	CRACKING RIDE		10.0 8.1	10.0 6.9	9.0 7.5	8.0 7.3	8.0 6.7	8.0 6.6	8.0 6.0	8.0 6.2	8.0 6.3	8.0 6.6	8.0 6.0	8.0 5.7	8.0 6.1				
				(1994)		CRACKING RIDE		8.0 5.7	8.0 5.5	8.0 6.6	8.0 8.0	8.0 8.0	8.0 8.0	8.0 8.0	8.0 8.0	8.0 6.5	8.0 6.5	8.0 6.5	8.0 6.5	4.5* 6.5				
93280000 704 S. TAMARIND AVE(8.6L)	8.160	8.616	L 3	1 3.1	1 79500 DGFC	CRACKING RIDE		9.0 6.7	9.0 7.5	9.0 7.5	8.0 7.3	8.0 6.7	8.0 6.6	8.0 6.0	8.0 6.2	8.0 6.3		10.0 7.0	10.0 7.0	10.0 7.2				
				(2010)		CRACKING RIDE		10.0 7.3	10.0 7.0	10.0 7.3	10.0 6.9	10.0 6.5	10.0 6.7	10.0 6.6	10.0 6.4	10.0 6.6	10.0 6.6	9.0 6.5	9.0 6.7	8.1 6.5	7.0 6.1			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE				
SR US	G BMP	G EMP	LN	%T	ADT		RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012				
INTERSECT	AT	(MP)	(SIDE)		SURFTYPE		=====																	
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKMX-P																			
CONTRACTOR	(AGE ONE YEAR)				ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030			
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKMX-F																(PMRS)			
93280000	7.552	8.160	L	1	1 45	CRACKING	9.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5				
704			4	8.1	67000	RIDE	6.7				8.3	7.8	7.8	7.7	7.9	7.8	7.7	7.6	7.6	7.5				
					OGFC																			
					(2003)	CRACKING	9.5	9.5	9.5	9.5	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	1.0*			
4476711	7.552	8.160	C	2025	0012	RIDE	7.5	7.3	7.5	7.3	7.4	7.3	6.9	7.3	7.4	7.1	7.1	7.1	6.6	7.2	7.0			
93280000	5.559	7.552	L	1	1 45	CRACKING	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	4.5*				
704			4	3.2	42500	RIDE	8.6				8.3	8.3	7.8	7.6	7.4	7.4	7.3	7.2	7.1	7.3				
					FC95R																			
ZIP CODE PL(5.7L)					0012	CRACKING	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.6	8.5			
4270201	6.242	7.550	L	2013	0012	SPRIDE	7.2			8.5	8.7	8.6	8.4	8.0	8.4	8.4	8.4	8.3	8.4	8.3	7.9			
RANGER CONSTRUCTION INDUST(2015)																								
93280000	3.848	5.559	L	1	1 45	CRACKING	10.0				8.5	7.5	7.5	7.5	6.0*	4.0*	4.0*	2.0*	2.0*	2.0*				
704			4	4.7	67500	RIDE	8.3				8.3	7.7	7.5	7.2	7.5	7.3	7.2	7.0	6.9	6.9				
					FC95M																			
WEST DR(4.2L)					0012	CRACKING	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5			
4216941	4.115	5.535	L	2011	0012	SPRIDE	8.8				8.6	8.6	8.5	8.4	8.5	8.5	8.6	8.2	8.4	8.4	8.0			
RANGER CONSTRUCTION INDUST(2013)																								
93280000	3.034	3.848	L	1	1 50	CRACKING	7.5				7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*			10.0				
704			4	5.6	60500	RIDE	8.7				9.0	7.8	7.9	7.5	7.6	6.8	6.8			8.7				
					DGFC																			
JOG RD(3.0C)					0213	CRACKING	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0			
4097011	0.000	3.995	C	2007	0213	RIDE	8.5				8.3	8.3	8.3	8.1	7.9	8.0	8.0	8.0	7.9	8.2	7.7			
93280000	0.000	3.034	L	1	1 50	CRACKING	7.5				7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*			10.0				
704			4	6.8	73000	RIDE	8.7				9.0	7.8	7.9	7.5	7.6	6.8	6.8			8.4	10.0			
					DGFC																			
SR 7(0.0C)					0213	CRACKING	10.0				10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.1	8.0			
4097011	0.000	3.995	C	2007	0213	RIDE	8.9				8.6	8.8	8.8	8.6	8.6	8.6	8.6	8.5	8.5	8.5	8.1			
93280001	0.000	0.522	C	1	1 35	CRACKING	7.5				6.5					10.0	10.0	9.5	8.0	8.0	8.0			
704			3	2.2	21000	RIDE	4.5*				5.2*	4.4*	3.7*			4.8*	5.1*	4.8*	4.4*	4.4*	4.5*			
					DGFC																			
FLAGLER DR(0.0C)					(2007)	CRACKING	8.0				8.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.0*			
4461791	0.000	0.522	C	2028	0012	RIDE	4.4*				4.6*	3.8*	3.5*	3.8*	3.7*	3.5*	3.7*	3.6*	3.5*	3.3*	2.9*			
93290000	0.000	2.097	C	1	8 40	CRACKING	8.5				10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	7.5			
715			2	20.5	13000	RIDE	7.8				8.2	7.7	7.6	7.7	7.9	7.9	7.9	7.4	7.2	7.1				
					FC125																			
BELLE GLADE CITY LIMITS(0.0C)					0012	CRACKING	7.5				7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*					
2297171	0.000	9.300	C	2000	0012	SPRIDE	7.3				7.0	7.1	7.2	7.1	6.9	6.9	6.9	7.0	6.8	6.7				
HUBBARD CONSTRUCTION CO					(2003)																			
4398451	0.052	2.088	C	2023	0012																			
93290000	2.097	12.072	C	1	1 55	CRACKING	1.0*				1.0*		10.0	10.0	9.5	9.5	8.0	8.0	8.0	6.5	6.5			
715			2	9.5	4300	RIDE	5.9*				5.8*		8.3	8.0	8.0	7.8	7.9	7.5	7.1	7.0	7.1			
					FC125M																			
W CANAL ST S(2.1C)					0012	CRACKING	6.5				5.5*	3.5*	3.0*	3.0*	10.0	10.0	10.0	10.0	8.5	8.5	6.5			
4287221	2.090	12.070	C	2016	0012	SPRIDE	7.1				6.9	6.7	6.6	6.8	7.7	7.6	7.6	7.6	7.4	7.4	7.0			
COMMUNITY ASPHALT CORP.					(2018)																			
93310000	0.000	5.631	R	1	1 60	CRACKING	10.0				9.0	9.0	7.5	7.0	7.0	5.0*	4.5*	4.5*	4.5*	4.5*	2.0*			
710			2	24.3	7683	RIDE	8.8				8.7	8.8	8.5	8.1	7.9	7.6	7.5	7.0	6.9	6.6	6.5			
					FC5M																			
J W CORBETT AREA(1.5R)					0213	CRACKING	10.0				10.0	10.0	10.0		10.0	10.0	10.0	10.0	9.0	9.0	7.5			
4327041	1.941	5.225	C	2014	0213	RIDE	8.4				8.4	8.4	8.4		8.5	8.3	8.6	8.6	8.6	8.6	8.4			
93310000	5.631	6.900	R	1	1 60	CRACKING	0.0*				0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0			
710			2	24.3	7683	RIDE	7.2				6.9	6.8	6.2*	4.9*	7.8	7.8	7.9	7.9	8.0	7.9	7.7			
					FC5M																			
INNOVATION DR(6.4R)					0012	CRACKING	9.0				9.0	8.0	8.0		4.5*	4.5*	4.5*	3.5*	3.5*	10.0	9.0			
4460971	5.597	6.888	C	2023	0012	SPRIDE	7.7				7.6	7.6	7.7		7.7	7.6	7.9	7.7	7.6	7.6	8.0			
J.W. CHEATHAM, LLC					(2024)																8.0			
93310000	6.900	11.800	R	1	1 60	CRACKING	7.5				7.0	7.0	7.0	5.0*	5.0*	5.0*		10.0	10.0	10.0	10.0			
710			2	18.9	15500	RIDE	8.8				8.8	8.9	8.6	7.9	7.8	7.6	7.8	8.3	8.3	8.3	8.3			
					FC5M																			
HALPATIOKEE RD(9.9R)					0012	CRACKING	10.0				10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	5.0*			
4137981	7.228	11.800	C	2006	0012	RIDE	8.2				8.2	8.3	8.3	8.2	8.1	8.0	8.3	8.4	8.4	8.4	8.2			
RANGER CONSTRUCTION INDUST(2009)																								
4484391	6.900	11.800	C	2028	0012																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G BMP	G EMP	LN	%T	AADT	RATINGS	=====	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012		
INTERSECT AT (MP SIDE)																						
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-X-P																	
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)	
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-X-F																	
93310000	11.800	16.900	R	1	55	CRACKING		5.5*	3.0*	3.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0			
710			2	19.5	15200	RIDE		8.2	8.2	8.2	7.9	6.8	6.7	6.5	6.5	8.1	8.1	8.0	8.0	8.1		
					FC5																	
4036191	11.800	16.930	C	2005	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	5.5*	
COMMUNITY ASPHALT CORP.				(2008)	SPRIDE			8.1	8.1	8.1	8.1	8.1	8.1	8.0	8.1	8.2	8.2	8.2	8.2	8.2	8.0	
93310000	16.900	20.631	R	1	55	CRACKING		6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0		
710			2	10.1	26000	RIDE		8.3	8.3	8.3	8.1	7.3	7.1	7.0	7.1	8.1	8.2	7.9	8.1	8.1		
					FC5M																	
CR 809A(17.0C)																						
2298151	16.861	20.474	C	2006	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.6	5.0*	
RANGER CONSTRUCTION INDUST				(2008)		RIDE		8.1	8.1	8.0	8.0	8.0	7.8	7.6	7.9	8.0	8.0	8.0	8.0	8.0	7.8	
4192511	17.006	20.148	C	2023	0213																	
93310000	20.631	22.010	R	1	45	CRACKING		10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0			10.0	10.0		
710			2	13.2	18800	RIDE		8.2	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7			8.4	8.4		
					FC95																	
CONGRESS AVE(21.9C)																						
2298971	20.631	21.994	C	2007	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
RANGER CONSTRUCTION INDUST				(2011)	SPRIDE			8.5	7.9	8.4	8.0	8.0	7.8	7.5	7.8	7.7	7.9	7.8	7.8	7.7	7.3	
93310000	22.010	22.832	R	1	35	CRACKING		10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0	7.0	7.0	7.0	7.0		
710			2	14.8	19700	RIDE		8.2	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7	7.5	7.3	7.5	7.4		
					FC125M																	
CHENEY WAY(22.2R)						CRACKING		7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.0	
				(2015)	RIDE			7.4		7.7	7.4	7.2	7.2	7.1	7.2	7.1	7.2	7.1	7.0	6.8	6.4	
93310000	22.832	23.605	R	1	35	CRACKING		10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0	7.0	7.0	7.0	7.0		
710			2	12.6	8600	RIDE		8.2	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7	7.5	7.3	7.5	7.4		
					FC95M																	
AVE N(22.9C)																						
2298961	22.836	23.655	C	2016	0213	CRACKING		7.0		6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	9.0	
J.W. CHEATHAM, LLC				(2020)	SPRIDE			7.4		7.0	6.6	6.5			8.0	7.3	8.0	7.9	7.9	7.9	7.5	
93310000	22.010	23.605	L	1	35	CRACKING		10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0	7.0	7.0	7.0	7.0		
710			2	14.8	19700	RIDE		8.2	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7	7.5	7.3	7.5	7.4		
					FC125M																	
AVE U(22.2L)																						
2298961	22.836	23.655	C	2016	0213	CRACKING		7.0		10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	9.3	8.5	
J.W. CHEATHAM, LLC				(2020)	SPRIDE			7.4		7.9	7.5	7.1			7.4	7.1	7.2	7.0	7.0	7.0	6.6	
93310000	20.631	22.010	L	1	45	CRACKING		10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0			10.0	10.0		
710			2	13.2	18800	RIDE		8.2	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7			8.3	8.3		
					FC95																	
42ND WAY(20.7L)																						
2298971	20.631	21.994	C	2007	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5	
RANGER CONSTRUCTION INDUST				(2011)	SPRIDE			8.1	7.6	8.0	8.0	7.9	7.9	7.7	7.7	7.7	7.8	7.8	7.7	7.7	7.3	
93310000	16.900	20.631	L	1	55	CRACKING		5.5*	5.5*	3.5*	2.5*	2.5*	2.5*	2.5*	2.5*	10.0	10.0	10.0	10.0	10.0		
710			2	10.1	26000	RIDE		8.1	8.0	7.9	7.7	6.8	6.6	6.6	6.5	8.1	8.1	8.1	8.1	8.1		
					FC5M																	
CR 809A(17.0C)																						
2298151	16.861	20.474	C	2006	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	4.5*	
RANGER CONSTRUCTION INDUST				(2008)		RIDE		8.1	8.1	8.1	8.0	8.0	8.0	7.9	8.0	8.0	8.0	7.9	8.0	8.0	7.8	
4192511	17.006	20.148	C	2023	0213																	
93310000	11.800	16.900	L	1	55	CRACKING		7.5	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0		
710			2	19.5	15200	RIDE		8.6	8.5	8.5	8.1	7.7	7.7	7.6	7.6	8.1	8.1	8.0	8.1	8.1		
					FC5																	
BEELINE HWY(13.5L)																						
4036191	11.800	16.930	C	2005	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	1.5*	
COMMUNITY ASPHALT CORP.				(2008)	SPRIDE			8.2	8.1	8.2	8.1	8.0	8.1	8.0	8.0	8.0	8.0	8.0	7.9	7.9	7.7	
93310000	7.912	11.800	L	1	60	CRACKING		6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0		
710			2	18.9	15500	RIDE		8.8	8.8	8.7	8.5	8.0	7.9	7.8	7.6		8.3	8.2	8.2	8.3		
					FC5M																	
CALOOSA BLVD W(8.2L)																						
4137981	7.228	11.800	C	2006	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.7	4.0*	
RANGER CONSTRUCTION INDUST				(2009)		RIDE		8.2	8.1	8.2	8.3	8.2	8.2	8.1	8.2	8.2	8.2	8.2	8.1	8.1	7.9	
4484391	6.900	11.800	C	2028	0012																	
93310000	6.900	7.912	L	1	60	CRACKING		7.0	7.0	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
710			2	18.9	15500	RIDE		7.8	8.3	7.7	7.3	5.7*	7.8	7.7	7.9	7.8	7.8	7.7	7.7	7.6		
					FC5M																	
CR 711(7.4L)																						
4061301	5.006	7.500	C	2003	0012	CRACKING		8.0	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.5*	
COMMUNITY ASPHALT CORP.				(2005)	SPRIDE			7.5	7.3	7.0	7.4	7.5	7.4	7.0	7.6							

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = PALM BEACH																							
RDWYID	SR	US	G BMP	EMP LN	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													
INTERSECT AT (MP SIDE)										2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	FUTURE
ITMSEG-P	W BMP	W EMP	RW	FY-P	WKM-F	ASTYPE				2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030 (PMRS)
CONTRACTOR (AGE ONE YEAR)																							
ITMSEG-F	W BMP	W EMP	RW	FY-F	WKM-F																		
93310000	5.631	6.900	L	1	1	60	CRACKING	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
710			2	24.3	7683	RIDE		7.4	7.3	7.2	6.8	7.2	7.8	7.7	7.9	7.8	7.8	7.7	7.7	7.6	7.6		
ENTRANCE RD N(6.4L)					FC5M																		
4460971	5.597	6.888	C	2023	0012	CRACKING		9.0	9.0	8.0	8.0				6.5	6.5	6.5	4.5*	3.5*	3.5*	10.0	10.0	9.0
J.W. CHEATHAM, LLC				(2024)	SPRIDE			7.7	7.7	7.5	7.7				7.4	7.4	7.6	7.6	7.8	8.2	8.1	7.9	
93310000	0.000	5.631	L	1	1	60	CRACKING	10.0	10.0	9.0	9.0			7.5	7.0	7.0	5.0*	4.5*	4.5*	4.5*	4.5*	2.0*	
710			2	24.3	7683	RIDE		8.8	8.7	8.8	8.5			8.1	7.9	7.6	7.5	7.5	7.0	6.9	6.6	6.5	
CR 706(1.6L)					FC5M																		
4327041	1.941	5.225	C	2014	0213	CRACKING		10.0	10.0	10.0					10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5
				(2018)	RIDE			8.4	8.4	8.4					8.4	8.3	8.4	8.5	8.5	8.5	8.4	8.4	8.2
93470000	0.000	2.996	R	5	1	65	CRACKING	8.5	8.5	8.5	8.5			8.5	7.5	7.5	7.5	6.5	10.0	10.0	10.0	10.0	
91	73.3	76.3	3	13.6	118000	RIDE		8.2	8.4	8.3	8.4			7.8	7.7	7.8	7.8	7.8	8.0	8.0	8.0	8.0	
					FC5M																		
4170241	0.000	3.000	C	2007	0012	CRACKING		10.0	9.0	9.0	9.0			9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	6.0*
RANGER CONSTRUCTION INDUST(2009)					SPRIDE			7.9	8.0	7.9	8.0			8.0	7.9	7.9	8.1	8.1	8.1	8.1	8.1	8.0	7.9
4182145	0.000	3.406	C	2025	0548																		
93470000	2.996	8.152	R	5	1	65	CRACKING	6.0*	5.5*					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
91	76.3	81.5	3	13.6	110000	RIDE		8.6	7.5					7.8	7.8	7.5	7.5	7.5	7.3	7.2	7.1	7.1	
					FC5M																		
4310791	2.996	7.976	C	2013	0012	CRACKING		9.0	8.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.6	6.5
COMMUNITY ASPHALT CORP. (2015)					SPRIDE			7.1	7.1	8.0	8.0			8.0	8.0	7.9	8.1	8.0	8.1	8.0	8.0	8.0	7.9
4171321	3.270	7.035	C	2027	0213																		
93470000	8.152	13.608	R	5	1	65	CRACKING	6.0*	5.5*	5.5*	5.5*			5.5*	5.0*			10.0	10.0	10.0	10.0	10.0	
91	81.5	87.0	3	13.6	100924	RIDE		8.6	7.5	8.6	7.7			7.6	7.3			8.2	8.1	7.9	7.9	7.9	
					FC5M																		
4379911	8.181	14.071	R	2019	0012	CRACKING		10.0	10.0		10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.4	8.0
RANGER CONSTRUCTION INDUST(2021)					SPRIDE			7.9	7.8		8.5			8.5	8.6	8.5	8.6	8.7	8.7	8.7	8.7	8.7	8.6
93470000	13.608	21.695	R	5	8	65	CRACKING	7.5		10.0	10.0			10.0	10.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	
91	87.0	95.0	3	15.8	85500	RIDE		8.8		8.9	8.8			8.4	8.3	8.2	8.2	7.9	8.1	7.9	7.9	7.9	
					FC2																		
				(2002)	CRACKING			10.0	10.0	9.0	9.0			9.0	9.0	7.5	7.5						
					RIDE			7.9	7.8	7.1	7.8			7.8	7.8	7.7	7.9						
93470000	21.695	29.210	R	5	1	70	CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
91	95.0	102.6	2	13.6	82000	RIDE		9.0	9.0	9.0	8.9			8.0	8.0	8.1	8.2	8.1	8.1	8.0	7.9	7.9	
					FC5M																		
4351711	21.287	26.260	R	2017	0012	CRACKING		10.0	9.0	7.5	7.5			7.5	6.5	6.5		10.0	10.0	10.0	10.0	8.5	7.0
COMMUNITY ASPHALT CORP. (2021)					SPRIDE			7.7	7.6	7.6	7.8			7.8	7.8	7.7		8.6	8.6	8.6	8.6	8.6	8.5
93470000	29.210	30.499	R	5	1	70	CRACKING	10.0	10.0	9.0	9.0			9.0	9.0	7.5	7.0	6.5	6.5	5.5*	5.5*	5.5*	
91	102.6	103.8	2	18.0	75100	RIDE		8.6	8.6	8.6	8.5			7.9	7.8	7.8	7.8	6.5	6.5	7.4	7.3	7.5	
					FC5M																		
4351721	29.410	32.900	C	2017	0012	CRACKING		5.5*	10.0	10.0	10.0			10.0	10.0	10.0		10.0	10.0	8.0	8.0	8.4	7.0
COMMUNITY ASPHALT CORP. (2021)					SPRIDE			7.2	8.1	8.1	8.1			8.1	8.1	8.1		8.6	8.6	8.0	8.1	8.1	8.0
4061436	27.800	32.800	C	2026	0213																		
93470000	30.499	39.000	R	5	1	70	CRACKING	7.0	7.0	7.0	7.0			7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
91	103.8	112.3	2	19.2	57805	RIDE		8.6	8.5	8.6	8.4			7.8	7.8	7.9	8.0	8.0	8.0	7.9	7.8	7.8	
					FC5M																		
				(2021)	CRACKING			9.5	9.0	7.5	7.5			7.5	7.5	7.5		10.0	10.0	10.0	10.0	8.9	7.5
					RIDE			7.7	7.6	7.5	8.1			8.2	8.1	8.0		8.6	8.6	8.6	8.6	8.6	8.5
93470000	39.000	44.561	R	5	1	70	CRACKING	9.0	8.5	8.5	7.5			7.0	6.0*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
91	112.3	117.9	2	19.2	57805	RIDE		8.9	8.9	8.9	8.7			8.2	8.2	8.1	8.1	7.9	8.2	8.2	8.2	8.0	
					FC5M																		
4426241	39.020	44.560	C	2022	0012	CRACKING		10.0	10.0	10.0	10.0			10.0	9.0	9.0	9.0	9.0	9.0	8.0	10.0	10.0	9.0
OHILA USA, INC. (2024)					SPRIDE			8.1	8.1	8.0	8.3			8.2	8.2	8.1	8.4	8.3	8.3	8.2	8.8	8.7	8.6
4157484	36.804	44.319	C	2029	0213																		
93470000	39.000	44.561	L	5	1	70	CRACKING	10.0	9.0	8.5	7.5			6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.5	9.5	
91	112.3	117.9	2	19.2	57805	RIDE		8.9	8.8	8.9	8.7			8.0	7.7	7.5	7.5	7.5	7.3	8.2	8.1	8.0	8.0
					FC5M																		
4426241	39.020	44.560	C	2022	0012	CRACKING		9.5	8.5	8.5	8.5			8.5	8.5	8.5	8.5	8.5	8.5	8.0	10.0	10.0	9.0
OHILA USA, INC. (2024)					SPRIDE			7.9	7.9	7.9	8.1			8.1	8.1	8.0	8.3	8.3	8.3	8.2	8.7	8.6	8.5
4157484	36.804	44.319	C	2029	0213																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 08/28/2025**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

							DISTRICT = 4 COUNTY = PALM BEACH																		
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE					
SR US	G BMP	G_EMP	LN	%T	AADT	RATINGS	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012						
INTERSECT	AT (MP SIDE)				SURFTYPE	=====																			
ITMSEG-P	W BMP	W_EMP	RW	FY-P	WKMX-P																				
CONTRACTOR	(AGE ONE YEAR)				ASTYPE		2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2030					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															(PMRS)					
93470000	30.499	39.000	L	5	1 70	CRACKING	10.0	9.0	8.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.5	9.5						
91	103.8	112.3	2	19.2	57805	RIDE	8.9	8.8	8.9	8.7	8.0	7.7	7.5	7.5	7.3	8.2	8.1	8.0	8.0						
					FC5M																				
4365211	32.881	38.993	L	2018	0012	CRACKING	9.5	8.5	8.5	8.5	8.5	8.5	8.5		10.0	10.0	10.0	10.0	9.4	8.0					
RANGER CONSTRUCTION INDUST	(2021)				SPRIDE		7.9	7.9	7.9	8.1	8.1	8.1	8.0		8.8	8.7	8.7	8.7	8.6	8.5					
93470000	29.210	30.499	L	5	1 70	CRACKING	10.0	10.0	9.0	9.0	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5						
91	102.6	103.8	2	18.0	75100	RIDE	8.8	8.7	8.8	8.6	8.0	7.9	7.6	7.7	7.2	7.0	7.2	7.0	6.8						
					FC5M																				
4351721	29.410	32.900	C	2017	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	8.0	8.0	7.5	6.0*					
COMMUNITY ASPHALT CORP.	(2021)				SPRIDE		6.4*	8.2	8.2	8.3	8.3	8.3	8.2		8.8	8.7	8.2	8.3	8.2	8.1					
4061436	27.800	32.800	C	2026	0213																				
93470000	21.695	29.210	L	5	1 70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5						
91	95.0	102.6	2	13.6	82000	RIDE	9.0	9.0	9.1	8.9	8.4	8.4	8.3	8.4	8.4	8.3	8.1	8.1	8.1						
					FC5M																				
4351711	24.690	29.248	L	2017	0012	CRACKING	8.5	8.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	9.1	7.5					
COMMUNITY ASPHALT CORP.	(2021)				SPRIDE		7.9	7.8	7.7	8.0	7.9	7.9	7.8		8.8	8.7	8.8	8.9	8.9	8.8					
93470000	13.608	21.695	L	5	8 65	CRACKING	6.5		10.0	10.0	10.0	9.0	8.5	8.5	7.0	6.5	6.5		10.0						
91	87.0	95.0	2	15.8	85500	RIDE	8.1		8.7	8.5	8.1	8.1	8.0	8.1	8.0	8.1	7.7		7.9						
					FC5																				
					(2012)	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0											
						RIDE	7.8	7.8	7.8	7.9	8.1	8.0	8.0	8.3											
93470000	8.152	13.608	L	5	1 65	CRACKING	6.0*	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0						
91	81.5	87.0	3	13.6	100924	RIDE	8.5	8.4	8.4	8.4	7.5	7.5	7.5		8.0	8.0	8.0	7.9	7.9						
					FC5M																				
4379911	8.726	14.071	L	2019	0012	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	7.5					
RANGER CONSTRUCTION INDUST	(2021)				SPRIDE		7.8	7.8		8.5	8.7	8.5	8.6	9.0	8.6	8.7	8.6	8.6	8.6	8.5					
93470000	2.996	8.152	L	5	1 65	CRACKING	6.0*	5.5*			10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5						
91	76.3	81.5	3	13.6	110000	RIDE	8.5	8.4			7.7	7.6	7.6	7.6	7.7	7.3	7.2	7.3	6.8						
					FC5M																				
4310791	2.996	7.976	C	2013	0012	CRACKING	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	8.0	8.5	6.5					
COMMUNITY ASPHALT CORP.	(2015)				SPRIDE		7.0	6.5	8.1	8.2	8.4	8.2	8.3	8.3	8.5	8.2	8.2	8.2	8.2	8.1					
4171321	3.270	7.035	C	2027	0213																				
93470000	0.000	2.996	L	5	1 65	CRACKING	8.5	8.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0						
91	73.3	76.3	3	13.6	118000	RIDE	8.3	8.4	8.3	8.4	7.6	7.6	7.2	7.6	7.6	8.2	8.2	8.2	8.3						
					FC5M																				
4170241	0.000	3.000	C	2007	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	7.7	5.0*					
RANGER CONSTRUCTION INDUST	(2009)				SPRIDE		8.2	8.2	8.1	8.0	8.3	8.0	8.2	8.2	8.4	8.2	8.1	8.1	8.1	8.0					
4182145	0.000	3.406	C	2025	0548																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2030 FORECASTED BY PAVEMARS (PMRS).