

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKMX-P		=====										
		(AGE_ONE YEAR)		YEAR		ASTYPE												(PMRS)				
ITMSEG-P		W_BMP		W_EMP		RW		FY-F		WKMX-F												
CONTRACTOR		W_BMP		W_EMP		RW		FY-F		WKMX-F												
ITMSEG-F		W_BMP		W_EMP		RW		FY-F		WKMX-F												
93001000	0.000	1.954	C	1	1	55	CRACKING	7.0	6.5	5.0*	5.0*	5.0*	5.0*	3.5*	1.0*	1.0*	1.0*			10.0	10.0	
786			2	6.5		3800	RIDE	8.4	8.4	8.0	7.3	7.4	7.1	7.2	7.1	6.9	6.8			8.7	8.7	
BEELINE HWY(0.0C)						FC95M																
2293962	0.000	1.980	C	2015		0102	CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
				(2018)			RIDE	8.6	8.3	8.3		8.8	8.6	8.6	8.7	8.6	8.6	8.6	8.6	8.6	8.6	8.3
93001000	1.954	2.610	C	1	1	55	CRACKING	7.0	6.5	5.0*	5.0*	5.0*	5.0*	3.5*	1.0*	1.0*	1.0*			10.0	10.0	
786			2	6.5		3800	RIDE	8.4	8.4	8.0	7.3	7.4	7.1	7.2	7.1	6.9	6.8			8.7	8.7	
SIDE ROAD(2.0R)						FC95																
				(2018)			CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	7.8	7.0	
							RIDE	8.6	8.3	8.3		8.2	8.1	8.1	7.9	8.0	8.0	7.7	7.8	7.5	7.2	
93001000	2.610	3.888	R	1	1	45	CRACKING	7.0	6.5	5.0*	5.0*	5.0*	5.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
786			2	3.7		25000	RIDE	8.4	8.4	8.0	7.3	7.4	7.1	7.2	7.1	8.1	7.9	7.9	7.9	7.9	7.9	
JOG RD(3.0R)						DGFC																
				(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.4	8.9	7.5	
							RIDE	7.9	7.8	7.5	7.4	7.3	7.0	7.4	7.3	7.3	7.2	7.3	7.3	7.3	7.3	
93001000	3.888	4.127	R	1	1	45	CRACKING	10.0	10.0	8.0	8.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	
786			3	3.7		25000	RIDE	7.9	7.8	7.5	6.8	6.8	6.7	6.8		7.8	7.6	7.6	7.5	7.4	7.4	
AV OF CHAMPIONS(3.9R)						DGFC																
				(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.2	8.0
							RIDE	7.4	7.5	7.0	7.1	7.0	7.0	7.0	10.0	10.0	7.0	7.1	7.2	7.1	6.8	
93001000	4.127	6.117	R	1	1	45	CRACKING	10.0	10.0	8.0	8.0	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	
786			3	3.7		43000	RIDE	7.8	7.8	7.5	6.8	6.8	6.7	6.8	6.6	6.5	6.3	6.2	6.1	6.1	8.1	
FAIRWAY DR(4.1R)						FC125																
4216821	4.127	5.860	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.6	8.5	7.5	
				(2013)			RIDE	8.0	8.0	8.0	8.0	7.8	7.5	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.5	
COMMUNITY ASPHALT CORP.																						
93001000	6.117	7.020	R	1	7	45	CRACKING	3.5*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
786			4	5.8		47500	RIDE	6.8	6.7	6.3*	6.3*		7.1	7.1	7.2	7.4	7.2	7.1	7.0	7.2		
RCA BLVD(6.3R)						FC125M																
4461741	6.114	6.603	R	2024		0012	CRACKING	10.0	10.0	10.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	9.5	
				(2026)			RIDE	7.2	7.1	7.4	7.4	7.5	7.3	7.3	7.2	6.9	7.1	7.4	7.2	8.2	7.9	
OHLA USA, INC.																						
93001000	7.020	7.763	R	1	1	45	CRACKING	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
786			3	5.8		47500	RIDE	6.8	6.7	6.3*	8.3	8.3	8.3	8.3	8.4	8.3	8.2	8.2	8.2	8.0		
CAMPUS DR(7.3R)						FC125																
2297561	6.992	8.540	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.3	8.3	6.5
				(2004)			SPRIDE	8.0	8.0	7.8	7.8	7.6	7.7	7.7	7.7	7.6	7.7	7.6	7.6	7.6	7.6	
COMMUNITY ASPHALT CORP.																						
93001000	7.763	8.112	R	1	1	40	CRACKING	3.5*	1.0*	1.0*	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*			10.0	
786			3	5.8		47500	RIDE	6.8	6.7	6.3	6.4	6.3	6.6	6.2	6.2	6.2	6.1	6.1			7.8	
PROSPERITY FARM RD(8.0C)						DGFC																
				(2013)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8	7.5
							RIDE	7.7	7.3	7.1	7.0	6.2	6.4							6.5	6.2	
93001000	8.112	8.412	R	1	1	40	CRACKING	3.5*	1.0*	1.0*	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
786			3	4.1		35500	RIDE	6.8	6.7	6.3	6.4	6.3	6.6	6.2	6.2	7.9	7.9	7.9	7.6	7.7		
KIDD LN(8.2R)						DGFC																
				(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.5	7.0
							RIDE	7.7	7.9	7.6	7.7	7.0								7.4	7.1	
93001000	8.412	8.636	R	1	1	40	CRACKING	3.5*	1.0*	1.0*	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
786			3	5.9		28500	RIDE	6.8	6.7	6.3	6.4	6.3	6.6	6.6	6.5	6.7	6.4	6.5	5.7	5.7		
ELLISON WILSON RD(8.4C)						DGFC																
				(2007)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.4	8.4	7.0
							RIDE	6.3	6.6	6.5	6.6									7.0	6.7	
93001000	8.412	8.636	L	1	1	40	CRACKING	3.5*	1.0*	1.0*	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
786			2	5.9		28500	RIDE	6.6	6.6	6.1	5.8	6.0	6.0	5.3*	6.3	6.5	6.4	6.6	7.2	6.3	6.0	
ELLISON WILSON RD(8.4C)						DGFC																
				(2007)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.3	8.3	7.0
							RIDE	6.6	6.4											6.1	5.8	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****																
ITMSEG-P	(AGE_ONE YEAR)	YEAR	ASTYPE																				
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																		
93001000	8.112	8.412	L	1	1	40	CRACKING	3.5*	1.0*	1.0*	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0		
786			3	4.1		35500	RIDE	6.6	6.6	6.1	5.8	6.0	5.3*	5.3*	5.6	7.5	7.1	7.0	7.0	6.9			
							DGFC																
							(2009)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
								RIDE	6.9	7.3	6.9	6.9	6.7	6.5	6.7	6.6	6.5	6.9	6.6	6.6	6.3	6.3	
93001000	7.763	8.112	L	1	1	40	CRACKING	3.5*	1.0*	1.0*	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0		
786			3	5.8		47500	RIDE	6.6	6.6	6.1	5.8	6.0	5.3*	5.3*	5.6	5.2*	5.4*	5.0*			10.0		
							DGFC														7.7		
							(2013)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.0	8.0	
								RIDE	7.5	7.5	7.2	7.0	6.5	6.9	6.5	6.3	6.6	6.2	6.6	6.6	6.3	6.0	
93001000	7.020	7.763	L	1	1	45	CRACKING	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
786			3	5.8		47500	RIDE	6.6	6.6	6.1*	7.9	7.9	7.7	8.0	8.0	8.0	7.8	7.7	7.8	7.8	7.8		
							FC125																
							(2004)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	8.7	7.0	
								SPRIDE	7.7	7.6	7.5	7.5	7.4	7.1	7.4	7.4	7.3	7.4	7.4	7.4	7.4	7.1	
93001000	6.117	7.020	L	1	7	45	CRACKING	3.5*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
786			3	5.8		47500	RIDE	6.6	6.6	6.1*	7.2		7.6	7.7	7.6	7.7	7.5	7.5	7.4	7.1			
							FC125M																
							(2026)	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.2	10.0		
								SPRIDE	7.1	7.2	7.4	7.4	7.4	7.1	7.3	7.3	7.4	7.3	7.2	7.2	8.4		
93001000	4.127	6.117	L	1	1	45	CRACKING	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*	5.5*	3.5*	3.5*	10.0			
786			3	3.7		43000	RIDE	7.5	8.0	7.7	6.5	6.9	6.9	7.0	6.9	6.7	6.7	6.8	6.6	8.4			
							FC125																
							(2013)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.2	8.2	7.0	
								RIDE	8.3	8.1	8.1	8.0	7.7	7.6	7.8	7.8	7.8	7.8	7.9	7.9	7.6		
93001000	3.888	4.127	L	1	1	45	CRACKING	10.0	9.0	8.0	8.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0			
786			3	3.7		25000	RIDE	8.0	8.0	7.7	6.5	6.9	6.9	7.0		7.8	7.7	7.5	7.7	7.5			
							DGFC																
							(2009)	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.7	8.4	7.0		
								RIDE	7.5	7.3	7.1	7.2	7.1			7.1	7.0	7.0	6.9	6.6			
93001000	2.610	3.888	L	1	1	45	CRACKING	7.0	6.5	5.0*	5.0*	5.0*	5.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0			
786			2	3.7		25000	RIDE	8.4	8.4	8.0	7.3	7.4	7.1	7.2	7.1	7.9	7.8	7.8	7.8	7.8			
							DGFC																
							(2009)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.8	7.9	6.5		
								RIDE	7.8	7.5	7.1	7.4	7.3	6.9	7.2	7.3	7.2	7.3	7.3	7.4	7.1		
93002000	0.000	0.574	R	1	1	35	CRACKING	8.0	8.0	8.0	8.0	6.5	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0			
800			2	2.6		17800	RIDE	7.4	7.0	6.6	6.7	6.3	5.7	6.5	6.4	6.0	5.5	5.8	5.3*	7.6			
							FC95																
							(2013)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.6	8.4	7.0		
								RIDE	7.2	7.2	7.0	7.1	7.1	6.4	6.9	6.9	6.5	6.6	6.2	5.9	5.6		
93002000	0.000	0.574	L	1	1	35	CRACKING	8.0	8.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	10.0			
800			2	2.6		17800	RIDE	7.7	7.2	7.8	6.6	6.2	5.8	6.8	6.4	6.7	6.4	6.3	6.0	7.6			
							FC95																
							(2013)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.0	8.0	8.5	8.1	7.0	
								RIDE	7.4	7.5	7.4	7.4	6.6	6.5	6.9	6.7	6.9	6.6	6.6	6.8	6.5		
93004000	0.000	4.647	R	1	1	45	CRACKING	8.0	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*		10.0	10.0			
808			3	3.3		49500	RIDE	8.3	8.1	7.8	7.5	7.6	7.4	7.5	7.4	7.3	7.2		8.8	8.6			
							FC95																
							(2012)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	9.2	8.0		
								SPRIDE	8.6	8.5	8.5	8.5	7.9	7.7	7.8	7.9	7.8	8.0	8.0	7.9	7.6		
93004000	4.647	6.106	R	1	1	45	CRACKING	10.0	9.0	8.0	8.0	8.0	6.5	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*			
808			3	3.4		60500	RIDE	8.3	8.4	7.6	7.3	7.3	7.2	7.3	7.2	7.2	7.0	7.0	7.0	7.0			
							FC2																
							(2025)	CRACKING	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.0		10.0	10.0		
								RIDE	8.3	8.3	8.1	8.0	7.9	7.7	7.8	7.9	7.9	7.8		7.6	7.6		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE	YEAR)	ASTYPE																		(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																
ITMSEG-F																					
93004000	6.106	7.615	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	7.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0
808				3	4.7	25000	RIDE	6.4*	6.5	6.0*	5.2*	7.4	7.3	7.3	7.2	8.0	8.0	8.0	8.0	8.0	7.9
NW 7 AVE(6.4R)																					
2297811	6.500	7.238	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.3	8.1	6.5
WEEKLEY ASPHALT PAVING, IN(2009) SPRIDE																					
93004000	6.106	7.615	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	8.0	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0
808				3	4.7	25000	RIDE	4.3*	6.4*	6.4*	5.8*	7.3	7.4	7.5	6.9	8.0	10.0	8.0	8.0	8.0	8.0
SPUR(6.6L)																					
2297811	6.500	7.238	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	8.4	8.3	7.0
WEEKLEY ASPHALT PAVING, IN(2009) SPRIDE																					
93004000	4.647	6.106	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	8.0	6.5	6.5	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*
808				3	3.4	60500	RIDE	8.1	8.1	7.6	7.4	7.4	7.3	7.4	6.9	7.4	7.3	7.1	7.1	7.1	6.8
COMMERCIAL TR(4.9L)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5		10.0	10.0	9.0
							RIDE	8.3	8.3	8.1	8.1	7.8	7.8	8.0	7.9	8.0	7.9		7.6	7.6	7.5
93004000	2.500	4.647	L	1	1	45	CRACKING	8.0	7.5	7.5	7.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*		10.0	10.0	
808				3	3.3	49500	RIDE	8.1	8.1	7.9	7.4	7.4	7.3	7.4	7.3	7.2	7.2		8.8	8.7	
BOCA WEST DR(2.7L)																					
4153081	2.020	4.779	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	9.2	9.1	8.0
COMMUNITY ASPHALT CORP. (2012) SPRIDE																					
93004000	0.000	2.500	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.0	7.0	7.0	7.0	5.5*	5.5*	
808				3	11.5	36500	RIDE	8.6	8.5	8.3	7.7	7.7	7.5	7.7	7.4	7.4	7.2	7.1	6.4	6.3	
SR 7(0.0C)																					
4270141	0.042	1.195	C	2013		0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.6	8.5
WEEKLEY ASPHALT PAVING, IN(2016) SPRIDE																					
93005000	0.000	1.549	R	1	1	45	CRACKING	5.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	9.0	9.0	9.0	9.0	
794				4	5.0	35500	RIDE	7.4	7.1	7.7	6.8			7.7	7.4	7.4	7.4	7.3	7.4	7.3	
MILITARY TR(0.0C)																					
2298081	0.000	1.447	C	2003		0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5	8.1	7.9	6.5
(2007) RIDE																					
93005000	1.549	2.780	R	1	1	45	CRACKING	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
794				3	5.7	43000	RIDE	6.9	7.1	7.4	8.0	7.5	7.8	8.0	7.7	7.8	7.9	7.2	7.5	7.4	
NW 4TH AVE(2.1R)																					
2297581	1.174	2.780	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.8	8.6	7.0
COMMUNITY ASPHALT CORP. (2004) RIDE																					
4476571	2.128	2.761	C	2025		0012		7.6	7.3	7.8	7.7	7.6	7.0	7.2	7.3	7.3	7.5	7.3	7.1	6.9	6.6
93005000	1.549	2.780	L	1	1	45	CRACKING	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
794				3	5.7	43000	RIDE	6.9	6.9	7.5	7.7	7.6	7.7	7.7	7.7	8.1	7.7	7.5	7.3	7.2	
NW 5TH AVE(2.1L)																					
2297581	1.174	2.780	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.7	8.5	7.0
COMMUNITY ASPHALT CORP. (2004) RIDE																					
4476571	2.128	2.761	C	2025		0012		7.3	7.0	7.5	7.6	6.5	6.6	6.8	7.1	7.1	7.1	7.0	7.1	7.1	6.8
93005000	0.000	1.549	L	1	1	45	CRACKING	5.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
794				4	5.0	35500	RIDE	7.7	7.2	7.1	6.8			8.0	7.9	7.6	7.8	7.9	7.8	7.4	
MILITARY TR(0.0C)																					
2298081	0.000	1.447	C	2003		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.5	7.5	7.5	8.5	8.4	7.0
(2007) RIDE																					
93006000	2.078	4.225	R	1	1	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
807				3	2.5	46000	RIDE		8.7	8.5	7.9	7.9	8.0	8.2	8.0	8.0	7.9	7.8	7.8	7.5	
LAKE WORTH RD(2.1C)																					
2296111	2.078	5.916	C	1999		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	7.4	5.5*
COMMUNITY ASPHALT CORP. (2002) S RIDE																					
4476571	2.128	2.761	C	2025		0012		7.4	7.5	7.8	7.8	7.7	7.5	7.6	7.6	7.6	7.6	7.6	7.4	7.5	7.2
93006000	4.225	4.534	R	1	1	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
807				3	4.3	42500	RIDE		8.0	7.6	7.1	7.4	7.3	7.6	7.3	7.2	7.2	7.5	7.5	7.0	
APALACHEE RD(4.3R)																					
2296111	2.078	5.916	C	1999		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.1	7.0	5.5*
COMMUNITY ASPHALT CORP. (2002) S RIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														
93010000	4.857	6.801	L	1	1	45	CRACKING	9.0	9.0	8.0	7.0	6.5	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	
5	1			2	2.7	26522	RIDE	8.6	8.6	8.2	7.6	7.6	7.4	7.4	7.2	7.1	6.9	6.6	8.0	8.0	
NE 49 ST(4.9L)																					
4168971	4.857	6.801	C	2010		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	8.5	8.5	7.5	7.0	7.0	7.0	6.5	6.5	5.0*
WEEKLEY ASPHALT PAVING, IN(2012)																					
4498301	4.857	6.801	C	2030		0012		7.9	7.9	7.6	7.6	7.4	7.2	7.3	7.2	7.3	7.1	7.1	7.1	7.1	6.8
FC95																					
93010000	2.691	4.857	L	1	1	45	CRACKING	8.0	8.0	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	
5	1			2	5.2	32000	RIDE	7.5	7.4	7.1	6.6	6.9	6.6	6.6	6.5	6.5	6.5	6.5	6.3	8.6	
FOURTEENTH ST NE(2.7L)																					
4229101	2.691	4.857	C	2011		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	8.3	7.9	6.5
RANGER CONSTRUCTION INDUST(2013)																					
							RIDE	8.5	8.5	8.2	8.2	7.9	8.0	8.0	7.9	7.9	7.8	7.9	7.9	7.8	7.5
FC95																					
93010000	1.434	2.691	L	1	1	35	CRACKING	10.0	10.0	10.0	9.5	9.5	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5
5	1			2	2.5	24000	RIDE	8.5	8.5	8.1	7.7	7.7	7.6	7.7	7.7	7.8	7.6	7.5	7.5	7.4	
SE 4 ST(1.5L)																					
4246461	1.434	2.419	L	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.0	8.0
RANGER CONSTRUCTION INDUST(2014)																					
							RIDE	8.4	7.8	8.0	8.0	7.9	7.6	7.9	7.8	8.0	7.7	7.8	7.9	7.8	7.5
FC125M																					
93010000	0.000	1.434	L	1	1	45	CRACKING	8.0	7.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	
5	1			3	3.8	30000	RIDE	8.4	8.5	8.2	7.7	7.8	7.6	8.1	7.6	7.6	7.4	7.2	7.2	8.3	
ROYAL PALM WAY(0.3L)																					
4153101	0.000	1.352	L	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.2	8.1	7.0
WEEKLEY ASPHALT PAVING, IN(2013)																					
							RIDE	8.2	8.2	8.1	8.1	8.0	7.4	7.9	7.8	7.8	7.8	7.7	7.6	7.7	7.4
FC95																					
93010101	0.000	2.336	C	1	1	35	CRACKING	8.0	8.0	8.0	8.0	7.5	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	
5	1			2	3.8	13000	RIDE	7.2	7.2	6.6	6.7	6.5	6.4	6.6	6.5	6.6	6.5	6.4	6.4	6.4	6.4
DELRAY BEACH CITY LIMITS(0.0C)																					
							DGFC														
							CRACKING	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.9	8.9	8.0
							RIDE	6.3			8.3	8.1	8.0	8.1	7.9	8.1	7.9	7.9	8.0	8.0	7.7
(2017)																					
93012000	0.000	0.678	R	1	1	40	CRACKING	10.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
708				3	8.9	21500	RIDE	7.1	7.3	7.2	6.6	6.3		7.7	7.1	7.5	7.4	7.4	7.5	7.4	
BEE LINE HWY(0.0C)																					
2296481	0.235	0.901	C	2004		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.2	7.5	6.0*	
HUBBARD CONSTRUCTION COMPA(2007)																					
							RIDE	7.3	7.4	7.1	7.1	7.1	6.5	6.5	6.6	6.4	6.4	6.7	7.0	5.7	5.4*
FC125																					
93012000	0.678	2.003	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	
708				3	6.7	37500	RIDE	8.1	7.9	7.7	7.2	7.2	6.9	6.7	6.2	6.8	6.7	7.3	6.9	7.0	
CENTRAL INDUSTRIAL D(1.1C)																					
							DGFC														
							CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.5	8.1	8.1	7.0
							RIDE	8.0	8.2	7.9	7.8	7.8	7.5	7.6	7.6	7.5	7.6	7.6	7.6	7.6	7.3
(2014)																					
93012000	2.003	2.905	R	1	1	40	CRACKING	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
708				3	6.7	37500	RIDE	5.5*	6.2	6.4	6.0	6.0	6.2	6.2	6.1	6.0	8.3	8.1	8.0	7.7	
ACREHOME BLVD(2.0C)																					
4114311	1.962	2.767	R	2007		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.6	7.8	6.5
RANGER CONSTRUCTION INDUST(2010)																					
							RIDE	7.5	7.6	7.8	7.8	7.7	7.2	7.7	7.6	7.5	7.5	7.6	7.4	7.4	7.1
FC95																					
93012000	2.905	3.682	R	1	1	35	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	
708				2	3.3	30000	RIDE	5.1*	7.8	7.2	6.9	6.2	5.9	6.0	5.6	5.6	5.5	6.3	6.3	6.6	
CR 811(2.9C)																					
4246491	3.096	3.659	R	2013		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.4	7.4	6.5
DICKERSON FLORIDA INC. (2015)																					
							RIDE		7.6	7.1	6.9	6.9	6.1	6.7	6.5	6.6	6.5	6.4	6.3	6.4	6.1
FC95R																					
93012000	2.905	3.682	L	1	1	35	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	
708				2	3.3	30000	RIDE	4.4*	7.2	6.2	6.0	5.9	5.7	5.6	5.7	5.0*	5.5	5.7	5.7	5.7	
CR 811(2.9C)																					
4246491	3.096	3.659	L	2013		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.1	7.7	6.5
DICKERSON FLORIDA INC. (2015)																					
							RIDE		6.8	6.3	6.0	5.7	5.6	5.9	5.9	5.5	5.6	5.6	5.6	5.9	5.6
FC95R																					
93012000	2.003	2.905	L	1	1	40	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	
708				3	6.7	37500	RIDE	6.4*	7.1	7.0	6.6	6.2	6.0	6.3	6.2	5.5	8.3	8.1	8.2	8.0	
ACREHOME BLVD(2.0C)																					
4114311	1.962	2.873	L	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.1	8.2	7.0
RANGER CONSTRUCTION INDUST(2010)																					
							RIDE	7.5	8.0	8.0	7.9	8.0	7.6	7.8	7.7	7.4	7.8	7.7	7.4	7.1	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)								=====														
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																						
CONTRACTOR (AGE_ONE YEAR) ASTYPE																						
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																						
93012000		0.678	2.003	L	1	1 40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
708					3	6.7	37500	RIDE	8.2	8.2	7.7	7.6	7.3	7.3	7.1	7.5	7.4	7.4	7.3	7.3	7.4	
CENTRAL INDUSTRIAL D(1.1C)																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	8.2	7.9	6.5	
							RIDE	8.2	8.1	7.9	7.8	7.8	7.5	7.7	7.6	7.6	7.7	7.7	7.7	7.7	7.4	
93012000		0.000	0.678	L	1	1 40	CRACKING	10.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
708					3	8.9	21500	RIDE	6.8	7.9	7.4	7.4	7.4		7.7	7.2	7.3	7.2	7.1	7.2	7.1	
BEE LINE HWY(0.0C)																						
							FC125															
2296481		0.235	0.901	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.9	7.7	6.0*	
HUBBARD CONSTRUCTION COMPA(2007)																						
							SPRIDE	7.1	7.1	6.8	6.8	6.5	6.3	6.6	6.6	6.5	6.4	6.5	6.6	5.9	5.6	
93016000		0.000	2.960	R	1	1 45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	
882					3	2.0	38500	RIDE	8.4	8.3	7.9	8.2	8.3	8.2	8.2	8.0	7.9	7.9	7.8	7.8	7.6	
SR 7(0.0C)																						
							FC95M															
4416331		0.126	2.897	R	2021	0012	CRACKING	8.5	7.5	7.0	7.0	7.0	6.0*	5.5*	5.5*	4.0*	10.0	10.0	10.0	10.0	9.0	
GENERAL ASPHALT CO., INC. (2023)																						
							SPRIDE	7.6	7.5	7.8	7.9	7.8	7.5	7.7	7.6	7.6	7.8	7.8	7.8	7.8	7.8	7.5
93016000		2.960	3.342	R	1	1 45	CRACKING	7.5	6.0*	6.0*	5.5*	5.5*	5.5*	6.0*	7.0	7.0	7.0	10.0	10.0	10.0		
882					3	5.2	41000	RIDE	6.8	6.7	7.3	6.8	6.7	6.7	7.3	7.1	7.2	6.7	7.8	7.7	7.6	
RIVER BRIDGE(3.2R)																						
							FC125															
2298171		2.902	3.425	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5	
J.W. CHEATHAM, LLC (2011)																						
							SPRIDE	7.5	7.4	7.7	7.7	7.4	7.7	7.3	7.6	7.1	7.6	7.6	7.7	7.5	7.2	
93016000		3.342	3.794	R	1	1 45	CRACKING	7.5	6.0*	6.0*	5.5*	5.5*	5.5*	6.0*	7.0	7.0	7.0	7.0	7.0	7.0		
882					3	5.2	41000	RIDE	6.8	6.7	7.3	6.8	6.7	6.7	7.3	7.1	7.2	6.7	6.4	6.3	6.0	
PLAZA(3.4R)																						
							FC125M															
							CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	9.6	9.6	9.0
							RIDE	6.1	6.0	6.0	5.9	7.0	7.2	7.2	7.4	7.3	7.2	7.4	7.4	7.4	7.1	
93016000		3.794	5.124	R	1	1 45	CRACKING	7.5	6.0*	6.0*	5.5*	5.5*	5.5*	6.0*	7.0	7.0	10.0	10.0	10.0	10.0		
882					3	3.3	35000	RIDE	6.8	6.7	7.3	6.8	6.7	6.7	7.3	7.1	7.2	8.4	8.3	8.0	8.0	
FOREST HILL VILLAS(4.1C)																						
							FC125															
2298171		3.800	5.124	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.5	7.0	
J.W. CHEATHAM, LLC (2010)																						
							SPRIDE	7.9	8.0	7.9	7.9	7.9	7.6	7.8	7.6	7.7	7.7	7.8	7.7	7.7	7.4	
93016000		5.124	8.161	R	1	1 45	CRACKING	7.5	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	
882					3	4.2	44000	RIDE	6.8	6.7	7.3	6.8	6.7	6.7	6.7	6.5	6.5	6.4	7.8	7.6	7.6	
HAVERHILL RD(5.1C)																						
							FC125															
2298172		5.124	8.161	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	7.5	
J.W. CHEATHAM, LLC (2011)																						
							SPRIDE	7.5	7.5	7.6	7.5	7.5	7.1	7.1	7.2	7.2	7.1	7.2	7.1	7.1	6.8	
93016000		8.161	8.516	R	1	1 35	CRACKING	8.5	8.5	7.5	7.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	3.5*	9.0	9.0		
882					3	3.2	47500	RIDE	5.7*	6.2	5.9	5.7	5.3*	5.7	4.7*	5.1*	5.0*	4.8*	4.4*	6.3	6.4	
PINE TREE LN(8.2R)																						
							FC2															
							CRACKING	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	1.0*	
							RIDE	6.3	6.4	5.7	5.7	5.9	5.6	5.5	5.6	5.8	5.6	5.6	5.9	5.9	5.8	
4463731		8.156	9.233	C	2027	0012																
93016000		8.516	9.218	R	1	1 35	CRACKING	8.5	8.5	7.5	7.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	3.5*	10.0	10.0		
882					2	2.9	22500	RIDE	5.7*	6.2	5.9	5.7	5.3*	5.7	4.7*	5.1*	5.0*	4.8*	4.4*	7.9	7.3	
PARKER AVE(8.7C)																						
							FC95M															
2297821		8.516	9.216	R	2011	0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.1	6.0*
(2012)																						
4463731		8.156	9.233	C	2027	0012	RIDE	7.3	7.1	6.1	6.5	5.7	6.0	5.6	5.9	6.0	5.6	5.7	5.7	5.3*	5.3*	5.0*
93016000		8.516	9.218	L	1	1 35	CRACKING	8.5	8.5	7.5	7.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0		
882					2	2.9	22500	RIDE	5.7*	6.2	5.9	5.7	5.3*	5.7	7.6	4.5*	4.4*	4.1*	4.3*	7.8	7.3	
FOREST CT(8.5L)																						
							FC95M															
2297821		8.516	9.216	L	2011	0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.4	7.1	6.0*	
(2012)																						
4463731		8.156	9.233	C	2027	0012	SPRIDE	7.1	6.9	5.9	6.0	5.9	5.7	5.6	5.7	5.7	5.4*	5.5	5.3*	4.9*	4.6*	
93016000		8.161	8.516	L	1	1 35	CRACKING	8.5	8.5	7.5	7.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	9.0	9.0		
882					3	3.2	47500	RIDE	5.7*	6.2	5.9	5.7	5.3*	5.7	7.6	4.5*	4.4*	4.1*	4.3*	6.7	6.6	
PINE TREE CIR(8.2L)																						
							FC2															
							CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	1.0*	
							RIDE	6.6	6.7	5.7	5.9	5.3*	5.7	6.0	5.2*	5.6	5.9	5.6	5.9	5.7	5.6	
4463731		8.156	9.233	C	2027	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	FT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FWY-P	W_KMX-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	W_YEAR	FY-F	W_KMX-F																(PMRS)
ITMSEG-P	ITMSEG-F																				
93016000	5.124	8.161	L	1	1	45	CRACKING	7.5	6.0*	6.0*	5.5*	5.5*	3.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
882			3	4.2		44000	RIDE	6.9	6.8	6.4*	7.0	6.7	7.0	6.8	6.6	6.2	6.1	8.1	7.9	7.9	
HAVERHILL RD(5.1C)																					
2298172	5.124	8.161	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.2	8.0
J.W. CHEATHAM, LLC (2011) SPRIDE																					
93016000	3.794	5.124	L	1	1	45	CRACKING	7.5	6.0*	6.0*	5.5*	5.5*	3.5*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	
882			3	3.3		35000	RIDE	6.9	6.8	6.4*	7.0	6.7	7.0	7.6	7.6	7.6	8.5	8.2	7.9	8.1	
FOREST HILL VILLAS(4.1C)																					
2298171	3.800	5.124	C	2009		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.8	7.5
J.W. CHEATHAM, LLC (2010) SPRIDE																					
93016000	3.342	3.794	L	1	1	45	CRACKING	7.5	6.0*	6.0*	5.5*	5.5*	3.5*	6.0*	6.0*	6.0*	6.0*	7.0	7.0	7.0	
882			3	5.2		41000	RIDE	6.9	6.8	6.4*	7.0	6.7	7.0	7.6	7.6	7.6	7.4	7.0	6.9	6.6	
GREENACRES CITY CITY LIM(3.6C)																					
							CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	9.1	9.0	8.5
							RIDE	6.6	6.7	6.7	7.0	7.7	7.9	7.9	7.6	7.8	7.6	7.6	7.8	7.6	7.3
(2025)																					
93016000	2.960	3.342	L	1	1	45	CRACKING	7.5	6.0*	6.0*	5.5*	5.5*	3.5*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	
882			3	5.2		41000	RIDE	6.9	6.8	6.4*	7.0	6.7	7.0	7.6	7.6	7.6	7.4	8.4	8.0	8.1	
FAIRWAY ISLES(3.2L)																					
2298171	2.902	3.425	C	2009		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	8.9	7.5
J.W. CHEATHAM, LLC (2011) SPRIDE																					
93016000	0.000	2.960	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	
882			3	2.0		38500	RIDE	7.9	8.1	7.6	8.2	7.9	8.1	8.0	8.2	8.1	7.8	7.7	7.9	7.7	
SR 7(0.0C)																					
4416331	0.126	2.897	L	2021		0012	CRACKING	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	9.0
GENERAL ASPHALT CO., INC. (2023) SPRIDE																					
93020000	0.000	0.773	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
5			2	2.5		9400	RIDE	7.8	7.6	7.6	7.1	7.0	6.8	7.0	6.9	6.8	6.6	6.1	6.1	5.9	
SR-805/DIXIE HWY(0.0L)																					
2296291	0.000	2.029	C	1997		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.8	7.8	6.0*
RUSSELL ENGINEERING INC (2000) S RIDE																					
4498321	0.000	0.773	C	2027		0012		6.0	5.9	6.1	5.8	5.3*	5.5	5.7	5.8	5.6	5.5	5.7	5.3*	5.4*	5.1*
93020000	0.773	2.071	C	1	7	25	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			2	2.5		9400	RIDE	7.2	7.1	6.7	6.4	6.5	6.2	6.3	6.4	6.2	5.6	5.5	5.9	5.8	
TENTH AVE S(0.8L)																					
4461731	0.773	1.619	C	2024		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.4	10.0	9.5
J.W. CHEATHAM, LLC (2026) SPRIDE																					
93020000	2.071	3.209	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
5			2	3.3		7700	RIDE	7.8	7.7	7.6	7.3	7.3	7.2	7.8	7.8	7.7	7.5	7.6	7.6		
SIXTH AVE N(2.1C)																					
2297061	2.029	3.651	C	1998		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.6	7.1	5.5*
RUSSELL ENGINEERING, INC (2000) S RIDE																					
4476601	2.071	3.661	C	2025		0012		7.4	7.6	7.3	7.0	7.1	7.2	7.3	7.3	7.2	6.9	7.1	7.0	7.0	6.7
93020000	3.209	3.651	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	
5			2	3.3		7700	RIDE	7.9	7.9	7.6	7.5	7.4	7.3	6.9	6.9	6.9	6.8	6.7	6.6	6.7	
AUBURN DR(3.3R)																					
2297061	2.029	3.651	C	1998		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.3	6.8	5.0*
RUSSELL ENGINEERING, INC (2000) S RIDE																					
4476601	2.071	3.661	C	2025		0012		6.7	6.7	6.3	6.2	6.2	6.1	6.2	6.3	6.2	6.1	6.0	6.0	6.0	5.7
93020000	9.242	10.037	C	1	1	30	CRACKING	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			4	7.7		17300	RIDE	4.5*	4.3*	4.5*	3.7*		7.3	7.3	7.2	7.1	7.1	6.9	7.1	7.0	
THIRTEENTH ST L(9.3L)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.2	8.1	6.5
							RIDE	6.8	6.9	6.0	5.9	5.6	5.3*	5.7	5.6	5.7	5.3*	5.7	5.3*	5.1*	4.8*
(2006)																					
93020000	10.037	10.270	C	1	1	30	CRACKING	7.0		8.5	8.5	7.5	7.5	7.0	7.0	5.5*	5.5*	5.5*		10.0	
5			2	7.7		17300	RIDE	4.6*		6.4	5.9	6.0	5.8	6.1	5.9	5.2*	5.6	5.6			
DIXIE HWY(10.0R)																					
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9	7.5
							RIDE												5.3*	5.0*	
(2013)																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	CONTRACTOR	(AGE_ONE YEAR)																			(PMRS)	
ITMSEG-F																						
93020000	10.270	11.445	R	1	1	35	CRACKING	0.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1				2	7.7	17300	RIDE	4.2*			7.6	7.6	7.4	7.3	7.5	7.2	6.5	6.3	6.7	6.3		
28TH ST(10.5C)																						
2293391	9.952	12.200	C	2000	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.6	8.5	7.0	
LANZO CONSTRUCTION CO FLOR(2004) SPRIDE																						
93020000	11.445	12.127	R	1	1	35	CRACKING	0.0*	0.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1				2	2.4	24000	RIDE	4.2*	3.8*			6.9	7.0	7.1	7.0	6.9	6.8	6.7	6.8	6.7		
46TH ST(11.5C)																						
						FC125																
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.6	8.6	7.0	
							RIDE	6.6	6.7	5.8	5.7	5.8	5.4*	5.5	5.6	5.3*	5.4*	5.6	5.5	5.3*	5.0*	
93020000	12.729	12.789	R	1	1	35	CRACKING	10.0	10.0	8.5	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
5 1				2	3.4	25500	RIDE	7.5	6.2	3.7*	5.3*	4.5*	4.0*	3.9*	3.6*	3.7*	3.3*	3.4*	3.2*	2.9*		
E 11 ST(12.7R)																						
						FC95A																
							CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	5.8*	6.4*	4.5*	
							RIDE	6.5											4.4*	4.1*		
93020000	12.789	14.150	R	1	1	35	CRACKING	9.5	9.5	8.5	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
5 1				2	3.4	25500	RIDE	4.2*	4.0*	3.7*	5.3*	4.5*	4.0*	3.9*	3.6*	3.7*	3.3*	3.4*	3.2*	2.9*		
E 12TH ST(12.8C)																						
2297443	12.796	14.144	C	2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	7.5	
GIBBS & REGISTER, INC. (2015) SPRIDE																						
93020000	14.150	14.558	R	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.5	
5 1				2	3.4	25500	RIDE	3.7*	3.4*	3.4*	3.6*	4.7*	5.9	6.3	6.1	6.3	5.7	6.3	6.3	5.9		
SILVER BEACH RD(14.2C)																						
2297471	14.184	14.539	C	2002	0012	CRACKING	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.6	6.6	5.0*
RANGER CONSTRUCTION INDUST(2006) SPRIDE																						
93020000	14.150	14.558	L	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
5 1				2	3.4	25500	RIDE	3.3*	6.8	6.3	6.4	7.1	7.1	7.4	7.5	7.5	6.9	6.9	6.9	6.7		
SILVER BEACH RD(14.2C)																						
2297471	14.184	14.539	C	2002	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.8	7.5	6.0*	
RANGER CONSTRUCTION INDUST(2006) SPRIDE																						
93020000	12.789	14.150	L	1	1	35	CRACKING	10.0	5.0*	5.0*	5.0*	5.0*	4.0*	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
5 1				2	3.4	25500	RIDE	7.6	7.5	7.0	6.5	6.6	6.4	6.7	6.4	6.5	6.4	6.5	6.5	6.5	6.5	
E 12TH ST(12.8C)																						
2297443	12.796	14.144	C	2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.7	7.5	
GIBBS & REGISTER, INC. (2015) SPRIDE																						
93020000	12.729	12.789	L	1	1	35	CRACKING	10.0	10.0	5.0*	5.0*	5.0*	4.0*	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
5 1				2	3.4	25500	RIDE	7.6	7.5	7.0	6.5	6.6	6.4	6.7	6.4	6.5	6.4	6.2	6.2	6.2	5.9	
W 11 ST(12.7L)																						
						FC95A																
							CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	8.0	7.9	6.0*	
							RIDE	6.9											5.4*	5.1*		
93020000	11.445	12.127	L	1	1	35	CRACKING	0.0*	0.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1				2	2.4	24000	RIDE	4.3*	4.4*			7.1	6.8	6.8	6.7	6.6	6.5	6.1	6.0	5.4*		
46TH ST(11.5C)																						
						FC125																
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.8	8.8	7.0	
							RIDE	5.8	5.4*	6.2	6.2	6.2	6.0	6.1	6.1	5.5	5.7	5.9	5.7	5.3*	5.0*	
93020000	10.270	11.445	L	1	1	35	CRACKING	0.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1				2	7.7	17300	RIDE	4.3*			7.1	7.3	6.9	6.8	6.9	6.9	5.9	5.8	5.9	5.7		
BROADWAY AVE(10.3L)																						
2293391	9.952	12.200	C	2000	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.0
LANZO CONSTRUCTION CO FLOR(2004) SPRIDE																						
93020001	0.000	0.413	C	1	7	30	CRACKING	6.5	5.5*	5.5*		10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1				4	4.8	17700	RIDE	5.0*	4.5*	3.5*		7.3		6.8	6.2	6.5	5.8	6.0	6.4	5.8		
PALM BEACH LAKES BLVD *(0.0C) FC125M																						
4460991	0.100	0.304	C	2023	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	9.5	
HEAVY CIVIL INC (2026) RIDE																						
								6.0	5.8	5.2*	5.2*	5.0*	4.9*	4.9*	4.8*	5.0*	4.8*	4.7*		5.2*	4.9*	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	WT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	W_KMX-P	ASTYPE	=====															
ITMSEG-P	W_BMP	W_EMP	W_YEAR	FY-F	W_KMX-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	W_YEAR	FY-F	W_KMX-F	ASTYPE	=====															
ITMSEG-F	W_BMP	W_EMP	W_YEAR	FY-F	W_KMX-F	ASTYPE	=====															
93020001	1.238	2.356	C	1	1	35	CRACKING	6.5	3.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1							RIDE	5.0*	4.2*				7.6	7.3	7.2	7.4	7.2	7.1	7.0	7.0		
LAKEVIEW AVE(1.2L)							FC125															
							(2006)	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.9	8.8	7.5	
4484151	1.331	2.356	C	2026		0012	CRACKING	6.8	6.6	6.2	6.2	6.3	6.1	6.2	6.1	5.8	5.8	5.5	5.5	5.3*	5.0*	
93020002	0.000	0.291	C	1	1	30	CRACKING	7.0	7.0		10.0		7.0	7.0	7.0	5.5*	5.5*				10.0	
5 1							RIDE	5.9*	5.2*				5.3*	5.5	5.3*	5.8	5.3*					
25 ST(0.0R)							FC125															
							(2013)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	10.0	9.0
							RIDE													5.4*	5.1*	
93020100	0.000	0.540	R	1	1	30	CRACKING					10.0								10.0	10.0	
5 1							RIDE					4.8*								5.1*	5.4*	
OKEECHOBEE BLV/SR704(0.0C)							DGFC															
							(2012)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	7.4	8.0	6.5	
							RIDE	5.5	5.0*	4.9*	4.9*	4.8*	4.5*	4.4*	4.8*	5.1*	4.9*	5.1*	4.9*	4.9*	4.6*	4.6*
93020100	0.540	0.960	C	1	1	30	CRACKING					10.0								5.5*	3.5*	
5 1							RIDE					4.8*								4.8*	4.2*	
CLEMATIS ST(0.5C)							FC125A															
4323501	0.741	0.960	L	2016		0012	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.4	8.7	7.5		
J.W. CHEATHAM, LLC							(2017)	4.3*	5.0*	3.9*										5.6	5.3*	
93020100	0.000	0.540	L	1	1	30	CRACKING					10.0								10.0	10.0	
5 1							RIDE					4.8*								5.1*	5.0*	
OKEECHOBEE BLV/SR704(0.0C)							DGFC															
							(2012)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.2	7.1	6.0*	
							RIDE	5.0*	5.1*	4.6*	4.6*	4.6*	4.3*	4.4*	4.6*	4.7*	4.6*	4.6*	4.6*	4.5*	4.2*	
93020500	0.000	0.147	R	1	1	35	CRACKING													10.0	10.0	10.0
5 1							RIDE															
RIVIERA BEACH CITY LIMIT(0.0C)							DGFC															
							(2011)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.6	6.9	5.5*	
							RIDE													5.1*	4.8*	
93020500	0.521	0.590	R	1	1	35	CRACKING													10.0	10.0	10.0
5 1							RIDE															
							DGFC															
							(2011)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.3*	6.5	5.0*	
							RIDE													5.5	5.2*	
93020500	0.521	0.590	L	1	1	35	CRACKING													10.0	10.0	10.0
5 1							RIDE															
							DGFC															
							(2011)	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.9	6.7	5.5*	
							RIDE													5.6	5.3*	
93020500	0.000	0.147	L	1	1	35	CRACKING													10.0	10.0	10.0
5 1							RIDE															
RIVIERA BEACH CITY LIMIT(0.0C)							DGFC															
							(2011)	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	6.5	6.5	5.0*	
							RIDE													4.9*	4.6*	
93030000	0.000	0.261	C	1	1	40	CRACKING	4.5*	3.5*	1.0*	1.0*	1.0*	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
806							RIDE	8.2	8.1	7.5	7.0	6.8	6.7	6.8	6.9	6.4	6.4	6.7	6.6	6.6		
SR 7/US 441(0.0C)							DGFC															
							(2007)	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.1	5.5*	
							RIDE	6.6	6.7	5.7	5.7	5.9	5.5	5.7	5.9	5.5	5.5	5.6	5.0*	5.4*	5.1*	
2296584	0.000	1.252	C	2024		0213																
93030000	0.261	0.768	C	1	1	45	CRACKING	4.5*	3.5*	1.0*	1.0*	1.0*	8.5	4.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
806							RIDE	8.2	8.1	7.5	7.0	6.8	6.7	6.7	6.7	8.2	7.7	7.7	7.7	7.7	7.3	
HALF MILE RD(0.5R)							FC95M															
2297861	0.300	0.775	C	2008		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	6.6	6.5	5.0*	
RANGER CONSTRUCTION INDUST							(2009)	7.4	7.2	7.0	7.0	7.0	6.9	7.0	7.0	6.9	6.8	6.8	6.7	6.3	6.0	
2296584	0.000	1.252	C	2024		0213	SPRIDE															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	=====	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	W_KMX-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	W_KMX-F																(PMRS)	
ITMSEG-P																						
ITMSEG-F																						
93030000	0.768	1.910	R	1	1 45	CRACKING		4.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	9.0	9.0	9.0	8.0		
806				2	7.5	35500	RIDE	8.2	8.1	7.5	7.0	6.8	6.5	6.6	6.4	6.2	6.7	6.7	6.7	6.7		
LYONS RD(1.1C)						DGFC																
							CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	10.0	9.0
							RIDE		8.2	7.3	7.2	7.0	6.7	6.9	7.3	7.2	7.2	7.1	7.3	7.0	7.0	6.7
4405752	1.252	1.960	C	2024	0213																	
93030000	1.910	3.400	R	1	1 45	CRACKING		0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
806				2	6.6	45000	RIDE	7.2	7.2	8.3	7.8	7.8	7.2	7.9	7.8	7.9	7.7	7.8	7.8	7.8	7.8	
LEXINGTON CLUB BLVD(2.2R)						FC125																
2296001	1.814	3.367	C	2000	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	7.5	8.0	7.9	6.5	
RANGER CONSTRUCTION INDUST(2003)						SPRIDE		7.7	7.7	7.7	7.6	7.7	7.4	7.3	7.3	7.4	7.6	7.6	7.6	7.7	7.4	
4405754	1.653	3.078	C	2029	0213																	
93030000	3.400	4.275	R	1	1 45	CRACKING		9.0	9.0	9.0	8.5	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	
806				3	8.3	41500	RIDE	8.5	8.5	8.2	7.7	7.5	7.7	7.7	7.6	6.8	6.7	6.8	6.5	6.5	6.5	
CARTER RD(3.6C)						FC95																
4246511	3.390	4.275	R	2013	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.7	8.6	7.5	
WEEKLEY ASPHALT PAVING, IN(2014)						SPRIDE		8.2	7.8	7.9	7.9	7.3	7.1	7.1	7.6	7.8	7.7	7.1	7.6	7.6	7.3	
4405755	3.078	4.112	C	2029	0213																	
93030000	4.275	6.798	R	1	1 45	CRACKING		9.0	7.5	7.5	7.0	7.0	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0		
806				3	3.3	41500	RIDE	8.4	8.4	8.3	7.7	7.6	7.6	7.7	7.7	7.5	7.7	7.4	7.5	7.5		
VIA FLORA(4.3R)						FC95																
4138412	4.275	7.097	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.7	8.1	6.5	
WEEKLEY ASPHALT PAVING, IN(2010)						RIDE		7.7	7.5	7.3	7.9	7.1	7.5	7.0	7.7	7.7	7.7	6.9	7.7	7.1	6.8	
93030000	6.798	7.502	R	1	1 35	CRACKING		9.0	7.5	7.5	7.0	7.0	6.5	6.5	5.0*	10.0	10.0	10.0	10.0	10.0		
806				2	4.5	51000	RIDE	8.4	8.4	8.3	7.7	7.6	7.6	7.7	5.0*	7.5	7.0	6.9	6.8	6.8	6.6	
SPUR(7.0R)						FC95M																
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	9.5	10.0	9.0	
							RIDE	7.1	7.1	6.9	6.8				7.2	7.2	7.1	7.1	7.1	7.1	6.8	
93030000	7.502	8.270	R	1	1 35	CRACKING		7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.0*	5.0*	10.0	10.0	10.0		
806				2	3.7	30000	RIDE	7.0	7.1	6.0	6.0	5.7	6.6	6.8	6.5	6.4	5.4*	6.6	6.6	6.6		
W 12 AVE(7.5C)						FC125M																
4138401	7.513	8.270	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.7	7.5	
WEEKLEY ASPHALT PAVING, IN(2011)						SPRIDE		6.7	6.7	6.6	6.6	6.4	6.3	6.3	6.6	6.4	6.4	6.5	6.4	6.2	5.9	
93030000	8.582	8.667	C	1	1 35	CRACKING		9.5	9.5	9.5	9.5	9.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5		
806				4	10.2	9900	RIDE	5.5*	5.5	5.2*	4.6*	4.4*	4.9*	4.2*	3.3*	3.0*	3.0*					
SR 5 NB(8.6C)						FC125M																
							CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	8.8	9.2	
							RIDE	7.1	7.1	6.9	6.8				7.2	7.2	7.1	7.1	7.1	7.1	2.5*	
93030000	8.667	9.180	C	1	1 25	CRACKING		9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0		
806				4	4.1	13600	RIDE	5.5*	5.5	5.2*	4.6*	4.4*	4.9*	4.2*	6.5	6.6	5.0*	6.1	5.5	5.7		
ALLEY(8.7C)						FC125M																
							CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.9	7.6	
							RIDE		7.7											4.1*	6.5	
93030000	7.502	8.270	L	1	1 35	CRACKING		7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.0*	5.5*	5.5*	10.0	10.0	10.0		
806				2	3.7	30000	RIDE	7.3	7.5	6.8	6.7	6.0	6.8	7.0	6.8	6.8	5.5	7.0	6.7	6.8		
W 12 AVE(7.5C)						FC125M																
4138401	7.513	8.270	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.9	7.5	
WEEKLEY ASPHALT PAVING, IN(2011)						SPRIDE		6.4	6.9	6.2	6.6	6.2	6.4	6.5	6.6	6.5	6.3	6.5	6.4	6.3	6.0	
93030000	6.798	7.502	L	1	1 35	CRACKING		9.0	7.5	7.5	7.0	7.0	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0		
806				3	4.5	51000	RIDE	8.4	8.1	7.7	7.4	6.8	7.3	7.4	7.3	7.4	7.3	6.9	7.2	7.2		
CONGRESS AVE(7.0C)						FC95M																
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	9.1	8.6	7.5	
							RIDE	7.0	6.9	7.0	7.1	7.1			6.8	6.5	6.6	6.8	6.5	6.5	6.2	
93030000	4.275	6.798	L	1	1 45	CRACKING		9.0	7.5	7.5	7.0	7.0	5.5*	5.5*	4.0*	3.5*	10.0	10.0	10.0	10.0		
806				3	3.3	41500	RIDE	8.4	8.1	7.7	7.4	6.8	7.3	7.4	7.3	7.2	8.1	7.9	7.9	7.9		
VIA FLORA(4.3L)						FC95																
4138412	4.275	7.097	C	2009	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	8.6	7.0	
WEEKLEY ASPHALT PAVING, IN(2010)						RIDE		7.9	7.9	7.9	7.9	7.6	7.5	7.8	7.8	7.8	7.7	7.7	7.8	7.7	7.4	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
93030000	3.400	4.275	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
806				3	8.3	41500	RIDE	8.7	8.7	8.3	7.9	6.7	7.9	8.0	7.9	7.9	7.6	7.5	7.4	7.2	
CARTER RD(3.6C)																					
4246511	3.683	4.275	L	2013		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.1
2296001	1.814	3.367	IN	(2014)			SPRIDE	8.2	8.1	8.0	7.9	7.5	7.6	7.8	7.6	7.7	7.7	7.6	7.4	7.5	8.0
4405755	3.078	4.112	C	2029		0213															
93030000	1.910	3.400	L	1	1	45	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
806				2	6.6	45000	RIDE	7.9	7.6	8.1	7.7	7.4	7.7	7.8	7.8	7.8	7.3	7.5	7.5	7.5	
STONE QUARRY BLVD(2.2L)																					
4405754	1.814	3.367	C	2000		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	7.9	6.5
RANGER CONSTRUCTION INDUST(2003)							SPRIDE	7.5	7.2	7.4	7.4	7.3	7.1	7.4	7.6	7.3	7.5	7.4	7.5	7.6	7.3
4405754	1.653	3.078	C	2029		0213															
93030000	0.768	1.910	L	1	1	45	CRACKING	4.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	9.0	9.0	9.0	8.0	
806				2	7.5	35500	RIDE	8.2	8.1	7.5	7.0	6.8	6.5	6.6	6.4	6.2	6.7	6.7	6.7	6.7	
LYONS RD(1.1C)																					
4405752	1.252	1.960	C	(2015)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.1	8.0
				2024		0213	RIDE		8.0	7.8	7.8	7.6	7.1	7.5	7.5	7.4	7.4	7.5	7.4	7.0	6.7
93040000	0.000	0.637	R	1	1	35	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
5				2	6.5	24000	RIDE	3.5*	4.0*	3.8*		7.9	7.2	7.0	7.2	6.9	6.8	6.1	6.2	6.5	
END 93020(0.0C)																					
2297471	0.001	0.657	R	2002		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	5.0*
RANGER CONSTRUCTION INDUST(2005)							SPRIDE	6.2	6.2	6.2	5.8	5.6	5.7	5.9	5.6	5.7	5.5	5.3*	5.4*	5.2*	4.9*
93040000	0.637	2.290	R	1	1	35	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5				3	3.1	21000	RIDE	7.2	7.6	7.4	6.9	8.3	8.1	7.8	7.8	7.7	7.3	7.3	7.4	7.3	
ANCHORAGE DR(0.8R)																					
4229641	0.657	2.125	R	2002		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.2	7.1	5.5*
RANGER CONSTRUCTION INDUST(2005)							SPRIDE	7.3	7.2	7.4	7.4	7.3	7.2	7.3	7.3	7.4	7.1	7.3	7.3	6.9	6.6
93040000	2.290	3.447	R	1	1	45	CRACKING	9.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*
5				2	3.1	21000	RIDE	8.5	8.5	8.1	7.9	7.8	7.9	8.0	8.0	7.7	7.0	6.9	7.0	6.9	
LAKESHORE DR(2.6R)																					
4229641	2.389	9.468	R	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.9
(2014)							RIDE	7.9	7.9	7.6	7.6	7.2	7.1	7.4	7.4	7.5	7.5	7.5	7.4	7.4	7.1
93040000	3.447	5.869	R	1	1	45	CRACKING	9.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*
5				2	3.4	29000	RIDE	8.5	8.5	8.1	7.9	7.8	7.9	8.0	8.0	7.7	8.0	7.9	7.9	7.7	
PLAZA(3.5R)																					
4229641	2.389	9.468	R	2011		0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.5	8.5
(2015)							RIDE	7.7	8.4	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.2	8.1	8.2	7.9
93040000	5.869	9.708	R	1	1	45	CRACKING	9.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*
5				2	1.5	24000	RIDE	8.5	8.5	8.1	7.9	7.8	7.9	8.0	8.0	7.7	8.0	7.9	7.9	7.7	
DONALD ROSS RD(5.9C)																					
4229641	2.389	9.468	R	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
(2014)							RIDE	8.4	8.3	8.2	8.2	8.2	8.1	8.1	8.2	8.2	8.2	8.1	8.2	8.1	7.8
93040000	9.708	9.838	R	1	1	45	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
5				2	1.5	24000	RIDE	8.5	8.0	7.9	7.5	7.5	7.4	7.5	7.7	7.5	7.3	7.3	7.2	7.0	
INDIANTOWN RD(9.8R)																					
				(2015)			CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
							RIDE	7.1	8.0											5.8	5.5
93040000	9.838	10.527	R	1	1	45	CRACKING	9.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	9.5	
5				2	5.1	20200	RIDE	8.1	8.4	7.9	6.8	7.7	7.5	7.7	7.7	7.8	7.5	7.5	7.2		
DGFC																					
				(2014)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.3
							RIDE	8.0	7.9	7.6	7.5	7.4	6.9	7.3	7.4	7.4	7.4	7.5	7.4	7.4	7.1
93040000	10.527	11.127	R	1	8	45	CRACKING	9.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5
5				2	5.1	20200	RIDE	8.1	8.4	7.9	6.8	7.7	7.5	7.7	7.7	7.8	7.5	7.5	7.5	7.3	7.2
CR A1A(10.5R)																					
4246521	10.565	11.047	R	2012		0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
J.W. CHEATHAM, LLC				(2015)			SPRIDE	7.4	7.6												

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKM-F		ASTYPE												(PMRS)
		(AGE_ONE YEAR)		RW		WKM-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	

93040000	11.127	12.396	R	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
5	1			3	5.1	29000	RIDE	8.7	8.4	8.3	8.1	8.1	8.0	8.1	8.1	8.1	8.1	8.1	8.1	8.1	7.9	
COVE RD(11.4R)						FC125M																
4287181	11.049	12.134	R	2018	0012	CRACKING	7.0	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
J.W. CHEATHAM, LLC				(2020)		SPRIDE		7.9	8.0	8.1	8.1	7.9	7.8	8.4	8.4	8.4	8.3	8.3	8.4	8.3	8.0	

93040000	11.127	12.396	L	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	8.5	8.5	
5	1			3	5.1	29000	RIDE	8.6	8.7	8.5	8.1	8.0	7.8	8.0	8.2	8.1	7.9	8.2	8.2	8.2	8.0	
EYEBALL AVE(11.3L)						FC125M																
4287181	11.126	12.411	L	2018	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
J.W. CHEATHAM, LLC				(2020)		RIDE		8.0	8.1	8.3	8.2	8.0	8.1	8.5	8.4	8.5	8.5	8.4	8.5	8.4	8.5	8.1

93040000	9.838	11.127	L	1	8	45	CRACKING	9.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
5	1			2	5.1	20200	RIDE	7.9	8.7	8.3	7.5	7.6	7.7	7.8	7.7	7.8	7.5	7.6	7.7			
JUPITER HARBOUR(10.5L)						DGFC																
				(2014)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
						RIDE		8.1	8.0	7.7	7.5	7.2	7.4	7.3	7.4	7.4	7.4					

93040000	5.869	9.838	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	
5	1			2	1.5	24000	RIDE	8.6	8.8	8.3	7.8	7.9	7.8	8.0	7.8	7.8	7.6	7.5	7.5	7.3		
DONALD ROSS RD(5.9C)						FC125																
4229641	2.389	9.468	L	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.1	9.0	8.0	
COMMUNITY ASPHALT CORP.				(2014)		SPRIDE		8.1	8.2	8.0	8.0	7.9	7.7	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.6

93040000	3.447	5.869	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	
5	1			2	3.4	29000	RIDE	8.6	8.8	8.3	7.8	7.9	7.8	8.0	7.8	7.8	7.6	7.5	7.5	7.3		
KATHY LN(3.5L)						FC125																
4229641	2.389	9.468	L	2011	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9	8.0	
COMMUNITY ASPHALT CORP.				(2015)		SPRIDE		7.1	8.3	8.1	8.0	8.1	8.0	8.0	8.0	8.1	8.0	8.0	8.1	8.1	7.8	

93040000	2.290	3.447	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
5	1			2	3.1	21000	RIDE	8.6	8.8	8.3	7.8	7.9	7.8	8.0	7.8	7.8	7.6	7.2	7.2	7.1		
GOLFVIEW RD(2.6L)						FC125																
4229641	2.389	9.468	L	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	9.0	8.9	7.5	
COMMUNITY ASPHALT CORP.				(2014)		SPRIDE		8.1	8.1	7.7	7.7	7.4	7.3	7.5	7.4	7.6	7.7	7.7	7.6	7.5	7.2	

93040000	0.637	2.290	L	1	1	35	CRACKING	8.0	8.0	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1			3	3.1	21000	RIDE	7.3	7.3	7.1	6.6	8.3	8.3	8.2	8.0	8.2	7.8	7.7	7.8	7.6		
S ANCHORAGE DR(0.8L)						FC125																
2297471	0.657	2.200	L	2002	0012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.1	5.0*	
RANGER CONSTRUCTION INDUST				(2005)		SPRIDE		7.7	7.6	7.8	7.7	7.7	7.4	7.5	7.6	7.7	7.5	7.5	7.5	7.5	7.2	

93040000	0.000	0.637	L	1	1	35	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
5	1			2	6.5	24000	RIDE	6.9	7.3	7.0		7.8	7.5	7.6	7.6	7.5	7.5	7.1	7.2	7.3		
PARK AVE(0.0L)						FC125																
2297471	0.001	0.657	L	2002	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.2	7.1	5.5*	
RANGER CONSTRUCTION INDUST				(2005)		SPRIDE		7.1	7.3	6.9	6.8	6.5	6.4	6.6	6.6	6.9	6.8	6.5	6.4	6.4	6.1	

93050000	0.000	1.540	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
805	1			4	4.0	17200	RIDE	8.4	8.3	8.0	7.7	7.8	7.6	7.7	7.6	7.7	7.5	7.2	7.3	7.0		
SR-5/FEDERAL HWY(0.0R)						FC3																
2290881	0.000	1.278	C	1998	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	7.0	
COMMUNITY ASPHALT CORP.				(2001)		S RIDE		6.7	6.8	6.8	6.7	6.6	6.2	6.4	6.3	6.2	6.1	5.9	5.8	5.7	5.4*	

93050000	1.540	1.921	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.5	7.5	7.5	7.5		
805	1			2	3.8	19400	RIDE	7.5	7.3	7.3	6.9	6.6	6.5	6.7	6.8	6.8	6.7	6.7	6.6	6.3		
1ST AVE S(1.6R)						FC3																
2294251	1.278	2.680	C	1998	0005	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	5.3*	4.5*	2.5*	
COMMUNITY ASPHALT CORP.				(1999)		S RIDE		6.2	6.1	5.6	5.2*	5.5	5.0*	5.0*	5.1*	5.1*	4.9*	5.1*	5.2*	5.3*	5.0*	

93050000	1.921	3.700	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
805	1			4	5.3	21000	RIDE	8.3	8.0	7.9	7.5	7.7	7.7	7.8	7.8	7.8	7.6	7.6	7.7	7.5		
3 AVE N(1.9C)						FC3																
2290041	2.680	3.800	C	1998	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.4	8.0	6.5	
RUSSELL ENGINEERING INC				(2001)		S RIDE		7.3	7.2	7.2	7.3	7.3	6.9	7.1	6.8	6.9	6.6	6.5	6.4	6.5	6.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)	
ITMSEG-P																						
ITMSEG-F																						
93050000	3.700	4.166	C	1	1	35	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
805 1			4	4.1		25500	RIDE	6.6	6.6		7.3	7.2	7.3	7.3	6.9	7.2	6.9	6.8	7.0	6.8		
ARLINGTON RD(3.7R)																						
2297541	3.725	5.874	C	2001		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.1	7.8	6.0*	
COMMUNITY ASPHALT CORP. (2004) SPRIDE																						
93050000	4.166	5.860	C	1	1	35	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
805 1			4	4.1		25500	RIDE	6.6	6.6		7.3	7.2	7.3	7.3	7.5	7.5	7.4	7.1	7.0	7.2		
DESOTA RD(4.2R)																						
2297541	3.725	5.874	C	2001		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.2	8.1	6.5	
COMMUNITY ASPHALT CORP. (2004) SPRIDE																						
93050000	5.860	6.844	C	1	1	35	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0		
805 1			4	7.8		21500	RIDE	6.6	6.6	6.7	5.9	5.8	5.9	5.8	5.5	5.8	5.6	5.7	7.6	7.5		
CONNISTON RD(5.9R)																						
4153121	5.859	6.367	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.5	7.0	7.0	6.2*	6.1*	5.0*
WEEKLEY ASPHALT PAVING, IN(2012) SPRIDE																						
93050000	1.540	1.921	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	7.5	7.5		
805 1			2	3.8		19400	RIDE	7.5	7.3	7.3	6.9	6.6	6.5	6.8	6.7	6.8	6.5	6.5	6.5	6.3		
FIRST AVE S(1.6L)																						
2294251	1.278	2.680	C	1998		0005	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	
COMMUNITY ASPHALT CORP. (1999) S RIDE																						
93060000	0.000	1.409	C	1	1	30	CRACKING	6.5	5.5*	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	8.5		
ALA			2	3.4		10800	RIDE	6.9	7.1	6.6	6.3	6.5	6.3	6.5	6.4	7.5	7.5	7.5	7.5	7.5		
NE 7 ST / SE 31 ST(0.0L)																						
4476611	0.000	4.883	C	2030		0012	CRACKING	8.5	8.5	7.5	7.5	7.5	7.5	7.5		6.0*	6.0*	6.0*	6.7	6.5	5.0*	
(2009) RIDE																						
93060000	1.409	4.883	C	1	1	35	CRACKING	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	10.0	10.0	10.0	9.5	8.5		
ALA			2	4.0		13100	RIDE	7.8	8.1	7.7	7.1	7.2	7.2	7.3	7.2	7.8	7.5	7.5	7.5	7.5		
PALM AVE(2.0L)																						
4476611	0.000	4.883	C	2030		0012	CRACKING	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.0*	6.3*	6.2*	5.0*	
(2009) RIDE																						
93060000	4.883	8.242	C	1	8	35	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0		
ALA			2	6.5		12600	RIDE	7.5	7.4	7.1	6.4	7.3	7.3	7.5	7.3	7.4	7.3	7.1	7.2	7.2		
GRAND CT(5.0L)																						
2297851	4.545	8.187	C	2003		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.1*			
WEEKLEY ASPHALT PAVING, IN(2005) S RIDE																						
4444771	4.883	8.232	C	2024		0012																
93060000	8.242	9.836	C	1	1	35	CRACKING	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0	8.5		
ALA			2	3.7		9100	RIDE	7.1	7.3	6.9	6.0	6.1	6.0	6.0	6.0		8.2	7.5	7.3	7.2		
CR 872(8.3L)																						
4036031	8.209	9.836	C	2007		0012	CRACKING	8.5	8.5	8.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	5.4*	5.2*	4.0*	
RANGER CONSTRUCTION INDUST(2010) SPRIDE																						
4476621	8.245	9.802	C	2025		0012																
93060000	9.836	10.750	C	1	1	30	CRACKING	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	8.5		
ALA			2	2.4		8100	RIDE	7.1	7.3	6.9	6.0	6.1	6.0	6.0	6.0	6.1	8.4	8.3	8.1	8.1		
THOMAS ST(10.1L)																						
2297481	9.836	10.708	C	2007		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.0*	5.6*	5.2*	4.0*	
RANGER CONSTRUCTION INDUST(2010) SPRIDE																						
93060000	10.750	15.798	C	1	1	35	CRACKING	4.5*	4.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	9.0		
ALA			2	6.0		8000	RIDE	7.8	7.7	7.4	6.7	6.5	6.5	6.3	6.1	7.5	7.4	7.3	7.4	7.3		
DELRAY BEACH CITY LIMITS(10.8L)																						
4036061	12.670	15.698	C	2007		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	8.1	6.5	
WEEKLEY ASPHALT PAVING, IN(2009) SPRIDE																						
93060000	15.798	18.400	C	1	1	35	CRACKING	4.5*	4.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	9.5		
ALA			2	3.7		6800	RIDE	7.8	7.7	7.4	6.7	6.5	6.5	6.3	6.1	5.9	8.3	8.1	8.1	8.0		
OCEAN LN(18.1R)																						
4036101	15.698	18.274	C	2007		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	8.7	7.5	
HARDRIVES OF DELRAY, INC. (2010) SPRIDE																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
93060000	18.400	20.307	C	1	1	35	CRACKING	4.5*	4.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	9.5	
ALA				2	2.3	11300	RIDE	7.8	7.7	7.4	6.7	6.5	6.5	6.3	6.1	8.3	8.0	8.1	8.1	8.1	
CR 812(18.4C)							DGFC														
4036101	18.501	20.484	C	2007	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	9.1	9.0	7.5
				(2009)			RIDE	7.9	7.9	7.3	7.1	6.9	7.0	6.9	6.5	6.7	6.5	6.3	6.5	6.4	6.1
93060000	20.307	22.313	C	1	1	35	CRACKING	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
ALA				2	9.0	14200	RIDE	5.3*	5.2*	4.9*	4.2*	4.4*	4.3*	7.7	7.5	7.6	7.4	7.4	7.4	7.4	7.3
LAKE WORTH CASINO(20.6R)							FC95														
2298581	20.616	22.754	C	2005	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.6	7.8	6.5
WEEKLEY ASPHALT PAVING, IN(2007)							SPRIDE	7.3	7.3	6.8	6.8	6.7	6.6	6.6	6.4	6.6	6.4	6.3	6.5	6.5	6.2
4476631	20.307	22.381	C	2025	0012																
93060000	22.313	24.835	C	1	1	35	CRACKING	8.0	7.5	7.5	7.5	7.5	7.0	6.5	10.0	10.0	10.0	10.0	9.5		
ALA				2	7.1	11500	RIDE	7.9	7.8	7.5	6.8	6.7	6.9	6.7	6.7	7.0	6.9	6.8	6.8		
SLOANS CURVE DR(22.9R)							FC125														
				(2014)			CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.0	8.0	7.0	7.0	7.0	7.5	7.3	6.0*
4484171	22.381	24.481	C	2030	0012		RIDE	7.0	7.0	6.7	6.5	6.4	6.3	6.3	6.0	6.0	5.7	6.1	6.0	6.0	5.7
93060000	24.835	25.531	C	1	1	30	CRACKING	7.0	7.0	7.0	5.5*	3.5*	8.5	8.0	6.5	10.0	10.0	9.0	8.0	8.0	
ALA				2	11.6	14500	RIDE	6.4*	6.4	5.9	4.4*	5.3*	6.2	5.7	5.8	7.1	6.7	6.8	6.6	6.6	
SPUR FROM SR-80(24.9L)							FC95M														
				(2014)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.4	6.0*	
4461751	24.796	27.091	C	2025	0012		RIDE	6.4	6.3	6.2	6.0	5.5	6.0	6.0	5.9	5.8	5.5	5.6	5.6	5.6	5.3*
93060000	25.531	26.795	C	1	1	30	CRACKING	7.0	7.0	7.0	5.5*	3.5*	8.5	8.0	6.5	10.0	10.0	9.0	8.0	8.0	
ALA				2	11.6	14500	RIDE	6.4*	6.4	5.9	4.4*	5.3*	6.2	5.7	5.8	7.1	6.7	6.8	6.6	6.6	
VIA VIZCAYA(25.6R)							FC95M														
2297491	24.890	26.711	C	2007	0012		CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.1*	3.5*
RANGER CONSTRUCTION INDUST(2009)							SPRIDE	6.6	6.6	6.3	6.1	6.1	5.9	6.0	5.8	5.0*	4.9*	4.9*	4.6*	4.7*	4.4*
4461751	24.796	27.091	C	2025	0012																
93060000	26.795	27.044	C	1	1	30	CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	
ALA				2	11.9	5800	RIDE	6.8	6.8	6.2	4.4*	4.7*	5.0*	4.9*	5.1*	6.2	7.0	6.9	7.1	6.5	
PERUVIAN AVE(26.8C)							FC95M														
				(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.8	7.7	6.5
4461751	24.796	27.091	C	2025	0012		RIDE	6.9				5.0*								5.0*	4.7*
93060000	27.044	27.914	C	1	1	30	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
ALA				4	9.2	10500	RIDE	6.4*	7.8	7.1	6.7	7.1	6.6	6.6	6.3	6.6	6.9	6.9	6.7	6.7	
ROYAL PALM WAY(27.1C)							FC95M														
2297531	27.044	27.914	C	1999	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.1	7.9	6.0*
RANGER CONSTRUCTION INDUST(2002)							S RIDE	6.6	6.6	6.8	6.9	6.5	6.1	6.4	6.3	6.5	6.3	6.3	6.4	6.2	5.9
93060000	27.914	28.124	R	1	1	30	CRACKING	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
ALA				2	4.7	12200	RIDE	7.2	7.0	6.9	6.1	6.0	6.4	5.9	5.9	5.7	5.9	5.3*	4.9*	4.8*	
MAIN ST(27.9R)							DGFC														
				(2020)			CRACKING	9.0						10.0	10.0	10.0	10.0	10.0	8.3	7.3	6.5
							RIDE	4.6*							5.4*	5.2*	5.6	5.5	5.5	5.6	5.3*
93060000	28.124	28.271	R	1	1	30	CRACKING	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
ALA				2	4.3	19086	RIDE	7.2	7.0	6.9	6.1	6.0	6.4	5.9	5.9	5.7	5.9	5.3*	4.9*	4.8*	
BRADLEY PL(28.2R)							DGFC														
				(2026)			CRACKING	9.0						10.0	10.0	10.0	10.0	10.0	8.3	10.0	9.5
							RIDE	4.6*							5.4*	5.2*	5.6	5.5	5.5	5.6	5.3*
93060000	28.614	28.929	R	1	1	30	CRACKING	10.0	10.0	10.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
ALA				4	4.3	19086	RIDE	6.4*	6.6	6.7	6.1			5.3*	4.9*	5.0*	4.6*	5.3*	4.7*	4.7*	
FLAGLER DR(28.7C)							DGFC														
				(2020)			CRACKING	9.0						10.0	10.0	10.0	10.0	10.0	9.6	10.0	9.0
							RIDE	4.7*							5.9	5.5	5.4*	5.8	6.0	6.3	6.0
93060000	28.614	28.929	L	1	1	30	CRACKING	10.0	10.0	10.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
ALA				2	4.3	19086	RIDE	6.4*	6.6	6.7	6.1			5.3*	4.9*	5.0*	4.6*	5.3*	4.7*	4.7*	
FLAGLER DR(28.7C)							DGFC														
				(2020)			CRACKING	9.0						10.0	10.0	10.0	10.0	10.0	9.0	10.0	9.0
							RIDE	4.7*							5.7	6.1	6.0	6.0	6.0	5.9	5.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
ITMSEG-P	CONTRACTOR (AGE_ONE YEAR)	CONTRACTOR (AGE_ONE YEAR)																			(PMRS)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																		
93060000	27.914	28.271	L	1	1	30	CRACKING	9.0	9.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0			
ALA				2	4.7	12200	RIDE	7.4	7.9	7.2	6.3	5.5	6.8	5.6	5.4*	5.2*	5.1*	4.7*	4.5*	4.6*			
COCOANUT ROW(28.2L)							DGFC																
					(2020)		CRACKING	9.0						10.0	10.0	10.0	10.0	10.0	9.0	10.0	9.0		
							RIDE	4.3*							5.9	5.5	5.6	5.6	5.5	5.3*	5.0*		
93060101	0.000	0.145	C	1	1	30	CRACKING													10.0	10.0		
ALA				2	11.9	6800	RIDE													5.3*	4.4*		
BRAZILIAN AVE(0.0C)																							
					(2012)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	9.0	7.5		
							RIDE	4.3*	4.1*											3.9*	3.6*		
93070000	20.401	24.491	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		
809				3	7.2	44000	RIDE	8.3	8.2	8.2	7.9	8.0	7.8	7.9	7.9	7.1	6.9	7.4	6.8	6.8			
LAKE WORTH RD(20.4C)							FC125M																
4287191	20.359	24.290	C	2017		0012	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
RANGER CONSTRUCTION INDUST(2020)							SPRIDE	6.6	6.6	7.0	7.4	7.4	7.2	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.0	7.7	
93070000	20.401	24.491	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5		
809				3	7.2	44000	RIDE	8.6	8.5	8.4	8.0	8.0	7.4	7.9	7.8	7.7	7.6	7.5	7.5	7.6			
LAKE WORTH RD(20.4C)							FC125M																
4287191	20.359	24.290	C	2017		0012	CRACKING	8.5	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
RANGER CONSTRUCTION INDUST(2020)							SPRIDE	7.3	7.5	7.5	7.5	7.3	7.2	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.2	7.9	
93080000	0.000	0.414	R	1	1	35	CRACKING	10.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	5.5*			
ALA				2	5.7	16800	RIDE	6.5	6.3	6.2	6.2	4.8*	4.9*	4.7*	4.5*	4.5*	4.7*	4.5*					
BROADWAY(0.0C)							DGFC																
4203251	0.000	1.378	R	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	10.0	9.0		
(2014)							RIDE	8.0	7.5	7.1	7.3	7.1	6.4	6.4	7.0	6.5	6.3	6.9	6.5	6.2	5.9		
93080000	0.788	1.327	R	1	1	30	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5						
ALA				2	3.8	11500	RIDE	6.6	6.6	6.1	5.5	5.3*	5.5	5.4*	5.3*	5.2*	5.2*						
LAKE DR(1.0C)							DGFC																
4203251	0.000	1.378	R	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.5	7.5		
(2014)							RIDE	7.9	7.7	7.3	7.4	6.7	7.0	6.4	6.2	6.9	6.4	6.7	6.6	6.8	6.5		
93080000	1.327	3.322	R	1	1	35	CRACKING	6.0*	4.5*	4.5*	3.5*	3.5*	1.0*	1.0*	0.0*	0.0*	0.0*	0.0*					
ALA				2	3.8	11500	RIDE	7.4	7.4	6.8	6.4	6.4	6.1	6.0	5.9	5.9	5.7	5.4*					
THE RITZ CARLTON(1.3R)							DGFC																
4203251	1.378	3.323	R	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
(2014)							RIDE	8.0	7.8	7.5	7.5	7.4	7.3	7.3	7.1	7.2	7.1	7.0	7.1	7.1	6.9	6.6	
93080000	3.322	3.995	C	1	1	35	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
ALA				2	3.1	10400	RIDE	7.8	8.1	8.0	7.6	7.5	7.4	7.5	7.4	7.3	7.1	7.0	6.6	7.0			
							FC125																
4229841	3.380	4.000	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.0		
COMMUNITY ASPHALT CORP.							SPRIDE	8.0	7.8	7.5	7.5	7.4	7.3	7.3	7.1	7.2	7.1	7.0	7.1	7.0	7.1	7.2	6.9
93080000	3.995	4.663	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5		
ALA				2	3.1	10400	RIDE	8.1	8.1	7.8	7.6	7.6	7.5	7.7	7.7	7.7	7.5	7.4	7.3	7.4			
MC ARTHUR PARK(4.2R)							DGFC																
2296081	4.006	6.183	C	1995		0215	CRACKING	8.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*		
COMMUNITY ASPHALT CORP. (1998)							S RIDE	7.3	7.3	6.9	6.9	6.9	6.8	6.7	6.6	6.7	6.5	6.6	6.6	6.6	6.7	6.4	
4461761	3.995	5.830	C	2024		0012																	
93080000	4.663	4.951	C	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5		
ALA				2	3.1	10400	RIDE	8.1	8.1	7.8	7.6	7.6	7.5	7.7	7.7	7.7	7.5	7.4	7.3	7.4			
							DGFC																
4461761	4.305	4.976	C	2024		0012	CRACKING	8.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0		
FLORIDA ENGINEERING & DEVE(2026)							RIDE	7.3	7.3	6.9	6.9	6.9	6.8	6.7	6.6	6.7	6.5	6.6	6.6	6.6	6.3	6.0	
93080000	4.951	5.830	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5		
ALA				2	3.8	11800	RIDE	8.1	8.1	7.8	7.6	7.6	7.5	7.7	7.7	7.7	7.5	7.4	7.3	7.4			
BEACH CLUB WAY R(5.3R)							DGFC																
2296081	4.006	6.183	C	1995		0215	CRACKING	8.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*		
COMMUNITY ASPHALT CORP. (1998)							S RIDE	7.3	7.3	6.9	6.9	6.9	6.8	6.7	6.6	6.7	6.5	6.6	6.6	6.6	6.4	6.1	
4461761	3.995	5.830	C	2024		0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	P	*****															
ITMSEG-P	(AGE_ONE_YEAR)	W_EMP	RW	FY-F	WKM	P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	P	ASTYPE															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	P	ASTYPE															
93080000	5.830	6.207	C	1	1	35	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
ALA			2	3.8	11800		RIDE	6.9	7.2	7.2	6.4	5.4*	6.2	6.6	6.1	5.9	6.4	5.8	5.7			
PORTAGE LANDING S(5.8L)																						
4229841	5.945	6.207	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.8	7.5
COMMUNITY ASPHALT CORP.				(2014)			SPRIDE	7.6	7.6	6.7	6.4	5.9	5.3*	6.3	5.9	5.7	5.9	5.7	5.8	5.7	5.4*	
93080000	1.327	2.235	L	1	1	35	CRACKING	7.0	4.5*	4.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	0.0*	0.0*				
ALA			2	3.8	11500		RIDE	7.9	8.0	7.5	6.9	7.0	6.9	7.0	6.8	6.7	5.7	5.4*				
HARBOR DR S(1.3L)																						
4203251	1.402	3.323	L	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0
				(2014)			RIDE	8.0	7.8	7.5	7.5	7.4	7.3	7.3	7.1	7.2	7.1	7.0	7.1	7.0	7.5	7.4
93080000	0.788	1.327	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	6.5	6.5					
ALA			2	3.8	11500		RIDE	7.0	6.6	6.2	5.6	5.8	5.6	5.5	5.7	5.3*	5.2*					
PHIL FOSTER PARK(0.8L)																						
4203251	0.000	1.402	L	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.5	7.5
				(2014)			RIDE	7.6	7.6	7.2	7.1	7.0	6.3	6.6	6.8	7.0	6.5	6.5	6.9	6.7	6.4	
93080000	0.000	0.414	L	1	1	35	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5				
ALA			2	5.7	16800		RIDE	6.7	6.9	5.5	6.2	5.9	5.9	5.6	5.1*	5.6	4.9*	5.1*				
BROADWAY(0.0C)																						
4203251	0.000	1.402	L	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	9.0	8.0
				(2014)			RIDE	8.0	8.1	7.6	7.8	7.6	6.9	7.1	7.4	7.4	7.2	6.7	6.7	7.0	7.0	6.7
93090000	1.245	1.950	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.5	6.5	6.5	10.0		
811			2	3.2	24500		RIDE	7.8	7.4	7.2	7.3	7.5	7.0	7.0	7.1	6.9	7.2	6.9	6.8	7.4		
PARK RD(1.3R)																						
4153141	1.247	3.571	R	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.6	9.0	8.0	
RANGER CONSTRUCTION INDUST				(2013)			SPRIDE	7.0	7.1	8.0	7.9	7.9	7.7	7.7	7.6	7.7	7.6	7.6	7.5	7.4	7.1	
93090000	1.950	3.571	R	1	1	45	CRACKING	9.0	8.5	8.5	8.5	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	10.0		
811			2	3.2	24500		RIDE	8.6	8.8	8.3	8.2	8.2	8.0	8.2	8.2	8.1	8.1	8.1	8.1	8.4		
LIGHTHOUSE DR(2.1C)																						
4153141	1.247	3.571	R	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.2	9.0	8.0	
RANGER CONSTRUCTION INDUST				(2013)			SPRIDE	8.0	8.2	8.1	8.1	8.0	8.0	7.9	7.9	8.0	8.1	8.0	8.0	8.0	7.7	
93090000	3.571	4.572	R	1	1	45	CRACKING	5.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
811			3	2.7	41000		RIDE	7.5	7.8	7.3			7.1	7.3	7.3	7.5	7.2	7.2	7.1			
RCA BLVD(3.6C)																						
4484351	3.556	6.866	C	2026	0012		CRACKING	10.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	1.5*
				(2006)			RIDE	7.2	7.1	7.3	7.2	6.6	6.9	6.8	7.1	7.3	7.3	7.1	7.1	7.3	7.2	
93090000	4.572	6.866	R	1	1	50	CRACKING	5.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
811			3	2.5	38000		RIDE	7.5	7.8	7.3			8.1	8.1	8.2	8.2	8.1	8.0	8.1	8.1	8.1	
ATLANTIC RD(4.7R)																						
4484351	3.556	6.866	C	2026	0012		CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.4	7.0	
				(2005)			RIDE	8.1	8.0	7.9	7.8	7.7	7.7	7.7	7.7	7.7	7.6	7.7	7.6	7.7	7.3	
93090000	6.866	10.775	R	1	1	50	CRACKING	8.0	8.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0		
811			3	5.0	43000		RIDE	8.5	8.7	8.5	8.1	8.0	7.9	8.1	7.9	7.8	7.3		8.5	8.4		
FREDERICK SMALL RD(7.7C)																						
2293941	7.045	10.039	C	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.3	8.0
				(2012)			RIDE	8.4	8.3	8.2	8.2	8.0	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	7.8
93090000	10.775	11.382	R	1	1	45	CRACKING	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	3.5*		10.0	10.0	10.0	10.0	10.0		
811			3	4.3	45000		RIDE	7.0	7.3	6.7	6.3*	6.2*	6.6	5.9		8.0	7.5	7.8	7.8	7.6		
(2009)																						
				(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	8.5	7.0	
							RIDE	7.7	7.8	7.4	7.3	7.2	7.2	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	6.8
93090000	11.382	11.689	R	1	1	45	CRACKING	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	3.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	
811			3	4.3	45000		RIDE	7.0	7.3	6.7	6.3*	6.2*	6.6	5.9	5.7	6.1	6.2	8.0	8.2	7.3		
RIVERSIDE DR(11.4C)																						
4196481	11.426	11.576	R	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.8	7.5
COMMUNITY ASPHALT CORP.				(2011)			RIDE	7.3	6.9	7.2	7.2	6.6	6.5	6.8					7.5	7.2		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	#T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE	YEAR)	RY	FY-F	WKM-F																(PMRS)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
93090000	11.382	11.689	L	1	1	45	CRACKING	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	
811			3	4.3		45000	RIDE	7.5	7.4	7.2	6.5	6.7	6.7	6.5	4.9*	5.3*	4.9*	7.6	7.3	7.4	
RIVERSIDE DR(11.4C)																					
4196481	11.426	11.576	L	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.1	9.0	7.5
COMMUNITY ASPHALT CORP.				(2011)			RIDE	7.1	7.1	7.5	7.4	7.6	7.6	6.9	7.0	7.3				6.9	6.6
DGFC																					
93090000	10.775	11.382	L	1	1	45	CRACKING	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	6.5		10.0	10.0	10.0	10.0	10.0	
811			3	4.3		45000	RIDE	7.5	7.4	7.2	6.5	6.7	6.7	6.5	8.0	7.6	7.9	8.0	8.0	7.9	
FC125M																					
				(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.4	9.1	7.5
							RIDE	7.9	7.9	7.5	7.6	7.4	7.4	7.3	7.1	7.0	7.5	7.5	7.5	7.5	7.2
93090000	6.866	10.775	L	1	1	50	CRACKING	7.0	7.0	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*			10.0	10.0	
811			3	5.0		43000	RIDE	8.7	8.7	8.6	7.9	8.1	8.0	8.1	8.1	8.0	7.5		8.5	8.4	
FRDERICK SMALL RD(7.7C)																					
2293941	7.045	10.039	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	8.8	7.5
				(2012)			RIDE	8.4	8.4	8.4	8.4	8.3	8.1	8.2	8.2	8.2	8.2	8.2	8.2	8.2	7.9
DGFC																					
93090000	4.572	6.866	L	1	1	50	CRACKING	5.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
811			3	2.5		38000	RIDE	8.0	8.1	7.8		8.1	7.9	8.0	7.9	7.8	7.8	7.7	7.8	7.9	
HOOD RD(5.4C)																					
				(2005)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.2	8.2	6.5
							RIDE	7.9	7.8	7.7	7.7	7.6	7.2	7.4	7.4	7.6	7.3	7.5	7.5	7.5	7.2
4484351	3.556	6.866	C	2026		0012															
93090000	3.571	4.572	L	1	1	45	CRACKING	5.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
811			3	2.7		41000	RIDE	8.0	8.1	7.8			7.5	7.6	7.5	7.3	7.5	7.3	7.4	7.2	
RCA BLVD(3.6C)																					
				(2006)			CRACKING	10.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	1.5*
							RIDE	7.3	7.3	7.4	7.3	7.3	7.1	7.2	7.3	7.1	6.9	7.0	7.3	7.2	7.1
4484351	3.556	6.866	C	2026		0012															
93090000	1.950	3.571	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0	
811			2	3.2		24500	RIDE	8.8	8.9	8.6	8.3	8.1	8.1	8.2	8.2	8.1	8.0	7.8	8.0	8.3	
LIGHTHOUSE DR(2.1C)																					
4153141	1.247	3.571	L	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.6	9.2	8.0
RANGER CONSTRUCTION INDUST				(2013)			SPRIDE	8.3	8.3	8.0	8.1	8.0	8.0	7.9	7.8	7.9	7.9	7.7	7.8	7.8	7.5
93090000	1.245	1.950	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	10.0	
811			2	3.2		24500	RIDE	8.6	8.7	8.5	8.0	7.9	7.9	7.8	7.9	7.8	7.5	7.0	7.7	8.3	
RICHARD RD(1.6C)																					
4153141	1.247	3.571	L	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.6	8.5
RANGER CONSTRUCTION INDUST				(2013)			SPRIDE	8.0	8.3	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.9	7.9	7.7	7.4
93100000	0.000	11.657	R	1	1	65	CRACKING	7.5	6.5	6.5	4.5*	4.5*	2.0*	2.0*	2.0*	2.0*		10.0	10.0	10.0	
25 27			2	25.2		18600	RIDE	8.3	8.2	7.9	7.2	6.9	6.4*	6.4*	6.3*	5.6*		8.0	8.1	8.0	
CORKSCREW RD(2.1R)																					
4416311	0.000	12.325	R	2022		0012	CRACKING	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*		10.0	10.0	9.0
JOHNSON BROS. CORPORATION,				(2025)			RIDE	8.0	7.9	8.1	8.0	7.7	7.6	7.9	7.6	7.6	7.4		7.9	8.0	7.9
93100000	11.657	12.599	R	1	1	35	CRACKING	8.0	8.0	8.0	4.5*	4.5*	4.5*	4.5*	2.0*	1.0*	1.0*	10.0	10.0	10.0	
25 27			2	25.9		19600	RIDE	8.3	8.1	7.8	6.7	6.3	6.1	5.7	5.4*	5.5	5.3*	8.0	8.1	8.0	
CORKSCREW BLVD(11.7R)																					
4416311	0.000	12.325	R	2022		0012	CRACKING	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0	9.5
JOHNSON BROS. CORPORATION,				(2025)			RIDE	8.0	7.9	8.1	8.0	7.7	7.6	7.9	7.6	7.6	7.4	6.6	7.1	7.1	6.8
93100000	11.657	12.599	L	1	1	35	CRACKING	8.0	7.5	7.5	6.5	6.0*	4.5*	2.0*	2.0*	2.0*	1.0*	1.0*	10.0	10.0	10.0
25 27			2	25.9		19600	RIDE	7.9	8.1	7.8	6.8	6.5	6.4	6.2	6.0	6.0	5.9	8.0	8.1	8.0	
ROCK RD(11.7L)																					
4416311	0.000	12.325	L	2022		0012	CRACKING	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0	9.5
JOHNSON BROS. CORPORATION,				(2025)			SPRIDE	7.9	7.7	8.0	7.9	7.8	7.5	7.7	7.4	7.3	6.9	7.0	7.1	6.9	6.6
93100000	0.000	11.657	L	1	1	65	CRACKING	7.5	6.5	6.5	4.5*	4.5*	2.0*	2.0*	1.0*	0.0*		10.0	10.0	10.0	
25 27			2	25.2		18600	RIDE	8.6	8.5	8.1	7.1	6.9	6.2*	6.1*	5.8*	5.6*		8.0	8.1	8.0	
LEVEE RD(11.0L)																					
4416311	0.000	12.325	L	2022		0012	CRACKING	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0	9.0
JOHNSON BROS. CORPORATION,				(2025)			SPRIDE	7.9	7.7	8.0	7.9	7.8	7.5	7.7	7.4	7.3	6.9	7.0	8.1	8.1	8.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP SIDE)		W_BMP W_EMP		RW FY-P		WKMX-P		=====															
CONTRACTOR (AGE_ONE YEAR)		(AGE_ONE YEAR)		RW		WKMX-P		=====															
ITMSEG-F		W_BMP W_EMP		RW		FY-F		=====															
93110000	0.000	2.450	R	1	7	45	CRACKING	8.0	7.5	5.5*	4.0*	4.0*	4.0*	4.0*	1.5*	1.0*		10.0	10.0	10.0			
80				2	18.8		RIDE	8.0	8.0	7.5	6.9	6.7	6.1	6.3	5.9	5.6		7.8	7.8	7.9			
PALM BEACH RD E(0.0C)		FC125M																					
4461001	0.094	1.812	R	2023	0012		CRACKING	10.0	8.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	1.0*		10.0	9.5		
OHLA USA, INC.		(2026)		RIDE																			
93110000	2.450	3.992	R	1	1	45	CRACKING	10.0	8.0	8.0	7.5	7.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*				
80				2	12.4		RIDE	8.1	8.2	7.9	7.5	7.4	7.3	7.7	7.4	7.2	7.0	6.8	6.6				
CR 827A(2.9R)		FC95																					
4229861	2.620	3.921	R	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.0	8.0		
WEEKLEY ASPHALT PAVING, IN(2014)		SPRIDE																					
93110000	3.992	4.473	C	1	1	35	CRACKING	10.0	8.0	8.0	7.5	7.5	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*				
880				4	7.4		RIDE	8.1	7.8	7.6	7.5	7.4	7.3	6.1	5.8	5.5	5.3*	5.0*	4.9*				
AVE E SE(4.0L)		FC95																					
4229861	4.030	4.469	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	8.1	7.6	6.5		
WEEKLEY ASPHALT PAVING, IN(2014)		SPRIDE																					
93110000	2.450	3.992	L	1	1	45	CRACKING	10.0	8.0	8.0	7.5	7.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*				
80				2	12.4		RIDE	7.9	7.8	7.6	7.2	7.0	6.9	6.9	7.2	7.1	7.0	6.6	6.5				
AVE J SE(3.3L)		FC95																					
4229861	2.620	3.921	L	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.7	7.5		
WEEKLEY ASPHALT PAVING, IN(2014)		SPRIDE																					
93110000	0.000	2.450	L	1	7	45	CRACKING	9.0	7.5	5.5*	4.0*	4.0*	4.0*	4.0*	3.5*		10.0	10.0	10.0				
80				2	18.8		RIDE	7.8	8.3	7.9	7.3	7.1	6.9	6.8	6.7	6.5		8.0	8.0	8.0			
PALM BEACH RD E(0.0C)		FC125M																					
4461001	0.094	1.812	L	2023	0012		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0		10.0	9.5		
OHLA USA, INC.		(2026)		SPRIDE																			
93110001	0.000	3.439	R	1	1	65	CRACKING	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.5	6.5			
80	98			2	17.0		RIDE	8.4	8.3	7.8		7.8	7.8	8.1	8.2	8.1	8.0	7.9	7.8	7.7			
SR-15 / SR-80(0.0R)		FC5A																					
4287201	0.024	3.439	R	2014	0012		CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.6	6.7	5.0*		
RANGER CONSTRUCTION INDUST(2017)		SPRIDE																					
93110001	3.439	18.181	R	1	1	65	CRACKING	7.5	6.5	6.5		10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.5	6.5			
80	98			2	17.0		RIDE	9.0	8.9	8.7		8.0	8.0	8.1	8.2	8.1	8.0	7.9	7.8	7.7			
TRACTOR CROSSING(3.5R)		FC5M																					
4344271	3.439	18.246	R	2018	0012		CRACKING	4.5*	4.5*		4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	10.0	8.5		
(2020)		RIDE																					
93110001	3.439	18.181	L	1	1	65	CRACKING	7.5	6.0*	6.0*		10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.0	6.5			
80	98			2	17.0		RIDE	8.9	8.9	8.6		8.1	8.0	8.1	8.1	8.1	8.0	7.9	7.9	7.9			
TRACTOR CROSSING(6.5C)		FC5M																					
4344271	3.439	18.246	L	2018	0012		CRACKING	5.5*	5.5*		3.5*	3.5*	3.5*	10.0	10.0	10.0	9.0	9.0	9.4	8.8	7.5		
RANGER CONSTRUCTION INDUST(2020)		SPRIDE																					
93110001	0.000	3.439	L	1	1	65	CRACKING	6.0*	5.5*	3.5*		10.0	10.0	10.0	10.0	8.0	6.5	6.5	6.5	4.5*			
80	98			2	17.0		RIDE	8.5	8.6	8.1		7.9	7.8	8.1	8.1	7.8	7.6	7.3	7.0	7.1			
US-441 / SR-15(0.0L)		FC5A																					
4287201	0.063	3.439	L	2014	0012		CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.5	6.7	5.0*		
RANGER CONSTRUCTION INDUST(2017)		SPRIDE																					
93120000	0.228	1.632	R	1	1	55	CRACKING	6.0*	5.0*	5.0*	5.0*	3.5*	2.5*	2.5*			10.0	10.0	10.0	10.0			
80	98			2	17.6		RIDE	8.2	8.4	7.9	7.1	7.0	6.8	6.9			8.0	8.0	8.2	8.1			
FC5																							
4138011	0.228	8.709	R	2007	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	8.3	6.0*		
HUBBARD CONSTRUCTION COMPA(2010)		RIDE																					
93120000	1.632	8.941	R	1	1	55	CRACKING	6.0*	5.0*	5.0*	5.0*	3.5*	2.5*	2.5*			10.0	10.0	10.0	10.0			
80	98			3	17.6		RIDE	8.2	8.4	7.9	7.1	7.0	6.8	6.9			8.0	8.1	8.1	8.0			
WATER TREATMNT PLANT(1.7R)		FC5M																					
4193452	1.725	8.704	R	2018	0218		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	9.1	10.0	9.0		
COMMUNITY ASPHALT CORP.		(2023)		SPRIDE																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)
CONTRACTOR	(AGE_ONE YEAR)																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
93120000 80 98	8.941	9.218	R	1	1	50	CRACKING	6.0*	5.0*	5.0*	5.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
				3	5.4	75000	RIDE	8.2	8.4	7.9	7.1			7.3	7.2	7.1	7.0	7.4	7.5	7.2	
							DGFC														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	9.1	10.0	9.0
							RIDE	7.2	7.2	6.7	6.8	6.3*	6.5	6.4*			8.2	8.3	8.3	7.5	7.2
93120000 80 98	9.218	9.758	R	1	1	50	CRACKING	7.5	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
				3	5.4	75000	RIDE	8.3	8.2	7.6	7.0			7.3	7.2	7.1	7.0	7.4	7.5	7.2	
							FC125														
2294971 RUSSELL ENGINEERING, INC	8.935	10.951	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	8.5	7.0
							SPRIDE	7.2	7.2	6.7	6.8	6.3*	6.5	6.4*	7.9	7.1	6.9	6.8	6.9	6.9	6.6
93120000 80 98	9.758	11.164	R	1	1	50	CRACKING	7.5	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
				4	6.6	80900	RIDE	8.3	8.2	7.6	7.0			7.2	7.2	7.2	7.1	7.2	7.0	7.0	
							FC125														
2294971 RUSSELL ENGINEERING, INC	8.935	10.951	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	7.7	7.8	6.5
							SPRIDE	7.1	7.2	7.1	7.1	6.9	6.7	7.0	6.9	7.0	6.8	7.0	7.1	7.0	6.7
93120000 80 98	11.164	12.202	R	1	1	50	CRACKING	10.0	10.0	10.0	9.0						10.0	10.0	10.0	10.0	
				3	6.6	80900	RIDE	8.3	8.1	8.1	7.4						8.1	8.1	8.2	8.2	
							FC125														
2294981 COMMUNITY ASPHALT CORP.	11.164	13.740	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.3	8.1	6.5
							SPRIDE	8.3	8.2	7.8	7.8	7.8	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.4
93120000 80 98	12.202	13.915	R	1	1	50	CRACKING	9.0	9.0	8.0	8.0						10.0	10.0	10.0	10.0	
				4	6.8	81500	RIDE	7.9	7.9	7.6	7.3						8.4	8.2	8.2	8.3	
							FC125														
2294981 COMMUNITY ASPHALT CORP.	11.164	13.740	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.8	7.5
							SPRIDE	8.2	8.3	8.1	8.0	8.0	7.8	7.9	7.8	8.0	7.9	7.9	7.9	7.9	7.6
93120000 80 98	13.915	15.072	R	1	1	50	CRACKING	9.0	9.0	8.0	8.0						10.0	10.0	10.0	10.0	
				4	6.8	81500	RIDE	7.9	7.9	7.6	7.3						8.1	8.2	8.1	8.1	8.1
							FC125														
2294991 COMMUNITY ASPHALT CORP.	13.709	15.902	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.7	7.5
							SPRIDE	8.1	8.1	7.7	7.7	7.7	7.6	7.6	7.6	7.5	7.6	7.5	7.5	7.5	7.6
93120000 80 98	15.072	15.486	R	1	1	50	CRACKING	9.0	9.0	8.0	8.0						10.0	10.0	10.0	10.0	
				3	5.9	94500	RIDE	7.9	7.9	7.6	7.3						8.1	8.0	8.0	8.0	8.1
							FC125														
2294991 COMMUNITY ASPHALT CORP.	13.709	15.902	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.7
							SPRIDE	8.2	7.9	7.6	7.7	7.6	7.5	7.2	7.3	7.3	7.4	7.6	7.7	7.7	7.3
93120000 80 98	15.486	16.161	R	1	1	50	CRACKING	9.0	9.0	8.0	8.0						10.0	10.0	10.0	10.0	
				4	5.9	94500	RIDE	7.9	7.9	7.6	7.3						8.4	8.3	8.3	8.2	8.3
							FC125														
2294991 COMMUNITY ASPHALT CORP.	13.709	15.902	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.7
							SPRIDE	8.3	8.3	8.0	8.0	8.0	7.8	8.0	7.9	8.0	8.0	8.0	8.0	7.9	8.0
93120000 80 98	16.161	17.661	R	1	1	45	CRACKING	9.0	9.0	8.0	8.0						10.0	10.0	10.0	10.0	
				3	6.5	74000	RIDE	7.9	7.9	7.6	7.3						7.7	7.7	7.7	7.7	
							FC125														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.7
							RIDE	7.7	7.7	7.4	7.4	7.4	7.3	7.2	7.3	7.3	7.3	7.3	7.3	7.3	7.0
93120000 80 98	17.661	18.668	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0						10.0	10.0	10.0	10.0	
				4	6.4	79500	RIDE	8.1	8.1	8.0	7.6						8.2	8.1	8.2	8.2	
							FC125														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6
							RIDE	8.2	8.1	8.1	8.1	8.0	7.9	7.9	7.8	7.9	7.8	7.9	7.8	7.8	7.5
93120000 80 98	18.668	19.396	R	1	1	45	CRACKING	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
				4	6.4	79500	RIDE	7.1			8.1	8.2	8.2	8.3	8.2	8.3	8.2	8.2	8.2	8.2	
							FC125														
2289871 THE DE MOYA GROUP INC.	18.200	20.393	C	1999	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
							RIDE	8.1	8.1	8.0	8.0	8.0	7.9	8.0	8.0	7.9	7.9	8.0	8.0	7.9	7.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====														(PMRS)	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
ITMSEG-P	ITMSEG-F																					
93120000	19.396	20.393	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0					10.0	10.0	10.0	10.0	10.0	10.0	
80 98			4	5.3		31000	RIDE	6.9	7.4	7.5	6.7					7.3	7.4	7.8	7.4	7.6	7.6	
GEM LAKE DR(19.5C)						FC125																
				(2008)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.8	8.8	7.5
							RIDE	7.7	7.4	7.3	7.4	6.8	7.1	7.2	7.0	7.0	7.1	7.4	7.3	7.3	7.0	
93120000	20.393	21.945	C	1	7	35	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
80 98			4	17.1		13500	RIDE	6.1*	6.7	6.4	5.7	6.1	6.3	6.4	7.1	6.8	6.8	6.6	6.6	7.0	7.1	
LAKE AVE(20.5C)						FC125M																
				(2026)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0			10.0	9.5	
							RIDE	7.1	6.6	6.5	5.7	5.8	5.9	5.4*	5.5	5.6	5.3*	5.1*		6.6	6.3	
93120000	19.915	20.393	L	1	1	35	CRACKING	7.5	6.5	6.5	6.5					10.0	10.0	10.0	10.0	10.0	10.0	
80 98			3	5.3		31000	RIDE	6.7	7.5	7.2	6.5					6.6	6.9	6.8	6.3	6.1	6.3	
MERRILL AVE(20.1L)						FC125																
				(2008)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.7	8.5	7.0	
							RIDE	6.6	5.9	6.2	5.9	5.9	6.2	6.3	6.2	6.3	6.1	5.9	6.0	5.8	5.5	
93120000	19.551	19.915	L	1	1	45	CRACKING	7.5	6.5	6.5	10.0					10.0	10.0	10.0	10.0	10.0	10.0	
80 98			4	4.9		70000	RIDE	6.7	7.5	7.2	8.3					8.0	8.1	8.1	8.1	8.2	8.0	
						FC125																
				(2008)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.9	8.7	7.5	
							RIDE	8.1	7.8	7.7	8.0	7.4	7.7	7.7	7.7	7.6	7.7	7.7	7.6	7.6	7.3	
93120000	18.668	19.551	L	1	1	45	CRACKING	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
80 98			4	6.4		79500	RIDE	6.7			8.3	8.0	8.1	8.3	8.3	8.3	8.2	8.1	8.1	8.1	8.1	
GEM LAKE DR(19.5C)						FC125																
2289871	18.200	20.393	C	1999	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	6.5	
THE DE MOYA GROUP INC.				(2004)			RIDE	8.1	8.2	7.9	7.9	7.9	7.7	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.5	
93120000	17.697	18.668	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0						10.0	10.0	10.0	10.0	10.0	
80 98			4	6.4		79500	RIDE	8.3	7.9	7.7	7.3						8.2	8.0	8.0	8.0	8.0	
KIRK RD(17.8C)						FC125																
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	
							RIDE	8.0	7.9	7.9	7.8	7.8	7.7	7.8	7.7	7.7	7.8	7.7	7.7	7.7	7.4	
93120000	16.506	17.697	L	1	1	45	CRACKING	8.0	8.0	8.0	8.0						10.0	10.0	10.0	10.0	10.0	
80 98			3	6.5		74000	RIDE	7.3	7.3	6.8	6.2*						8.0	8.0	8.0	8.0	8.0	
TROPICAL AVE(16.6L)						FC125																
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.0	
							RIDE	8.0	8.0	7.7	7.8	7.7	7.7	7.6	7.7	7.7	7.6	7.7	7.7	7.7	7.6	
93120000	16.196	16.506	L	1	1	50	CRACKING	8.0	8.0	8.0	8.0						10.0	10.0	10.0	10.0	10.0	
80 98			4	6.5		74000	RIDE	7.3	7.3	6.8	6.2*						8.2	8.2	8.2	8.1	8.1	
CAROLINE DR(16.2L)						FC125																
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	9.2	
							RIDE	8.2	8.0	7.9	7.9	7.8	7.7	7.7	7.8	7.7	7.8	7.7	7.7	7.8	7.5	
93120000	15.652	16.196	L	1	1	50	CRACKING	8.0	8.0	8.0	8.0						10.0	10.0	10.0	10.0	10.0	
80 98			4	5.9		94500	RIDE	7.3	7.3	6.8	6.2*						8.1	7.7	8.1	8.1	8.1	
PINE AVE(15.9L)						FC125																
2297971	15.900	18.200	C	2003	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.9	
ARCHER WESTERN CONTRACTORS				(2008)			SPRIDE	8.1	8.1	8.0	8.0	8.0	7.8	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.6	
93120000	14.942	15.652	L	1	1	50	CRACKING	8.0	8.0	8.0	8.0						10.0	10.0	10.0	10.0	10.0	
80 98			3	5.9		94500	RIDE	7.3	7.3	6.8	6.2*						8.2	8.1	8.1	8.1	8.0	
TALL PINES RD(15.0L)						FC125																
2294991	13.709	15.902	C	2003	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9	
COMMUNITY ASPHALT CORP.				(2008)			SPRIDE	8.1	8.0	7.7	7.7	7.6	7.6	7.6	7.6	7.7	7.5	7.5	7.6	7.6	7.3	
93120000	13.915	14.942	L	1	1	50	CRACKING	8.0	8.0	8.0	8.0						10.0	10.0	10.0	10.0	10.0	
80 98			4	6.8		81500	RIDE	7.3	7.3	6.8	6.2*						8.2	8.0	8.0	8.2	8.1	
DRAWDY RD(14.1L)						FC125																
2294991	13.709	15.902	C	2003	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.5	
COMMUNITY ASPHALT CORP.				(2008)			SPRIDE	8.1	7.9	8.0	7.9	7.6	7.6	7.8	7.9	7.9	7.7	7.8	7.9	7.8	7.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKMX-P												
		(AGE_ONE YEAR)		RW		FY-F		WKMX-F												(PMRS)		
93120000	12.147	13.915	L	1	1	50	CRACKING	8.0	8.0	8.0	8.0						10.0	10.0	10.0	10.0		
80	98		4	6.8	81500		RIDE	7.3	7.3	6.8	6.2*						8.1	8.0	8.0	8.0		
SUNSHINE RD(12.2L)																						
2294981	11.164	13.740	C	2004	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.8	8.7	7.5	
COMMUNITY ASPHALT CORP.				(2010)		SPRIDE												7.9				
93120000	11.300	12.147	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0						10.0	10.0	10.0	10.0		
80	98		3	6.6	80900		RIDE	7.7	7.8	7.8	7.4						8.2	8.2	8.2	8.3		
SR 7(11.7L)																						
2294981	11.164	13.740	C	2004	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.7	7.5	
COMMUNITY ASPHALT CORP.				(2010)		SPRIDE												8.2				
93120000	10.016	11.300	L	1	1	50	CRACKING	7.5	7.0	7.0	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0		
80	98		4	6.6	80900		RIDE	7.2	7.3	7.0	6.4*			8.1	8.0	7.9	8.0	8.1	8.1	8.0		
LAMSTEIN LN(10.6L)																						
2294971	8.935	10.951	C	2003	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.3	8.4	7.0	
RUSSELL ENGINEERING, INC				(2007)		SPRIDE												8.1				
93120000	9.218	10.016	L	1	1	50	CRACKING	7.5	7.0	7.0	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0		
80	98		3	5.4	75000		RIDE	7.2	7.3	7.0	6.4*			8.1	8.0	7.8	7.8	7.8	7.9	7.8		
OLD CRESTWOOD BLVD(9.2L)																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.1	9.0	8.0	
							RIDE	7.8	7.7	7.1	7.3	7.1	7.1	7.1	7.1	7.1	7.1	7.3	7.2	7.1	7.2	
																					6.9	
93120000	8.941	9.218	L	1	1	50	CRACKING	7.5	7.5	7.0	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0		
80	98		3	5.4	75000		RIDE	8.7	8.7	8.4	7.6			8.1	8.0	7.8	7.8	7.8	7.9	7.8		
DGFC																						
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	9.0	
							RIDE	7.8	7.7	7.1	7.3	7.1	7.1	7.1	7.1	7.1	7.1	8.3	8.3	8.4	6.3*	
																					6.0*	
93120000	1.632	8.941	L	1	1	55	CRACKING	7.5	7.5	7.0	6.5	5.5*	5.5*	3.5*			10.0	10.0	10.0	10.0		
80	98		3	17.6	17700		RIDE	8.7	8.7	8.4	7.6	7.6	7.5	7.9			8.2	8.2	8.2	8.1		
TRACTOR CROSSING(1.7L)																						
4193452	1.725	8.800	L	2018	0218		CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	9.0	10.0	9.0	
COMMUNITY ASPHALT CORP.				(2023)		SPRIDE												8.1				
93120000	0.228	1.632	L	1	1	55	CRACKING	7.5	7.5	7.0	6.5	5.5*	5.5*	3.5*			10.0	10.0	10.0	10.0		
80	98		2	17.6	17700		RIDE	8.7	8.7	8.4	7.6	7.6	7.5	7.9			8.2	8.3	8.3	8.3		
210 TER(0.9L)																						
4138011	0.228	8.709	L	2007	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	8.2	5.5*	
HUBBARD CONSTRUCTION COMPA				(2010)		RIDE												8.3				
																					8.1	
93121000	0.000	1.054	C	1	1	45	CRACKING										6.0*	6.0*	5.5*	5.5*		
812			2	20.7	4500		RIDE										4.9*	5.1*	4.1*	3.9*		
SR 715(0.0C)																						
4260531	0.028	1.034	C	2015	0012		CRACKING	3.5*	3.5*	3.0*	10.0	10.0	9.5	9.5	9.5	9.5	6.0*	6.0*	5.7*	5.3*	4.0*	
COMMUNITY ASPHALT CORP.				(2017)		SPRIDE												4.3*				
93130000	0.000	0.260	R	1	1	35	CRACKING	7.0	2.0*	1.0*	0.0*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	9.0	9.0		
15			2	13.7	22500		RIDE	5.5*	5.5	4.8*	4.2*	3.7*	3.6*	3.3*	3.2*	7.0	6.6	6.0	6.4	6.5		
SR-880/DR MLK JR BLV(0.0R)																						
4137991	0.000	0.242	C	2007	0012		CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	3.5*	3.7*	3.5*	2.0*	
COMMUNITY ASPHALT CORP.				(2009)		SPRIDE												6.3				
4498341	0.000	0.260	C	2027	0012													5.9				
93130000	0.260	2.994	R	1	1	45	CRACKING	9.0	8.5	7.5	7.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0		
15			2	16.8	17800		RIDE	8.4	8.6	8.3	8.1	7.7	7.6	7.5	7.4	7.1	6.7	8.7	8.6	8.6		
E CANAL ST N(0.3R)																						
4153161	0.260	2.993	C	2009	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.0*	
RANGER CONSTRUCTION INDUST				(2011)		SPRIDE												8.6				
93130000	2.994	3.290	R	1	1	45	CRACKING	9.0	8.5	7.5	7.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		
15	441		2	24.4	7400		RIDE	8.4	8.6	8.3	8.1	7.7	7.6	7.5	7.4	7.1	6.7	7.5	7.4	7.4		
US-441 / SR 80(3.0R)																						
4246551	3.010	3.237	R	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	8.3	6.0*	
RANGER CONSTRUCTION INDUST				(2014)		SPRIDE												7.7				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-F		ASTYPE										(PMRS)
		(AGE_ONE YEAR)																				
93130000	15	3.290	3.978	C	1	1	45	10.0	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	
LIVESTOCK MARKET RD(3.3L)																						
4246551	15	3.326	3.959	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.3	6.8	4.5*	
RANGER CONSTRUCTION INDUST(2014)																						
93130000	15	3.978	6.447	C	1	1	45	0.0*	0.0*	0.0*	0.0*	0.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
OLD VANDERCRAFT RD(4.6C)																						
2298181	15	3.999	6.843	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.7	6.5	5.0*	
COMMUNITY ASPHALT CORP. (2008)																						
93130000	15	6.447	8.918	C	1	1	45	5.5*	5.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	9.5	8.0		
TRACTOR CROSSING(6.6R)																						
4398431	15	6.582	8.898	C	2020	0012	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
OHIA USA, INC. (2021)																						
93130000	15	8.918	10.888	C	1	1	35	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	9.0	9.0	9.0	9.0		
SHIRLEY DR(9.0R)																						
93130000	15	10.888	14.223	C	1	1	35	4.0*	4.0*	10.0	10.0	10.0	10.0	8.0	6.0*	5.5*	5.5*	3.5*	3.5*	3.5*		
BARFIELD HWY N(11.1R)																						
4246561	15	10.307	14.265	C	2012	0012	CRACKING	3.0*	10.0	10.0	10.0	8.5	8.5	7.5	7.0	6.0*	5.5*	3.5*	3.5*	3.5*	2.5*	
COMMUNITY ASPHALT CORP. (2015)																						
4476641	15	10.871	14.213	C	2025	0012	CRACKING	5.3*	8.4	7.8	7.5	7.4	6.9	6.8	6.6	6.4	5.9	5.8	5.6	5.4*	5.1*	
RANGER CONSTRUCTION INDUST(2011)																						
93130000	15	0.260	3.290	L	1	1	45	8.5	8.5	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0		
CANAL ST(0.3L)																						
4153161	15	0.260	2.993	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.8	7.7	6.5	
RANGER CONSTRUCTION INDUST(2011)																						
93130000	15	0.000	0.260	L	1	1	35	7.5	2.0*	1.0*	1.0*	1.0*	1.0*	1.0*	0.0*	10.0	10.0	10.0	9.0	9.0		
DR MLK JR BLVD(0.0L)																						
4137991	15	0.000	0.242	C	2007	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	6.5	3.5*	4.1*	3.7*	2.5*	
COMMUNITY ASPHALT CORP. (2009)																						
4498341	15	0.000	0.260	C	2027	0012	CRACKING	7.1	7.0	5.5	5.7											
RANGER CONSTRUCTION INDUST(2011)																						
93140000	700	5.017	12.797	C	1	1	55	10.0	10.0	9.0	8.5	7.5	7.0	6.5	6.0*	4.0*	3.5*		10.0	10.0		
FIELD RD(5.6R)																						
4463741	700	5.017	19.270	C	2024	0012	CRACKING	9.5	9.5	9.5	8.5	7.5	7.5	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	9.5	
GENERAL ASPHALT CO., INC. (2025)																						
93140000	700	12.797	18.043	C	1	7	55	10.0	10.0	9.0	8.5	7.5	7.0	6.5	6.0*	4.0*	3.5*		10.0	10.0		
TRACTOR CROSSING(13.4L)																						
4463741	700	5.017	19.270	C	2024	0012	CRACKING	9.5	9.5	9.5	8.5	7.5	7.5	7.0	7.0	7.0		5.5*	5.0*	10.0	9.5	
GENERAL ASPHALT CO., INC. (2026)																						
93140000	700	18.043	19.508	C	1	8	30	10.0	10.0	9.0	8.5	7.5	7.0	6.5	6.0*	4.0*	3.5*		10.0	10.0		
CHURCH ST(18.3L)																						
4153171	700	5.137	19.652	C	2009	0012	CRACKING	9.5	9.5	9.5	8.5	7.5	7.5	7.0	7.0	7.0		5.5*	5.0*	10.0	8.5	
RANGER CONSTRUCTION INDUST(2012)																						
4463741	700	5.017	19.655	C	2024	0012	CRACKING	8.2	7.9	7.3	6.9	6.6	6.1	5.9	5.3*	5.2*		5.1*	5.1*	10.0	8.5	
RANGER CONSTRUCTION INDUST(2012)																						
93140000	15	19.508	26.288	C	1	7	55	7.5	5.5*	3.5*	1.5*	1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0		
CONNORS HWY(19.5R)																						
4461021	15	19.656	26.288	C	2023	0012	CRACKING	10.0	10.0	10.0	10.0	8.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*		10.0	9.5	
HALLEY ENGINEERING CONTRAC(2026)																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
ITMSEG-P	(AGE_ONE YEAR)																				(PMRS)		
CONTRACTOR																							
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M																		
93140001	0.560	0.848	C	1	7 55	CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0		10.0	10.0			
700				2	15.9	3900 RIDE		6.9	7.6	7.5	7.0	6.6	7.2	6.8	6.4*	6.2*	6.2*		8.8	8.6			
						FC95M																	
4463741	0.658	0.848	C	2024	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	10.0	9.5
GENERAL ASPHALT CO., INC.				(2026)		RIDE															7.8	7.5	
93150000	0.000	0.288	R	1	1 40	CRACKING		7.5	7.5	7.5	7.5	7.5	7.5	7.5			10.0	10.0	10.0	10.0			
809				3	2.7	47500 RIDE		7.9	8.0	8.7	8.0	7.9	7.7	7.2			7.8	7.7	7.4	7.6			
SOUTHERN BLVD(0.0C)						UNKW																	
						CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.7	7.5	
						RIDE		7.7	7.6	7.2	7.2	7.3	7.4	7.1	7.2	7.3	7.0	7.1	7.4	7.1	7.4	6.8	
93150000	0.288	2.025	R	1	1 40	CRACKING		7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	10.0	10.0			
809				3	13.2	39500 RIDE		7.9	8.0	8.7	8.0	7.9	7.7	7.2	7.2	6.8	6.7	6.2	8.1	7.9			
COUNTRY CLUB RD(0.5R)						FC95																	
4169111	0.288	2.025	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	9.5	10.0	8.5		
RANGER CONSTRUCTION INDUST				(2012)		SPRIDE		7.5	7.2	7.5	7.4	7.4	7.9	7.3	7.0	7.3	7.1	6.9	8.0	7.9	7.6		
93150000	2.025	5.583	R	1	1 45	CRACKING		8.0	7.0	6.0*	6.0*				10.0	10.0	10.0	10.0	10.0				
809				3	3.3	39500 RIDE		7.3	7.3	6.9	6.8				7.9	7.7	7.6	7.7	7.6				
ZIP CODE RD(2.2R)						FC125																	
2295872	2.008	5.583	C	2003	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.0	7.5		
COMMUNITY ASPHALT CORP.				(2009)		SPRIDE		7.6	7.7	7.3	7.3	7.2	7.1	6.7	7.1	7.1	7.1	7.1	7.1	7.1	7.1		
93150000	5.583	7.043	R	1	1 45	CRACKING		8.0	7.0	6.0*				10.0	10.0	10.0	10.0	10.0	10.0				
809				3	5.4	36000 RIDE		7.3	7.3	6.9				7.5	7.5	7.6	7.4	7.4	7.6	7.3			
CR 702(5.7C)						FC125																	
2295871	5.583	7.154	C	2002	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.8	7.5		
COMMUNITY ASPHALT CORP.				(2007)		SPRIDE		7.5	7.3	7.3	7.2	7.1	6.9	6.8	7.0	7.2	7.1	7.1	7.3	7.3	7.0		
93150000	7.043	7.451	R	1	7 45	CRACKING		9.0	9.0	9.0				10.0	10.0	10.0	10.0	10.0	10.0				
809				3	5.5	31000 RIDE		7.6	7.6	7.4				6.5	6.3	6.3	6.3	6.4	6.1	6.1			
DEVONS RD(7.1R)						FC125M																	
4461031	6.882	7.451	C	2023	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	9.5		
J.W. CHEATHAM, LLC				(2026)		SPRIDE		6.0	6.3	5.7	5.9	5.6	5.2*	5.5	5.5	4.8*	5.4*	5.5		7.0	6.7		
93150000	7.451	10.441	R	1	1 45	CRACKING		9.0	9.0	9.0		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0		
809				3	2.7	42000 RIDE		7.6	7.6	7.4		7.5	7.5	7.3	7.6	7.5	7.4	7.3	7.5	8.4			
UNSIGN(7.5R)						FC125																	
4229881	7.451	10.966	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
COMMUNITY ASPHALT CORP.				(2013)		SPRIDE		8.3	8.2	8.1	8.1	8.1	7.8	7.9	7.8	7.8	7.9	7.9	7.9	7.9	7.9		
93150000	10.441	10.802	R	1	1 45	CRACKING		9.0	9.0	9.0		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	9.5			
809				3	2.1	40000 RIDE		7.6	7.6	7.4		7.5	7.5	7.3	7.6	7.5	7.4	7.3	7.5	7.6			
BURNS RD(10.5R)						UNKW																	
						CRACKING		9.5	9.5	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	10.0	9.0		
						RIDE		7.5	7.4	7.5	6.2								7.7	7.4			
93150000	10.802	11.059	R	1	1 45	CRACKING		9.0	9.0	9.0		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0			
809				3	2.1	40000 RIDE		7.6	7.6	7.4		7.5	7.5	7.3	7.6	7.5	7.4	7.3	7.5	7.3			
TANGLEWOOD ST(10.9R)						UNKW																	
4229881	7.451	10.966	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.0		
COMMUNITY ASPHALT CORP.				(2013)		SPRIDE		7.6	7.3	7.3	7.3	6.6								7.2	6.9		
93150000	10.802	11.059	L	1	1 45	CRACKING		8.0	8.0	8.0		7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0			
809				3	2.1	40000 RIDE		7.6	7.6	7.3		7.4	7.4	7.5	7.5	7.3	7.2	7.0	7.1	6.7			
JOHNSON DAIRY RD(10.8L)						UNKW																	
4229881	7.451	10.966	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.2	8.0		
COMMUNITY ASPHALT CORP.				(2013)		SPRIDE		6.7	6.9	6.6	6.6	6.5								5.6	5.3*		
93150000	10.441	10.802	L	1	1 45	CRACKING		8.0	8.0	8.0		7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	8.0			
809				3	2.1	40000 RIDE		7.6	7.6	7.3		7.4	7.4	7.5	7.5	7.3	7.2	7.0	7.1	6.7			
VISION ONE(10.5L)						UNKW																	
						CRACKING		7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	10.0	9.0		
						RIDE		6.4	6.5	6.8	6.9								7.4	7.1			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP		SIDE)			=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(PMRS)
93150000	7.451	10.441	L	1	1	45	CRACKING	8.0	8.0	8.0			7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0
809			3	2.7		42000	RIDE	7.6	7.6	7.3			7.4	7.4	7.5	7.5	7.3	7.2	7.0	7.1	8.5
MEDITERRANEA(7.6L)																					
4229881	7.451	10.966	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2013)			SPRIDE	8.4	8.2	8.2	8.1	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	9.0
FC125																					
93150000	7.043	7.451	L	1	7	45	CRACKING	8.0	8.0	8.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
809			3	5.5		31000	RIDE	7.6	7.6	7.3				7.1	7.0	7.0	6.9	6.3	6.6	6.6	6.6
SPUR TO SR 710(7.1L)																					
4461031	6.882	7.451	C	2023		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		10.0
J.W. CHEATHAM, LLC				(2026)			SPRIDE	6.9	6.3	6.6	6.1	6.0	5.7	6.0	5.8	6.2	6.0	6.0	6.0		7.1
FC125M																					
93150000	5.630	7.043	L	1	1	45	CRACKING	8.0	8.0	8.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
809			3	5.4		36000	RIDE	7.4	7.4	7.2				7.2	7.1	7.0	6.8	7.1	7.2	7.0	7.0
CR 702(5.7C)																					
2295871	5.583	7.154	C	2002		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.6	8.5	7.0
COMMUNITY ASPHALT CORP.				(2007)			SPRIDE	6.9	7.1	6.8	6.8	6.7	6.4	6.6	6.6	6.4	6.5	6.5	6.7	6.7	6.4
FC125																					
93150000	2.025	5.630	L	1	1	45	CRACKING	8.0	8.0	8.0	8.0					10.0	10.0	10.0	10.0	10.0	10.0
809			3	3.3		39500	RIDE	7.4	7.4	7.2	7.1					7.8	7.6	7.6	7.6	7.6	7.6
SCHALL WAY(2.2L)																					
2295872	2.008	5.583	C	2003		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.1	9.0	7.5
COMMUNITY ASPHALT CORP.				(2009)			SPRIDE	7.5	7.5	7.1	7.0	7.0	6.8	6.9	6.9	6.8	6.8	6.8	6.9	6.9	6.6
FC125																					
93150000	0.288	2.025	L	1	1	40	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0
809			3	13.2		39500	RIDE	6.6	6.9	6.4	8.3	7.5	7.7	7.3	7.2	7.1	7.0	6.8	8.2	8.0	8.0
CAMBRIDGE(0.3L)																					
4169111	0.288	2.025	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	9.6
RANGER CONSTRUCTION INDUST				(2012)			SPRIDE	8.0	8.3	7.8	8.3	8.0	8.0	8.0	8.0	8.0	7.3	7.3	8.0	8.0	8.0
FC95																					
93150000	0.000	0.288	L	1	1	40	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5				10.0	10.0	10.0	10.0	10.0
809			3	2.7		47500	RIDE	6.6	6.9	6.4	8.3	7.0	7.7				7.1	6.5	6.4	6.3	6.3
SOUTHERN BLVD(0.0C)																					
				(2010)		UNKNW	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.5
							RIDE	6.3	7.5											7.0	8.0
FC125																					
93160000	0.000	12.550	R	1	1	65	CRACKING	10.0	10.0	10.0	8.5	7.5	7.0	3.5*		10.0	10.0	10.0	10.0	9.0	9.0
25 27			2	32.4		9100	RIDE	8.8	8.9	8.5	8.1	8.0	7.8	6.1*		7.8	7.8	7.8	7.7	7.5	7.5
PUMP STATION S7(0.1R)																					
4398421	0.000	7.846	R	2020		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	9.0
OHLA USA, INC.				(2023)			RIDE	7.6	7.5	7.8	7.8	7.7	7.6	7.9			8.5	8.5	8.4	8.4	8.3
FC5M																					
93160000	12.550	16.050	R	1	1	65	CRACKING	8.5	7.5	7.5	7.0	6.5	4.5*	4.5*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0
25 27			2	32.4		9100	RIDE	8.8	8.8	8.5	7.2	6.7	6.5	5.6*	5.9*	7.5	7.4	7.4	7.4	7.4	7.4
ACCESS RD(12.6R)																					
				(2009)			CRACKING	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.7*	4.9*
4401501	12.626	16.000	R	2021		9924	RIDE	7.3	7.2	7.4	7.4	7.3	7.1	7.4	7.6	7.4	7.4	7.1	7.0	6.8	6.7
FC5M																					
93160000	16.050	21.839	R	1	1	65	CRACKING	7.5	7.0	7.0	7.0	6.0*	4.5*	4.5*	4.5*	1.0*	1.0*	1.0*	10.0	10.0	10.0
25 27			2	32.4		9100	RIDE	8.3	8.2	7.9	6.7	6.4*	5.9*	5.8*	5.6*	5.0*	4.9*	4.6*	8.1	8.2	8.2
KING RANCH(17.0R)																					
4036181	17.403	24.643	R	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	5.7*	3.5*
				(2012)			RIDE	8.2	8.1	8.3	8.2	8.2	8.1	8.3	8.3	8.2	8.2	8.1	8.0	7.9	7.8
4401081	16.000	20.150	C	2021		9924															
FC5M																					
93160000	21.839	22.922	R	1	1	65	CRACKING	4.5*	4.5*	3.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	10.0	10.0	10.0
25 27			2	45.1		12600	RIDE	8.3	8.4	7.9	7.2	7.1	7.7	7.2	7.1	7.3	7.1	7.0	8.1	8.2	8.2
CR 827(22.3R)																					
4399301	19.853	22.926	C	2021		0234	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	10.0	10.0	9.0
OHLA USA, INC.				(2025)			SPRIDE	8.2	8.1	8.3	8.2	8.2	8.1	8.3	8.3	8.2	8.2	8.1	7.8	8.1	8.0
FC5M																					
93160000	22.922	26.086	R	1	1	45	CRACKING	4.5*	4.5*	3.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	10.0	10.0	10.0
25 27			2	45.1		12600	RIDE	8.3	8.4	7.9	7.2	7.1	7.7	7.2	7.1	7.3	7.1	7.0	8.1	8.2	8.2
SW 1 AVE(25.6R)																					
4036181	17.403	24.643	R	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	4.0*
				(2012)			RIDE	8.2	8.1	8.3	8.2	8.2	8.1	8.3	8.3	8.2	8.2	8.1	8.1	7.8	7.7
4401581	20.150	25.661	R	2021		9924															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	*****														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-M	F															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															
93160000 25 27 CANAL ST 4036181	22.922	26.086	L	1	1 45	CRACKING	4.5*	4.5*	3.5*	2.5*	2.5*	2.5*	2.5*	2.5*	3.5*	2.5*	2.5*	2.5*	10.0	10.0	
					2 45.1	12600	RIDE	8.2	8.2	7.8	6.8	6.5	6.5	6.5	6.5	6.4	6.1	6.1	8.2	8.2	
						FC5M															
					L 2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.8	7.7	5.5*
					(2012)		RIDE	8.2	8.2	8.3	8.4	8.3	8.2	8.4	8.3	8.3	8.3	8.2	8.3	8.2	8.1
93160000 25 27 JOHN L EVANS LN(22.3L) 4399301 OHLA USA, INC.	21.839	22.922	L	1	1 65	CRACKING	10.0	10.0	9.5	8.5	8.5	7.0	7.0	6.5	6.5	4.5*	3.5*	10.0	10.0		
					2 45.1	12600	RIDE	8.4	8.4	8.3	7.7	7.7	7.8	7.6	7.4	7.3	7.4	8.2	8.2		
						FC5M															
					C 2021	0234	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	10.0	10.0	9.0
					(2025)		SPRIDE	8.2	8.2	8.3	8.4	8.3	8.2	8.4	8.3	8.3	8.3	8.2	8.1	8.2	8.1
93160000 25 27 DAN GUFFIN SOD(18.3L)	16.050	21.839	L	1	1 65	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	7.0	7.0	10.0	10.0		
					2 32.4	9100	RIDE	8.6	8.7	8.5	8.2	8.2	8.1	8.2	8.1	8.1	8.0	8.0	8.2	8.2	
						FC5M															
					(2012)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.9	7.5	5.0*
					C 2021	9924	RIDE	8.2	8.2	8.3	8.4	8.3	8.2	8.4	8.3	8.3	8.3	8.2	8.2	8.3	8.2
4401081	16.000	20.150@	C	2021																	
93160000 25 27 ACCESS RD	12.550	16.050	L	1	1 65	CRACKING	9.0	9.0	9.0	8.5	8.0	7.0	7.0	6.5	6.5	5.5*	3.5*	3.5*	3.5*		
					2 32.4	9100	RIDE	8.7	8.8	8.6	8.2	8.1	8.0	8.0	7.8	7.7	7.4	7.4	7.4	7.1	
						FC5M															
					(2014)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.4	8.0	6.0*
					L 2021	9924	RIDE	7.9	8.0	8.3	8.4	8.3	8.2	8.4	8.4	8.4	8.3	8.4	8.4	8.4	8.3
4401501	13.002	16.000	L	2021																	
93160000 25 27 PUMP HOUSE ACCESS(6.7L) 4398421	5.360	12.550	L	1	1 65	CRACKING	9.5	9.5	9.5	9.0	8.0	6.5	6.5		10.0	10.0	10.0	10.0	10.0		
					2 32.4	9100	RIDE	8.7	8.8	8.6	8.0	8.0	7.8	7.9	7.7	7.6	7.6	7.7	7.7	7.7	
						FC5M															
					L 2020	0012	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.5		10.0	10.0	10.0	10.0	9.0	
					(2023)		RIDE	7.7	7.6	7.7	7.8	7.7	7.6	7.8		8.5	8.5	8.4	8.4	8.3	
93160000 25 27 4398421	4.230	5.360	L	1	1 65	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	5.5*	10.0		
					3 32.4	9100	RIDE	8.9	9.1	8.8	8.3	8.2	8.2	8.2	8.1	8.1	7.7	7.7	7.6	8.0	
						FC5M															
					L 2020	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	9.0
					(2023)		RIDE	8.1	8.0	8.2	8.1	8.0	8.0	8.1		8.4	8.4	8.3	8.3	8.3	8.2
93160000 25 27 SERVICE RD(3.1L) 4398421 OHLA USA, INC.	2.120	4.230	L	1	1 65	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	5.5*	10.0		
					2 32.4	9100	RIDE	8.9	9.1	8.8	8.3	8.2	8.2	8.2	8.1	8.1	7.7	7.7	7.6	8.0	
						FC5M															
					L 2020	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	9.0	8.0	
					(2023)		SPRIDE	8.1	8.0	8.2	8.1	8.0	8.0	8.1		8.5	8.5	8.4	8.3	8.3	8.2
93160000 25 27 4398421 OHLA USA, INC.	0.850	2.120	L	1	2 65	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	5.5*	10.0		
					3 32.4	9100	RIDE	8.9	9.1	8.8	8.3	8.2	8.2	8.2	8.1	8.1	7.7	7.7	7.6	8.0	
						FC5M															
					L 2020	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	9.0
					(2023)		SPRIDE	8.1	8.0	8.2	8.1	8.0	8.0	8.1		8.6	8.6	8.5	8.4	8.3	8.3
93160000 25 27 PUMP STATION S8(0.2L) 4398421 OHLA USA, INC.	0.000	0.850	L	1	1 65	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	5.5*	10.0		
					2 32.4	9100	RIDE	8.9	9.1	8.8	8.3	8.2	8.2	8.2	8.1	8.1	7.7	7.7	7.6	8.0	
						FC5M															
					L 2020	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	9.0	8.0	
					(2023)		SPRIDE	8.1	8.0	8.2	8.1	8.0	8.0	8.1		8.6	8.6	8.6	8.5	8.5	8.4
93170000 717 E CANAL ST N(0.0R) 4246591 COMMUNITY ASPHALT CORP.	0.000	0.540	C	1	1 35	CRACKING	10.0	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.5*		
					2 11.8	3100	RIDE	8.5	8.2	8.1	7.5	7.1	7.3	7.2	6.9	6.9	6.6	6.4	6.1	5.8	
						FC95															
					C 2012	0226	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.4*	6.4*	5.0*
					(2014)		RIDE	8.3	7.1	5.9	5.9	7.0	6.9	6.8	6.3	5.9	5.5	5.3*	5.4*	5.1*	
93170000 717 BELLE GRADE CITY LIMITS(0.6R) 4229891 WEEKLEY ASPHALT PAVING, IN	0.580	1.350	C	1	1 35	CRACKING	8.0	8.0	8.0	8.0	8.0	7.5	7.5	6.0*	5.0*	5.0*	5.0*	5.0*	5.0*		
					4 5.8	3900	RIDE	6.2*	6.5	6.0	5.5	5.7	5.5	5.2*	5.5	5.7	5.7	5.3*	5.5		
						FC95															
					C 2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.4	8.3	7.0
					(2014)		SPRIDE	7.5	7.5	7.2	7.2	6.9	6.4	6.7	6.3	6.6	6.5	6.3	5.9	5.9	5.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE	YEAR)																			(PMRS)	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																	
ITMSEG-F																						
93170000	1.350	1.727	C	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.0	5.5*	3.5*	3.5*	3.5*	3.5*			
717				2	5.8	3900	RIDE	8.1	7.8	7.8	7.0	6.9	7.1	7.5	7.3	6.8	6.6	7.1	6.5			
NW 12 ST (1.4R)						FC95																
4229891	1.276	1.704	C	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.6	7.5	6.5
WEEKLEY ASPHALT PAVING, IN(2014)						SPRIDE		7.8	7.8	6.6	6.2	6.4	6.6	6.9	6.8	6.9	6.6	6.1	5.6	6.0	6.5	
93180000	0.000	0.477	R	1	1	45	CRACKING	8.5	8.5	8.5	7.5	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	10.0		
802				3	6.1	38000	RIDE	8.5	8.4	8.1	7.3	7.3	7.6	7.3	7.1	7.1	7.5	7.4	7.3	7.8		
LAKEWORTH RD(0.0C)						FC125M																
4216911	0.014	1.565	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	7.0	7.0	7.0	6.6	5.5*	
WEEKLEY ASPHALT PAVING, IN(2013)						SPRIDE		7.3	7.5	7.0	7.1	7.2	6.9	7.0	7.3	7.0	7.0	7.2	6.8	6.8	6.5	
93180000	0.477	1.565	R	1	1	50	CRACKING	8.5	8.5	8.5	7.5	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	10.0		
802				3	4.0	44000	RIDE	8.5	8.4	8.1	7.3	7.3	7.6	7.3	7.1	7.1	7.5	7.4	7.3	7.3		
HUNTING TRAIL(0.6R)						FC5M																
4216911	0.014	1.565	C	2011		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	7.2	6.6	4.5*	
WEEKLEY ASPHALT PAVING, IN(2013)						SPRIDE		7.3	7.2	7.4	7.4	7.3	7.3	7.4	7.4	7.4	7.1	7.1	7.3	7.2	7.1	
4484361	0.477	1.565	C	2027		0012																
93180000	1.565	2.139	R	1	1	45	CRACKING	8.5	8.5	8.5	7.5	7.0	6.5	6.5	4.5*	3.5*	3.5*			10.0		
802				3	4.0	44000	RIDE	8.5	8.4	8.1	7.3	7.3	7.6	7.3	7.1	7.1	7.5			8.3		
ACCESS RD(1.6R)						DGFC																
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.6	7.5
							RIDE	8.3	8.2	8.1	8.1	7.8	8.1	7.9	8.0	7.8	7.8	7.9	7.8	7.9	7.6	
93180000	2.139	3.602	R	1	1	45	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
802				3	7.6	41000	RIDE	7.7	7.6	7.2	6.5	6.6	6.4	6.7	8.0	8.1	8.0	8.0	8.0	8.0	8.0	
OHIO RD(2.5R)						DGFC																
2297501	2.139	3.602	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.6	7.0
RANGER CONSTRUCTION INDUST(2008)						SPRIDE		8.0	8.0	8.0	7.9	7.7	7.4	7.7	7.8	7.7	7.7	7.7	7.8	7.7	7.4	
93180000	3.602	5.497	R	1	1	45	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
802				3	4.2	44500	RIDE	7.7	7.6	7.2	6.5	6.6	6.4	6.7	8.2	8.2	8.1	8.1	8.1	7.9		
JOG RD(3.6C)						DGFC																
2297511	3.690	5.660	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	8.1	8.1	6.5	
RANGER CONSTRUCTION INDUST(2008)						SPRIDE		8.0	8.1	7.9	7.9	7.8	7.5	7.7	7.8	7.7	7.8	7.8	7.7	7.8	7.5	
93180000	5.497	7.375	R	1	8	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
802				3	4.5	45500	RIDE	8.1	8.5	8.3	7.6	7.8	7.7	8.0	8.0	7.9	7.5	7.6	7.4	7.4		
MILITARY TR(5.7C)						FC125M																
							CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			
							RIDE	7.5	7.4	7.7	7.7	7.4	7.1	7.4	7.3	7.4	7.2	6.6	6.5			
4416321	5.497	7.359	C	2022		0012																
93180000	7.375	7.950	R	1	1	40	CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	10.0		
802				2	8.2	31500	RIDE	8.7	8.7	8.3	7.8	7.9	7.8	7.6	7.5	7.5	7.4	7.3	7.4	7.9		
JOHN PRINCE PARK(7.7R)						FC95																
4229901	7.233	8.010	R	2012		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	9.0	
WEEKLEY ASPHALT PAVING, IN(2013)						SPRIDE		7.3	7.3	7.2	7.2	6.8	7.1	7.2	7.1	7.2	7.1	7.1	7.1	7.4	7.1	
93180000	7.950	8.380	R	1	1	40	CRACKING	8.0	8.0	8.0	8.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
802				2	8.2	31500	RIDE	8.7	8.7	8.3	7.8	6.7	6.6	6.6	6.9	7.0	6.8	6.7	6.5	6.5		
BOUTWELL RD (L)(8.1R)						FC95																
							CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.6	6.5	5.0*	
							RIDE	6.5	6.6	6.4	6.2	6.0	6.1	5.9	5.9	6.2	6.1	6.1	5.5	6.1	5.8	
4498101	7.888	8.370	C	2027		0012																
93180000	8.380	8.671	R	1	7	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
802				2	5.4	30500	RIDE	7.0	7.6	7.3	6.1	6.7	6.6	6.6	6.9	7.0	6.8	6.7	6.5	6.5		
						FC95																
							CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.6	10.0	9.5	
							RIDE	6.5	6.6	6.4	6.2	6.0	6.1	5.9	5.9	6.2	6.1	6.1	5.5	5.1*	4.8*	
93180000	8.671	9.859	C	1	7	25	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
802				2	2.3	9100	RIDE	6.9	6.4	6.9	7.0	7.0	6.7	6.4	6.6	6.0	4.9*	4.8*	4.8*	4.8*		
A ST N(8.7L)						DGFC																
4461041	8.721	9.835	C	2024		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	10.0	9.5	
GENERAL ASPHALT CO., INC. (2026)							RIDE	4.7*	4.5*	4.7*	4.7*	4.4*	4.2*	4.5*	4.4*					5.1*	4.8*	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-F		ASTYPE										(PMRS)
CONTRACTOR (AGE_ONE YEAR)		W_BMP		W_EMP		RW		FY-F		WKM-F												
93180000	10.156	10.313	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
802				4	6.7	14500	RIDE	5.6*	5.9	6.1	5.7	5.9	5.3*	7.7	7.7	7.7	6.3	7.5	6.9			
LAKE WORTH CITY LIMITS(10.3C) DGFC																						
2298641	10.156	10.313	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.1	8.8	7.5
WEEKLEY ASPHALT PAVING, IN(2007) SPRIDE																						
93180000	8.380	8.671	L	1	7	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
802				2	5.4	30500	RIDE	7.6	6.6	6.8	7.1	7.0	7.0	7.2	7.0	6.9	6.8	6.5	6.5	6.5	8.5	
FC95																						
(2026) CRACKING RIDE 8.5 8.5 8.5 8.5 8.0 8.0 8.0 7.0 6.5 6.5 6.5 7.4 10.0 9.5																						
(2026) RIDE 6.6 6.4 6.3 6.1 5.6 5.9 6.0 6.0 6.2 6.3 5.9 6.1 5.4* 5.1*																						
93180000	7.950	8.380	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	
802				2	8.2	31500	RIDE	7.7	7.9	7.4	7.3	7.0	7.0	7.2	7.0	6.9	6.8	6.5	6.5	6.5	6.6	
BOUTWELL RD(8.1L) FC95																						
2293101	7.164	8.680	C	1988	0215	CRACKING	8.5	8.5	8.5	8.5	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	7.4	7.0	5.0*	
RANGER CONSTRUCTION INDUST(1990) S RIDE																						
4498101	7.888	8.370	C	2027	0012	CRACKING	6.6	6.4	6.3	6.1	5.6	5.9	6.0	6.0	6.2	6.3	5.9	6.1	6.4	6.1	6.1	
93180000	7.343	7.950	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	10.0		
802				2	8.2	31500	RIDE	7.7	7.9	7.4	7.3	7.4	7.4	7.5	7.7	7.4	7.1	7.1	7.0	7.8		
CLUB MANGER ASSOC OF AME(7.5L) FC95																						
4229901	7.233	8.010	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5	
WEEKLEY ASPHALT PAVING, IN(2013) SPRIDE																						
93180000	5.497	7.343	L	1	8	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	
802				3	4.5	45500	RIDE	8.4	8.3	8.1	7.5	7.4	7.1	7.3	7.3	7.1	7.1	6.8	7.0	7.0		
MILITARY TR(5.7C) FC125M																						
(1994) CRACKING RIDE 8.0 8.0 8.0 8.0 7.0 7.0 6.5 4.5* 3.5* 3.5* 3.5* 3.5*																						
4416321 5.497 7.359 C 2022 0012 RIDE 6.9 7.0 7.1 7.1 7.1 6.9 7.1 7.0 7.1 6.9 6.9																						
93180000	3.602	5.497	L	1	1	45	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
802				3	4.2	44500	RIDE	6.9	6.9	6.5	6.3*	6.1*	6.1	6.0	8.0	7.8	7.8	7.7	7.9	7.8		
JOG RD(3.6C) DGFC																						
2297511	3.690	5.660	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.6	7.0	
RANGER CONSTRUCTION INDUST(2008) SPRIDE																						
93180000	2.139	3.602	L	1	1	45	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0		
802				3	7.6	41000	RIDE	6.9	6.9	6.5	6.3*	6.1*	6.1	6.0	7.9	7.8	7.8	7.7	7.7	7.7		
HADJES DR(2.2L) DGFC																						
2297501	2.139	3.602	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.3	8.1	6.5	
RANGER CONSTRUCTION INDUST(2008) SPRIDE																						
93180000	1.565	2.139	L	1	1	45	CRACKING	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0		
802				3	4.0	44000	RIDE	8.4	8.2	7.7	7.8	7.7	7.7	7.8	7.8	7.7	7.4			8.4		
CYPRESS ISLAND WAY L(1.6L) DGFC																						
(2013) CRACKING RIDE 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 8.7 8.7 7.5																						
(2013) RIDE 8.5 8.5 8.2 8.2 8.2																						
93180000	0.477	1.565	L	1	1	50	CRACKING	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0		
802				3	4.0	44000	RIDE	8.4	8.2	7.7	7.8	7.7	7.7	7.8	7.8	7.7	7.4	7.4	7.3	7.6		
CYPRESS EDGE DR(0.6L) FC5M																						
4216911	0.014	1.565	C	2011	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.8	6.5	4.5*	
WEEKLEY ASPHALT PAVING, IN(2013) SPRIDE																						
4484361	0.477	1.565	C	2027	0012	CRACKING	7.5	7.4	7.6	7.5	7.3	7.4	7.5	7.4	7.4	7.2	7.4	7.4	7.4	7.4	7.3	
93180000	0.000	0.477	L	1	1	45	CRACKING	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0		
802				3	6.1	38000	RIDE	8.4	8.2	7.7	7.8	7.7	7.7	7.8	7.8	7.7	7.4	7.4	7.3	7.7		
LAKEWORTH RD(0.0C) FC125M																						
4216911	0.014	1.565	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.1	6.8	5.5*	
WEEKLEY ASPHALT PAVING, IN(2013) SPRIDE																						
93180001	0.000	1.167	C	1	7	25	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0		
802				2	6.2	9600	RIDE	6.2*	6.3	6.1	6.9	6.5	6.2	6.2	6.3	6.1	4.9*	4.8*	4.8*	4.7*		
BR# 930103(0.0C) FC95M																						
4461041	0.000	1.081	C	2024	0012	CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	7.5	10.0	9.5		
GENERAL ASPHALT CO., INC. (2026) RIDE																						
(2026) RIDE 4.7* 4.6* 4.6* 4.6* 4.6* 4.5* 4.5* 4.5* 4.4* 4.5* 4.6* 4.2* 4.9* 4.6*																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
93190000	12.081	12.600	R	1	8 50		CRACKING	7.5	7.5	7.5	7.0	6.5	5.5*	5.5*	5.5*	5.5*	8.0	8.0	10.0	10.0	
706			3	11.9	50000		RIDE	8.3	8.6	8.5	7.3	7.6	7.7	7.6	7.3	7.5	7.7	7.8	7.9	7.8	
					FC5																
4138431	12.306	12.795	R	2008	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5		
HUBBARD CONSTRUCTION COMPA(2012)							RIDE	7.8	7.7	8.0	7.9	7.9	7.6	7.7	7.9	7.8	8.0	7.9	8.0		
4397581	12.081	13.527	C	2023	0231																
93190000	12.600	13.740	R	1	8 45		CRACKING	7.5	7.5	7.5	7.0	6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	
706			3	6.7	66500		RIDE	8.3	8.6	8.5	7.3	7.6	7.7	7.6	7.3	7.5	8.2	8.0	8.2	8.1	
					DGFC																
68 TER(13.2R)																					
4138431	12.795	13.781	R	2008	0012		CRACKING	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.4*		
HUBBARD CONSTRUCTION COMPA(2010)							RIDE	8.1	7.9	8.1	8.0	7.9	7.6	8.0	7.8	7.9	7.5	7.9	7.7		
4397581	12.081	13.527	C	2023	0231																
93190000	13.740	16.047	R	1	1 45		CRACKING	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	2.5*	2.5*	10.0	10.0	
706			3	6.5	43500		RIDE	7.7	7.7	7.4	6.3*	6.3*	6.6	6.0	5.9	5.6	5.5	5.4*	7.5	7.5	
					FC125																
BUSH RD(13.9R)																					
4169051	13.740	16.070	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.7	8.6	7.5
COMMUNITY ASPHALT CORP. (2012)							SPRIDE	7.3	7.1	7.0	7.0	6.8	6.7	6.8	6.6	6.5	6.5	6.6	6.5	6.4	6.1
93190000	16.047	16.859	R	1	1 45		CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	
706			3	5.5	39500		RIDE	7.8	7.2	7.2	6.2*	6.2*	6.5	6.6	6.7	7.1	6.9	7.0	7.0	6.9	
					FC95																
ALT A1A(16.1C)																					
4246601	16.047	16.661	R	2012	0012		CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.4	7.5
J.W. CHEATHAM, LLC (2015)							SPRIDE	7.0	7.5	7.5	7.0	6.9								6.2	5.9
93190000	16.047	16.859	L	1	1 45		CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	
706			3	5.5	39500		RIDE	7.3	6.7	6.9	6.1*	6.2*	6.3	6.9	6.6	6.4	6.1	6.8	7.0	6.9	
					FC95																
ALT A1A(16.1C)																					
4246601	16.047	16.859	L	2012	0012		CRACKING	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	8.8	7.5
J.W. CHEATHAM, LLC (2015)							SPRIDE	7.3	7.5	7.0	6.9	6.8								6.8	6.5
93190000	13.740	16.047	L	1	1 45		CRACKING	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	2.5*	2.5*	10.0	10.0	
706			3	6.5	43500		RIDE	8.4	8.2	8.0	7.3	7.2	7.1	7.0	7.0	6.9	6.7	6.5	8.5	8.3	
					FC125																
CARVER AVE(13.8L)																					
4169051	13.740	16.070	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	8.5	7.0
COMMUNITY ASPHALT CORP. (2012)							SPRIDE	8.2	8.0	8.0	8.0	7.9	7.6	7.8	7.7	7.7	7.5	7.6	7.6	7.5	7.2
93190000	12.371	13.740	L	1	8 45		CRACKING	7.5	7.5	7.5	7.0	6.5	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	
706			3	6.7	66500		RIDE	8.7	8.5	8.4	7.7	7.6	7.6	7.5	7.4	7.5	8.1	8.0	7.9	8.0	
					FC5																
ISLAND WAY(13.2L)																					
4138431	13.063	13.781	L	2008	0012		CRACKING	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5		
HUBBARD CONSTRUCTION COMPA(2010)							RIDE	8.1	8.0	8.1	8.1	7.8	7.6	8.0	7.9	8.0	8.0	7.9	7.7		
4397581	12.081	13.527	C	2023	0231																
93190000	12.081	12.371	L	1	1 50		CRACKING	7.5	7.5	7.5	7.0	6.5	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	
706			3	11.9	50000		RIDE	8.7	8.5	8.4	7.7	7.6	7.6	7.5	7.4	7.5	8.0	7.9	8.1	8.0	
					DGFC																
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	7.6	6.0*
							RIDE	8.0	7.5	7.7	7.6	7.7								7.7	7.4
4397581	12.081	13.527	C	2023	0231																
93200000	0.000	1.049	R	1	1 45		CRACKING	7.5	7.5	6.5	6.5	6.0*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	
804			2	8.0	18800		RIDE	7.8	8.1	7.4	6.9	6.9		7.6	7.6	7.4	7.4	7.4	7.5	7.4	
					FC125M																
BOYNTON BEACH BLVD(0.0C)																					
							CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	5.5*	3.5*	3.5*	4.5*	4.0*	2.5*
							RIDE	7.3	7.2	7.3	7.4	7.4	7.3	7.3	7.2	7.2	7.1	7.0	7.2	7.1	6.8
4476651	0.000	1.022	C	2025	0012																
93200000	1.049	2.172	R	1	1 45		CRACKING	9.0		7.5	7.0			10.0	10.0	10.0	10.0	9.5	9.5	9.5	
804			3	4.3	43500		RIDE	8.4		8.5	8.0	7.3		8.0	8.0	7.9	7.9	7.7	7.8	7.7	
					FC125M																
ACME DAIRY BLVD(1.6C)																					
4398441	1.041	1.768	R	2020	0012		CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	9.5	9.1	8.0
GENERAL ASPHALT CO., INC. (2022)							RIDE	7.5	7.5	7.5	7.4	7.4	7.0	7.3	7.0	7.9	7.9	7.9	7.9	7.9	7.6
93200000	2.172	2.740	R	1	1 45		CRACKING	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
804			3	4.4	54000		RIDE	8.4		8.2	8.1	8.0	7.9	7.9	7.6	7.4	7.3	7.3	7.3	7.3	

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE	YEAR)																			(PMRS)	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																	
ITMSEG-F																						
93200000	2.740	3.440	R	1	1	45	CRACKING	9.0		8.5	8.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0		
804				3	4.4	54000	RIDE	8.4		8.3	7.8	7.7	7.6	7.7	7.6	7.5	7.2	6.9	6.9	8.2		
MIZNER FALLS WAY(2.9R)																						
4229911	2.739	3.439	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.2	8.0	7.0	
WEEKLEY ASPHALT PAVING, IN(2013)																						
93200000	3.440	7.147	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5		
804				3	3.5	41000	RIDE	7.2	7.7	7.4	7.2	7.1	7.2	7.4	7.3	7.2	7.1	6.9	7.0	6.9		
JOG RD(3.6C)																						
4323441	3.439	7.150	C	2019		0012	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	9.7	10.0	9.0	
GENERAL ASPHALT CO., INC. (2022)																						
93200000	7.147	7.786	R	1	7	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0		
804				3	5.4	36000	RIDE	7.9	8.7	8.5	8.0	8.3	8.1	8.2	8.2	8.3	8.1	8.3	8.3	8.1		
CROSS CREEK CENTER(7.4R)																						
4476671	7.116	7.800	R	2025		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.7	10.0	9.5	
WEEKLEY ASPHALT PAVING, IN(2026)																						
93200000	7.786	8.035	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0		
804				3	2.6	51500	RIDE	8.2	8.3	7.9	7.4	7.1	7.0	7.2		7.9	7.9	7.4	7.4	7.4		
NW 8TH ST(7.8R)																						
4036051	7.786	8.030	R	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	6.0*	
HUBBARD CONSTRUCTION COMPA(2009)																						
93200000	8.035	8.478	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	8.0	6.0*	4.0*		10.0	10.0	10.0	10.0	10.0		
804				2	3.8	32000	RIDE	7.7	7.5	7.2	7.0	6.9	6.4	6.4		7.5	6.9	7.5	6.9	6.8		
HUBBARD CONSTRUCTION COMPA(2009)																						
4036051	8.030	9.115	R	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.6	8.0	6.5	
HUBBARD CONSTRUCTION COMPA(2009)																						
93200000	8.478	9.140	R	1	8	35	CRACKING	9.0	9.0	9.0	9.0	8.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0		
804				2	3.6	19800	RIDE	7.7	7.5	7.2	7.0	6.9	6.6	7.1		7.5	6.9	7.5	6.9	6.8		
NW 3 ST(8.5R)																						
4036051	8.030	9.115	R	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.6			
HUBBARD CONSTRUCTION COMPA(2009)																						
93200000	9.256	9.440	R	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
804				1	5.7	10400	RIDE		8.2	7.9	7.7	7.8	7.8	7.7	7.5	7.6	7.4	7.3	5.4*	10.0		
SE 6TH ST(9.4R)																						
(2002)																						
4476691	9.268	9.855	C	2025		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.9	5.4*	6.0*
HUBBARD CONSTRUCTION COMPA(2009)																						
93200000	9.440	9.855	C	1	1	30	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
804				2	5.7	10400	RIDE		8.0	7.5	7.5	7.5	7.4	7.5	7.4	7.4	7.1	7.0	7.4	7.4		
OCEAN RIDGE CITY LIMITS(9.9C)																						
4476691	9.268	9.855	C	(1986)	2025	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.2	7.6	5.5*	
HUBBARD CONSTRUCTION COMPA(2009)																						
93200000	9.256	9.440	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	
804				1	5.7	10400	RIDE		8.2	7.9	7.7	7.8	7.8	7.1	6.9	7.0	6.8	6.9	6.9			
NE 6TH ST(9.4L)																						
(2002)																						
4476691	9.268	9.855	C	2025		0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	5.1*	5.0*	3.5*	
HUBBARD CONSTRUCTION COMPA(2009)																						
93200000	8.495	9.140	L	1	8	35	CRACKING	3.0*	3.0*	3.0*	3.0*	3.0*	10.0	10.0		10.0	10.0	10.0	10.0	10.0		
804				2	3.6	19800	RIDE	6.7	6.5	6.8	6.7	6.5	6.3	6.4		7.3	6.7	7.1	6.9	6.8		
NW 3 ST(8.5L)																						
4036051	8.168	9.115	L	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.8			
HUBBARD CONSTRUCTION COMPA(2009)																						
93200000	8.035	8.495	L	1	1	35	CRACKING	3.0*	3.0*	3.0*	3.0*	3.0*	4.0*	4.0*		10.0	10.0	10.0	10.0	10.0		
804				2	3.8	32000	RIDE	6.7	6.5	6.8	6.7	6.5	6.5	6.7		7.3	6.7	7.1	6.9	6.8		
NW 4 ST(8.4L)																						
4036051	8.168	9.115	L	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.8	8.5	7.0	
HUBBARD CONSTRUCTION COMPA(2009)																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
93200000	7.786	8.035	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	
804			3	2.6		51500	RIDE	7.9	7.5	7.0	7.5	7.6	7.6	6.6		7.6	7.5	7.3	7.1	6.9	
OLD BOYNTON RD(7.8L)																					
							DGFC														
4036051	7.786	8.168	L	2006		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.1	7.4	6.0*
HUBBARD CONSTRUCTION COMPA							SPRIDE	6.9	7.0	7.4	7.1	7.0	6.9	7.2	6.7	7.0	7.0	6.8	7.1	6.9	6.6
93200000	7.147	7.786	L	1	7	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
804			3	5.4		36000	RIDE	8.8	8.6	8.3	8.2	8.2	8.2	8.4	8.2	8.2	8.0	8.1	7.9	7.9	
CROSS CREEK CENTRE(7.4L)																					
							FC125M														
4476671	7.116	7.800	L	2025		0012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.0*	10.0	9.5
WEEKLEY ASPHALT PAVING, IN							RIDE	7.9	7.8	7.8	8.1	8.0	7.6	7.4	7.7	7.8	7.9	8.0	7.9	7.9	7.6
93200000	3.440	7.147	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	
804			3	3.5		41000	RIDE	6.7	7.9	7.6	7.4	7.4	7.3	7.4	7.4	7.3	7.2	7.1	7.1	7.0	
FOUNTAINS OF BOYNTON(3.5L)																					
							FC95M														
4323441	3.439	7.150	C	2019		0012	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.0
GENERAL ASPHALT CO., INC.							SPRIDE	7.1	7.0	7.1	7.1	7.0	6.8	7.0		8.2	8.2	8.1	8.1	8.1	7.8
93200000	2.740	3.440	L	1	1	45	CRACKING	9.0		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	10.0
804			3	4.4		54000	RIDE	8.4		8.6	7.9	7.7	7.8	7.9	7.7	7.6	7.3	7.0	7.3	8.2	
MIZNER FALLS(2.9L)																					
							FC125M														
4229911	2.739	3.439	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.7	7.5
WEEKLEY ASPHALT PAVING, IN							RIDE	8.2	8.3	7.9	8.0	7.9	7.5	7.8	8.0	7.7	7.9	7.9	7.8	7.9	7.6
93200000	2.172	2.740	L	1	1	45	CRACKING	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
804			3	4.4		54000	RIDE	8.4		8.2	7.9	7.4	7.0	7.8	7.7	7.7	7.7	7.6	7.6	7.7	
ORCHARD GROVE TR(2.2L)																					
							DGFC														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.4	8.3	6.5
							RIDE	7.5	7.6	7.7	7.7	7.7	7.0	7.6	7.4	7.5	7.5	7.4	7.5	7.4	7.1
93200000	1.049	2.172	L	1	1	45	CRACKING	9.0		7.5	6.5	6.0*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	
804			3	4.3		43500	RIDE	8.4		8.1	7.6	7.0		8.0	7.9	7.9	7.9	7.8	7.7	7.7	
ACME DAIRY BLVD(1.6C)																					
							FC125M														
4398441	1.229	2.204	L	2020		0012	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	10.0	10.0	10.0	9.6	9.6	8.5
GENERAL ASPHALT CO., INC.							RIDE	7.6	7.6	7.3	7.4	7.1	7.2	6.9	7.2	8.0	7.8	7.9	7.8	7.7	7.4
93200000	0.000	1.049	L	1	1	45	CRACKING	7.5	7.5	6.5	6.5	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
804			2	8.0		18800	RIDE	7.8	8.1	7.4	6.9	6.9		8.0	7.8	7.9	7.8	7.9	7.7	7.5	
BOYNTON BEACH BLVD(0.0C)																					
							FC125M														
							CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	5.5*	5.5*	3.5*	3.5*	3.5*	2.0*
							RIDE	7.5	7.6	7.5	7.4	7.1	7.2	6.7	7.1	7.3	7.1	7.0	6.9	6.9	6.6
4476651	0.000	1.022	C	2025		0012															
93210000	0.000	2.880	R	1	1	45	CRACKING	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
7 441			3	4.6		54000	RIDE	8.4	8.3	8.0	7.5	7.4	7.4	7.4	7.2	7.2	7.1	8.1	8.0	7.9	
MARINA BLVD(0.2C)																					
							FC95														
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
							RIDE	7.9	8.0	7.7	7.7	7.5	7.2	7.7	7.5	7.6	7.3	7.4	7.5	7.4	7.1
93210000	2.880	6.283	R	1	1	45	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441			3	3.6		48000	RIDE	7.0		7.9	7.5	7.5	7.5	7.5	8.0	8.0	7.9	7.9	7.9	7.8	
SERVICE RD(3.3R)																					
							FC125														
2290921	2.877	9.001	C	2000		0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	5.0*
BERGERON LAND DEVELOPMENT,							SPRIDE	7.8	7.8	7.5	7.5	7.4	7.2	7.3	7.3	7.3	7.2	7.3	7.3	7.2	6.9
4476701	2.861	6.281	C	2025		0012															
93210000	6.283	8.678	R	1	1	55	CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
7 441			2	10.4		35000	RIDE	6.0*		7.4	7.5	7.4	7.5	7.4	7.5	7.5	7.4	7.4	7.4	7.4	
CABERNET DR(6.6R)																					
							FC5A														
4323491	6.283	8.678	R	2017		0012	CRACKING	9.0	6.5	6.5	6.5		10.0	10.0	9.0	9.0	9.0	9.0	9.1	8.8	7.0
HARDRIVES OF DELRAY, INC.							SPRIDE	7.2	7.3	7.3	7.2		7.9	8.0	8.0	8.1	7.9	8.0	8.0	8.0	7.9
93210000	8.678	13.750	R	1	1	55	CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
7 441			2	8.2		24030	RIDE	8.5		7.4	7.5	7.4	7.5	7.4	7.5	7.5	7.4	7.4	7.4	7.4	
TIVOLI ISLES BLVD(9.1R)																					
							FC5M														
4378361	8.670	13.594	R	2019		0012	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	9.4	10.0	8.5
GENERAL ASPHALT CO., INC.							RIDE	7.2	7.3	7.3	7.2	7.4	7.4	7.6		8.4	8.4	8.4	8.4	8.3	8.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	WKM-P	*****													(PMRS)	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															(PMRS)	
93210000	13.750	19.931	R	1	1	50	CRACKING	6.0*			10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
7 441				3	6.5	32500	RIDE	8.5			8.3	8.2	8.3	8.4	8.2	8.2	8.1	8.1	8.1	8.1	8.0
BOYNTON BCH BLVD(13.8R)																					
2291841	14.135	19.500	C	2000		0213	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.9	7.7	6.0*
SMITH & COMPANY				(2004)			SPRIDE	7.9	8.0	7.7	7.7	7.7	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.3
4484381	13.775	19.704	C	2031		0012															
93210000	19.931	24.250	R	1	1	50	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
7 441				4	5.2	54000	RIDE	8.6	8.5	8.5	8.4	8.3	8.2	8.1	8.1	8.1	8.0	8.1	8.1	8.1	8.0
MISSING DESCRIPTION I(20.7R)																					
2291851	19.787	24.244	C	1998		0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.0	7.7	6.0*
HARDRIVES OF DELRAY, INC.				(2002)			SPRIDE	8.1	8.0	7.9	7.9	7.8	7.6	7.7	7.8	7.8	7.7	7.8	7.8	7.9	7.6
93210000	19.931	24.250	L	1	1	50	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
7 441				4	5.2	54000	RIDE	8.5	8.3	8.4	8.2	8.0	8.0	8.4	7.9	8.0	7.9	7.9	7.9	8.0	7.9
WELLINGTON PARC DR(20.5L)																					
2291851	19.787	24.244	C	1998		0213	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	7.9	7.6	6.0*
HARDRIVES OF DELRAY, INC.				(2002)			SPRIDE	7.9	7.8	7.7	7.8	7.6	7.6	7.6	7.6	7.5	7.5	7.6	7.5	7.5	7.2
93210000	13.750	19.931	L	1	1	50	CRACKING	6.0*			10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
7 441				3	6.5	32500	RIDE	8.5			8.5	7.9	8.5	8.6	8.2	8.2	8.1	8.1	8.1	8.0	8.0
BOYNTON BEACH BLVD(13.8L)																					
2291841	14.135	19.500	C	2000		0213	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.3	8.1	6.5
SMITH & COMPANY				(2004)			SPRIDE	7.8	7.9	7.6	7.6	7.4	7.3	7.4	7.3	7.5	7.3	7.4	7.3	7.3	7.0
4484381	13.775	19.704	C	2031		0012															
93210000	8.678	13.750	L	1	1	55	CRACKING	6.0*			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0
7 441				2	8.2	24030	RIDE	8.5			7.8	7.4	7.8	7.9	7.9	7.8	7.7	7.5	7.7	7.7	7.6
PERO FAMILY FARM(9.7L)																					
4378361	8.670	13.593	L	2019		0012	CRACKING	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	8.8	10.0	8.5
GENERAL ASPHALT CO., INC.				(2022)			SPRIDE	7.4	7.5	7.6	7.6	7.4	7.4	7.5		8.4	8.3	8.3	8.3	8.3	8.2
93210000	6.283	8.678	L	1	1	55	CRACKING	1.0*			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5
7 441				2	10.4	35000	RIDE	6.0*			7.8	7.4	7.8	7.9	7.9	7.8	7.7	7.5	7.4	7.4	7.4
EL PARAISO PL(7.9L)																					
4323491	6.283	8.678	L	2017		0012	CRACKING	5.5*	5.5*	5.5*	5.5*	3.5*	10.0	10.0	9.0	9.0	9.0	9.0	8.9	8.9	7.5
HARDRIVES OF DELRAY, INC.				(2019)			SPRIDE	7.1	7.5	7.5	7.5	7.4	7.8	7.9	7.8	7.9	7.9	7.8	7.9	7.8	7.7
93210000	2.880	6.283	L	1	1	45	CRACKING	3.5*			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0
7 441				3	3.6	48000	RIDE	7.0			7.7	7.8	7.7	7.7	7.7	7.7	7.7	7.5	7.6	7.5	7.5
KIMBERLY BLVD(3.8C)																					
2290921	2.877	9.001	C	2000		0213	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.0*
BERGERON LAND DEVELOPMENT,				(2004)			SPRIDE	7.4	7.4	7.1	7.0	6.8	6.8	6.8	6.7	6.8	6.6	6.8	6.8	6.8	6.8
4476701	2.861	6.281	C	2025		0012															
93210000	0.000	2.880	L	1	1	45	CRACKING	8.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0
7 441				3	4.6	54000	RIDE	8.4	8.7	8.2	7.6	7.5	7.6	7.5	7.4	7.5	7.4	7.9	7.8	7.8	7.8
MARINA BLVD(0.2C)																					
				(2020)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
							RIDE	7.7	7.8	7.4	7.4	7.4	6.9	8.0	7.9	7.8	7.7	7.8	7.9	7.8	7.5
93220000	0.000	2.260	R	4	1	65	CRACKING	7.5	7.5	7.5	7.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
9 195	42.5	44.8		3	9.9	217000	RIDE	8.6	8.7	8.3	7.6	7.6		8.3	8.2	8.3	8.2	8.0	8.0	8.0	7.9
FC5M																					
				(2023)			CRACKING	9.0	9.0	7.5	7.5	6.5	6.5				10.0	10.0	10.0	9.1	7.5
							RIDE	7.7	7.7	8.0	8.0	7.9	7.7				8.4	8.4	8.3	8.3	8.2
93220000	2.260	3.066	R	4	1	65	CRACKING	7.5	7.5	7.5	7.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	
9 195	44.8	45.6		3	9.9	217000	RIDE	8.6	8.7	8.3	7.6	7.6		8.3	8.2	8.3	8.2	8.0	8.0	8.0	7.9
FC5M																					
				(2024)			CRACKING	9.0	9.0	7.5	7.5	6.5	6.5	4.5*				10.0	9.7	9.0	7.5
							RIDE	7.7	7.7	8.0	8.0	7.9	7.7	8.2				8.4	8.3	8.2	8.1
93220000	3.066	3.732	R	4	1	65	CRACKING	7.5	7.5	7.5	7.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	
9 195	45.6	46.3		4	8.4	227000	RIDE	8.6	8.7	8.3	7.6	7.6		8.3	8.2	8.3	8.2	8.0	8.0	8.0	7.9
FC5M																					
				(2024)			CRACKING	9.0	9.0	7.5	7.5	6.5	6.5	4.5*				10.0	9.7	9.2	8.0
							RIDE	7.7	7.7	8.0	8.0	7.9	7.7	8.2				8.4	8.3	8.3	8.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT	AT	(MP		SIDE)			=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(PMRS)	
93220000	3.732	5.572	R	4	1	65	CRACKING	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0		
9 I95	46.3	48.1	3	8.4	227000		RIDE	8.4	8.4	8.1	7.2	7.1		8.1	8.1	8.1	8.0	7.9	7.9	7.7		
					FC5M																	
				(2024)			CRACKING	9.0	6.5	6.5				10.0				10.0	9.7	9.0	7.5	
							RIDE	7.6	7.6	7.9				8.3				8.4	8.3	8.4	8.3	
93220000	5.572	6.080	R	4	1	65	CRACKING	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0		
9 I95	48.1	48.6	4	8.4	227000		RIDE	8.4	8.4	8.1	7.2	7.1		8.1	8.1	8.1	8.0	7.9	7.9	7.7		
					FC5M																	
				(2024)			CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	4.5*				10.0	9.7	9.0	7.5	
							RIDE	7.6	7.6	7.9	7.9	7.8	7.6	8.0				8.4	8.3	8.2	8.1	
93220000	6.080	6.331	R	4	1	65	CRACKING	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0		
9 I95	48.6	48.9	6	8.4	227000		RIDE	8.4	8.4	8.1	7.2	7.1		8.1	8.1	8.1	8.0	7.9	7.9	7.7		
					FC5M																	
				(2024)			CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	4.5*				10.0	9.7	9.0	7.5	
							RIDE	7.6	7.6	7.9	7.9	7.8	7.6	8.0				8.4	8.3	8.2	8.1	
93220000	6.331	8.110	R	4	1	65	CRACKING	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0		
9 I95	48.9	50.6	5	9.4	224000		RIDE	8.4	8.4	8.1	7.2	7.1		8.1	8.1	8.1	8.0	7.9	7.9	7.7		
					FC5M																	
				(2024)			CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	4.5*				10.0	9.7	9.0	7.5	
							RIDE	7.6	7.6	7.9	7.9	7.8	7.6	8.0				8.4	8.3	8.3	8.2	
93220000	8.110	14.400	R	4	1	65	CRACKING	10.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
9 I95	50.6	56.9	5	7.0	218316		RIDE	8.7					7.0	7.7	7.6	7.6	7.4	7.1	7.1	8.1		
					FC5M																	
4268432	7.715	14.400	R	2011	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	8.1	7.8	5.0*	
COMMUNITY	ASPHALT	CORP.		(2013)			SPRIDE	8.2	8.2	8.4	8.5	8.4	8.3	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	
93220000	14.400	16.460	R	4	1	65	CRACKING	10.0					10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
9 I95	56.9	59.0	5	8.0	230500		RIDE	8.7					7.8	7.6	7.6	7.5	7.4	7.2	7.2	7.2		
					FC5M																	
4275161	14.366	16.427	R	2018	0012		CRACKING	8.0	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.4	10.0	8.5
COMMUNITY	ASPHALT	CORP.		(2021)			SPRIDE	7.1	6.9	7.4	7.4	7.4	7.0	7.5	8.8	8.7	8.7	8.7	8.6	8.5	8.4	
93220000	16.460	18.781	R	4	1	65	CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	9.0	9.0	9.0	9.0		
9 I95	59.0	61.3	5	8.0	249000		RIDE	9.0	9.0	8.9	8.5			7.4	7.4	7.5	7.5	7.4	7.5	7.2		
					FC5M																	
4275162	16.427	18.781	R	2020	0012		CRACKING	7.5	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	8.8	7.5	
HALLEY	ENGINEERING	CONTRAC		(2023)			SPRIDE	7.1	7.0	7.4	7.3	7.1	7.0	7.3	7.0		8.0	8.0	7.8	7.8	7.7	
93220000	18.781	20.409	R	4	1	65	CRACKING	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
9 I95	61.3	62.9	5	8.0	249000		RIDE	9.0	9.0	8.9	8.5			7.7	7.5	7.8	7.8	7.7	7.8	7.8		
					FC5																	
				(2009)			CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	7.6	7.3	4.0*	
							RIDE	7.8	7.8	7.8	8.0	7.9	7.8	8.0	8.1	8.1	7.9	8.0	7.8	7.7	7.6	
93220000	20.844	21.570	R	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0		
9 I95	63.4	64.1	5	8.0	257000		RIDE	8.9	8.8	8.7	8.3	8.4				7.6	7.7	7.7	7.9	7.7		
					FC5																	
2319181	19.807	21.610	C	2004	0213		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	7.5	7.2	4.0*	
ASTALDI	CONSTRUCTION	CORP.		(2009)			SPRIDE	7.7	7.9	7.6	7.8	7.6	7.4	7.8	7.9	7.8	7.8	7.6	7.6	7.4	7.3	
4552201	20.844	22.038	C	2029	0012																	
93220000	21.570	24.555	R	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0		
9 I95	64.1	67.1	5	8.0	257000		RIDE	8.9	8.8	8.7	8.3	8.4				8.0	7.9	8.1	8.0			
					FC5																	
2319182	21.610	23.993	C	2004	0213		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	8.2	8.1	5.0*		
HUBBARD	CONSTRUCTION	COMPA		(2010)			S	8.1	8.1	7.9	8.0	7.8	7.6	7.9	8.0	7.9	7.9	7.8	7.8	7.7	7.6	
93220000	24.555	25.373	R	4	1	65	CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0		
9 I95	67.1	67.9	5	8.0	262000		RIDE							7.8	8.0	8.0	8.1	8.1	7.9			
					OGFC																	
2319191	24.594	25.328	C	2003	0213		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	7.2	7.0	4.0*	
ARCHER	WESTERN	CONTRACTORS		(2008)			SPRIDE	7.8	8.0	8.2	8.3	8.2	7.7	8.0	8.3	8.3	8.3	8.1	8.1	8.1	8.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	WT	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP		SIDE)			=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE	ONE	YEAR)		ASTYPE																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
93220000	25.373	26.761	R	4	1	65	CRACKING							10.0	10.0			10.0	10.0	10.0	10.0
9	I95	67.9	69.3	5	8.0	231000	RIDE							7.8	7.8			7.9	7.9	8.0	7.9
							OGFC														
				(2010)			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	7.5	6.6	3.5*
							RIDE	7.9	7.9	8.1	8.2	8.0	7.7	7.9	8.2	8.2	8.1	8.1	8.1	7.8	7.7
93220000	26.761	29.740	R	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0						10.0	10.0	10.0	
9	I95	69.3	72.3	5	7.2	224496	RIDE	8.8	8.7	8.5	8.0	8.0						8.0	8.1	8.0	
							OGFC														
				(2011)			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.3	7.0	4.0*
							RIDE	8.0	8.1	8.0	8.1	8.0	7.9	8.0	8.1	8.1	8.1	8.1	8.1	7.8	7.7
93220000	29.740	33.193	R	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0						10.0	10.0	10.0	10.0
9	I95	72.3	75.7	5	8.0	191500	RIDE	8.7	8.9	8.6	8.1	8.0						8.2	8.2	8.3	8.2
							FC5														
2319201	29.560	31.618	R	2004	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	9.1	9.0	6.0*
ARCHER WESTERN CONTRACTORS				(2010)		SPRIDE	8.1	8.3	8.3	8.4	8.3	8.2	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.1	8.0
93220000	33.193	34.326	R	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0						10.0	10.0	10.0	10.0
9	I95	75.7	76.9	5	8.0	180000	RIDE	8.7	8.9	8.6	8.1	8.0						8.2	8.2	8.3	8.2
							FC5														
2319201	33.284	34.009	R	2004	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	9.1	9.0	6.0*
ARCHER WESTERN CONTRACTORS				(2010)		SPRIDE	8.1	8.3	8.3	8.4	8.3	8.2	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.1	8.0
93220000	34.326	36.539	R	4	1	65	CRACKING	8.5	8.5	7.5		10.0						10.0	10.0	10.0	10.0
9	I95	76.9	79.1	5	8.0	180000	RIDE	8.8	8.8	8.5		8.0						7.8	7.6	7.7	7.6
							FC5														
2319211	34.152	36.733	C	2002	0213	CRACKING	10.0	9.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	5.8*	4.7*	1.5*	
PCL CIVIL CONSTRUCTORS, IN				(2008)		SPRIDE	7.5	7.6	7.4	7.7	7.5	7.4	7.6	7.6	7.6	7.4	7.6	7.6	7.6	7.0	6.9
4358031	33.898	36.539	R	2026	0236																
93220000	36.539	43.975	R	4	1	70	CRACKING	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0			10.0	
9	I95	79.1	86.5	6	8.5	144500	RIDE	8.3	8.3	8.1		7.9	8.0	8.3	8.2	8.2	8.2			8.1	
							FC5M														
4068702	39.642	44.029	C	2008	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	9.0	8.1	5.5*
POSEN CONSTRUCTION				(2013)		SPRIDE	7.8	8.3	8.4	8.4	8.4	8.3	8.4	8.5	8.5	8.4	8.5	8.5	8.5	8.3	8.2
93220000	43.975	46.018	R	4	1	70	CRACKING	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	
9	I95	86.5	88.6	3	8.0	101000	RIDE	8.3	8.3	8.1		7.9	8.0	8.3	8.2	8.2	8.2	8.1	8.1	8.0	
							FC5M														
4342732	44.023	46.018	R	2017	0012	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5						10.0	10.0	10.0	8.5
COMMUNITY ASPHALT CORP.				(2021)		SPRIDE	7.9	8.0	8.1	8.2	8.2	8.1						8.8	8.7	8.7	8.6
93220000	43.975	46.018	L	4	1	70	CRACKING	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
9	I95	86.5	88.6	3	8.0	101000	RIDE	8.1	8.1	7.7		7.9	8.1	8.2	8.1	8.1	8.0	8.0	8.0	8.0	7.8
							FC5M														
4342732	44.005	46.018	L	2017	0012	CRACKING	9.0	6.5	6.5	6.5	4.5*	4.5*						10.0	10.0	10.0	8.5
COMMUNITY ASPHALT CORP.				(2021)		SPRIDE	7.8	7.8	8.0	8.0	8.0	8.0	7.8					8.6	8.6	8.5	8.6
93220000	37.024	43.975	L	4	1	70	CRACKING	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0			10.0	
9	I95	79.6	86.5	6	8.5	144500	RIDE	8.1	8.1	7.7		7.9	8.1	8.2	8.1	8.1	8.0			8.0	
							FC5M														
4068702	39.642	44.029	C	2008	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	8.0	7.8	5.0*
POSEN CONSTRUCTION				(2013)		SPRIDE	8.0	8.2	8.2	8.3	8.2	8.1	8.3	8.3	8.3	8.3	8.2	8.2	8.3	8.3	8.2
93220000	36.032	37.024	L	4	1	65	CRACKING	9.0	9.0	9.0		10.0						10.0	10.0	10.0	10.0
9	I95	78.6	79.6	5	8.0	180000	RIDE	8.7	8.6	8.6		7.5						7.9	8.0	7.9	7.8
							FC5														
				(2025)			CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	10.0	10.0	9.0
							RIDE	7.8	7.8	7.6	7.7	7.6	7.8	7.6	7.7	7.7	7.6	7.8	8.0	8.0	7.9
93220000	34.934	36.032	L	4	1	65	CRACKING	10.0	9.0	9.0		10.0						10.0	10.0	10.0	10.0
9	I95	77.5	78.6	6	8.0	180000	RIDE	8.8	8.8	8.6		7.5						7.9	8.0	7.9	7.8
							FC5														
2319211	34.152	36.733	C	2002	0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	7.2	7.0	4.0*
PCL CIVIL CONSTRUCTORS, IN				(2008)		SPRIDE	7.8	7.8	7.6	7.7	7.6	7.8	7.6	7.7	7.7	7.7	7.6	7.8	7.8	8.0	7.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE														2031	
CONTRACTOR	(AGE_ONE	YEAR)						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
93220000	32.877	34.934	L	4	1	65	CRACKING	10.0	10.0	10.0		10.0					10.0	10.0	10.0	10.0		
9 I95	75.4	77.5	5	8.0		180000	RIDE	8.7	8.8	8.3		7.5					8.2	8.2	8.3	8.2		
							FC5															
2319201	33.183	34.152	L	2004		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	8.6	8.5	5.5*
ARCHER WESTERN CONTRACTORS				(2010)			SPRIDE	8.3	8.3	8.3	8.4	8.3	8.2	8.4	8.4	8.4	8.3	8.0	8.5	8.4	8.3	
93220000	30.093	32.877	L	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0					10.0	10.0	10.0	10.0		
9 I95	72.6	75.4	5	8.0		191500	RIDE	8.7	8.8	8.3	7.9	7.5					8.3	8.3	8.3	8.2		
							FC5															
2319201	29.560	31.737	L	2004		0213	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	8.3	8.5	5.5*	
ARCHER WESTERN CONTRACTORS				(2010)			SPRIDE	8.3	8.4	8.3	8.4	8.3	8.2	8.3	8.4	8.4	8.3	8.2	8.3	8.3	8.2	
93220000	27.213	30.093	L	4	1	65	CRACKING	10.0	10.0	10.0	8.5	7.5						10.0	10.0	10.0		
9 I95	69.7	72.6	5	8.0		191500	RIDE	8.7	8.8	8.6	8.0	8.0						8.1	8.2	8.1		
							OGFC															
				(2011)			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.9	7.5	4.5*	
							RIDE	8.2	8.2	8.1	8.2	8.1	8.0	8.1	8.2	8.1	8.1	7.8	8.1	8.1	8.0	
93220000	25.373	27.213	L	4	1	65	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
9 I95	67.9	69.7	5	8.0		262000	RIDE						8.1	8.0	8.0	7.9	7.8	7.9	8.0	7.9		
							OGFC															
2319193	25.328	27.979	C	2004		0234	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	4.0*	
HUBBARD CONSTRUCTION COMPA				(2006)			SPRIDE	8.0	8.0	8.1	8.2	8.0	8.0	8.2	8.2	8.2	8.1	7.8	8.2	8.1	8.0	
93220000	24.817	25.373	L	4	1	65	CRACKING						10.0		10.0	10.0	10.0	10.0	10.0	10.0		
9 I95	67.4	67.9	6	8.0		262000	RIDE						8.1		7.9	8.0	7.5	8.0	7.7	7.8		
							OGFC															
2319191	24.594	25.328	C	2003		0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	7.5	7.9	4.5*	
ARCHER WESTERN CONTRACTORS				(2008)			SPRIDE	7.8	7.7	8.0	8.1	8.0	8.0	8.2	8.2	8.2	8.2	8.0	8.2	8.2	8.1	
93220000	23.137	24.817	L	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0					10.0	10.0	10.0	10.0		
9 I95	65.7	67.4	5	8.0		262000	RIDE	9.0	8.5	8.9	8.4	8.3					7.6	7.7	7.6	7.8	7.7	
							FC5															
2319182	21.610	23.993	C	2004		0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.7	7.7	4.5*	
HUBBARD CONSTRUCTION COMPA				(2009)			S RIDE	7.7	7.8	7.7	7.7	7.6	7.4	7.7	7.8	7.7	7.7	7.4	7.7	7.7	7.6	
93220000	22.038	23.137	L	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0					10.0	10.0	10.0	10.0		
9 I95	64.6	65.7	6	8.0		257000	RIDE	9.0	8.5	8.9	8.4	8.3					8.1	7.8	8.1	8.1	8.1	
							FC5															
2319182	21.610	23.993	C	2004		0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	9.0	6.0*	
HUBBARD CONSTRUCTION COMPA				(2009)			S RIDE	8.1	8.1	7.9	8.0	7.8	7.8	7.8	8.0	8.0	7.9	7.8	8.0	8.0	7.9	
93220000	20.844	22.038	L	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0					10.0	10.0	10.0	10.0		
9 I95	63.4	64.6	5	8.0		257000	RIDE	9.0	8.5	8.9	8.4	8.3					7.9	7.8	7.7	7.9	7.9	
							FC5															
2319181	19.807	21.610	C	2004		0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.3	8.2	5.0*	
ASTALDI CONSTRUCTION CORP.				(2009)			SPRIDE	7.8	7.8	7.7	7.7	7.6	7.5	7.6	7.7	7.7	7.7	7.6	7.7	7.6	7.5	
4552201	20.844	22.038	C	2029		0012																
93220000	18.802	20.409	L	4	1	65	CRACKING	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
9 I95	61.3	62.9	5	8.0		249000	RIDE	8.9	8.8	8.9	8.3		7.5	7.6	7.5	7.8	7.7	7.7	7.8	7.8		
							FC5															
				(2009)			CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.2	6.9	4.0*	
							RIDE	7.8	7.8	7.6	7.7	7.6	7.5	7.7	7.8	7.8	7.6	7.1	7.6	7.7	7.6	
93220000	16.383	18.802	L	4	1	65	CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.0		
9 I95	58.9	61.3	5	8.0		249000	RIDE	8.9	8.8	8.9	8.3			7.3	7.5	7.5	7.3	7.3	7.4	7.4		
							FC5M															
4275162	16.427	18.781	L	2020		0012	CRACKING	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	8.5	
HALLEY ENGINEERING CONTRAC				(2023)			SPRIDE	7.4	7.3	7.6	7.7	7.7	7.4	7.8	7.7	7.8	8.1	7.9	8.1	8.1	8.0	
93220000	11.476	16.383	L	4	1	65	CRACKING	10.0					10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
9 I95	54.0	58.9	5	7.0		218316	RIDE	8.6					7.9	8.0	8.1	8.0	7.9	7.8	7.7	7.7		
							FC5M															
4275161	11.442	14.042	L	2018		0012	CRACKING	9.0	8.0	6.5	6.5	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	9.0	10.0	8.5	
COMMUNITY ASPHALT CORP.				(2021)			SPRIDE	7.7	7.5	8.0	8.0	7.9	7.7	8.1	8.8	8.8	8.7	8.5	8.7	8.7	8.6	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE				
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031				
INTERSECT AT (MP SIDE)		W_BMP W_EMP		RW FY-P		WKMX-P		=====																	
CONTRACTOR (AGE_ONE YEAR)		W_BMP W_EMP		RW FY-F		WKMX-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031 (PMRS)				
ITMSEG-F		W_BMP W_EMP		RW FY-F		WKMX-F																			
93220000		8.120	11.476	L	4	1	65	CRACKING	10.0					10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0				
9	I95	50.7	54.0	5	7.0	218316		RIDE	8.6					7.3	7.4	7.4	7.3	7.3	7.2	8.3	8.3				
								FC5M																	
4268431		8.200	11.476	L	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	8.3	8.3	5.5*			
RANGER CONSTRUCTION INDUST				(2012)				SPRIDE	8.4	8.1	8.6	8.7	8.6	8.5	8.7	8.8	8.8	8.6	8.4	8.7	8.6	8.5			
93220000		6.960	8.120	L	4	1	65	CRACKING	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	9.5	10.0	10.0				
9	I95	49.5	50.7	5	9.4	224000		RIDE	8.3	8.2	7.8	7.0	7.7		8.3	8.2	8.3	7.8	7.9	8.3	8.3				
								FC5M																	
								(2024)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0					10.0	10.0	10.0	8.5		
								RIDE	8.4	8.1	8.6	8.7	8.6	8.5	8.7							8.5	8.4	8.6	8.5
93220000		6.250	6.960	L	4	1	65	CRACKING	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5				
9	I95	48.8	49.5	4	8.4	227000		RIDE	8.3	8.2	7.8	7.0	7.7		8.3	8.2	8.3	7.8	7.9	7.8	7.7				
								FC5M																	
								(2024)	CRACKING	9.0	6.5	6.5	6.5	4.5*	4.5*	3.5*				10.0	10.0	10.0	8.5		
								RIDE	7.6	7.5	7.9	7.9	7.8	7.6	8.0				8.5	8.4	8.6	8.5			
93220000		5.292	6.250	L	4	1	65	CRACKING	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5				
9	I95	47.8	48.8	3	8.4	227000		RIDE	8.3	8.2	7.8	7.0	7.7		8.3	8.2	8.3	7.8	7.9	7.8	7.7				
								FC5M																	
								(2024)	CRACKING	9.0	6.5	6.5	6.5	4.5*	4.5*	3.5*				10.0	10.0	10.0	8.5		
								RIDE	7.6	7.5	7.9	7.9	7.8	7.6	8.0				8.5	8.4	8.3	8.2			
93220000		3.735	5.292	L	4	1	65	CRACKING	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5				
9	I95	46.3	47.8	4	8.4	227000		RIDE	8.3	8.2	7.8	7.0	7.7		8.3	8.2	8.3	7.8	7.9	7.8	7.7				
								FC5M																	
								(2024)	CRACKING	9.0	6.5	6.5							10.0	10.0	10.0	8.5			
								RIDE	7.6	7.5	7.9									8.5	8.4	8.4	8.3		
93220000		2.225	3.735	L	4	1	65	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0				
9	I95	44.8	46.3	3	8.4	227000		RIDE	8.7	8.7	8.4	7.7	7.7		8.3	8.3	8.3	8.1	8.0	8.0	7.8				
								FC5M																	
								(2024)	CRACKING	9.0	6.5	6.5	6.5	4.5*	4.5*	4.5*				10.0	10.0	10.0	8.5		
								RIDE	7.7	7.6	8.1	8.1	8.0	7.8	8.3				8.5	8.4	8.1	8.0			
93220000		1.620	2.225	L	4	1	65	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0				
9	I95	44.2	44.8	3	9.9	217000		RIDE	8.7	8.7	8.4	7.7	7.7		8.3	8.3	8.3	8.1	8.0	8.0	7.8				
								FC5M																	
								(2023)	CRACKING	9.0	6.5	6.5	6.5	4.5*	4.5*	4.5*				10.0	10.0	8.6	10.0	8.5	
								RIDE	7.7	7.6	8.1	8.1	8.0	7.8	8.3				8.2	8.1	8.2	8.2	8.2	8.1	
93220000		0.000	1.620	L	4	1	65	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0				
9	I95	42.5	44.2	4	9.9	217000		RIDE	8.7	8.7	8.4	7.7	7.7		8.3	8.3	8.3	8.1	8.0	8.0	7.8				
								FC5M																	
								(2023)	CRACKING	9.0	6.5	6.5	6.5	4.5*	4.5*				10.0	10.0	8.6	10.0	8.5		
								RIDE	7.7	7.6	8.1	8.1	8.0	7.8				8.2	8.1	8.2	8.1	8.0			
93220903		0.000	3.791	C	4	1		CRACKING													10.0	10.0	9.0		
9	I95			2	8.4	24000		RIDE													8.2	8.1	8.0		
								(2025)	CRACKING																
								RIDE																	
93220903		3.791	5.842	C	4	1		CRACKING														10.0	10.0	9.0	
9	I95			1	8.4	24000		RIDE														8.2	8.4	8.3	
								(2025)	CRACKING																
								RIDE																	
93220904		0.000	2.050	C	4	1		CRACKING															10.0	10.0	9.0
9	I95			1	8.4	25000		RIDE															8.4	8.3	8.2
								(2025)	CRACKING																
								RIDE																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	#T	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM	P	=====															(PMRS)
ITMSEG-P	(AGE_ONE	YEAR)		ASTYPE				2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	-F																
ITMSEG-F																						
93220904	2.050	5.840	C	4	1		CRACKING															
9 I95				2	8.4	25000	RIDE															
							CRACKING													10.0	10.0	9.0
							RIDE													8.4	8.4	8.3
							(2025)															
93230000	0.000	2.290	C	1	7	45	CRACKING	10.0	10.0	9.0	8.0	7.5	7.5	7.0	6.0*	5.5*	5.5*	5.5*	10.0	10.0		
729				2	28.7	5700	RIDE	8.4		7.6	7.2	7.4	6.6	7.2	7.1	7.1	7.0	6.5	8.5	8.4		
S LAKE AVE(0.0C)							FC125H															
4461051	0.011	2.285	C	2024	0012		CRACKING	9.0	8.5	7.5	7.5	7.0	7.0	6.0*	5.5*	3.5*	3.5*	3.0*	4.0*	10.0	9.5	
HALLEY ENGINEERING CONTRAC(2026)							SPRIDE	8.0	7.7	7.5	7.2	6.9	6.4	6.2	5.9	5.6	5.4*	5.1*	4.8*	7.4	7.1	
93270000	0.000	0.700	R	1	7	45	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
7				4	4.9	51000	RIDE	8.6	7.9	8.5	7.6	7.3	7.5	7.3	7.0	7.9	8.2	8.2	8.2	8.2	8.1	
SPUR TO EB/SR-80(0.0R)							DGFC															
4461771	0.058	0.656	R	2023	0012		CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*		10.0	9.5	
HALLEY ENGINEERING CONTRAC(2026)							RIDE	7.9	8.2	7.8	7.9	7.9	7.3	7.4	7.6	7.7	7.3	7.6		8.1	7.8	
93270000	0.700	2.008	R	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5		
7				3	6.5	43500	RIDE	8.6	8.5	8.3	8.0	7.9	7.8	7.9	7.9	7.2	7.2	7.5	7.8	7.7		
BELVEDERE RD(0.8C)							FC95M															
4461771	0.656	1.891	R	2023	0012		CRACKING	7.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	5.5*		10.0	9.5	
HALLEY ENGINEERING CONTRAC(2026)							RIDE	7.6	7.7	7.8	7.8	7.5	7.7	7.8	7.9	7.9	7.8	7.9		8.1	7.8	
93270000	0.700	2.008	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
7				3	6.5	43500	RIDE	8.3	8.1	8.3	7.7	8.0	7.8	8.2	8.1	7.8	7.3	7.7	7.7	7.7	8.0	
BELVEDERE RD(0.8C)							FC95M															
4461771	0.769	2.008	L	2023	0012		CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	6.5	6.0*	6.0*		10.0	9.5	
HALLEY ENGINEERING CONTRAC(2026)							RIDE	7.6	7.6	7.7	7.8	7.5	7.6	7.6	7.5	7.4	7.3	7.6		7.5	7.2	
93270000	0.000	0.700	L	1	7	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
7				4	4.9	51000	RIDE	8.6	9.1	8.7	7.9	7.2	7.0	7.3	7.5	7.8	8.0	8.0	8.1	8.0		
SPUR FROM EB/SR-80(0.0L)							DGFC															
4461771	0.058	0.769	L	2023	0012		CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5		10.0	9.5	
HALLEY ENGINEERING CONTRAC(2026)							SPRIDE	7.7	7.8	7.8	7.9	7.3	7.1	7.5	7.7	7.6	7.4	7.6		7.8	7.5	
93270001	0.000	0.389	R	1	1	45	CRACKING															
7				2	7.5	21500	RIDE															
OKEECHOBEE BLVD(0.0C)							DGFC															
							CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5
							RIDE							7.1	6.9	7.3	6.8	6.8	6.8	6.8	6.8	6.5
2296647	0.058	4.455	C	2028	0213																	
93270001	0.389	3.458	C	1	1	45	CRACKING															
7				2	7.5	21500	RIDE															
PORTO DEL SOL(0.9L)							DGFC															
							CRACKING							10.0	10.0	10.0	10.0	10.0	8.5	10.0	9.5	
							RIDE							7.9	7.9	7.9	7.8	7.9	7.8	7.9	7.6	
2296647	0.058	4.455	C	2028	0213																	
93270001	3.458	4.455	C	1	1	45	CRACKING															
7				2	7.5	21500	RIDE															
60 ST N(4.4L)							DGFC															
							CRACKING							10.0	10.0	10.0	10.0	10.0	8.5	7.5	6.5	
							RIDE							7.9	7.9	7.9	7.8	7.9	7.8	6.9	6.6	
2296647	0.058	4.455	C	2028	0213																	
93270001	0.000	0.389	L	1	1	45	CRACKING															
7				2	7.5	21500	RIDE															
OKEECHOBEE BLVD(0.0C)							DGFC															
							CRACKING							10.0	10.0	10.0	10.0	10.0	9.7	9.3	8.5	
							RIDE							7.0	7.0	6.6	6.2	6.4	7.2	7.2	6.9	
2296647	0.058	4.455	C	2028	0213																	
93280000	0.000	3.034	R	1	1	50	CRACKING	6.5	6.5	6.5	4.5*	2.0*	2.0*	2.0*	1.0*	1.0*			10.0	10.0	10.0	
704				4	6.8	65000	RIDE	8.6	8.5	8.4	7.6	7.6	7.3	7.5	6.8	6.9			8.3	8.9	8.8	
SR 7(0.0C)							DGFC															
4097011	0.000	3.995	C	2007	0213		CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.5	9.1	8.0	
							RIDE	8.7	8.8	8.7	8.7	8.5	8.4	8.5	8.5	8.6	8.6	8.5	8.5	8.5	8.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE														
CONTRACTOR	(AGE_ONE	YEAR)						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(PMRS)
93280000	3.034	3.940	R	1	1	50	CRACKING	6.5	6.5	6.5	4.5*	2.0*	2.0*	2.0*	1.0*	1.0*				10.0	10.0
704				4	3.2	65500	RIDE	8.6	8.5	8.4	7.6	7.6	7.3	7.5	6.8	6.9				8.6	8.5
JOG RD(3.0C)																					
4097011	0.000	3.995	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	7.5	7.5	8.4	8.1	7.0
				(2012)			RIDE	8.6	8.5	8.3	8.3	8.3	8.0	8.2	8.1	8.2	8.2	8.1	8.1	8.1	7.8
DGFC																					
93280000	3.940	5.559	R	1	1	45	CRACKING	8.5	8.5	8.5	7.5	7.0	6.5	6.5	4.5*	4.5*	3.5*	3.5*	1.0*	10.0	10.0
704				4	4.7	67000	RIDE	8.8	8.7	8.4	7.8	7.8	7.6	7.8	7.3	7.0	7.1	7.1	7.1	8.8	8.8
DREXEL RD(4.0R)																					
4216941	3.848	5.535	R	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	8.8	8.7	7.5
				(2013)			SPRIDE	8.8	8.7	8.7	8.7	8.4	8.6	8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.2
RANGER CONSTRUCTION INDUST																					
93280000	5.559	7.552	R	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*
704				4	3.2	45000	RIDE	8.6	8.6	8.4	8.0	7.8	7.9	8.0	7.9	7.6	7.7	7.6	7.7	7.5	7.5
DONNELL RD(5.9R)																					
				(2025)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	10.0	10.0	9.5
							RIDE		8.9	8.8	8.7	8.6	8.5	8.6	8.5	8.5	8.2	8.6	8.4	8.4	8.1
FC4																					
93280000	7.552	8.160	R	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5
704				3	2.3	78000	RIDE			8.1	7.7	7.7	8.0	7.9	8.0	7.9	7.8	7.7	7.8	7.7	7.7
OGFC																					
				(2003)			CRACKING	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	3.5*
							RIDE	7.6	7.6	7.5	7.5	7.2	7.3	7.4	7.4	7.4	7.6	7.6	7.5	7.5	7.4
4476711																					
93280000	8.160	8.616	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0
704				4	3.1	68000	RIDE	7.2	6.8	7.0	6.5	6.2*	5.9	5.8	5.7		7.0	6.8	7.0	7.1	7.1
PARKER AVE(8.6R)																					
				(2010)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.7	8.1	6.5
							RIDE	7.3	7.1	6.8	6.9	6.7	6.4	6.5	6.5	6.3	6.6	6.3	6.3	6.7	6.4
DGFC																					
93280000	8.616	8.898	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0
704				3	3.1	68000	RIDE	8.2	7.9	7.8	7.8	7.7	6.3	6.3	6.0	6.0	5.5	5.5	5.7	5.5	5.5
PB CONVENTION CENTER(8.8R)																					
				(1994)			CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	4.5*	4.5*	5.1*	4.6*	4.6*	2.5*
							RIDE	5.5	5.3*	5.5	5.2*	5.6	5.3*	5.2*	5.3*	5.1*	4.2*	4.9*	5.2*	5.3*	5.0*
4461791																					
93280000	8.898	9.405	C	1	1	35	CRACKING	3.5*	3.5*	3.5*				10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5
704				2	3.7	18500	RIDE	5.9*	4.8*	4.8*				4.9*	5.2*	5.6	4.9*	4.9*	5.0*	4.9*	4.9*
SPUR(8.9R)																					
				(2007)			CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.4	7.4	6.0*
							RIDE	4.9*	4.6*	4.6*	4.5*	4.7*	4.1*	4.2*	4.4*	5.1*	4.1*	4.2*	4.1*	4.4*	4.1*
4461791																					
93280000	9.405	9.823	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
704				2	6.9	23500	RIDE	5.6*	4.8*	3.9*	3.2*	6.4		6.1	6.0	5.4*	5.7	5.8	5.9	5.6	5.6
LAKE DR S(9.8R)																					
				(2007)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.9	8.1	6.5
							RIDE	4.8*	5.6	4.4*	4.6*	4.4*	4.6*	4.5*	4.5*	4.0*	4.0*	4.2*	4.3*	4.0*	3.7*
UNKW																					
93280000	9.823	10.210	R	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
704				2	6.9	23500	RIDE	5.6*	4.8*	3.9*	3.2*	6.4	6.1	5.7	5.2*	5.9	5.2*	5.1*	5.2*	5.4*	5.4*
COCOANUT ROW(9.9C)																					
2298301	9.711	10.199	C	1998		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.2	8.3	6.5
				(1999)			RIDE	5.2*	5.0*	4.2*	4.2*	4.3*	4.1*	3.8*	3.7*	3.8*	4.0*	3.9*	3.2*	3.2*	2.9*
4498141																					
93280000	9.823	10.210	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
704				2	6.9	23500	RIDE	6.6	4.7*	4.8*	4.9*	4.4*	5.5	5.7	5.6	5.4*	5.5	5.5	5.5	5.4*	5.4*
COCOANUT ROW(9.9C)																					
2298301	9.711	10.199	C	1998		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.9	6.0*
				(1999)			RIDE	5.3*	5.3*	4.1*	4.2*	4.0*	4.0*	3.6*	3.9*	3.9*	3.7*	3.8*	3.9*	4.0*	3.7*
4498141																					
93280000	9.405	9.823	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
704				2	6.9	23500	RIDE	6.6	4.7*	4.8*	4.9*	4.4*		5.4*	5.3*	5.4*	5.0*	5.0*	5.4*	5.5	5.5
FLAGLER DR(9.4L)																					
				(2007)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	9.0	7.5
							RIDE	5.0*	5.7	4.5*	4.8*									3.5*	3.2*
UNKW																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)		W_BMP W_EMP		RW		FY-P WKMX-P		=====														
CONTRACTOR (AGE_ONE YEAR)		(AGE_ONE YEAR)		RW		FY-F WKMX-F																
		W_BMP W_EMP		RW		FY-F WKMX-F																
93280000	8.616	8.898	L	1	1	35	CRACKING	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0		
704			3	3.1		68000	RIDE	6.9	7.5	7.3	6.7	6.6	6.0	6.2	6.3	6.6	6.0	5.7	6.1	5.7		
S SAPODILLA AVE(8.8L)							DGFC															
							CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*
							RIDE	5.5	6.6												5.0*	4.7*
(1994)																						
93280000	8.160	8.616	L	1	1	45	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0		10.0	10.0	10.0	10.0		
704			3	3.1		68000	RIDE	7.5	7.5	7.3	6.7	6.6	6.0	6.2	6.3		7.0	7.0	7.2	7.3		
S. TAMARIND AVE(8.6L)							DGFC															
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.1	8.2	7.0	
							RIDE	7.0	7.3	6.9	6.5	6.7	6.6	6.4	6.6	6.6	6.5	6.7	6.5	6.6	6.3	
(2010)																						
93280000	7.552	8.160	L	1	1	45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
704			4	2.3		78000	RIDE			8.3	7.8	7.8	7.7	7.9	7.8	7.7	7.6	7.6	7.5	7.5		
							OGFC															
							CRACKING	9.5	9.5	9.5	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	1.5*
							RIDE	7.3	7.5	7.3	7.4	7.3	6.9	7.3	7.4	7.1	7.1	6.6	7.2	7.2	7.1	
(2003)																						
4476711	7.552	8.160	C	2025		0012																
93280000	5.559	7.552	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.5	6.5	6.5	6.5	4.5*	4.5*		
704			4	3.2		45000	RIDE	8.5	8.3	8.3	7.8	7.6	7.4	7.4	7.4	7.3	7.2	7.1	7.3	7.2		
ZIP CODE PL(5.7L)							FC95R															
4270201	6.242	7.550	L	2013		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.6	9.2	8.0	
RANGER CONSTRUCTION INDUST(2015)							SPRIDE		8.5	8.7	8.6	8.4	8.0	8.4	8.4	8.4	8.4	8.3	8.4	8.3	8.3	
93280000	3.848	5.559	L	1	1	45	CRACKING	10.0	10.0	8.5	7.5	7.5	7.5	6.0*	4.0*	4.0*	2.0*	2.0*	2.0*	10.0		
704			4	4.7		67000	RIDE	8.8	8.3	8.3	7.7	7.5	7.2	7.5	7.3	7.2	7.0	6.9	6.9	8.8		
WEST DR(4.2L)							FC95M															
4216941	4.115	5.535	L	2011		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	
RANGER CONSTRUCTION INDUST(2013)							SPRIDE		8.7	8.7	8.6	8.6	8.5	8.4	8.5	8.5	8.6	8.2	8.4	8.4	8.4	
93280000	3.034	3.848	L	1	1	50	CRACKING	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*			10.0	10.0		
704			4	3.2		65500	RIDE	9.0	8.7	8.7	7.8	7.9	7.5	7.6	6.8	6.8			8.7	8.5		
JOG RD(3.0C)							DGFC															
4097011	0.000	3.995	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.2	8.9	7.5	
(2012)							RIDE		8.3	8.4	8.3	8.3	8.1	7.9	8.0	8.0	8.0	7.9	8.2	8.1	8.1	
93280000	0.000	3.034	L	1	1	50	CRACKING	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*			10.0	10.0		
704			4	6.8		65000	RIDE	9.0	8.7	8.7	7.8	7.9	7.5	7.6	6.8	6.8			8.4	9.0		
SR 7(0.0C)							DGFC															
4097011	0.000	3.995	C	2007		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.1	9.2	8.0	
(2011)							RIDE		8.6	8.8	8.8	8.8	8.6	8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.5	
93280001	0.000	0.522	C	1	1	35	CRACKING	7.0	7.0	6.5				10.0	10.0	9.5	8.0	8.0	8.0	8.0		
704 1			3	3.0		21500	RIDE	5.2*	4.4*	3.7*				4.8*	5.1*	4.8*	4.4*	4.4*	4.5*	4.4*		
FLAGLER DR(0.0C)							DGFC															
							CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.0*	
							RIDE	4.6*	3.8*	3.5*	3.8*	3.7*	3.5*	3.7*	3.6*	3.5*	3.3*	3.6*	3.3*	3.6*		
(2007)																						
4461791	0.000	0.522	C	2028		0012																
93290000	0.000	2.097	C	1	7	40	CRACKING	8.5		10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	8.5	7.5	7.5		
715			2	20.5		12000	RIDE	7.4		8.2	7.7	7.6	7.7	7.9	7.9	7.9	7.4	7.2	7.1	7.3		
BELLE GLADE CITY LIMITS(0.0C)							FC125M															
							CRACKING	7.5	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	9.5	
							RIDE	7.0	7.1	7.1	7.2	7.1	6.9	6.9	6.9	7.0	6.8	6.7		7.6	7.3	
(2026)																						
93290000	2.097	12.072	C	1	1	55	CRACKING	1.0*		10.0	10.0	9.5	9.5	8.0	8.0	6.5	6.5	6.5	6.5			
715			2	8.2		4400	RIDE	5.8*		8.3	8.0	8.0	7.8	7.9	7.7	7.5	7.1	7.0	7.1	7.1		
W CANAL ST S(2.1C)							FC125M															
4287221	2.090	12.070	C	2016		0012	CRACKING	5.5*	3.5*	3.0*	3.0*	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.7	7.3	6.5	
COMMUNITY ASPHALT CORP.(2018)							SPRIDE		6.9	6.7	6.6	6.8	7.7	7.6	7.6	7.6	7.4	7.4	7.4	7.3	7.0	
93310000	0.000	5.631	R	1	1	60	CRACKING	10.0	9.0	9.0	7.5	7.0	7.0	5.0*	4.5*	4.5*	4.5*	4.5*	2.0*	10.0		
710			2	23.5		8752	RIDE	8.7	8.8	8.5	8.1	7.9	7.6	7.5	7.5	7.0	6.9	6.6	6.5	8.4		
J W CORBETT AREA(1.5R)							FC5M															
4327041	1.941	5.225	C	2014		0213	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.2	9.1	7.5	
(2018)							RIDE		8.4	8.4			8.5	8.3	8.6	8.6	8.6	8.6	8.6	8.6	8.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE															
CONTRACTOR	(AGE_ONE	YEAR)						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(PMRS)	
93310000	5.631	6.900	R	1	1	60	CRACKING	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
710				2	23.5		8752 RIDE	6.9	6.8	6.2*	4.9*	7.8	7.8	7.9	7.9	8.0	7.9	7.8	7.7	7.7		
INNOVATION DR(6.4R)																						
4460971	5.597	6.888	C	2023			0012 CRACKING	9.0	8.0	8.0		4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	9.0	
J.W. CHEATHAM, LLC				(2024)			SPRIDE	7.6	7.6	7.7		7.7	7.6	7.9	7.7	7.6	7.6	8.3	8.2	8.2	8.1	
FC5M																						
93310000	6.900	7.912	R	1	1	60	CRACKING	7.0	7.0	7.0	7.0	5.0*	5.0*	5.0*		10.0	10.0	10.0	10.0	10.0	10.0	
710				2	18.9		17500 RIDE	8.8	8.9	8.6	7.9	7.8	7.6	7.8		8.3	8.3	8.3	8.3	8.3	8.2	
FC5M																						
				(2026)			CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.5	9.0	8.0	
4484391	6.900	11.800	C	2028			0012 RIDE	8.2	8.3	8.3	8.2	8.1	8.0	8.3	8.4	8.4	8.4	8.4	8.4	8.4	8.6	8.5
93310000	7.912	11.800	R	1	1	60	CRACKING	7.0	7.0	7.0	7.0	5.0*	5.0*	5.0*		10.0	10.0	10.0	10.0	10.0	10.0	
710				2	18.9		17500 RIDE	8.8	8.9	8.6	7.9	7.8	7.6	7.8		8.3	8.3	8.3	8.3	8.3	8.2	
FC5M																						
HALPATIOKEE RD(9.9R)																						
4137981	7.228	11.800	C	2006			0012 CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.5	8.3	5.5*	
RANGER CONSTRUCTION INDUST(2009)							RIDE	8.2	8.3	8.3	8.2	8.1	8.0	8.3	8.4	8.4	8.4	8.4	8.4	8.4	8.3	
4484391	6.900	11.800	C	2028			0012															
93310000	11.800	16.500	R	1	1	55	CRACKING	3.0*	3.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
710				2	23.7		16400 RIDE	8.2	8.2	7.9	6.8	6.7	6.5	6.5	8.1	8.1	8.0	8.0	8.1	8.1		
FC5																						
4036191	11.800	16.930	C	2005			0012 CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	9.0	6.5	
COMMUNITY ASPHALT CORP.				(2008)			SPRIDE	8.1	8.1	8.1	8.1	8.1	8.0	8.1	8.1	8.2	8.2	8.2	8.2	8.2	8.2	
93310000	16.500	20.416	R	1	1	55	CRACKING	6.5	6.5	6.5	6.5	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
710				2	14.0		30000 RIDE	8.3	8.3	8.1	7.3	7.1	7.0	7.1	8.1	8.2	7.9	8.1	8.1	8.1		
FC5M																						
CR 809A(17.0C)																						
2298151	16.861	20.474	C	2006			0012 CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.6	8.3	5.5*	
RANGER CONSTRUCTION INDUST(2008)							RIDE	8.1	8.0	8.0	8.0	7.8	7.6	7.9	8.0	8.0	8.0	8.0	8.0	8.1	8.0	
4192511	17.006	20.148	C	2023			0213															
93310000	20.416	22.010	R	1	1	45	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.5	10.0			10.0	10.0	10.0	10.0	
710				2	11.7		19500 RIDE	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.1			8.4	8.4	8.5		
FC95																						
MILITARY TR(20.5C)																						
2298971	20.631	21.994	C	2007			0213 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.0	
RANGER CONSTRUCTION INDUST(2011)							SPRIDE	7.9	8.4	8.0	8.0	7.8	7.5	7.8	7.7	7.9	7.8	7.8	7.7	7.6	7.3	
93310000	22.010	22.832	R	1	1	35	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
710				2	12.4		21000 RIDE	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7	7.5	7.3	7.5	7.4	7.4		
FC125M																						
CHENEY WAY(22.2R)																						
				(2015)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.7	7.5	
							RIDE		7.7	7.4	7.2	7.2	7.1	7.2	7.1	7.2	7.1	7.0	6.8	6.8	6.5	
93310000	22.832	23.605	R	1	1	35	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
710				2	14.5		8700 RIDE	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7	7.5	7.3	7.5	7.4	7.4		
FC95M																						
AVE N(22.9C)																						
2298961	22.836	23.655	C	2016			0213 CRACKING		6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
J.W. CHEATHAM, LLC				(2020)			SPRIDE		7.0	6.6	6.5			8.0	7.3	8.0	7.9	7.9	7.9	7.6	7.3	
93310000	22.010	23.605	L	1	1	35	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
710				2	12.4		21000 RIDE	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7	7.5	7.3	7.5	7.4	7.4		
FC125M																						
AVE U(22.2L)																						
2298961	22.836	23.655	C	2016			0213 CRACKING		10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	9.3	10.0	9.0	
J.W. CHEATHAM, LLC				(2020)			SPRIDE		7.9	7.5	7.1			7.4	7.1	7.2	7.0	7.0	7.0	6.9	6.6	
93310000	20.416	22.010	L	1	1	45	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.5	10.0			10.0	10.0	10.0	10.0	
710				2	11.7		19500 RIDE	8.3	8.2	8.1	7.7	7.8	7.6	7.5	6.8			8.3	8.3	8.1		
FC95																						
MILITARY TR(20.5C)																						
2298971	20.631	21.994	C	2007			0213 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.2	8.0	
RANGER CONSTRUCTION INDUST(2011)							SPRIDE	7.6	8.0	8.0	7.9	7.9	7.7	7.7	7.7	7.8	7.8	7.7	7.7	7.6	7.3	
93310000	16.705	20.416	L	1	8	55	CRACKING	5.5*	3.5*	2.5*	2.5*	2.5*	2.5*	2.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
710				2	14.0		30000 RIDE	8.0	7.9	7.7	6.8	6.6	6.6	6.5	8.1	8.1	8.1	8.1	8.1	8.1	8.1	
FC5M																						
CR 809A(17.0C)																						
2298151	16.861	20.474	C	2006			0012 CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5			
RANGER CONSTRUCTION INDUST(2008)							RIDE	8.1	8.1	8.0	8.0	8.0	7.9	8.0	8.0	8.0	7.9	8.0	8.0			
4192511	17.006	20.148	C	2023			0213															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)	
ITMSEG-P																						
ITMSEG-F																						
93310000	11.700	16.705	L	1	1	55	CRACKING	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0		
710				2	23.7	16400	RIDE	8.5	8.5	8.1	7.7	7.7	7.6	7.6	8.1	8.1	8.0	8.1	8.1	8.1	8.2	
BEELINE HWY(13.5L)																						
4036191	11.800	16.930	C	2005		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	2.0*	
COMMUNITY ASPHALT CORP. (2008) SPRIDE																						
93310000	7.912	11.700	L	1	1	60	CRACKING	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0		
710				2	18.9	17500	RIDE	8.8	8.7	8.5	8.0	7.9	7.8	7.6		8.3	8.2	8.2	8.3	8.2		
CALOOSA BLVD W(8.2L)																						
4137981	7.228	11.800	C	2006		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.7	6.5	4.0*	
RANGER CONSTRUCTION INDUST(2009) RIDE																						
4484391	6.900	11.800	C	2028		0012		8.1	8.2	8.3	8.2	8.2	8.1	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.0	
FC5M																						
93310000	6.900	7.912	L	1	1	60	CRACKING	7.0	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0		
710				2	18.9	17500	RIDE	8.3	7.7	7.3	5.7*	7.8	7.7	7.9	7.8	7.8	7.7	7.7	7.6	7.5		
CR 711(7.4L)																						
							CRACKING	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	9.0	8.0	
4484391	6.900	11.800	C	2028		0012	RIDE	7.3	7.0	7.4	7.5	7.4	7.0	7.6	8.4	8.6	8.3	8.4	8.4	8.4	8.3	
FC5M																						
93310000	5.631	6.900	L	1	1	60	CRACKING	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
710				2	23.5	8752	RIDE	7.3	7.2	6.8	7.2	7.8	7.7	7.9	7.8	7.8	7.7	7.7	7.6	7.7		
ENTRANCE RD N(6.4L)																						
4460971	5.597	6.888	C	2023		0012	CRACKING	9.0	8.0	8.0		6.5	6.5	6.5	4.5*	3.5*	3.5*	10.0	10.0	10.0	9.0	
J.W. CHEATHAM, LLC (2024) SPRIDE																						
93310000	0.000	5.631	L	1	1	60	CRACKING	10.0	9.0	9.0	7.5	7.0	7.0	5.0*	4.5*	4.5*	4.5*	4.5*	2.0*	10.0		
710				2	23.5	8752	RIDE	8.7	8.8	8.5	8.1	7.9	7.6	7.5	7.0	6.9	6.6	6.5	8.4			
CR 706(1.6L)																						
4327041	1.941	5.225	C	2014		0213	CRACKING	10.0	10.0			10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	
(2018) RIDE																						
93470000	0.000	2.996	R	5	1	65	CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0		
91	73.3	76.3		3	13.8	118700	RIDE	8.4	8.3	8.4	7.8	7.7	7.8	7.8	7.8	8.0	8.0	8.0	8.0	7.9		
FC5M																						
4170241	0.000	3.000	C	2007		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	9.0	6.5	
RANGER CONSTRUCTION INDUST(2009) SPRIDE																						
4182145	0.000	3.406	C	2025		0548		8.0	7.9	8.0	8.0	7.9	7.9	8.1	8.1	8.1	8.1	8.1	8.0	8.0	7.9	
93470000	2.996	8.152	R	5	1	65	CRACKING	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0		
91	76.3	81.5		3	13.8	110100	RIDE	7.5			7.8	7.8	7.5	7.5	7.5	7.3	7.2	7.1	7.1	7.1		
FC5M																						
4310791	2.996	7.976	C	2013		0012	CRACKING	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.6	8.6	6.5	
COMMUNITY ASPHALT CORP. (2015) SPRIDE																						
4171321	3.270	7.035@	C	2027		0213		7.1	8.0	8.0	8.0	8.0	7.9	8.1	8.0	8.0	8.0	8.0	8.0	8.0	7.9	
93470000	8.152	13.075	R	5	1	65	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.0*		10.0	10.0	10.0	10.0	10.0	10.0		
91	81.5	86.4		3	13.8	100572	RIDE	7.5	8.6	8.4	7.7	7.6	7.3		8.2	8.1	7.9	7.9	7.9	7.9		
FC5M																						
4379911	8.181	14.071	R	2019		0012	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.4	9.7	8.0	
RANGER CONSTRUCTION INDUST(2021) SPRIDE																						
93470000	13.075	13.608	R	5	8	65	CRACKING	10.0	10.0	10.0	8.5	8.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0		
91	86.4	87.0		3	13.8	100572	RIDE	8.5	8.6	8.5	7.6	7.6	7.5	7.6	8.2	8.1	7.9	7.9	7.9	7.9		
FC5M																						
4379911	8.181	14.071	R	2019		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	9.0	9.0	9.4			
RANGER CONSTRUCTION INDUST(2021) SPRIDE																						
4371694	11.754	13.769	C	2031		0213		7.8	7.1	7.8	7.8	7.8	7.7	7.9	8.7	8.7	8.7	8.7	8.7			
93470000	13.608	13.922	R	5	1	65	CRACKING	10.0	10.0	10.0	8.5	8.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0		
91	87.0	87.3		3	13.8	100572	RIDE	8.5	8.6	8.5	7.6	7.6	7.5	7.6	8.2	8.1	7.9	7.9	7.9	7.9		
FC5M																						
							CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5							9.7	8.5
4371694	11.754	13.769	C	2031		0213	RIDE	7.8	7.1	7.8	7.8	7.8	7.7	7.9							8.7	8.6
93470000	13.922	21.112	R	5	8	65	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0		
91	87.3	94.5		3	16.1	85400	RIDE		8.9	8.8	8.4	8.3	8.2	8.2	7.9	8.1	7.9	7.9	7.9	7.9		
FC2																						
							CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5								
							RIDE	7.8	7.1	7.8	7.8	7.8	7.7	7.9								
(2002)																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT	AT	(MP		SIDE)			SURFTYPE	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P	ASTYPE														
CONTRACTOR	(AGE	ONE	YEAR)					2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(PMRS)
93470000	21.112	21.695	R	5	1	70	CRACKING	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
91	94.5	95.0	3	13.8	84000	RIDE		8.7	8.8	8.4	8.0	8.0	8.1	8.2	8.1	8.1	8.0	7.9	7.9	7.7	
							FC5M														
4061435	20.834	21.398	R	2024	0213		CRACKING	9.0	7.5	7.5	7.5	6.5	6.5							9.2	8.0
ASPHALT	GROUP,	INC.		(2026)			SPRIDE	7.6	7.6	7.8	7.8	7.8	7.7							8.5	8.4
93470000	21.695	29.210	R	5	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
91	95.0	102.6	2	13.8	84000	RIDE		9.0	9.0	8.9	8.0	8.0	8.1	8.2	8.1	8.1	8.0	7.9	7.9	7.7	
							FC5M														
4351711	21.287	26.260	R	2017	0012		CRACKING	9.0	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	8.5	9.1	7.5
COMMUNITY	ASPHALT	CORP.		(2021)			SPRIDE	7.6	7.6	7.8	7.8	7.8	7.7		8.6	8.6	8.6	8.6	8.6	8.6	8.5
93470000	29.210	30.499	R	5	1	70	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	
91	102.6	103.8	2	19.0	75400	RIDE		8.6	8.6	8.5	7.9	7.8	7.8	7.8	7.7	7.5	7.4	7.3	7.5	7.2	
							FC5M														
4351721	29.410	32.900	C	2017	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	8.0	8.0	8.4	8.5	7.0
COMMUNITY	ASPHALT	CORP.		(2021)			SPRIDE	8.1	8.1	8.1	8.1	8.1	8.1		8.6	8.6	8.0	8.1	8.1	8.0	7.9
4061436	27.800	32.800	C	2026	0213																
93470000	30.499	39.000	R	5	1	70	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
91	103.8	112.3	2	19.6	56906	RIDE		8.5	8.6	8.4	7.8	7.8	7.9	8.0	8.0	8.0	7.9	7.8	7.8	7.7	
							FC5M														
				(2021)			CRACKING	9.0	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	8.9	9.0	7.5
							RIDE	7.6	7.5	8.1	8.2	8.1	8.0		8.6	8.6	8.6	8.6	8.6	8.6	8.5
93470000	39.000	44.561	R	5	1	70	CRACKING	8.5	8.5	7.5	7.0	6.0*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0
91	112.3	117.9	2	19.6	56906	RIDE		8.9	8.9	8.7	8.2	8.2	8.1	7.9	8.2	8.2	8.2	8.2	8.0	8.1	
							FC5M														
4426241	39.020	44.560	C	2022	0012		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	10.0	10.0	10.0	8.5
OHLA USA,	INC.			(2024)			SPRIDE	8.1	8.0	8.3	8.2	8.2	8.1	8.4	8.3	8.2	8.8	8.7	8.7	8.7	8.6
4157484	36.804	43.163	C	2029	0213																
93470000	39.000	44.561	L	5	1	70	CRACKING	9.0	8.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.5	9.5	9.5	
91	112.3	117.9	2	19.6	56906	RIDE		8.8	8.9	8.7	8.0	7.7	7.5	7.5	7.3	8.2	8.1	8.0	8.0	7.9	
							FC5M														
4426241	39.020	44.560	C	2022	0012		CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	10.0	10.0	10.0	8.5
OHLA USA,	INC.			(2024)			SPRIDE	7.9	7.9	8.1	8.1	8.1	8.0	8.3	8.3	8.2	8.7	8.6	8.6	8.6	8.5
4157484	36.804	43.163	C	2029	0213																
93470000	30.499	39.000	L	5	1	70	CRACKING	9.0	8.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.5	9.5	9.5	
91	103.8	112.3	2	19.6	56906	RIDE		8.8	8.9	8.7	8.0	7.7	7.5	7.5	7.3	8.2	8.1	8.0	8.0	7.9	
							FC5M														
4365211	32.881	38.993	L	2018	0012		CRACKING	8.5	8.5	8.5	8.5	8.5	8.5		10.0	10.0	10.0	10.0	9.4	10.0	8.5
RANGER	CONSTRUCTION	INDUST		(2021)			SPRIDE	7.9	7.9	8.1	8.1	8.1	8.0		8.8	8.7	8.7	8.7	8.6	8.6	8.5
93470000	29.210	30.499	L	5	1	70	CRACKING	10.0	9.0	9.0	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	
91	102.6	103.8	2	19.0	75400	RIDE		8.7	8.8	8.6	8.0	7.9	7.6	7.7	7.2	7.0	7.2	7.0	6.8	6.4*	
							FC5M														
4351721	29.410	32.900	C	2017	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	8.0	8.0	7.5	7.4	6.0*
COMMUNITY	ASPHALT	CORP.		(2021)			SPRIDE	8.2	8.2	8.3	8.3	8.3	8.2		8.8	8.7	8.2	8.3	8.2	8.2	8.1
4061436	27.800	32.800	C	2026	0213																
93470000	24.591	29.210	L	5	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	
91	97.9	102.6	2	19.0	75400	RIDE		9.0	9.1	8.9	8.4	8.4	8.3	8.4	8.4	8.3	8.1	8.1	8.1	7.9	
							FC5M														
4351711	24.690	29.248	L	2017	0012		CRACKING	8.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	9.1	9.1	7.5
COMMUNITY	ASPHALT	CORP.		(2021)			SPRIDE	7.8	7.7	8.0	7.9	7.9	7.8		8.8	8.7	8.8	8.9	8.9	8.9	8.8
4061438	24.700	27.800	C	2025	0213																
93470000	13.935	24.591	L	5	8	65	CRACKING	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
91	87.3	97.9	2	16.1	85400	RIDE		8.2	8.2	7.8	8.1	8.2	8.2	8.3	8.3	8.2	8.1	8.0	8.0	7.8	
							FC5M														
				(2004)			CRACKING	9.5	8.0	8.0	8.0	8.0	8.0								
							RIDE	7.8	7.8	8.0	7.9	7.9	7.8								
93470000	8.152	13.935	L	5	1	65	CRACKING	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	
91	81.5	87.3	3	13.8	100572	RIDE		8.4	8.4	8.4	7.5	7.5	7.5		8.0	8.0	8.0	7.9	7.9	7.8	
							FC5M														
4379911	8.726	14.071	L	2019	0012		CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	10.0	8.5
RANGER	CONSTRUCTION	INDUST		(2021)			SPRIDE	7.8		8.5	8.7	8.5	8.6	9.0	8.6	8.7	8.6	8.6	8.6	8.6	8.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = PALM BEACH -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT	AT	(MP	SIDE)	SURFTYPE			=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR	(AGE_ONE	YEAR)	ASTYPE																	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(PMRS)
93470000	2.996	8.152	L	5	1	65	CRACKING	5.5*			10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	
91	76.3	81.5	3	13.8	110100		RIDE	8.4			7.7	7.6	7.6	7.6	7.7	7.3	7.2	7.3	6.8	7.0	
							FC5M														
4310791	2.996	7.976	C	2013	0012		CRACKING	7.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	8.0	8.5	8.2	6.0*
COMMUNITY	ASPHALT	CORP.		(2015)			SPRIDE	6.5	8.1	8.2	8.4	8.2	8.3	8.5	8.2	8.2	8.2	8.2	8.2	8.2	8.1
4171321	3.270	7.035@	C	2027	0213																
93470000	0.000	2.996	L	5	1	65	CRACKING	8.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	
91	73.3	76.3	3	13.8	118700		RIDE	8.4	8.3	8.4	7.6	7.6	7.2	7.6	7.6	8.2	8.2	8.2	8.3	8.2	
							FC5M														
4170241	0.000	3.000	C	2007	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	7.7	7.0	4.5*
RANGER	CONSTRUCTION	INDUST(2009)					SPRIDE	8.2	8.1	8.0	8.3	8.0	8.2	8.2	8.4	8.2	8.1	8.1	8.1	8.1	8.0
4182145	0.000	3.406	C	2025	0548																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).