

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = ST. LUCIE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	#T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT	AT	(MP		SIDE)	SURFTYPE	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
94001000	0.000	0.739	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
9 I95	113.4	114.1	3	10.6	103500		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	7.0	7.9	8.0	
					FC5M																
4197152	0.000	0.739	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	5.7*	6.5	4.0*
J.W. CHEATHAM, LLC				(2012)			RIDE	8.0	8.0	8.4	8.2	8.4	8.4	8.5	8.3	8.3	8.3	8.1	8.2	8.2	8.1
94001000	0.739	3.925	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
9 I95	114.1	117.3	3	10.6	103500		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	8.1	8.2	
					FC5M																
4197151	0.739	6.018	C	2009	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.4	7.1	4.5*
RANGER CONSTRUCTION INDUST				(2011)			RIDE	8.1	8.0	8.5	8.4	8.5	8.7	8.7	8.7	8.7	8.6	8.7	8.6	8.6	8.5
94001000	3.925	4.595	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
9 I95	117.3	118.0	3	10.6	103500		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	8.1	8.2	
					FC5M																
				(2019)			CRACKING	10.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.0	7.0
							RIDE	8.1	8.0	8.5	8.4		8.4	8.4	8.4	8.5	8.4	8.4	8.5	8.5	8.4
94001000	4.595	4.907	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
9 I95	118.0	118.3	3	10.6	103500		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	8.1	8.2	
					FC5M																
4438471	4.630	7.225	R	2023	0216		CRACKING	10.0	9.0	9.0	9.0		9.0	9.0	7.5	7.5	7.5	7.5	10.0	10.0	9.0
OHLA USA, INC.				(2025)	SPRIDE		RIDE	8.1	8.0	8.5	8.4		8.8	8.9	8.8	8.8	8.8	8.7	8.4	8.1	8.0
94001000	4.907	5.438	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
9 I95	118.3	118.8	3	10.6	103500		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	8.1	8.2	
					FC5M																
4438471	4.630	7.225	R	2023	0216		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	10.0	7.3	6.0*
OHLA USA, INC.				(2025)	SPRIDE		RIDE	8.1	8.0	8.5	8.4	8.6	8.8	8.9	8.8	8.8	8.8	8.7	8.4	8.7	8.6
94001000	5.438	5.889	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
9 I95	118.8	119.3	3	10.6	103500		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	8.1	8.2	
					FC5M																
4438471	4.630	7.225	R	2023	0216		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	10.0	10.0	9.0
OHLA USA, INC.				(2025)	SPRIDE		RIDE	8.1	8.0	8.5	8.4	8.6	8.8	8.9	8.8	8.8	8.8	8.7	8.4	8.5	8.4
94001000	5.889	6.290	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
9 I95	119.3	119.7	3	10.6	103500		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	7.2	7.7	7.8	
					FC5M																
4438471	4.630	7.225	R	2023	0216		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	10.0	7.0	6.0*
OHLA USA, INC.				(2025)	SPRIDE		RIDE	7.9	7.9	8.4	8.3	8.4	8.4	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.2
94001000	6.290	7.251	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
9 I95	119.7	120.6	3	10.6	103500		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	7.2	7.7	7.8	
					FC5M																
4438471	4.630	7.225	R	2023	0216		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	10.0	10.0	9.0
OHLA USA, INC.				(2025)	SPRIDE		RIDE	7.9	7.9	8.4	8.3	8.4	8.4	8.5	8.5	8.5	8.4	8.4	8.4	8.3	8.2
94001000	7.251	7.853	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0
9 I95	120.6	121.2	3	10.6	103500		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	8.1	8.1	
					FC5M																
				(2025)			CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	8.3	7.0
							RIDE	8.1	7.9	8.4	8.4	8.4	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.2	8.1
94001000	7.853	9.730	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
9 I95	121.2	123.1	3	14.7	75888		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	8.1	8.1	
					FC5M																
4197151	7.131	15.379	C	2009	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.2	6.9	4.0*
				(2011)			RIDE	8.1	7.9	8.4	8.4	8.4	8.5	8.5	8.5	8.5	8.4	8.4	8.5	8.5	8.4
94001000	9.730	11.158	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
9 I95	123.1	124.5	3	14.7	75888		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	8.1	8.1	
					FC5M																
				(2021)			CRACKING	10.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	9.9	10.0	8.5
							RIDE	8.1	7.9	8.4	8.4	8.4			8.7	8.7	8.6	8.6	8.7		

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = ST. LUCIE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT	AT	(MP		SIDE)			*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P	ASTYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)																			(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
94001000	11.158	13.511	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0		
9	I95	124.5	126.9	3	14.7	75888	RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	8.1	8.1		
							FC5M															
4197151	7.131	15.379	C	2009	0012		CRACKING	10.0	9.0	9.0	9.0				7.5	7.5	7.5	7.5	7.2	6.9	4.0*	
				(2011)			RIDE	8.1	7.9	8.4	8.4				8.5	8.5	8.4	8.4	8.4	8.3	8.2	
4491631	11.158	13.511	R	2026	0012																	
94001000	13.511	14.682	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0		
9	I95	126.9	128.1	3	14.7	75888	RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	8.1	8.1		
							FC5M															
				(2021)			CRACKING	10.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	9.5	10.0	8.5	
							RIDE	8.1	7.9	8.4	8.4	8.5			8.7	8.7	8.6	8.6	8.6	8.5	8.4	
94001000	14.682	15.112	R	4	1	70	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0			
9	I95	128.1	128.5	5	14.7	75888	RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	8.1			
							FC5M															
				(2021)			CRACKING			10.0	10.0	10.0			10.0	10.0	10.0	10.0	9.5	10.0	8.5	
							RIDE			8.3	8.3	8.4			8.7	8.7	8.6	8.6	8.6	8.6	8.5	
94001000	15.112	15.973	R	4	1	70	CRACKING	3.5*	3.5*		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
9	I95	128.5	129.3	5	14.7	75888	RIDE	8.1	7.6		8.2	8.2	8.1	7.5	8.1	8.0	8.1	7.7	7.7			
							FC5M															
4130461	14.651	16.124	R	2011	0218		CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.6	8.3	6.0*	
				(2016)			RIDE			8.3	8.3	8.4	8.5	8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.6	8.5
94001000	15.973	23.510	R	4	1	70	CRACKING	3.5*	3.5*		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			
9	I95	129.3	136.9	4	15.3	65500	RIDE	8.1	7.6		8.2	8.2	8.1	7.5	8.1	8.0	8.1	8.1	8.1	8.0		
							FC5M															
4130461	16.124	23.309	R	2011	0218		CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.6	8.3	6.0*	
				(2016)			RIDE			8.3	8.3	8.4	8.5	8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.5	8.4
94001000	23.510	26.865	R	4	1	70	CRACKING	3.5*	3.5*		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			
9	I95	136.9	140.2	3	14.7	51000	RIDE	8.1	7.6		8.2	8.2	8.1	7.5	8.1	8.0	8.1	8.1	8.1	8.0		
							FC5M															
4130471	23.190	27.259	C	2011	0218		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.3	6.0*	
				(2016)			RIDE			8.4	8.4	8.5	8.6	8.7	8.7	8.7	8.6	8.6	8.6	8.6	8.5	
94001000	26.865	27.259	R	4	1	70	CRACKING	3.5*	3.5*		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			
9	I95	140.2	140.6	3	14.7	51000	RIDE	8.1	7.6		8.2	8.2	8.1	7.5	8.1	8.0	8.1	8.1	8.1	8.0		
							FC5M															
4130471	23.190	27.259	C	2011	0218		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.2	8.2	6.0*	
				(2017)			RIDE			8.5	8.7	8.9	8.8	8.8	8.8	8.8	8.7	8.6	8.6	8.6	8.7	
94001000	26.865	27.259	L	4	1	70	CRACKING	3.5*	3.5*		10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0			
9	I95	140.2	140.6	3	14.7	51000	RIDE	7.7	7.5		8.2	8.2	8.1	8.2	8.1	8.0	8.1	8.1	8.1	8.0		
							FC5M															
4130471	23.190	27.259	C	2011	0218		CRACKING			10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.5	7.5	7.3	5.0*	
				(2016)			RIDE			8.4	8.3	8.4	8.5	8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.5	
94001000	16.395	23.510	L	4	1	70	CRACKING	3.5*	3.5*		10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0			
9	I95	129.8	136.9	4	15.3	65500	RIDE	7.7	7.5		8.2	8.2	8.1	8.2	8.1	8.0	8.1	8.1	8.1	8.0		
							FC5M															
4130461	16.124	23.309	L	2011	0218		CRACKING			10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.5	7.3	7.5	5.5*	
				(2016)			RIDE			8.4	8.3	8.4	8.5	8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.4	
94001000	13.914	16.395	L	4	1	70	CRACKING	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0			
9	I95	127.3	129.8	3	14.7	75888	RIDE	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	8.1	8.1			
							FC5M															
				(2021)			CRACKING			10.0	10.0	10.0			10.0	10.0	10.0	10.0	9.1	8.7	7.0	
							RIDE			8.4	8.3	8.4			8.7	8.7	8.6	8.5	8.7	8.6	8.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = ST. LUCIE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)		W_BMP W_EMP		RW FY-P		WKMX-P		=====													2031
CONTRACTOR (AGE_ONE YEAR)		W_BMP W_EMP		RW FY-F		WKMX-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)
94001000	12.461	13.914	L	4	1	70	CRACKING	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
9	I95	125.8	127.3	3	14.7	75888	RIDE	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	8.1	8.1	8.1	
								FC5M													
4197151	7.131	15.379	C	2009	0012		CRACKING	10.0	9.0	9.0	9.0	9.0			6.5	6.5	6.5	6.5	6.5	6.0*	3.0*
								(2011)													
4491631	12.461	13.914	L	2026	0012		RIDE	8.0	8.0	8.3	8.3	8.2			8.4	8.4	8.3	8.1	8.3	8.0	7.9
94001000	10.054	12.461	L	4	1	70	CRACKING	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
9	I95	123.4	125.8	3	14.7	75888	RIDE	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	8.1	8.1	8.1	
								FC5M													
								(2021)													
94001000	7.853	10.054	L	4	1	70	CRACKING	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
9	I95	121.2	123.4	3	14.7	75888	RIDE	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	8.1	8.1	8.1	
								FC5M													
4197151	7.131	15.379	C	2009	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	3.5*
								(2011)													
94001000	7.504	7.853	L	4	1	70	CRACKING	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
9	I95	120.9	121.2	3	10.6	103500	RIDE	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	8.1	8.1	8.1	
								FC5M													
4438471	4.687	7.828	L	2023	0216		CRACKING	10.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	10.0	10.0	9.0
OHLA USA, INC.								(2025)													
								SPRIDE													
94001000	6.093	7.504	L	4	1	70	CRACKING	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	
9	I95	119.5	120.9	3	10.6	103500	RIDE	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	7.7	7.6	7.8	
								FC5M													
4438471	4.687	7.828	L	2023	0216		CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	10.0	7.0	6.0*
OHLA USA, INC.								(2025)													
								SPRIDE													
94001000	4.595	6.093	L	4	1	70	CRACKING	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
9	I95	118.0	119.5	3	10.6	103500	RIDE	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	8.2	8.2	8.2	
								FC5M													
4438471	4.687	7.828	L	2023	0216		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	10.0	10.0	9.0
OHLA USA, INC.								(2025)													
								SPRIDE													
94001000	3.917	4.595	L	4	1	70	CRACKING	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
9	I95	117.3	118.0	3	10.6	103500	RIDE	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	8.2	8.2	8.2	
								FC5M													
								(2019)													
94001000	0.739	3.917	L	4	1	70	CRACKING	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
9	I95	114.1	117.3	3	10.6	103500	RIDE	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	8.2	8.2	8.2	
								FC5M													
4197151	0.739	6.018	C	2009	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.4	6.9	4.0*
RANGER CONSTRUCTION INDUST								(2011)													
								RIDE													
94001000	0.000	0.739	L	4	1	70	CRACKING	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	
9	I95	113.4	114.1	3	10.6	103500	RIDE	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	7.2	7.9	8.1	
								FC5M													
4197152	0.000	0.739	C	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	4.7*	4.5*	2.0*
J.W. CHEATHAM, LLC								(2012)													
								RIDE													
94003000	0.000	0.290	R	1	4	50	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.5	9.5	8.0	7.0	
713 SR-70/OKEECHOBEE RD(0.0R)								(2025)													
								LDG													
								CRACKING													
								RIDE													
94003000	0.290	1.912	R	1	1	50	CRACKING	8.0			10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	
713 ANDREWS AVE(0.4R)								(2025)													
								FC125H													
								CRACKING													
								RIDE													

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = ST. LUCIE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-X-F																(PMRS)	
CONTRACTOR																						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
94003000 713	1.912	2.372	R	1	4	50	CRACKING	9.5			10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0		
				2	20.5	9900	RIDE	8.2			7.6	7.6	7.5	6.6	7.6	7.0	7.4	7.5	7.5	7.5		
							LDG															
							(2025)	CRACKING	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*			9.5	9.5	9.0	
							RIDE	7.3	6.6	6.8	6.9	7.1	7.2	7.1	6.9			8.4	8.3	8.2		
94003000 713 CR 68(2.4C)	2.372	3.184	R	1	1	50	CRACKING	4.5*		4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0		
				2	19.4	16900	RIDE	6.9		7.6	7.6	7.5	6.6	7.6	7.0	7.4	7.5	7.5	7.5	7.5		
							FC125H															
							(2025)	CRACKING	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*			10.0	10.0	9.5	
							RIDE	7.3	6.6	6.8	6.9	7.1	7.2	7.1	6.9			7.7	7.7	7.4		
94003000 713 ANGLE RD(3.9C) 2304571 COMMUNITY ASPHALT	3.184	6.989	C	1	1	50	CRACKING	6.5	6.5	6.5	6.5		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
				2	7.3	16400	RIDE	7.7	7.2	7.6	7.2		7.8	6.8	7.8	7.7	7.8	7.8	7.8	7.8		
							FC125															
							(2006)	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.4	7.5	6.0*	
							SPRIDE	7.8	7.0	7.2	6.9	7.3	7.5	7.5	7.4	7.4	7.6	7.4	7.3	7.3	7.0	
94003000 713 INDRIO RD(7.5C)	6.989	7.500	R	1	1	50	CRACKING	6.5	6.5	6.5	6.5		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
				2	7.3	16400	RIDE	7.7	7.2	7.6	7.2		7.8	6.8	7.8	7.7	7.8	7.8	7.8	7.8		
							FC5M															
							(2026)	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.4	9.5	8.5	
							RIDE	7.8	7.0	7.2	6.9	7.3	7.5	7.5	7.4	7.4	7.6	7.4	7.3	7.7	7.6	
94003000 713 INDRIO CROSS. SHOPP(7.6R)	7.500	7.905	R	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
				1	7.2	14100	RIDE	7.7	7.2	7.6	7.2	6.8	6.5	6.5	5.7	6.1	5.8	6.2	6.0	6.2	6.0	
							FC5M															
							(2026)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	10.0	9.0
							RIDE	8.6	8.7	7.9	8.0	8.3	8.2		7.8	7.8	7.7	7.7	7.7	7.6	7.5	
94003000 713 PALOMAR PKWY(8.0C) 4229571 DICKERSON FLORIDA INC.	7.905	8.318	R	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
				2	7.2	14100	RIDE	7.7	7.2	7.6	7.2	6.8	6.5	5.7	6.1	5.8	6.2	6.0	6.2	6.0		
							FC95															
							(2014)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.0	
							SPRIDE	8.6	8.7	7.9	8.0	8.3	8.2	8.1	8.0	8.1	8.1	8.0	7.9	7.9	7.6	
94003000 713 PLACE LAKE DR(8.5L) 4229571 DICKERSON FLORIDA INC.	8.318	9.517	C	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
				2	6.9	13500	RIDE	7.7	7.2	7.6	7.2	6.8	6.5	5.7	6.1	5.8	6.2	6.0	6.2	6.0		
							FC95															
							(2012)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
							SPRIDE	8.6	8.7	7.9	8.0	8.3	8.2	8.1	8.0	8.1	8.1	8.0	7.9	7.9	7.6	
94003000 713 KINGS HWY SB(9.7L) 4152931 RANGER CONSTRUCTION INDUST	9.517	10.198	C	1	2	50	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0		
				2	6.9	13500	RIDE	8.0	7.7	6.8	7.7	7.0	7.4	6.4*	6.2*	6.3*	7.0	7.0	8.0	7.9		
							FC95															
							(2012)	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	9.3	
							SPRIDE	7.9	8.0	7.3	7.5	7.2	7.6	7.2	7.0	7.2	7.4	7.2	7.2	6.8	6.5	
94003000 713 CR 68(2.4C)	2.743	3.184	L	1	1	50	CRACKING	4.5*		4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0		
				2	19.4	16900	RIDE	6.9		7.6	7.6	7.6	7.5	6.6	7.6	7.0	7.4	7.5	7.5	7.5		
							FC125H															
							(2025)	CRACKING	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*			10.0	10.0	9.5	
							RIDE	7.3	6.6	6.8	6.9	7.1	7.2	7.1	6.9			7.1	7.2	6.9		
94003000 713 CR 68(2.4C)	1.988	2.743	L	1	4	50	CRACKING	10.0		4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0		
				2	20.5	9900	RIDE	7.5		7.6	7.6	7.6	7.5	6.6	7.6	7.0	7.4	7.5	7.5	7.5		
							LDG															
							(2025)	CRACKING	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*			9.5	9.5	9.0	
							RIDE	7.3	6.6	6.8	6.9	7.1	7.2	7.1	6.9			8.3	8.2	8.1		
94003000 713 FRUIT RESEARCH RD(0.9L)	0.290	1.988	L	1	1	50	CRACKING	8.0			10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0		
				2	31.8	14100	RIDE	7.9			7.6	7.6	7.5	6.6	7.6	7.0	7.4	7.5	7.5	7.5		
							FC125H															
							(2025)	CRACKING	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*			10.0	10.0	9.5	
							RIDE	7.3	6.6	6.8	6.9	7.1	7.2	7.1	6.9			7.8	7.7	7.4		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = ST. LUCIE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
94005000	3.809	4.991	R	1	1	40	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0
615			2	6.5		13600	RIDE		8.0	7.9	7.6	7.5	7.4	7.0	6.5	7.4	7.6	7.7	7.4	7.6	
ROSARITA(4.0R)																					
4439971	3.761	5.016	R	2022	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	10.0	10.0	9.5
OHLA USA, INC.				(2025)		SPRIDE		7.2	6.4	6.8	7.1	7.0	7.3	7.2	7.1	7.1	7.2	6.8	7.9	7.9	7.6
94005000	4.991	6.168	R	1	1	40	CRACKING				10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.0*
615			2	4.2		9400	RIDE				7.6	7.7	7.3	6.7	6.3	7.2	7.1	7.1	7.1	6.7	6.7
SR 608/ST LUCIE BLVD(5.0R)																					
4323261	4.991	6.160	R	2017	0012	CRACKING		6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9	8.0
RANGER CONSTRUCTION INDUST				(2019)		SPRIDE		6.4	5.9	6.4	6.6		8.5	8.5	8.5	8.1	8.4	8.3	8.2	8.3	8.0
94005000	4.991	6.168	L	1	1	40	CRACKING				10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	6.0*
615			2	4.2		9400	RIDE				7.8	7.6	7.5	6.5	6.4	6.9	7.2	7.4	7.0	7.0	
CR-608/ST LUCIE BLVD(5.0L)																					
4323261	4.991	6.160	L	2017	0012	CRACKING		6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.6	8.5
RANGER CONSTRUCTION INDUST				(2019)		SPRIDE		6.5	6.9	7.1	6.4		8.4	8.3	8.4	8.1	8.2	8.4	8.2	8.2	7.9
94005000	3.809	4.991	L	1	1	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	
615			2	6.5		13600	RIDE		7.9	8.1	7.7	7.5	7.8	6.9	6.5	7.6	7.7	7.7	7.6	7.6	
AVE R(3.8L)																					
4439971	3.761	5.016	L	2022	0012	CRACKING		8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	10.0	10.0	9.5
OHLA USA, INC.				(2025)		SPRIDE		7.4	7.5	7.3	6.7	6.9	7.0	7.1	7.0	7.0	7.0	6.7	8.0	8.0	7.7
94005000	2.488	3.809	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0
615			2	4.1		21000	RIDE	6.5	6.7	7.4	7.0	6.4	7.0	6.2	6.2	6.8	7.4	7.4	7.1	7.3	
ORANGE AVE(2.5C)																					
4138461	2.514	3.809	L	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.6	8.6	7.0
RANGER CONSTRUCTION INDUST				(2010)		SPRIDE		7.0	6.6	6.0	6.0	6.4	6.7	6.6	6.6	6.5	6.6	6.4	6.7	6.7	6.4
94005000	1.024	2.488	L	1	1	40	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	
615			2	6.6		24000	RIDE	6.6	6.4	6.3	7.0	6.6	6.8	6.1	5.8	6.5	6.4	6.3	6.3	6.3	
TENNESSE AVE(1.1L)																					
4247621	1.024	2.488	C	2013	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.4	7.2	6.0*
RANGER CONSTRUCTION INDUST				(2015)		SPRIDE		7.6	6.6	6.0	6.6	6.6	6.8	6.7	6.4	6.4	6.5	6.4	6.5	6.4	6.1
94005000	0.000	1.024	L	1	7	40	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
615			2	6.7		25500	RIDE	8.1	8.0	7.9	7.4	7.6	7.3	6.8	6.5	7.0	6.9	7.2	7.0	6.9	
CR 611(0.0C)																					
4461701	0.104	1.024	L	2024	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	6.0*	6.0*	5.6*	10.0	9.5
RANGER CONSTRUCTION INDUST				(2026)		RIDE		6.9	6.1	6.5	5.9	6.3	6.6	6.6	6.4	6.3	6.5	6.5	6.5	6.5	7.5
94006000	0.000	0.569	C	1	1	35	CRACKING	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
608			2	7.0		5300	RIDE	6.7		7.3	7.4	7.2	6.9	6.4	6.1	6.6	7.1	6.7	6.6	6.5	
M L KING BLVD(0.0C)																					
2303461	0.000	0.569	C	2000	0012	CRACKING		9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.7	8.6	7.0
RANGER CONSTRUCTION INDUST				(2003)		SPRIDE		6.5	6.5	5.9	5.8	6.0	5.9	6.0	5.9	5.6	5.8	5.5	5.6	5.7	5.4*
4484491	0.023	0.546	C	2031	0012																
94009000	0.000	0.300	C	1	1	45	CRACKING	4.5*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
607			2	14.1		6700	RIDE	7.3	7.2	7.2	6.2*	8.0	7.8	6.9	7.7	7.6	7.5	7.5	7.4	7.4	
INDRIO RD(0.0C)																					
				(2021)		CRACKING		9.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	9.1	10.0	9.0
						RIDE		7.2	6.9	6.5	6.3	6.8			7.6	7.7	7.5	7.3	7.3	7.3	7.0
94009000	0.300	2.525	C	1	7	50	CRACKING	4.5*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
607			2	14.1		6700	RIDE	7.3	7.2	7.2	6.2*	8.0	7.8	6.9	7.7	7.6	7.5	7.5	7.4	7.4	
WATERSTONE BLVD(0.5R)																					
4476511	0.718	2.525	C	2025	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0	7.1	10.0	9.5
OHLA USA, INC.				(2026)		SPRIDE		7.2	6.9	6.5	6.3*	6.8	7.1	7.1	7.1	7.0	7.0	7.0	6.9	8.3	8.0
94010000	0.000	0.417	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
5			4	5.1		52500	RIDE	7.9	8.0	8.4	7.7	7.5	7.4	7.4	6.7	7.4	7.5	7.4	7.4	7.7	7.2
LENNARD RD(0.2R)																					
				(2001)		CRACKING		9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.0	7.0	7.0	6.4*	6.5	5.0*
						RIDE		7.3	7.2	6.6	6.9	6.7	7.0	7.4	6.3	6.4	6.4	6.5	7.5	7.1	6.8
4476521	0.000	0.605	C	2025	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = ST. LUCIE -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	%T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ASTYPE	=====																
ITMSEG-P	(AGE_ONE YEAR)	YEAR						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																		
94010000	0.417	5.440	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5		
5	1				3	6.9	35500 RIDE	8.0	8.1	8.1	7.6	7.6	7.7	7.0	6.6	7.5	7.7	7.5	7.4	7.3			
CANE SLOUGH RD(0.6R)																							
4398471	0.470	5.457	R	2020	0012		CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	9.4	10.0	9.0		
C. W. ROBERTS CONTRACTING, (2023)																							
94010000	5.440	8.472	R	1	1	45	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*			10.0	10.0	10.0	10.0			
5	1				3	6.8	32000 RIDE	7.9	7.8	7.8	6.6	6.6	6.3	6.1			8.5	8.4	7.5	7.4			
LAKE VISTA TRAIL(5.7R)																							
2302882	5.475	8.364	R	2006	0213		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.1	8.9	7.5		
HUBBARD CONSTRUCTION COMPA(2010)																							
94010000	8.472	10.772	R	1	1	45	CRACKING	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
5	1				2	4.4	31500 RIDE	7.6	7.9	8.0	7.5	7.4	7.4	6.6	6.5	7.4	7.6	7.5	7.4	7.5			
WEATHERBEE RD(8.7C)																							
4287281	8.423	10.785	C	2018	0012		CRACKING	10.0	10.0	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	9.2	10.0	9.0		
HORIZON CONTRACTORS, INC. (2021)																							
94010000	10.772	11.866	R	1	1	40	CRACKING	9.5	8.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0			
5	1				2	6.2	30000 RIDE	8.4	8.3	8.5	7.6	8.0	7.6	7.3	7.1	7.6		8.0	7.9	7.7			
CORAL SQUARE SHOPPES(10.9R)																							
4138471	10.772	14.580	R	2008	0012		CRACKING	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	7.3	7.8	6.5		
RANGER CONSTRUCTION INDUST(2011)																							
4417141	10.752	11.876	C	2027	9915		SPRIDE	7.7	7.0	7.2	7.3	7.2	7.3	7.2	7.0	6.9	6.8	6.8	6.9	6.8	6.5		
94010000	11.866	14.805	R	1	7	30	CRACKING	10.0	10.0	9.5	10.0	9.0	9.0	8.0	8.0	8.0		10.0	10.0	10.0			
5	1				2	6.2	29000 RIDE	7.6	7.5	7.6	7.6	7.6	7.4	6.8	6.5	7.3		8.0	7.9	7.7			
TENNESSEE AVE(11.9R)																							
4461091	11.876	14.603	R	2023	0012		CRACKING	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	7.3	10.0	9.5		
C. W. ROBERTS CONTRACTING, (2026)																							
94010000	14.805	15.133	R	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5			
5	1				2	6.2	29000 RIDE	8.8	8.5	8.8	7.8	7.6	7.5	6.4	6.3	7.3	6.9	6.9	7.0	6.9			
Ala(14.9C)																							
4035941	14.961	20.823	C	2005	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.7	8.5	7.0		
COMMUNITY ASPHALT CORP. (2006)																							
94010000	15.133	20.880	R	1	1	55	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0			
5	1				2	5.3	27000 RIDE	8.8	8.5	8.8	7.8	7.6	7.2		7.2	7.5	7.8	7.8	7.6	7.7			
OLSON AVE(15.8R)																							
4035941	14.961	20.823	C	2005	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.0*		
COMMUNITY ASPHALT CORP. (2008)																							
4484501	15.044	20.880	C	2031	0012		SPRIDE	7.6	7.6	8.0	7.9	8.0	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.0		
94010000	20.880	21.414	R	1	1	50	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*			
5	1				2	5.3	27000 RIDE	8.8	8.5	8.8	7.8	7.6	7.2	6.7	6.5	6.2*	6.8	6.3*	5.9*	6.2*			
(2017)																							
								CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.4	7.5	
								RIDE	6.1*	5.7*	6.8	8.2	8.3	8.2	8.3	8.2	8.2	8.1	8.2	8.1	8.2	8.1	8.2
94010000	20.880	21.414	L	1	1	50	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*			
5	1				2	5.3	27000 RIDE	8.7	8.4	8.6	7.4	7.2	7.2	7.0	7.4	7.3	7.5	6.9	7.0	6.8			
CYPRESS BAY(20.9L)																							
								CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.8	7.0	
								RIDE	6.9	6.0*	6.0*	7.9	7.9	7.8	7.8	7.7	7.7	7.7	7.6	7.6	7.7	7.6	
94010000	15.133	20.880	L	1	1	55	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.5			
5	1				2	5.3	27000 RIDE	8.7	8.4	8.6	7.4	7.2	7.2		7.2	7.2	7.6	7.4	7.4	7.4			
JUANITA AVE(15.2L)																							
4035941	14.961	20.823	C	2005	0012		CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	7.5	7.2	4.5*		
COMMUNITY ASPHALT CORP. (2008)																							
4484501	15.044	20.880	C	2031	0012		SPRIDE	7.4	7.3	7.7	7.7	7.8	7.8	7.9	7.8	7.8	7.8	7.8	7.9	7.9	7.8		
94010000	14.805	15.133	L	1	1	45	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5			
5	1				2	6.2	29000 RIDE	8.7	8.4	8.6	7.4	7.2	7.6	6.5	6.2	7.3	7.6	7.6	7.7	7.6			
TAYLOR CREEK COMMONS(14.9L)																							
4035941	14.961	20.823	C	2005	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.3	9.1	7.5	
COMMUNITY ASPHALT CORP. (2006)																							
								SPRIDE	7.5	7.4	7.1	6.5	7.2	7.1	7.1	7.1	7.2	7.2	7.2	6.7	6.4		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = ST. LUCIE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	CONTRACTOR (AGE_ONE YEAR)	(PMRS)																			
ITMSEG-F	CONTRACTOR (AGE_ONE YEAR)	(PMRS)																			
94010000	11.866	14.805	L	1	7	30	CRACKING	10.0	9.5	8.0	8.0	8.0	7.5	7.5	7.5	6.5		10.0	10.0	9.5	
5	1			2	6.2	29000	RIDE	7.8	7.3	7.7	7.5	7.1	7.0	6.6	7.1	6.9		8.2	8.2	8.1	
SIDE ROAD(12.0L)																					
4461091	11.876	14.603	L	2023		0012	CRACKING	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	9.5
C. W. ROBERTS CONTRACTING, (2026) SPRIDE																					
94010000	10.772	11.866	L	1	45	40	CRACKING	9.0	9.0	9.0	7.0	6.5	6.5	6.5	6.5	6.5		10.0	10.0	9.5	
5	1			2	6.2	30000	RIDE	7.8	8.1	8.1	7.4	7.6	7.4	7.0	7.2	7.3		8.2	8.2	8.1	
HOWIE DR(10.8L)																					
4138471	10.772	14.580	L	2008		0012	CRACKING	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	8.0	6.5
RANGER CONSTRUCTION INDUST(2011) SPRIDE																					
4417141	10.752	11.876	C	2027		9915		7.9	7.9	7.4	7.2	7.6	7.7	7.6	7.4	7.3	7.4	7.1	7.2	7.7	7.4
FC95																					
94010000	8.472	10.772	L	1	45	31500	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	
5	1			2	4.4	31500	RIDE	7.1	7.0	7.2	6.7	7.5	7.4	6.6	6.5	7.4	7.7	7.6	7.4	7.5	
WEATHERBEE RD(8.7C)																					
4287281	8.423	10.785	C	2018		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0	10.0	8.4	8.2	7.5
HORIZON CONTRACTORS, INC. (2021) SPRIDE																					
94010000	5.440	8.472	L	1	45	32000	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	1.0*	1.0*			10.0	10.0	10.0	10.0	
5	1			3	6.8	32000	RIDE	7.7	7.2	7.6	6.8	6.6	6.7	6.4			8.4	7.9	8.3	7.4	
RIO MAR DR(5.4L)																					
2302882	5.475	8.364	L	2006		0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.7	8.7	7.5
HUBBARD CONSTRUCTION COMPA(2010) SPRIDE																					
94010000	0.417	5.440	L	1	45	35500	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	
5	1			3	6.9	35500	RIDE	8.1	7.7	8.2	7.8	7.9	7.7	7.1	6.8	7.6	7.6	7.5	7.3	7.2	
CANE SLOUGH(0.6L)																					
4398471	0.690	5.457	L	2020		0012	CRACKING	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	10.0	10.0	9.3	8.6	8.0
C. W. ROBERTS CONTRACTING, (2023) RIDE																					
94010000	0.000	0.417	L	1	45	52500	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1			4	5.1	52500	RIDE	8.3	8.1	8.9	8.3	7.6	7.9	7.4	7.3	7.7	7.8	7.6	7.6	7.6	
WALMART(0.2L)																					
				(2001)			CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.7	7.5	6.0*
4476521	0.000	0.605	C	2025		0012	RIDE	7.5	7.3	6.6	6.9	6.6	6.8	6.8	6.7	6.7	7.2	6.9	7.8	7.7	7.4
FC3																					
94030000	0.000	6.111	R	1	65	10600	CRACKING	10.0	7.5	7.5	7.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
70	2	17.1		2	17.1	10600	RIDE	8.3	8.3	8.4	7.6	7.5	7.4	6.7	6.9	6.6	6.7	6.4*	6.3*	6.0*	
GRACEWOOD FARMS(0.2R)																					
2302622	0.000	5.871	C	2011		0213	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8	7.0
GUETTLER BROTHERS CONSTRUC(2016) SPRIDE																					
94030000	6.111	10.216	R	1	65	10600	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0	
70	2	17.1		2	17.1	10600	RIDE	8.9	8.1	8.7	8.3	8.2	8.3	7.1	7.1	8.1	7.9	8.0	7.8	8.2	
SUMMERLIN RD(9.7R)																					
2302623	5.860	10.216	C	2009		0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	6.5	7.6	4.5*	2.5*
J.W. CHEATHAM, LLC (2013) SPRIDE																					
4476532	6.351	12.500	C	2030		0012		8.0	7.7	8.1	8.1	8.2	8.2	8.2	8.0	8.0	8.0	8.0	8.0	8.0	7.9
FC5																					
94030000	10.216	20.358	R	1	65	10600	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	
70	2	17.1		2	17.1	10600	RIDE	8.7	8.4	8.7	8.3	8.3	8.3	7.2	7.6			8.3	8.3	8.3	
CARLTON RD(11.1R)																					
				(2011)			CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	4.5*
4476531	12.500	20.484@	C	2025		0012	RIDE	8.3	8.1	8.2	8.2	8.3	8.3	8.3	8.3	8.2	8.2	8.2	8.2	8.1	8.0
FC5																					
94030000	20.358	20.740	R	1	45	26500	CRACKING	9.5	9.0	7.5	7.5	7.5	7.5	7.5	4.5*	4.5*	10.0	4.5*	4.5*		
70	3	24.8		3	24.8	26500	RIDE	8.8	6.7	8.7	8.1	7.9	7.7	7.1	7.0	7.7	7.0	7.0	6.4		
TURNPIKE(20.5R)																					
4107171	20.358	20.939	R	2011		0213	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.4	8.0	7.0
GIBBS & REGISTER, INC. (2016) SPRIDE																					
94030000	20.740	21.359	R	1	45	27300	CRACKING	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	4.5*	9.5	9.5	9.5	
70	3	15.0		3	15.0	27300	RIDE	8.2	8.1	8.1	8.3	8.2	8.0	7.2	7.0	8.0	8.0	8.1	7.9	8.0	
CROSSROAD PKWY(20.8C)																					
4130461	20.943	21.448	C	2011		0218	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.3	7.1	6.0*
(2016) RIDE																					
								7.8	7.8	7.5	7.6	7.6	7.6	7.6	7.6	7.8	7.6	7.6	7.8	7.8	7.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = ST. LUCIE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
ITMSEG-P																					
ITMSEG-F																					
94030000	21.359	25.225	R	1	1	45	CRACKING	9.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
70				3	4.4	24500	RIDE	8.1	7.7	8.1	7.7	7.4	7.3	6.9	6.9	6.9	7.1	7.0	7.1		
SPUR TO JENKINS RD(21.5R)																					
4229561	21.636	25.225	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.3	8.2	7.0
COMMUNITY ASPHALT CORP.				(2014)			SPRIDE	8.2	7.5	7.9	7.2	8.0	8.0	8.0	7.8	7.8	7.8	7.8	7.7	7.7	7.4

94030000	21.495	25.225	L	1	1	45	CRACKING	10.0	9.5	9.5	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
70				3	4.4	24500	RIDE	7.7	8.2	7.9	7.6	7.6	7.5	7.1	7.4	7.2	7.3	7.2	7.2		
CR 611(21.5C)																					
4229561	21.636	25.225	C	2011		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.4	8.3	7.0
COMMUNITY ASPHALT CORP.				(2014)			SPRIDE	8.3	7.6	7.1	7.5	7.9	7.9	7.9	7.8	7.7	7.8	7.7	7.7	7.7	7.4

94030000	20.939	21.495	L	1	1	45	CRACKING	7.5	7.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
70				3	11.8	37000	RIDE	7.6	8.1	7.8	8.1	8.2	8.1	7.3	7.2	8.2	8.1	8.1	8.1	8.1	
FC125M																					
4130461	20.943	21.448	C	2011		0218	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.5	6.5
				(2016)			RIDE			8.1	7.9	7.9	7.9	7.9	7.8	7.8	7.9	7.9	7.8	7.9	7.6

94030000	20.358	20.939	L	1	1	45	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	6.5	4.5*		
70				2	24.8	26500	RIDE	8.7	8.4	8.8	8.2	8.0	7.9	7.4	7.4	7.2	7.1	6.1	5.9		
ROCK RD(20.4L)																					
4107171	20.358	20.939	L	2011		0213	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.9	9.0	8.0
GIBBS & REGISTER, INC.				(2016)			SPRIDE			6.2	6.8	7.0	6.8	6.6	6.9	6.8	6.8	6.9	6.9	6.9	6.6

94030000	10.216	20.358	L	1	1	65	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	
70				2	17.1	10600	RIDE	8.7	8.4	8.7	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	
SIDE ROAD(10.2L)																					
4476531	12.500	20.484	C	2025		0012	CRACKING	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	6.5	6.5	7.5	6.8	4.5*
				(2011)			RIDE	8.3	8.1	8.2	8.1	8.2	8.3	8.3	8.3	8.3	8.3	8.3	8.2	8.2	8.1

94030000	6.351	10.216	L	1	1	65	CRACKING	9.5	9.5	8.0	8.0	7.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	1.0*	10.0	
70				2	17.1	10600	RIDE	8.9	8.5	8.6	8.0	7.8	7.6	6.9	7.0	7.0	6.8	6.8	6.6	8.2	
ARCCO ST(10.1C)																					
2302623	5.860	10.216	C	2009		0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	7.6	5.5*
J.W. CHEATHAM, LLC				(2013)			SPRIDE	8.1	8.0	8.4	8.3	8.4	8.5	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.2
4476532	6.351	12.500	C	2030		0012															

94030000	0.000	6.351	L	1	1	65	CRACKING	10.0	7.5	7.5	7.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
70				2	17.1	10600	RIDE	8.3	8.3	8.4	7.6	7.5	7.4	6.7	6.9	6.6	6.7	6.4*	6.3*	6.0*	
V-2 RANCH RD(5.3L)																					
2302622	0.000	5.871	C	2011		0213	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.7	8.6	6.5
GUETTNER BROTHERS CONSTRUC				(2016)			SPRIDE			8.3	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.2	8.1	8.0

94050000	0.000	3.080	R	1	1	45	CRACKING	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	1.0*		10.0	
ALA				2	4.6	17900	RIDE	7.4	6.7	7.3	6.9	6.7	6.6	6.1	6.2	5.9	4.8*	4.3*		8.7	
MARTIN CO LINE(0.0C)																					
4196531	0.000	2.428	R	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.8	8.7	7.5
COMMUNITY ASPHALT CORP.				(2013)			SPRIDE	8.6	8.3	7.9	7.4	8.3	8.1	8.1	8.1	8.0	8.0	8.0	7.9	8.0	7.7

94050000	3.080	5.804	C	1	1	50	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.0*		10.0	
ALA				2	4.6	17900	RIDE	7.1	7.2	7.6	7.1	7.1	6.4*	6.0*	6.1*	6.3*	6.0*	5.5*		8.7	
OCEAN BAY(4.7R)																					
4196532	3.253	4.936	C	2010		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.7	8.6	7.5
COMMUNITY ASPHALT CORP.				(2013)			SPRIDE	8.7	8.1	7.7	7.5	8.1	8.1	8.0	8.0	7.9	7.9	7.8	7.8	7.9	7.6

94050000	5.804	13.146	C	1	1	55	CRACKING	1.0*	0.0*	0.0*	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	
ALA				2	7.2	6400	RIDE	7.8	7.7	7.7	7.1	7.1	6.4*	6.0*	6.1*		8.6	8.6	8.5	8.4	
FPL E ENTRANCE(5.9L)																					
2302961	8.834	13.114	C	2007		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	8.3	8.1	6.5
DICKERSON FLORIDA INC.				(2010)			SPRIDE	8.1	7.3	7.7	7.5	7.4	7.4	7.4	7.4	7.2	7.3	7.2	7.2	7.2	6.9

94050000	13.146	14.780	C	1	1	35	CRACKING	1.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*			10.0	10.0	10.0	
ALA				2	4.3	5800	RIDE	7.8	7.7	7.7	6.4	6.2	5.8	5.5	5.2*			8.1	8.1	7.8	
CLIPPER AVE(13.4R)																					
				(2011)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	8.1
							RIDE	8.0	7.8	7.6	7.4	7.6	7.6	7.5	7.6	7.4	7.4	7.3	7.4	7.3	7.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = ST. LUCIE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****														(PMRS)	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ASTYPE	*****															
94050000	14.780	15.370	C	1	1	35	CRACKING	1.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	3.5*	3.5*	3.5*	3.5*			
A1A			2	8.1		9600	RIDE	7.8	7.7	7.7	6.4	6.2	5.8	5.5	5.2*	5.8	5.8	5.7	5.5			
GULFSTREAM AVE(14.8L)							DGFC															
				(2014)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.6	9.1	8.0	
							RIDE	7.3	7.3	7.0	6.9	6.9	6.6	6.6	6.8	6.5	6.8	6.8	6.6	6.7	6.4	
94050000	15.370	16.400	C	1	1	35	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			
A1A			2	4.1		18700	RIDE	6.9	6.3	7.1	6.5	6.3	6.3	5.8	5.8	5.8	5.8	5.7	5.5			
SPUR TO JETTY PARK(15.4R)							DGFC															
2302971	14.780	16.688	C	2015	0012		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.1	8.0	
				(2015)			RIDE		6.7	6.5	6.3	6.6	6.5	6.5	6.2	6.4	6.3	6.1	6.1	6.2	5.9	
94050000	16.400	16.688	C	1	1	35	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0		
A1A			2	4.1		18700	RIDE	6.9	6.3	7.1	6.5	6.3	6.3	5.8	5.8	5.8	5.8		7.8	7.9		
							DGFC															
				(2012)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.6	9.6	8.5	
							RIDE	7.9	7.3	7.0	6.5	7.0	7.0	6.9	6.9	6.9	7.0	6.9	6.7	7.0	6.7	
94050000	16.688	16.727	C	1	1	35	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*					
A1A			2	4.1		18700	RIDE	6.9	6.3	7.1	6.5	6.3	6.3	5.8	5.8	5.8	5.8					
							DGFC															
				(2016)			CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.9	7.0	
							RIDE												5.9	5.6		
94050000	16.727	17.035	C	1	1	35	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0		
A1A			2	4.1		18700	RIDE	6.9	6.3	7.1	6.5	6.3	6.3	5.8	5.8	5.8			8.0	7.9		
							DGFC															
				(2012)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.9	8.5	7.0	
							RIDE	7.7	6.8	6.8	6.8	7.4	7.3	7.3	7.0	6.8	7.2	6.6	6.2	7.3	7.0	
94050000	17.035	17.127	C	1	1	35	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			10.0	7.0		
A1A			2	4.1		18700	RIDE	6.9	6.3	7.1	6.5	6.3	6.3	5.8	5.8	5.8			8.0			
							DGFC															
				(2012)			CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	3.5*	3.5*	3.5*	3.2*	2.2*	1.0*	
							RIDE												2.0*	1.7*		
94050000	17.713	17.957	R	1	1	35	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0		
A1A			2	4.1		18700	RIDE	3.4*				4.5*	4.5*	3.9*	5.1*	5.7	5.9	5.7	5.8	5.5		
INDIAN RIVER DR(17.8R)							DGFC															
				(1992)			CRACKING	9.5	9.5	9.5	8.0	8.0	6.5	6.5	6.5	6.5	6.0*	6.0*	6.0*	5.2*	3.0*	
							RIDE	5.5	5.9	4.7*	4.5*	4.6*	4.1*	4.5*	4.5*	4.5*	4.2*	3.9*	4.3*	4.3*	4.0*	
94050000	17.713	17.957	L	1	1	35	CRACKING	9.5	9.5	9.5	9.5	8.5	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.0		
A1A			2	4.1		18700	RIDE	3.4*				3.9*	3.5*	3.6*	5.7	4.5*	6.1	5.7	5.8	5.8		
CR 707(17.8L)							UNKW															
				(2008)			CRACKING	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.8*	5.8*	4.5*	
							RIDE	5.8	5.8	4.7*	4.6*	4.4*	4.1*	4.5*	4.1*	4.5*	5.0*		4.5*	4.2*		
94050000	0.000	3.080	L	1	1	45	CRACKING	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	1.0*		10.0		
A1A			2	4.6		17900	RIDE	7.4	6.7	7.3	6.9	6.7	6.6	6.1	6.2	5.9	4.8*	4.3*		8.7		
MARTIN CO LINE(0.0C)							FC95															
4196531	0.000	2.428	L	2010	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.8	8.7	7.5	
				(2013)			SPRIDE	8.6	8.3	7.9	7.4	8.3	8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.8	7.5	
COMMUNITY ASPHALT CORP.																						
94060000	0.000	0.330	C	1	8	40	CRACKING	9.5	9.5	8.0	8.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
A1A			2	8.3		9300	RIDE	5.2*	5.5	6.4	4.9*	5.8	6.1	5.4*	6.0	5.8	5.8	5.5	5.8	5.6		
FORT PIERCE CITY LIMITS(0.0C)							DGFC															
				(2005)			CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*			
							RIDE	5.6	5.5	4.3*	4.0*	4.0*	4.1*	3.8*	3.8*	4.0*	3.7*	3.5*	4.1*			
94060000	0.719	1.159	C	1	8	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5		
A1A			2	8.3		9300	RIDE	8.6	7.8	8.5	8.1	7.9	8.0	7.0	7.7	7.6	7.6	7.4	7.1	7.1		
N. CAUSWAY ISLD PARK(0.9L)							FC3															
				(2001)			CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.4*			
							RIDE	6.9	7.0	7.0	7.3	7.4	7.1	7.0	6.5	6.7	6.7	6.8	6.8			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = ST. LUCIE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	*T	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ASTYPE	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																
94060000	1.159	1.350	C	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
ALA			2	8.3		9300	RIDE	8.6	7.8	8.5	8.1	7.9	8.0	7.0	7.7	7.6	7.6	7.4	7.1	7.1	
							FC3														
							CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.4*	7.0	5.5*
4498281	1.224	2.525	C	2028		0012	RIDE	6.9	7.0	7.0	7.3	7.4	7.1	7.0	6.5	6.7	6.7	6.8	6.8	7.1	6.8
							(2001)														
94060000	1.350	2.525	C	1	1	40	CRACKING	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ALA			2	8.3		9300	RIDE	7.6	7.1	7.6	7.1	7.0		6.3	7.0	6.9	6.9	7.0	7.0	7.1	7.0
							FC95														
MARINA ENT(1.4R)	1.528	2.550	C	2004		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	8.1	7.8	6.5
COMMUNITY ASPHALT CORP. (2007)	1.224	2.525	C	2028		0012	SPRIDE	7.0	6.9	5.9	6.1	6.2	6.2	6.1	6.1	6.1	6.1	5.9	6.0	6.0	5.7
4498281																					
94060000	2.525	7.126	C	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5
ALA			2	4.2		5600	RIDE	8.9	8.5	8.8	8.1	8.1	7.9	7.4	7.3	7.1	7.1	7.0	6.7	6.8	
							FC95R														
ATLANTIC BEACH BLVD(2.5R)	2.525	7.709	C	2012		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.2	8.0	7.0
RANGER CONSTRUCTION INDUST(2015)							SPRIDE		8.0	7.4	7.9	7.8	7.8	7.9	7.9	7.9	7.9	7.8	7.9	7.8	7.5
94060000	7.126	7.728	C	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5
ALA			2	4.2		5600	RIDE	8.9	8.5	8.8	8.1	8.1	7.9	7.4	7.3	7.2	6.9	7.7	7.2	7.5	
							DGFC														
MISSING DESCRIPTION I(7.3R)	2.525	7.709	C	2012		0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.4	8.4	7.5
RANGER CONSTRUCTION INDUST(2015)							SPRIDE		7.6	6.6	7.0	7.0	7.0	6.9	6.8	6.7	6.8	6.6	6.5	6.6	6.3
94070000	17.174	17.816	R	1	1	45	CRACKING	4.5*	2.0*	2.0*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	
68			2	11.2		18400	RIDE	7.6	7.1	7.4	6.9	7.4	7.5	6.7	6.6	7.1	7.6	7.4	7.3	7.4	
							FC125M														
KINGS HWY(17.2C)	17.174	17.833	R	2011		0218	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	6.6	5.5*
4130461							RIDE	7.4		8.2	8.1	7.8	7.9	7.9	7.7	7.8	7.5	7.1	7.3	7.3	7.0
94070000	17.816	19.705	R	1	1	45	CRACKING	4.5*	2.0*	2.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
68			2	15.5		19900	RIDE	7.7	7.3	7.4			7.1	6.4	6.1	7.0	7.0	7.0	6.9	6.8	
							FC125														
COPENHAVER RD(17.8R)	17.750	19.700	C	2002		0213	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.4	8.4	7.0
DICKERSON FLORIDA INC. (2006)	17.810	19.758	C	2031		0012	SPRIDE	6.7	6.5	6.3	5.5	6.3	6.1	6.1	5.9	5.9	5.9	6.0	5.8	5.9	5.6
4484481																					
94070000	19.705	21.079	R	1	7	35	CRACKING	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.5	
68			2	9.4		14200	RIDE	7.6	6.8	7.3	6.6	6.8	6.6	6.3		7.8	7.8	7.8	7.8	7.7	
							FC125M														
S 32 ST(19.8R)	19.755	20.880	R	2024		0012	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.1	10.0	9.5
4461691							RIDE	7.7	6.9	7.0	6.2	7.2	7.3	7.3	7.1	6.9	7.0	7.1	7.1	7.1	6.8
C. W. ROBERTS CONTRACTING,(2026)																					
94070000	21.079	21.669	C	1	7	30	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
68			2	4.9		10500	RIDE	4.0*		5.6	5.5	5.1*	5.3*	4.7*	5.5	5.2*	4.9*	5.0*	4.7*		
							FC125M														
S 11 ST(21.1R)	21.053	21.470	C	2024		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.5	10.0	9.5
4461691							RIDE	5.0*	4.6*	3.9*	3.9*	4.1*	3.8*	3.9*	3.7*	3.9*	3.9*	3.9*	3.7*	4.9*	4.6*
C. W. ROBERTS CONTRACTING,(2026)																					
94070000	19.705	21.079	L	1	7	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0
68			2	9.4		14200	RIDE	7.1	6.7	6.2	6.2	6.1	6.0	6.0		7.6	7.5	7.8	7.6	7.6	
							FC125M														
N 32 ST(19.8L)	19.755	20.880	L	2024		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	6.7	10.0	9.5
4461691							RIDE	7.5	6.8	7.1	7.1	6.8	6.9	6.8	6.6	6.6	6.6	6.5	6.0	7.3	7.0
C. W. ROBERTS CONTRACTING,(2026)																					
94070000	17.816	19.705	L	1	1	45	CRACKING	4.5*	2.0*	2.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
68			2	15.5		19900	RIDE	7.7	7.3	7.4			7.1	7.0	6.0	6.9	6.8	6.9	6.8	6.7	
							FC125														
LAMONT RD(17.8L)	17.750	19.700	C	2002		0213	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0
DICKERSON FLORIDA INC. (2006)	17.810	19.758	C	2031		0012	SPRIDE	6.5	6.0	5.7	5.9	6.0	5.9	5.9	5.8	5.6	5.6	5.8	5.7	5.7	5.4*
4484481																					
94070000	17.174	17.816	L	1	1	45	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
68			2	11.2		18400	RIDE	7.9	7.7	7.5	7.8	7.3	7.3	7.1	6.4	7.4	7.5	7.1	7.3	7.3	
							FC125M														
KINGS HWY(17.2C)	17.174	17.833	L	2011		0218	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	6.0*
4130461							RIDE	7.2		7.6	7.7	7.6	7.6	7.3	7.4	7.3	7.1	7.4	7.2	7.4	7.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = ST. LUCIE -----

RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE						
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013							
INTERSECT AT (MP SIDE)	SURFTYPE =====																										
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031						
CONTRACTOR (AGE_ONE YEAR)	ASTYPE													(PMRS)													
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																						
94470000	0.000	7.500	L	5	1	70	CRACKING	9.5	7.5	7.5	7.0	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	9.5							
91	138.2	145.7	2	18.5	57568		RIDE	8.9	8.4	8.9	8.4	8.2	8.0	7.8	7.5		7.7	7.5	7.7	7.7							
END BRIDGE	FC5M																										
4379861	0.000	15.100	C	2019	0005		CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	6.5		10.0	10.0	10.0	8.5	9.0	7.5						
COMMUNITY ASPHALT CORP.	(2022) SPRIDE													7.7	7.6	8.0	7.9	8.0	8.1	8.1		8.5	8.5	8.5	8.5	8.5	8.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).