

FLORIDA DEPARTMENT OF TRANSPORTATION
INTERSTATE SYSTEM PAVEMENT CONDITION FORECAST
PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026
 SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 7 COUNTY = HERNANDO -----

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE				
												2001	2002	2003	2004	2005	2006	2007	2008	2009	2010		2011	2012	2013	
INTERSECT	AT	(MP	SIDE)									=====														
ITMSEG-P	W_BMP	W_EMP	W_RW	FY-P	WKM	P						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE																					(PMRS)	
ITMSEG-F	W_BMP	W_EMP	W_RW	FY-F	WKM	F																				
08150000			0.000		5.070	R	4	1	70	66000	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	6.5	6.5			10.0	10.0	
93 I75			294.0		299.0	3	8.9				RIDE	9.0	8.9	8.8	8.3	8.3	8.1	8.1	7.7	7.5	7.4			8.4	8.3	
											FC5M															
4110113			0.000		5.389	C	2014			0213	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.5	6.5
							(2018)				RIDE	8.5	8.2			8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4
08150000			5.070		11.468	R	4	1	70	62500	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	10.0	
93 I75			299.0		305.4	3	32.1				RIDE	9.0	8.9	8.9	8.2	8.1	7.9	7.9	7.6	7.3	7.3	7.2	7.0	8.1		
											FC5M															
4110122			8.313		11.447	C	2016			0218	CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.4	7.5	
							(2020)				RIDE	8.3	8.0	8.3	8.3			8.6	8.6	8.6	8.6	8.5	8.5	8.5	8.4	
08150000			5.389		11.468	L	4	1	70	62500	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	5.5*	10.0		
93 I75			299.3		305.4	3	32.1				RIDE	8.7	8.7	8.8	8.2	8.1	8.0	7.8	7.4	7.1	7.1	6.7	6.3*	8.3		
											FC5M															
4110122			8.313		11.447	C	2016			0218	CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	
							(2020)				RIDE	8.4	8.1	8.3	8.4			8.8	8.8	8.8	8.7	8.7	8.7	8.7	8.6	
08150000			0.000		5.389	L	4	1	70	66000	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	7.5	5.5*	5.5*	5.5*			10.0	10.0	
93 I75			294.0		299.3	3	8.9				RIDE	9.0	8.9	8.9	8.3	8.3	7.8	7.9	7.6	7.8	7.8			8.3	8.3	
											FC5M															
4110113			0.000		5.389	C	2014			0213	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.2	9.0	7.0	
							(2018)				RIDE	8.4	8.1			8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION
INTERSTATE SYSTEM PAVEMENT CONDITION FORECAST
PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026 - 2031, EXTRACTED ON 01/30/2026
 SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 7 COUNTY = HILLSBOROUGH -----

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE				
												2001	2002	2003	2004	2005	2006	2007	2008	2009	2010		2011	2012	2013	
INTERSECT	AT	(MP		SIDE)	W_BMP	W_EMP	W_YEAR	FW	FY-P	W_KMX-P	ASTYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)																							(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	W_KMX-F																					
10075000	93A	I75	26.594	260.3	29.322	263.0	3	4	13.2	2	70	CRACKING	7.8	7.8	7.8	7.8	7.8	9.1	9.0	8.8	8.8	8.7	8.6	8.3	8.1	
												RIDE	7.6	7.5	7.7	7.1	5.4*	7.6	8.0	8.1	8.0	7.9	7.9	7.9	7.7	
												LDG														
												CRACKING	8.0	6.9	7.3	8.0				8.6	6.8	6.3*	6.3*	4.6*	3.7*	3.0*
												RIDE	7.7	7.8	8.0	8.1				8.1	8.1	7.8	7.7	7.7	7.6	7.5
4436302			25.227		30.263		C	2025			0227															
10075000	93A	I75	29.322	263.0	30.198	263.9	3	4	13.2	4	70	CRACKING	8.7	8.7	8.7	8.7	9.0	9.0	8.8	8.8	8.7	8.6	8.3	8.1		
												RIDE	7.5	7.6	7.5	7.1	6.7	7.4	8.0	8.1	8.0	7.9	7.9	7.9	7.7	
												LDG														
2586631	PHOENIX	CONSTRUCTION	25.593	25.227	30.219	30.263	C	2003			0217	CRACKING	8.0	6.9	7.3	8.0	8.3	8.2	8.1	7.8	6.6	6.2*	6.3*	5.3*	4.4*	3.5*
												RIDE	7.7	7.8	8.0	8.1	7.8	8.2	8.2	8.2	8.2	7.9	7.9	8.0	8.1	8.0
4436302			25.227		30.263		C	2025			0227															
10075000	93A	I75	30.198	263.9	35.900	269.6	4	4	7.2	1	70	CRACKING	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
												RIDE	8.6	8.6	8.4	7.6	8.3	8.2	8.4	8.4	8.4	8.2	7.9	7.9	7.7	
												FC5M														
4084592	PRINCE	CONTRACTING,	30.469	30.263	34.075	39.854	C	2011			0213	CRACKING				10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	5.6*	5.1*	3.0*
												SPRIDE				8.4	8.3	8.4	8.4	8.4	8.4	8.3	8.3	8.0	7.9	7.8
4491561			30.263		39.854		C	2028			0012															
10075000	93A	I75	35.900	269.6	39.854	273.6	3	4	7.2	1	70	CRACKING	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
												RIDE	8.6	8.6	8.4	7.6	8.3	8.2	8.4	8.4	8.4	8.2	7.9	7.9	7.7	
												FC5M														
4084593	PRINCE	CONTRACTING,	36.779	30.263	39.835	39.854	C	2011			0218	CRACKING				10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	5.5*
												SPRIDE				8.4	8.3	8.4	8.4	8.4	8.4	8.3	8.3	8.2	8.1	8.0
4491561			30.263		39.854		C	2028			0012															
10075000	93A	I75	30.198	263.9	39.854	273.6	4	4	7.2	1	70	CRACKING	7.5	7.0	6.0*	6.0*	10.0	10.0	10.0	9.0	9.0	7.5	6.5	4.5*		
												RIDE	8.6	8.7	8.5	7.7	8.1	8.0	8.2	8.1	7.9	7.4	7.1	6.6		
												FC5M														
												CRACKING				10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	7.0	5.0*
												RIDE				8.4	8.3	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.1	8.0
4491561			30.263		39.854		C	2028			0012															
10075000	93A	I75	29.322	263.0	30.198	263.9	3	4	13.2	4	70	CRACKING	7.4	7.7	7.1	7.1	8.1	8.1	8.6	8.5	8.3	8.0	8.2	8.2	7.8	
												RIDE	7.1	7.2	7.2	6.4*	6.9	7.5	7.6	7.6	7.6	7.6	7.5	7.4	7.4	
												LDG														
2586631	PHOENIX	CONSTRUCTION	25.593	25.227	30.219	30.263	C	2003			0217	CRACKING	7.8	7.5	7.0	7.1	7.0	6.9	7.0	7.9	7.7	6.9	7.0	6.9	6.4*	5.5*
												RIDE	7.4	7.3	7.9	7.9	7.7	8.1	7.8	8.0	7.8	7.6	7.8	7.8	7.7	7.6
4436302			25.227		30.263		C	2025			0227															
10075000	93A	I75	24.690	258.4	29.322	263.0	3	4	13.2	4	70	CRACKING	6.5	6.5	6.5	6.5	6.5	7.7	8.6	8.5	8.3	8.0	8.2	8.2	7.8	
												RIDE	7.7	7.6	7.6	6.9	7.0	6.8	7.6	7.6	7.6	7.6	7.5	7.4	7.4	
												LDG														
2586631	PHOENIX	CONSTRUCTION	25.593	25.227	30.219	30.263	C	2003			0217	CRACKING	7.8	7.5	7.0	7.1	7.0	6.9	7.0	7.9	7.7	7.3	6.2*	5.6*	5.7*	5.0*
												RIDE	7.4	7.3	7.9	7.9	7.7	8.1	7.8	8.0	8.2	8.1	8.0	8.1	8.0	
4436302			25.227		30.263		C	2025			0227															
10075000	93A	I75	23.134	256.9	24.690	258.4	3	4	8.9	2	70	CRACKING	8.6	8.6	8.5	8.5	7.8	7.8	7.6	8.7	8.7	8.6	8.8	8.6	8.5	
												RIDE	7.2	7.3	6.9	6.5	6.3*	6.4*	6.2*	7.5	8.0	8.0	8.0	7.9	7.9	
												LDG														
4436301	GOSALIA	CONCRETE	21.718	19.015	24.185	24.185	C	2024			0227	CRACKING	8.3		8.6	8.1	8.0	8.0		8.3	7.4	7.1	7.0	6.9	8.7	8.5
												RIDE	7.7		7.7	7.8	7.5	7.6		7.4	7.2	7.1	7.1	7.0	5.3*	5.2*
10075000	93A	I75	21.846	255.6	23.134	256.9	3	4	15.0	2	70	CRACKING	9.3	9.4	9.4	9.4	9.4	9.4	9.4	9.2	9.3	9.3	9.3	9.4	9.4	
												RIDE	8.4	8.1	8.2	7.5	7.4	7.4	7.7	7.8	7.3	7.8	7.5	8.4	8.7	
												LDG														
												CRACKING	9.3	9.3	9.3	9.3	9.3	9.2		9.4	9.1	9.1	9.1	9.2	9.3	9.0
												RIDE	8.3	8.5	8.6	8.8	8.6	8.9		8.7	8.7	8.6	8.7	8.7	8.2	8.1
4436301			19.015		24.185		C	2024			0227															
10075000	93A	I75	20.972	254.7	21.846	255.6	5	4	8.9	2	70	CRACKING	9.3	9.4	9.4	9.4	9.4	9.4	9.1	9.0	8.8	8.7	8.8	9.4	9.3	
												RIDE	7.8	7.8	7.5	7.5	7.7	7.4	7.3	7.3	7.0	7.1	7.1	8.3	8.5	
												LDG														
2585481	WHITE	CONSTRUCTION	20.973	19.015	22.266	24.185	C	1983			0120	CRACKING	9.3	9.2	9.2	9.2	9.0	9.0	9.1	9.0	9.1	9.0	9.0	9.1	9.3	8.0

FLORIDA DEPARTMENT OF TRANSPORTATION

INTERSTATE SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 7 COUNTY = PINELLAS -----																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	*T	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-X-P		ASTYPE										(PMRS)	
CONTRACTOR (AGE_ONE YEAR)		(AGE_ONE YEAR)		YEAR		RW		FY-F		WKM-X-F													
ITMSEG-P		W_BMP		W_EMP		RW		FY-F		WKM-X-F													
ITMSEG-F		W_BMP		W_EMP		RW		FY-F		WKM-X-F													
15190000	12.456	13.451	L	4	4	65	CRACKING	8.8	8.6	8.3			9.5	9.5	9.5	9.4	9.2	9.3	9.1	9.1			
93	I275	29.6	30.6	4	7.3	134000	RIDE	7.2	6.1*	6.4*			7.6	7.5	7.3	7.3	7.3	8.0	7.8	7.9			
							CONC																
2588701	12.688	15.028	C	2001	0213		CRACKING	8.9	8.8	8.6	8.5	8.6	8.4	8.2	8.2	8.4	8.3	8.5	9.1	8.9	8.0		
JONES BROS., INC. (2006)							RIDE	7.8	7.7	8.1	8.1	8.1	7.9	8.0	7.9	8.1	8.1	8.1	8.2	8.1	8.0		
4491091	7.358	14.668	L	2025	0213																		
15190000	10.961	12.456	L	4	2	65	CRACKING	8.8		9.3	9.3	9.3	9.4	9.3	9.1	9.3	9.0	9.1	8.9	9.0			
93	I275	28.1	29.6	4	7.3	140500	RIDE	7.2		8.5	7.9	7.9	7.7	7.6	7.9	7.5	7.4	7.5	7.5	7.8			
							CONC																
2588611	11.115	12.888	C	1999	0213		CRACKING	8.9	8.9	8.9	8.8	8.7	8.7	8.7	8.7	8.7	8.6	8.6	8.7	8.6	8.0		
HUBBARD CONSTRUCTION CO (2003)							RIDE	7.5	7.4	8.1	8.1	8.0	8.0	8.1	8.0	8.1	8.1	8.1	8.1	8.2	8.2	8.1	
4491091	7.358	14.668	L	2025	0213																		
15190000	8.867	10.961	L	4	4	65	CRACKING	8.8	8.1	8.0	8.1	8.0	8.8	8.7	8.4	8.7	8.7	8.8	8.7	8.6			
93	I275	26.0	28.1	3	7.3	162000	RIDE	7.2	6.9	7.2	6.2*	6.2*	6.4*	6.5	6.3*	7.5	7.9	7.6	8.0	8.1			
							LDG																
2587901	8.300	18.200	C	1981	0101		CRACKING	8.5	8.5	8.3	8.3	8.2	8.2	8.1	8.2	8.0	8.1	7.6	7.9	7.6	6.5		
GEORGIA ELECTRIC CO (1983)							RIDE	8.0	7.2	8.4	8.4	8.3	8.3	8.3	8.4	8.4	8.4	8.2	8.2	8.2	8.5	8.4	
4491091	7.358	14.668	L	2025	0213																		
15190000	5.284	8.867	L	4	4	65	CRACKING	8.8	8.1	8.0	8.1	8.0		9.2	8.9	8.6	8.4	8.4	8.1	8.1			
93	I275	22.4	26.0	3	7.3	173000	RIDE	7.2	6.9	7.2	6.2*	6.2*		7.4	7.6	7.5	7.6	7.6	7.1	7.4			
							LDG																
2588801	5.797	8.840	C	2004	0227		CRACKING	7.9	7.8	7.8	7.7	7.6	7.4	7.3	7.3	6.2*	6.8	6.3*	6.4*	5.7*	5.0*		
KIEWIT INFRASTRUCTURE SOUT (2007)							RIDE	7.3	7.1	7.9	7.8	7.8	7.6	7.7	7.7	7.7	7.6	7.5	7.4	7.5	7.4	7.4	
4541721	5.282	7.358@	C	2028	0227																		
15190000	2.287	4.456	L	4	2	65	CRACKING	6.2*	4.4*	5.7*	5.6*	5.5*	7.5	7.4	6.8	7.6	7.6	7.8	7.4	7.1			
93	I275	19.4	21.6	3	7.3	115000	RIDE	6.9	6.6	8.2	7.7	7.7	7.5	7.4	7.0	7.5	7.8	8.0	7.6	7.5			
							LDG																
							(1983)																
4460091	2.140	4.000	L	2023	0227		CRACKING	6.9	6.6	6.3*	6.2*	6.1*	5.5*	5.2*	5.1*	3.9*	4.0*	3.7*	4.1*	7.4	6.5		
							RIDE	7.5	7.2	8.1	8.0	7.9	7.8	7.7	7.8	7.9	7.7	7.6	7.4	8.1	8.0		
15190000	0.500	2.287	L	4	2	65	CRACKING	6.2*		7.8	7.8	7.6	7.9	7.8	7.7	7.7	7.9	8.2	8.3	8.1			
93	I275	17.6	19.4	3	7.3	104000	RIDE	6.9		8.3	8.0	8.1	7.8	7.8	7.8	7.8	7.9	7.7	7.5	7.8			
							LDG																
2588041	0.420	1.485	C	1982	0101		CRACKING	7.6	7.4	7.4	7.5	7.5	7.4	7.3	7.4	7.7	7.8	7.8	7.5	7.9	7.0		
COUCH, INC. (1986)							RIDE	7.9	7.8	8.1	8.1	8.3	8.4	8.6	8.7	8.7	8.5	8.5	8.5	9.1	9.0		

15190900	0.000	1.196	R	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.0*	4.5*	4.5*	10.0			
55	I275	16.5	17.6	2	7.5	67613	RIDE	8.5	8.7	8.7	7.1	6.9	7.7	7.5	8.0	7.8	7.8	7.5	7.2	8.3			
OLD TOLL PLAZA(0.0C)							FC5M																
4251461	0.515	1.196	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	4.5*	2.0*		
LANE CONSTRUCTION CORPORAT (2013)							SPRIDE	8.2	8.2	8.2	8.2	8.3	8.2	8.3	8.3	8.2	8.2	8.0	8.0	8.0	8.0	8.0	7.9
4491531	0.000	1.196	C	2027	0012																		
15190900	0.000	1.196	L	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.0*	6.0*	10.0				
55	I275	16.5	17.6	2	7.5	67613	RIDE	8.4	8.6	8.6	8.1	8.0	7.9	7.5	7.9	7.9	7.2	7.6	8.2				
OLD TOLL PLAZA(0.0C)							FC5M																
4251461	0.515	1.196	C	2012	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	5.1*	2.5*			
LANE CONSTRUCTION CORPORAT (2013)							SPRIDE	8.1	8.1	7.9	8.2	8.2	8.1	8.2	8.2	8.2	8.1	8.0	8.0	8.0	8.0	7.9	
4491531	0.000	1.196	C	2027	0012																		
15190908	0.000	2.172	C	4	5		CRACKING																
93	I275		1				RIDE																
							CONC																
							(2026)																
							CRACKING														9.4	9.0	
							RIDE														8.2	8.1	

15190909	0.000	4.248	C	4	5		CRACKING																
93	I275		1				RIDE																
							CONC																
							(2026)																
							CRACKING														8.8	8.5	
							RIDE														8.3	8.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).