

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES INC -----																								
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	RATINGS	SURVEYED	YEAR	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2013	2013		
INTERSECT AT (MP	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2026	2031	(PMRS)	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F																		
07010000	6.815	8.340	R	1	1	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
80			2	55	18600	RIDE			8.6	8.8	8.6	8.6	8.6	8.5	8.5	7.5	7.4	7.4	8.2	8.4	8.3			
BEN MOORE DR(6.9R)																								
1941951	6.287	8.332	C	1998	0213	CRACKING		9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.8	7.0	4.0*		
AJAX PAVING INDUSTRIES			IN(2002)	FC3	RIDE			8.1	7.5	8.0	7.6	7.9	7.8	7.8	7.7	7.7	7.4	7.5	7.5	7.3	7.0			

07010000	6.815	8.340	L	1	1	CRACKING			10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
80			2	55	18600	RIDE			8.6	8.8	8.4	8.4	8.3	8.3	8.3	7.3	7.3	7.3	8.1	8.1	8.0			
PARK LN(7.2L)																								
1941951	6.287	8.332	C	1998	0213	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.9	7.8	5.0*	
AJAX PAVING INDUSTRIES			IN(2002)	FC3	RIDE			7.9	7.1	7.8	7.5	7.7	7.8	7.9	7.8	7.9	7.7	7.7	7.7	7.6	7.7	7.4		

12040000	3.780	4.845	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	
867			2	40	15600	RIDE		7.9	8.0	7.8	7.5	7.5	7.4	7.1	8.1	7.8	7.3	7.6	7.4	7.4				
VAL MAR DR(3.8L)																								
1957091	3.607	4.957	C	1998	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.8	5.0*	
AJAX PAVING INDUSTRIES			IN(2000)	FC3	RIDE			7.2	7.1	7.1	7.1	6.9	6.9	6.8	6.7	6.6	6.6	6.6	6.4	6.5	6.2			
4507281	0.000	5.075	C	2028	0226																			

12040000	4.845	5.083	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5	6.5	7.0	7.0	7.0	7.0	7.0		
867			2	40	23500	RIDE		7.9	8.0	7.8	7.5	7.5	7.4	7.1	6.7	6.7	7.3	7.6	7.4	7.4				
WINKLER RD(4.9R)																								
1957091	3.607	4.957	C	1998	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	8.0	5.0*		
AJAX PAVING INDUSTRIES			IN(2000)	FC3	RIDE			7.2	7.1	7.1	7.1	6.9	6.9	6.8	6.7	6.6	6.6	6.6	6.4	5.7	5.4*			
4507281	0.000	5.075	C	2028	0226																			

12070000	0.000	0.457	R	1	1	CRACKING		5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
82	B41		1	30	16700	RIDE		4.1*	6.6	5.1*	5.7	5.6	5.4*	5.2*	5.1*	5.0*	5.0*	5.1*	5.0*	5.0*	4.9*			
SR 45/US 41(0.0C)																								
1956611	0.000	0.457	C	2000	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.7	7.5	4.5*		
AJAX PAVING INDUSTRIES			IN(2002)	FC125	RIDE			5.1*	4.8*	4.4*	4.3*	4.4*	4.0*	4.2*	4.3*	4.0*	3.9*	3.9*	4.0*	3.8*	3.5*			

12070000	0.000	0.457	L	1	1	CRACKING		5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
82	B41		1	30	16700	RIDE		4.1*	6.6	5.1*	5.7	5.6	5.4*	5.2*	6.1	6.0	5.8	5.9	5.7	5.6				
CLEVELAND ST(0.0L)																								
1956611	0.000	0.457	C	2000	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.2	4.5*		
AJAX PAVING INDUSTRIES			IN(2002)	FC125	RIDE			5.5	5.3*	5.3*	5.3*	4.5*	4.6*	4.9*	4.9*	5.0*	5.1*	4.5*	4.4*	5.0*	4.7*			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	X-P	*****														
ITMSEG-P	CONTRACTOR (AGE_ONE YEAR)	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031						
ITMSEG-F	CONTRACTOR (AGE_ONE YEAR)														(PMRS)						
04040000	11.655	12.399	C	1	1	CRACKING	7.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
70			2	45	18700	RIDE	6.7	6.1*	6.7			7.9	7.6	8.0	7.8	7.9	7.9	7.9	7.9	7.9	
AMERICAN LEGION DR NW(11.9L)																					
1939121	11.760	14.701	C	2002	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*		0.0*	0.0*
AJAX PAVING INDUSTRIES INC(2005)					FC125	RIDE	7.7	7.3	7.6	7.6	7.4	7.2	7.3	7.3	7.1	7.1	7.2			6.8	6.5
04040000	12.399	12.601	R	1	8	CRACKING	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
70			2	45	18700	RIDE	7.5	6.9	7.2	6.7	7.8	7.3	7.8	7.5	7.8	7.7	7.7	7.6	7.6	7.7	
N PARKER AVE(12.4C)																					
1939121	11.760	14.701	C	2002	0012	CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*			
AJAX PAVING INDUSTRIES INC(2005)					FC125	RIDE	7.7	7.3	7.1	7.3	7.0	7.3	7.2	7.1	6.9	7.0	7.0				
4415621	12.365	14.193	C	2023	0005																
04040000	12.601	14.244	C	1	8	CRACKING	4.5*	4.5*	1.0*	1.0*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
70			2	40	13500	RIDE	5.1*	3.2*	5.0*	4.9*	7.1	6.4	6.3	6.2	6.2	6.5	6.6	6.1	6.1		
HICKORY ST(12.6L)																					
1939121	11.760	14.701	C	2002	0012	CRACKING	9.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*				
AJAX PAVING INDUSTRIES INC(2005)					FC125	RIDE	6.1	6.0	5.7	5.4*	5.3*	5.0*	5.3*	5.2*	5.2*	4.9*	5.0*				
4415621	12.365	14.193	C	2023	0005																
04040000	12.399	12.601	L	1	8	CRACKING	9.5	9.5	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
70			2	45	18700	RIDE	7.4	6.9	7.3	6.0*	7.9	7.4	7.5	7.8	7.8	7.7	7.8	7.8	7.5	7.5	
N PARKER AVE(12.4C)																					
1939121	11.760	14.701	C	2002	0012	CRACKING	9.5	9.5	9.5	9.5	8.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*				
AJAX PAVING INDUSTRIES INC(2005)					FC125	RIDE	7.4	7.2	6.5	6.6	6.6	6.5	6.7	6.6	6.7	6.6	6.6				
4415621	12.365	14.193	C	2023	0005																
12010000	23.421	23.688	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	10.0	
45	41		2	40	36000	RIDE	8.1	8.4	8.1	7.9	7.8	7.7	7.4	6.7	6.4	6.6	6.3				
CR 867(23.6L)																					
1956381	23.056	23.567	C	1998	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.4	5.5*	
AJAX PAVING INDUSTRIES INC(1999)					FC3	RIDE													5.4*	5.1*	
4560311	10.062	29.009	C	2026	6060																
12060000	17.023	18.285	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
78			2	50	42000	RIDE	8.8	8.9	8.5	8.6	8.2	8.3	8.3	8.4	8.2	8.1	8.2	8.1	8.0		
WHALEYS DR(17.3R)																					
1956651	17.145	18.440	C	1998	0213	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	8.5	7.5	7.5	7.5	6.5	3.5*	
AJAX PAVING INDUSTRIES INC(2000)					FC3	RIDE	7.9	7.9	7.9	7.8	7.8	7.4	7.6	7.7	7.8	7.6	7.4	7.5	7.6	7.3	
4507221	17.023	18.361	C	2029	0226																
12060000	17.023	18.361	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
78			2	50	42000	RIDE	8.8	8.8	8.6	8.5	8.2	8.2	8.5	8.1	7.9	7.9	7.9	7.8			
SHORELINE BLVD(17.4L)																					
1956651	17.145	18.440	C	1998	0213	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.6	5.5*	2.5*	
AJAX PAVING INDUSTRIES INC(2000)					FC3	RIDE	7.7	7.7	7.8	7.7	7.7	7.4	7.6	7.4	7.3	7.3	7.4	6.9	7.2	6.9	
4507221	17.023	18.361	C	2029	0226																
12090000	0.000	0.510	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
31			2	40	20900	RIDE		8.9	8.6	8.4	8.3	8.4	8.2	7.3	7.2	7.8	7.9	7.8	7.8	7.8	
PALM BEACH BLVD(0.0C)																					
1956621	0.017	4.684	C	2000	0221	CRACKING	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	2.5*
AJAX PAVING INDUSTRIES INC(2002)					FC3	RIDE	7.7	7.7	7.6	7.6	7.5	7.2	7.2	7.2	7.2	7.3	7.1	6.9	6.8	6.5	
12090000	0.510	0.877	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.5	
31			2	40	20900	RIDE		8.9	8.6	8.4	8.3	8.4	8.2	7.8	7.8	7.9	7.8	7.8	7.8	7.8	
MARINA DR W(0.7L)																					
1956621	0.017	4.684	C	2000	0221	CRACKING	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	7.9	5.0*	
AJAX PAVING INDUSTRIES INC(2002)					FC3	RIDE	7.7	7.7	7.6	7.6	7.5	7.2	7.2	7.2	7.2	7.3	7.1	6.9	7.1	6.8	
12090000	0.877	1.118	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
31			2	40	20900	RIDE		8.9	8.6	8.4	8.3	8.4	8.2	8.0	7.9	7.8	7.9	7.8	7.8	7.8	
MARINA DR W(0.7L)																					
1956621	0.017	4.684	C	2000	0221	CRACKING	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	2.5*
AJAX PAVING INDUSTRIES INC(2002)					FC3	RIDE	7.7	7.7	7.6	7.6	7.5	7.2	7.2	7.2	7.2	7.3	7.1	6.9	7.5	7.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	SURF_TYPE		FY-F	WKM-F															(PMRS)
CONTRACTOR																				
ITMSEG-F																				
01010000	0.000	4.983	R	1	1	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41			2	65	21289	RIDE	8.7	8.8	8.6	7.8	8.2		7.8	7.8	7.9	7.8	7.8	7.8	7.7	
EVERGREEN AVE(0.1R)																				
4316151	0.000	4.983	C	2015	0227	CRACKING	10.0	10.0	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0
AJAX PAVING INDUSTRIES OF				(2017)	FC5A	RIDE	7.6	7.3	7.9	8.4	8.4	8.3	8.3	8.4	8.3	8.3	8.3	8.3	8.2	8.0
01010000	4.983	7.720	R	1	7	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41			2	60	21289	RIDE	8.7	8.8	8.6	7.8	8.2		7.8	7.8	7.9	7.8	7.8	7.8	7.7	
DIV OF FORESTRY(5.2R)																				
4489311	4.983	7.710	C	2025	0226	CRACKING	10.0	10.0	8.5	8.5	7.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2026)	FC5M	RIDE	7.6	7.3	7.9	7.8	7.7	7.6	7.8	7.7	7.6	7.7	7.7	7.5	8.6	8.4
01010000	15.235	21.003	R	1	1	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.5	6.5	6.5
45 41			3	45	45500	RIDE	8.9	8.7	8.8	8.2	8.1	8.1	8.0	8.0	7.9	7.8	7.7	7.8	7.8	
MELBOURNE ST(15.3R)																				
4313161	15.520	21.003	C	2016	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5
AJAX PAVING INDUSTRIES OF				(2018)	FC125	RIDE	7.6	7.3	7.9	7.9	8.0	8.5	8.4	8.4	8.4	8.4	8.3	8.3	8.4	8.1
01010000	15.235	21.021	L	1	1	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5
45 41			3	45	45500	RIDE	8.3	8.3	8.2	7.8	7.7	7.6	7.5	7.5	7.4	7.2	7.2	7.2	7.1	
CROSS ST(15.3L)																				
4313161	15.520	21.003	C	2016	0012	CRACKING	6.5	6.5	6.5	6.5	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF				(2019)	FC125	RIDE	6.9	6.8	6.9	6.8	6.8	8.1	8.0	8.0	7.9	8.0	7.8	7.8	7.9	7.6
01010000	4.983	7.720	L	1	7	CRACKING	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41			2	60	21289	RIDE	8.0	7.8	7.7	7.2	6.9		7.7	7.8	7.8	7.8	7.7	7.7	7.7	
MORNINGSIDE DR(5.6L)																				
4489311	4.983	7.710	C	2025	0226	CRACKING	10.0	10.0	10.0	10.0	7.5	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2026)	FC5M	RIDE	7.6	7.5	7.9	8.0	7.8	7.6	7.8	7.7	7.7	7.8	7.8	7.7	8.6	8.4
01010000	1.150	4.983	L	1	4	CRACKING	4.7*	7.6	7.4	6.7	5.8*	4.5*	5.2*	5.2*	6.4*	6.6	6.7	7.9	7.3	
45 41			2	65	21289	RIDE	7.8	7.7	7.7	7.0	7.1	6.8	6.8	6.6	6.6	6.5	6.5	6.4*	6.1*	
ZEMEL RD(2.3L)																				
4316151	0.000	4.983	C	2015	0227	CRACKING	6.7	6.3*	6.6	9.1	9.1	9.1	8.9	8.8	8.6	8.0	8.0	7.9	8.0	7.5
AJAX PAVING INDUSTRIES OF				(2017)	LDG	RIDE	6.2*	6.1*	6.3*	7.8	7.7	7.8	8.2	8.1	8.0	8.0	8.0	7.8	7.9	7.8
01010000	0.526	1.150	L	1	1	CRACKING	4.7*	7.6	7.4	6.7	5.8*	4.5*	5.2*	5.2*	6.4*	6.6	6.7	7.9	7.3	
45 41			2	65	26000	RIDE	7.8	7.7	7.7	7.0	7.1	6.8	6.8	6.6	6.6	6.5	6.5	6.4*	6.1*	
AJAX PAVING INDUSTRIES OF (2017)																				
4316151	0.000	4.983	C	2015	0227	CRACKING	6.7	6.3*	6.6	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0
AJAX PAVING INDUSTRIES OF				(2017)	FC5A	RIDE	6.2*	6.1*	6.3*	8.6	8.5	8.5	8.6	8.6	8.6	8.7	8.7	8.6	8.7	8.5
01010000	0.000	0.526	L	1	1	CRACKING	5.5*	5.5*	5.5*	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
45 41			2	65	26000	RIDE	6.5	7.0	6.4*	3.9*	4.6*	4.4*	7.3	7.5	7.5	7.5	7.5	7.5	7.3	
AJAX PAVING INDUSTRIES OF (2017)																				
4316151	0.000	4.983	C	2015	0227	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.9	6.0*
AJAX PAVING INDUSTRIES OF				(2017)	FC5A	RIDE	7.3	7.3	7.5	8.6	8.5	8.5	8.6	8.6	8.6	8.7	8.7	8.6	8.7	8.5
01010101	1.326	1.812	C	1	7	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	30	29500	RIDE	5.8*	5.5	5.3*	4.8*	4.7*	4.3*		7.3	7.0	7.1	7.1	7.0	6.7	
RETTA ESPLANADE ST *(1.4C)																				
4511021	1.326	1.812	C	2025	0226	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.0*	6.0*	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2026)	FC4	RIDE	6.4	6.3	6.2	6.0	6.1	6.0	6.0	5.9	5.9	5.7	5.5	5.7	7.9	7.6
01030000	0.000	0.844	C	1	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
31			2	60	17364	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.6	8.7	8.7	8.6	8.6	8.5	
INDIAN ESTATES(0.1L)																				
4319591	0.000	2.000	C	2015	0012	CRACKING	10.0	10.0	8.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.0*	6.1*	4.5*
AJAX PAVING INDUSTRIES OF				(2017)	FC125	RIDE	8.4	8.5	8.1	9.0	8.7	8.6	8.6	8.5	8.5	8.5	8.4	8.4	8.3	8.0
01030000	1.498	1.753	C	1	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
31			2	60	17364	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.6	8.7	8.7	8.6	8.6	8.5	
AJAX PAVING INDUSTRIES OF (2017)																				
4319591	0.000	2.000	C	2015	0012	CRACKING	10.0	10.0	8.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.0*	4.5*	3.0*
AJAX PAVING INDUSTRIES OF				(2017)	FC125	RIDE	8.4	8.5	8.1	9.0	8.7	8.6	8.6	8.5	8.5	8.5	8.4	8.4	8.6	8.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-X-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F															(PMRS)
01030000	2.186	2.504	C	1	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
31			2	60	9000	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.6	8.7	8.7	8.6	8.6	8.5	
30.8																				
4319591	2.000	12.020	C	2015	0012	CRACKING	10.0	10.0	8.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.0*	6.5	5.0*
AJAX PAVING INDUSTRIES OF				(2017)	FC125	RIDE	8.4	8.5	8.1	9.0	8.7	8.6	8.6	8.5	8.5	8.5	8.4	8.4	8.4	8.1
01030000	2.504	2.892	C	1	8	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
31			2	60	9000	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.6	8.7	8.7	8.6	8.6	8.5	
30.8																				
4319591	2.000	12.020	C	2015	0012	CRACKING	10.0	10.0	8.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.0*		
AJAX PAVING INDUSTRIES OF				(2017)	FC125	RIDE	8.4	8.5	8.1	9.0	8.7	8.6	8.6	8.5	8.5	8.5	8.4	8.4		
01030000	2.892	11.720	C	1	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
31			2	60	9000	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.6	8.7	8.7	8.6	8.6	8.5	
30.8																				
BABCOCK WILDERNESS(6.1R)																				
4319591	2.000	12.020	C	2015	0012	CRACKING	10.0	10.0	8.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.0*	6.5	5.0*
AJAX PAVING INDUSTRIES OF				(2017)	FC125	RIDE	8.4	8.5	8.1	9.0	8.7	8.6	8.6	8.5	8.5	8.5	8.4	8.4	8.4	8.1
01030000	0.844	1.498	L	1	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
31			1	60	17364	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.6	8.7	8.7	8.6	8.6	8.5	
18.4																				
HORSESHOE RD(1.1L)																				
4319591	0.000	2.000	C	2015	0012	CRACKING	10.0	10.0	8.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.0*	6.0*	4.5*
AJAX PAVING INDUSTRIES OF				(2017)	FC125	RIDE	8.4	8.5	8.1	9.0	8.7	8.6	8.6	8.5	8.5	8.5	8.4	8.4	7.7	7.4
01040201	1.754	4.425	R	1	1	CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	60	16100	RIDE							8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.9
20.5																				
4415631	1.754	4.425	C	2022	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	6.5	6.5	10.0	10.0	9.8	9.0	7.5
AJAX PAVING INDUSTRIES OF				(2023)	FC5M	RIDE	7.9	8.0	7.8	7.8	7.8	7.7	7.7	7.7	7.5	8.9	8.9	8.8	8.8	8.6
01040201	1.754	4.425	L	1	1	CRACKING							10.0	10.0	9.5	9.5	9.5	9.5	9.5	
35 17			2	60	16100	RIDE							7.8	7.9	7.9	7.9	7.8	7.8	7.6	
20.5																				
SAM WAY(2.1L)																				
4415631	1.754	4.425	C	2022	0012	CRACKING	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	10.0	10.0	9.7	9.0	7.5
AJAX PAVING INDUSTRIES OF				(2023)	FC5M	RIDE	7.9	7.9	7.6	7.6	7.6	7.5	7.5	7.5	7.4	8.7	8.7	8.7	8.7	8.5
01050000	5.285	6.371	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
776			2	55	30000	RIDE		8.9	8.8	8.1	8.1	8.1	8.0	7.9	8.0	7.9	7.8	7.7	7.7	
7.6																				
SPINNAKER BLVD(5.3C)																				
4394261	5.285	6.371	C	2020	0012	CRACKING	8.0	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF				(2021)	FC5M	RIDE	7.6	7.5	7.6	7.7	7.7	7.5	7.8	8.6	8.5	8.6	8.6	8.5	8.6	8.4
01050000	9.260	11.166	R	1	1	CRACKING	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
776			2	55	34853	RIDE	8.1		8.8	8.2	8.3	8.2	8.2	8.3	8.3	8.3	8.3	8.2	8.2	
9.8																				
CR 771(9.4R)																				
4415171	9.260	11.183	C	2022	0012	CRACKING	9.0	9.0	8.5	8.5	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2023)	FC125	RIDE	8.2	8.1	8.0	8.1	8.0	7.9	7.9	7.8	7.9	8.1	8.0	8.1	8.1	7.8
01050000	11.403	13.164	R	1	1	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
776			2	55	34853	RIDE	8.7		8.6	8.1	8.2	8.1	8.1	8.1	8.1	8.2	8.1	8.0	8.0	
9.8																				
RIVER BEACH DR(11.7R)																				
4454751	11.426	13.174	R	2023	0012	CRACKING	10.0	10.0	8.5	8.5	7.5	7.0	7.0	7.0	6.0*	6.0*	10.0	9.4	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2024)	FC125	RIDE	7.9	8.0	7.8	7.9	7.8	7.8	7.8	7.7	7.8	7.7	8.4	8.4	8.4	8.1
01050000	13.164	17.001	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	5.5*	5.5*	
776			2	55	39000	RIDE	8.6	8.7	8.6	8.2	8.2	8.1	8.0	8.0	8.0	8.0	7.9	7.7	7.6	
8.4																				
WOOSTER ST(15.3R)																				
4312101	13.164	17.001	C	2015	0012	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.8	6.5	4.5*
AJAX PAVING INDUSTRIES OF				(2017)	FC5M	RIDE	7.4	7.2		8.4	8.4	8.3	8.4	8.3	8.3	8.2	8.1	8.0	8.0	7.8
4556291	14.460	17.549	C	2025	6060															
01050000	13.164	17.001	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	5.5*	5.5*	
776			2	55	39000	RIDE	8.9	8.8	8.8	8.4	8.4	8.3	8.3	8.2	8.2	8.1	8.0	7.9	7.8	
8.4																				
RIVERWOOD DR(13.4L)																				
4312101	13.164	17.001	C	2015	0012	CRACKING	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.4*	6.5	4.5*
AJAX PAVING INDUSTRIES OF				(2017)	FC5M	RIDE	7.6	7.4	7.6	8.3	8.3	8.2	8.3	8.2	8.2	8.1	8.2	8.0	8.0	7.8
4556291	14.460	17.549	C	2025	6060															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR											FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															
01050000	11.403	13.164	L	1	1	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	
776			2	55	34853	RIDE	8.7		8.7	8.0	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.8	
STURKIE AVE(11.8L)							9.8														
4454751	11.426	13.174	L	2023	0012	CRACKING	8.5	8.5	8.0	8.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	9.2	10.0	9.0	
AJAX PAVING INDUSTRIES OF	(2024)			FC125		RIDE	7.8	7.8	7.4	7.5	7.4	7.3	7.3	7.2	7.1	6.9	8.5	8.5	8.5	8.5	8.2
01050000	9.260	11.166	L	1	1	CRACKING	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.0	7.0	7.0	
776			2	55	34853	RIDE	8.1		8.6	8.0	8.1	8.0	8.0	8.0	8.0	8.0	7.9	7.9	7.8	7.8	
SAILORS WAY(9.4L)							9.8														
4415171	9.260	11.183	C	2022	0012	CRACKING	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.0	
AJAX PAVING INDUSTRIES OF	(2023)			FC125		RIDE	7.7	7.8	7.6	7.5	7.4	7.4	7.3	7.3	7.3	8.0	8.0	8.0	8.0	8.0	7.7
01050000	5.285	6.371	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	
776			2	55	30000	RIDE		9.0	8.8	8.2	8.3	8.2	8.0	8.1	8.2	8.2	8.0	7.9	7.9	7.9	
SPINNAKER BLVD(5.3C)							7.6														
4394261	5.285	6.371	C	2020	0012	CRACKING	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	9.5	9.0	7.5	
AJAX PAVING INDUSTRIES OF	(2021)			FC5M		RIDE	7.8	7.7	7.8	7.8	7.8	7.6	7.8	8.6	8.5	8.4	8.4	8.5	8.6	8.4	8.4
01075000	0.000	8.102	R	4	1	CRACKING	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	9.0	9.0	8.5	8.5	8.5		
93	175	148.6	3	70	68000	RIDE	8.9	8.9	8.9	8.2	8.1		8.0	8.1	8.0	8.1	8.1	8.0	7.9		
13.5																					
4130422	0.000	8.102	C	2014	0213	CRACKING	8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.5	7.5	
AJAX PAVING INDUSTRIES OF	(2018)			FC5M		RIDE	7.8	7.8		8.6	8.5	8.7	8.8	8.8	8.7	8.7	8.7	8.7	8.7	8.6	8.6
01075000	8.102	10.277	R	4	1	CRACKING	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	9.0	9.0	8.5	8.5			
93	175	156.7	3	70	69500	RIDE	8.9	8.9	8.9	8.2	8.1		8.0	8.1	8.0	8.1	8.1	8.1	8.0		
17.2																					
4130423	8.102	11.553	C	2011	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	8.5	9.0	
AJAX PAVING INDUSTRIES OF	(2014)			FC5M		RIDE	8.2	8.2	8.6	8.6	8.6	8.5	8.6	8.7	8.7	8.6	8.6	8.6	8.6	8.6	8.5
01075000	8.786	11.205	L	4	1	CRACKING	6.5	6.5	6.5	6.5	3.5*		10.0	10.0	9.0	9.0	8.5	8.5			
93	175	157.4	3	70	69500	RIDE	9.0	8.9	8.6	8.0	7.7		8.1	8.1	8.1	8.1	8.1	8.1	8.0		
17.2																					
4130423	8.102	11.553	C	2011	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	8.8	9.0	
AJAX PAVING INDUSTRIES OF	(2014)			FC5M		RIDE	8.1	8.1	8.6	8.6	8.6	8.5	8.7	8.7	8.8	8.7	8.7	8.7	8.7	8.7	8.6
01075000	0.000	8.402	L	4	1	CRACKING	6.5	6.5	6.5	3.5*	3.5*		10.0	10.0	9.0	9.0	8.5	8.5	8.5		
93	175	148.6	3	70	68000	RIDE	9.0	8.9	8.6	7.9	7.7		8.1	8.1	8.1	8.1	8.1	8.1	8.0	7.8	
13.5																					
4130422	0.000	8.102	C	2014	0213	CRACKING	8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.8	9.6	
AJAX PAVING INDUSTRIES OF	(2018)			FC5M		RIDE	7.9	7.9		8.4	8.4	8.5	8.5	8.5	8.6	8.6	8.5	8.5	8.5	8.5	8.4
03010000	18.668	20.085	R	1	1	CRACKING	5.5*	5.5*	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
90	41		3	50	40500	RIDE	8.3	8.2	7.9		8.0	7.8	7.6	7.8	8.0	8.0	8.0	8.0	7.7	7.6	
BAREFOOT WILLIAMS RD(18.9R)							4.1														
4415611	18.684	20.089	C	2023	0012	CRACKING	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	
AJAX PAVING INDUSTRIES OF	(2025)			FC5M		RIDE	7.7	7.5	8.2	8.4	8.2	8.3	8.3	8.4	8.4	8.3	8.2	8.8	8.8	8.6	
03010000	18.688	20.075	L	1	1	CRACKING	4.5*	4.5*	4.5*		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
90	41		3	50	40500	RIDE	6.6	6.4*	6.3*		8.0	7.9	7.9	8.1	7.9	8.0	7.9	7.8	7.6		
EAGLE LAKES PARK(18.9L)							4.1														
4415611	18.684	20.089	C	2023	0012	CRACKING	7.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	
AJAX PAVING INDUSTRIES OF	(2025)			FC5M		RIDE	7.6	7.0	7.8	8.1	8.1	7.9	8.2	8.0	8.1	7.9	8.0	8.6	8.5	8.3	
03050000	0.430	0.645	C	1	1	CRACKING	8.5	8.5	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	
82			2	60	18800	RIDE	8.3	7.9	7.3	6.9	6.5	5.9*	6.2*	6.4*	6.2*	8.2	8.2	8.2	8.2		
18.0																					
4308481	0.317	0.654	C	2024	0213	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.5	9.1	
AJAX PAVING INDUSTRIES OF	(2026)			FC125		RIDE	8.1	8.2	8.0	8.0	7.9	7.9	7.8	7.8	8.0	8.0	8.0	8.0	8.0	8.0	7.7
03050000	3.505	7.058	R	1	1	CRACKING	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0		
82			2	60	18900	RIDE	7.7	7.6	7.2	6.7	6.3*	5.5*	5.7*	5.7*	5.3*	8.2	8.2	8.2	8.2		
LAMM RD(5.0R)							13.7														
4308491	3.826	6.258	C	2020	0213	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0		10.0	10.0	10.0	10.0	8.5	
AJAX PAVING INDUSTRIES OF	(2023)			FC5A		RIDE	8.1	8.2	8.0	8.0	7.9	7.9	7.8	7.8		8.6	8.5	8.4	8.4	8.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W	FY-P	WKM-F	WKM-F	*****		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F																(PMRS)
ITMSEG-P	ITMSEG-F																					
03050000	3.505	7.058	L	1	1	CRACKING	8.0		8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	
82			2	60	18900	RIDE	7.7		7.6	7.2	6.7	6.7	6.3*	5.5*	5.7*	5.7*	5.3*	8.2	8.2	8.2	8.2	
JOHNSON RD(5.9C)																						
4308491	3.826	6.258	C	2020	0213	CRACKING	9.5		9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0		10.0	10.0	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF (2023) FC5M RIDE 8.1 8.2 8.0 8.0 8.0 7.9 7.9 7.8 7.8																						
03175000	49.300	51.000	R	4	1	CRACKING	9.0		9.0	8.0	7.0	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0
93	175	100.1	3	70	30214	RIDE	8.9		8.8	8.6	7.7	7.8	7.5	7.5	7.5	7.6	7.5	7.5	8.1	8.1	8.1	8.2
11.5																						
4463201	49.282	50.757	R	2022	0012	CRACKING	10.0		10.0	10.0	10.0	10.0	7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.8	8.5
AJAX PAVING INDUSTRIES OF (2024) FC5M RIDE 8.1 8.0 8.4 8.3 8.3 8.1 8.6 8.5 8.5 8.4 8.7 8.6																						
03175000	51.000	54.126	R	4	1	CRACKING	9.0		9.0	8.0	7.0	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0
93	175	101.8	3	70	52500	RIDE	8.9		8.8	8.6	7.7	7.8	7.5	7.5	7.5	7.6	7.5	7.3	8.1	8.1	8.1	8.2
11.7																						
4063134	50.747	54.140	C	2015	0213	CRACKING	10.0		10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	9.4	7.5
AJAX PAVING INDUSTRIES OF (2018) FC5M RIDE 8.1 8.0 8.4 8.6 8.5 8.7 8.7 8.7 8.7 8.8 8.7 8.5 8.4																						
03175000	50.851	54.126	L	4	1	CRACKING	9.0		8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0
93	175	101.6	3	70	52500	RIDE	8.9		8.8	8.6	7.8	7.9	7.7	7.7	7.9	7.6	7.5	8.2	8.2	8.2	8.2	
11.7																						
4063134	50.747	54.140	C	2015	0213	CRACKING	10.0		10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.5	7.5
AJAX PAVING INDUSTRIES OF (2018) FC5M RIDE 8.2 8.1 8.6 8.4 8.4 8.5 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6																						
03175000	49.335	50.851	L	4	1	CRACKING	9.0		8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0
93	175	100.1	2	70	30214	RIDE	8.9		8.8	8.6	7.8	7.9	7.7	7.7	7.9	7.6	7.5	8.2	8.2	8.2	8.2	
11.5																						
4463201	49.282	50.757	L	2022	0012	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	10.0	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF (2024) FC5M RIDE 8.2 8.1 8.6 8.5 8.4 8.3 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6																						
04020000	3.557	8.885	R	1	1	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
35	17		2	60	14500	RIDE	8.0	7.6		8.1	8.1	8.0	7.8	8.0	7.6	7.8	7.7	7.9	7.9	7.6	7.6	
KENTUCKY ST SW(3.6C)																						
4178761	3.847	9.512	C	2013	0213	CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.6	9.8	7.5
AJAX PAVING INDUSTRIES OF (2016) FC5M RIDE 7.8 6.8 8.6 8.6 8.6 8.7 8.5 8.4 8.5 8.4 8.5 8.4 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.3																						
04020000	8.885	9.513	R	1	1	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
35	17		2	55	13400	RIDE	8.0	7.6		8.1	8.1	8.0	7.8	8.0	7.6	7.8	7.7	7.9	7.9	7.6	7.6	
19.4																						
4178761	3.847	9.512	C	2013	0213	CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.8	8.8	7.0
AJAX PAVING INDUSTRIES OF (2019) FC5A RIDE 7.8 6.8 8.6 8.6 8.6 8.4 8.4 8.4 8.3 8.3 8.2 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.1																						
04020000	3.759	9.513	L	1	1	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
35	17		2	60	14500	RIDE	8.0	7.6		8.1	8.1	8.0	7.8	8.0	7.6	7.8	7.7	7.9	7.9	7.6	7.6	
18.0																						
4178761	3.847	9.512	C	2013	0213	CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.2	8.7	6.5
AJAX PAVING INDUSTRIES OF (2016) FC5M RIDE 7.8 6.8 8.6 8.6 8.5 8.5 8.4 8.3 8.4 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.1																						
04020102	0.000	6.971	R	1	1	CRACKING								10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
35	17		2	65	16800	RIDE								7.9	7.8	8.0	8.0	7.9	7.9	7.9	7.9	
LIVINGSTON ST(0.0C)																						
4369201	0.000	6.627	C	2017	0012	CRACKING	9.5	9.0	8.0	8.0				10.0	10.0	10.0	10.0	10.0	9.2	9.0	7.5	
AJAX PAVING INDUSTRIES OF (2020) FC5M RIDE 7.9 7.7 7.8 7.9 8.6 8.6 8.5 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.3																						
04020102	0.000	6.971	L	1	1	CRACKING									10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
35	17		2	65	16800	RIDE								7.6	7.4	7.6	7.6	7.5	7.4	7.4	7.4	
18.5																						
4369201	0.000	6.627	C	2017	0012	CRACKING	9.0	8.0	8.0	6.5				10.0	10.0	10.0	10.0	10.0	9.5	8.9	7.0	
AJAX PAVING INDUSTRIES OF (2020) FC5M RIDE 7.2 7.0 7.4 7.4 8.6 8.5 8.5 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.2																						
04040000	14.244	14.663	R	1	1	CRACKING	9.0	7.0	7.0	5.0*	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
70			2	40	27000	RIDE	7.1	6.1	6.6	6.2	7.4	6.0	6.1	5.8	6.5	7.5	7.6	7.6	7.2	6.9	6.9	
ELEVETH AVE N(14.3R)																						
4365801	14.108	14.689	C	2018	0012	CRACKING	6.5	6.5	6.5	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	8.9	9.0	7.5	
AJAX PAVING INDUSTRIES OF (2021) FC125 RIDE 6.5 6.5 8.0 8.0 8.0 8.0 7.9 7.7 7.4																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	ADT	ADT	ADT	*****														(PMRS)	
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	*****															
04040000	14.244	14.663	L	1	1	CRACKING	7.5	7.5	7.5	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
70			2	40	27000	RIDE	6.2*	5.8	6.2	4.9*	7.8	7.4	6.9	6.0	6.9	7.5	7.7	7.5	7.3			
N ELEVENTH AVE(14.3L)																						
4365801	14.108	14.689	C	2018	0012	CRACKING	8.0	8.0	8.0	8.0	7.0	6.0*		10.0	10.0	10.0	10.0	8.3	7.8	6.5	6.5	
AJAX PAVING INDUSTRIES OF				(2021)	FC125	RIDE	7.4	6.4						8.0	7.9	7.8	7.7	7.6	7.5	7.2		

05010000	0.000	3.880	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	6.5			10.0		
25	27		2	65	14800	RIDE	8.8	8.8	8.7	8.2	8.2	8.2	8.3	8.2	8.3	8.0	7.9			8.1		
PEARCE RHYMES LN(0.2R)																						
4459331	0.000	3.947	R	2022	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	6.5	6.5	4.5*	10.0	9.7	10.0	8.5	8.5	
AJAX PAVING INDUSTRIES OF				(2024)	FC5HP	RIDE	8.2	8.1	8.6	8.5	8.5	8.4	8.7	8.6	8.5	8.4	8.7	8.7	8.7	8.7	8.5	

05010000	5.166	5.640	R	1	1	CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0	
25	27		2	45	14800	RIDE	8.7	8.5	8.4	8.1	8.1	8.0	7.9	7.9	7.6	7.8	7.5	7.4	7.6			
DANIELS RD(5.2C)																						
4380601	5.170	11.106	C	2019	0012	CRACKING	8.0	8.0	8.0	7.5	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	9.0	8.9	7.5	7.5	
AJAX PAVING INDUSTRIES OF				(2021)	FC125	RIDE	7.7	7.3	7.4	7.4	7.8	7.6	7.2	8.0	8.1	8.1	7.8	8.2	8.0	7.7		

05010000	5.640	11.195	R	1	1	CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0	8.0	
25	27		2	65	11500	RIDE	8.7	8.5	8.6	7.9	8.0	7.9	8.0	8.0	8.0	7.8	7.7	7.7	7.5			
ST JOSEPH WAY RD(6.4R)																						
4380601	5.170	11.106	C	2019	0012	CRACKING	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.5	9.0	7.5	7.5	
AJAX PAVING INDUSTRIES OF				(2021)	FC5M	RIDE	7.4	7.3	7.8	7.8	7.7	7.6	7.8	8.9	8.9	8.9	8.8	8.8	8.8	8.7	8.5	

05010000	5.690	11.195	L	1	1	CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.5	7.5	7.5	7.5		
25	27		2	65	11500	RIDE	8.3	8.1	8.6	8.2	8.1	8.1	8.2	8.2	8.0	7.8	7.7	7.5	7.0			
WEST AVE(5.8L)																						
4380601	5.170	11.106	C	2019	0012	CRACKING	7.5	6.5	6.5	6.5	6.5	4.5*	2.0*	10.0	10.0	10.0	10.0	9.8	8.5	7.0	7.0	
AJAX PAVING INDUSTRIES OF				(2021)	FC5M	RIDE	7.1	6.4*	7.1	7.0	7.1	6.8	7.6	8.8	8.8	8.8	8.8	8.8	8.5	8.3	8.3	

05010000	5.166	5.690	L	1	1	CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.5	7.5	7.5	7.5		
25	27		2	45	14800	RIDE	8.3	8.1	8.6	8.2	8.1	8.1	8.2	8.2	8.0	7.8	7.7	7.5	7.0			
DANIELS RD(5.2C)																						
4380601	5.170	11.106	C	2019	0012	CRACKING	7.5	6.5	6.5	6.5	6.5	0.0*	0.0*	10.0	10.0	10.0	10.0	9.1	8.9	7.5	7.5	
AJAX PAVING INDUSTRIES OF				(2021)	FC125	RIDE	7.1	6.4	7.1	7.0	7.1	7.0	7.0	8.2	7.9	8.2	8.1	8.1	8.1	7.8	7.8	

05010000	0.000	3.880	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5			10.0		
25	27		2	65	14800	RIDE	8.9	8.9	8.8	8.2	8.2	8.0	8.2	8.3	8.1	8.0	7.8			7.9		
BAKERS HWY(0.4L)																						
4459331	0.000	3.947	L	2022	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	6.5	4.5*	3.5*	3.5*	1.0*	10.0	10.0	9.5	8.0	8.0	
AJAX PAVING INDUSTRIES OF				(2024)	FC5HP	RIDE	8.1	7.9	8.5	8.5	8.5	8.3	8.5	8.3	8.2	8.1	8.7	8.7	8.6	8.6	8.4	

05020000	9.551	10.746	C	1	7	CRACKING	4.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	
78			2	55	5000	RIDE	6.8	6.6	6.2*	8.2	8.1	8.0	8.1	8.1	8.0	7.9	7.7	7.2	7.2	7.2	7.2	
CR 74(9.8L)																						
4489261	9.551	10.746	C	2025	0226	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.0*	6.0*	6.6	10.0	9.0	9.0	
AJAX PAVING INDUSTRIES OF				(2026)	FC125	RIDE	7.1		8.5	8.4	8.4	8.3	8.2	7.6	7.5	7.4	7.1	7.1	7.1	7.1	6.8	

05090000	0.000	2.621	C	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
29			2	60	7500	RIDE	8.5	8.3	8.0	7.6	7.4	7.2	7.3	7.2	7.0	8.9	8.8	8.7	8.5	8.5	8.5	
WHIDDEN RD/CR-731(0.0L)																						
1939762	0.155	2.788	C	2009	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	5.0*	4.4*	2.0*	2.0*	
AJAX PAVING INDUSTRIES OF				(2010)	FC125	RIDE	8.5	8.2	8.1	8.1	8.1	8.1	8.1	7.8	7.9	7.6	7.3	7.6	7.4	7.1	7.1	
4512671	0.000	4.069	C	2028	0226																	

07030000	13.000	13.213	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
25	27		2	65	13900	RIDE	8.8	8.7	9.1	8.6	8.6	8.5	8.5	8.3	8.2	7.9	7.8	7.9	7.8	7.8	7.8	
4459331																						
4459331	13.000	13.258	R	2022	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	10.0	9.8	10.0	8.5	8.5	
AJAX PAVING INDUSTRIES OF				(2024)	FC5HP	RIDE	7.9	7.7	8.5	8.3	8.3	8.6	8.5	8.6	8.5	8.2	8.6	8.5	8.4	8.2	8.2	

07030000	13.000	13.213	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
25	27		2	65	13900	RIDE	8.7	8.5	9.0	8.6	8.6	8.5	8.5	8.3	8.2	8.1	7.7	7.3	7.4	8.0	8.0	
4459331																						
4459331	13.000	13.258	L	2022	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.5	7.5	4.5*	10.0	9.6	9.7	8.5	8.5	
AJAX PAVING INDUSTRIES OF																						

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F															(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F															
06010000	4.955	9.315	R	1	1	CRACKING	8.0	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	65	12400	RIDE	8.6	8.2	8.6	7.9	7.8	7.5	7.4	8.4	8.3	8.3	8.3	8.3	8.3	
CR 634(5.0R)					32.8															
4206331	4.955	10.503	C	2011	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.0	6.5	4.0*
AJAX PAVING INDUSTRIES OF				(2015)	FC5	RIDE		8.5	8.6	8.7	8.6	8.6	8.7	8.7	8.7	8.7	8.7	8.6	8.6	8.4
06010000	15.292	15.560	R	1	1	CRACKING	10.0	9.5	9.5	8.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
35 17			2	50	24000	RIDE	8.6	8.2	8.6	8.0	7.9		7.9	7.7	7.2	7.9	8.0	7.9	7.9	7.9
KD REVELL RD(15.3R)					20.3															
4448831	15.269	15.930	C	2022	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.5	6.5	10.0	10.0	10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2023)	FC125	RIDE	7.8	7.8	7.7	7.7	7.7	7.7	7.8	7.6	7.7	7.9	8.0	8.0	7.9	7.6
06010000	15.560	15.882	R	1	1	CRACKING	10.0	9.5	9.5	8.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
35 17			2	55	24000	RIDE	8.6	8.2	8.6	8.0	7.9		7.9	7.7	7.2	7.9	8.0	7.9	7.9	7.9
4448831	15.269	15.930	C	2022	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.5	6.5	10.0	10.0	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF				(2023)	FC5M	RIDE	7.8	7.8	7.7	7.7	7.7	7.7	7.8	7.6	7.7	7.9	8.0	8.0	8.1	7.9
06010000	15.542	15.882	L	1	1	CRACKING	10.0	9.5	9.5	9.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
35 17			2	55	24000	RIDE	8.7	8.0	8.6	8.0	7.9	7.7	7.7	7.6	6.8	7.6	7.6	7.6	7.4	
TROPICANA RD(15.8L)					20.3															
4448831	15.269	15.930	C	2022	0012	CRACKING	7.0	7.0	7.0	7.0	6.0*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	8.5
AJAX PAVING INDUSTRIES OF				(2023)	FC5M	RIDE	7.4	6.7	7.0	7.1	7.1	7.1	6.9	7.6	7.4	7.9	8.0	8.0	8.3	8.1
06010000	15.292	15.542	L	1	1	CRACKING	10.0	9.5	9.5	9.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
35 17			2	50	24000	RIDE	8.7	8.0	8.6	8.0	7.9	7.7	7.7	7.6	6.8	7.6	7.6	7.6	7.4	
BELL ST(15.3L)					20.3															
4448831	15.269	15.930	C	2022	0012	CRACKING	7.0	7.0	7.0	7.0	6.0*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2023)	FC125	RIDE	7.4	6.7	7.0	7.1	7.1	7.1	6.9	7.6	7.4	7.9	8.0	8.0	7.6	7.3
06010000	4.955	9.315	L	1	1	CRACKING	8.0	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	65	12400	RIDE	8.6	8.2	8.6	7.9	7.8	7.5	7.4	8.4	8.3	8.3	8.3	8.3	8.3	
BEN HILL GRIFFIN RD(5.0L)					32.8															
4206331	4.955	10.503	C	2011	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.8	6.8	4.5*
AJAX PAVING INDUSTRIES OF				(2015)	FC5	RIDE		8.2	8.5	8.6	8.6	8.5	8.7	8.6	8.7	8.7	8.7	8.6	8.6	8.4
06030000	7.065	10.367	C	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
64			2	60	9600	RIDE	8.4	8.1	8.5	8.1	8.1	7.9	8.0	8.0	7.9	7.8	7.8	7.5	7.4	
PRESCOTT RD(7.1R)					18.7															
4462061	7.060	10.367	C	2024	0012	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2024)	FC125	RIDE	7.5	7.2	6.8	7.6	7.6	7.5	7.4	7.2	7.3	7.3	7.2	7.2	8.0	7.7
06030000	10.367	15.932	C	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
64			2	60	9000	RIDE	8.7	8.2	8.7	8.1	8.1	8.1	8.0	8.0	7.8	7.9	7.9	8.8	8.7	
MORGAN GRICE RD(10.4L)					16.6															
4236371	10.367	15.932	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.0	7.0	6.0*	6.0*	5.5*	3.5*
AJAX PAVING INDUSTRIES OF				(2012)	FC125	RIDE	8.5	8.1	7.4	8.4	8.4	8.3	8.2	8.0	8.1	8.0	8.0	8.0	8.0	7.7
06050000	0.000	11.815	C	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	
64			2	60	5400	RIDE	8.2	7.8	8.0	7.0	8.1	8.0	8.0	8.0	7.9	7.9	7.9	7.9	7.8	
ROY RD(1.2L)					25.2															
4365871	0.000	8.756	C	2018	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	8.8	8.4	7.0
AJAX PAVING INDUSTRIES OF				(2021)	FC125	RIDE	7.6	7.2	7.0	7.3	7.1	6.9		8.4	8.4	8.3	8.3	8.2	8.2	7.9
06050000	11.815	16.570	C	1	1	CRACKING	4.0*	4.0*	2.0*	2.0*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	
64			2	60	5400	RIDE	6.9	6.5	6.8	5.7*		8.2	8.1	8.0	7.8	7.8	7.8	7.7	7.7	
OAK GROVE CEM RD(12.5R)					25.2															
4415111	11.816	15.778	C	2023	0012	CRACKING	8.0	8.0	8.0	8.0	6.0*	6.0*	6.0*	3.0*	3.0*	3.0*	3.0*	10.0	9.3	8.5
AJAX PAVING INDUSTRIES OF				(2025)	FC125	RIDE	7.5	7.2	6.9	7.1	7.0	6.9	6.7	6.4*	6.4*	5.9*	6.1*	8.0	8.0	7.7
06080000	2.173	7.933	C	1	8	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	
66			2	60	6200	RIDE	8.3	7.6	8.3	7.9	7.8	7.6	7.5	7.4	7.9	7.6	7.6	7.5	7.3	
CHARLEY ANDERSON RD(2.2L)					33.4															
4272851	2.943	8.731	C	2013	0012	CRACKING		10.0	10.0	10.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		
AJAX PAVING INDUSTRIES OF				(2015)	FC125	RIDE		8.7	8.5	8.8	8.5	8.3	8.1	7.9	7.7	7.2	6.8	6.8		
4462291	0.147	7.961	C	2024	0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----																																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE																
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_R	FY-P	W_KMX-P	ADT	*****																													
ITMSEG-P	(AGE_ONE_YEAR)	W_EMP	RW	W_KMX-F	W_KMX-F	ADT	*****																													
CONTRACTOR	(AGE_ONE_YEAR)	W_EMP	RW	W_KMX-F	W_KMX-F	ADT	*****																													
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	W_KMX-F	ADT	*****																													
06080000	7.933	15.692	C	1	7	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5				
66			2	60	6200	RIDE	7.1	6.7	6.5	5.1*	8.5	8.4	8.4	8.3	8.1	8.3	8.3	8.3	8.2	8.2																
CECIL LANGFORD RD(8.2R)																																				
4489391	7.952	15.682	C	2025	0226	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.0*	6.0*	6.0*	5.5*	4.7*	10.0	9.0																
AJAX PAVING INDUSTRIES OF (2026) FC125 RIDE																																				
07030000	4.055	7.704	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*																
25	27		2	65	21555	RIDE	8.8	8.7	9.1	8.6	8.6	8.6	8.5	8.5	8.3	8.2	7.9	7.8	7.5	7.5																
WAL MART(4.1R)																																				
4252231	3.975	7.704	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.6	6.7	4.5*															
AJAX PAVING INDUSTRIES OF (2014) FC5M RIDE																																				
4560401	4.000	7.500	C	2026	6060		8.2	8.1	8.7	8.6	8.6	8.6	8.6	8.7	8.6	8.6	8.5	8.5	8.5	8.4	8.2															
07030000	7.704	11.643	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*		10.0															
25	27		2	65	21555	RIDE	8.8	8.7	9.1	8.6	8.6	8.5	8.5	8.3	8.2	7.9	7.8	7.8	7.8	8.0																
WOODWARD RD(9.4R)																																				
4252241	7.704	11.643	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	3.4*	2.2*	0.0*														
AJAX PAVING INDUSTRIES OF (2013) FC5M RIDE																																				
4489381	7.704	11.747	C	2025	0012		7.9	7.8	8.6	8.4	8.4	8.6	8.6	8.6	8.6	8.5	8.3	8.2	8.2	8.0	8.0															
07030000	7.704	11.643	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*		10.0															
25	27		2	65	21555	RIDE	8.7	8.5	9.0	8.6	8.6	8.5	8.3	8.2	8.1	7.7	7.3	7.3	7.3	8.2																
AIRGLADES BLVD(10.2L)																																				
4252241	7.704	11.643	C	2011	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	3.5*	4.4*	3.3*	1.0*																
AJAX PAVING INDUSTRIES OF (2013) FC5M RIDE																																				
4489381	7.704	11.747	C	2025	0012		8.2	8.0	8.6	8.5	8.5	8.6	8.6	8.6	8.6	8.4	8.3	8.3	8.2	8.1	7.9															
07030000	4.055	7.704	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*																
25	27		2	65	21555	RIDE	8.7	8.5	9.0	8.6	8.6	8.5	8.3	8.2	8.1	7.7	7.3	7.4	7.4	7.4																
MERCHANT ST(4.1L)																																				
4252231	3.975	7.704	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	6.5	6.2*	5.3*	3.0*														
AJAX PAVING INDUSTRIES OF (2014) FC5M RIDE																																				
4560401	4.000	7.500	C	2026	6060		8.3	8.1	8.6	8.5	8.5	8.6	8.5	8.5	8.5	8.3	8.4	8.3	8.2	8.1	7.9															
07060000	5.415	12.000	C	1	1	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0															
29			2	60	7500	RIDE	8.8	8.3	8.8	8.3	8.4	8.3	8.3	8.2	7.9	8.0	7.9	7.8	7.7	7.7																
CR 832(5.5R)																																				
4365981	5.415	12.000	C	2018	0012	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	8.2	7.5	6.0*															
AJAX PAVING INDUSTRIES OF (2020) FC125 RIDE																																				
07060000	17.008	18.498	C	1	1	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.5	7.5	7.5	6.5	6.5																	
29			2	45	20400	RIDE	7.8	7.6	7.8	7.4	7.3	7.1	7.2	7.2	6.4	6.6	7.0	5.7	5.8																	
HICKPOCHEE AVE(17.0C)																																				
4252221	17.008	18.105	C	2012	0012	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	4.6*	3.6*	1.5*															
AJAX PAVING INDUSTRIES OF (2014) FC125 RIDE																																				
09010000	0.000	6.527	R	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0																	
25	27		2	65	9761	RIDE	7.5	7.1	7.2	6.3*	8.1	8.0	8.0	7.7	7.5	7.4	7.2	7.3	7.2																	
TURKEY TRACK RD(1.7R)																																				
4415191	0.000	6.528	C	2021	0012	CRACKING	8.0	7.0	7.0	6.5	5.5*	5.5*	3.5*	1.0*	1.0*	10.0	10.0	9.8	10.0	8.5																
AJAX PAVING INDUSTRIES OF (2023) FC5M RIDE																																				
09010000	0.000	6.527	L	1	1	CRACKING	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0																
25	27		2	65	9761	RIDE	6.3*	6.0*	5.6*		8.2	8.1	8.1	7.7	7.7	8.0	7.6	7.8	7.7																	
CR 731(2.4L)																																				
4415191	0.000	6.528	C	2021	0012	CRACKING	7.5	7.5	7.5	5.5*	5.5*	5.5*	3.5*	1.0*	1.0*	10.0	10.0	9.0	9.0	7.5																
AJAX PAVING INDUSTRIES OF (2023) FC5M RIDE																																				
09060000	17.266	21.649	C	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	9.5	9.0																	
70			2	60	6200	RIDE	8.1	7.4	7.8	7.2	6.8	6.6	5.6*	8.4	8.3	8.3	8.2	8.2	8.1																	
LONESOME ISLAND RD(19.8L)																																				
4145066	17.266	21.649	C	2021	0012	CRACKING	6.5	6.5	6.5	5.5*	5.5*	5.5*	10.0	0.0*	0.0*	10.0	10.0	9.6	10.0	9.0																
AJAX PAVING INDUSTRIES OF (2023) FC125 RIDE																																				
12005000	2.740	4.790	R	1	1	CRACKING	9.0	7.5	7.5	6.5	5.5*	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0																	
884			3	55	62500	RIDE	8.6	8.8	8.5	7.9	7.9	7.8	7.6	7.8	7.8	8.0	8.1	8.0	8.1																	
PLANTATION RD(3.1R)																																				
1956762	2.732	5.528	C	2009	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.7	7.8	5.0*															
AJAX PAVING INDUSTRIES OF (2010) FC5M RIDE																																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE				
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	*****			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	(PMRS)	
ITMSEG-P																							
ITMSEG-F																							
12005000	2.740	4.740	L	1	1	CRACKING	7.5		7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0		
884				3	55	62500	RIDE		8.5	8.8	8.3	8.2	8.0	8.0	7.7	7.9	7.7	8.2	8.3	8.2	8.1		
FORD ST(2.7L)																							
1956762	2.732	5.528	C	2009	0012	CRACKING	10.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.2	5.5*	
AJAX PAVING INDUSTRIES OF (2010) FC5M RIDE 8.1 8.0 8.5 8.5 8.1 8.5 8.6 8.6 8.6 8.5 8.3 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.3																							
12010000	10.370	12.410	R	1	1	CRACKING	10.0		10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	
45 41				3	50	52500	RIDE		8.5	8.6		8.2	8.2	8.1	7.8	8.2	8.3	8.2	8.2	8.1	8.1		
SAN CARLOS BLVD(10.4R)																							
4446401	10.164	12.534	C	2022	0012	CRACKING	9.0		7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*			10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF (2025) FC5HP RIDE 8.0 8.1 8.2 8.2 8.3 8.1 8.3 8.3 8.3 8.4 8.3 8.3 8.4 8.3 8.3 8.4 8.3 8.7 8.8 8.6																							
4560311	10.062	29.009	C	2026	6060																		
12010000	27.030	28.969	R	1	1	CRACKING	7.0		5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0		
45 41				2	55	25000	RIDE		8.3	8.2	7.8	6.7	6.6	6.4*	6.1*	5.9*	5.5*	5.2*	5.0*	8.1	8.2		
LITTLETON RD(28.0C)																							
1955363	26.913	28.899	C	2010	0012	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.3	8.5	6.0*	
AJAX PAVING INDUSTRIES OF (2012) FC5 RIDE 8.2 8.2 8.4 8.4 8.4 8.2 8.4 8.3 8.4 8.3 8.4 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.0																							
4560311	10.062	29.009	C	2026	6060																		
12010000	28.969	33.409	R	1	1	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5		
45 41				2	55	38000	RIDE		7.2	8.7	8.6	8.0	7.9	7.9	7.8	7.9	7.9	7.6	7.7	7.6	7.5		
TURNOUT(29.0R)																							
4295471	29.585	33.317	C	2014	0012	CRACKING	4.5*		4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.6	7.2	5.0*	
AJAX PAVING INDUSTRIES OF (2016) FC5M RIDE 7.2 7.3 8.6 8.6 8.5 8.4 8.6 8.5 8.4 8.6 8.5 8.5 8.4 8.3 8.4 8.4 8.3 8.3 8.1 8.2 8.3 8.3 8.1																							
12010000	28.969	33.409	L	1	1	CRACKING	5.0*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.0	7.0	6.5	6.5	6.5		
45 41				2	55	38000	RIDE		7.1	8.9	8.6	8.1	8.1	7.9	7.7	7.7	7.4	7.4	7.6	7.5	7.2		
NORTH FORK RD(29.1L)																							
4295471	29.585	33.317	C	2014	0012	CRACKING	4.5*		4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	7.8	5.5*	
AJAX PAVING INDUSTRIES OF (2016) FC5M RIDE 6.9 6.9 8.6 8.6 8.4 8.3 8.6 8.5 8.4 8.3 8.6 8.5 8.4 8.3 8.3 8.3 8.1 8.2 8.2 8.0																							
12010000	27.030	28.969	L	1	1	CRACKING	7.0		5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0		
45 41				2	55	25000	RIDE		8.5	8.4	8.2	7.4	7.3	7.0	6.8	6.9	6.7	6.8	6.1*	7.7	7.7		
DIPLOMAT PKWY(27.4L)																							
1955363	26.913	28.899	C	2010	0012	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.7	8.7	6.0*	
AJAX PAVING INDUSTRIES OF (2012) FC5 RIDE 7.7 7.7 7.9 8.0 8.0 7.8 8.0 8.0 7.7 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.7																							
4560311	10.062	29.009	C	2026	6060																		
12010000	10.350	12.515	L	1	1	CRACKING	10.0		9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0		
45 41				3	50	52500	RIDE		8.5	8.6		8.3	8.2	8.2	8.1	8.1	7.8	7.8	8.2	7.5	7.6		
UNICORN LN(10.5L)																							
4446401	10.164	12.534	C	2022	0012	CRACKING	8.0		8.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*			10.0	10.0	9.0	
AJAX PAVING INDUSTRIES OF (2025) FC5HP RIDE 7.6 7.7 7.7 7.7 7.4 7.7 7.4 7.7 7.8 7.8 7.7 7.8 7.8 7.7 7.8 7.8 7.7 8.8 8.8 8.6																							
4560311	10.062	29.009	C	2026	6060																		
12020000	13.769	20.340	R	1	7	CRACKING	7.5		7.5	7.5	7.0				10.0	10.0	10.0	10.0	10.0	9.0	9.0		
80				2	55	30000	RIDE		8.3	8.6	8.3	7.7			7.7	7.9	7.8	7.7	7.8	7.7	7.6		
COOK LN(14.0R)																							
4462921	10.802	20.340	C	2024	0012	CRACKING	9.0		8.0	8.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*			10.0	9.0	
AJAX PAVING INDUSTRIES OF (2026) FC5M RIDE 7.5 7.5 7.6 7.5 7.5 7.3 7.5 7.5 7.5 7.5 7.4 7.4 7.4 7.4 7.4 7.4 7.4 8.6 8.4																							
12020000	13.769	20.340	L	1	7	CRACKING	7.5		7.5	7.5	7.0				10.0	10.0	10.0	10.0	10.0	9.0	9.0		
80				2	55	30000	RIDE		8.3	8.6	8.3	7.7			7.7	7.9	7.8	7.8	7.8	7.8	7.7		
MITCHELL AVE(14.1L)																							
4462921	10.802	20.340	C	2024	0012	CRACKING	9.0		8.0	8.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*			10.0	9.0	
AJAX PAVING INDUSTRIES OF (2026) FC5M RIDE 7.6 7.6 7.7 7.7 7.7 7.7 7.6 7.7 7.6 7.7 7.6 7.6 7.6 7.6 7.6 7.5 7.5 7.5 7.5 8.7 8.5																							
12060000	5.467	7.400	R	1	1	CRACKING	10.0		8.0	8.0	7.5	7.0				4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		
78				2	50	20200	RIDE		8.9	8.9	8.7	7.8	7.7			7.3	7.3	7.0	7.1	6.8	6.7		
CR 884/VETERANS PKWY(5.5R)																							
4136951	5.467	7.281	C	2013	0213	CRACKING	3.5*			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.3	8.5	6.5		
AJAX PAVING INDUSTRIES OF (2016) FC5 RIDE 6.7 8.5 8.3 8.4 8.2 8.3 8.3 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.4 8.2																							
12060000	7.400	9.639	R	1	7	CRACKING	10.0		10.0	10.0	8.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0		
78				2	50	42000	RIDE		8.9	8.6	8.6	8.2	7.9			7.8	7.8	7.8	7.8	7.8	7.7		
CHIQUITA BLVD(7.5C)																							
4462911	7.410	9.618	C	2024	0012	CRACKING	10.0		9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.0	
AJAX PAVING INDUSTRIES OF (2026) FC5M RIDE 7.7 7.7 7.6 7.6 7.6 7.3 7.4 7.5 7.4 7.5 7.4 7.4 7.2 7.3 8.6 8.4																							

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2013
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X	P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	CONTRACTOR (AGE_ONE YEAR)																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	F															(PMRS)
12060000	12.095	12.361	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	10.0	
78			3	55	31000	RIDE	8.6	8.6	8.3	7.9	7.8	7.7	7.7	7.8	7.6	7.5	7.6	7.4	8.1		
ALBERTSON'S(12.4R)																					
4252301	12.107	12.266	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	9.0	6.5
AJAX PAVING INDUSTRIES OF (2013) FC5M RIDE																					
4562401	12.107	17.023	C	2029	0012		8.1	8.0	8.4	8.3	8.2	7.9	8.1	8.1	8.2	8.0	7.9	8.1	8.1	7.9	
12060000	12.361	14.775	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	10.0	
78			2	55	38500	RIDE	8.6	8.6	8.3	7.9	7.8	7.7	7.7	7.8	7.6	7.5	7.6	7.4	8.1		
DEL PINE DR(12.7R)																					
4252301	12.266	14.736	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.9	6.5
AJAX PAVING INDUSTRIES OF (2013) FC5M RIDE																					
4562401	12.107	17.023	C	2029	0012		8.1	8.0	8.4	8.3	8.2	7.9	8.1	8.1	8.2	8.0	7.9	8.1	8.2	8.0	
12060000	14.775	15.865	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.0	8.0	8.0	7.0	
78			2	40	33000	RIDE	8.6	8.0	8.1	7.8	6.9	7.3	7.6	7.6	7.5	7.4	7.2	7.1	7.1		
BROWN RD(14.8C)																					
4313171	14.775	17.023	C	2016	0012	CRACKING	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5
AJAX PAVING INDUSTRIES OF (2018) FC125 RIDE																					
4562401	12.107	17.023	C	2029	0012		7.3	6.8	7.3	7.6	8.2	8.1	8.2	8.1	8.1	8.1	7.9	7.8	7.9	7.6	
12060000	15.865	17.023	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	7.5	7.5	7.5	
78			2	50	41500	RIDE	7.5	7.7	7.5	6.8	7.1	7.1	6.5	6.6	6.4*	6.5	6.4*	6.9	6.9		
TURNOUT(15.9R)																					
4313171	14.775	17.023	C	2016	0012	CRACKING	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.0	7.0
AJAX PAVING INDUSTRIES OF (2018) FC5M RIDE																					
4562401	12.107	17.023	C	2029	0012		6.7	6.9	6.7	6.6	8.2	8.1	8.2	8.1	8.1	8.1	7.9	8.0	8.0	7.8	
12060000	15.865	17.023	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	7.5	7.5	7.5		
78			2	50	41500	RIDE	7.7	7.8	7.7	7.1	7.1	7.0	7.0	7.1	7.0	6.9	6.8	6.8	6.7	7.0	
MAGNOLIA DR(16.0C)																					
4313171	14.775	17.023	C	2016	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.1	8.9	7.0
AJAX PAVING INDUSTRIES OF (2018) FC5M RIDE																					
4562401	12.107	17.023	C	2029	0012		6.8	6.6	6.2*	6.2*	8.1	7.9	8.1	8.2	8.2	8.1	8.1	8.0	8.0	7.8	
12060000	14.775	15.865	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
78			2	40	33000	RIDE	8.6	8.4	8.2	7.5	7.4	7.8	7.3	7.5	7.2	7.5	7.5	7.5	7.5	7.1	
BROWN RD(14.8C)																					
4313171	14.775	17.023	C	2016	0012	CRACKING	8.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.1	8.5	7.0
AJAX PAVING INDUSTRIES OF (2018) FC125 RIDE																					
4562401	12.107	17.023	C	2029	0012		6.8	7.1	7.2	7.1	8.1	7.9	8.1	8.2	8.2	8.1	8.1	8.1	8.3	8.1	7.8
12060000	12.095	14.775	L	1	1	CRACKING	9.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	
78			2	55	38500	RIDE	8.5	8.2	8.3	8.0	7.9	7.8	7.6	7.8	7.7	7.6	7.6	7.4	8.1		
PUBLIX ENT(12.4L)																					
4252301	12.266	14.736	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.7	6.0*
AJAX PAVING INDUSTRIES OF (2013) FC5M RIDE																					
4562401	12.107	17.023	C	2029	0012		8.1	7.9	8.4	8.4	8.2	8.1	8.2	8.1	8.2	8.0	8.1	8.1	8.1	8.1	7.9
12060000	7.400	9.639	L	1	7	CRACKING	10.0	10.0	10.0	8.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0	
78			2	50	42000	RIDE	8.9	8.6	8.6	8.2	7.9				7.8	7.8	7.8	7.8	7.8	7.8	
CHIQUITA BLVD(7.5C)																					
4462911	7.410	9.618	C	2024	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.4	10.0	9.0
AJAX PAVING INDUSTRIES OF (2026) FC5M RIDE																					
4562401	12.107	17.023	C	2029	0012		7.7	7.7	7.7	7.7	7.5	7.6	7.7	7.7	7.7	7.6	7.6	7.5	8.6	8.4	
12060000	5.467	7.400	L	1	1	CRACKING	10.0	8.0	8.0	7.5	7.0				4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
78			2	50	20200	RIDE	8.9	8.9	8.7	7.8	7.7				7.3	7.3	7.0	7.1	6.8	6.7	
BURNT STORE RD/CR765(5.5L)																					
4136951	5.467	7.281	C	2013	0213	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2	8.7	6.5
AJAX PAVING INDUSTRIES OF (2016) FC5 RIDE																					
4562401	12.107	17.023	C	2029	0012		6.7		8.3	8.3	8.3	8.1	8.3	8.3	8.3	8.2	8.3	8.1	8.2	8.2	8.0
12070000	6.882	10.939	R	1	1	CRACKING	5.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.5	10.0	10.0	10.0	
82			3	55	36500	RIDE	7.8	8.7	8.2	8.0	7.9	7.8	7.8	7.8	7.8	7.7	7.6	8.3	8.3	8.2	
LANDFILL RD(7.6R)																					
4258411	7.082	11.544	C	2017	0213	CRACKING									10.0	10.0	10.0	10.0	9.2	9.5	8.0
AJAX PAVING INDUSTRIES OF (2021) FC5M RIDE																					
4562401	12.107	17.023	C	2029	0012										8.9	8.8	8.8	8.7	8.7	8.7	8.5
12070000	10.939	11.433	R	1	4	CRACKING	9.5	9.5	8.5	7.0	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
82			3	55	48000	RIDE	8.5	8.3	8.3	7.7	7.6	7.6	7.3	7.8	7.9	8.4	8.4	8.3	8.3		
TO DANIALS PKWY SB(11.1R)																					
4258411	7.082	11.544	C	2017	0213	CRACKING	10.0	10.0	10.0	10.0	10.0				9.0	9.3	9.1	9.1	9.1	9.2	8.5
AJAX PAVING INDUSTRIES OF (2021) LDG RIDE																					
4562401	12.107	17.023	C	2029	0012		8.3	8.1	8.0	7.9	7.6				8.6	8.6	8.5	8.7	8.4	8.7	8.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	X-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	X-F															(PMRS)
12070000	10.939	11.433	L	1	4	CRACKING	9.5	9.5	8.5	7.0	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
82			3	55	48000	RIDE	8.5	8.3	8.3	7.7	7.6	7.6	7.3	8.5	8.5	8.2	8.3	8.2	8.2	8.2	
TOUT FROM GUNNARY SB(11.0L)																					
4258411	7.082	11.544	C	2017	0213	CRACKING	10.0	10.0	10.0	10.0	10.0			8.9	9.3	9.3	9.3	9.3	9.2	8.5	8.5
AJAX PAVING INDUSTRIES OF (2021) LDG RIDE																					
12070000	6.882	10.939	L	1	1	CRACKING	5.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	10.0	10.0	10.0	
82			3	55	36500	RIDE	7.8	8.7	8.2	8.0	7.9	7.8	7.8	8.5	8.5	7.1	8.3	8.3	8.2	8.2	
RIVER TRENT CT(7.3L)																					
4258411	7.082	11.544	C	2017	0213	CRACKING								10.0	10.0	10.0	10.0	9.2	9.2	7.5	
AJAX PAVING INDUSTRIES OF (2021) FC5M RIDE																					
12075000	23.729	25.930	R	4	1	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
93	175	138.2	3	70	113500	RIDE	8.9	8.9	8.7	8.0	8.0	8.1	8.2	8.4	8.3	8.3	8.3	8.4	8.3		
15.8																					
4110381	23.898	25.565	C	2011	0213	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.8	7.7	5.5*
AJAX PAVING INDUSTRIES OF (2016) FC5M RIDE																					
12075000	28.390	34.138	R	4	1	CRACKING	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
93	175	142.8	3	70	64500	RIDE	8.7	8.7	8.5	8.0	8.1	8.0	8.0	8.2	8.1	8.0	8.0	8.0	7.9	7.8	
19.0																					
4130412	28.147	34.138	C	2012	0218	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.6	6.5	
AJAX PAVING INDUSTRIES OF (2016) FC5M RIDE																					
12075000	28.390	34.138	L	4	1	CRACKING	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
93	175	142.8	3	70	64500	RIDE	8.7	8.7	8.4	8.1	8.1	8.1	8.1	8.2	8.1	7.9	7.8	7.6	7.5		
19.0																					
4130412	28.147	34.138	C	2012	0218	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.2	8.8	6.5	
AJAX PAVING INDUSTRIES OF (2016) FC5M RIDE																					
12075000	23.836	25.930	L	4	1	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
93	175	138.3	4	70	113500	RIDE	8.8	8.8	8.7	7.9	8.1	8.4	8.4	8.6	8.5	8.5	8.5	8.4			
15.8																					
4110381	23.898	25.565	C	2011	0213	CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.8	8.3	6.0*	
AJAX PAVING INDUSTRIES OF (2016) FC5M RIDE																					
12090000	1.118	1.783	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	
31			1	40	22000	RIDE		8.9	8.6	8.4	8.3	8.4	8.2	8.2	8.0	7.8	7.9	7.8	7.8		
OLD RODEO DR(1.6R)																					
4366381	1.118	4.684	C	2017	0012	CRACKING	8.5	8.5	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.3	10.0	8.5	
AJAX PAVING INDUSTRIES OF (2019) FC125 RIDE																					
12090000	1.783	4.684	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0		
31			2	60	17364	RIDE		8.9	8.6	8.4	8.3	8.4	8.2	8.4	8.3	8.0	8.1	7.9	8.1		
LUCKY LANE(2.3R)																					
4366381	1.118	4.684	C	2017	0012	CRACKING	9.0	9.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.3	10.0	8.5	
AJAX PAVING INDUSTRIES OF (2019) FC125 RIDE																					
13010000	6.331	7.552	C	1	1	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0		
45	B41		4	35	19900	RIDE	6.3*	6.7	6.1	6.0	6.2	5.9	5.7	5.6	5.4*	5.2*	5.0*	4.7*	7.1		
23RD AVE W(6.4R)																					
4252321	6.240	7.388	C	2011	0012	CRACKING	10.0	10.0	9.0	8.5	8.5	8.5		7.0	6.0*	6.0*	6.0*	5.7*	4.8*	3.0*	
AJAX PAVING INDUSTRIES OF (2013) FC125 RIDE																					
13020000	3.866	4.542	R	1	8	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	7.0		
43	301		3	45	41000	RIDE	7.9	6.9	6.7	8.0	7.6	7.5	7.5	7.5	7.0	7.4	7.6	7.7	7.5		
6.3																					
4312121	3.885	4.341	C	2016	0012	CRACKING	6.5	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0			
AJAX PAVING INDUSTRIES OF (2018) FC125 RIDE																					
13020000	4.928	6.437	R	1	1	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
43	301		2	45	42500	RIDE	6.8		8.1	8.1	8.1	7.8	7.8	7.7	7.6	7.5	7.1	7.2			
68TH DR E(5.1R)																					
4415341	4.950	6.441	C	2022	0012	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	9.2	10.0	9.0
AJAX PAVING INDUSTRIES OF (2024) FC125 RIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----																																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE																	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013																
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM		-P		CONTRACTOR		(AGE_ONE YEAR)		SURF_TYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031			
ITMSEG-P		W_BMP		W_EMP		RW		FY-F		WKM		-P		CONTRACTOR		(AGE_ONE YEAR)		SURF_TYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031			
ITMSEG-F		W_BMP		W_EMP		RW		FY-F		WKM		-F		CONTRACTOR		(AGE_ONE YEAR)		SURF_TYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031			
13020000	11.771	16.111	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	8.5	8.5	8.5																	
43	301			2	60	9400	9.0	8.9	8.9	8.6	8.7	8.5	8.6	8.6	8.5	8.4	8.5	8.4	8.4																	
DICKEY RD(13.3R)																																				
4394321	11.696	16.066	C	2020	0012	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.7	9.2	8.0																
AJAX PAVING INDUSTRIES OF (2021) FC125 RIDE																																				
13020000	4.928	6.437	L	1	1	CRACKING	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5																	
43	301			2	45	42500	6.8			8.2	8.1	7.9	7.7	7.9	7.7	7.6	7.6	7.5	7.3																	
RIDGWOOD AVE(5.1L)																																				
4415341	4.950	6.441	C	2022	0012	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	10.0	9.3	10.0	9.0															
AJAX PAVING INDUSTRIES OF (2024) FC125 RIDE																																				
13020000	3.866	4.542	L	1	8	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5																	
43	301			3	45	41000	8.6	8.9	8.5	8.1	7.9	7.8	7.8	7.9	7.3	7.7	7.5	7.5	7.7																	
SR 45 NB(0.0C)																																				
4473841	0.000	0.457	C	2024	0012	CRACKING	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	9.0																
AJAX PAVING INDUSTRIES OF (2025) FC5M RIDE																																				
13040000	1.177	3.308	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5																	
684				2	45	30333	8.6	8.4	8.5	8.0	8.0	7.7	7.9	8.0	7.9	7.7	8.0	7.7	7.7																	
116 ST W(1.3R)																																				
4365511	1.297	3.250	C	2019	0216	CRACKING	7.5	7.5	7.0	6.5	6.5	6.5	6.5	6.0*	10.0	10.0	10.0	9.2	9.0	8.0																
AJAX PAVING INDUSTRIES OF (2022) FC125 RIDE																																				
13040000	1.177	3.250	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.5	7.0	7.0	7.0																	
684				2	45	30333	8.5	8.2	8.4	8.1	7.9	7.9	7.8	7.7	7.8	7.6	7.7	7.7	7.6																	
TURNOUT(1.2L)																																				
4365511	1.297	3.250	C	2019	0216	CRACKING	7.0	7.0	7.0	7.0	6.0*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0																
AJAX PAVING INDUSTRIES OF (2022) FC125 RIDE																																				
13050000	22.134	30.759	C	1	1	CRACKING	8.5	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0																	
70				2	60	9300	8.2	8.3	8.1	7.5	7.0	6.7	7.1	6.7	6.8	6.7	6.6	8.7	8.7																	
CR 675(22.3L)																																				
4223991	22.134	30.759	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.0	7.0	6.5	6.5	3.5*	1.5*																
AJAX PAVING INDUSTRIES OF (2012) FC95M RIDE																																				
13075000	11.775	12.380	R	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.0*	10.0	10.0	10.0																	
93	175	224.9	225.5	3	70	121000	8.9	9.0	8.9	8.4	8.3	8.2	8.1	7.9	7.8	7.6	8.2	8.2	8.2																	
AJAX PAVING INDUSTRIES OF (2011) FC5M RIDE																																				
4224981	8.234	12.736	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.9	7.5	4.5*																
AJAX PAVING INDUSTRIES OF (2011) FC5M RIDE																																				
4527941	11.709	15.756	C	2027	0012	CRACKING	8.3	8.2	8.4	8.4	8.4	8.3	8.4	8.6	8.5	8.5	8.4	8.4	8.3	8.2																
13075000	12.380	12.963	R	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	10.0	10.0	9.0	10.0	8.5	8.5																	
93	175	225.5	226.1	3	70	121000	8.9	9.0	8.9	8.4	8.3	8.2	8.1	8.0	7.7	8.0	8.2	7.9	7.8																	
AJAX PAVING INDUSTRIES OF (2017) FC5M RIDE																																				
4332561	12.451	12.995	R	2016	0012	CRACKING	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.3	9.0	7.0																
AJAX PAVING INDUSTRIES OF (2017) FC5M RIDE																																				
4527941	11.709	15.756	C	2027	0012	CRACKING	7.8	7.9	8.2	8.6	8.6	8.5	8.6	8.6	8.5	8.6	8.4	8.5	8.3	8.2																
13075000	12.963	15.700	R	4	1	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.0*	10.0	10.0	10.0																	
93A	175	226.1	228.9	3	70	121000	8.9	8.9	8.9	8.4	8.1	8.1	8.0	8.0	7.6	7.8	8.1	8.1	8.2																	
AJAX PAVING INDUSTRIES OF (2011) FC5M RIDE																																				
4202531	12.963	15.714	C	2009	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.7	7.0	4.0*																
AJAX PAVING INDUSTRIES OF (2011) FC5M RIDE																																				
4527941	11.709	15.756	C	2027	0012	CRACKING	8.2	8.2	8.3	8.3	8.3	8.2	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.2																
13075000	15.700	20.571	R	4	1	CRACKING	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5																	
93A	175	228.9	233.7	3	70	95000	8.9	8.8	8.7	8.1	8.2	8.2	8.2	8.1	8.1	7.9	7.8	7.6	7.4																	
AJAX PAVING INDUSTRIES OF (2019) FC5M RIDE																																				
4349291	17.006	20.571	C	2017	0012	CRACKING	6.5	6.5	4.5*	2.0*			10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.5	6.5															
AJAX PAVING INDUSTRIES OF (2019) FC5M RIDE																																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	CONTRACTOR	(AGE_ONE YEAR)	YEAR	SURF_TYPE																(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																
13075000	15.756	20.571	L	4		1 CRACKING	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	8.5	7.5	9.0	9.0	7.5	
93A I75	228.9	233.7	3	70	95000	RIDE	8.8	8.6	8.7	8.1	8.1	8.1	8.1	8.1	8.1	7.9	7.9	7.8	7.7	7.6	
4349291	17.006	20.571	C	2017	0012	CRACKING	7.5	7.5	4.5*	2.0*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.4	8.5	6.5
AJAX PAVING INDUSTRIES OF				(2019)	FC5M	RIDE	7.3	6.8	7.6	7.4		8.6	8.7	8.8	8.8	8.8	8.8	8.8	8.7	8.7	8.6
13075000	13.376	15.756	L	4		1 CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.0*	6.0*	10.0	10.0	10.0	
93A I75	226.5	228.9	4	70	121000	RIDE	9.0	8.9	8.8	8.3	8.2	8.0	7.9	7.7	7.7	7.7	8.0	8.1	8.1	8.1	
4202531	12.963	15.714	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	7.8	5.0*
AJAX PAVING INDUSTRIES OF				(2011)	FC5M	RIDE	8.2	7.9	8.4	8.4	8.4	8.3	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.3
4527941	11.709	15.756	C	2027	0012																
13075000	12.736	13.376	L	4		1 CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	9.0	10.0	7.0	7.0		
93 I75	225.9	226.5	3	70	121000	RIDE	9.0	8.9	8.8	8.3	8.2	8.0	7.9	7.6	7.6	7.9	8.0	7.3	7.4		
4332561	12.773	13.352	L	2016	0012	CRACKING	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.9	9.0	7.0	
AJAX PAVING INDUSTRIES OF				(2017)	FC5M	RIDE	7.7	7.3	7.9	8.6	8.6	8.6	8.5	8.6	8.6	8.5	8.6	8.5	8.4	8.4	8.3
4527941	11.709	15.756	C	2027	0012																
13075000	11.726	12.736	L	4		1 CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	6.0*	10.0	10.0	10.0		
93 I75	224.9	225.9	3	70	121000	RIDE	9.0	8.9	8.8	8.4	8.3	8.0	8.0	7.9	7.9	7.8	8.1	8.1	8.1		
4224981	8.234	12.736	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	7.8	5.0*	
AJAX PAVING INDUSTRIES OF				(2011)	FC5M	RIDE	8.2	7.9	8.3	8.3	8.2	8.2	8.3	8.4	8.4	8.3	8.3	8.3	8.2	8.2	8.1
4527941	11.709	15.756	C	2027	0012																
13080000	0.000	4.545	C	1		1 CRACKING	8.5	8.5	8.5	7.5	7.5	7.0	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0		
789			2	45	10500	RIDE	8.7	8.6	8.6	8.1	8.0	7.8	7.8	7.8	7.8	8.2	8.1	8.1	8.1	8.0	
SUTTON PL(0.3R)					5.0																
1958082	0.000	4.545	C	2009	0226	CRACKING	10.0	10.0	8.5	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	4.4*	1.5*	0.0*	
AJAX PAVING INDUSTRIES OF				(2010)	FC125	RIDE	7.9	7.9	7.7	7.6	7.6	7.4	7.4	7.2	7.3	7.0	7.0	6.9	6.8	6.5	
4491191	0.000	4.545	C	2029	0226																
13130000	6.032	6.517	C	1		1 CRACKING	3.5*	10.0	3.5*	10.0	10.0	10.0	10.0	8.5	7.0	6.5	4.5*	4.5*	4.5*		
55 19			2	55	13500	RIDE	8.5	8.2	8.3	7.4	7.9	7.7	7.8	7.3	7.3	7.0	7.2	7.2	6.9		
SR 45(6.1R)					6.5																
4291171	6.095	6.500	C	2014	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.5	7.9	5.5*	
AJAX PAVING INDUSTRIES OF				(2015)	FC5M	RIDE	7.0	8.4	8.3	8.2	8.2	8.2	8.2	8.1	8.1	7.9	8.0	7.8	7.8	7.6	
13130000	6.517	8.478	R	1		1 CRACKING	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0		
55 19			2	55	24500	RIDE	8.1	8.0	7.9	7.9	7.9	7.7	7.9	7.9	7.8	7.9	7.9	7.8	7.8		
49 ST E(6.7R)					6.4																
4394231	6.500	8.466	C	2020	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	10.0	10.0	10.0	9.4	9.6	8.0	
AJAX PAVING INDUSTRIES OF				(2022)	FC5	RIDE	7.8	7.8	8.0	8.0	8.0	7.9	8.1	8.0	8.3	8.2	8.3	8.3	8.2	8.0	
13130000	9.194	10.005	R	4		1 CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	9.0	7.5	10.0	10.0	10.0		
55 I275	5.2	6.0	4	65	79500	RIDE	8.7	8.6	8.5	7.9	7.8	7.7	7.4	7.4	7.5	7.7	7.3	7.5	7.5		
4202381	9.194	10.005	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	7.1	8.3	5.5*	
AJAX PAVING INDUSTRIES OF				(2011)	FC5M	RIDE	7.3	7.5	7.7	7.6	7.5	7.4	7.5	7.8	7.8	7.4	7.5	7.4	7.6	7.5	
4535601	9.194	10.005	C	2029	0012																
13130000	10.005	11.982	R	4		1 CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0		
55 I275	6.0	8.0	2	65	79500	RIDE	8.8	8.6	8.7	8.3	8.4	8.2	8.1	8.3	8.3	8.2	7.9	7.9	7.9		
4202381	10.005	11.982	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.9	7.2	4.5*	
AJAX PAVING INDUSTRIES OF				(2011)	FC5M	RIDE	7.9	8.0	8.1	8.0	8.0	8.0	8.0	8.1	8.1	7.9	7.9	7.9	8.0	7.9	
4566141	10.005	11.982	C	2029	0012																
13130000	10.005	11.982	L	4		1 CRACKING	10.0	9.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0		
55 I275	6.0	8.0	2	65	79500	RIDE	8.4	8.4	8.3	8.0	7.9	7.7	7.2	7.5	7.2	7.2	7.9	7.9	7.9		
4202381	10.005	11.982	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.0	6.5	3.5*	
AJAX PAVING INDUSTRIES OF				(2011)	FC5M	RIDE	7.8	8.0	8.1	8.0	8.0	7.9	8.0	8.1	8.1	7.9	8.0	7.9	8.0	7.9	
4566141	10.005	11.982	C	2029	0012																
13130000	9.194	10.005	L	4		1 CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	10.0	10.0	10.0		
55 I275	5.2	6.0	3	65	79500	RIDE	8.9	8.8	8.8	8.1	8.1	8.0	7.7	7.9	7.8	7.5	7.7	7.8	7.8		
4202381	9.194	10.005	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	4.5*	
AJAX PAVING INDUSTRIES OF				(2011)	FC5M	RIDE	7.8	7.7	8.1	8.1	8.1	8.1	8.2	8.2	8.2	8.1	8.1	8.1	8.0	7.9	
4535601	9.194	10.005	C	2029	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	*****															
ITMSEG-P	(AGE_ONE YEAR)	YEAR		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKMX-F																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																
13130000	6.517	8.478	L	1	1	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	
55 19				2	55	24500	RIDE	8.5	8.2	8.3	7.9	7.9	7.8	7.8	7.7	7.8	7.7	7.7	7.7	7.6	
50 ST W(6.7L)																					
4394231	6.500	8.466	C	2020	0012	CRACKING	8.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	9.5	10.0	8.5	
AJAX PAVING INDUSTRIES OF				(2022)	FC5	RIDE	7.6	7.5	7.8	7.8	7.8	7.7	7.9	7.8	8.3	8.2	8.3	8.2	8.1	7.9	
13150000	2.394	4.051	C	1	1	CRACKING	10.0		8.5	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.0*	6.0*	6.0*		
64				2	45	20000	RIDE	8.4		8.2	7.9	7.9	7.8	7.6	7.7	7.7	7.5	7.5	7.4		
UNSIGN(2.5R)																					
4291301	2.394	4.032	C	2014	0012	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.4	7.5
AJAX PAVING INDUSTRIES OF				(2015)	FC125	RIDE	7.4	8.6	8.2	8.1	8.1	8.0	8.0	8.0	8.1	7.9	7.9	7.9	8.0	7.7	
13160000	7.481	9.290	R	1	7	CRACKING	8.5	8.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
70				3	50	40000	RIDE	8.5	8.4	8.2	8.0	7.9		8.2	8.0	8.1	8.1	8.2	8.1	8.1	
PALMBRUSH TRAIL(7.6R)																					
4491211	7.465	9.316	R	2025	0226	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	10.0	9.0	
AJAX PAVING INDUSTRIES OF				(2026)	FC5M	RIDE	8.2	7.8	8.1	8.1	8.1	8.0	8.1	8.1	8.0	7.9	8.0	7.9	8.0	8.3	8.1
13160000	10.301	11.281	C	1	1	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	
70				2	55	22000	RIDE	8.7	8.6	8.6	8.0	8.0	7.8	7.8	7.8	7.8	7.6	7.5	7.4	7.3	
UIHLEIN RD(10.8L)																					
4252341	9.681	15.541	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.6	8.2	6.5
AJAX PAVING INDUSTRIES OF				(2014)	FC125	RIDE	8.5	7.9	8.3	8.3	8.1	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.8	7.6	7.3
4145067	9.476	12.529	C	2023	0213																
13160000	11.281	12.987	C	1	8	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	
70				2	55	22000	RIDE	8.7	8.6	8.6	8.0	8.0	7.8	7.8	7.8	7.8	7.6	7.5	7.4	7.3	
POLO TR(11.3L)																					
4252341	9.681	15.541	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.6		
AJAX PAVING INDUSTRIES OF				(2014)	FC125	RIDE	8.5	7.9	8.3	8.3	8.1	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.8		
4145067	9.476	12.529	C	2023	0213																
13160000	12.987	15.567	C	1	1	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	
70				2	55	22000	RIDE	8.7	8.6	8.6	8.0	8.0	7.8	7.8	7.8	7.8	7.6	7.5	7.4	7.3	
197TH ST E(13.2L)																					
4252341	9.681	15.541	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.6	5.9*	4.0*
AJAX PAVING INDUSTRIES OF				(2014)	FC125	RIDE	8.5	7.9	8.3	8.3	8.1	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.8	7.8	7.5
4145068	12.529	15.567	C	2024	0213																
13160000	9.621	10.301	L	1	1	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	
70				1	50	22000	RIDE	8.7	8.6	8.6	8.0	8.0	7.8	7.8	7.8	7.8	7.6	7.5	7.4	7.3	
GARNET TR(9.9L)																					
4252341	9.681	15.541	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.0*	6.0*	6.0*	6.0*	4.0*
AJAX PAVING INDUSTRIES OF				(2014)	FC125	RIDE	8.5	7.9	8.3	8.3	8.1	8.0	7.9	7.9	7.9	7.9	8.0	7.7	7.7	7.9	7.6
4145067	9.476	12.529	C	2023	0213																
13160000	7.481	9.290	L	1	7	CRACKING	8.5	8.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
70				3	50	40000	RIDE	8.5	8.4	8.2	8.0	7.9		8.0	8.1	8.1	8.0	8.0	8.1	8.0	
FIELDS LN(7.7L)																					
4491211	7.465	9.316	L	2025	0226	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	9.0	
AJAX PAVING INDUSTRIES OF				(2026)	FC5M	RIDE	8.0	7.7	7.9	7.9	7.8	7.8	8.0	7.9	7.8	7.8	7.8	7.6	8.4	8.2	
13175000	3.898	5.233	R	4	1	CRACKING	10.0	10.0	7.0	6.5	6.5	6.5	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
93 I275	3.9	5.2	2	65	53000	RIDE	9.0	8.9	8.8	8.2	8.1	8.1	8.0	7.8	7.7	8.4	8.4	8.4	8.4	8.4	
AJAX PAVING INDUSTRIES OF (2010)																					
4202411	3.884	5.233	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.9	7.5	4.5*	
AJAX PAVING INDUSTRIES OF				(2010)	FC5M	RIDE	8.4	8.3	8.6	8.6	8.5	8.6	8.7	8.9	8.8	8.7	8.5	8.5	8.6	8.5	
4535611	3.884	5.233	R	2027	0012																
13175000	3.884	5.233	L	4	1	CRACKING	10.0	9.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	
93 I275	3.9	5.2	2	65	53000	RIDE	8.2	8.8	8.7	8.1	7.4	7.7	7.7	7.6	7.5	8.4	8.4	8.4	8.4	8.3	
AJAX PAVING INDUSTRIES OF (2010)																					
4202411	3.884	5.233	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.5	6.9	6.1*	3.0*	
AJAX PAVING INDUSTRIES OF				(2010)	FC5M	RIDE	8.3	8.3	8.5	8.6	8.5	8.5	8.6	8.9	8.7	8.6	8.5	8.5	8.6	8.6	8.5
4535611	3.553	5.233	L	2027	0012																
16030000	8.327	15.959	R	1	7	CRACKING	9.5	8.0	8.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	6.5	6.5	4.5*	10.0		
35 17				2	60	23500	RIDE	9.0	8.9	8.8	8.4	8.1	7.9	7.8	7.8	7.5	8.1	7.9	7.7	8.4	
ROBINSON RD(8.6R)																					
4492321	8.355	15.968	C	2025	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	4.5*	4.5*	10.0	9.0
AJAX PAVING INDUSTRIES OF				(2026)	FC125	RIDE	8.4	8.3	8.4	8.4	8.5	8.5	8.4	8.4	8.4	8.3	8.1	8.0	7.7	8.5	8.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ADT	*****														
ITMSEG-P	(AGE_ONE	YEAR)	SURF_TYPE	FY-F	WKM-X-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE	FY-F	WKM-X-F																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
16030000	8.362	15.959	L	1	7	CRACKING	9.5	8.0	8.0	7.0	7.0	7.0	7.0	4.5*	4.5*	4.5*	6.5	6.5	4.5*	10.0	
35 17			2	60	23500	RIDE	9.1	8.9	8.9	8.2	8.1	7.8	7.8	7.6	7.3	8.1	8.1	7.6	8.3		
FOURTEEN ST NW(8.7L)																					
4492321	8.355	15.968	C	2025	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	4.5*	3.5*	3.5*	10.0	9.0
AJAX PAVING INDUSTRIES OF (2026) FC125 RIDE 8.3 8.2 8.4 8.3 8.4 8.3 8.3 8.2 8.0 7.9 7.7 8.4 8.1																					
16040000	2.693	8.693	C	1	1	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	7.0	
700 98			2	55	6200	RIDE	7.6	7.2	8.7	8.0	7.9	7.9	7.9	8.1	7.9	7.8	7.7	7.5	8.0	7.1	
KELLER RD(2.7R)																					
4454711	2.704	8.691	C	2023	0012	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*			10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF (2025) FC125 RIDE 7.0 6.9 7.4 7.1 7.3 7.2 7.2 7.1 7.1 7.0 8.2 8.3 8.0																					
16040000	11.256	13.656	C	1	1	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
700 98			2	60	3800	RIDE	7.2	6.7	6.7	8.1	8.1	8.1	8.4	8.3	8.3	8.3	8.2	8.1	8.0		
MCCLELLAN RD(11.8R)																					
4454701	11.250	13.642	C	2023	0012	CRACKING	8.5	8.5	8.0	6.5	6.5	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	9.0	
AJAX PAVING INDUSTRIES OF (2025) FC125 RIDE 7.9 7.8 7.6 7.5 7.6 7.5 7.2 7.1 7.1 7.0 7.0 8.2 8.3 8.0																					
16120000	1.786	3.821	R	1	1	CRACKING	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	
655			1	50	17600	RIDE	7.8	8.1	8.0	7.6	7.7	7.7	7.1	7.9	7.9	7.7	7.6	7.4	7.5		
24TH ST SW(2.0R)																					
4454691	2.015	3.834	R	2022	0012	CRACKING	7.0	7.0	7.0	6.5	6.5	5.5*	5.5*	3.5*	3.5*	3.5*			10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF (2025) FC125 RIDE 7.5 7.2 7.0 7.0 7.2 6.9 6.9 6.7 6.8 6.6 7.9 7.8 7.5																					
16120000	1.786	3.821	L	1	1	CRACKING	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	
655			1	50	17600	RIDE	7.8	8.1	8.0	7.6	7.7	7.7	7.1	7.9	7.9	7.7	7.6	7.4	7.5		
UNSIGN(1.9L)																					
4454691	2.015	3.834	L	2022	0012	CRACKING	7.0	7.0	7.0	6.5	6.5	5.5*	5.5*	3.5*	3.5*	3.5*			10.0	9.0	
AJAX PAVING INDUSTRIES OF (2026) FC125 RIDE 7.5 7.2 7.0 7.0 7.2 6.9 6.9 6.7 6.8 6.6 7.8 7.5 7.5																					
16130000	4.915	6.487	R	1	1	CRACKING	8.0	7.0	6.0*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
60			2	65	21500	RIDE	8.8	8.6	8.1	7.7	7.3	7.4	7.9	7.9	7.9	7.8	7.7	7.6	7.6		
DUDE RANCH RD(5.1R)																					
4444841	4.898	6.469	C	2022	0012	CRACKING	9.5	9.5	7.0	7.0	6.5	4.5*	4.5*	3.5*	3.5*			10.0	9.1	10.0	8.5
AJAX PAVING INDUSTRIES OF (2024) FC5M RIDE 7.5 7.3 7.7 7.5 7.6 7.3 7.0 6.8 6.4* 8.7 8.7 8.6 8.4																					
16130000	4.910	6.487	L	1	1	CRACKING	8.0	7.0	6.0*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
60			2	65	21500	RIDE	8.8	8.4	8.2	7.0	6.3*	5.8*	8.0	7.9	7.9	7.9	7.7	7.6	7.6		
CITROSUCO ENT(5.1L)																					
4444841	4.898	6.469	C	2022	0012	CRACKING	9.5	8.0	8.0	8.0	7.5	7.5	6.5	3.5*	3.5*			10.0	9.5	10.0	8.5
AJAX PAVING INDUSTRIES OF (2024) FC5M RIDE 7.4 7.4 7.9 7.7 7.9 7.8 7.8 7.6 7.3 8.7 8.7 8.7 8.5																					
16250000	7.440	15.334	C	1	1	CRACKING	10.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	
37			2	60	7800	RIDE	8.7	7.8	8.0	7.3	7.1	6.9	8.2	8.2	8.2	8.2	8.0	8.0	7.9		
CR 630(7.6R)																					
4349371	7.775	11.570	C	2017	0012	CRACKING	7.0	6.0*	6.0*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	8.5	7.8	6.5	
AJAX PAVING INDUSTRIES OF (2020) FC125 RIDE 7.6 7.4 7.4 7.3 7.2 8.4 8.4 8.4 8.4 8.4 8.2 8.1 7.8																					
17005000	3.158	4.142	C	1	1	CRACKING	8.0	8.0	10.0	9.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
681			2	60	7800	RIDE	8.7	8.1	8.6	8.4	8.5	8.4	8.4	8.1	8.2	8.3	8.3	8.3	8.1		
RAMP #005102(3.2L)																					
4415601	3.500	4.000	C	2023	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	6.5	6.5	6.5	10.0	10.0	9.0	
AJAX PAVING INDUSTRIES OF (2025) FC5M RIDE 8.2 8.0 8.2 8.3 8.4 8.5 8.4 8.5 8.5 8.4 8.5 8.5 8.4 8.4 8.5 8.5 8.5 8.3																					
17008000	3.368	4.840	R	1	1	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	
758			2	45	39500	RIDE	5.7*	5.7*	8.3	7.8	7.7	7.7	7.4	7.2	7.1	7.0	6.9	6.4	6.1		
DUNN DR(3.6R)																					
4365671	3.368	4.737	C	2018	0012	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.6	9.5	8.0	
AJAX PAVING INDUSTRIES OF (2020) FC125 RIDE 6.3 6.1 6.7 6.2 6.3 6.2 8.4 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.2 7.9																					
17008000	3.368	4.840	L	1	1	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	8.0	
758			2	45	39500	RIDE	6.5	6.4*	8.5	8.0	8.0	8.2	8.1	7.9	8.0	7.4	7.8	7.7	7.6	7.4	
BOND PL(3.4L)																					
4365671	3.368	4.737	C	2018	0012	CRACKING	8.0	8.0	8.0	6.5	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.4	8.0
AJAX PAVING INDUSTRIES OF (2020) FC125 RIDE 7.1 6.5 7.0 7.2 7.1 6.8 8.5 8.6 8.3 8.6 8.5 8.6 8.5 8.5 8.5 8.4 8.1																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	ADT	*****														
ITMSEG-P	(AGE_ONE YEAR)	YEAR		ADT	WKMX-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKMX-F																
ITMSEG-F																					
17010000	1.350	5.947	R	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
45 41				2	45	40500	RIDE	8.8	8.7	8.4	7.9	7.9	7.9	7.9	7.8	7.8	7.9	7.8	7.8	7.8	7.8
LOWES ENT(1.4R)																					
4415501	1.324	5.925	R	2023	0012	CRACKING	9.5	8.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*		10.0	9.0
AJAX PAVING INDUSTRIES OF				(2026)	FC5M	RIDE	7.8	7.6	8.1	8.0	8.0	8.1	8.1	8.0	7.9	7.9	7.9	7.9		8.2	8.0
17010000	6.348	7.430	R	1	7	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
45 41				2	55	24000	RIDE	8.4	8.2	7.6	7.4	7.4	7.1	8.2	7.9	7.8	7.9	7.9	7.8	7.8	7.7
ROCK HAVEN LANE(6.7R)																					
4415501	6.334	7.393	R	2023	0012	CRACKING	9.5	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	9.0
AJAX PAVING INDUSTRIES OF				(2026)	FC125	RIDE	7.6	7.6	7.7	7.6	7.6	7.6	7.6	7.8	7.7	7.7	7.6	7.5		7.6	7.3
17010000	12.701	14.543	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	6.5	4.5*	4.5*	
45 41				3	45	55500	RIDE	8.8	8.7	8.4	8.2	7.9	8.1	8.0	7.9	7.8	7.8	7.9	7.6	7.6	7.6
PARK PL(12.8R)																					
4314231	12.940	14.535	C	2015	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.1	9.0	7.5
AJAX PAVING INDUSTRIES OF				(2017)	FC95M	RIDE	7.4	7.0	7.7	8.7	8.6	8.6	8.5	8.2	8.3	8.1	7.9	8.0	8.0	7.9	7.6
17010000	16.569	17.155	R	1	1	CRACKING	6.5		10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	
45 B41				2	35	29500	RIDE	6.4*			5.9	7.6	7.5	7.5	7.6	7.5	7.5	7.5	7.0	6.6	
PUBLIX ENT(16.6R)																					
4349611	16.587	17.131	C	2017	0012	CRACKING	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.7	8.5	7.0
AJAX PAVING INDUSTRIES OF				(2019)	FC125	RIDE	6.3	6.4	5.4*	5.5	5.7									7.5	7.2
4527811	15.230	17.155	C	2029	0226																
17010000	16.569	17.155	L	1	1	CRACKING	4.5*		10.0	10.0	9.5	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.0	6.5	
45 B41				2	35	29500	RIDE	6.0*			6.4	7.5	7.6	7.6	7.5	7.5	7.5	7.5	7.5	6.8	6.6
PALERMO PL(16.6L)																					
4349611	16.587	17.131	C	2017	0012	CRACKING	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.2	8.0	6.5
AJAX PAVING INDUSTRIES OF				(2019)	FC125	RIDE	6.2	6.5	5.5	5.1*	5.3*									6.5	6.2
4527811	15.230	17.155	C	2029	0226																
17010000	12.701	14.543	L	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	
45 41				3	45	55500	RIDE	8.5	8.6	7.9	8.1	8.0	8.0	8.0	7.9	7.7	7.7	8.0	7.7	7.6	
TURNOUT(12.8L)																					
4314231	12.940	14.535	C	2015	0012	CRACKING	7.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.6	8.4	6.5
AJAX PAVING INDUSTRIES OF				(2017)	FC95M	RIDE	6.8	7.3	7.6	8.4	8.3	8.4	8.3	8.3	8.0	8.1	8.1	8.1	8.1	8.0	7.7
17010000	6.262	7.394	L	1	7	CRACKING	6.5	6.5	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41				2	55	24000	RIDE	8.0	7.8	7.8	7.4	7.1	6.6	8.0	7.8	7.8	7.9	7.9	7.8	7.8	
TUSCOLA BLVD(1.4L)																					
4415501	6.319	7.430	L	2023	0012	CRACKING	10.0	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*		10.0	9.0
AJAX PAVING INDUSTRIES OF				(2026)	FC125	RIDE	7.7	7.6	7.6	7.2	7.4	7.5	7.7	7.6	7.5	7.4	7.4			7.1	6.8
17010000	1.350	6.031	L	1	7	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	
45 41				2	45	40500	RIDE	8.8	8.8	8.5	7.9	7.9	7.3	7.9	7.8	7.7	7.8	7.8	7.7	7.6	
TUSCOLA BLVD(1.4L)																					
4415501	1.324	6.091	L	2023	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	9.0
AJAX PAVING INDUSTRIES OF				(2026)	FC5M	RIDE	7.6	7.4	7.8	7.9	7.9	8.0	8.0	7.9	7.9	7.9	7.9	7.8		8.5	8.3
17030000	3.870	5.953	C	1	1	CRACKING	9.5	9.5	9.5	8.0	7.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0	
789				2	45	17900	RIDE	8.1	8.4	8.2	7.6	7.5	7.3	7.4	7.3	6.9	7.2	7.1	8.8	8.5	
HOFFMAN LN(4.1R)																					
4224071	3.870	5.953	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	6.5	6.5	5.5*	5.2*	4.0*	2.0*	
AJAX PAVING INDUSTRIES OF				(2012)	FC95	RIDE	8.6	8.6	8.4	8.1	8.2	8.1	8.1	8.0	8.0	7.8	7.9	7.7	7.6	7.6	7.3
4510131	3.870	8.957	C	2027	0226																
17030000	5.953	8.957	C	1	1	CRACKING	9.5	9.5	9.5	8.0	7.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0	
789				2	45	12400	RIDE	8.1	8.4	8.2	7.6	7.5	7.3	7.4	7.3	6.9	7.2	7.1	8.5	8.3	
BAY ISLES ENT(6.0R)																					
4223951	5.953	8.953	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.0	6.5	6.5	6.0*	5.2*	4.9*	3.0*	
AJAX PAVING INDUSTRIES OF				(2012)	DGFC	RIDE	8.4	8.0	8.2	8.0	8.0	7.9	7.9	7.7	7.7	7.5	7.6	7.4	7.2	6.9	
4510131	3.870	8.957	C	2027	0226																
17030401	0.372	0.648	R	1	1	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	10.0	10.0
789				1	35	18800	RIDE	7.0	7.0	6.8	6.2	6.4	6.3	6.0	6.3	6.3			7.1	8.5	8.3
LONGBOAT CLUB RD(0.6C)																					
4224071	0.363	0.643	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.8	7.0	5.0*
AJAX PAVING INDUSTRIES OF				(2012)	FC4	RIDE	8.1	8.3	7.7	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.6	7.6	7.6	7.4	7.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES OF FL -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR)	ROW	SRF_TYPE	WKMX-F															(PMRS)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F
17040000	0.381	4.231	R	1	1	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	
780				3	45	58500	7.7	7.5	7.2	6.8	7.0	6.9	6.8	6.1	6.7	6.7	8.4	8.2	8.2	
LIME AVE(0.5C)						3.7														
1977532	0.404	4.226	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.2	6.6	4.5*
AJAX PAVING INDUSTRIES OF (2011)					FC125	RIDE	8.1	7.4	7.7	7.9	8.1	8.0	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9
17040000	0.381	4.231	L	1	2	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5	10.0	10.0	10.0	
780				3	45	58500	7.8	7.7	7.5	7.3	7.2	7.1	7.1	6.3	6.9	6.8	8.4	8.5	8.4	
LIME AVE(0.5C)						3.7														
1977532	0.404	4.226	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.1	6.8	4.5*
AJAX PAVING INDUSTRIES OF (2011)					FC125	RIDE	8.3	7.9	8.0	8.2	8.3	8.2	8.1	8.1	8.1	8.1	8.2	8.1	7.8	7.5
17040401	0.000	0.325	R	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	
780				3	40	35000	6.8	5.9	6.1	6.0	6.5	5.8	6.1	6.2	6.4	6.4	6.4	6.4	6.7	6.6
SR 683(0.0C)						4.2														
1977533	0.075	0.325	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	5.9*	5.3*	3.0*
AJAX PAVING INDUSTRIES OF (2011)					DGFC	RIDE	6.8	6.1	5.8										6.9	6.6
17040401	0.000	0.325	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	10.0	10.0	10.0	
780				3	40	35000	6.6	7.3	6.4	6.4	6.3	6.2	6.1	6.0	5.9	6.3	7.6	7.9	7.7	
SR 683(0.0C)						4.2														
1977533	0.075	0.325	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.3	7.0	5.0*
AJAX PAVING INDUSTRIES OF (2011)					DGFC	RIDE	7.6	6.7	6.7										7.2	6.9
17070000	6.374	9.641	C	1	1	CRACKING	9.0	9.0	8.0	8.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
72				2	55	8000	8.1	8.0	7.6	7.2	7.3	7.0	7.1	7.0	7.0	7.2	7.1	7.0	7.0	8.7
DOVE AVE(6.5R)						13.7														
4252541	6.589	9.641	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	7.6	5.5*
AJAX PAVING INDUSTRIES OF (2013)					FC95R	RIDE	8.6	8.0	7.4	7.8	8.2	8.2	8.1	8.0	8.0	7.1	7.6	7.5	7.5	7.2
17075000	29.519	33.286	R	4	1	CRACKING	9.5	9.5	9.5	8.0	8.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	
93 I75	200.1	203.8		3	70	113000	9.1	9.0	8.7	8.4	8.2	8.1	8.3	8.1	7.7	8.3	8.3	8.2	8.2	
						11.7														
4202401	29.039	37.132	C	2009	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	6.6	6.5	3.5*
AJAX PAVING INDUSTRIES OF (2010)					FC5M	RIDE	8.3	8.0	8.5	8.5	8.5	8.6	8.6	8.6	8.6	8.5	8.4	8.6	8.6	8.5
4491881	29.519	38.096	R	2028	0012															
17075000	36.406	39.600	R	4	1	CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.5	10.0	10.0	10.0	10.0	
93 I75	206.9	210.1		3	70	139500	8.9	8.8	8.6	8.1	8.1	7.9	7.8	7.6	7.3	8.3	8.3	8.2	8.2	
						11.4														
4206481	37.105	42.582	C	2009	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	6.5	4.9*	2.0*
AJAX PAVING INDUSTRIES OF (2010)					FC5	RIDE	8.3	8.0	8.5	8.5	8.5	8.6	8.6	8.6	8.6	8.5	8.4	8.1	8.0	7.9
4491881	29.519	38.096	R	2028	0012															
17075000	36.406	39.300	L	4	1	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	10.0	10.0	10.0	10.0	
93 I75	206.9	209.8		3	70	139500	8.9	8.9	8.6	8.1	8.1	7.9	7.8	7.6	7.4	8.3	8.3	8.3	8.2	
						11.4														
4206481	37.105	42.582	C	2009	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	3.5*
AJAX PAVING INDUSTRIES OF (2010)					FC5	RIDE	8.3	8.0	8.4	8.4	8.5	8.6	8.6	8.6	8.6	8.5	8.4	8.1	8.0	7.9
4491881	29.039	38.096	L	2028	0012															
17075000	29.039	33.286	L	4	1	CRACKING	8.0	8.0	8.0	7.0	7.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	
93 I75	199.6	203.8		3	70	113000	9.0	8.9	8.7	8.3	8.2	8.0	8.2	8.1	8.0	8.3	8.3	8.3	8.2	
						11.7														
4202401	29.039	37.132	C	2009	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	7.5	7.5	6.5	6.5	7.2	6.8	4.0*
AJAX PAVING INDUSTRIES OF (2010)					FC5M	RIDE	8.3	8.0	8.4	8.4	8.5	8.6	8.6	8.6	8.6	8.5	8.4	8.5	8.5	8.4
4491881	29.039	38.096	L	2028	0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES, INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR										FUTURE			
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ADT	=====													
ITMSEG-P	(AGE_ONE YEAR)	YEAR	ADT	WKM-F	WKM-F	ADT	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT														
01010101	1.812	2.042	C	1	1	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	35	20000	RIDE	5.8*	5.5	5.3*	4.8*	4.7*	4.3*		7.3	7.0	7.1	7.1	7.0	6.7	
HELEN AVE W(1.9R)																				
4154441	1.326	2.042	L	2006	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.0*	6.0*	5.5*	3.0*
AJAX PAVING INDUSTRIES, IN(2008)					FC4	RIDE	6.4	6.3	6.2	6.0	6.1	6.0	6.0	5.9	5.9	5.7	5.5	5.7	5.5	5.2*

01030000	11.720	12.485	C	1	8	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
31			2	60	9000	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.5	8.5	8.4	8.3	8.4	8.3	
BELMONT RD(12.1C)																				
1937503	12.026	18.337	C	2005	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.0	6.5	6.5	4.5*	4.5*		
AJAX PAVING INDUSTRIES, IN(2008)					FC125	RIDE	8.3	8.3	8.2	8.1	8.0	7.9	8.0	7.9	7.9	7.8	7.8	7.7	7.7	

01030000	12.485	16.498	C	1	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
31			2	60	7400	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.5	8.5	8.4	8.3	8.4	8.3	
HGHLANDCOUNTYSHELPI(14.4R)																				
1937503	12.026	18.337	C	2005	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.0	6.5	6.5	4.5*	4.5*	3.6*	1.0*
AJAX PAVING INDUSTRIES, IN(2008)					FC125	RIDE	8.3	8.3	8.2	8.1	8.0	7.9	8.0	7.9	7.9	7.8	7.8	7.7	7.8	7.5
4511031	12.432	18.397	C	2027	0226															

01030000	17.690	18.397	C	1	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
31			2	60	7400	RIDE	8.7	8.6	8.6	7.7	7.7	7.5		8.5	8.5	8.4	8.3	8.4	8.3	
45.8																				
1937503	12.026	18.337	C	2005	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.0	6.5	6.5	4.5*	4.5*	2.5*	0.0*
AJAX PAVING INDUSTRIES, IN(2008)					FC125	RIDE	8.3	8.3	8.2	8.1	8.0	7.9	8.0	7.9	8.0	7.9	7.8	7.8	7.6	7.3
4511031	12.432	18.397	C	2027	0226															

01040000	0.000	0.328	C	1	8	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
35 17			3	30	13500	RIDE	4.6*	4.8*	4.1*	3.5*	3.3*	3.4*	4.0*	6.2	5.7	5.4*	5.4*	5.4*	5.1*	
CROSS ST(0.0C)																				
1938112	0.010	0.889	C	2006	0012	CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	5.5*	5.5*	5.5*	5.0*		
AJAX PAVING INDUSTRIES, IN(2008)					FC4	RIDE	5.0*	4.7*	4.7*	4.2*	4.2*	4.2*	4.0*	3.8*	3.5*	3.4*	3.4*	2.3*		
4415521	0.000	3.506	C	2024	0012															

01040000	0.328	0.949	C	1	8	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
35 17			3	35	9800	RIDE	4.6*	4.8*	4.1*	3.5*	3.3*	3.4*	4.0*	6.2	5.7	5.4*	5.4*	5.4*	5.1*	
DUPONT ST(0.3R)																				
1938112	0.010	0.889	C	2006	0012	CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	5.5*	5.5*	5.5*			
AJAX PAVING INDUSTRIES, IN(2008)					FC4	RIDE	5.0*	4.7*	4.7*	4.2*	4.2*	4.2*	4.0*	3.8*	3.5*	3.4*	3.4*			
4415521	0.000	3.506	C	2024	0012															

01050000	17.001	17.562	R	1	1	CRACKING	7.5	7.5	7.5	6.5	6.5	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	10.0	10.0
776			2	50	28500	RIDE	7.9	8.3	8.0	7.3	7.1	7.0	6.8	6.6	7.3	7.5	7.5	6.8	7.3	
MURDOCK CIR(17.1R)																				
4171291	16.963	17.549	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	6.4*	3.5*
AJAX PAVING INDUSTRIES, IN(2009)					FC5	RIDE	7.4	7.5	7.5	7.6	7.5	7.5	7.5	7.6	7.3	7.5	7.4	7.5	7.4	7.2
4556291	14.460	17.549	C	2025	6060															

01050000	17.001	17.562	L	1	1	CRACKING	9.0	9.0	9.0	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0
776			2	50	28500	RIDE	8.2	8.1	8.0	6.9	7.3	6.5	7.0	6.7	7.2	7.2	7.2	7.1	7.2	
ENTERPRISE DR(17.1L)																				
4171291	16.963	17.549	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	4.5*	4.5*	4.5*	3.3*	0.5*
AJAX PAVING INDUSTRIES, IN(2009)					FC5	RIDE	7.2	7.2	7.3	7.4	7.4	7.3	7.3	7.1	7.4	7.0	7.2	6.8	7.0	6.8
4556291	14.460	17.549	C	2025	6060															

03010000	5.910	8.223	R	1	1	CRACKING	9.0	9.0	9.0	7.5	6.5	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	10.0	10.0
45 41			3	45	49000	RIDE	8.7	8.6	8.2	7.7	7.6	7.5	7.3	7.6	8.4	8.4	8.3	8.2	8.2	
PELICAN BAY BLVD(6.8R)																				
4154431	5.910	8.223	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.6	7.5
AJAX PAVING INDUSTRIES, IN(2009)					FC125	RIDE	8.1	8.2	8.2	8.3	8.2	8.1	7.9	8.1	8.0	8.0	7.9	7.9	7.9	7.6

03010000	5.910	8.223	L	1	1	CRACKING	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0
45 41			3	45	49000	RIDE	8.4	8.4	8.2	7.5	7.5	7.2	7.3	7.3	8.3	8.3	8.3	8.2	8.1	
CAGEPUT DR(6.0L)																				
4154431	5.910	8.223	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5
AJAX PAVING INDUSTRIES, IN(2009)					FC125	RIDE	8.1	8.1	8.3	8.3	8.2	8.2	8.2	8.2	8.1	7.9	8.0	7.8	8.0	7.7

07060000	0.000	5.415	C	1	1	CRACKING	4.5*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
29			2	60	7400	RIDE	8.3	8.1	7.9	7.0	6.7	8.7	8.7	8.7	8.5	8.6	8.6	8.4	8.5	
MARION RD(0.8R)																				
1941722	0.000	5.420	C	2004	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	6.0*	4.5*	3.6*	1.0*
AJAX PAVING INDUSTRIES, IN(2006)					FC95	RIDE	8.4	8.5	8.2	7.8	8.2	8.2	8.2	8.1	8.1	8.0	8.0	8.1	8.0	7.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR											FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ADT	*****														
ITMSEG-P	(AGE_ONE YEAR)	YEAR		IN	FC5M	RIDE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
ITMSEG-F																					
12004000	9.570	10.726	R	1	1	CRACKING	10.0	7.5	7.0	7.0	6.5	5.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
865			2	50	44000	RIDE	7.3	7.2	6.8	5.7*	5.6*	5.2*	4.6*	5.3*	8.3	8.0	7.7	7.7	7.6		
UNSIGN(10.2R)																					
4172461	9.598	10.612	C	2007	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	1.5*	
AJAX PAVING INDUSTRIES, INC.							7.9	7.9	7.7	7.8	7.4	7.4	7.6	7.5	7.7	7.3	7.3	7.4	7.3	7.1	
4489571	9.627	10.680	R	2026	0226																

12004000	9.570	10.726	L	1	1	CRACKING	8.0	7.5	7.0	7.0	6.5	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
865			2	50	44000	RIDE	7.8	7.8	7.7	6.9	6.7	6.0*	5.8*	6.0*	8.0	7.8	7.6	7.7	7.7		
INDEPENDENCE CIR(10.2L)																					
4172461	9.598	10.612	C	2007	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	1.5*	
AJAX PAVING INDUSTRIES, INC.							7.8	7.8	8.2	8.0	7.8	7.5	7.9	7.9	7.7	8.0	8.0	7.8	7.7	7.5	
4489571	9.755	10.680	L	2026	0226																

12010000	4.417	7.833	R	1	1	CRACKING	3.5*	1.0*	1.0*					10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	50	57000	RIDE	8.0	8.2	7.7					8.1	8.2	8.1	8.2	8.3	8.1	8.1	
OLD 41RD/CR 887(4.4R)																					
1956931	4.405	7.922	C	2002	0218	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.4	8.1	5.0*
AJAX PAVING INDUSTRIES, INC.							8.2	8.2	8.4	8.4	8.3	8.2	8.3	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.1

12010000	24.620	24.915	R	1	1	CRACKING	7.0	5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	45	46000	RIDE	8.3	8.2	7.8	6.7	6.6	6.4	6.1	8.6	8.6	8.5	8.5	8.5	8.3	8.4	
3.7																					
1955362	24.620	26.922	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0			6.0*	3.5*
AJAX PAVING INDUSTRIES, INC.							8.2	8.0	8.2	8.0	7.8	7.4	7.8	7.7	7.2	7.3				7.4	7.1
4560311	10.062	29.009	C	2026	6060																

12010000	24.915	25.920	R	1	1	CRACKING	7.0	5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	45	46000	RIDE	8.3	8.2	7.8	6.7	6.6	6.4	6.1	8.6	8.6	8.5	8.5	8.5	8.3	8.4	
3.7																					
1955362	24.620	26.922	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0			6.0*	3.5*
AJAX PAVING INDUSTRIES, INC.							8.2	8.0	8.2	8.0	7.8	7.4	7.8	7.7	7.2	7.3				7.4	7.1
4560311	10.062	29.009	C	2026	6060																

12010000	25.920	27.030	R	1	1	CRACKING	7.0	5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	55	30000	RIDE	8.3	8.2	7.8	6.7	6.6	6.4*	6.1*	8.1	8.2	8.1	8.1	8.1	8.0	8.0	
7.9																					
1955362	24.620	26.922	C	2006	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.7	4.5*
AJAX PAVING INDUSTRIES, INC.							7.9	8.0	8.1	8.1	7.9	7.8	8.1	8.1	7.9	8.0	8.0	8.0	7.9	8.0	7.8
4560311	10.062	29.009	C	2026	6060																

12010000	25.920	27.030	L	1	1	CRACKING	7.0	5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	55	30000	RIDE	8.5	8.4	8.2	7.4	7.3	7.0	6.8	8.2	8.3	8.2	8.2	8.1	8.1	8.1	
7.9																					
1955362	24.620	26.922	C	2006	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.0	7.0	6.5	3.5*
AJAX PAVING INDUSTRIES, INC.							8.0	8.0	8.2	8.2	7.9	8.1	8.0	8.2	8.2	8.1	8.1	8.2	8.2	8.2	8.0
4560311	10.062	29.009	C	2026	6060																

12010000	24.915	25.920	L	1	1	CRACKING	7.0	5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	45	46000	RIDE	8.5	8.4	8.2	7.4	7.3	7.0	6.8	8.8	8.7	8.6	8.6	8.5	8.5		
3.7																					
1955362	24.620	26.922	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0			6.0*	3.5*
AJAX PAVING INDUSTRIES, INC.							8.3	8.1	8.3	8.3	8.2	7.7	8.1	8.0	8.0	7.7	7.6			7.7	7.6
4560311	10.062	29.009	C	2026	6060																

12010000	24.620	24.915	L	1	1	CRACKING	7.0	5.5*	3.5*	1.5*	1.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	45	46000	RIDE	8.5	8.4	8.2	7.4	7.3	7.0	6.8	8.8	8.7	8.6	8.6	8.5	8.5		
3.7																					
1955362	24.620	26.922	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0			5.7*	3.5*
AJAX PAVING INDUSTRIES, INC.							8.3	8.1	8.3	8.3	8.2	7.7	8.1	8.0	8.0	7.7	7.6			7.4	7.1
4560311	10.062	29.009	C	2026	6060																

12010000	4.417	7.833	L	1	1	CRACKING	3.5*	1.0*	1.0*					10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	50	57000	RIDE	8.4	8.3	8.1					8.0	8.1	8.1	8.1	8.1	8.0	8.0	
3.9																					
1956931	4.405	7.922	C	2002	0218	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.8	7.6	4.5*
AJAX PAVING INDUSTRIES, INC.							7.9	8.0	8.3	8.3	7.8	8.0	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.9	7.7

12020000	6.026	8.345	R	1	1	CRACKING	6.0*	6.0*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
80			3	55	36500	RIDE	8.4	8.4	8.3	7.8	7.6	7.4	7.0	8.0	7.7	7.6	7.8	7.7	7.7	7.8	
15.4																					
1955842	5.777	8.345	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.0	7.0	4.0*	
AJAX PAVING INDUSTRIES, INC.							7.7	7.7	8.1	8.1	8.2	7.9	8.2	8.1	8.1	8.0	7.9	8.0	8.0	7.8	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES, INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F															(PMRS)
12020000	6.026	8.345	L	1	1	CRACKING	8.0	8.0	7.0	7.0	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
80			3	55	36500	RIDE	8.7	8.7	8.3	7.8	7.6	7.2	6.8	8.1	8.1	8.0	8.1	8.1	8.1	8.1
ORANGE HARBOR MHP(6.2L)																				
1955842	5.777	8.345	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	5.5*	2.5*
AJAX PAVING INDUSTRIES, IN(2008)					FC5	RIDE	8.2	8.1	8.3	8.3	8.3	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.2	8.0

13010000	2.094	3.017	R	1	1	CRACKING	9.0	9.0	8.0	8.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41			3	45	45000	RIDE	7.2	6.9	6.8	5.8*	5.8*	7.5	7.1	7.5	7.6	7.6	7.3	7.3	7.3	7.3
BAY DR(2.3C)																				
1958132	2.116	3.017	C	2004	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.0*	6.0*	6.0*	3.5*
AJAX PAVING INDUSTRIES, IN(2006)					FC125	RIDE	7.4	7.3	6.8	6.9	6.6	6.6	6.8	6.6	6.8	6.3	6.5	6.3	6.5	6.2
4510261	2.095	3.017	C	2027	0012															

13010000	2.094	3.017	L	1	1	CRACKING	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41			3	45	45000	RIDE	6.5	6.2*	6.0*	5.6*	6.1*	6.6	6.3	6.4	6.6	6.4	6.5	6.3	6.3	6.3
BAY DR(2.3C)																				
1958132	2.116	3.017	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	3.5*
AJAX PAVING INDUSTRIES, IN(2006)					FC125	RIDE	6.2	6.0	5.7	5.6	5.5	5.2*	5.2*	5.2*	5.1*	4.9*	4.9*	4.8*	5.0*	4.7*
4510261	2.095	3.017	C	2027	0012															

13040000	0.000	0.113	C	1	1	CRACKING	8.5	8.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	9.0	9.0	9.0	9.0
684			4	35	16500	RIDE	5.3*	6.0	5.7	3.7*	3.8*	2.9*	2.2*							
GULF DR(0.0C)																				
4172421	0.000	0.121	C	2007	0012	CRACKING	9.0	9.0	8.5	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.4*	4.8*	2.5*
AJAX PAVING INDUSTRIES, IN(2009)					DGFC	RIDE												5.5	5.2*	5.2*

13050000	1.808	2.777	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
64			3	45	53500	RIDE	7.0	6.8	6.5	6.6	6.5			7.9	8.0	7.9	7.9	7.6	7.5	7.3
EIGHTEENTH ST(1.9C)																				
4067581	1.808	5.800	C	2005	0012	CRACKING	8.5	8.5	8.5	7.5	7.0	7.0	6.0*	5.5*	5.5*	5.5*	3.5*	3.5*	1.2*	0.0*
AJAX PAVING INDUSTRIES, IN(2007)					FC125	RIDE	7.5	7.4	7.5	7.5	7.4	7.3	7.4	7.3	7.3	7.2	7.2	7.1	6.7	6.4
4473781	1.808	3.476	C	2024	0012															

13050000	2.777	2.985	R	1	8	CRACKING	6.5	6.5	4.5*	4.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0
64			3	45	53500	RIDE	8.0	7.8	7.9	6.7	6.7			7.9	8.0	7.9	7.9	7.6	7.5	7.3
29TH ST E(2.9R)																				
4067581	1.808	5.800	C	2005	0012	CRACKING	8.5	8.5	8.5	7.5	7.0	7.0	6.0*	5.5*	5.5*	5.5*	3.5*	3.5*		
AJAX PAVING INDUSTRIES, IN(2007)					FC125	RIDE	7.5	7.4	7.5	7.5	7.4	7.3	7.4	7.3	7.3	7.2	7.2	7.1		
4473781	1.808	3.476	C	2024	0012															

13050000	2.985	3.522	R	1	1	CRACKING	6.5	6.5	4.5*	4.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0
64			3	45	53500	RIDE	8.0	7.8	7.9	6.7	6.7			7.9	8.0	7.9	7.9	7.6	7.5	7.3
4067581																				
AJAX PAVING INDUSTRIES, IN(2007)					FC5	RIDE	8.5	8.5	8.5	7.5	7.0	7.0	6.0*	5.5*	5.5*	5.5*	3.5*	3.5*	0.0*	0.0*
4473781	1.808	3.476	C	2024	0012									7.4	7.3	7.3	7.2	7.1	7.4	7.2

13050000	3.107	3.522	L	1	1	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0
64			3	50	53500	RIDE	7.9	8.0	7.9	7.1	7.0			7.8	7.9	7.8	8.0	7.6	7.5	7.5
4067581																				
AJAX PAVING INDUSTRIES, IN(2007)					FC5	RIDE	10.0	10.0	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	4.5*	1.5*
4473781	1.808	3.476	C	2024	0012									7.4	7.4	7.5	7.5	7.4	7.3	7.9

13050000	1.808	3.107	L	1	1	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0
64			3	45	53500	RIDE	7.9	8.0	7.9	7.1	7.0			7.8	7.9	7.8	8.0	7.6	7.5	7.5
EIGHTEENTH ST(1.9C)																				
4067581	1.808	5.800	C	2005	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	1.8*	0.0*
AJAX PAVING INDUSTRIES, IN(2007)					FC125	RIDE	7.4	7.4	7.5	7.5	7.4	7.3	7.2	7.2	7.2	6.9	7.0	6.9	6.4	6.1
4473781	1.808	3.476	C	2024	0012															

13130000	1.661	2.208	R	1	1	CRACKING	9.0	7.5	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0
55 41			4	45	65500	RIDE	8.0	6.8	6.4*	5.1*	4.9*			6.6	6.7	7.0	7.0	7.1	6.9	7.0
13TH AV(1.8C)																				
4067561	1.765	2.617	C	2004	0012	CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.0*	4.0*	3.6*	1.0*
AJAX PAVING INDUSTRIES, IN(2007)					FC125	RIDE	6.9	6.4	6.2	6.8	6.6	7.0	6.6	6.3	6.3	5.9	6.5	6.4	6.2	5.9
4473791	1.661	6.000	C	2025	0012															

13130000	2.208	2.617	R	1	1	CRACKING	9.0	9.0	7.0	6.0*	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0
55 41			3	50	65000	RIDE	7.6	7.6	7.8	6.4*	7.0			7.9	7.9	7.9	7.8	7.9	7.9	7.8
TURNOUT(2.3R)																				
4067561	1.765	2.617	C	2004	0012	CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	6.0*	6.0*	6.0*	4.0*	3.0*	1.4*	0.0*
AJAX PAVING INDUSTRIES, IN(2007)					FC125	RIDE	7.7	7.6	7.5	7.5	7.4	7.3	7.1	7.1	7.1	6.7	6.9	6.8	6.7	6.4*
4473791	1.661	6.000	C	2025	0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES, INC. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	YEAR	WKM-F	WKM-F	*****														(PMRS)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	*****														
13130000	8.478	9.194	C	1	1	CRACKING	3.5*	3.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
55 19			2	55	13000	RIDE	8.5	8.2	7.9	7.7	7.5	7.6	7.4	7.8	7.8	7.8	7.8	7.7	7.6	
4172411	8.483	9.194	C	2007	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	1.5*
AJAX PAVING INDUSTRIES, IN(2008)					FC5M	RIDE	7.7	7.4	7.6	7.5	7.4	7.3	7.5	7.4	7.6	7.4	7.6	7.6	7.5	7.3
4491201	8.474	9.194	C	2025	0226															
13130000	1.661	2.617	L	1	1	CRACKING	9.0	9.0	9.0	9.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
55 41			3	45	65500	RIDE	6.4*	6.4*	6.3*	5.5*	5.2*		6.8	6.2	6.8	6.7	6.8	6.7	6.3	
13TH AV(1.8C)					4.6															
4067561	1.765	2.617	C	2004	0012	CRACKING	8.5	8.5	8.5	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	4.0*	4.0*	3.1*	0.5*
AJAX PAVING INDUSTRIES, IN(2007)					FC125	RIDE	6.6	6.4	6.4	6.3	6.0	6.1	6.2	6.0	6.3	6.0	6.0	5.6	5.8	5.5
4473791	1.661	6.000	C	2025	0012															
13175000	1.347	3.553	R	4	1	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
93 1275	1.3	3.6	2	70	53000	RIDE	8.8	8.8	8.7	7.9	7.6	7.6	7.5	8.1	8.1	8.1	8.1	8.0	7.9	
2010152	1.347	3.566	C	2006	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	4.3*	1.0*
AJAX PAVING INDUSTRIES, IN(2008)					FC2	RIDE	7.9	7.7	8.1	8.1	8.1	8.0	8.1	8.2	8.1	8.1	8.0	7.9	8.0	7.9
4491871	1.347	3.553	C	2025	0012															
13175000	1.347	3.566	L	4	1	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
93 1275	1.3	3.6	2	70	53000	RIDE	8.9	8.8	8.7	7.9	7.8	7.6	7.4	8.1	8.2	8.2	8.2	8.1	8.1	
2010152	1.347	3.566	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5	6.6	3.5*
AJAX PAVING INDUSTRIES, IN(2008)					FC2	RIDE	8.1	7.9	8.2	8.2	8.1	8.0	8.2	8.3	8.2	8.1	8.0	7.9	8.1	8.0
4491871	1.347	3.553	C	2025	0012															
17010000	5.947	6.348	R	1	2	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
45 41			2	55	24000	RIDE	8.4	8.2	7.6	7.4	7.4	7.1	8.2	7.9	7.8	7.9	7.9	7.8	7.7	
TURNOUT(6.2R)					5.7															
4091901	4.320	7.887	C	2005	0012	CRACKING	9.5	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*		6.5	3.5*
AJAX PAVING INDUSTRIES, IN(2007)					OGFC	RIDE	7.6	7.6	7.7	7.6	7.6	7.6	7.8	7.7	7.7	7.6	7.5		7.1	6.9
4415501	1.324	7.393	R	2023	0012															
17010000	7.703	7.794	R	1	1	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
45 41			2	55	24000	RIDE	8.4	8.2	7.6	7.4	7.4	7.1	8.2	7.9	7.8	7.9	7.9	7.8	7.7	
4091901	4.320	7.887	C	2005	0012	CRACKING	9.5	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*		0.6*	0.0*
AJAX PAVING INDUSTRIES, IN(2007)					FC5	RIDE	7.6	7.6	7.7	7.6	7.6	7.6	7.8	7.7	7.7	7.6	7.5		5.8*	5.6*
4491001	7.672	7.762	R	2025	0226															
17010000	7.660	7.715	L	1	1	CRACKING	6.5	6.5	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	55	24000	RIDE	8.0	7.8	7.8	7.4	7.1	6.6	8.0	7.8	7.8	7.9	7.9	7.8	7.8	
4091901	4.320	7.887	C	2005	0012	CRACKING	10.0	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	1.0*		1.0*	0.0*
AJAX PAVING INDUSTRIES, IN(2007)					UNKW	RIDE	7.7	7.6	7.6	7.2	7.4	7.5	7.7	7.6	7.5	7.4	7.4		6.5	6.2*
17010000	6.031	6.262	L	1	1	CRACKING	6.5	6.5	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	55	24000	RIDE	8.0	7.8	7.8	7.4	7.1	6.6	8.0	7.8	7.8	7.9	7.9	7.8	7.8	
TURNOUT(6.1L)					5.7															
4091901	4.320	7.887	C	2005	0012	CRACKING	10.0	9.5	8.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	1.0*		5.9*	2.5*
AJAX PAVING INDUSTRIES, IN(2007)					OGFC	RIDE	7.7	7.6	7.6	7.2	7.4	7.5	7.7	7.6	7.5	7.4	7.4		7.3	7.1
17020000	15.230	17.225	R	1	1	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	
45 41			3	45	58500	RIDE	7.5	7.4	7.0	6.9	6.8	7.0	7.0	6.6	8.3	8.2	7.9	8.2		
BAY RD(15.3R)					4.8															
4218301	15.248	17.206	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	6.4*	6.5	4.5*
AJAX PAVING INDUSTRIES, IN(2010)					FC3	RIDE	7.9	8.1	8.0	7.8	7.9	7.6	7.7	7.8	7.7	7.7	7.6	7.7	7.7	7.4
4527841	15.248	17.222	C	2028	0012															
17020000	19.700	22.085	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	9.5		
45 41			2	45	35000	RIDE	6.6	6.3*	6.0*	5.9*	5.8*	5.7	7.6	7.5	7.4	7.4	7.3	7.2	7.2	
16TH ST(19.7R)					3.3															
1977672	19.357	22.048	R	2004	0012	CRACKING	9.5	9.5	9.5	8.0	8.0	7.5	7.5	7.0	6.5	5.5*	3.5*	2.8*	2.1*	0.0*
AJAX PAVING INDUSTRIES, IN(2007)					FC125	RIDE	7.0	6.4	6.8	6.5	6.9	6.8	6.7	6.6	6.2	6.3	6.3	6.2	5.9	5.6
17020000	19.700	22.045	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
45 41			2	45	35000	RIDE	6.3*	6.0*	5.7*	5.5*	5.6*	5.5	7.3	6.5	7.4	7.3	7.3	7.0	6.9	
HAMPTON RD(19.7L)					3.3															
1977672	19.357	22.047	L	2004	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.0	5.5*	5.5*	3.5*	3.9*	3.3*	1.0*
AJAX PAVING INDUSTRIES, IN(2007)					FC125	RIDE	6.6	6.6	6.8	6.5	6.7	6.6	6.5	6.5	6.2	6.0	6.2	6.2	5.9	5.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = AJAX PAVING INDUSTRIES, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)		%		=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	X-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	X-F															
17020000	15.250	17.225	L	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	
45	41		3	45	58500	RIDE	7.5	7.5	7.4	7.0	6.9	6.8	7.5	6.7	6.7	6.7	8.3	8.2	8.2	8.2	
SR758/BAY RD(15.3L)																					
4218301	15.248	17.206	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.0*	6.0*	6.1*	5.6*	3.5*
AJAX PAVING INDUSTRIES, IN(2010) FC3 RIDE																					
4527841	15.248	17.222	C	2028	0012																

17030000	1.206	2.252	R	1	1	CRACKING	10.0	9.5	9.5	10.0	10.0	9.0	9.0	7.5	7.5			10.0	10.0	10.0	
789			2	40	32000	RIDE	7.0	7.1	6.9	6.4	6.5	6.6	6.6	5.7	6.2			7.8	7.7	7.7	
BIRD KEY DR(1.2C)																					
1978832	0.000	3.170	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.0	6.5	4.5*	
AJAX PAVING INDUSTRIES, IN(2011) FC125 RIDE																					
17030000	2.252	2.750	R	1	1	CRACKING	10.0	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5			10.0	10.0	10.0	
789			2	25	21000	RIDE	7.0	7.1	5.4*	6.0	6.5	6.1	4.6*	6.1	6.0			7.8	7.7	7.7	
MADISON DR(2.4C)																					
1978832	0.000	3.170	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	7.2	6.7	4.5*	
AJAX PAVING INDUSTRIES, IN(2011) FC125 RIDE																					
17030000	2.750	3.208	C	1	1	CRACKING	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5			10.0	10.0	10.0	
789			2	35	21000	RIDE	7.6	7.1	7.4	6.4	6.2	6.3	6.1	6.3	5.8			8.1	8.0	8.0	
MORNINGSIDE DR(3.0L)																					
1978832	0.000	3.170	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	6.7	6.5	4.5*	
AJAX PAVING INDUSTRIES, IN(2011) FC4 RIDE																					

17030000	2.252	2.750	L	1	1	CRACKING	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5			10.0	10.0	10.0	
789			2	25	21000	RIDE	7.5	7.3	6.8	6.6	6.8	6.6	6.3	6.4	6.0			7.9	7.6	7.6	
HARDING CIR(2.3L)																					
1978832	0.000	3.170	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	7.0	7.0	6.8	4.5*	
AJAX PAVING INDUSTRIES, IN(2011) FC125 RIDE																					
17030000	1.206	2.252	L	1	1	CRACKING	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5			10.0	10.0	10.0	
789			2	40	32000	RIDE	7.5	7.3	6.8	6.6	6.8	6.6	6.3	6.4	6.0			7.9	7.6	7.6	
BIRD KEY DR(1.2C)																					
1978832	0.000	3.170	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0	7.0	7.3	6.6	4.5*	
AJAX PAVING INDUSTRIES, IN(2011) FC125 RIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1															CONTRACTOR = APAC-FLORIDA INC										-----
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE						
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013					
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ADT	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031				
ITMSEG-P	(AGE_ONE YEAR)	YEAR	SURF_TYPE	FY-F	WKM-F																(PMRS)				
CONTRACTOR																									
ITMSEG-F																									
01040101	0.000	1.668	C	1	8	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
35 17				3	35	11500	6.2*	6.3	6.1	5.2*	7.4	7.2	6.9	7.3	7.5	7.1	6.9	6.7	6.7						
MARION(0.0L)						6.3																			
1938291	0.064	1.654	R	2003	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.0						
APAC-FLORIDA INC				(2005)	FC125	RIDE	6.8	6.7	6.6	6.4	6.3	6.1	6.2	6.0	5.9	5.8	5.6	5.9							
03010000	14.385	15.795	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
90 41				3	45	43163	8.7	8.6	8.5	8.2	8.2	8.1	8.1	8.2	7.9	8.1	8.1	8.1	8.1	7.9					
OSCEOLA AVE(14.5R)						3.0																			
1954001	14.385	16.055	C	1998	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.9	8.9	6.0*				
APAC-FLORIDA INC				(2000)	FC3	RIDE	7.8	7.9	7.7	7.9	7.6	7.6	7.7	7.6	7.7	7.6	7.3	7.5	7.7	7.4					
03010000	15.795	18.668	R	1	1	CRACKING	5.5*	5.5*		10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5				
90 41				3	50	47000	8.3	8.2		8.6	8.8	8.7	8.7	7.7	8.5	8.7	8.7	8.7	8.7	8.6					
THOMASSON DR(15.8R)						3.9																			
1953891	15.967	18.935	C	2001	0218	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.0*				
APAC-FLORIDA INC				(2004)	FC3	RIDE	8.5	8.6	8.4	8.4	8.4	8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.0				
4489301	15.616	18.684	R	2025	0226																				
03010000	15.967	18.688	L	1	1	CRACKING	7.0	7.0		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5					
90 41				3	50	47000	8.4	8.2		8.6	8.7	8.6	8.6	8.6	8.7	8.5	8.4	8.4	8.4	8.4					
VALLEYSTREAM DR(16.1L)						3.9																			
1953891	15.967	18.935	C	2001	0218	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.5*				
APAC-FLORIDA INC				(2004)	FC3	RIDE	8.3	8.3	8.2	8.3	8.2	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.0	7.8				
4489301	15.641	18.684	L	2025	0226																				
03010000	14.385	15.967	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0					
90 41				3	45	43163	8.7	8.5	8.4	7.9	8.1	7.9	7.9	8.1	8.2	7.9	7.9	7.9	7.8	7.8					
PALM DR(14.6L)						3.0																			
1954001	14.385	16.055	C	1998	0218	CRACKING	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.7	8.6	5.5*				
APAC-FLORIDA INC				(2000)	FC3	RIDE	7.5	7.7	7.1	7.5	7.6	7.3	7.5	7.4	7.5	7.3	7.3	7.3	7.4	7.4	7.1				
03080000	13.219	16.511	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5				
29				2	60	2800	8.8	8.7	8.6	8.1	8.2	8.1	8.1	8.3	8.1	8.1	8.1	8.1	8.1	8.1					
SIDE ROAD(15.8L)						21.4																			
1953591	13.218	16.516	C	1992	0005	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.2	6.9	3.5*					
APAC-FLORIDA INC				(1996)	DGFC	RIDE	8.0	8.0	8.1	8.1	8.0	8.0	7.9	7.9	8.0	7.9	8.0	8.0	7.9	7.6					
03080000	17.439	19.052	C	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5	7.5	7.5	7.5					
29				2	60	8200	8.8	8.7	8.6	8.0	8.1	8.0	7.9	8.1	7.8	7.9	7.8	7.7	7.7	7.7					
1953681	17.404	19.961	C	1992	0005	CRACKING	7.5	7.5	7.5	7.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.6*	5.0*	1.5*					
APAC-FLORIDA INC				(1996)	FC3	RIDE	7.5	7.7	7.7	7.7	7.7	7.5	7.5	7.7	7.5	7.7	7.6	7.4	7.4	7.1					
4512761	17.710	19.996	C	2027	0226																				
03080000	19.416	19.997	C	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5	7.5	7.5	7.5					
29				2	60	8200	8.8	8.7	8.6	8.0	8.1	8.0	7.9	8.1	7.8	7.9	7.8	7.7	7.7	7.7					
1953681	17.404	19.961	C	1992	0005	CRACKING	7.5	7.5	7.5	7.5	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.6*	4.6*	1.0*					
APAC-FLORIDA INC				(1996)	FC3	RIDE	7.5	7.7	7.7	7.7	7.7	7.5	7.5	7.7	7.5	7.7	7.6	7.4	6.8	6.5					
4512761	17.710	19.996	C	2027	0226																				
09030000	2.672	4.520	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5					
25 27				3	50	44000	8.6	8.8	9.0	8.6	8.6	8.6	8.6	8.7	8.3	8.5	8.7	8.6	8.6	8.6					
EMERGENCY LN(2.7R)						6.4																			
1944891	2.755	4.516	C	1996	0218	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.0	8.0	7.5	7.2	4.0*					
APAC-FLORIDA INC				(1999)	FC3	RIDE	8.5	8.3	8.3	8.5	8.5	8.4	8.4	8.4	8.4	8.2	8.2	8.2	8.1	7.8					
09030000	2.672	4.495	L	1	1	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5					
25 27				3	50	44000	8.6	8.8	8.9	8.5	8.4	8.5	8.5	8.5	7.5	8.5	8.5	8.5	8.5	8.4					
COOPER RD(3.1L)						6.4																			
1944891	2.755	4.516	C	1996	0218	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.2	8.1	5.0*				
APAC-FLORIDA INC				(1999)	FC3	RIDE	8.4	7.8	8.0	7.8	8.2	8.2	8.1	8.1	8.1	8.0	8.1	8.0	8.0	8.0	7.7				
09040000	1.313	2.958	C	1	1	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5					
17				2	45	5300	7.3	7.4		8.0	8.0	8.0	8.0	7.8	7.8	6.7	7.6	7.4	7.4	7.3					
POMEGRANATE AVE(1.4L)						9.7																			
1944741	1.300	10.092	C	2002	0012	CRACKING	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.9	4.0*					
APAC-FLORIDA INC				(2004)	FC125	RIDE	7.1	6.5	7.1	7.0	7.0	7.0	6.9	6.8	6.7	6.5	6.7	6.7	6.6	6.3					
4512621	0.000	11.137	C	2026	0012																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = APAC-FLORIDA INC -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	X-P	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	X-F														(PMRS)
ITMSEG-P	ITMSEG-F																			
09040000	3.250	3.439	C	1	1	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
17			2	55	6900	RIDE	7.3	7.4		8.0	8.0	8.0	7.8	7.8	6.7	7.6	7.4	7.4	7.3	
BEN EASTMAN RD(3.3L)																				
1944741	1.300	10.092	C	2002	0012	CRACKING	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	7.9	5.0*
APAC-FLORIDA INC				(2004)	FC125	RIDE	7.1	6.5	7.1	7.0	7.0	7.0	6.9	6.8	6.7	6.5	6.7	6.7	8.1	7.8
4512621	0.000	11.137	C	2026	0012															
09040000	3.969	10.095	C	1	1	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
17			2	55	5900	RIDE	7.1	6.5		8.2	8.2	8.2	8.1	8.2	6.9	7.4	7.7	7.7	7.6	
MAXCY GROVE RD(4.1L)																				
1944741	1.300	10.092	C	2002	0012	CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	6.5	4.0*
APAC-FLORIDA INC				(2004)	FC125	RIDE	7.4	7.0	7.3	7.1	7.1	7.2	7.1	7.1	7.0	6.8	6.9	6.9	6.9	6.6
4512621	0.000	11.137	C	2026	0012															
09110000	11.415	11.856	C	1	1	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
700 98			2	55	4400	RIDE	7.7	7.6		8.4	8.5	8.5	8.4	8.3	8.0	8.0	8.0	7.9	7.8	
COWHOUSE RD(11.5R)																				
1945151	10.154	14.572	C	2002	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	5.9*	5.0*	2.5*
APAC-FLORIDA INC				(2004)	FC125	RIDE	7.7	7.3	7.5	7.4	7.8	7.7	7.8	7.8	7.7	7.6	7.6	7.6	7.2	6.9
4489361	4.677	14.555	C	2025	0012															
09110000	11.856	14.560	C	1	8	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
700 98			2	60	4400	RIDE	7.6	7.5		8.4	8.5	8.5	8.4	8.3	8.0	8.0	8.0	7.9	7.8	
CR 621(13.9R)																				
1945151	10.154	14.572	C	2002	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	5.9*		
APAC-FLORIDA INC				(2004)	FC125	RIDE	7.7	7.3	7.5	7.4	7.8	7.7	7.8	7.8	7.7	7.6	7.6	7.6	7.6	
4489361	4.677	14.555	C	2025	0012															
12014000	2.295	3.031	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.5	8.5	
739			4	35	26300	RIDE		7.0	6.5	6.7	6.4	6.1	6.1	6.0	5.5	5.4*	5.6	5.5	5.5	5.6
CR 739(2.3C)																				
1957481	2.295	3.449	C	2000	0216	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5			7.5	7.8	7.7
APAC-FLORIDA INC				(2002)	FC125	RIDE	5.6	6.0	5.6	5.3*	6.1	5.9	5.9	6.0	5.8			5.7	5.7	5.5
4489361	4.677	14.555	C	2025	0012															5.2*
13010000	0.000	2.094	R	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
45 41			3	50	39000	RIDE	8.2	8.1	8.0	7.0	8.2	8.0	7.9	8.1	8.0	8.1	8.0	7.9	7.7	
BOMB SQUAD RD R(0.3R)																				
1958932	0.000	2.090	C	2003	0012	CRACKING	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	1.0*
APAC-FLORIDA INC				(2005)	FC5	RIDE	7.6	7.3	7.7	7.8	7.7	7.6	7.5	7.3	7.3	7.3	7.4	7.3	7.3	7.1
4446121	0.000	2.088	C	2026	0012															
13010000	0.000	2.094	L	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	
45 41			3	50	39000	RIDE	8.2	8.1	8.0	7.1	8.2	8.0	7.9	8.0	8.0	8.0	7.8	8.0	7.8	
SEAGATE DR(0.1L)																				
1958932	0.000	2.090	C	2003	0012	CRACKING	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.4*	1.0*
APAC-FLORIDA INC				(2005)	FC5	RIDE	7.9	7.5	7.9	8.0	8.0	7.9	7.5	7.5	7.5	7.5	7.5	7.4	7.5	7.2
4446121	0.000	2.088	C	2026	0012															
13030000	2.225	2.582	C	1	1	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
45 41			2	55	21500	RIDE	7.8	7.6	8.6	8.2	8.2	8.1	8.2	8.1	8.1	8.1	8.2	8.2	8.2	
TURNOUT(2.3R)																				
1960941	2.257	4.997	C	2002	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.6	3.0*
APAC-FLORIDA INC				(2003)	FC5	RIDE	8.1	7.9	8.2	8.3	8.2	8.2	8.3	8.3	8.3	8.2	8.2	8.2	8.0	
4491141	2.238	4.801	C	2025	0012															
13030000	2.582	4.078	R	1	1	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
45 41			2	60	35000	RIDE	7.8	7.6	8.7	8.2	8.1	8.1	8.1	8.0	8.1	8.1	8.1	8.1	8.0	
45 ST E(2.6R)																				
1960941	2.257	4.997	C	2002	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	5.7*	2.0*
APAC-FLORIDA INC				(2003)	FC5	RIDE	8.0	7.8	8.0	8.1	8.1	8.0	8.1	8.1	8.0	7.9	7.9	7.8	7.8	7.6
4491141	2.238	4.801	C	2025	0012															
13030000	4.289	5.093	R	1	1	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
45 41			2	60	35000	RIDE	7.8	7.6	8.7	8.2	8.1	8.1	8.1	8.0	8.1	8.1	8.1	8.1	8.0	
69TH ST E(4.8R)																				
1960941	2.257	4.997	C	2002	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	7.2	3.5*
APAC-FLORIDA INC				(2003)	FC5	RIDE	8.0	7.8	8.0	8.1	8.1	8.0	8.1	8.1	8.0	7.9	7.9	7.8	7.8	7.6
4491141	2.238	4.801	C	2025	0012															
13030000	2.582	5.093	L	1	1	CRACKING	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	60	35000	RIDE	7.3	6.8	8.6	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.2	8.1	8.1	
SR 55(2.6L)																				
1960941	2.257	4.997	C	2002	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	3.0*
APAC-FLORIDA INC				(2003)	FC5	RIDE	8.0	8.1	8.1	8.2	8.2	8.1	8.2	8.2	8.3	8.1	8.1	8.0	8.1	7.9
4491141	2.238	4.801	C	2025	0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = APAC-FLORIDA INC -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR											FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP)	(SIDE)					*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE)	YEAR)		SURF_TYPE																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														
16030000	6.304	8.327	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	
35 17			2	40	15700	RIDE	8.9	8.8	8.7	8.3	8.2	8.2	8.3	8.3	8.2	8.1	7.9	7.8	8.0	
LUNN RD(6.6R)					26.2															
1976471	5.480	8.327	C	1999	0012	CRACKING	8.5	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	6.3*	6.3*	3.5*
APAC-FLORIDA INC				(2000)	FC3	RIDE	7.9	7.8	8.2	8.0	8.1	8.1	7.9	7.9	7.9	7.7	7.8	7.8	7.7	7.4
4571641	6.341	8.355	C	2029	0226															
16030000	6.304	8.362	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	
35 17			2	40	15700	RIDE	8.8	8.6	8.6	7.9	7.8	7.8	8.0	8.0	8.0	8.1	7.6	7.7	7.8	
NINTH ST SE(6.8L)					26.2															
1976471	5.480	8.327	C	1999	0012	CRACKING	8.5	8.5	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.7*	4.5*	1.5*
APAC-FLORIDA INC				(2000)	FC3	RIDE	7.8	7.5	8.1	8.0	8.1	8.0	8.0	8.0	7.9	7.7	7.6	7.6	7.5	7.2
4571641	6.341	8.355	C	2029	0226															
16090000	29.279	31.563	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	
17			2	45	11000	RIDE	8.4	8.3	8.3	7.9	7.7	7.8	7.8	7.9	7.9	7.7	7.6	7.4	7.2	
FRIDERICK AVE(29.3C)					10.7															
1975811	29.278	33.329	C	1999	0221	CRACKING	9.0	8.5	8.5	8.5	8.5	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*	6.3*	3.5*
APAC-FLORIDA INC				(2001)	FC125	RIDE	6.9	7.0	7.3	6.9	7.2	7.1	6.9	6.9	6.9	6.7	6.8	6.9	6.7	6.4
4508831	28.034	33.349	C	2027	0226															
16090000	32.437	32.740	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	
17			1	55	11500	RIDE	8.4	8.3	8.3	7.9	7.7	7.8	7.8	7.9	7.9	7.7	7.6	7.4	7.2	
1975811	29.278	33.329	C	1999	0221	CRACKING	9.0	8.5	8.5	8.5	8.5	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*	7.9	5.0*
APAC-FLORIDA INC				(2001)	DGFC	RIDE	6.9	7.0	7.3	6.9	7.2	7.1	6.9	6.9	6.9	6.7	6.8	6.9	7.4	7.1
4508831	28.034	33.349	C	2027	0226															
16331000	0.000	1.136	R	1	1	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
700			2	45	8500	RIDE	6.9	6.7	6.5	7.3	6.9	7.0	7.3	7.2	7.1	7.1	7.1	7.1	6.7	6.7
SR 35(0.0C)					5.7															
1972642	0.029	1.009	C	2002	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.5	7.0	7.0	7.0	7.0	8.0	8.2	5.5*
APAC-FLORIDA INC				(2004)	FC4	RIDE	6.5	6.4	5.7	6.0	6.1	5.7	5.6	5.6	5.8	5.9	5.8	5.9	5.7	5.4*
4514231	0.020	1.131	C	2029	0226															
16331000	0.000	1.136	L	1	1	CRACKING	5.0*	5.0*	5.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
700			2	45	8500	RIDE	6.2*	5.8*	5.5*	7.1	7.0	6.9	7.0	7.0	7.5	7.1	6.8	7.0	6.7	
SR 35(US 98(0.0L)					5.7															
1972642	0.029	1.009	C	2002	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0		7.0	8.0	7.6	5.0*
APAC-FLORIDA INC				(2004)	FC4	RIDE	6.3	6.3	5.7	5.9	5.9	5.7	5.7	5.5	5.8		5.5	5.6	5.8	5.5
4514231	0.020	1.131	C	2029	0226															
17020000	3.895	4.258	R	1	1	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	55	41500	RIDE	8.0	7.8	8.4	7.7	7.8	8.0	7.8	7.7	8.0	8.0	7.8	7.6	7.6	
UNSIGNED(4.0R)					5.1															
1980441	3.911	4.253	C	2002	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.6	6.5	3.0*
APAC-FLORIDA INC				(2003)	FC5	RIDE	7.6	7.7	8.2	8.2	8.3	8.5	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.1
17020000	3.895	4.258	L	1	1	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	55	41500	RIDE	7.9	7.8	8.4	7.9	8.1	8.2	7.8	7.8	7.7	7.6	8.0	7.8	7.8	
BAYSHORE DR L(4.0L)					5.1															
1980441	3.911	4.253	C	2002	0012	CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.8	6.9	3.0*
APAC-FLORIDA INC				(2003)	FC5	RIDE	7.9	7.9	8.4	8.3	8.4	8.5	8.5	8.4	8.2	8.1	8.3	8.4	8.3	8.1
17120000	0.000	1.070	R	1	1	CRACKING	8.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5			8.0	
683 301			2	35	39000	RIDE	6.3*	6.4	5.9	5.5	6.5	6.4	6.3	6.6	6.6	6.4			6.1	
WOOD ST(0.0R)					2.6															
1977742	0.017	1.109	C	2003	0012	CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	3.5*
APAC-FLORIDA INC				(2005)	FC125	RIDE	6.1	5.7	4.9*	5.3*	5.0*	5.1*	5.2*	5.2*	5.0*	4.8*	4.8*	5.1*	4.9*	4.6*
4510171	0.000	1.070	C	2026	0012															
17120000	0.000	1.398	L	1	1	CRACKING	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0			8.0	
683 301			2	35	38500	RIDE	5.7*	5.8	6.1	5.4*	6.2	6.2	6.2	6.6	6.5	6.2			6.1	
SR 45(0.0L)					5.4															
1977742	0.017	1.109	C	2003	0012	CRACKING	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.7	4.0*
APAC-FLORIDA INC				(2005)	FC125	RIDE	5.8	5.7	5.4*	5.2*	5.3*	5.3*	5.2*	5.2*	5.0*	4.8*	4.8*	5.3*	5.1*	4.8*
4510171	0.000	1.070	C	2026	0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = APAC-FLORIDA, INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR											FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	X-P	*****														
ITMSEG-P	(AGE_ONE	YEAR)		YEAR	SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	X-F															
03010000	1.175	5.910	R	1	1	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
45 41			3	50	62000	RIDE				8.8	8.4	8.5	8.3	8.3	8.5	8.2	8.4	8.3	8.3	8.1	
SHOPPING CENTER ENT(1.3R)																					
1953781	3.041	5.910	C	1999	0218	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.5	8.5	8.1	5.5*
APAC-FLORIDA, INC	(2003)	DGFC	RIDE	8.1	8.1	7.8	7.9	7.9	7.8	7.8	7.7	7.7	7.7	7.7	7.7	7.7	7.6	7.6	7.7	7.4	
4415121	1.181	5.888	C	2027	0012																
03010000	1.175	5.910	L	1	1	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
45 41			3	50	62000	RIDE			8.8	8.5	8.5	8.3	8.2	8.4	8.4	8.2	8.0	8.0	8.0	8.0	
CR 887(1.3L)																					
1953781	3.041	5.910	C	1999	0218	CRACKING	8.5	8.5	7.5	7.5	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	7.0	7.0	6.7	4.0*
APAC-FLORIDA, INC	(2003)	DGFC	RIDE	7.7	7.8	7.6	7.7	7.6	7.5	7.6	7.5	7.5	7.5	7.5	7.5	7.4	7.5	7.4	7.5	7.4	7.1
4415121	1.181	5.888	C	2027	0012																
06050000	16.570	21.100	C	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
64			2	60	7500	RIDE	8.4	7.9	8.6	8.3	8.2	8.1	8.1	8.0	8.0	7.9	7.9	7.8	7.7	7.7	
TURNOUT(16.6L)																					
1940811	16.810	23.972	C	2000	0221	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	5.9*	3.0*	
APAC-FLORIDA, INC	(2001)	FC125	RIDE	7.6	7.4	7.2	7.7	7.7	7.3	7.2	7.1	7.1	6.9	6.9	6.9	6.9	6.7	6.7	6.7	6.7	6.4*
4489251	16.703	22.780	C	2025	0012																
06050000	21.100	22.780	C	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
64			2	60	4600	RIDE	8.4	7.9	8.6	8.3	8.2	8.1	8.1	8.1	7.9	8.1	7.8	7.8	7.8	7.8	
STEVE RD(21.5R)																					
1940811	16.810	23.972	C	2000	0221	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.3*	5.7*	2.5*	
APAC-FLORIDA, INC	(2001)	FC125	RIDE	7.7	7.5	6.8	7.7	7.7	7.5	7.4	7.3	7.1	6.9	7.0	6.8	6.8	6.8	6.8	6.8	6.5	
4489251	16.703	22.780	C	2025	0012																
06050000	22.780	23.867	C	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
64			2	60	4600	RIDE	8.4	7.9	8.6	8.3	8.2	8.1	7.8	7.9	7.3	7.2	7.2	7.2	7.3	7.7	
CECIL DURRANCE RD(23.1C)																					
1940811	16.810	23.972	C	2000	0221	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	6.7	3.5*
APAC-FLORIDA, INC	(2001)	FC125	RIDE	7.6	7.0	7.2	7.8	7.6	7.4	7.3	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.0	6.9	6.6	
09030000	4.495	6.811	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
25 27			3	50	46000	RIDE	8.7	8.5	8.8	8.4	8.4	8.3	8.3	8.3	7.3	8.1	8.2	8.1	8.0		
TUBB RD L(4.5L)																					
1945071	4.516	6.870	C	1996	0218	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	6.5	6.5	8.0	8.3	8.2	5.0*	
APAC-FLORIDA, INC	(2000)	FC3	RIDE	8.0	7.2	7.6	7.5	7.8	7.8	7.9	7.8	7.7	7.8	7.7	7.6	7.6	7.7	7.7	7.7	7.4	
16100000	2.891	3.238	R	1	4	CRACKING	8.8	8.8	8.0	7.6	7.7	6.2*	5.4*	5.7*	5.5*	3.9*	3.7*	8.4	7.9		
546 92			2	45	30000	RIDE	8.1	8.4	8.4	7.8	7.6	7.0	7.1	7.2	6.8	6.8	6.4	7.3	7.5		
JACK AVE(3.2R)																					
1976041	2.898	5.837	C	1999	0227	CRACKING	7.8	7.2	7.2	7.9	8.1	7.6	7.7	7.4	7.2	6.4*	6.6	5.1*	5.9*	5.0*	
APAC-FLORIDA, INC	(2001)	LDG	RIDE	6.2																	
4490491	1.711	5.715	C	2030	0217																
16100000	3.238	3.928	R	1	4	CRACKING	9.0	9.1	7.8	7.5	7.5	5.9*	5.5*	3.6*	3.2*	1.6*	1.6*	7.0	6.7		
546 92			3	40	30000	RIDE	8.2	8.3	8.3	6.3	6.4	5.7	5.7	5.4*	5.7	4.7*	5.1*	7.0	6.9		
LINCOLN AVE N(3.2C)																					
1976041	2.898	5.837	C	1999	0227	CRACKING	6.5	6.0*	6.0*	6.8	7.3	6.6	6.6	6.7	6.7	5.7*	6.5	6.0*	5.3*	4.5*	
APAC-FLORIDA, INC	(2001)	LDG	RIDE	6.6	6.6	7.7	7.6	8.0	7.8	7.5	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.8	7.6	7.5	
4490491	1.711	5.715	C	2030	0217																
16100000	5.049	5.703	R	1	4	CRACKING	8.7	8.7	7.7	7.3	7.2	6.3*	5.0*	6.7	6.6	6.0*	6.5	7.6	7.1		
546 92			2	45	38000	RIDE	7.5	7.6	7.6	7.3	7.3	7.1	7.3	7.3	7.0	6.9	7.3	7.5	7.5		
INTERLACHEN PKWY(5.3R)																					
1976041	2.898	5.837	C	1999	0227	CRACKING	6.9	6.7	6.8	7.8	7.6	7.6	7.5	7.4	7.5	7.2	7.1	6.6	6.4*	5.5*	
APAC-FLORIDA, INC	(2001)	LDG	RIDE	7.6	7.5	7.8	7.8	7.9	7.6	7.5	7.5	7.5	7.5	7.6	7.5	7.4	7.5	7.5	7.3	7.2	
4490491	1.711	5.715	C	2030	0217																
16100000	5.049	5.703	L	1	4	CRACKING	8.5	8.5	6.5	6.1*	6.2*	4.1*	3.0*	4.6*	4.3*	3.3*	3.8*	7.1	7.0		
546 92			2	45	38000	RIDE	8.0	8.3	8.3	7.8	7.1	6.4	7.6	7.6	7.5	7.3	7.2	7.8	8.0		
1976041 2.898 5.837 C 1999 0227 CRACKING 6.9 6.3* 6.0* 6.4* 5.7* 6.0* 6.0* 5.5* 5.6* 5.3* 4.3* 4.5* 4.3* 3.5*																					
APAC-FLORIDA, INC	(2001)	LDG	RIDE	8.1	8.0	8.3	8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.1	7.9	7.6	7.7	7.8	7.7	7.6	
4490491	1.711	5.715	C	2030	0217																
16100000	3.238	3.928	L	1	4	CRACKING	8.9	9.0	8.2	7.9	8.0	5.5*	5.3*	5.0*	4.8*	4.0*	3.6*	6.3*	6.1*		
546 92			3	40	30000	RIDE	8.1	8.3	8.3	6.6	6.6	6.1	6.3	6.0	5.9	5.4*	5.4*	6.7	6.4		
LINCOLN AVE N(3.2C)																					
1976041	2.898	5.837	C	1999	0227	CRACKING	6.0*	5.9*	5.5*	6.3*	7.3	6.5	6.8	6.5	6.4*	6.5	5.9*	4.8*	4.5*	3.5*	
APAC-FLORIDA, INC	(2001)	LDG	RIDE	6.5	6.6	7.8	7.4	7.5	7.6	7.2	7.5	7.3	7.3	7.4	7.5	7.4	7.5	7.2	7.1		
4490491	1.711	5.715	C	2030	0217																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = APAC-FLORIDA, INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(PMRS)
16100000	2.891	3.238	L	1	4	CRACKING	9.3	9.3	8.2	8.2	8.3	6.2*	4.5*	6.4*	5.6*	3.9*	3.6*	7.3	6.9		
546 92			2	45	30000	RIDE	7.6	8.5	8.4	6.1*	6.9	5.7	6.4	5.8	6.1	5.6	5.6	6.9	6.3		
WALKER AVE(3.1L)																					
1976041	2.898	5.837	C	1999	0227	CRACKING	6.8	6.8	6.7	7.2	7.3	7.0	7.0	7.1	7.1	6.9	7.4	6.3*	6.1*	5.5*	
APAC-FLORIDA, INC (2001) LDG RIDE																					
4490491	1.711	5.715	C	2030	0217	RIDE	5.7														

91020000	3.304	5.729	R	1	1	CRACKING	3.0*	3.0*	3.0*	3.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
15 441			2	45	16700	RIDE	6.3*	6.5	6.0*	5.2*		8.0	8.2	8.2	8.2	8.0	8.0	7.9	7.9		
NE 4TH ST(3.4R)																					
1968061	3.773	5.501	C	2002	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	5.4*	3.0*	
APAC-FLORIDA, INC (2006) FC125 RIDE																					
4489741	3.280	11.066	C	2025	0226	RIDE	8.0	7.9	7.7	7.7	7.7	7.6	7.6	7.6	7.6	7.3	7.2	7.4	7.2	6.9	

91020000	3.304	5.729	L	1	1	CRACKING	3.0*	3.0*	3.0*	3.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
15 441			2	45	16700	RIDE	6.3*	6.5	6.0*	5.2*		8.0	8.3	8.3	8.2	8.1	8.1	7.9	7.9		
FOURTH ST NE(3.4L)																					
1968061	3.773	5.501	C	2002	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.0*	6.0*	6.0*	6.0*	5.4*	5.2*	2.5*	
APAC-FLORIDA, INC (2006) FC125 RIDE																					
4489741	3.280	11.066	C	2025	0226	RIDE	7.9	7.9	7.7	7.6	7.6	7.6	7.6	7.6	7.5	7.2	7.3	7.3	7.3	7.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = ARCHER WESTERN CONTRACTORS L -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
03010000	12.190	12.931	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
90 41				4	35	56500	RIDE	8.6	8.5	8.4	8.1	8.2	8.1	8.1	8.0	7.7	8.1	8.1	8.1	8.1	7.9	
ELEVENTH ST S(12.2R)							3.2															
1952381	12.190	13.039	C	1997	0213	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.0*
ARCHER WESTERN CONTRACTORS(2001)							FC3 RIDE 8.0 8.0 7.6 7.4 7.6 7.6 7.5 7.5 7.5 7.1 6.9 6.6 7.4 7.1															
4562361	12.064	12.920	C	2029	0226																	

03010000	12.190	12.850	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
90 41				4	35	56500	RIDE	8.5	8.4	8.4	8.1	7.7	7.8	7.8	7.5	8.1	7.4	6.7	7.1	7.2		
CR 851 L(12.3L)							3.2															
1952381	12.190	13.039	C	1997	0213	CRACKING	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	8.0	7.8	7.9	5.0*	
ARCHER WESTERN CONTRACTORS(2001)							FC3 RIDE 7.1 7.1 6.7 6.6 6.5 6.9 6.8 6.7 6.7 6.2 5.8 6.0 6.3 6.0															
4562361	12.064	12.920	C	2029	0226																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = ASPHALT GROUP, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WT	=====														
ITMSEG-P	(AGE_ONE YEAR)	SURF_TYPE					2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F															(PMRS)	
ITMSEG-F																					
03175000	0.063	25.130	R	4	1	CRACKING	9.5	8.0	7.0	6.0*	6.0*	6.0*	6.0*	4.5*		10.0	10.0	10.0	10.0		
93 I75	50.8	75.9	2	70	26500	RIDE	8.8	8.7	8.5	7.7	7.6	7.4	7.1	7.3		7.9	7.9	7.8	7.8		
					17.8																
4440082	0.063	25.144	C	2022	0012	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	9.0	
ASPHALT GROUP, INC.				(2025)	FC5M	RIDE	7.7	7.7	8.2	8.2	8.1	8.1	8.4	8.5	8.5	8.4		8.2	8.2	8.1	
03175000	0.063	25.130	L	4	1	CRACKING	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	4.5*		10.0	10.0	10.0	10.0		
93 I75	50.8	75.9	2	70	26500	RIDE	8.7	8.6	8.4	7.4	7.6	7.2	7.2	7.4		7.9	7.9	7.9	7.9		
					17.8																
4440082	0.063	25.144	C	2022	0012	CRACKING	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	9.0	
ASPHALT GROUP, INC.				(2025)	FC5M	RIDE	7.7	7.7	8.2	8.3	8.2	8.1	8.4	8.4	8.4	8.3		8.3	8.3	8.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = ASTALDI CONSTRUCTION CORP. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	SURF_TYPE																	(PMRS)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F															
12010000	1.311	4.417	R	1	1	CRACKING	8.5	8.5	7.0	7.0	7.0				10.0	10.0	10.0	10.0	10.0	10.0
45 41				3	50	48500	7.7	7.7	7.4	6.8	6.4*				8.1	8.1	8.3	8.3	8.3	8.3
TERRY ST W(2.1R)																				
1957371	1.311	4.417	C	2003	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	9.0	9.0	6.5
ASTALDI	CONSTRUCTION	CORP.(2008)			FC125	RIDE	8.2	8.2	7.8	7.7	7.7	7.3	7.6	7.7	7.6	7.6	7.7	7.6	7.6	7.3
12010000	1.311	4.417	L	1	1	CRACKING	9.0	8.5	7.0	7.0	7.0				10.0	10.0	10.0	10.0	10.0	10.0
45 41				3	50	48500	7.8	7.9	7.5	7.1	6.9				8.1	8.1	8.0	7.8	8.0	8.0
BONITA BAY BLVD(2.1L)																				
1957371	1.311	4.417	C	2003	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.6	8.3	6.0*
ASTALDI	CONSTRUCTION	CORP.(2008)			FC125	RIDE	7.9	7.9	7.7	7.6	7.3	7.0	7.3	7.4	7.3	7.3	7.2	6.9	7.3	7.0
17075000	0.000	11.466	R	4	1	CRACKING	6.5	6.0*	6.0*	6.0*	4.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	
93 175	170.5	182.0		3	70	65000	8.9	8.8	8.5	8.0	7.8	8.2	8.3	8.2	8.2	8.2	8.1	8.0	7.9	
17.4																				
4130442	0.000	7.465	C	2016	0213	CRACKING	9.0	8.0	8.0			10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.7	7.0
ASTALDI	CONSTRUCTION	CORP.(2019)			FC5M	RIDE	7.7	7.3	8.1			8.7	8.7	8.8	8.8	8.7	8.7	8.7	8.7	8.6
17075000	20.068	29.519	R	4	1	CRACKING	6.5	4.5*	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0			
93 175	190.6	200.1		3	70	99500	8.8	8.6	8.8	8.6	8.6	8.1	8.5	8.3	7.9	8.2	8.0			
EXIT 36(29.5R)																				
4063143	20.151	28.919	C	2010	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	4.0*
ASTALDI	CONSTRUCTION	CORP.(2014)			FC5M	RIDE	8.3	8.0	8.5	8.4	8.5	8.6	8.7	8.7	8.6	8.6	8.5	8.4	8.3	8.2
4517341	20.068	29.519	R	2026	0012															
17075000	20.315	29.039	L	4	1	CRACKING	6.0*	4.5*	10.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.5			
93 175	190.9	199.6		3	70	99500	8.7	8.6	9.0	8.6	8.5	8.2	8.4	8.3	8.2	8.2	8.1			
EXIT 36(29.0L)																				
4063143	20.151	28.919	C	2010	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	5.1*	2.5*
ASTALDI	CONSTRUCTION	CORP.(2014)			FC5M	RIDE	8.1	7.9	8.3	8.3	8.3	8.5	8.5	8.5	8.5	8.4	8.4	8.1	7.9	7.8
4517341	20.315	29.039	L	2026	0012															
17075000	0.000	11.466	L	4	1	CRACKING	6.5	6.0*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	
93 175	170.5	182.0		3	70	65000	8.7	8.5	8.2	7.8		8.1	8.2	8.1	8.1	8.1	8.1	8.0	7.8	
17.4																				
4130442	0.000	7.465	C	2016	0213	CRACKING	8.0	8.0	8.0			10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.6	6.5
ASTALDI	CONSTRUCTION	CORP.(2019)			FC5M	RIDE	7.9	7.5	8.2			8.8	8.8	8.9	8.8	8.8	8.8	8.7	8.7	8.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = ATLANTIC CIVIL CONSTRUCTORS -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(PMRS)	
16050000	1.199	3.367	C	1	7	CRACKING	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	7.0	7.0			
600 17				2	50	22000	RIDE	8.0	8.8	8.4	8.3	8.4	8.5	8.6	8.5	8.5	8.4	8.4	8.3			
18TH ST N(1.2R)																						
4474331	2.132	3.297	C	2024	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*		10.0	9.0		
ATLANTIC CIVIL CONSTRUCTOR(2026)				FC125		RIDE	8.3	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.0	8.1	7.9		8.1	7.8		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = BALLENGER PAVING CO INC -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)							*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
16100000	1.711	2.215	L	1	4	CRACKING	7.5	7.9	1.6*	5.9*	5.9*	3.6*	3.3*	7.2	7.1	6.3*	5.5*	6.5	5.8*			
546 92			2	50	29500	RIDE	7.5	7.7	7.5	6.9	6.8	6.9	7.0	8.1	8.2	8.2	8.0	8.2	8.1			
WABASH AVE(1.7L)																						
1973741	0.419	2.891	C	1992	0217	CRACKING	5.7*	5.4*	5.3*	5.1*	5.3*	5.2*	4.7*	5.3*	5.1*	5.1*	4.2*	4.3*	4.4*	3.5*		
BALLENGER PAVING CO INC (1995) LDG																						
4490491	1.711	5.715	C	2030	0217	RIDE	8.1	7.9	8.4	8.3	8.4	8.3	8.1	8.2	8.1	8.1	8.2	8.2	8.0	7.9		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = BANKERS INSURANCE COMPANY IN -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT	(MP	SIDE)				%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
16090000	17.497	18.286	C	1	1	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	
17			2	55	7400	RIDE	8.4	7.7	8.6	8.2	8.1	8.1	8.4	8.2	7.9	7.6	7.7	7.6	7.5		
RAY MARTIN RD(17.5L)																					
4252471	17.497	21.004	C	2013	0012	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.1	9.0	7.5
BANKERS	INSURANCE	COMPANY	(2016)	FC95M	RIDE		7.5	7.3	8.1	8.0	8.0	7.8	7.8	7.8	7.7	7.5	7.3	7.5	7.5	7.5	7.2
16090000	18.286	18.600	C	1	2	CRACKING	9.5	9.5	8.0	8.0			8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	
17			2	45	6300	RIDE	8.1	7.6	7.7	6.8			6.6	6.7	6.9	6.8	6.7	6.5	6.4	6.3	
HILLCREST AVE(18.5L)																					
4252471	17.497	21.004	C	2013	0012	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		7.6	6.0*
BANKERS	INSURANCE	COMPANY	(2016)	FC95M	RIDE		6.1	6.1	8.1	8.0	8.0	7.8	7.8	7.8	7.8	7.7	7.5	7.3		6.3	6.0
16090000	18.600	19.440	C	1	1	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	
17			2	35	6300	RIDE	8.1	7.6	7.7	6.8	6.7	6.6	7.0	6.9	6.8	6.7	6.5	6.4	6.3		
ALVINA AVE(18.6L)																					
4252471	17.497	21.004	C	2013	0012	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	5.7*	5.2*	3.5*
BANKERS	INSURANCE	COMPANY	(2016)	FC95M	RIDE		6.1	6.1	8.1	8.0	8.0	7.8	7.8	7.8	7.7	7.5	7.3	7.3	7.3	7.2	6.9
16090000	19.542	21.003	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	6.5	
17			2	30	10000	RIDE	8.3	8.1	8.2	7.7	7.6	7.1	7.3	7.5	7.5	7.2	7.3	7.2	7.0		
E ORANGE AVE(19.6L)																					
4252471	17.497	21.004	C	2013	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	5.7*	6.7	5.0*
BANKERS	INSURANCE	COMPANY	(2016)	FC95M	RIDE		6.9	6.6	8.1	8.0	8.0	7.8	7.8	7.8	7.7	7.5	7.3	7.3	7.4	7.1	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = BATTLE RIDGE CO -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							%T	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
16140000	3.693	4.264	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0	7.0	7.0	
544			2	35	22500	RIDE	7.0	7.1	6.9	7.6	6.9	6.5	6.8	6.6	7.1	6.8	7.0	6.8	6.7		
FIRST ST NW(3.8L)							8.2														
1975371	3.685	4.265	C	1996	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.4*	2.0*
BATTLE RIDGE CO				(1998)	DGFC	RIDE	7.1	6.7	6.5	6.9	7.0	6.7	6.4	6.4	6.5	6.1	6.3	6.5	6.3	6.0	
4402734	3.687	4.169	C	2031	0213																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = BETTER ROADS -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	%T	=====														
ITMSEG-P	(AGE_ONE YEAR)	SURF_TYPE					2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F															(PMRS)	
09080000	0.000	2.848	C	1	1	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	
64			2	60	15100	RIDE	6.7	8.5	8.5	8.2	8.1	8.0	8.0	8.1	8.1	8.1	8.1	7.9	8.0	7.9	
BALLARD RD(0.1L)																					
1944751	0.000	3.074	C	2001	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.4	4.5*	
BETTER ROADS				(2002)	FC125	RIDE	7.8	7.6	6.9	6.8	7.6	7.5	7.6	7.5	7.4	7.4	7.5	7.4	7.5	7.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = BETTER ROADS INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	X-P	*****														
ITMSEG-P	(AGE_ONE	YEAR)	YEAR)	YEAR)	YEAR)	YEAR)	YEAR)	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	X-F	CONTRACTOR														
01010000	11.833	13.274	R	1	1	CRACKING	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
45 41			2	40	35000	RIDE	7.0	6.9	6.8	7.7	7.6	7.5	7.4	7.6	7.5	7.4	7.1	7.1	6.8		
AQUIESTA(12.0R)																					
1938231	11.842	14.165	C	2002	0012	CRACKING	9.0	8.5	8.5	8.5	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.8	6.9	4.0*	
BETTER ROADS INC	(2004)	FC125	RIDE	6.6	6.7	6.7	6.6	6.7	6.3	6.5	6.3	6.5	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.0
4511011	11.829	13.246	C	2027	0226																
01010000	13.274	13.518	C	1	8	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 41			2	35	19000	RIDE	6.3*	5.9	6.3	7.3	7.3	7.7	7.0	6.9	7.0	7.0	7.3	6.7	6.6	6.7	
CROSS ST TURNOUT(13.4L)																					
1938231	11.842	14.165	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0			
BETTER ROADS INC	(2004)	FC125	RIDE	6.7	6.8	6.2	6.2	6.0	6.4	6.0	5.9	6.0	5.9	6.0	5.9	5.9					
4415241	13.250	14.160	C	2024	0012																
01010000	13.518	14.160	C	1	1	CRACKING	8.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.5	
45 41			3	35	19000	RIDE	5.3*	6.5	4.6*	6.7	7.0	6.5	6.3	6.2	6.5	6.4	6.8	6.8	6.7		
CHARLOTTE AVE *(13.6R)																					
1938231	11.842	14.165	C	2002	0012	CRACKING	8.5	7.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.5	6.3*	3.5*	
BETTER ROADS INC	(2004)	FC125	RIDE	6.6	6.5	6.4	6.3	6.2	6.0	6.1	5.9	5.9	6.0	5.9	6.0	5.9	6.1	6.2	6.2	5.9	
4415241	13.250	14.160	C	2024	0012																
01010000	11.833	13.274	L	1	1	CRACKING	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	
45 41			2	40	35000	RIDE	7.3	7.5	7.4	7.4	7.3	7.0	7.1	7.4	7.3	7.4	7.2	7.1	6.9		
AQUI ESTA DR(12.0L)																					
1938231	11.842	14.165	C	2002	0012	CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.3*	3.5*	
BETTER ROADS INC	(2004)	FC125	RIDE	6.9	6.9	6.7	6.8	6.6	6.3	6.2	6.0	6.3	6.5	6.4	6.4	6.2	6.2	6.2	6.4	6.1	
4511011	11.829	13.246	C	2027	0226																
01040000	0.949	1.470	C	1	8	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
35 17			3	45	13000	RIDE	8.8	8.7	8.8	7.6	7.7	7.4	7.4	7.5	7.2	7.0	7.1	7.1	6.8	6.7	
SCOTT ST(0.9C)																					
1938261	0.882	3.728	C	1999	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.0*	6.0*	6.0*	6.0*			
BETTER ROADS INC	(2000)	FC3	RIDE	6.6	6.8	6.6	6.6	6.9	6.4	6.6	6.6	6.4	6.6	6.6	6.4	6.4	6.3	6.2			
4415521	0.000	3.506	C	2024	0012																
03010000	0.000	1.175	R	1	1	CRACKING	9.0	7.0	7.0	7.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	55	41500	RIDE	8.2	8.1	8.0	7.3				7.6	7.9	7.8	7.7	7.9	7.8	7.7	
AUDUBON CO CLUB RD(0.2R)																					
1954061	0.000	1.284	C	2003	0218	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	1.5*
BETTER ROADS INC	(2007)	FC2	RIDE	7.6	7.7	7.6	7.6	7.5	7.4	7.3	7.5	7.5	7.5	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.2
4512721	0.000	1.195	C	2026	0226																
03010000	8.223	12.190	R	1	1	CRACKING	1.0*	1.0*	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	45	41500	RIDE	6.4*	6.9	6.8	5.9*	5.4*	7.8	7.6	7.5	7.8	7.4	7.5	7.4	7.3		
PARK SHORE DR(8.5R)																					
4052501	9.810	12.372	R	2004	0012	CRACKING	9.0	9.0	9.0	9.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	7.0	7.0	7.0	4.5*
BETTER ROADS INC	(2006)	FC125	RIDE	7.2	7.1	7.0	7.0	6.9	6.8	6.6	6.8	6.6	6.8	6.8	6.8	6.7	6.5	6.5	6.7	6.4	
03010000	0.000	1.175	L	1	1	CRACKING	9.5	9.5	8.0	7.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	55	41500	RIDE	7.9	7.9	7.7	7.0				7.8	8.0	7.9	7.8	7.7	7.4	7.5	
STERLING OAKS BLVD(0.2L)																					
1954061	0.000	1.284	C	2003	0218	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*
BETTER ROADS INC	(2007)	FC2	RIDE	7.2	7.1	7.4	7.4	7.5	7.3	7.5	7.4	7.5	7.4	7.5	7.3	7.3	7.3	7.4	7.4	7.4	7.2
4512721	0.000	1.195	C	2026	0226																
03080000	2.739	5.942	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	
29			2	60	2800	RIDE	9.0	8.9	8.9	8.6	8.6	8.5	8.5	8.4	8.3	8.2	8.2	7.9	7.8		
CR 837 R(3.8R)																					
1954221	2.738	5.708	C	1998	0005	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	5.5*
BETTER ROADS INC	(2000)	DGFC	RIDE	7.8	7.8	8.1	8.1	8.0	7.9	8.0	7.9	8.0	7.9	8.0	7.9	8.0	7.9	8.0	7.9	7.9	7.6
04040000	11.329	11.655	R	1	1	CRACKING	7.5	6.5	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
70			1	45	18700	RIDE	6.7	6.1*	6.7		8.0	7.9	8.0	7.8	7.9	7.9	7.9	7.9	7.9	7.9	
SR 72(11.5R)																					
1938891	6.101	11.731	C	2002	0221	CRACKING	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*			1.3*	0.0*
BETTER ROADS INC	(2005)	FC125	RIDE	7.7	7.3	7.6	7.6	7.4	7.2	7.3	7.3	7.3	7.3	7.1	7.1	7.2				6.8	6.5
04040101	0.000	1.503	C	1	8	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	
70			2	35	11000	RIDE	5.7*	7.4	7.4	7.0	6.9	6.9	6.6	6.6	5.8	6.5	6.4	6.4	6.1	6.2	
SR70 / MAGNOLIA ST(0.0L)																					
1939091	0.000	1.544	C	2000	0005	CRACKING	8.0	8.0	8.0	8.0	7.0	5.5*		4.5*	4.5*	4.5*	4.5*				
BETTER ROADS INC	(2002)	FC125	RIDE	6.0	5.6	5.1*	5.3*	5.1*	4.7*					6.0	5.9	5.7	5.5				
4415621	0.000	1.503	C	2023	0005																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = BETTER ROADS INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)		W_BMP W_EMP		RW		FY-P WKMX-P		=====													
CONTRACTOR (AGE_ONE YEAR)		W_BMP W_EMP		RW		FY-F WKMX-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P		W_BMP W_EMP		RW		FY-F WKMX-F															
ITMSEG-F		W_BMP W_EMP		RW		FY-F WKMX-F															
05090000	2.621	12.465	C	1	1	CRACKING	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	
29			2	60	4100	RIDE	8.1	8.0	7.5	7.1	6.6	8.7	8.7	8.7	8.7	8.6	8.6	8.5	8.3	8.1	
CHAPARRAL AVE(7.0L)																					
1939572	2.621	12.437	C	2004	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.0	7.0	5.5*	5.5*	6.0*	5.5*	5.1*	2.5*	
BETTER ROADS INC				(2006)		FC125		8.2	7.9	8.0	7.9	7.8	7.9	7.8	7.8	7.8	7.7	7.7	7.4	7.1	

07060000	12.000	13.433	C	1	1	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
29			2	60	7400	RIDE	8.8	8.3	8.8	8.3	8.4	8.3	8.3	8.3	8.2	7.9	8.0	7.9	7.8	7.7	
C RD(12.2R)																					
1941781	5.417	15.922	C	1998	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.4*	6.4*	3.5*
BETTER ROADS INC				(2001)		FC3		7.8	7.5	7.5	7.4	7.4	7.3	7.4	7.3	7.3	7.2	7.3	7.3	7.2	6.9
4512651 12.000 15.922 C 2029 0226																					
07060000	14.020	14.646	C	1	1	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
29			2	60	7400	RIDE	8.8	8.3	8.8	8.3	8.4	8.3	8.3	8.2	7.9	8.0	8.3	8.2	8.2	8.2	
JIM KULCZY DR(14.5L)																					
1941781	5.417	15.922	C	1998	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.8*	5.5*	2.5*
BETTER ROADS INC				(2001)		FC3		7.9	8.0	7.8	7.6	7.6	7.5	7.4	7.4	7.4	7.3	7.2	7.1	6.8	
4512651 12.000 15.922 C 2029 0226																					
07060000	15.124	15.548	C	1	1	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
29			2	60	11800	RIDE	8.8	8.3	8.8	8.3	8.4	8.3	8.3	8.2	7.9	8.0	8.3	8.2	8.2	8.2	
INDUSTRIAL LOOP RD S(15.4R)																					
1941781	5.417	15.922	C	1998	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.8*	5.8*	3.0*
BETTER ROADS INC				(2001)		FC125		7.9	8.0	7.8	7.6	7.6	7.5	7.4	7.4	7.4	7.3	7.2	6.8	6.5	
4512651 12.000 15.922 C 2029 0226																					
07060000	15.548	15.910	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
29			2	45	11800	RIDE	8.8	8.2	8.6	7.9	8.2	7.9	7.5	7.3	7.1	6.6	6.3	8.2	8.2	8.2	
ORANGE ST(15.6L)																					
1941781	5.417	15.922	C	1998	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.4*	6.3*	3.5*	
BETTER ROADS INC				(2001)		DGFC		8.0	7.4	7.7	7.4	7.7	7.6	7.5	7.3	7.4	7.4	7.3	7.1	6.8	
4512651 12.000 15.922 C 2029 0226																					
09010000	16.337	18.741	R	1	1	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
25			2	55	19600	RIDE	8.4	8.0	8.3	8.2	8.3	8.3	8.3	8.0	8.1	7.9	7.9	8.1	8.0	8.0	
CAMP FLORIDA RD R(16.3R)																					
1945131	16.325	22.747	C	2002	0012	CRACKING	9.0	8.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	5.3*	4.2*	0.5*	
BETTER ROADS INC				(2004)		FC5		7.9	7.6	8.3	8.2	8.2	8.4	8.4	8.3	8.3	8.2	8.2	8.2	8.0	
4462071 16.317 22.740 C 2024 0012																					
09010000	18.741	18.993	R	1	8	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
25			2	45	20500	RIDE	8.4	8.0	8.3	8.2	8.3	8.3	8.3	8.0	8.1	7.9	7.9	8.1	8.0	8.0	
TOWER ST(18.9R)																					
1945131	16.325	22.747	C	2002	0012	CRACKING	9.0	8.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	5.3*	8.2		
BETTER ROADS INC				(2004)		FC5		7.9	7.6	8.3	8.2	8.2	8.4	8.4	8.3	8.3	8.3	8.2	8.2		
4462071 16.317 22.740 C 2024 0012																					
09010000	18.993	22.730	R	1	1	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
25			2	55	20500	RIDE	8.4	8.0	8.3	8.2	8.3	8.3	8.3	8.0	8.1	7.9	7.9	8.1	8.0	8.0	
LAKE CLAY DR R(19.1R)																					
1945131	16.325	22.747	C	2002	0012	CRACKING	9.0	8.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	5.3*	5.5*	2.0*	
BETTER ROADS INC				(2004)		FC5		7.9	7.6	8.3	8.2	8.2	8.4	8.4	8.3	8.3	8.2	8.2	8.2	8.0	
4462071 16.317 22.740 C 2024 0012																					
09010000	21.346	22.730	L	1	1	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
25			2	65	24000	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	8.1	
LAKE HENRY DR(21.7L)																					
1945131	16.325	22.747	C	2002	0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	1.0*	
BETTER ROADS INC				(2004)		FC5		8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.5	8.3
4462071 16.317 22.740 C 2024 0012																					
09010000	20.634	21.346	L	1	8	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
25			2	55	20500	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	8.1	
TOMOKA BLVD(20.7L)																					
1945131	16.325	22.747	C	2002	0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		
BETTER ROADS INC				(2004)		FC5		8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4		
4462071 16.317 22.740 C 2024 0012																					
09010000	20.425	20.634	L	1	1	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
25			2	55	20500	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	8.1	
ST JOHNS ST(20.5L)																					
1945131	16.325	22.747	C	2002	0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.9*	1.5*	
BETTER ROADS INC				(2004)		FC5		8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.1	7.9
4462071 16.317 22.740 C 2024 0012																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = BETTER ROADS INC -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	CONTRACTOR	(PMRS)																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
09010000	20.274	20.425	L	1	8	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27			2	55	20500	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	
1945131	16.325	22.747	C	2002	0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
BETTER ROADS INC			(2004)	FC5		RIDE	8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.4	
4462071	16.317	22.740	C	2024	0012															
09010000	19.542	20.274	L	1	1	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27			2	55	20500	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	
CR 621(20.2L)					21.0															
1945131	16.325	22.747	C	2002	0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	5.4*	2.0*
BETTER ROADS INC			(2004)	FC5		RIDE	8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	7.9	7.7
4462071	16.317	22.740	C	2024	0012															
09010000	18.741	19.542	L	1	8	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27			2	50	20500	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	
DAL HALL BLVD(18.9L)					21.0															
1945131	16.325	22.747	C	2002	0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
BETTER ROADS INC			(2004)	FC5		RIDE	8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.4	
4462071	16.317	22.740	C	2024	0012															
09010000	17.650	18.741	L	1	1	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27			2	50	21500	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	
DASHER RD(17.7L)					19.4															
1945131	16.325	22.747	C	2002	0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	5.3*	1.5*
BETTER ROADS INC			(2004)	FC5		RIDE	8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.4	8.2
4462071	16.317	22.740	C	2024	0012															
09010000	16.315	17.650	L	1	8	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27			2	55	19600	RIDE	8.0	7.7	7.7	8.3	8.3	8.2	8.3	8.0	8.2	8.2	7.9	8.2	8.1	
TURNOUT(16.5L)					21.1															
1945131	16.325	22.747	C	2002	0012	CRACKING	9.5	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
BETTER ROADS INC			(2004)	FC5		RIDE	8.0	8.0	8.3	8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.4	
4462071	16.317	22.740	C	2024	0012															
09030000	11.560	13.704	R	1	1	CRACKING	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
25 27			3	55	39500	RIDE	8.1	7.9			8.4	8.4	8.3	8.4	8.3	8.4	8.3	8.3	8.3	8.3
ROBINETTE RD(12.0R)					7.8															
1945101	11.536	13.453	C	2001	0218	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0	6.0*	6.0*	6.2*	6.1*	3.5*
BETTER ROADS INC			(2005)	FC125		RIDE	8.2	7.4	7.8	7.6	8.0	7.9	8.0	7.8	7.9	7.8	7.8	7.9	7.8	7.5
09030000	11.560	13.690	L	1	1	CRACKING	5.5*	5.5*			10.0	10.0	10.0	9.0	9.0	10.0	10.0	9.5	8.0	
25 27			3	55	39500	RIDE	8.0	7.9			8.4	8.2	8.3	8.3	8.2	8.0	8.1	8.0	8.0	
ROBINETTE RD(12.0L)					7.8															
1945101	11.536	13.453	C	2001	0218	CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.8*	5.7*	3.0*
BETTER ROADS INC			(2005)	FC125		RIDE	8.0	7.4	7.4	7.1	7.6	7.6	8.0	7.9	7.8	7.7	7.7	7.8	7.7	7.4
09060000	0.000	13.421	C	1	1	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
70			2	60	4700	RIDE	8.2	7.9	8.0	6.8	6.7	8.5	8.5	8.6	8.4	8.4	8.4	8.5	8.5	
ROBERT MCGEE RD(6.6C)					34.6															
1944362	0.000	14.451	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0	6.9	7.0	4.5*
BETTER ROADS INC			(2006)	FC125		RIDE	8.4	7.9	8.0	7.8	8.2	8.2	8.2	8.2	8.1	8.2	8.2	8.1	8.0	7.7
09060000	13.421	14.216	R	1	1	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
70			2	45	5400	RIDE	8.2	7.9	8.0	6.8	6.7	8.5	8.5	8.6	8.4	8.4	8.4	8.5	8.5	
OLD SR 8(13.5R)					33.0															
1944362	0.000	14.451	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0	6.9	7.0	4.5*
BETTER ROADS INC			(2006)	FC125		RIDE	8.4	7.9	8.0	7.8	8.2	8.2	8.2	8.2	8.1	8.2	8.2	8.1	7.8	7.5
09110000	0.000	2.850	C	1	1	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
700 98			2	55	10000	RIDE	7.5		8.5	8.2	8.1	8.2	8.1	8.1	7.7	7.7	8.1	8.1	8.1	
US-27,98,SR-25,700(0.0L)					14.5															
1944731	0.045	4.695	C	2001	0012	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.2*	2.5*
BETTER ROADS INC			(2003)	FC125		RIDE	8.1	7.5	7.3	7.5	7.6	7.8	7.9	7.7	7.7	7.7	7.8	7.7	7.7	7.4
4145113	0.100	4.677	C	2027	0226															
09110000	2.850	3.588	R	1	1	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
700 98			1	55	10000	RIDE	7.5		8.5	8.2	8.1	8.2	8.1	8.1	7.7	7.7	8.1	8.1	8.1	
ASSOCIATE BLVD(3.0C)					14.5															
1944731	0.045	4.695	C	2001	0012	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.2*	2.5*
BETTER ROADS INC			(2003)	FC125		RIDE	8.1	7.5	7.3	7.5	7.6	7.8	7.9	7.7	7.7	7.7	7.8	7.7	7.3	7.0
4145113	0.100	4.677	C	2027	0226															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = BETTER ROADS INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP)	BLVD(SIDE)	LN	LN	ADT	ADT	%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE)	YEAR		SURF_TYPE																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
09110000	3.588	4.677	C	1	1	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
700 98			2	55	10000	RIDE	7.5		8.5	8.2	8.1	8.2	8.1	8.1	8.1	7.7	7.7	8.1	8.1	8.1	
MONTE REAL BLVD(4.0L)																					
1944731	0.045	4.695	C	2001	0012	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.3*	2.5*	
BETTER ROADS INC				(2003)	FC125	RIDE	8.1	7.5	7.3	7.5	7.6	7.8	7.9	7.7	7.7	7.7	7.8	7.7	7.7	7.4	
4145113	0.100	4.677	C	2027	0226																
09110000	4.677	11.415	C	1	8	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
700 98			2	55	10000	RIDE	7.7	7.6	7.6	6.7	8.4	8.3	8.3	8.1	8.1	8.0	8.0	8.0	8.0	8.0	
SPRING LAKE BLVD(5.2L)																					
1944991	4.711	10.154	C	2003	0012	CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.7*			
BETTER ROADS INC				(2005)	FC125	RIDE	7.9	7.5	7.5	7.5	7.8	7.9	7.9	7.8	7.8	7.8	7.9	7.9			
4489361	4.677	14.555	C	2025	0012																
12010000	0.000	0.333	R	1	1	CRACKING	8.5	8.5	7.0	7.0	7.0				10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	50	34000	RIDE	7.7	7.7	7.4	6.8	6.4*				8.0	8.1	8.2	8.2	8.2	8.2	
SIDE ROAD(0.0R)																					
1957361	0.000	1.311	C	2003	0218	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.1	8.6	5.5*
BETTER ROADS INC				(2008)	FC5	RIDE	8.0	8.1	7.7	7.6	7.4	7.3	7.5	7.6	7.5	7.4	7.3	7.5	7.8	7.6	
12010000	0.333	1.311	R	1	1	CRACKING	8.5	8.5	7.0	7.0	7.0				10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	50	34000	RIDE	7.7	7.7	7.4	6.8	6.4*				8.0	8.1	8.2	8.2	8.2	8.2	
BEAUMONT RD(0.5R)																					
1957361	0.000	1.311	C	2003	0218	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.1	9.6	7.0
BETTER ROADS INC				(2008)	FC125	RIDE	8.0	8.1	7.7	7.6	7.4	7.3	7.5	7.6	7.5	7.4	7.3	7.5	7.5	7.5	7.2
12010000	0.209	1.311	L	1	1	CRACKING	9.0	8.5	7.0	7.0	7.0				10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	50	34000	RIDE	7.8	7.9	7.5	7.1	6.9				7.9	8.0	7.9	7.9	7.8	7.9	
FOLEY RD(0.5L)																					
1957361	0.000	1.311	C	2003	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.7	6.5
BETTER ROADS INC				(2008)	FC125	RIDE	7.8	7.9	7.4	7.3	7.3	6.9	7.2	7.2	7.1	7.2	7.1	7.2	7.1	7.2	7.0
12010000	0.000	0.209	L	1	1	CRACKING	9.0	8.5	7.0	7.0	7.0				10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	50	34000	RIDE	7.8	7.9	7.5	7.1	6.9				7.9	8.0	7.9	7.9	7.8	7.9	
WOODS EDGE PKWY(0.1L)																					
1957361	0.000	1.311	C	2003	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.3	5.0*
BETTER ROADS INC				(2008)	FC5	RIDE	7.8	7.9	7.4	7.3	7.3	6.9	7.2	7.2	7.1	7.2	7.1	7.2	7.1	7.2	7.0
12020000	8.345	10.828	R	1	1	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
80			2	45	48500	RIDE	7.7	8.8	8.5	8.3	8.3	8.3	8.2	8.4	8.3	8.2	8.2	8.2	8.2	8.2	
ENT TO FT MYERS FIRE DEP(8.7R)																					
1957151	8.310	10.828	C	2001	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.0	6.0*	3.0*
BETTER ROADS INC				(2002)	FC125	RIDE	8.1	8.2	7.8	7.8	7.8	7.7	7.7	7.7	7.5	7.5	7.7	7.7	7.7	7.6	7.3
12020000	8.345	10.828	L	1	1	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
80			2	45	48500	RIDE	7.0	8.6	8.3	8.2	8.2	8.2	8.1	8.2	8.1	8.0	8.1	8.0	8.1	8.0	9.0
WEST RD(8.5L)																					
1957151	8.310	10.828	C	2001	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.4	7.1	4.0*
BETTER ROADS INC				(2002)	FC125	RIDE	8.0	8.0	7.8	7.7	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.7	7.6	7.3
12060000	22.273	24.417	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	
78			2	50	19100	RIDE	8.7	8.8	8.5	8.4	8.4	8.2	8.4	8.4	8.3	8.0	8.2	7.9	8.1	8.1	
DURRANCE RD(22.4L)																					
1957131	22.114	24.400	C	1999	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.5	6.5	6.5	7.3	6.7	3.5*
BETTER ROADS INC				(2001)	DGFC	RIDE	8.2	7.8	7.8	7.8	7.9	7.7	7.8	7.7	7.9	7.6	7.6	7.6	7.9	7.7	7.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = BETTER ROADS INC. -----																																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE														
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
INTERSECT AT (MP)	W_BMP	W_EMP	FW	FY-P	WKM	ADT	*****																												
CONTRACTOR	(AGE_ONE YEAR)	YEAR	TYPE	ADT	TYPE	*****																													
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM	ADT	*****																												
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	ADT	*****																												
03050000	0.645	0.973	C	1	8	CRACKING	10.0	9.5	8.0	8.0	6.5	7.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0															
82			2	60	18800	RIDE	8.4	8.4	8.2	7.5	7.5	6.6	6.6	6.7	6.8	8.2	8.2	8.2	8.2	8.2															
CHURCH RD(0.8L)																																			
1952522	0.000	7.058	C	2008	0012	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.5	8.4															
BETTER ROADS INC.				(2010)	FC125	RIDE	8.1	8.2	8.0	8.0	7.9	7.9	7.8	7.8	8.0	8.0	8.0	8.0	8.0	7.9															
4308481	0.000	3.826	C	2024	0213																														
03050000	0.973	1.594	C	1	1	CRACKING	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0															
82			2	60	18800	RIDE	7.7	7.6	7.2	6.7	6.3*	5.5*	5.7*	5.7*	5.3*	8.2	8.2	8.2	8.2	8.2															
18.0																																			
1952522	0.000	7.058	C	2008	0012	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.5	8.4	6.0*															
BETTER ROADS INC.				(2010)	FC125	RIDE	8.1	8.2	8.0	8.0	7.9	7.9	7.8	7.8	8.0	8.0	8.0	8.0	7.9																
4308481	0.000	3.826	C	2024	0213																														
03050000	1.594	2.011	C	1	8	CRACKING	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0															
82			2	60	18900	RIDE	7.7	7.6	7.2	6.7	6.3*	5.5*	5.7*	5.7*	5.3*	8.2	8.2	8.2	8.2	8.2															
13.7																																			
CORKSCREW RD(1.7R)																																			
1952522	0.000	7.058	C	2008	0012	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.5																	
BETTER ROADS INC.				(2010)	DGFC	RIDE	8.1	8.2	8.0	8.0	7.9	7.9	7.8	7.8	8.0	8.0	8.0	8.0																	
4308481	0.000	3.826	C	2024	0213																														
03050000	2.011	3.505	C	1	1	CRACKING	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0															
82			2	60	18900	RIDE	7.7	7.6	7.2	6.7	6.3*	5.5*	5.7*	5.7*	5.3*	8.2	8.2	8.2	8.2	8.2															
13.7																																			
1952522	0.000	7.058	C	2008	0012	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.5	8.4	6.0*															
BETTER ROADS INC.				(2010)	FC125	RIDE	8.1	8.2	8.0	8.0	7.9	7.9	7.8	7.8	8.0	8.0	8.0	8.0																	
4308481	0.000	3.826	C	2024	0213																														
03080000	0.000	2.739	C	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
29			2	55	2800	RIDE	7.7	7.5	7.3	7.1	7.0	6.9		8.5	8.1	8.3	8.2	8.2	8.2	8.1															
21.4																																			
4067451	0.000	2.738	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.0*														
BETTER ROADS INC.				(2008)	FC95	RIDE	8.1	7.9	7.9	7.7	7.6	7.5	7.5	7.4	7.5	7.6	7.6	7.6	7.6	7.7															
04010000	0.000	1.280	C	1	1	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
31			2	60	7400	RIDE	8.6	7.7	8.2	7.8	7.4	7.3	6.8	8.1	8.1	8.2	8.1	8.1	8.1	8.1															
45.8																																			
4042011	0.000	5.966	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.3	7.1	4.5*															
BETTER ROADS INC.				(2008)	FC125	RIDE	8.1	7.9	7.5	8.1	8.1	8.0	8.0	8.0	8.0	8.0	8.0	7.9	8.0																
04010000	1.580	5.933	C	1	1	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
31			2	60	6400	RIDE	8.4	7.5	8.4	7.8	7.6	7.3	6.9	8.1	8.0	8.1	8.1	8.1	8.1	8.0															
33.1																																			
4042011	0.000	5.966	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.9	4.5*															
BETTER ROADS INC.				(2008)	FC125	RIDE	8.0	7.9	7.6	8.1	8.1	8.0	7.9	8.0	8.0	7.9	7.9	7.8	7.8	7.9															
04010000	5.933	13.198	C	1	1	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5															
31			2	60	9300	RIDE	8.8	8.2	8.6	7.8	7.8	7.8		8.4	8.0	8.4	8.2	8.2	8.0																
26.7																																			
4042031	5.966	12.903	C	2005	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.0*	6.0*	6.2*	6.1*	3.5*															
BETTER ROADS INC.				(2008)	FC95	RIDE	7.9	7.4	7.9	7.9	7.9	7.9	7.8	7.8	7.8	7.7	7.7	7.6	7.7																
4512631	5.966	13.170	C	2028	0226																														
04020000	0.000	3.557	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	4.5*																
35			2	60	16100	RIDE	8.6	8.4	8.6	8.0	8.0	7.8	7.9	7.8	7.7	7.7	7.6	7.5																	
20.5																																			
4154901	0.000	3.878	C	2011	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	7.3	5.0*															
BETTER ROADS INC.				(2014)	FC5	RIDE	8.4	8.4	8.4	8.4	8.4	8.5	8.5	8.3	8.4	8.4	8.4	8.4	8.4																
04020000	0.000	3.759	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	4.5*																	
35			2	60	16100	RIDE	8.6	8.4	8.6	8.0	8.0	7.8	7.9	7																					

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = BETTER ROADS INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR										FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															
04040000	23.910	25.872	C	1	1	CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5		
70			2	60	6600	RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.6	8.6		
ORANGE CO ENT(24.8L)																					
1938482	15.632	31.790	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.8	7.0	4.5*	
BETTER ROADS INC.	(2008)	FC95				RIDE	8.5	8.2	7.6	8.5	8.4	8.3	8.4	8.3	8.3	8.2	8.3	8.2	8.1	7.8	
04040000	25.872	26.587	R	1	1	CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5		
70			1	60	6600	RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.6	8.6		
SIDE ROAD(26.0R)																					
1938482	15.632	31.790	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.8	7.0	4.5*	
BETTER ROADS INC.	(2008)	FC95				RIDE	8.5	8.2	7.6	8.5	8.4	8.3	8.4	8.3	8.3	8.2	8.3	8.2	8.5	8.2	
04040000	26.587	28.619	C	1	1	CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5		
70			2	60	6600	RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.6	8.6		
LAKE BROWNING GRADE SE(28.3R)																					
1938482	15.632	31.790	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.8	7.0	4.5*	
BETTER ROADS INC.	(2008)	FC95				RIDE	8.5	8.2	7.6	8.5	8.4	8.3	8.4	8.3	8.3	8.2	8.3	8.2	8.4	8.1	
04040000	28.619	29.656	C	1	1	CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0		
70			3	60	6600	RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.8	8.8		
29.4																					
1938482	15.632	31.790	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	7.5	5.0*	
BETTER ROADS INC.	(2008)	FC95				RIDE	8.7	8.9	8.6	8.7	8.7	8.6	8.6	8.6	8.5	8.6	8.6	8.6	8.6	8.3	
04040000	29.656	31.770	C	1	1	CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	9.5		
70			2	60	6600	RIDE	8.2	8.1	8.3	7.5	7.4	7.2		8.7	8.4	8.8	8.8	8.7	8.6		
HIGHLANDS COUNTY LINE RD(31.8R)																					
1938482	15.632	31.790	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	7.2	7.5	5.0*	
BETTER ROADS INC.	(2008)	FC95				RIDE	8.5	8.7	7.9	8.5	8.5	8.4	8.5	8.4	8.4	8.3	8.2	8.3	8.3	8.0	
05010000	11.195	16.115	R	1	1	CRACKING	9.5	8.0	7.0	5.0*	4.0*	4.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0		
25	27		2	65	7500	RIDE	9.0	8.8	8.6	7.8	7.5	7.2	7.1	7.0	7.9	7.8	7.9	7.8	7.7		
BOAR HAMMOCK RANCH RD(15.2R)																					
4165911	11.086	16.117	C	2007	0012	CRACKING	10.0	10.0	10.0	8.0	7.0	7.0	7.0	6.0*	6.0*	4.5*	3.5*	3.0*	2.2*	0.0*	
BETTER ROADS INC.	(2009)	FC5M				RIDE	7.8	7.6	8.0	7.9	7.9	7.8	8.2	7.8	7.7	7.6	7.5	7.3	7.3	7.1	
4489281	11.210	21.676	C	2027	0012																
05010000	16.115	21.629	R	1	1	CRACKING	8.0	8.0	7.0	5.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
25	27		2	65	7500	RIDE	8.9	8.8	8.5	7.5	7.3	7.1	8.1	8.2	8.2	8.0	8.0	8.1	8.0		
50.9																					
1939982	16.167	21.906	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	1.5*	
BETTER ROADS INC.	(2007)	FC5				RIDE	7.9	7.7	8.0	8.0	8.0	7.9	8.2	8.2	8.2	8.2	8.1	8.1	8.0	7.8	
4489281	11.210	21.676	C	2027	0012																
05010000	16.167	21.629	L	1	1	CRACKING	5.0*	4.0*	4.0*	4.0*	4.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
25	27		2	65	7500	RIDE	8.2	7.9	7.3	6.5	6.4*	6.1*	8.2	8.3	8.4	8.3	8.2	8.2	8.2		
SR 29(21.2L)																					
1939982	16.167	21.906	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	1.5*	
BETTER ROADS INC.	(2007)	FC5				RIDE	8.1	8.0	8.2	8.3	8.2	8.2	8.4	8.4	8.3	8.3	8.4	8.3	8.3	8.1	
4489281	11.210	21.676	C	2027	0012																
05010000	11.195	16.167	L	1	1	CRACKING	8.0	7.0	5.0*	4.0*	4.0*	4.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0		
25	27		2	65	7500	RIDE	8.8	8.5	8.1	7.3	7.0	7.1	7.1	6.8	7.9	7.9	7.9	7.8	7.7		
HAYMAN RD(12.2L)																					
4165911	11.086	16.117	C	2007	0012	CRACKING	10.0	10.0	10.0	8.5	8.0	8.0	8.0	5.5*	5.5*	3.5*	2.5*	2.5*	2.5*	0.0*	
BETTER ROADS INC.	(2009)	FC5M				RIDE	7.7	7.4	7.9	7.8	7.9	7.7	8.1	8.1	8.0	7.9	7.9	7.8	7.9	7.7	
4489281	11.210	21.676	C	2027	0012																
05040000	0.000	4.742	C	1	1	CRACKING	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0		
78			2	60	5100	RIDE	8.6	8.6	8.3	7.6	7.3	7.0	7.2	7.0	6.8	8.7	8.6	8.5	8.3		
SR 29(0.0C)																					
1939772	0.004	4.742	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.0	8.0	7.5	7.4	5.0*	
BETTER ROADS INC.	(2010)	FC95				RIDE	8.3	8.2	8.2	8.1	8.1	8.2	8.0	8.0	8.0	8.0	7.8	7.8	7.8	7.5	
05040000	4.742	9.381	C	1	1	CRACKING	9.5	8.0	8.0	7.0	7.0	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0		
78			2	60	5100	RIDE	8.4	8.3	8.1	7.6	7.2	6.4*	6.0*	5.7*	5.9*	8.5	8.4	8.3	8.2		
CR 78A(5.9R)																					
1939592	4.768	9.381	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	7.5	8.0	7.3	7.3	5.0*	
BETTER ROADS INC.	(2010)	FC125				RIDE	8.2	7.8	7.7	7.7	7.8	7.8	7.7	7.6	7.7	7.5	7.4	7.4	7.6	7.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1										CONTRACTOR = BETTER ROADS INC.																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR										FUTURE												
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031									
INTERSECT AT (MP)	SIDE	*****										2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																									
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																											
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																									
05040000	9.381	12.855	C	1	1	CRACKING	9.5	8.0	8.0	7.0	7.0	7.0	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0									
78			2	60	5100	RIDE	8.4	8.3	8.1	7.6	7.2	6.4*	6.0*	5.7*	5.9*	8.5	8.4	8.3	8.2											
PEEPLERS RANCH RD(10.2R)																														
1939593	9.381	12.855	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	7.7	7.3	5.0*									
BETTER ROADS INC.				(2010)	FC125	RIDE	8.1	7.8	7.7	7.6	7.8	7.7	7.6	7.5	7.5	7.5	7.3	7.2	7.3	7.0										
05040000	12.855	14.815	C	1	1	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0										
78			2	60	5100	RIDE	8.5	8.2	8.1	7.7	7.6	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0										
PEEPLERS RANCH RD(10.2R)																														
4252211	12.933	14.840	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.0*	4.0*									
BETTER ROADS INC.				(2013)	FC125	RIDE	8.0	7.6	7.4	7.3	7.5	7.2	7.2	7.1	7.3	7.2	7.3	7.2	7.2	7.2	6.9									
06080000	0.071	2.173	C	1	8	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.5		10.0	10.0	10.0	9.5										
66			2	60	6200	RIDE	8.3	7.6	8.3	7.9	7.8	7.6	7.5	7.4			8.1	8.1	7.9	7.9										
OAK ST(0.1C)																														
1940692	0.011	2.173	C	2008	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	7.0	6.0*	5.5*	5.5*	5.5*	5.0*	3.5*												
BETTER ROADS INC.				(2010)	FC125	RIDE	7.8	7.4	7.2	7.2	7.1	7.0	6.6	6.4*	6.2*	5.8*	5.9*	5.7*												
4462291	0.147	7.961	C	2024	0012																									
09030000	6.811	11.560	R	1	1	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.5	9.5	9.5	10.0										
25	27		3	55	44500	RIDE	8.4	8.3	8.5	8.3	8.2	8.2	8.2	8.1	7.9	8.0	8.3	8.2	8.2											
JERI KAY LN(6.9R)																														
4252251	8.200	11.320	R	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5	6.5	6.5	6.5	6.5	4.0*										
BETTER ROADS INC.				(2013)	FC5M	RIDE	8.2	8.0	8.4	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.2	8.0										
4526211	6.811	11.612	C	2027	0226																									
09030000	15.286	18.041	R	1	1	CRACKING	10.0	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*											
25	27		3	50	30500	RIDE	8.5	8.5	8.8	8.4	8.4	8.1	8.3	8.1	8.1	8.1	8.1	7.9	7.7											
WOODMERE DR(15.3R)																														
1944851	15.286	18.038	C	2011	0218	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.2	7.8	5.5*										
BETTER ROADS INC.				(2015)	FC5M	RIDE		8.2	8.4	8.2	8.2	8.2	8.1	8.1	7.9	7.8	7.7	7.8	7.6											
4560291	15.286	18.041	C	2026	6060																									
09030000	15.286	18.041	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.5	7.5	7.5	7.5	7.5	5.5*											
25	27		3	50	30500	RIDE	8.4	8.5	8.8	8.4	8.4	8.2	8.2	8.1	7.9	8.0	8.0	7.8	7.5											
AVON PARK CITY LIMITS(15.7L)																														
1944851	15.286	18.038	C	2011	0218	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.8	7.5	5.0*										
BETTER ROADS INC.				(2015)	FC5M	RIDE		8.0	8.3	8.0	8.1	8.1	8.1	8.1	8.1	8.0	7.9	7.9	7.9											
4560291	15.286	18.041	C	2026	6060																									
09040000	0.000	0.328	C	1	1	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0										
17			4	40	14700	RIDE	7.7	7.7	7.6	7.1	7.1	7.1	6.8	7.0	6.4	6.7	6.7	7.9	7.9											
KENILWORTH BLVD(0.0L)																														
4223941	0.000	0.329	C	2010	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.7	8.3	6.0*										
BETTER ROADS INC.				(2012)	FC125	RIDE	7.8	7.0	7.1	6.9	6.8	6.9	6.9	7.0	6.8	6.7	6.6	6.8	6.9											
4512621	0.000	11.137	C	2026	0012																									
09040000	0.328	0.440	R	1	1	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0											
17			1	40	14700	RIDE	7.7	7.7	7.6	7.1	7.1	7.1	6.8	7.0	6.4	6.7	6.7	7.9	7.9											
PINE RD(0.4C)																														
4223941	0.329	0.440	C	2010	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.7	8.4	6.5										
BETTER ROADS INC.				(2012)	FC125	RIDE	7.8	7.0	7.1	6.9	6.8	6.9	6.9	7.0	6.8	6.7	6.6	6.8	7.2											
4512621	0.000	11.137	C	2026	0012																									
09040000	0.440	0.685	R	1	1	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0										
17			1	30	8600	RIDE	7.7	7.7	7.6	7.1	7.1	7.1	6.8	7.0	6.4	6.7	6.7	7.9	7.9											
OAK AVE(0.5R)																														
4223941	0.440	0.656	C	2010	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.7	4.8*	2.5*										
BETTER ROADS INC.				(2012)	FC125	RIDE	7.8	7.0	7.1	6.9	6.8	6.9	6.9	7.0	6.8	6.7	6.6	6.8	5.7											
4512621	0.000	11.137	C	2026	0012																									
09040000	0.752	1.313	R	1	1	CRACKING	9.5	9.5	9.5	8.0	8.0	9.5	9.5	8.0	8.0	8.0	8.0	10.0	10.0											
17			2	30	7300	RIDE	7.5	7.4	6.8	6.8	6.5	6.1	6.1	6.1	5.7	5.8	6.1	7.2	7.2											
WALL ST(0.8R)																														
4223941	0.756	1.302	C	2010	0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.9	6.5	4.5*										
BETTER ROADS INC.				(2012)	FC125	RIDE	7.1	6.9	6.6	6.5	6.5	6.3	6.3	6.3	6.0	6.0	6.0	6.1	4.5*											
4512621	0.000	11.137	C	2026	0012																									
09060000	14.770	15.287	C	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	9.5	9.0										
70			2	45	6200	RIDE	8.1	7.4	7.8	7.2	6.8	6.6	7.3	8.4	8.3	8.3	8.2	8.2	8.1											
ALPINE PARK(15.0L)																														
1944372	14.581	22.243	C	2005	0012	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	7.5	7.2	8.0	5.5*										
BETTER ROADS INC.				(2008)	DGFC	RIDE	8.3	7.7	7.7	7.4	8.1	8.0	8.0	8.0	7.9	7.8	7.9	7.7	8.4											

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1															CONTRACTOR = BETTER ROADS INC.										-----
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE						
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013					
INTERSECT AT (MP)	SIDE	=====																							
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X	P	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031					
CONTRACTOR (AGE_ONE YEAR)	YEAR	SURF_TYPE																		(PMRS)					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	F																			
09060000	15.287	16.148	R	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	9.5	9.0						
70			1	60	6200	RIDE	8.1	7.4	7.8	7.2	6.8	6.6	7.3	8.4	8.3	8.3	8.2	8.2	8.1						
1944372	14.581	22.243	C	2005	0012	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	7.5	7.2	7.5	5.0*					
BETTER ROADS INC.				(2008)	DGFC	RIDE	8.3	7.7	7.7	7.4	8.1	8.0	8.0	7.9	7.8	7.9	7.7	7.7	8.2	7.9					
09060000	16.148	17.266	C	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	9.5	9.5	9.0						
70			2	60	6200	RIDE	8.1	7.4	7.8	7.2	6.8	6.6		8.4	8.3	8.3	8.2	8.2	8.1						
BEAR RD(16.4L)					29.4																				
1944372	14.581	22.243	C	2005	0012	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	7.5	7.2	7.0	4.5*					
BETTER ROADS INC.				(2008)	DGFC	RIDE	8.3	7.7	7.7	7.4	8.1	8.0	8.0	8.0	7.9	7.8	7.9	7.7	7.0	6.7					
09060000	22.232	29.472	C	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0						
70			2	60	6200	RIDE	8.8	8.4	8.8	8.4	8.4	8.0	8.0	7.5	7.2	7.2	6.9	6.7	8.7						
GREENBRIAR FARM RD(23.3L)					29.4																				
4252261	22.232	30.101	C	2011	0012	CRACKING	10.0	10.0	10.0	9.5	8.5	8.5	7.5	7.0	6.5	6.5	6.5	7.0	4.9*	3.0*					
BETTER ROADS INC.				(2013)	FC125	RIDE	8.6	7.9	7.9	7.5	8.2	8.2	8.1	7.8	7.8	7.6	7.4	7.2	7.5	7.2					
12010000	16.994	20.905	R	1	1	CRACKING	7.5	7.0	7.0	7.0	7.0	7.0	7.0	3.5*	10.0	10.0	10.0	10.0	10.0						
45 41			3	45	53000	RIDE	8.2	8.0	7.9	7.4	7.4	7.0	6.8	6.5	8.2	8.2	8.2	8.2	8.2						
TURNOUT(17.0R)					3.6																				
4165191	16.994	21.032	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.9	6.5					
BETTER ROADS INC.				(2009)	FC125	RIDE	8.1	8.1	8.1	8.1	7.9	7.9	8.1	8.1	8.0	7.9	7.8	8.0	8.0	7.7					
4560311	10.062	29.009	C	2026	6060																				
12010000	16.994	20.945	L	1	1	CRACKING	7.5	7.0	7.0	7.0	7.0	7.0	7.0	2.5*	10.0	10.0	10.0	10.0	10.0						
45 41			3	45	53000	RIDE	8.1	7.8	7.8	7.2	7.1	7.0	6.9	5.6	8.4	8.3	8.3	8.2	8.3						
TURNOUT(17.0L)					3.6																				
4165191	16.994	21.032	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.9	9.1	7.0					
BETTER ROADS INC.				(2009)	FC125	RIDE	8.2	8.1	8.1	8.1	7.8	7.8	8.0	8.0	7.9	7.9	7.8	7.8	7.9	7.6					
4560311	10.062	29.009	C	2026	6060																				
12020000	1.753	4.364	R	1	2	CRACKING	10.0	9.0	9.0	8.5	6.5	8.0	7.5	6.0*	10.0	10.0	10.0	10.0	10.0						
80			2	45	28000	RIDE	7.2	7.1	6.9	6.4*	6.4*	6.2	6.1	6.0	8.2	8.1	8.0	7.9	8.0						
ALLEN ST(1.8R)					9.6																				
4172431	1.666	4.364	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.5	7.5	8.0	7.5	5.0*					
BETTER ROADS INC.				(2009)	FC3	RIDE	7.8	7.6	7.4	7.3	7.3	7.0	7.0	6.9	6.7	6.6	6.5	6.2	6.3	6.0					
12020000	4.364	4.997	R	1	2	CRACKING	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0						
80			3	45	29000	RIDE	6.9	6.6	6.0*	6.8	6.6	6.2	6.0	6.1	8.5	8.5	8.5	8.4	8.5						
CR 80B(4.4R)					9.2																				
4172431	4.364	5.777	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	8.9	6.0*					
BETTER ROADS INC.				(2009)	FC2	RIDE	8.5	8.4	8.3	8.2	8.2	7.7	7.8	7.7	7.7	7.7	7.5	7.4	7.8	7.6					
12020000	4.364	5.309	L	1	2	CRACKING	8.0	8.0	8.0	6.5	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0						
80			3	45	29000	RIDE	8.1	8.2	7.9	7.2	6.8	6.6	6.7	6.4	8.5	8.2	8.4	8.3	8.2						
FLAMINGO CIR(4.4L)					9.2																				
4172431	4.364	5.777	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.9	5.0*					
BETTER ROADS INC.				(2009)	FC2	RIDE	8.2	7.9	8.2	8.2	7.9	8.0	7.9	7.8	7.8	7.9	7.6	7.7	7.7	7.5					
12020000	1.753	4.364	L	1	2	CRACKING	10.0	9.0	9.0	8.5	8.0	7.0	6.5	6.0*	10.0	10.0	10.0	10.0	10.0						
80			2	45	28000	RIDE	7.3	7.0	6.8	6.4*	5.9*	6.2	6.0	6.1	8.4	7.9	7.9	7.7	7.6						
E MARION ST(1.8L)					9.6																				
4172431	1.666	4.364	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	8.0	5.5*					
BETTER ROADS INC.				(2009)	FC3	RIDE	7.5	7.4	7.4	7.3	7.2	7.0	7.1	6.9	6.7	6.5	6.6	6.3	5.9	5.6					
12040000	3.434	3.780	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	4.5*	4.5*	3.5*	3.5*	3.5*	10.0						
867			2	40	15600	RIDE	8.2	8.2	7.9	7.9	7.9	7.8	7.1	6.0	6.2	5.9	5.7	5.8	8.2						
TURNOUT(3.5R)					6.0																				
4252281	3.539	3.773	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.0					
BETTER ROADS INC.				(2013)	FC125	RIDE	7.8	7.6	7.4	7.7	7.8								6.8	6.5					
4507281	0.000	5.075	C	2028	0226																				
13050000	3.522	5.941	R	1	1	CRACKING	6.5	6.5	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0							
64			3	50	53500	RIDE	8.0	7.8	7.9	6.7	6.7		7.9	8.0	7.9	7.9	8.2	8.1							
OAK LEAF BLVD(4.0R)					4.7																				
4161201	3.742	5.773	C	2012	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.7	8.5	6.5					
BETTER ROADS INC.				(2015)	FC125	RIDE		7.9	7.3	7.3	7.3	6.9	7.0	7.0	7.0	6.9	6.8	6.7	6.8	6.5					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = BETTER ROADS INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	SURF_TYPE	FC	TYPE															(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F															
13050000	3.522	5.917	L	1	1	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0		
64			3	50	53500	RIDE	7.9	8.0	7.9	7.1	7.0		7.8	7.9	7.8	8.0	8.2	8.1		
CARLTON ARMS BLVD(3.6L)																				
4161201	3.742	5.773	C	2012	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0	7.5	5.5*
BETTER ROADS INC. (2015) FC125 RIDE 8.2 7.6 7.5 7.5 7.3 7.4 7.2 7.2 7.2 7.3 7.2 7.2 7.2 7.2 6.9																				
13150000	8.305	8.613	C	1	1	CRACKING	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.0*	10.0	10.0	
64			3	30	22500	RIDE	5.8*	5.2*	5.0*	4.0*	4.3*	3.6*	3.6*	3.5*	3.7*	3.4*	4.0*	5.6	5.3*	
FIFTEENTH ST W *(8.3L)																				
4233701	8.408	8.597	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.4*	5.1*	3.0*
BETTER ROADS INC. (2012) FC4 RIDE 10.0 10.0 10.0 10.0 8.5 7.0 7.0 7.0 3.1* 3.1* 3.1* 6.4* 3.1* 2.8*																				
16110000	15.373	15.720	R	1	8	CRACKING	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0		10.0	
60			2	45	27000	RIDE	7.3	6.9	7.3	6.5		7.5	7.5	7.7	7.7	7.7	7.7		8.5	
21.3																				
4236341	15.481	20.598	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5		
BETTER ROADS INC. (2013) FC5M RIDE 8.5 8.4 8.5 8.5 8.6 8.6 8.6 8.6 8.6 8.5 8.5 8.4 8.3																				
4474391	15.388	15.736	C	2024	0012															
16110000	15.720	20.598	R	1	1	CRACKING	10.0	10.0	10.0	9.5	8.0	8.0	6.5	3.5*	3.5*	3.5*	3.5*		10.0	
60			2	65	27000	RIDE	9.1	8.9	8.8	8.3	8.1	7.8	7.3	7.1	6.5	6.0*	5.2*		8.5	
C WILSON RANCH RD(15.9R)																				
4236341	15.481	20.598	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	5.4*	3.0*
BETTER ROADS INC. (2013) FC5M RIDE 8.5 8.4 8.5 8.5 8.6 8.6 8.6 8.6 8.6 8.5 8.5 8.4 8.3 8.2 8.0																				
4526251	17.214	20.968@	C	2028	0012															
16110000	15.720	20.598	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	6.5	4.5*	4.5*	4.5*	3.5*		10.0	
60			2	65	27000	RIDE	9.0	8.9	8.7	8.2	8.1	8.0	8.1	7.7	7.6	7.1	6.7		8.4	
21.3																				
4236341	15.481	20.598	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	4.8*	2.5*
BETTER ROADS INC. (2013) FC5M RIDE 8.4 8.3 8.5 8.5 8.7 8.6 8.6 8.6 8.5 8.5 8.5 8.4 8.2 8.0																				
4526251	17.214	20.968@	C	2028	0012															
16110000	15.373	15.720	L	1	8	CRACKING	9.0	9.0	9.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0		10.0	
60			2	45	27000	RIDE	7.4	7.3	7.4	5.6*		6.1	6.2	6.2	6.1	7.2	6.8		8.4	
FLAMINGO DR/SR-60 BR(15.4L)																				
4236341	15.481	20.598	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5		
BETTER ROADS INC. (2013) FC5M RIDE 8.4 8.3 8.5 8.5 8.7 8.6 8.6 8.6 8.5 8.5 8.5 8.4 8.4																				
4474391	15.388	15.736	C	2024	0012															
16170000	6.976	10.255	R	1	1	CRACKING	9.5	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	
25 27			2	65	19200	RIDE	9.0	8.6	8.5	7.9	7.9	7.8	8.0	7.9	7.7	7.9	7.8	8.2	8.2	
CR 630A(8.6R)																				
1973684	6.976	10.255	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.4	4.5*
BETTER ROADS INC. (2012) FC5M RIDE 8.1 8.0 8.5 8.4 8.6 8.6 8.6 8.6 8.6 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5																				
16170000	6.976	10.255	L	1	1	CRACKING	8.5	7.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	
25 27			2	65	19200	RIDE	9.0	8.8	8.7	8.1	8.0	7.8	8.0	7.8	7.7	7.5	7.5	8.1	8.1	
XERISCAPE NURSERY RD(9.1L)																				
1973684	6.976	10.255	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	4.0*
BETTER ROADS INC. (2012) FC5M RIDE 8.1 8.1 8.4 8.4 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.4 8.4 8.2																				
16250000	25.158	25.660	L	1	1	CRACKING	10.0	10.0	10.0	9.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
37			3	40	37000	RIDE	8.0	7.3	7.2	7.5	6.8	6.9	7.1	6.9	6.8	6.2	6.1	6.0	7.5	
SOUTH LOOP DR(25.3L)																				
4236351	25.158	25.404	L	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.0	8.0	8.0	8.0	7.0	5.0*
BETTER ROADS INC. (2013) DGFC RIDE 7.6 7.4 7.6 7.6 7.4 7.2 7.2 7.5 7.6 7.3 7.5 7.6 7.3 7.4 7.1 6.9 6.6																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = BULGER CONTRACTING CO -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
16210000	0.000	0.895	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 98			3	40	23500	RIDE	8.7	8.5	8.3	8.0	7.8	6.9	7.2	7.3	7.1	7.0	7.0	6.7	6.7			
MAIN ST(0.0C)																						
1975011	0.000	0.752	C	1997	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.4	6.6	3.5*		
BULGER CONTRACTING CO					(2000)	DGFC	6.6	6.6	7.2	7.0	7.1	6.8	6.2	6.2	6.2	6.1	5.8	5.6	5.9	5.6		
4562551	0.000	0.901	C	2029	0226																	
16210000	0.000	0.901	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 98			3	40	23500	RIDE	8.9	8.5	8.1	7.7	7.9	7.3	6.7	6.8	6.6	7.0	6.5	6.8	6.7			
MAIN ST(0.0C)																						
1975011	0.000	0.752	C	1997	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5	7.3	6.9	4.0*		
BULGER CONTRACTING CO					(2000)	DGFC	6.5	6.5	6.8	6.9	7.3	6.6	6.9	6.5	6.4	6.5	6.5	6.2	6.0	5.7		
4562551	0.000	0.901	C	2029	0226																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = C. W. ROBERTS CONTRACTING, I -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE) =====																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)	2	SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(PMRS)	
03010000	24.738	25.001	R	1	1	CRACKING	8.5	7.0	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0		
90 41				1	60	25500	RIDE	8.1	8.0	7.8	7.1	7.0	6.7	6.6	6.8	7.1	6.3*	6.1*	8.6	8.5	
1954083	24.689	28.377	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.7	10.0	8.0	
C. W. ROBERTS CONTRACTING, (2012)						FC125	RIDE	8.5	8.4	8.3	8.3	8.2	8.1	8.1	8.0	7.9	7.9	7.8	7.8	7.9	7.6
03010000	25.001	25.352	C	1	1	CRACKING	7.5	7.0	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0		
90 41				2	60	25500	RIDE	8.6	8.0	7.8	7.1	7.0	6.7	6.6	6.8	7.1	6.3*	6.1*	8.6	8.5	
AUTO RANCH RD(25.0R)						8.2															
1954083	24.689	28.377	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.7	9.7	7.5	
C. W. ROBERTS CONTRACTING, (2012)						FC125	RIDE	8.5	8.4	8.3	8.3	8.2	8.1	8.1	8.0	7.9	7.9	7.8	7.8	7.9	7.6
03010000	25.352	26.255	R	1	1	CRACKING	7.5	7.0	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0		
90 41				1	60	25500	RIDE	8.7	8.0	7.8	7.1	7.0	6.7	6.6	6.8	7.1	6.3*	6.1*	8.6	8.5	
LAKE PARK BLVD(25.4R)						8.2															
1954083	24.689	28.377	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.7	8.7	6.5	
C. W. ROBERTS CONTRACTING, (2012)						FC125	RIDE	8.5	8.4	8.3	8.3	8.2	8.1	8.1	8.0	7.9	7.9	7.8	7.8	8.2	7.9
03010000	26.255	27.176	C	1	1	CRACKING	7.5	7.0	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0		
90 41				2	60	6300	RIDE	8.5	8.0	7.8	7.1	7.0	6.7	6.6	6.8	7.1	6.3*	6.1*	8.6	8.5	
TOMATO RD(27.1L)						14.6															
1954083	24.689	28.377	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.7	8.0	6.0*	
C. W. ROBERTS CONTRACTING, (2012)						FC125	RIDE	8.5	8.4	8.3	8.3	8.2	8.1	8.1	8.0	7.9	7.9	7.8	7.8	8.1	7.8
03010000	27.176	27.424	C	1	1	CRACKING	7.5	7.0	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0		
90 41				2	60	6300	RIDE	8.5	8.0	7.8	7.1	7.0	6.7	6.6	6.8	7.1	6.3*	6.1*	8.6	8.5	
						14.6															
1954083	24.689	28.377	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.7	10.0	8.0	
C. W. ROBERTS CONTRACTING, (2012)						DGFC	RIDE	8.5	8.4	8.3	8.3	8.2	8.1	8.1	8.0	7.9	7.9	7.8	7.8	7.7	7.4
03010000	27.424	28.278	C	1	1	CRACKING	7.5	7.0	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0		
90 41				2	60	6300	RIDE	8.5	8.0	7.8	7.1	7.0	6.7	6.6	6.8	7.1	6.3*	6.1*	8.6	8.5	
						14.6															
1954083	24.689	28.377	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.7	9.0	7.0	
C. W. ROBERTS CONTRACTING, (2012)						FC125	RIDE	8.5	8.4	8.3	8.3	8.2	8.1	8.1	8.0	7.9	7.9	7.8	7.8	7.1	6.8
03010000	25.352	26.255	L	1	1	CRACKING	7.5	7.0	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0		
90 41				1	60	25500	RIDE	8.7	8.0	7.8	7.1	7.0	6.7	6.6	6.8	7.1	6.3*	6.1*	8.6	8.5	
RIGGS RD(25.6L)						8.2															
1954083	24.689	28.377	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.7	10.0	8.0	
C. W. ROBERTS CONTRACTING, (2012)						FC125	RIDE	8.5	8.4	8.3	8.3	8.2	8.1	8.1	8.0	7.9	7.9	7.8	7.8	8.1	7.8
03010000	24.738	25.001	L	1	1	CRACKING	8.5	7.0	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0		
90 41				1	60	25500	RIDE	8.1	8.0	7.8	7.1	7.0	6.7	6.6	6.8	7.1	6.3*	6.1*	8.6	8.5	
BASIK DR(24.8L)						8.2															
1954083	24.689	28.377	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.7	9.0	7.0	
C. W. ROBERTS CONTRACTING, (2012)						FC125	RIDE	8.5	8.4	8.3	8.3	8.2	8.1	8.1	8.0	7.9	7.9	7.8	7.8	7.8	7.5
03080000	28.731	34.341	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.0*	6.0*	6.0*	6.0*			
29				2	60	9300	RIDE	8.5	8.5	8.4	7.9	7.9	7.7	7.5	7.7	7.5	7.5	7.3	7.1		
SUNNILAND NURSERY RD(32.0L)						13.5															
4252121	28.731	34.341	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.1	5.0*	
C. W. ROBERTS CONTRACTING, (2014)						FC125	RIDE	8.6	8.5	8.4	8.1	8.0	7.6	7.4	6.9	7.0	6.8	7.1	6.9	7.1	6.8
4512771	28.731	34.340	C	2027	0226																
03080000	34.341	35.041	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.0*	6.0*	6.0*	6.0*			
29				2	55	9300	RIDE	8.5	8.5	8.4	7.9	7.9	7.7	7.5	7.7	7.5	7.5	7.3	7.1		
						13.5															
4252121	34.341	34.748	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.9	8.7	7.0	
C. W. ROBERTS CONTRACTING, (2014)						FC125	RIDE	8.6	8.6	8.4	8.4	8.3	8.3	8.2	7.9	8.0	7.7	7.8	7.6	7.7	7.4
03080000	35.041	35.759	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.0*	6.0*	6.0*	6.0*			
29				1	45	9300	RIDE	8.7	8.3	8.1	7.5	7.5	7.3	7.2	7.3	7.2	7.1	6.9	6.6		
AGRICULTURE WAY(35.1R)						13.5															
4252121	34.981	35.679	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.4	8.1	6.0*	
C. W. ROBERTS CONTRACTING, (2014)						FC125	RIDE	8.6	8.6	8.4	8.4	8.3	8.3	8.2	7.9	8.0	7.4	7.3	7.0	6.9	6.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = C. W. ROBERTS CONTRACTING, I -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKMX-F															(PMRS)	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKMX-F																
03080000	35.759	36.822	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.0*	6.0*	6.0*	6.0*		
29			2	45	10400	RIDE	8.2	8.3	8.1	7.5	7.5	7.3	7.2	7.3	7.2	7.1	6.9	6.6			
SIDE ROAD(36.1L)																					
4252121	35.679	36.369	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.2	8.3	6.5	
C. W. ROBERTS CONTRACTING, (2014)					FC125	RIDE	8.6	8.6	8.4	8.4	8.3	8.3	8.2	7.9	8.0	7.9	7.9	7.7	7.7	7.4	
03080000	37.846	39.140	R	1	1	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	6.5	6.5	6.5	6.5	6.5	10.0	
29			1	40	19900	RIDE	8.0	7.9	8.0	7.4	7.4	6.9	7.3	7.3	7.0	6.9	6.7	6.6	8.0		
JUMP ST(37.9R)																					
4252151	37.846	39.140	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	6.2*	5.7*	3.5*	
C. W. ROBERTS CONTRACTING, (2013)					FC125	RIDE	8.0	8.0	7.8	7.9	7.7	7.7	7.4	7.4	7.4	7.2	7.3	7.1	7.3	7.0	
4512781	36.977	39.654	C	2029	0012																
03080000	37.846	39.140	L	1	1	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	6.5	7.0	6.5	6.5	6.5	10.0		
29			1	40	19900	RIDE	8.0	7.9	8.0	7.4	7.4	6.9	7.3	7.3	6.9	6.9	6.7	6.6	8.0		
HANCOCK ST(37.9L)																					
4252151	37.846	39.140	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	6.4*	6.2*	4.0*	
C. W. ROBERTS CONTRACTING, (2013)					FC125	RIDE	8.0	8.0	7.8	7.9	7.7	7.7	7.4	7.4	7.9	7.6	7.7	7.7	7.5	7.2	
4512781	36.977	39.654	C	2029	0012																
03080000	35.041	35.759	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.0*	6.0*	6.0*	6.0*			
29			1	45	9300	RIDE	8.7	8.3	8.1	7.5	7.5	7.3	7.2	7.3	7.2	7.1	6.9	6.6			
SR 25(0.0C)																					
4252121	34.981	35.679	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	6.1*	5.8*	4.0*	
C. W. ROBERTS CONTRACTING, (2014)					FC125	RIDE	8.6	8.6	8.4	8.4	8.3	8.3	8.2	7.9	8.0	7.5	7.7	7.3	7.3	7.0	
05020000	0.000	9.551	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
78			2	60	5090	RIDE	8.8	8.3	8.6	8.2	8.1	8.1	8.9	8.9	8.8	8.8	8.6	8.6	8.6		
SR 25(0.0C)																					
4394301	0.115	8.202	L	2021	0012	CRACKING	9.0	9.0	9.0	8.5	8.5	8.5	7.5	4.0*		10.0	10.0	10.0	9.7	8.5	
C. W. ROBERTS CONTRACTING, (2023)					FC125	RIDE	8.5	8.4	8.3	8.2	8.2	8.1	8.1	7.3		7.8	7.8	7.8	7.9	7.6	
07010000	10.500	11.900	R	1	1	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0			10.0	10.0	
80			2	60	17400	RIDE	8.9	8.4	8.8	8.4	8.3	8.2	8.1	7.5	7.4	7.7			8.1	8.1	
COLLINGSWOOD PKWY(11.1R)																					
1942012	10.289	11.837	R	2009	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.8	7.1	4.5*	
C. W. ROBERTS CONTRACTING, (2012)					FC5	RIDE	8.1	7.7	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.2	8.1	8.1	8.2	8.0	
07010000	11.900	17.691	R	1	1	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*		
80			2	60	17400	RIDE	8.9	8.4	8.8	8.4	8.3	8.2	8.1	7.5	7.4	7.7	7.6	7.4	7.2		
BIRCHWOOD PKWY(12.3C)																					
4082863	12.370	17.367	C	2012	0213	CRACKING	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.1	7.0	
C. W. ROBERTS CONTRACTING, (2016)					FC5	RIDE	6.6		8.4	8.4	8.3	8.4	8.3	8.4	8.3	8.3	8.3	8.2	8.2	8.0	
07010000	11.900	17.691	L	1	1	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0			10.0	10.0	
80			2	60	17400	RIDE	8.9	8.4	8.8	8.4	8.3	8.2	8.1	7.5	7.4	7.7			8.1	8.1	
BIRCHWOOD PKWY(12.3C)																					
4082863	12.370	17.367	C	2012	0213	CRACKING	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.4	7.0	
C. W. ROBERTS CONTRACTING, (2016)					FC5	RIDE	6.6		8.5	8.4	8.4	8.5	8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.1	
07010000	10.500	11.900	L	1	1	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0			10.0	10.0	
80			2	60	17400	RIDE	8.9	8.4	8.8	8.4	8.3	8.2	8.1	7.5	7.4	7.7			8.1	8.1	
SR 25(0.0C)																					
1942012	10.289	12.144	L	2009	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	6.6	5.3*	2.5*	
C. W. ROBERTS CONTRACTING, (2012)					FC5	RIDE	8.1	7.4	8.3	8.1	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.1	8.2	8.0	
07010000	10.233	10.500	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	
80			2	50	18400	RIDE	8.0	7.3	8.0	7.7	7.6	7.5	7.5	6.4*	6.5	6.6			8.1	8.1	
SR 25(0.0C)																					
1942012	10.289	12.144	L	2009	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	6.6	7.5	5.5*	
C. W. ROBERTS CONTRACTING, (2012)					FC125	RIDE	8.1	7.4	8.3	8.1	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.1	7.4	7.1	
09010000	22.730	28.650	R	1	1	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
25			2	65	24000	RIDE	8.4	8.6	8.9	8.4	8.4	8.3	8.3	7.9	8.2	7.9	7.8	8.0	8.0		
LYKES RD(23.4R)																					
4394341	22.740	28.686	C	2021	0012	CRACKING	8.0	7.0	7.0	7.0	7.0	6.5	5.5*	3.5*	3.5*		10.0	9.8	10.0	8.5	
C. W. ROBERTS CONTRACTING, (2024)					FC5M	RIDE	7.9	7.5	8.4	8.3	8.3	8.5	8.5	8.4	8.4		8.7	8.7	8.6	8.4	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @# INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = C. W. ROBERTS CONTRACTING, I -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	ADT															
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE					2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															(PMRS)	
09010000	22.730	28.650	L	1	1	CRACKING	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
25	27		2	65	24000	RIDE	8.1	8.7	8.8	8.4	8.3	8.3	8.3	7.9	8.2	8.2	7.9	8.1	8.0		
LAKE FRANCIS RD(23.4L)																					
4394341	22.740	28.686	C	2021	0012	CRACKING	8.0	8.0	6.5	6.5	6.5	5.5*	5.5*	3.5*	3.5*			10.0	9.7	10.0	8.5
C. W. ROBERTS CONTRACTING, (2024) FC5M RIDE 8.0 7.8 8.4 8.3 8.4 8.6 8.6 8.6 8.5																					
16160000	8.643	10.068	C	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
559			2	55	8100	RIDE	8.7	8.5	8.4	7.9	8.0	7.9	8.0	8.0	8.0	8.0	7.9	7.7	7.7	7.6	
CAMP GILEAD DR(9.3R)																					
4474361	8.916	9.975	C	2024	0012	CRACKING	8.0	7.0	7.0	7.0	7.0	6.5	6.5	5.0*	5.0*	5.0*	5.0*	5.0*	10.0	9.0	
C. W. ROBERTS CONTRACTING, (2026) FC125 RIDE 7.5 7.5 7.7 7.5 7.7 7.7 7.6 7.5 7.7 7.8 7.8 7.8 7.8 7.8 8.3 8.0																					
16320000	6.890	12.349	R	4	1	CRACKING	5.5*	5.5*	5.5*				10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
400	14	32.1	3	70	96500	RIDE	8.3	7.7	7.3				8.2	8.4	8.4	8.4	8.3	8.3	8.2	8.1	
16.2																					
4418891	6.890	12.343	C	2021	0012	CRACKING	8.5	8.5	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	10.0	10.0	9.9	10.0	8.5	
C. W. ROBERTS CONTRACTING, (2023) FC5M RIDE 8.1 8.0 8.3 8.3 8.4 8.4 8.4 8.4 8.4 8.4 8.7 8.6 8.6 8.6 8.6																					
16320000	6.890	12.349	L	4	1	CRACKING	3.0*	3.0*	3.0*				10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
400	14	32.1	3	70	96500	RIDE	7.7	7.2	7.0				8.1	8.4	8.0	8.4	7.8	8.3	8.2	8.1	
16.2																					
4418891	6.890	12.343	C	2021	0012	CRACKING	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	5.5*	5.5*	10.0	10.0	9.3	10.0	8.5
C. W. ROBERTS CONTRACTING, (2023) FC5M RIDE 8.1 8.0 8.1 8.1 8.2 8.3 8.2 8.2 8.2 8.2 8.7 8.8 8.7 8.8 8.7																					
16330000	0.209	4.430	C	1	1	CRACKING	9.5	7.0	6.0*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
471			2	60	5100	RIDE	9.1	8.7	8.8	8.0	7.6	7.5	7.5	8.1	8.2	8.0	8.2	8.1	8.0	7.9	
GULLEDGE LN(3.8L)																					
4474411	0.214	4.430	C	2024	0012	CRACKING	9.5	8.0	7.0	7.0	6.5	6.5	3.5*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	9.0	
C. W. ROBERTS CONTRACTING, (2025) FC125 RIDE 7.8 7.9 8.1 8.0 8.2 8.1 8.0 8.0 8.0 8.0 7.9 8.4 8.3 8.0																					
16470000	0.000	0.285	R	5	1	CRACKING	10.0	10.0	10.0	9.5	7.5	7.5	6.5		10.0	10.0	10.0	10.0	9.5		
570		0.0	1	65	36900	RIDE	8.8	8.6	8.6	8.0	7.8	7.6	7.5		8.3	8.2	8.1	8.0	7.9		
BRIDGE #234 R(0.0C)																					
4365201	0.000	0.293	R	2020	0012	CRACKING	9.0	9.0	9.0	6.5	6.5	5.5*	3.5*			10.0	10.0	10.0	10.0	8.5	
C. W. ROBERTS CONTRACTING, (2023) FC5M RIDE 7.8 7.8 8.1 6.7 6.8 6.6 6.2*																					
16470000	15.905	17.100	R	5	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5	6.5			
570		15.9	2	65	20800	RIDE	8.9	8.7	8.7	8.1	8.4	8.2	8.3	8.1	8.1	7.9	7.4	7.1			
14.1																					
4496881	15.896	16.920	R	2025	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	10.0	7.0	6.0*	
C. W. ROBERTS CONTRACTING, (2025) FC5M RIDE 8.2 8.1 8.4 8.3 8.4 8.3 8.3 8.3 8.3 8.3 8.1 8.1 8.3 8.1 8.3 8.3 8.3 8.3 8.3 8.3 8.2																					
16470000	15.905	17.100	L	5	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	6.5	6.5	6.5	6.5	6.5		
570		15.9	2	65	20800	RIDE	8.9	8.6	8.7	8.1	8.3	8.1	8.1	7.8	8.0	7.5	7.1	6.8			
14.1																					
4496881	15.944	17.079	L	2025	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	6.5	10.0	7.0	6.0*	
C. W. ROBERTS CONTRACTING, (2025) FC5M RIDE 8.2 8.1 8.4 8.4 8.5 8.4 8.4 8.3 8.2 8.2 8.1 8.5 8.3 8.2 8.2 8.1 8.5 8.3 8.3 8.2																					
16470000	0.553	7.520	L	5	1	CRACKING	10.0	10.0	10.0	9.5	7.5	7.5	6.5		10.0	10.0	10.0	10.0	10.0		
570		0.6	2	65	40100	RIDE	8.5	8.5	8.5	7.9	7.6	7.6	7.6		8.2	8.1	8.1	8.0	8.0		
14.1																					
4365201	3.599	8.000	L	2020	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	8.0	8.0			10.0	10.0	10.0	10.0	8.5	
C. W. ROBERTS CONTRACTING, (2023) FC5M RIDE 7.9 7.8 8.0 8.0 8.2 8.1 8.1																					
16470000	0.000	0.553	L	5	1	CRACKING	10.0	10.0	10.0	9.5	7.5	7.5	6.5		10.0	10.0	10.0	10.0	10.0		
570		0.0	2	65	36900	RIDE	8.5	8.5	8.5	7.9	7.6	7.6	7.6		8.2	8.2	8.1	8.1	8.0		
BRIDGE #234 R(0.0C)																					
4365201	0.116	3.124	L	2020	0012	CRACKING	9.0	9.0	6.5	10.0	10.0	10.0	3.5*			10.0	10.0	10.0	10.0	8.5	
C. W. ROBERTS CONTRACTING, (2023) FC5M RIDE 7.8 7.8 7.5 7.7 7.5 7.3 7.4																					
91020000	22.266	31.733	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0	7.0	
15	441		2	60	5000	RIDE		8.4	8.2	7.9	7.9	7.9	7.7	7.9	8.0	7.8	7.8	7.8	7.6	7.5	
CR 15C(22.4R)																					
4380631	22.615	31.696	C	2019	0012	CRACKING	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
C. W. ROBERTS CONTRACTING, (2020) FC125 RIDE 7.3 7.3 7.0 7.0 7.1 7.0 7.0 8.6 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.4 8.1																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = C. W. ROBERTS CONTRACTING, I -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031

91060000	1.132	3.545	C	1	1	CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
710			2	60	11000	RIDE	8.1		8.6	8.3	8.3	8.2	8.3	8.4	8.5	8.4	8.3	8.2	8.3	
SE 52ND TR(1.9L)																				
4462091	1.122	3.550	C	2023	0226	CRACKING	9.5	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	9.0
C. W. ROBERTS CONTRACTING, (2025) FC125 RIDE																				

91060000	3.545	5.065	C	1	1	CRACKING	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0	7.0	7.0	
710			2	60	11000	RIDE	8.1		8.6	8.3	8.3	8.2	8.3	8.3	8.4	8.3	8.2	8.1	8.1	
SE 67TH WAY(3.7L)																				
4380651	3.550	4.630	C	2019	0012	CRACKING	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	9.5	10.0	8.5
C. W. ROBERTS CONTRACTING, (2020) FC125 RIDE																				

91070000	9.605	10.555	R	1	7	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	
70			2	35	30500	RIDE	7.1	7.2	6.4	6.4	6.5	5.9	6.1	6.1	6.2	5.9	5.9	5.9	5.7	
SE 3RD AVE(9.6R)																				
4446411	9.580	10.552	C	2023	0012	CRACKING	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.0
C. W. ROBERTS CONTRACTING, (2026) FC125 RIDE																				

91070000	9.605	10.555	L	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	
70			2	35	30500	RIDE	8.2	7.4	7.1	7.0	7.2	6.9	7.1	7.2	7.2	7.0	6.9	6.9	6.8	
CHEROKEE ST(9.6L)																				
4446411	9.580	10.552	C	2023	0012	CRACKING	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.0
C. W. ROBERTS CONTRACTING, (2026) FC125 RIDE																				

91090000	4.705	10.863	C	1	7	CRACKING	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
700 98			2	60	4400	RIDE	8.4	8.2	7.8		8.0	7.9	8.1	8.1	8.1	8.0	7.7	7.7	7.7	
CR 68(5.3L)																				
4489721	4.705	10.870	C	2025	0226	CRACKING	8.5	8.5	8.0	8.0	8.0	8.0	8.0	6.0*	6.0*	6.0*	6.0*	7.2	10.0	9.0
C. W. ROBERTS CONTRACTING, (2026) FC95M RIDE																				

91090000	10.863	16.066	C	1	1	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	
700 98			2	60	6700	RIDE	8.8	8.7	8.4	8.0	7.9	7.8	7.9	7.9	7.8	7.6	8.2	8.1	7.9	
NW 80TH AVE(11.4L)																				
4415131	10.870	17.708	C	2022	0012	CRACKING	9.0	8.5	7.0	7.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	10.0	9.2	10.0	9.0
C. W. ROBERTS CONTRACTING, (2024) FC125 RIDE																				

91090000	16.066	17.727	R	1	1	CRACKING	9.0	8.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	
700 98			1	45	12100	RIDE	8.6	8.5	8.4	8.0	7.9	7.8	7.9	7.9	7.8	7.6	8.2	8.1	7.9	
EIGHTEENTH ST NW(16.4R)																				
4415131	10.870	17.708	C	2022	0012	CRACKING	9.0	8.5	7.0	7.0	7.0	7.0	6.5	4.5*	4.5*	6.0*	10.0	10.0	10.0	9.0
C. W. ROBERTS CONTRACTING, (2024) FC125 RIDE																				

91090000	16.066	17.727	L	1	1	CRACKING	9.0	8.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	
700 98			1	45	12100	RIDE	8.6	8.5	8.4	8.0	7.9	7.8	7.9	7.9	7.8	7.6	8.2	8.1	7.9	
AIRPORT RD(16.2L)																				
4415131	10.870	17.708	C	2022	0012	CRACKING	9.0	8.5	7.0	7.0	7.0	7.0	6.5	4.5*	4.5*	6.0*	10.0	10.0	10.0	9.0
C. W. ROBERTS CONTRACTING, (2024) FC125 RIDE																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = CAROLINA CONSULTING CORP. -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	ADT	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	YEAR	SURF_TYPE																		(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
03080000	36.822	37.846	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
29			2	35	19900	RIDE	6.6	6.5	6.0	5.7	5.7	5.4*	5.4*	8.4	8.0	8.2	8.0	7.6	8.0			
CR 29A(36.9R)																						
1953992	36.740	37.845	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.0*	6.0*	6.0*	6.0*	6.6	6.3*	4.0*		
CAROLINA CONSULTING CORP. (2008) FC125																						
4175405	36.600	37.811	C	2027	0002	RIDE	7.8	7.8	7.8	7.7	7.7	7.6	7.6	7.6	7.5	7.3	7.3	7.3	7.3	7.0		

03080000	36.822	37.846	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
29			2	35	19900	RIDE	6.9	6.9	6.5	6.3	6.3	5.8	6.1	8.4	8.2	8.1	8.2	8.0	7.9			
11TH ST(36.9L)																						
1953992	36.740	37.845	C	2005	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.0*	6.0*	6.0*	6.5	6.5	4.0*	
CAROLINA CONSULTING CORP. (2008) FC125																						
4175405	36.600	37.811	C	2027	0002	RIDE	7.8	7.9	7.7	7.8	7.8	7.5	7.7	7.6	7.1	7.5	7.2	7.2	7.2	6.9		

09030000	14.739	15.286	R	1	1	CRACKING	10.0	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25			3	45	34500	RIDE	8.5	8.5	8.8	8.4	8.4		8.4	7.8	7.8	8.1	8.1	7.8	7.9			
MAXWELL ST(14.8R)																						
4084691	14.224	15.228	C	2005	0547	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		7.0	7.0	6.0*	6.0*	5.6*	5.4*	3.0*		
CAROLINA CONSULTING CORP. (2007) DGFC																						
4512701	14.283	15.286	R	2027	0226	RIDE	7.9	7.6	6.7	7.1	7.1	6.8		6.6	6.3	6.1	6.2	6.1	5.7	5.4*		

09030000	14.725	15.286	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0		
25			3	45	34500	RIDE	8.4	8.5	8.8	8.4	8.4		8.2	8.2	7.8	8.0	8.1	8.0	8.0			
WALMART ENT(15.0L)																						
4084691	14.224	15.228	C	2005	0547	CRACKING	8.0	8.0	8.0	7.0	7.0	7.0		7.0	6.0*	5.5*	5.5*	5.6*	5.4*	3.0*		
CAROLINA CONSULTING CORP. (2007) DGFC																						
4512701	14.472	15.286	L	2027	0226	RIDE	8.0	7.4	7.4	7.1	7.6	7.6		6.5	6.4	6.2	6.2	6.5	6.4	6.1		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = CENTRAL FLORIDA HOT MIX, INC -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
16060000	9.351	11.280	R	1	1	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
35 98				2	45	42000	RIDE	8.5		8.5	8.2	8.0	8.2	8.3	8.3	8.3	8.3	8.3	8.1	7.9	8.0	
A Z PARK RD(9.5R)																						
1976171	9.426	11.623	C	2001	0012	CRACKING	8.5	8.5	8.5	7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	2.7*	0.0*	
CENTRAL FLORIDA HOT MIX, I(2003)																						
4577321	8.471	11.280	R	2027	0012	RIDE	8.0	7.9	7.9	7.9	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.8	

16060000	9.351	11.280	L	1	1	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5		
35 98				2	45	42000	RIDE	7.6		8.3	7.9	7.9	7.5	8.1	8.1	8.1	8.0	7.7	7.6	7.6		
SYLVESTER RD(9.8L)																						
1976171	9.426	11.623	C	2001	0012	CRACKING	8.5	8.5	8.5	8.5	8.0	8.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	3.2*	0.5*	
CENTRAL FLORIDA HOT MIX, I(2003)																						
4577321	8.472	11.280	L	2027	0012	RIDE	7.5	7.7	7.7	7.8	7.9	7.8	7.8	7.7	7.7	7.7	7.8	7.7	7.7	7.7	7.4	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = CHERRY HILL CONSTRUCTION, IN -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
16180000	2.700	5.969	R	1	1	CRACKING		10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	9.5	9.5		
25 27				3	60	43000	RIDE		8.8	8.8	8.3			8.2	8.2	8.1	8.1	8.0	8.0	8.0		
TOWERVIEW BLVD(3.0R)																						
1975331	2.808	6.129	C	2003	0218	CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.2*	6.5	3.5*		
CHERRY HILL CONSTRUCTION, (2007)							FC5	8.0	7.9	8.0	7.9	8.0	8.0	8.0	8.0	7.4	7.4	7.4	7.4	7.4	7.4	7.2

16180000	2.700	5.959	L	1	1	CRACKING		10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0		
25 27				3	60	43000	RIDE		8.9	8.9	8.3			8.2	8.1	8.1	8.1	7.9	7.8	7.9		
CHALET SUZANNE RD(4.3L)																						
1975331	2.808	6.129	C	2003	0218	CRACKING	10.0	10.0	10.0	10.0	9.5	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	3.5*		
CHERRY HILL CONSTRUCTION, (2007)							OGFC	7.8	7.8	7.9	7.9	8.0	8.0	8.0	7.9	7.5	7.5	7.5	7.5	7.6	7.6	7.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = CNA -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	FW	WKM-F	WKM-F															(PMRS)
CONTRACTOR																				
ITMSEG-F																				
04020000	9.513	11.092	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	
35 17			2	45	18200	RIDE	8.5	7.9	8.6	8.1	8.0	8.0	8.0	7.9	7.8	7.8	7.7	7.7	7.3	
CR-760A(9.6R)					19.4															
1938982	9.513	13.693	C	2015	0218	CRACKING	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	7.9	8.5	7.0
CNA			(2019)	FC125	RIDE		7.3	6.4	7.1			8.5	8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.0
04020000	11.092	13.375	R	1	1	CRACKING	10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0
35 17			2	50	18200	RIDE	8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1	8.1	
FLETCHER ST SW(11.3C)					19.4															
1938982	9.513	13.693	C	2015	0218	CRACKING	9.5	9.5	9.5	9.5		10.0	10.0	9.0	9.0	9.0	9.0	9.3	9.1	7.5
CNA			(2019)	FC5A	RIDE		8.0	6.8	7.8	7.9		8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.3
04020000	13.375	14.021	R	1	1	CRACKING	10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0
35 17			2	40	18500	RIDE	8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1	8.1	
LOU'S DR SW(13.4R)					16.0															
1938982	9.513	13.693	C	2015	0218	CRACKING	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.6	7.0
CNA			(2019)	FC125	RIDE		8.0	6.8	7.8	7.9		8.0	8.0	8.1	8.0	7.8	7.9	7.8	7.7	7.4
04020000	14.021	15.780	C	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	
35 17			2	35	9600	RIDE	8.2	7.1	8.0	7.3	7.2	7.0	7.1	6.8	6.4	6.9	6.6	6.8	7.1	
E PINE ST(14.2C)					22.4															
4291101	14.470	15.780	C	2015	0012	CRACKING	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	8.1	7.7	6.0*
CNA			(2019)	FC125	RIDE		7.0	6.4	6.5			8.0	7.9	7.8	7.8	7.8	7.7	7.6	7.4	7.1
04020000	13.375	14.021	L	1	1	CRACKING	10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0
35 17			2	40	18500	RIDE	8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1	8.1	
M L KING ST(13.7L)					16.0															
1938982	9.513	13.693	C	2015	0218	CRACKING	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.4	8.3	7.0
CNA			(2019)	FC125	RIDE		8.0	6.8	7.8	7.9		8.0	8.0	8.0	8.0	7.8	7.9	7.8	7.7	7.4
04020000	11.092	13.375	L	1	1	CRACKING	10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0
35 17			2	50	18200	RIDE	8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	7.4	8.2	8.2	8.1	8.1	
FLETCHER ST SW(11.3C)					19.4															
1938982	9.513	13.693	C	2015	0218	CRACKING	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.2	7.5
CNA			(2019)	FC5A	RIDE		8.0	6.8	7.8	7.9		8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.5	8.3
04020000	9.513	11.092	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	
35 17			2	45	18200	RIDE	8.5	7.9	8.6	8.1	8.0	8.0	8.0	7.9	7.8	7.8	7.7	7.7	7.3	
CR 760A(9.6L)					19.4															
1938982	9.513	13.693	C	2015	0218	CRACKING	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.7	7.0
CNA			(2019)	FC125	RIDE		7.3	6.4	7.1			8.4	8.4	8.3	8.3	8.3	8.3	8.3	8.3	8.0
04020101	0.000	1.400	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	
35 17			3	35	9600	RIDE	8.6	8.2	8.6	8.0	7.9	7.7	7.7	7.6	7.5	7.2	7.6	7.9	7.6	
SR 35(0.0C)					20.0															
4291091	0.195	1.204	C	2015	0012	CRACKING	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.7	7.0
CNA			(2019)	FC125	RIDE		7.5	7.6	7.6			8.5	8.5	8.4	8.4	8.3	8.3	8.2	8.1	7.8
04020101	1.400	1.736	C	1	1	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	
35 17			2	35	9200	RIDE			8.6	8.0	7.9	7.7	7.7	7.6	7.5	7.2	6.7	6.9	6.9	
MAGNOLIA ST(1.4C)					17.0															
4291091	1.430	1.736	C	2015	0012	CRACKING	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8	7.5
CNA			(2019)	FC125	RIDE		7.5	6.7	7.2			8.3	8.4	8.2	8.1	8.2	8.1	8.1	8.1	7.8
17075000	11.466	20.068	R	4	1	CRACKING	6.5	6.0*	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	
93 175	182.0	190.6	3	70	70000	RIDE	8.9	8.8	8.8	8.6	8.6	8.1	8.5	8.3	7.9	8.2	8.0	7.9	7.8	
					16.3															
4130444	11.466	19.986	C	2013	0218	CRACKING	8.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.7	6.5
CNA			(2018)	FC5A	RIDE		7.8				8.7	8.9	8.9	8.8	8.9	8.8	8.8	8.8	8.7	8.6
17075000	11.466	20.315	L	4	1	CRACKING	6.5	6.0*	10.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.5	7.5	7.5	
93 175	182.0	190.9	3	70	70000	RIDE	8.7	8.5	9.0	8.6	8.5	8.2	8.4	8.3	8.2	8.2	8.1	7.8	7.6	
					16.3															
4130444	11.466	19.986	C	2013	0218	CRACKING	7.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.4	6.5
CNA			(2018)	FC5A	RIDE		7.8				8.8	8.9	8.9	8.9	8.9	8.9	8.8	8.8	8.8	8.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	=====														
ITMSEG-P	(AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR							(PMRS)														
ITMSEG-F																					
12070000	2.715	3.838	R	1	1	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
82			2	50	51000	RIDE					8.1	8.1	8.1	8.1	8.1	8.0	7.6	7.5	7.8		
JACKSONVILLE ST(2.8R)																					
4380081	2.966	3.613	C	2019	0012	CRACKING	9.0	7.5	7.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.7	9.4	8.0
COMMUNITY ASPHALT CORP. (2021) FC5M RIDE 7.8 7.6 7.5 7.8 7.7 7.2 7.7 8.7 8.6 8.6 8.6 8.4 8.6 8.4																					
12070000	2.715	3.838	L	1	1	CRACKING			10.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
82			2	50	51000	RIDE			8.2		7.6	7.5	7.4	7.7	7.4	7.4	7.3	7.2	7.2		
TURNOUT(3.0L)																					
4380081	2.966	3.613	C	2019	0012	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.4	9.3	7.5
COMMUNITY ASPHALT CORP. (2021) FC5M RIDE 7.3 7.2 7.3 8.1 8.0 7.8 7.9 8.6 8.5 8.6 8.6 8.5 8.6 8.4																					
91470000	0.000	7.472	R	5	1	CRACKING	7.0	7.0	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	
91	181.1	188.6	2	70	38200	RIDE	8.6	8.9	8.7	7.7	7.8	7.9	8.0	8.0	8.0	7.8	7.8	7.7	7.6		
16.0																					
4351651	0.000	3.900	C	2017	0012	CRACKING	9.0	8.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.5	10.0	8.5	
COMMUNITY ASPHALT CORP. (2020) FC5M RIDE 7.5 7.5 7.7 7.7 7.7 9.0 9.0 8.9 8.9 8.9 8.9 8.9 8.9 8.9 8.8																					
91470000	0.000	7.472	L	5	1	CRACKING	6.0*	6.0*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
91	181.1	188.6	2	70	38200	RIDE	8.8	8.6	8.3	7.3	7.9	7.9	8.1	8.1	8.1	8.0	8.0	8.0	7.9		
16.0																					
4351651	0.000	3.900	C	2017	0012	CRACKING	9.0	9.0	8.0	8.0	8.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.4	10.0	8.5
COMMUNITY ASPHALT CORP. (2020) FC5M RIDE 7.9 7.8 7.9 7.8 7.9 7.8 9.0 9.0 8.9 8.9 8.9 8.9 8.9 8.9 8.8																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = CONALVIAS USA LLC -----																													
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE									
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013									
INTERSECT AT (MP SIDE)															2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P	%T	=====																					
CONTRACTOR	(AGE_ONE	YEAR)																											
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																				(PMRS)			
16060000	8.384	9.351	R	1	1	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0									
35 98				3	50	42000	RIDE	8.1	8.0	7.4	8.3	8.3	8.3	8.2	8.2	8.2	8.3	8.0	7.7										
BROOKS ST(8.4R)																													
1975622	8.471	9.189	C	2011	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	7.0	5.0*								
CONALVIAS USA LLC				(2014)	FC125	RIDE		8.0	8.1	8.1	8.0	8.1	8.0	8.0	7.9	8.0	7.9	7.9	7.8	7.8	7.8								
4577321	8.471	11.280	R	2027	0012																								

16060000	8.384	9.351	L	1	1	CRACKING		10.0	6.5	10.0	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0									
35 98				4	50	42000	RIDE	7.9	7.8	8.6	8.1	8.1	8.0	8.0	8.4	8.4	8.4	8.1	8.3										
BRIAR CIR N(8.8L)																													
1975622	8.471	9.189	C	2011	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	8.0	7.0	7.0	5.5*	3.5*								
CONALVIAS USA LLC				(2014)	FC125	RIDE		7.8	7.8	7.6	7.4	7.4	7.3	7.4	7.3	7.3	7.3	7.1	7.2	7.1	7.2								
4577321	8.472	11.280	L	2027	0012																								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = CONE & GRAHAM, INC. -----																							
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-X		P		=====									
CONTRACTOR (AGE_ONE YEAR)		SURF_TYPE		FY-F		WKM-X																	
ITMSEG-P	ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	F	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
								(PMRS)															
16261000	60 98	1.160	1.430	R	4	57000	4								9.5	9.5	9.5	9.5	9.5	9.5			
BROADWAY AVE(1.2C)																							
4173651	60 98	1.013	1.871	C	2011	0233		9.3	9.4	9.4	9.3	9.2	9.3	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.0		
CONE & GRAHAM, INC.				(2015)		LDG		7.9	7.9	7.8	8.4	7.9	8.2	7.7	8.1	8.4	8.2	8.3	8.3	8.3	8.2		
16261000	60 98	1.430	1.994	R	1	57000	4								10.0	10.0	10.0	10.0	10.0	10.0			
SR 60(1.8R)																							
4173651	60 98	1.013	1.871	C	2011	0233		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.0*	6.0*	5.8*	5.5*	3.5*		
CONE & GRAHAM, INC.				(2015)		DGFC		7.6	7.7	7.2	7.5	7.6	7.1	7.1	7.5	7.5	7.2	7.5	7.3	7.0	7.0		
4514841	60 98	1.409	1.891	R	2029	0226																	
16261000	60 98	1.430	1.994	L	1	57000	3								10.0	10.0	10.0	10.0	10.0	10.0			
TURNOUT(2.0L)																							
4173651	60 98	1.013	1.871	C	2011	0233		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	6.0*	5.8*	5.5*	3.5*		
CONE & GRAHAM, INC.				(2015)		DGFC		7.2	7.4	7.6	7.9	7.3	7.2	7.4	7.8	7.7	7.7	7.6	7.7	7.6	7.4		
4514841	60 98	1.431	1.904	L	2029	0226																	
16261000	60 98	1.160	1.430	L	1	57000	4								9.0	9.0	9.0	9.0	9.0	9.0			
TURNOUT(1.2L)																							
4173651	60 98	1.013	1.871	C	2011	0233		9.4	9.4	9.3	9.4	9.3	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.0		
CONE & GRAHAM, INC.				(2015)		LDG		7.9	7.5	7.6	8.3	7.7	7.9	7.7	8.0	7.9	7.8	8.0	8.1	8.0	8.0		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = CONE CONSTRUCTORS INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP	W_BMP	W_EMP	RW	FY-P	WKM	%T	=====														
ITMSEG-P	(AGE_ONE	YEAR)	SURF_TYPE					2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	CONTRACTOR																				(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
17050000	4.728	8.222	R	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
776			3	45	38500	RIDE	8.9	9.0	8.7	8.5	8.4	8.4	8.4	8.3	8.3	8.2	8.1	8.1	8.1	8.1	
KEY WAY PL(4.9R) 4.0																					
1979721	4.741	8.186	C	1996	0005	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	7.0	4.0*
CONE CONSTRUCTORS INC				(2000)	FC3	RIDE	8.0	7.7	7.0	7.6	7.7	7.7	7.6	7.5	7.6	7.5	7.6	7.6	7.6	7.6	7.3
4510141	0.000	8.140	C	2026	0226																

17050000	4.660	8.222	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
776			3	45	38500	RIDE	8.7	8.9	8.6	8.3	8.3	8.5	8.3	8.3	8.2	8.2	8.0	8.0	8.0	8.0	7.9
SAUVINGNON LN(5.0L) 4.0																					
1979721	4.741	8.186	C	1996	0005	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.6	6.5	3.5*
CONE CONSTRUCTORS INC				(2000)	FC3	RIDE	7.9	7.5	7.2	6.8	7.8	7.7	7.6	7.5	7.5	7.3	7.6	7.4	7.5	7.2	
4510141	0.000	8.140	C	2026	0226																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = DICKERSON FLORIDA INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)						%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
91060000	5.065	9.856	C	1	1	CRACKING		1.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0	7.0	7.0	
710			2	60	11000	RIDE		8.1		8.6	8.3	8.3	8.2	8.3	8.3	8.4	8.3	8.2	8.1	8.1	
SE 48TH ST(5.1L)																					
1969011	1.411	9.922	C	2000	0221	CRACKING		7.0	7.0	7.0	6.5	6.5	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.5*
DICKERSON FLORIDA INC				(2003)	FC3	RIDE		8.0	8.0	7.9	7.8	7.8	7.8	7.7	7.7	7.6	7.6	7.6	7.6	7.5	7.2
4511071	5.050	9.856	C	2026	0226																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

```

----- DISTRICT = 1          CONTRACTOR = DICKERSON FLORIDA INC. -----
RDWYID      BMP      EMP RW SYSTEM TYPE DISTRESS SURVEYED YEAR          FUTURE
SR  US  G_BMP  G_EMP LN SPEED  AADT RATINGS 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013
INTERSECT AT (MP|SIDE) %T =====
ITMSEG-P  W_BMP  W_EMP RW  FY-P  WKM-X-P
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE          2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2031
ITMSEG-F  W_BMP  W_EMP RW  FY-F  WKM-X-F
                                                (PMRS)

91060000  0.000  1.132  C    1      1 CRACKING  7.0  6.0*  6.0*  4.5*  4.5*  4.5*  4.5* 10.0 10.0 10.0 10.0 9.5  9.5
710      2    45  15100 RIDE    8.1  8.1  7.8  6.9  6.7  6.2  6.7  8.0  7.9  7.7  7.5  7.6  7.6
SR-70/BEG AT PHY GOR( 0.0R)
1968632  0.000  1.082  C 2006 0012 CRACKING  9.0  9.0  9.0  9.0  8.0  7.0  7.0  6.0* 5.5* 5.5* 5.5* 5.5* 5.5* 3.0*
DICKERSON FLORIDA INC. (2008) FC125 RIDE    7.5  7.5  7.5  7.4  7.5  7.4  7.3  7.2  7.3  6.9  7.2  7.2  6.9  6.6
4511061  0.031  1.132  C 2027 0226
-----

```

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

```

----- DISTRICT = 1          CONTRACTOR = E. T. MACKENZIE OF FLORIDA, -----
RDWYID      BMP      EMP RW SYSTEM TYPE DISTRESS SURVEYED YEAR          FUTURE
SR  US  G_BMP  G_EMP LN SPEED  AADT RATINGS  2001  2002  2003  2004  2005  2006  2007  2008  2009  2010  2011  2012  2013
INTERSECT AT (MP|SIDE) %T =====
ITMSEG-P   W_BMP  W_EMP RW  FY-P  WKMX-P
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE          2014  2015  2016  2017  2018  2019  2020  2021  2022  2023  2024  2025  2026  2031
ITMSEG-F   W_BMP  W_EMP RW  FY-F  WKMX-F                                     (PMRS)

12011000   3.000  4.137  L    1      1 CRACKING 10.0   9.5   9.5   9.5   9.5   9.5   9.5   6.5   6.5           10.0  10.0  10.0
739        3    45  29000 RIDE    7.7   7.5   7.4   6.7   6.8   6.4   6.2   5.9   5.8           8.7   8.6   8.4
SIX MILE CYPRES PKWY( 3.0L) 6.6
4080401    3.000  4.257  L  2009  0213 CRACKING 10.0  10.0  10.0  10.0  10.0  10.0  10.0  8.5  8.5  8.5  8.5  7.3  7.5  5.5*
E. T. MACKENZIE OF FLORIDA(2011) FC125 RIDE    8.5  8.5  8.2  8.2  8.1  8.1  7.9  7.9  7.9  7.8  7.8  7.9  7.8  7.5
-----

```

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = ELMO GREER & SONS, LLC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	-P	*****														
ITMSEG-P	(AGE_ONE	YEAR)		SURF_TYPE				2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(PMRS)
91020000	6.040	6.779	C	1	1	CRACKING		6.0*	6.0*	6.0*	6.0*	6.0*	4.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
15 441			2	60	10400	RIDE		8.1	8.0	7.7	7.1	7.0	6.3*	8.6	8.6	8.6	8.5	8.5	8.5	8.4	
SIDE ROAD(6.1R)				24.2																
4126431	5.732	11.099	C	2005	0012	CRACKING		9.5	9.5	9.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	5.9*	4.6*	2.0*
ELMO GREER & SONS, LLC				(2007)	FC125	RIDE		8.3	8.3	8.2	8.2	8.1	8.1	8.1	8.0	8.0	8.0	8.0	8.0	7.4	7.1
4489741	3.280	11.066	C	2025	0226																
91020000	10.679	11.100	C	1	1	CRACKING		6.0*	6.0*	6.0*	6.0*	6.0*	4.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
15 441			2	60	10400	RIDE		8.1	8.0	7.7	7.1	7.0	6.3*	8.6	8.6	8.6	8.5	8.5	8.5	8.4	
NE 120TH ST(10.7R)					24.2																
4126431	5.732	11.099	C	2005	0012	CRACKING		9.5	9.5	9.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	5.9*	6.5	4.0*
ELMO GREER & SONS, LLC				(2007)	FC125	RIDE		8.3	8.3	8.2	8.2	8.1	8.1	8.1	8.0	8.0	8.0	8.0	8.0	8.0	7.7
4489741	3.280	11.066	C	2025	0226																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = FLORIDA STATE UNDERGROUND, I -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
12004000	1.145	2.997	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
865				2	45	23500	RIDE	8.2	8.1	7.8	7.9	7.7	7.6	7.2	7.1	7.1	6.8	7.0	6.8	6.9	
HOME AVE	R(2.0R)					4.1															
1956311	0.659	2.773	C	1994	0005	CRACKING	9.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	7.0	7.0	7.0	7.5	7.5	8.0	5.0*
FLORIDA STATE UNDERGROUND, (1998)						FC3	RIDE	6.6	6.6	6.5	6.6	6.6	6.5	6.7	6.6	6.7	6.5	6.9	6.7	7.0	6.7
4507271	1.051	2.998	C	2028	0226																
12004000	1.145	2.997	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
865				2	45	23500	RIDE	8.2	8.5	8.1	7.6	7.8	7.8	7.6	7.5	7.4	7.0	7.2	6.8	7.0	
BOARDWALK CAPER #3	L(1.3L)					4.1															
1956311	0.659	2.773	C	1994	0005	CRACKING	9.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.7	8.5	5.5*
FLORIDA STATE UNDERGROUND, (1998)						FC3	RIDE	6.5	6.7	6.6	6.5	6.4	6.4	6.5	6.4	6.4	6.4	6.1	6.3	6.8	6.5
4507271	1.051	2.998	C	2028	0226																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = FREDERICK DERR & COMPANY, IN -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2013		
INTERSECT AT (MP SIDE)							=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																	
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																	
13040000	3.250	3.974	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.5	7.0	7.0	7.0			
684			2	45	30333	RIDE	8.5	8.2	8.4	8.1	7.9	7.9	7.8	7.7	7.8	7.6	7.7	7.7	7.6				
PALMA SOLA BLVD(3.3L)							4.6																
1959821	2.536	3.946	C	1993	0213	CRACKING	7.0	7.0	7.0	7.0	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.0*	4.0*	4.0*	4.0*	0.5*		
FREDERICK DERR & COMPANY, (1996) FC4							RIDE																
4450441	3.243	6.722	C	2026	0012		7.5	7.5	7.6	7.6	7.6	7.4	7.4	7.4	7.1	7.3	7.4	7.3	7.1	6.8			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = FREEDOM PIPELINE CORP -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
04020000	15.780	16.693	R	1	1	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
35 17			2	45	13600	RIDE	8.1	7.7	8.4	7.9	8.1	7.7	7.8	8.0	7.7	7.9	7.9	8.0	7.8			
BEGIN EXCEPTION(16.7C)							26.7															
1939061	16.112	16.858	C	2001	0213	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.1	6.9	4.0*		
FREEDOM PIPELINE CORP				(2003)	FC125	RIDE	7.7	7.4	7.2	7.3	7.4	7.4	7.3	7.2	7.3	7.3	7.4	7.3	7.3	7.0		
04020000	15.780	16.693	L	1	1	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		
35 17			2	45	13600	RIDE	8.1	7.7	7.9	7.8	7.8	7.9	7.7	7.9	7.6	7.1	7.7	7.9	7.8			
DESOTO AVE N(15.8L)							26.7															
1939061	16.112	16.858	C	2001	0213	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	6.7	4.0*		
FREEDOM PIPELINE CORP				(2003)	FC125	RIDE	7.8	7.9	7.1	7.1	7.1	7.0	7.0	7.1	7.0	7.0	7.1	7.0	7.0	6.7		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = GATOR ASPHALT CO -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	AADT	RATINGS	SURVEYED YEAR											FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP	W_BMP	W_EMP	RW	FY-P	WKM	ADT	*****		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	ADT	*****															(PMRS)
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	ADT	*****															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	ADT	*****															
01060000	9.230	10.428	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
776			2	45	34500	RIDE	8.7	8.5	8.6	8.1	8.1	8.0	7.9	8.1	8.2	8.2	8.1	7.9	7.9			
GREAZA ST(9.5R)																						
1937861	9.239	10.177	C	1994	0005	CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	8.3	5.0*
GATOR ASPHALT CO				(1998)	FC3	RIDE	7.8	7.8	7.7	7.7	7.6	7.5	7.5	7.6	7.5	7.5	7.5	7.4	7.5	7.2		
4511051	9.322	10.385	R	2027	0012																	

13040000	8.015	8.440	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
684 41			2	35	42000	RIDE	8.2	8.2	8.2	7.8	7.7	7.8	7.6	7.4	7.5	7.5	7.5	7.5	7.7	7.4		
CORTEZ(8.5R)																						
1960761	6.843	8.566	C	1994	0012	CRACKING	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.6	6.5	3.0*
GATOR ASPHALT CO				(1996)	FC3	RIDE	7.5	7.6	7.3	7.5	7.4	7.4	7.4	7.4	7.3	7.4	7.2	7.1	7.3	7.2	6.9	
4510221	6.722	8.574	C	2029	0012																	

13040000	8.440	8.574	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
684			1	35	8500	RIDE	7.9	8.1	8.0	7.7	7.7	7.8	7.3	7.5	7.4	7.6						
CORTEZ(8.5R)																						
1960761	6.843	8.566	C	1994	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.7	8.3	5.0*	5.1*
GATOR ASPHALT CO				(1996)	FC3	RIDE																
4510221	6.722	8.574	C	2029	0012																	

13040000	8.015	8.440	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
684 41			2	35	42000	RIDE	7.9	8.1	8.0	7.7	7.7	7.8	7.3	7.5	7.4	7.6	7.7	7.7	7.7	7.6		
CORTEZ RD(8.4L)																						
1960761	6.843	8.566	C	1994	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.0	7.0	7.0	7.3	7.4	4.0*	6.8
GATOR ASPHALT CO				(1996)	FC3	RIDE	7.6	7.5	7.3	7.3	7.1	7.0	7.3	7.0	7.1	6.8	6.9	6.8	7.1	6.8		
4510221	6.722	8.574	C	2029	0012																	

17050000	0.000	1.251	R	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
776			2	45	24500	RIDE	8.8	8.7	8.3	8.0	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.6	7.5		
HORTON AVE(0.1R)																						
1979401	0.000	1.262	C	1994	0005	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.8	4.5*	6.9
GATOR ASPHALT CO				(1998)	FC3	RIDE	7.6	7.6	7.5	7.6	7.6	7.4	7.4	7.2	7.3	7.2	7.2	7.2	7.2	7.2	6.9	
4510141	0.000	8.140	C	2026	0226																	

17050000	0.000	1.256	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
776			2	45	24500	RIDE	8.8	8.8	8.6	8.2	8.2	8.2	8.2	8.1	7.7	8.0	7.9	7.8	7.7			
MC CALL RD(0.1L)																						
1979401	0.000	1.262	C	1994	0005	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	4.0*
GATOR ASPHALT CO				(1998)	FC3	RIDE	7.6	7.1	7.1	7.4	7.5	7.4	7.2	7.1	7.2	7.0	7.1	7.1	7.1	7.1	7.1	6.8
4510141	0.000	8.140	C	2026	0226																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = GATOR ASPHALT COMPANY -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP	(SIDE)	=====																				
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE				2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
13010000	8.878	9.498	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5		
45	B41			4	30	32000	RIDE	8.2	7.7	7.7	7.3	7.0	6.9	6.9	6.8	7.2	6.7	6.6	6.6	6.6		
THIRD ST(8.9R)																						
1959771	9.022	9.483	C	1998	0004	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.4	9.5	6.5	
GATOR ASPHALT COMPANY				(2000)	FC3	RIDE	6.6	6.9	7.0	6.8	6.9	6.8	6.5	6.7	6.6	6.2	6.2	6.5	6.4	6.1		
4562371	8.878	9.498	C	2029	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = GATOR ASPHALT PAVING INC -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS															
INTERSECT AT (MP	W_BMP	W_EMP	RW	FY-P	WKM--P	%T	=====															
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																	
04060000	4.564	10.991	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
72			2	60	7200	RIDE	8.6	8.4	8.6	8.2	8.2	8.0	8.1	6.9	7.5	7.9	7.7	7.7	7.6			
BARROW AVE (5.4L)																						
1938851	0.000	10.977	C	1999	0221	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.4*	2.5*
GATOR ASPHALT PAVING INC				(2001)	FC3	RIDE	7.5	7.6	7.1	7.6	7.7	7.6	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.2
4512641	4.564	10.312	C	2028	0226																	

13130000	3.038	5.819	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5
55 41			2	50	39000	RIDE	8.9	8.8	8.6	8.2	8.2	8.1	8.1	8.2	8.2	8.2	8.2	8.1	8.0	8.1		
1 ST E (3.4R)																						
1961261	3.038	6.061	C	1998	0012	CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	6.5	6.5	6.0*	6.0*	6.0*	6.4*	3.5*	
GATOR ASPHALT PAVING INC				(2001)	FC3	RIDE	8.1	8.1	8.0	8.0	8.0	7.9	8.0	7.8	7.8	7.7	7.8	7.7	7.8	7.7	7.6	7.3
4473791	1.661	6.000	C	2025	0012																	

13130000	3.038	5.819	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
55 41			2	50	39000	RIDE	8.9	8.9	8.7	8.2	8.3	8.3	8.2	7.8	8.2	8.2	8.2	8.2	8.1	8.0	8.1	
CR 55 (3.8L)																						
1961261	3.038	6.061	C	1998	0012	CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	3.0*
GATOR ASPHALT PAVING INC				(2001)	FC3	RIDE	8.1	7.7	8.0	8.0	7.9	8.0	8.0	8.0	8.0	7.8	7.9	7.8	7.8	7.8	7.8	7.5
4473791	1.661	6.000	C	2025	0012																	

17070000	21.221	24.220	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
72			2	60	3600	RIDE	8.9	8.8	8.6	8.4	8.4	8.3	8.2	8.0	7.8	7.6	7.5	7.4	7.0			
15.0																						
1980131	21.273	24.280	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.8	5.0*
GATOR ASPHALT PAVING INC				(2001)	FC3	RIDE	7.1	6.6	7.3	7.2	7.3	7.5	7.3	7.2	7.1	6.9	7.1	7.2	7.2	7.2	6.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = GENERAL ASPHALT CO., INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)		%		=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE							2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(PMRS)	
03010000	33.514	33.858	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	4.5*	4.5*	4.5*		
90 41			2	60	3900	RIDE	9.0	8.9	8.8	8.2	8.3	8.0	7.9	7.7	8.1	7.5	7.4	7.3	7.2		
17.5																					
4314221	33.514	33.925	C	2015	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
GENERAL ASPHALT CO., INC. (2017) FC125 RIDE							7.0	6.8	7.6	8.1	8.0	8.2	7.9	8.0	7.9	7.8	7.8	7.9	7.6	7.3	
17.5																					
03010000	33.858	34.086	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0		
90 41			2	60	3900	RIDE	8.4	8.3	8.1	7.9	8.0	7.8	7.9	7.5	8.0	7.7	7.6	7.5	7.4		
17.5																					
NEWPORT DR(34.1R)																					
4314221	33.925	34.155	C	2015	0012	CRACKING	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
GENERAL ASPHALT CO., INC. (2017) FC125 RIDE							7.0	7.2	7.2	7.6	7.4	7.3	7.0	7.0	6.9	6.8	6.5	6.5	6.4*	6.1*	
17.5																					
03010000	34.086	34.539	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0		
90 41			1	60	3900	RIDE	8.4	8.3	8.1	7.9	8.0	7.8	7.9	7.5	8.0	7.7	7.6	7.5	7.4		
17.5																					
NEWPORT DR(34.1R)																					
4314221	34.155	34.498	C	2015	0012	CRACKING	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
GENERAL ASPHALT CO., INC. (2017) FC125 RIDE							7.0	7.2	7.2	7.6	7.4	7.3	7.0	7.0	6.9	6.8	6.5	6.5	6.7	6.4*	
17.5																					
03010000	33.858	34.539	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5		
90 41			2	60	3900	RIDE	8.8	8.8	8.7	8.2	8.3	8.0	8.1	7.8	7.8	8.0	7.8	7.5	7.4		
17.5																					
PORT OF THE ISLANDS RD(34.4L)																					
4314221	34.155	34.498	C	2015	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.5	8.0
GENERAL ASPHALT CO., INC. (2017) FC125 RIDE							7.5	7.3	7.5	8.0	7.8	7.8	7.7	7.5	7.5	7.3	7.3	7.2	7.2	7.2	6.9
17.5																					
03175000	54.126	63.676	R	4	1	CRACKING	9.0	9.0	8.0	7.0	6.5	6.5	6.5	3.5*		10.0	10.0	10.0			
93 I75	104.9	114.4	3	70	98123	RIDE	8.9	8.8	8.6	7.7	7.8	7.5	7.5	7.8		8.5	8.4	8.5			
9.4																					
LEE COUNTY LINE(63.7C)																					
4475561	54.140	63.676	R	2024	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	10.0	9.4	8.5	
GENERAL ASPHALT CO., INC. (2025) FC5M RIDE							8.4	8.3	8.7	8.6	8.6	8.5	8.7	8.7	8.7	8.6	8.6	8.3	8.1	8.0	
9.4																					
LEE COUNTY LINE(63.7C)																					
4475561	54.140	63.676	L	2024	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	9.0	
GENERAL ASPHALT CO., INC. (2025) FC5M RIDE							8.3	8.3	8.8	8.8	8.8	8.7	8.9	9.0	9.0	8.9	8.8	8.4	8.5	8.4	
9.4																					
LEE COUNTY LINE(63.7C)																					
4525441	54.087	63.676	C	2027	0213																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = GLF CONSTRUCTION CORPORATION -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	RATINGS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P WKMX-P		=====													
		(AGE_ONE YEAR)		SURF_TYPE		FY-F WKMX-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
																					(PMRS)
16100000	0.420	1.711	R	1	4	CRACKING	5.4*	6.1*	5.5*	4.2*	2.6*	0.7*	0.7*	6.6	6.3*	5.8*	6.2*	6.6	6.2*		
546			2	55	20232	RIDE	7.2	7.2	7.1	6.5	6.1*	6.0*	6.4*	7.8	7.7	7.8	7.1	7.2	6.5		
LONE PALM DR(0.9R)																					
4347621	0.705	1.711	C	2016	0217	CRACKING	6.2*	5.8*	5.5*			9.3	9.4	9.5	9.2	9.2	9.2	9.5	9.4	9.0	
GLF CONSTRUCTION		CORPORATI		(2019)	LDG	RIDE	6.5	6.7	7.4			8.4	8.5	8.6	8.5	8.5	8.5	8.5	8.6	8.5	

16100000	0.420	1.711	L	1	4	CRACKING	5.2*	5.9*	5.3*	4.8*	4.2*	3.3*	3.1*	7.6	7.5	7.0	6.9	7.3	6.5		
546			2	55	20232	RIDE	7.1	7.1	6.9	6.3*	6.6	6.3*	6.8	8.0	8.2	8.1	7.7	7.8	7.6		
CRUTCHFIELD RD(0.7L)																					
4347621	0.705	1.711	C	2016	0217	CRACKING	6.4*	6.1*	6.2*			9.3	9.4	9.5	9.4	9.4	9.3	9.3	9.3	9.0	
GLF CONSTRUCTION		CORPORATI		(2019)	LDG	RIDE	7.2	6.9	7.6			8.4	8.4	8.4	8.3	8.4	8.4	8.3	8.3	8.2	

17020000	0.000	0.585	R	1	1	CRACKING	9.5	9.5				10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0		
45	B41		2	40	20000	RIDE	8.4	7.2				7.4	7.0	7.0	7.1	7.2	7.3	7.1	7.0		
CR 772 VENICE AVE(0.0R)																					
1980051	0.000	0.685	C	2000	0002	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	6.0*	6.0*	5.8*	5.2*	2.5*	
GLF CONSTRUCTION		CORPORATI		(2006)	DGFC	RIDE	6.9	7.1	5.9	5.5	5.6	6.0	6.1	5.8	5.7	5.5	5.7	5.7	5.7	5.4*	
4527811	0.000	0.585	C	2029	0226																

17020000	0.000	0.585	L	1	1	CRACKING	9.5	9.5				10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		
45	B41		2	40	20000	RIDE	8.4	7.2				7.6	7.0	7.0	7.4	7.0	6.9	7.2	6.9		
CR 772(0.0C)																					
1980051	0.000	0.685	C	2000	0002	CRACKING	9.5	9.5	9.5	9.5	9.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	4.9*	4.7*	2.0*	
GLF CONSTRUCTION		CORPORATI		(2006)	DGFC	RIDE	6.7	6.8	5.5	5.5	5.9	5.3*	5.6	5.9	5.7	5.7	5.7	5.9	5.9	5.6	
4527811	0.000	0.585	C	2029	0226																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = GOSALIA CONCRETE CONSTRUCTOR -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
16320000	0.000	0.189	R	4	7	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.3	9.3	9.4	9.4	
400 I4	25.2	25.4	4	70	147000	RIDE	8.1	8.2	8.0	7.7	7.7	7.4	7.7	7.4	7.1	6.9	7.0	7.7	7.6		
COUNTY LINE RD(0.0C)																					
					14.9																
4463471	0.000	0.768	R	2023	0012	CRACKING	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.3	9.1	9.3	9.2	9.3	10.0	9.0	
GOSALIA	CONCRETE	CONSTRUCT	(2026)	FC5M	RIDE		7.3	7.3	7.3	7.3	7.2	7.2	7.2	7.1	7.2	7.5	7.4	7.2	8.4	8.3	
16320000	2.197	2.592	R	4	1	CRACKING	10.0	10.0	10.0	9.0				7.5	6.5	3.5*	3.5*	10.0	10.0	10.0	
400 I4	27.4	27.8	3	70	120500	RIDE	8.6	8.5	8.5	7.7				7.7	7.5	7.2	7.8	8.1	8.0	8.0	
COUNTY LINE RD(0.0C)																					
					13.2																
4463471	0.768	2.556	R	2023	0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	7.5	7.5	10.0	10.0	9.0	
GOSALIA	CONCRETE	CONSTRUCT	(2025)	FC5M	RIDE		8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.5	8.6	8.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = GUYMANN CONSTRUCTION OF FLOR -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
01010000	22.167	25.946	R	1	1	CRACKING	8.5	8.5	8.5	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
45 41			3	55	38000	RIDE	8.0	7.9	7.9	7.1	6.9	7.5	7.5	7.6	7.6	7.6	7.6	7.6	7.5	7.5	
PAULSON DR(22.3R)																					
4227102	22.325	25.946	C	2015	0218	CRACKING	7.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0
GUYMANN	CONSTRUCTION	OF	FL(2019)	FC5M	RIDE		7.4	7.3				8.4	8.5	8.5	8.5	8.5	8.5	8.2	8.4	8.4	8.2

01010000	22.167	25.946	L	1	1	CRACKING	7.5	7.5	7.5	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
45 41			3	55	38000	RIDE	8.4	8.2	8.2	7.8	7.6	7.5	7.7	7.7	7.7	7.7	7.8	7.6	7.6	7.4	
ENTERPRISE DR(22.3L)																					
4227102	22.325	25.946	C	2015	0218	CRACKING	7.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.0	7.0
GUYMANN	CONSTRUCTION	OF	FL(2019)	FC5M	RIDE		7.5	7.3				8.4	8.5	8.4	8.4	8.4	8.4	8.5	8.4	8.4	8.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = HARPER BROS CONSTRUCTION INC -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP	W_BMP	W_EMP	RW	FY-P	WKM--P	%T	=====													2031
ITMSEG-P	(AGE_ONE	YEAR)	RW	SRF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)
CONTRACTOR	ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F														
12040000	0.000	2.657	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	9.0	
867			2	45	28000	RIDE	9.0	8.9	8.7	8.4	8.4	8.3	8.3	8.2	8.3	8.2	7.9	8.1	8.0	
GLADIOLUS DR(0.0C)																				
1956641	0.000	2.434	C	1998	0213	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	3.0*
HARPER BROS CONSTRUCTION			I(2001)	FC3		RIDE	7.7	7.6	7.8	7.8	7.8	7.6	7.8	7.6	7.6	7.5	7.4	7.4	7.5	7.2
4507281	0.000	5.075	C	2028	0226															

12040000	0.000	2.657	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0
867			2	45	28000	RIDE	9.0	8.8	8.7	8.5	8.5	8.5	8.3	8.2	8.4	8.3	8.1	8.1	8.0	
OLD MCGREGOR BLVD(0.0L)																				
1956641	0.000	2.434	C	1998	0213	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	3.0*
HARPER BROS CONSTRUCTION			I(2001)	FC3		RIDE	7.8	7.7	7.7	7.7	7.7	7.6	7.5	7.3	7.4	7.3	7.2	6.9	7.1	6.8
4507281	0.000	5.075	C	2028	0226															

12070000	0.889	2.715	R	1	1	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
82			2	45	40500	RIDE				8.4	8.4	8.5	7.9	8.5	8.3	8.2	8.2	8.2	8.1	
CRANFORD AVE(0.9C)																				
1956461	0.085	2.957	C	1999	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	8.0	8.5	8.3	5.5*
HARPER BROS CONSTRUCTION			I(2004)	FC3		RIDE	8.2	7.9	7.8	7.7	7.8	7.6	7.6	7.7	7.6	7.3	7.5	7.5	7.7	7.4

12070000	0.889	2.715	L	1	1	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
82			2	45	40500	RIDE				8.6	8.6	8.6	8.5	8.4	8.4	8.2	8.4	8.2	8.1	
CRANFORD AVE(0.9C)																				
1956461	0.085	2.957	C	1999	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.1	7.9	5.0*
HARPER BROS CONSTRUCTION			I(2004)	FC3		RIDE	8.0	8.0	8.0	7.9	7.9	7.8	7.9	7.8	7.8	7.7	7.7	7.7	7.8	7.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = HARPER BROTHERS -----																							
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013			
INTERSECT AT (MP SIDE)							=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																	
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE														2031						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(PMRS)			
07060000	15.910	16.944	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
29			2	45	5000	RIDE	8.0	7.5	8.0	7.6	7.6	7.4	7.4	7.2	6.7	7.5	7.4	7.3	7.2				
JAYCEE LION DR(16.2L)																							
1941921	15.927	16.939	C	1992	0542	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	7.5	8.5	8.2	4.5*			
HARPER BROTHERS																							
				(1994)	FC4	RIDE	7.1	6.0	7.0	7.0	6.9	7.1	6.9	7.0	6.9	7.1	7.0	7.0	6.9	6.6			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = HARPER BROTHERS INC -----																							
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031		
INTERSECT AT (MP SIDE)							*****																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																	
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																	
12001000	1.029	2.640	R	1	2	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	9.0			
739 B41			3	40	35500	RIDE	7.6	7.5	7.6	7.9	7.7	7.7	7.6	6.9	6.7	6.0	6.6	6.1	6.3				
E NORTH SHORE AVE(1.5R)							9.7																
1956161	1.279	2.674	C	1993	0005	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	0.0*		
HARPER BROTHERS INC							(1997)	DGFC	RIDE	6.7	6.7	6.7	6.7	6.7	6.4	6.6	6.7	6.5	6.4	6.3	5.8	5.5	
4462931	1.029	2.741	C	2024	0012																		
12001000	1.029	2.640	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5			
739 B41			3	40	35500	RIDE	7.5	7.6	7.3	7.1	7.2	7.3	7.0	7.0	6.7	6.8	6.8	6.8	6.8				
NORTH SHORE AVE W(1.3L)							9.7																
1956161	1.279	2.674	C	1993	0005	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	0.0*		
HARPER BROTHERS INC							(1997)	DGFC	RIDE	6.6	6.7	6.6	6.6	6.4	6.3	6.4	6.5	6.6	6.5	6.5	6.4	6.4	6.1
4462931	1.029	2.741	C	2024	0012																		
12014000	3.560	4.000	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
739 B41			3	35	24500	RIDE	6.9	7.4	6.8	6.1	5.4*	5.3*	4.9*	5.2*	5.2*	5.0*	5.3*	5.1*	4.7*				
THOMPSON ST(3.6C)							6.4																
1955961	3.524	4.000	C	1993	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	5.5*		
HARPER BROTHERS INC							(1997)	FC4	RIDE	5.0*	4.6*											5.6	5.3*
4562481	3.570	4.000	C	2029	0226																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@ " INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = HARTFORD INSURANCE GROUP -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(PMRS)	
16180000	11.534	12.925	R	1	1	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	
25 27				3	60	48000	RIDE	6.2*	8.8	8.8	8.3	8.3	8.3	8.5	8.4	8.4	8.4			8.2	
HUGHES RD(11.8R)																					
4110391	11.370	12.898	C	2010	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	5.5*	2.9*	0.5*
HARTFORD	INSURANCE	GROUP		(2013)	FC5M	RIDE	8.0	7.9	8.1	8.1	8.1	8.2	8.1	8.0	7.2	7.0	6.9	6.8	6.6	6.4*	

16180000	11.534	12.925	L	1	1	CRACKING	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0			10.0	
25 27				3	60	48000	RIDE	7.3	8.9	8.9	8.3	8.3	8.3	8.5	8.5	8.3	8.2			8.4	
SIMPSON LANE(11.7L)																					
4110391	11.370	12.898	C	2010	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	7.0	4.8*	2.5*
HARTFORD	INSURANCE	GROUP		(2013)	FC5M	RIDE	8.2	8.1	8.3	8.2	8.2	8.3	8.2	8.2	7.5	7.3	7.2	7.2	7.2	7.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = HUBBARD CONSTRUCTION CO. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(PMRS)
16020000	3.825	4.327	R	1	1	CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	7.0	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0
600 92			2	50	35500	RIDE	8.3	8.1	8.0	7.5	7.4	7.1	6.9	7.0	8.0	8.1	7.9	7.9	7.8		
FISH HATCHERY RD(4.0C)																					
4419831	3.784	4.327	C	2023	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	7.0	10.0	10.0	10.0	10.0	8.5
HUBBARD CONSTRUCTION CO.	(2024)			FC5M		RIDE	7.8	7.8	8.1	8.1	8.0	8.0	8.0	8.0	8.0	7.7	7.8	7.9	7.8	7.8	7.6

16020000	3.825	4.327	L	1	1	CRACKING	8.0	8.0	8.0	7.0	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
600 92			2	50	35500	RIDE	8.8	8.6	8.6	8.3	8.1	8.0	7.7	8.0	8.0	8.1	7.9	7.9	7.7		
THOMPSON RD(3.9L)																					
4419831	3.784	4.327	C	2023	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	8.5
HUBBARD CONSTRUCTION CO.	(2024)			FC5M		RIDE	7.7	7.7	8.1	8.1	7.9	8.0	8.1	7.9	8.0	8.0	8.0	8.2	8.1	8.1	7.9

16190000	0.000	2.128	C	1	1	CRACKING	5.5*	5.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	
674			2	60	2400	RIDE	8.4	7.9	7.8	7.2	7.9	7.9	8.1	8.1	8.1	8.2	8.1	8.0	8.0		
HILLSBOROUGH CO LINE(0.0C)																					
4474381	0.000	2.100	C	2023	0226	CRACKING	8.0	8.0	7.0	7.0	7.0	6.5	6.5	3.5*	3.5*		10.0	10.0	10.0	9.0	
HUBBARD CONSTRUCTION CO.	(2024)			FC125		RIDE	7.9	7.8	7.6	7.6	7.7	7.6	7.4	7.1	7.3		8.3	8.3	8.2	7.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = HUBBARD CONSTRUCTION COMPANY -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ADT	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT														
06030000	0.000	6.735	C	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
636			2	60	5100	RIDE	8.0	7.7	8.0	7.0	6.8		7.9	7.7	7.5	7.6	7.8	7.8	7.7	
SR 35(0.0C)					11.1															
4415181	0.006	6.732	C	2021	0012	CRACKING	9.5	9.5	8.0	7.0	6.0*	6.0*	6.0*	3.0*	3.0*	10.0	10.0	9.7	9.6	8.5
HUBBARD CONSTRUCTION COMPA(2023)					FC125	RIDE	7.5	7.1	6.6	7.4	7.4	7.2	7.0	6.6	6.8	8.1	8.0	7.9	7.8	7.5
09030000	0.242	2.672	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
25 27			3	55	34000	RIDE		8.9	9.0	8.6	8.6	8.6	8.6	8.6	8.7	8.3	8.5	8.7	8.6	8.6
LUNSFORD RD(1.1R)					10.4															
4394331	0.257	2.690	C	2021	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	10.0	10.0	10.0	10.0	8.5
HUBBARD CONSTRUCTION COMPA(2023)					FC5M	RIDE	8.5	8.3	8.3	8.5	8.5	8.4	8.4	8.4	8.4	8.6	8.6	8.6	8.6	8.4
09030000	0.242	2.672	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5
25 27			3	55	34000	RIDE		9.0	9.0	8.6	8.6	8.6	8.6	8.6	7.5	8.4	8.4	8.3	8.0	
GEORGE BLVD S L(0.5L)					10.4															
4394331	0.257	2.690	C	2021	0012	CRACKING	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	9.3	10.0	8.5
HUBBARD CONSTRUCTION COMPA(2023)					FC5M	RIDE	8.2	8.0	8.2	8.1	8.5	8.5	8.3	8.5	8.4	8.5	8.3	8.3	8.3	8.1
13020000	4.542	4.928	R	1	8	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
43 301			2	45	42500	RIDE	7.9	6.9		8.1	8.1	8.1	7.8	7.8	7.7	7.6	7.5	7.1	7.2	
60TH AVE E(4.5R)					5.1															
1960581	4.540	6.595	C	2001	0213	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*				
HUBBARD CONSTRUCTION COMPA(2004)					FC125	RIDE	7.2	6.5	7.3	7.2	7.2	7.1	7.0	7.0	6.9	6.3				
13020000	4.542	4.928	L	1	8	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	
43 301			2	45	42500	RIDE	6.9	6.2*		8.2	8.1	7.9	7.7	7.9	7.7	7.6	7.6	7.5	7.3	
19TH ST E(4.5L)					5.1															
1960581	4.540	6.595	C	2001	0213	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*				
HUBBARD CONSTRUCTION COMPA(2004)					FC125	RIDE	7.1	6.8	7.3	7.2	7.1	7.0	6.9	7.0	6.9	6.6				
13060000	19.376	23.274	C	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
62			2	60	5600	RIDE	8.9	8.9	8.8	8.3	8.4	8.3	8.3	8.2	8.2	8.2	8.2	8.1	8.1	
DUETTE RD(20.2R)					27.8															
4491181	19.376	23.215	C	2025	0226	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	9.0
HUBBARD CONSTRUCTION COMPA(2026)					FC125	RIDE	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.8	8.0
13070000	0.000	5.534	C	1	1	CRACKING	10.0	10.0	8.5	8.5	7.5	7.5	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	
37			2	60	2900	RIDE	8.5	8.3	8.3	7.8	7.7	7.5	7.5	7.7	7.6	7.4	8.4	8.3	8.3	
SR 62(0.0C)					32.0															
4473821	0.023	5.420	C	2024	0226	CRACKING	9.0	9.0	9.0	8.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	9.0
HUBBARD CONSTRUCTION COMPA(2025)					FC125	RIDE	8.1	7.8	7.6	7.5	7.4	7.4	7.1	6.9	6.8	6.9	6.7	8.4	8.4	8.1
16003001	6.776	8.484	R	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
563			2	45	43500	RIDE	8.9	8.7	8.7	8.3	8.1	8.0	8.1	8.0	7.9	7.8	7.9	7.4	7.4	
OAKBRIDGE PKWY(7.0R)					4.5															
4380271	6.708	8.458	R	2024	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.0	8.0	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	9.0
HUBBARD CONSTRUCTION COMPA(2026)					FC125	RIDE	7.6	7.7	7.6	7.6	7.7	7.6	7.6	7.6	7.7	7.7	7.7	7.7	7.6	7.9
16003001	6.776	8.484	L	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	
563			2	45	43500	RIDE	8.8	8.8	8.7	8.4	8.4	8.3	8.3	8.3	8.1	8.0	7.9	7.8	7.7	
SIDE ROAD(6.8L)					4.5															
4380271	6.804	8.458	L	2024	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	9.0
HUBBARD CONSTRUCTION COMPA(2026)					FC125	RIDE	7.7	7.7	7.8	7.7	7.9	7.7	7.6	7.6	7.7	7.5	7.6	7.5	7.9	7.6
16010000	2.469	2.903	C	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	
600 92			2	45	19800	RIDE	8.5	8.0	8.2	7.8	7.8	7.8	7.8	6.9	7.3	7.6	7.5	7.1	6.7	
HOLIDAY MHP(2.5L)					9.9															
4312061	2.469	4.042	C	2016	0012	CRACKING	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5
HUBBARD CONSTRUCTION COMPA(2018)					FC125	RIDE	6.6	6.6	6.8		8.1	8.0	8.0	7.9	7.8	7.9	8.0	7.9	8.1	7.8
4562521	2.469	5.309	C	2029	0012															
16010000	2.903	3.404	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	
600 92			1	45	19800	RIDE	8.5	8.0	8.2	8.2	8.0	8.0	8.1	8.0	8.1	8.0	8.0	8.0	7.8	7.5
HOLIDAY MHP(2.5L)					9.9															
4312061	2.469	4.042	C	2016	0012	CRACKING	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.4	6.0*
HUBBARD CONSTRUCTION COMPA(2018)					FC125	RIDE	7.8	7.7	7.4		8.1	8.0	8.0	7.9	7.8	7.9	8.0	7.9	7.9	7.6
4562521	2.469	5.309	C	2029	0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = HUBBARD CONSTRUCTION COMPANY -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR)	TYPE	(PMRS)																	
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
16010000	3.404	3.805	C	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*
600 92			2	45	19800	RIDE	8.5	8.0	8.2	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.6	7.1	7.2		
TWIN LAKE CIR W(3.6R) 9.9																					
4312061	2.469	4.042	C	2016	0012	CRACKING	6.0*	6.0*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.4	6.0*
HUBBARD	CONSTRUCTION	COMPA	(2018)	FC125	RIDE		6.9	7.0	7.1		8.1	8.0	8.0	7.9	7.8	7.9	8.0	7.9	8.0	7.9	8.0
4562521	2.469	5.309	C	2029	0012																
16010000	3.805	4.023	R	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*
600 92			2	45	19800	RIDE	8.5	8.0	8.2	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.6	7.1	7.2		
EDWARDS AVE(3.9R) 9.9																					
4312061	2.469	4.042	C	2016	0012	CRACKING	6.0*	6.0*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.0*
HUBBARD	CONSTRUCTION	COMPA	(2018)	FC125	RIDE		6.9	7.0	7.1		8.1	8.0	8.0	7.9	7.8	7.9	8.0	7.9	7.9	7.9	7.6
4562521	2.469	5.309	C	2029	0012																
16010000	4.023	4.402	R	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*
600 92			2	45	18400	RIDE	7.8	7.2	7.9	7.2	7.4	7.5	7.3	7.3	7.1	7.1	7.0	6.9	6.7		
WABASH AVE(4.1R) 6.0																					
4312061	4.042	5.132	C	2016	0012	CRACKING	6.0*	6.0*	4.5*		10.0	10.0	9.0	7.5	7.5	6.5	6.5	7.7	8.6	7.0	
HUBBARD	CONSTRUCTION	COMPA	(2018)	FC125	RIDE		6.4	6.2	6.0		6.7	6.4	6.2	6.1	6.2	6.3	6.3	6.4	6.0	5.7	
4562521	2.469	5.309	C	2029	0012																
16010000	4.402	5.337	C	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*
600 92			4	45	18400	RIDE	8.0	7.2	7.7	6.9	7.1	7.1	7.4	7.3	7.1	7.1	6.9	6.7			
BRITTANY NICOLE DR(4.4L) 6.0																					
4312061	4.042	5.132	C	2016	0012	CRACKING	6.0*	6.0*	4.5*		10.0	10.0	9.0	7.5	7.5	6.5	6.5	7.7	7.8	6.0*	6.0*
HUBBARD	CONSTRUCTION	COMPA	(2018)	FC125	RIDE		6.4	6.2	6.0		6.7	6.4	6.2	6.1	6.2	6.3	6.3	6.4	6.0	5.7	
4562521	2.469	5.309	C	2029	0012																
16020000	5.577	7.511	R	1	7	CRACKING	9.0	9.0	8.0	7.0	7.0	7.0	5.5*	5.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0
600 92			2	55	29000	RIDE	9.0	8.9	8.8	8.3	8.3	8.1	7.9	8.1	8.2	8.4	8.4	8.1	8.3		
OLD DIXIE HWY(6.3C) 9.9																					
4492331	5.577	7.511	C	2025	0226	CRACKING	10.0	10.0	9.0	9.0	9.0	8.0	8.0	4.5*	3.5*	1.0*	1.0*	1.0*	1.0*	10.0	9.0
HUBBARD	CONSTRUCTION	COMPA	(2026)	FC5M	RIDE		8.2	8.1	8.4	8.3	8.6	8.3	8.3	8.2	7.9	7.4	7.3	6.9	8.5	8.3	
16020000	5.577	7.511	L	1	7	CRACKING	9.5	8.0	8.0	7.0	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0
600 92			2	55	29000	RIDE	9.1	9.0	9.0	8.3	8.1	8.0	7.7	8.0	8.2	8.4	8.3	8.3	8.3		
SCHALAMAR CREEK ENT(5.6L) 9.9																					
4492331	5.577	7.511	C	2025	0226	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	4.5*	3.5*	1.0*	1.0*	1.0*	1.0*	10.0	9.0
HUBBARD	CONSTRUCTION	COMPA	(2026)	FC5M	RIDE		8.3	8.2	8.4	8.3	8.5	8.5	8.5	8.3	7.9	6.9	6.7	5.8*	8.4	8.2	
16030000	3.149	6.304	R	1	1	CRACKING	6.0*	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
35 17			2	65	14127	RIDE	8.8	8.6	8.6	7.6	7.4	8.0	8.2	8.2	8.2	8.1	8.1	8.0	8.0		
BERGQUIST RD(5.8R) 20.5																					
4451421	3.160	6.341	R	2022	0012	CRACKING	10.0	9.5	9.5	9.0	9.0	9.0	9.0	5.5*	4.5*	4.5*	10.0	10.0	10.0	8.5	8.5
HUBBARD	CONSTRUCTION	COMPA	(2024)	FC5M	RIDE		8.0	8.0	8.2	8.1	8.1	8.1	8.1	8.1	8.1	8.0	8.6	8.6	8.6	8.6	8.4
16030000	3.149	6.304	L	1	1	CRACKING	6.0*	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
35 17			2	65	14127	RIDE	8.6	8.4	7.8	6.7	6.2*	8.0	8.2	8.2	8.2	8.1	8.1	8.1	8.1		
OLD BOWLING GREEN RD(4.8L) 20.5																					
4451421	3.160	6.341	L	2022	0012	CRACKING	8.0	7.0	7.0	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	8.5
HUBBARD	CONSTRUCTION	COMPA	(2024)	FC5M	RIDE		7.9	7.9	8.0	7.9	8.0	7.8	8.0	7.9	7.8	7.6	8.4	8.4	8.4	8.4	8.2
16090000	27.121	27.746	R	1	1	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0
17 17			1	55	7500	RIDE	8.0	8.1	8.0	7.6	7.5	7.7	7.6	7.7	7.5	7.3	7.0	6.9	6.9		
LAKE TRASK RD(27.3R) 10.7																					
4415571	27.122	27.744	R	2022	0012	CRACKING	7.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*	0.0*	0.0*	10.0	10.0	10.0	10.0	9.0	9.0
HUBBARD	CONSTRUCTION	COMPA	(2023)	FC125	RIDE		6.6	6.6	6.6	6.6	6.5	6.5	6.9	6.6	6.3*	7.7	7.8	7.8	7.7	7.4	
16090000	27.746	28.074	C	1	1	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5
17 17			2	45	11400	RIDE	7.9	7.6		7.7	7.6	7.6	8.0	7.9	7.8	7.7	7.6	7.5			
RACE RD(27.8L) 7.2																					
4415571	27.833	28.020	C	2022	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0
HUBBARD	CONSTRUCTION	COMPA	(2023)	FC125	RIDE		7.5	7.4	7.3	7.2	7.2	7.1	7.1	7.1	7.3	7.7	7.8	7.8	7.7	7.4	
16100001	0.000	0.912	R	1	1	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	8.0	8.0	8.0
517 92			2	45	18000	RIDE	6.3*	6.2*	5.6*	5.1*	7.3	6.7	7.1	7.2	7.1	6.9	6.8	7.0	6.6		
SR600/G J BLVD(0.0R) 9.7																					
4415561	0.103	0.800	C	2022	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	10.0	10.0	9.2	9.7	8.5	8.5
HUBBARD	CONSTRUCTION	COMPA	(2023)	FC125	RIDE		6.3	6.1	6.2	6.0	6.1	5.9	5.6	5.6	5.6	7.5	7.3	7.1	7.1	6.8	6.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = HUBBARD CONSTRUCTION COMPANY -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKMX-F																
16100001	0.000	0.912	L	1	1	CRACKING	9.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	
517 92				2	45	18000	RIDE	7.0	6.9	6.8	6.4*	6.6	6.7	7.3	7.4	7.2	7.3	7.2	7.0	6.7	
G J BLVD(0.0L)																					
4415561	0.103	0.800	C	2022	0012	CRACKING	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0
HUBBARD	CONSTRUCTION	COMPA(2023)			FC125	RIDE	6.6	6.5	6.1	6.2	5.8	5.9	5.9	5.7	5.6	7.3	7.3	7.1	7.2	6.9	

16118000	0.000	0.400	R	1	1	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
540				2	40	19700	RIDE	6.6	6.4		7.5	7.3	7.5	7.4	7.6	7.4	7.2	7.3	7.2	7.3	
SR 35(0.0C)																					
4474341	0.017	0.346	R	2024	0012	CRACKING	9.0	8.5	8.5	8.5	8.5	7.5	7.5	6.0*	6.0*	5.5*	5.5*	10.0	10.0	9.0	9.0
HUBBARD	CONSTRUCTION	COMPA(2025)			FC125	RIDE	7.4	7.3	6.8	6.8	6.9	6.8	6.8	6.3	7.0	6.7	6.2	7.3	8.1	7.8	

16118000	0.400	0.841	R	1	1	CRACKING	3.5*	3.5*	5.5*	4.0*	4.0*	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
540				1	40	13400	RIDE	6.6	6.4	8.4	7.3	7.1	8.1	8.1	8.2	8.0	7.8	7.7	7.4	7.3	
ENT TO TRAVIS VOTECH(0.5R)																					
4474341	0.346	0.739	R	2024	0012	CRACKING	8.0	8.0	7.0	6.5	6.5	6.5	5.5*	3.0*	3.0*	3.0*	3.0*	10.0	10.0	9.0	9.0
HUBBARD	CONSTRUCTION	COMPA(2025)			FC125	RIDE	7.0	7.1	7.1	6.8	7.1	7.8	7.6	7.6	7.5	7.5	7.4	7.8	8.0	7.7	

16118000	0.841	3.428	C	1	1	CRACKING	5.5*	5.5*	5.5*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
540				2	60	13400	RIDE	8.6	8.4	8.4	7.3	7.1	8.2	8.4	8.4	8.4	8.3	8.3	8.2	8.2	
JACQUE LEE LN(2.2L)																					
4474341	0.739	3.424	C	2024	0012	CRACKING	9.0	8.5	8.5	8.0	8.0	6.5	5.5*	3.0*	3.0*	3.0*	3.0*	10.0	10.0	9.0	9.0
HUBBARD	CONSTRUCTION	COMPA(2025)			FC125	RIDE	8.0	8.0	7.8	7.8	7.8	7.8	7.6	7.6	7.5	7.5	7.4	8.2	8.3	8.0	

16118000	0.400	0.841	L	1	1	CRACKING	3.5*	3.5*	5.5*	4.0*	4.0*	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
540				1	40	13400	RIDE	6.6	6.4	8.4	7.3	7.1	8.1	8.1	8.2	8.0	7.8	7.7	7.4	7.3	
ENT TO TRAVIS-VOTECH(0.5L)																					
4474341	0.017	0.739	L	2024	0012	CRACKING	8.0	8.0	7.0	6.5	6.5	6.5	5.5*	3.0*	3.0*	3.0*	3.0*			10.0	9.0
HUBBARD	CONSTRUCTION	COMPA(2026)			FC125	RIDE	7.0	7.1	7.1	6.8	7.1	7.8	7.6	7.6	7.5	7.5	7.4			7.8	7.5

16118000	0.000	0.400	L	1	1	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
540				2	40	19700	RIDE	6.6	6.4		7.5	7.3	7.5	7.4	7.6	7.4	7.2	7.3	7.2	7.3	
SR 35(0.0C)																					
4474341	0.017	0.739	L	2024	0012	CRACKING	9.0	8.5	8.5	8.5	8.5	7.5	7.5	6.0*	6.0*	5.5*	5.5*			10.0	9.0
HUBBARD	CONSTRUCTION	COMPA(2026)			FC125	RIDE	7.4	7.3	6.8	6.8	6.9	6.8	6.8	6.3	7.0	6.7	6.2			8.0	7.7

16119000	3.883	4.414	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
540				2	60	35000	RIDE	9.1	9.1	9.0	8.5	8.3	8.5	8.4	8.6	8.4	8.2	8.3	8.1	8.0	
9.9																					
4394391	3.883	6.266	R	2020	0012	CRACKING	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0	8.5
HUBBARD	CONSTRUCTION	COMPA(2023)			FC5M	RIDE	7.9	7.8	7.8	8.0	8.0	6.5	6.5	7.9	7.8	7.6	7.9	8.4	8.4	8.5	8.3

16119000	4.414	5.155	R	1	8	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
540				2	60	35000	RIDE	9.1	9.1	9.0	8.5	8.3	8.5	8.4	8.6	8.4	8.2	8.3	8.1	8.0	
THORNHILL RD(5.2C)																					
4394391	3.883	6.266	R	2020	0012	CRACKING	8.5	8.5	8.5	8.5	6.5	6.5	6.5	3.5*	3.5*	10.0	10.0				
HUBBARD	CONSTRUCTION	COMPA(2023)			FC5M	RIDE	7.9	7.8	7.8	8.0	8.0	7.9	7.8	7.6	7.9	8.4	8.4				

16119000	5.155	6.215	R	1	1	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
540				2	60	27000	RIDE			8.8	8.3	8.4	8.2	8.3	8.3	8.1	8.1	8.1	8.0	7.9	
7.4																					
4394391	3.883	6.266	R	2020	0012	CRACKING	7.0	7.0	6.5	6.5	6.5	4.5*	3.5*	3.0*	3.0*	10.0	10.0	9.6	10.0	8.5	8.5
HUBBARD	CONSTRUCTION	COMPA(2023)			FC5M	RIDE	7.8	7.8	7.1	7.2	7.1	6.9	6.8	6.9	6.6	8.4	8.4	8.4	8.4	8.4	8.2

16119000	5.155	6.215	L	1	1	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
540				2	60	27000	RIDE			8.7	8.3	8.2	8.1	7.7	8.1	8.0	7.9	8.0	7.9	7.8	
JIM KEENE BLVD(5.9L)																					
4394391	3.883	6.266	L	2020	0012	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	3.5*	10.0	10.0	9.2	10.0	8.5	8.5
HUBBARD	CONSTRUCTION	COMPA(2023)			FC5M	RIDE	7.7	7.6	7.6	7.6	7.8	7.6	7.2	7.1	7.0	8.4	8.4	8.5	8.4	8.4	8.2

16119000	4.414	5.155	L	1	8	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
540				2	60	35000	RIDE	9.0	8.6	8.7	8.3	8.4	8.0	7.9	8.4	8.1	8.0	7.7	7.7	7.7	
TURNOUT(4.8L)																					
4394391	3.883	6.266	L	2020	0012	CRACKING	8.5	8.5	6.5	4.5*	3.5*	3.5*	3.5*	3.0*	3.0*	10.0	10.0				
HUBBARD	CONSTRUCTION	COMPA(2023)			FC5M	RIDE	7.4	7.1	7.1	7.2	7.9	7.9	7.8	7.7	7.6	8.4	8.4				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = HUBBARD CONSTRUCTION COMPANY -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	WKM-F	WKM-F															(PMRS)
CONTRACTOR																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
16119000	3.883	4.414	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
540			2	60	35000	RIDE	9.0	8.6	8.7	8.3	8.4	8.0	7.9	8.4	8.1	8.0	7.7	7.7	7.7	
4394391	3.883	6.266	L	2020	0012	CRACKING	8.5	8.5	6.5	4.5*	3.5*	3.5*	3.5*	3.0*	3.0*	10.0	10.0	10.0	10.0	8.5
HUBBARD CONSTRUCTION COMPA(2023)					FC5M	RIDE	7.4	7.1	7.1	7.2	7.9	7.9	7.8	7.7	7.6	8.4	8.4	8.3	8.3	8.1
16130000	12.660	18.634	R	1	1	CRACKING	1.5*	1.5*	1.5*		10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0	
60			2	65	14100	RIDE	7.4	7.1	7.1		7.7	7.7	7.8	8.0	8.0	7.9	7.7	7.7	7.5	
DELAND AVE(17.6R)					24.9															
4394371	12.642	18.370	R	2020	0012	CRACKING	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	9.0	8.9	7.5
HUBBARD CONSTRUCTION COMPA(2021)					FC5HP	RIDE	7.3	7.4	7.6	7.5	7.7	7.4	7.3	8.6	8.5	8.5	8.5	8.5	8.5	8.3
16130000	12.700	18.634	L	1	1	CRACKING	1.5*	1.5*	1.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0	
60			2	65	14100	RIDE	7.4	7.1	7.1		7.8	7.7	7.9	7.9	7.9	7.9	7.7	7.6	7.6	
SAM KEEN RD(13.8L)					24.9															
4394371	12.642	18.470	L	2020	0012	CRACKING	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	9.3	9.3	7.5
HUBBARD CONSTRUCTION COMPA(2021)					FC5HP	RIDE	7.4	7.2	7.3	7.1	7.3	7.1	7.1	8.4	8.3	8.4	8.4	8.4	8.4	8.2
16250000	25.767	26.175	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	
37			2	40	37000	RIDE	7.3	7.2	7.2	7.3	7.5	7.3	7.4	7.2	7.2	6.8	6.6	6.4	6.4	
IMPERIAL BLVD(25.8R)					2.3															
4394361	25.745	26.176	C	2021	0012	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	9.5	10.0	9.0
HUBBARD CONSTRUCTION COMPA(2025)					FC125	RIDE	6.3	6.3	6.6	6.5	6.6	6.7	6.2	6.6	6.8	7.1	7.0	6.9	6.9	6.6
16250000	25.660	26.175	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
37			2	40	37000	RIDE	8.3	8.1	8.0	7.8	7.8	7.8	8.0	7.9	7.8	7.8	7.7	7.3	7.5	
WALMART ENT(25.7L)					2.3															
4394361	25.745	26.176	C	2021	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.0*	6.0*	6.0*	9.5	8.0	7.0
HUBBARD CONSTRUCTION COMPA(2025)					FC125	RIDE	7.4	7.5	7.2	7.1	6.9	6.5	6.9	6.8	6.9	7.3	7.2	7.3	7.0	6.7
16300000	0.280	1.042	R	1	1	CRACKING	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
540			2	40	44500	RIDE	6.4*	6.8	6.6	7.2	7.2	6.8	7.3	7.3	7.3	7.4	7.2	7.3	7.1	
3RD ST SE(0.5R)					3.6															
1974631	0.023	0.998	C	2002	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.0	6.0*	6.0*	6.0*	6.0*	4.5*	2.0*
HUBBARD CONSTRUCTION COMPA(2004)					FC125	RIDE	7.2	6.9	6.3	6.2	6.6	6.3	6.3	5.8	6.4	6.4	6.2	6.2	6.3	6.0
4514851	0.243	1.042	C	2028	0226															
16300000	0.280	1.042	L	1	1	CRACKING	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	
540			2	40	44500	RIDE	7.7	7.6	7.6	7.0	6.8	6.9	7.2	7.1	7.1	7.1	6.7	6.9	6.6	
SECOND ST(0.3L)					3.6															
1974631	0.023	0.998	C	2002	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	5.5*	4.5*	2.0*
HUBBARD CONSTRUCTION COMPA(2004)					FC125	RIDE	6.5	6.3	5.8	6.4	6.3	6.0	6.1	5.7	6.0	5.9	5.9	6.2	5.9	5.6
4514851	0.243	1.042	C	2028	0226															
16590000	20.766	21.700	R	1	7	CRACKING														
559			2	45	25500	RIDE														
4492721	20.804	21.715	R	2025	0226	CRACKING								5.5*	5.5*	5.5*	5.5*	5.5*	10.0	9.0
HUBBARD CONSTRUCTION COMPA(2026)					FC125	RIDE								6.8	7.0	7.0	7.1	6.9	7.7	7.4
16590000	20.766	21.700	L	1	7	CRACKING														
559			2	45	25500	RIDE														
4492721	20.833	21.715	L	2025	0226	CRACKING								3.5*	3.5*	3.5*	3.5*	3.5*	10.0	9.0
HUBBARD CONSTRUCTION COMPA(2026)					FC125	RIDE								6.0	6.3	6.2	6.3	6.2	7.9	7.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = JOHNSON BROS. CORPORATION -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-P	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	SURF_TYPE																		(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
17010000	14.543	14.840	R	1	1	CRACKING	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	45	55500	RIDE	8.8	8.7	8.4			7.4	7.4	7.5	7.6	7.5	7.4	7.4	6.9	
SHAMROCK BLVD(14.7R) 2.8																				
1980261	14.661	16.621	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.7	7.7	4.5*
JOHNSON BROS. CORPORATION				(2006)	FC2	RIDE	7.1	7.1	7.0	6.7	7.1	6.3	6.4	6.5	6.2	6.3	7.0	6.9	6.6	6.4
17010000	14.840	16.569	R	1	1	CRACKING	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
45 B41			2	45	29500	RIDE	7.1	7.4	6.5	6.5		7.6	7.5	7.5	7.6	7.5	7.5	7.5	7.5	
SR 45A(14.9R) 2.5																				
1980261	14.661	16.621	C	2002	0213	CRACKING	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.2	5.5*
JOHNSON BROS. CORPORATION				(2006)	FC125	RIDE	7.3	7.2	6.9	7.0	6.9	6.9	6.8	6.8	6.7	6.6	6.7	6.3	6.4	6.1
4527811	15.230	17.155	C	2029	0226															
17010000	14.840	16.569	L	1	1	CRACKING	9.5	9.5	9.0	9.0		10.0	10.0	9.5	9.5	9.5	8.5	9.5	9.5	
45 B41			2	45	29500	RIDE	7.6	7.4	6.8	7.0		7.5	7.6	7.6	7.5	7.5	7.5	7.7	7.6	
WYE TO SR 45A(14.9C) 2.5																				
1980261	14.661	16.621	C	2002	0213	CRACKING	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.9	8.7	6.0*
JOHNSON BROS. CORPORATION				(2006)	FC125	RIDE	7.5	7.5	7.4	7.3	7.3	7.2	7.1	7.0	7.0	6.9	6.9	6.8	6.9	6.6
4527811	15.230	17.155	C	2029	0226															
17010000	14.543	14.840	L	1	1	CRACKING	10.0	10.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			3	45	55500	RIDE	8.5	8.6	7.9			7.9	7.9	7.4	8.0	7.9	7.8	7.3	7.1	
SHAMROCK AVE(14.7L) 2.8																				
1980261	14.661	16.621	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	9.1	8.4	5.0*
JOHNSON BROS. CORPORATION				(2006)	FC2	RIDE	7.6	7.6	6.7	6.9	6.9	6.9	6.9	7.0	6.7	6.8	7.2	6.6	6.6	6.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

```

----- DISTRICT = 1      CONTRACTOR = JONES BROS., INC. -----
RDWYID      BMP      EMP RW SYSTEM TYPE DISTRESS SURVEYED YEAR      FUTURE
SR  US  G_BMP  G_EMP LN SPEED  AADT RATINGS 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013
INTERSECT AT (MP|SIDE) %T =====
ITMSEG-P  W_BMP  W_EMP RW  FY-P  WKMX-P
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE      2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2031
ITMSEG-F  W_BMP  W_EMP RW  FY-F  WKMX-F                                     (PMRS)

16320000  2.565  6.248 L   4      1 CRACKING  8.2  8.3  8.0                10.0 10.0 10.0 10.0 10.0 10.0 10.0
400  I4    27.7  31.4 3   70 111000 RIDE    7.1  6.8  6.8                8.3  8.0  8.3  7.8  8.2  8.2  8.2
                                           15.2
2012172  2.576  5.605 C 2002 0218 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0  9.0  7.5  6.5  6.5  6.5  3.0*
JONES BROS., INC. (2007) FC5 RIDE    8.1  8.2  8.2  8.1  8.2  8.2  8.2  8.2  8.2  8.2  8.2  8.1  8.1  8.0
4463461  2.556  4.484@ C 2026 0012
-----

```

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = KAMMINGA & ROODVOETS, INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(PMRS)	
16020000	14.384	15.096	R	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5		10.0	10.0	
600 17				3	45	43000	RIDE	9.0	9.0	8.9	8.5	8.3	7.6	7.7	8.5	8.4	8.1		8.3	8.1	
SR 555/US 17(14.4R)							9.3														
1975931	14.384	15.079	C	2008	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.0*	6.0*	3.5*	3.5*	0.6*	0.0*	
KAMMINGA & ROODVOETS, INC (2012)							FC95R RIDE														
4514751	14.349	15.096	C	2028	0226		8.3	8.1	8.1	8.0	7.9	8.0	7.9	7.8	7.8	7.7	7.7	7.6	6.8	6.5	

16020000	14.384	15.096	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0		10.0	10.0	
600 17				3	45	43000	RIDE	8.6	8.5	8.3	8.1	8.0	7.9	7.4	7.9	7.9	7.8		8.5	8.2	
BUENA VISTA DR S(14.5L)							9.3														
1975931	14.384	15.079	C	2008	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	5.5*	5.5*	1.0*	0.0*	
KAMMINGA & ROODVOETS, INC (2012)							FC95R RIDE														
4514751	14.349	15.096	C	2028	0226		8.5	8.4	8.0	8.0	8.2	7.9	8.0	7.9	7.9	7.7	7.8	7.6	7.6	7.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

```

----- DISTRICT = 1          CONTRACTOR = KIEWIT INFRASTRUCTURE SOUTH -----
RDWYID      BMP      EMP RW SYSTEM TYPE DISTRESS SURVEYED YEAR          FUTURE
SR  US  G_BMP  G_EMP LN SPEED  AADT RATINGS  2001  2002  2003  2004  2005  2006  2007  2008  2009  2010  2011  2012  2013
INTERSECT AT (MP|SIDE) %T =====
ITMSEG-P  W_BMP  W_EMP RW  FY-P  WKMX-P
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE          2014  2015  2016  2017  2018  2019  2020  2021  2022  2023  2024  2025  2026  2031
ITMSEG-F  W_BMP  W_EMP RW  FY-F  WKMX-F                                     (PMRS)

16020000  22.460 22.811 C    1      4 CRACKING  3.4*  3.5*  3.0*  2.4*  1.8*  9.2  9.2  9.2  9.0  7.6  7.2  6.9  6.8
600 17      2    30 23000 RIDE     5.4*  5.0*  4.8*  4.4*  3.5*  5.7  6.8  6.7  6.0  5.1*
N 10TH ST(22.5L) 8.6
1976911  22.443 22.770 C  2004 0227 CRACKING  6.8  6.7  6.6  6.4*  6.3*  5.7*  5.7*  6.3*  6.8  6.3*  6.4*  5.9*  5.9*  5.0*
KIEWIT INFRASTRUCTURE SOUT(2006) LDG RIDE          5.7  5.6
    
```

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = LANE CONSTRUCTION CORPORATIO -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	*****	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE	YEAR)	YEAR)	SURF_TYPE	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	FC	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
06010000	20.145	21.500	C	1	1	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	8.5	
35 17			4	40	19400	RIDE	7.6	7.4	7.1	6.6	6.5	6.0	5.7			7.1	8.2	8.2	8.1	7.9	
BROWARD ST(20.2R)																					
4172491	20.140	21.500	C	2007	0012	CRACKING	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.0*	5.0*	5.0*	4.9*	4.8*	2.5*
LANE CONSTRUCTION					FC95M	RIDE	7.8	7.3	7.3	7.6	7.5	7.4	7.2	7.1	6.9	6.7	6.5	6.6	6.4	6.1	
4462041	15.890	21.500	C	2027	0226																
06020000	3.317	14.280	C	1	1	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
62			2	60	6000	RIDE	7.8	7.2	7.3	6.7	6.4*	5.7*	5.6*	8.2	8.1	8.2	8.2	8.2	8.1	8.1	
BUELL LN(4.6L)																					
1940372	3.317	14.136	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.0	7.0	7.0	7.0	6.6	4.0*
LANE CONSTRUCTION					FC125	RIDE	7.9	7.5	7.7	8.1	8.1	8.1	8.0	7.9	7.9	7.8	7.8	7.8	7.9	7.9	7.6
09030001	0.000	0.435	C	1	1	CRACKING	10.0	10.0	10.0	10.0	7.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	8.0	8.0	
17			2	35	15500	RIDE	8.5	7.8	8.5	8.0	6.0	7.5	7.1	7.5	6.7	6.6	7.0	7.0	6.9	6.9	
LAKEVIEW DR(0.0C)																					
1944252	0.073	0.426	C	2016	0012	CRACKING	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	9.0	7.5
LANE CONSTRUCTION					FC4	RIDE	6.7	6.4	6.1	5.7	7.8	7.6	7.6	7.6	7.4	7.4	7.4	7.4	6.8	7.3	7.0
4566161	0.000	1.038	C	2029	0012																
16003001	8.484	10.000	R	1	1	CRACKING	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	
563			2	45	28500	RIDE	8.4	8.0	7.9	7.0	7.0	6.9	7.3	6.9	8.2	8.3	8.1	7.9	7.8	7.8	
ARIANA ST(8.6C)																					
1973162	8.484	9.973	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.0	7.6	5.5*
LANE CONSTRUCTION					FC4	RIDE	7.8	7.9	7.9	7.9	7.9	7.7	7.6	7.8	7.8	7.8	7.7	7.7	7.7	7.6	7.3
16003001	8.484	10.000	L	1	1	CRACKING	10.0	9.5	9.5	9.5	8.0	7.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	
563			2	45	28500	RIDE	7.8	7.7	7.6	6.7	6.6	6.3	6.9	6.9	6.7	8.2	8.1	7.9	7.8	7.7	
ARIANA ST(8.6C)																					
1973162	8.484	9.973	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.3	8.0	5.5*
LANE CONSTRUCTION					FC4	RIDE	7.8	7.6	7.6	7.6	7.5	7.4	7.4	7.3	7.3	7.4	7.3	7.3	7.3	7.1	6.8
16011000	0.000	0.655	C	1	1	CRACKING	4.0*	3.5*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
572			2	45	13500	RIDE	7.1	6.8	6.1*		8.1	7.4	8.2	8.2	8.2	8.2	7.8	7.7	7.3	7.5	
LAKELAND CITY LIMITS(0.0C)																					
1973302	0.004	0.638	C	2003	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	5.7*	3.0*
LANE CONSTRUCTION					DGFC	RIDE	7.6	7.4	6.9	6.8	7.1	6.7	7.1	6.5	6.2	6.3	6.1	6.0	6.3	6.0	
4508731	0.030	0.651	C	2028	0226																
16011000	3.390	3.753	C	1	1	CRACKING	4.0*	4.0*	1.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
572			2	50	17200	RIDE	7.8	7.1	7.3		8.2	8.1	8.4	8.4	8.3	8.3	8.3	8.3	7.8	8.0	
AIRPORT PERIMETER RD E(3.5R)																					
1973302	3.401	3.724	C	2003	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	3.5*
LANE CONSTRUCTION					FC125	RIDE	8.0	8.0	7.8	7.8	7.8	7.4	7.3	7.2	7.3	7.2	7.2	7.2	7.3	7.7	7.4
4380131	2.724	4.674	C	2024	0012																
16011000	4.179	4.684	C	1	1	CRACKING	4.0*	4.0*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	
572			2	50	8600	RIDE	8.1	8.0	7.9		7.7	7.7	7.9	8.0	7.9	7.7	7.6	7.8	7.7	7.7	
WINCHESTER RD(4.2R)																					
1973302	4.040	4.699	C	2003	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.7*	2.0*
LANE CONSTRUCTION					FC125	RIDE	7.3	7.2	7.2	7.2	7.3	7.4	7.3	7.2	7.3	7.2	7.2	7.2	7.3	6.8	6.5
4380131	2.724	4.674	C	2024	0012																
16020000	3.148	3.825	R	1	1	CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
600 92			2	50	35500	RIDE	8.3	8.1	8.0	7.5	7.4	7.1	6.9	7.0	8.0	8.1	7.9	7.9	7.9	7.8	
COMBEE RD(3.2C)																					
1972592	3.300	5.152	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	7.0	7.0	6.5	6.9	4.0*
LANE CONSTRUCTION					FC5M	RIDE	7.8	7.8	8.1	8.1	8.0	8.0	8.0	8.0	8.0	8.0	7.7	7.5	7.5	4.8*	4.6*
16020000	7.511	7.907	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5	6.5	6.5	
600 92			2	50	29000	RIDE	8.9	8.8	8.8	8.3	8.3	8.2	8.0	8.4	8.3	8.3	8.0	8.1	8.1	8.1	
4312131 7.511 7.862 C 2015 0012 CRACKING																					
LANE CONSTRUCTION					FC5M	RIDE	7.8	7.8	8.1	8.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.8	6.5
4312131	7.511	7.862	C	2015	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.8	6.5
LANE CONSTRUCTION					FC5M	RIDE	7.8	7.7	7.8	7.8	7.7	7.1	7.5	7.6	7.4	7.5	7.3	7.4	7.0	6.8	4.5*
16020000	7.511	7.862	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	6.5	6.5	
600 92			2	50	29000	RIDE	8.9	8.7	8.8	8.4	8.3	8.3	8.0	8.4	8.2	8.2	8.2	8.1	7.8	7.9	
4312131 7.511 7.862 C 2015 0012 CRACKING																					
LANE CONSTRUCTION					FC5M	RIDE	7.8	7.7	7.8	7.8	7.7	7.1	7.5	7.6	7.4	7.5	7.3	7.4	7.0	6.8	4.5*

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = LANE CONSTRUCTION CORPORATIO -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR)	RW	SURF_TYPE	WKMX-F															(PMRS)
CONTRACTOR	W_BMP	W_EMP	FW	FY-F	WKMX-F															
ITMSEG-F																				
16030201	0.000	0.497	L	1	1	CRACKING				10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0
555 17			2	40	28500	RIDE				7.4	7.4	7.2	7.6	7.6	7.4	7.2	7.1	6.8	6.5	
AVE G SW(0.0C)					5.2															
4350711	0.000	0.497	C	2017	0012	CRACKING	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5
LANE CONSTRUCTION			CORPORAT(2019)		FC125	RIDE	6.4	6.3	5.9	5.9	6.0	7.1	7.1	6.5	7.0	7.1	6.7	6.7	6.9	6.6
16040000	0.000	1.034	C	1	1	CRACKING	8.0	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
700 98			2	30	8400	RIDE	8.2	7.8	7.5	6.7	6.3	6.2	6.2	8.1	8.0	8.0	7.9	7.9	7.7	
CHARLESTON ST(0.0C)					11.3															
1973292	0.130	2.702	C	2007	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.0	7.8	5.5*
LANE CONSTRUCTION			CORPORAT(2008)		FC125	RIDE	7.9	7.8	7.8	7.7	7.8	7.7	7.7	7.6	7.8	7.6	7.6	6.9	7.1	6.8
16040000	1.034	1.481	C	1	8	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
700 98			2	40	6200	RIDE	7.6	7.2	7.0	6.3	6.3	6.2	6.2	8.4	8.4	8.3	8.3	8.3	8.3	8.2
S EDGWOOD DR(1.0R)					15.1															
1973292	0.130	2.702	C	2007	0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.5		
LANE CONSTRUCTION			CORPORAT(2008)		FC125	RIDE	8.1	8.0	7.9	7.7	7.9	7.7	7.8	7.7	7.7	7.6	7.5	7.6		
16040000	1.481	2.693	C	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
700 98			2	55	6200	RIDE	7.6	7.2	7.0	6.3*	6.3*	6.2*	6.2*	8.4	8.4	8.3	8.3	8.3	8.3	8.2
PAGE RD(1.9L)					15.1															
1973292	0.130	2.702	C	2007	0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.5	7.8	5.5*
LANE CONSTRUCTION			CORPORAT(2008)		FC125	RIDE	8.1	8.0	7.9	7.7	7.9	7.7	7.8	7.7	7.7	7.6	7.5	7.6	7.6	7.3
16050000	3.367	4.278	C	1	1	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*		10.0	10.0	9.5	
600 17			2	35	22500	RIDE	8.1	8.0	8.0	7.6	7.3	7.1	7.4	7.2	7.1		8.1	8.1	8.0	
SOUTH BLVD(3.4R)					9.0															
1973732	3.367	4.276	C	2009	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.0	5.5*	5.5*	5.5*	5.5*	5.2*	4.9*	3.0*
LANE CONSTRUCTION			CORPORAT(2011)		FC95M	RIDE	8.0	8.0	7.8	7.8	7.7	7.7	7.6	7.6	7.5	7.5	7.5	7.4	7.4	7.1
4508761	3.300	4.264	C	2027	0226															
16060000	1.291	4.314	R	1	1	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
35 98			3	60	53500	RIDE	8.1	7.6	7.3	8.3	8.3	8.3	8.5	8.4	8.4	8.4	8.4	8.2		
ERNEST M SMITH BLVD(2.1R)					9.7															
4082685	1.130	4.448	C	2011	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	4.0*	1.5*	0.0*
LANE CONSTRUCTION			CORPORAT(2014)		FC5M	RIDE	8.4	8.4	8.5	8.6	8.6	8.6	8.5	8.5	8.4	8.2	8.2	8.0	7.6	7.4
4526171	0.552	4.442	R	2026	0226															
16060000	4.314	7.829	R	1	1	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
35 98			3	55	57500	RIDE	8.1	7.6	7.3	8.3	8.3	8.3	8.5	8.4	8.4	8.4	8.2	8.3	8.2	
AQUA CHEMICAL CO(4.5R)					9.1															
4082683	4.314	7.630	C	2013	0213	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	5.0*
LANE CONSTRUCTION			CORPORAT(2016)		FC5M	RIDE			8.5	8.5	8.6	8.5	8.5	8.3	8.5	8.4	8.4	8.3	8.3	8.1
4577321	4.310	7.736	C	2027	0012															
16060000	11.280	12.222	R	1	1	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	
35 98			2	45	50000	RIDE	8.0	7.6	7.7	7.1	6.7	6.7	7.1	7.0	7.0	6.9	6.5	6.5	6.3	
BONNY PARK(11.4R)					5.3															
4313121	11.280	12.165	C	2016	0012	CRACKING	7.0	6.5	6.5	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	7.3	7.5	6.0*
LANE CONSTRUCTION			CORPORAT(2017)		FC125	RIDE	6.2	6.2	6.3	7.6	7.7	7.6	7.6	7.4	7.6	7.5	7.6	7.5	7.4	7.1
16060000	11.280	12.222	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	
35 98			2	45	50000	RIDE	7.9	7.7	7.1	7.1	6.7	6.4	7.1	7.1	7.1	7.0	6.6	6.6	6.5	
DREADNAUGHT DR(11.4L)					5.3															
4313121	11.280	12.165	C	2016	0012	CRACKING	7.0	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.0	6.6	5.0*
LANE CONSTRUCTION			CORPORAT(2017)		FC125	RIDE	6.4	6.5	6.3	7.7	7.7	7.3	7.4	7.4	7.4	7.4	7.3	7.4	7.4	7.1
16060000	4.314	7.829	L	1	1	CRACKING	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
35 98			3	55	57500	RIDE	7.4	7.0	6.4*	8.2	8.2	8.2	8.4	8.4	8.3	8.3	8.1	8.0	8.0	
TURNOUT(4.4L)					9.1															
4082683	4.314	7.630	C	2013	0213	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.3	6.5	4.5*
LANE CONSTRUCTION			CORPORAT(2016)		FC5M	RIDE			8.3	8.4	8.3	8.2	8.2	8.1	8.2	8.1	8.1	8.0	8.1	7.9
4577321	4.310	7.736	C	2027	0012															
16060000	1.291	4.314	L	1	1	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5			
35 98			3	60	53500	RIDE	7.9	7.2	7.0	8.2	8.2	8.2	8.4	8.4	8.3	8.3	8.1			
SMITH LN(3.7L)					9.7															
4082685	1.130	4.448	C	2011	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	4.5*	4.5*	3.6*	1.4*	0.0*
LANE CONSTRUCTION			CORPORAT(2014)		FC5M	RIDE	8.3	8.3	8.1	8.1	8.1	8.0	8.0	7.9	7.9	7.8	7.7	7.6	7.2	7.0
4526171	0.616	4.442	L	2026	0226															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = LANE CONSTRUCTION CORPORATIO -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	*****														(PMRS)		
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	ADT	TYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
16070000	5.220	5.708	C	1	1	CRACKING	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
33			2	45	13400	RIDE	8.1	7.6	7.5	6.2*	8.1	8.0	8.1	8.0	7.9	7.9	7.7	7.5	7.3			
SUNSET WAY S(5.4L)																						
1971522	5.098	7.647	C	2003	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.0*	5.5*	5.5*	5.5*	5.9*	4.5*	2.0*		
LANE CONSTRUCTION					FC125	RIDE	7.4	7.3	7.3	7.1	7.1	7.0	6.6	6.8	6.8	6.7	6.6	6.5	6.4	6.1		
4301854	4.990	7.518	C	2025	0218																	
16070000	5.708	6.168	R	1	1	CRACKING	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
33			2	55	13400	RIDE	8.1	7.6	7.5	6.2*	8.1	8.0	8.1	8.0	7.7	7.7	7.7	7.6	7.4			
THE LANDINGS ENT(5.9R)																						
1971522	5.098	7.647	C	2003	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.0*	5.5*	5.5*	5.5*	5.9*	7.5	5.0*		
LANE CONSTRUCTION					FC125	RIDE	7.5	7.2	7.1	7.1	7.1	7.0	6.6	6.8	6.8	6.7	6.6	6.5	6.5	6.2*		
4301854	4.990	7.518	C	2025	0218																	
16070000	6.168	6.570	R	1	1	CRACKING	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
33			2	60	13400	RIDE	8.1	7.6	7.5	6.2*	8.1	8.0	8.1	8.1	8.0	8.0	7.9	7.9	7.8			
4.1																						
1971522	5.098	7.647	C	2003	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.0*	5.5*	5.5*	5.5*	5.9*	7.0	4.5*		
LANE CONSTRUCTION					DGFC	RIDE	7.7	7.3	7.4	7.1	7.1	7.0	6.6	6.8	6.8	6.7	6.6	6.5	7.1	6.8		
4301854	4.990	7.518	C	2025	0218																	
16070000	7.080	8.018	R	1	2	CRACKING	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0		
33			2	60	14200	RIDE	8.1	7.6	7.5	6.2*	8.1	8.0	8.1	8.0	8.0	8.0	8.0	7.9	7.8			
UNIVERSITY BLVD(7.9R)																						
1971522	5.098	7.647	C	2003	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	3.5*	2.7*	4.2*	1.5*		
LANE CONSTRUCTION					FC125	RIDE	7.7	7.7	7.3	7.4	7.3	7.2	6.8	6.9	6.8	6.7	6.6	6.5	7.4	7.1		
16070000	8.018	8.590	C	1	2	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
33			2	60	14200	RIDE	7.9	7.3	7.4	6.6	7.9	7.9	8.1	8.1	8.2	7.9	8.0	8.0	7.8	7.8		
16.1																						
1971522	7.997	8.598	C	2003	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	5.5*	5.5*	5.5*	3.5*	2.7*	1.4*	0.0*		
LANE CONSTRUCTION					FC125	RIDE	7.8	7.6	7.0	6.7	6.8	6.6	6.8	6.9	6.8	6.7	6.6	6.5	5.2*	4.9*		
16070000	13.881	14.557	C	1	1	CRACKING	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
33			2	35	11800	RIDE	6.5	6.3	6.2	5.4*	5.1*	7.6	7.7	7.7	7.6	7.6	7.6	7.4	7.5			
CLEARWATER AVE(13.9R)																						
1970692	13.980	14.595	C	2004	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	8.5	6.5	5.5*	5.5*	5.5*	4.5*	3.9*	1.5*		
LANE CONSTRUCTION					DGFC	RIDE	7.5	7.4	7.0	6.9	7.0	6.8	6.6	6.7	6.6	6.6	6.6	6.5	6.5	6.2		
4514761	13.881	14.622	C	2029	0012																	
16090000	6.270	11.810	C	1	1	CRACKING	8.5	8.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0			
17			2	55	3400	RIDE	7.9	7.5	7.5	7.0	6.6	6.7	6.9		8.0	8.0	7.9	7.9	7.8			
E I ST(6.3R)																						
4067592	6.258	13.075	C	2007	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	8.5	7.0	7.0	7.0	7.0	7.0	6.5	4.0*		
LANE CONSTRUCTION					DGFC	RIDE	7.6	7.6	7.4	7.3	7.4	7.4	7.3	7.3	7.3	7.1	7.2	7.2	7.0	6.7		
4508791	0.025	11.823	C	2028	0226																	
16090000	11.810	12.693	C	1	8	CRACKING	8.5	8.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	7.0	7.0		
17			2	40	7400	RIDE	8.4	7.7	7.5	7.0	6.6	6.7	6.9		8.0	8.0	7.9	7.7	7.6			
FIFTH ST(11.8R)																						
4067592	6.258	13.075	C	2007	0012	CRACKING	7.0	7.0	7.0	5.5*	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*				
LANE CONSTRUCTION					FC125	RIDE	7.5	7.5	7.3	6.6	6.8	6.5	6.6	6.4	6.5	6.3	6.3	6.2				
4443131	11.823	12.700	C	2024	0012																	
16090000	13.380	17.203	C	1	1	CRACKING	8.5	8.5	8.5	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	10.0	10.0			
17			2	55	7400	RIDE	8.4	7.7	8.1	7.7	7.5	7.5	7.5	8.0	8.0	7.9	7.6	8.1	7.9			
WARD LOOP RD(13.7L)																						
4236361	13.065	17.041	C	2011	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.0*	6.0*	3.0*	1.0*		
LANE CONSTRUCTION					FC125	RIDE	7.7	7.7	7.7	7.4	7.3	7.3	7.3	7.3	7.1	7.0	6.8	6.8	6.8	6.5		
4508801	12.700	17.203	C	2028	0226																	
16110000	0.000	5.298	R	1	1	CRACKING	3.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0			
60			2	60	23000	RIDE	7.3		8.6	8.4	8.4	8.4	8.4	8.3	7.8	8.1	8.2	8.0	8.0			
HILLSBOROUGH CO LINE(0.0C)																						
4356061	0.000	5.298	C	2017	0012	CRACKING	7.0	6.5	6.5	6.5			10.0	10.0	10.0	10.0	9.0	8.5	8.0	6.5		
LANE CONSTRUCTION					FC5M	RIDE	7.8	7.7	8.1	7.9			8.5	8.4	8.3	8.4	8.3	8.3	8.2	8.0		
4572471	0.000	6.514	C	2030	0012																	
16110000	5.298	7.628	R	1	2	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	5.5*	4.0*	4.0*	4.0*	4.0*	4.0*			
60			2	45	24000	RIDE	8.9	8.6	8.6	7.4	7.4	7.2	7.4	7.4	7.1	6.9	6.3	6.9	6.7			
DIESEL RD(5.3R)																						
4291071	5.281	7.228	C	2014	0012	CRACKING	4.0*	4.0*		10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	5.0*	3.5*		
LANE CONSTRUCTION					FC125	RIDE	6.3	6.3		7.5	7.7	7.4	7.3	7.1	7.4	7.3	7.1	6.8	6.8	6.5		
4572471	0.000	6.514	C	2030	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = LANE CONSTRUCTION CORPORATIO -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR			FUTURE																									
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-X-P	*****																													
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																														
ITMSEG-P	ITMSEG-F																																		
16110000	7.628	12.896	R	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*																
60			2	65	22500	RIDE	8.9	8.6	8.7	8.3	8.1	8.4	8.1	8.4	8.0	8.1	7.9	7.8	7.7																
BONNIE MINE RD(8.8R)																																			
4291071	7.228	12.896	C	2014	0012	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	6.5	4.5*															
LANE CONSTRUCTION	CORPORAT(2017)	FC5M	RIDE	7.2	7.1		8.2	8.2	8.2	8.2	8.1	8.0	8.1	8.0	8.1	8.1	8.0	7.9	7.9																
4562541	6.514	12.871	C	2029	0226																														
16110000	20.598	24.733	R	1	1	CRACKING	3.0*	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	5.5*	3.5*	3.5*																	
60			2	55	29000	RIDE	8.4	8.7	8.7	8.0	8.0	7.8	7.7	7.5	7.4	6.8	6.3*	5.9*																	
GOOD LIFE RV RESORT(20.8R)																																			
4252431	20.602	24.733	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	4.5*	3.5*	3.5*	2.3*	0.0*															
LANE CONSTRUCTION	CORPORAT(2014)	FC5M	RIDE	8.3	8.2		8.4	8.4	8.5	8.4	8.3	8.2	8.1	8.0	7.9	7.7	7.8	7.7	7.8																
4514771	20.968	28.779	C	2028	0226																														
16110000	30.393	30.632	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0																
60			2	40	27000	RIDE	8.7	8.4	8.2	7.3	7.1	7.1	7.0	7.1	6.9	8.1	8.0	7.9	7.7																
FOURTH ST(30.5C)																																			
1972202	29.420	30.541	C	2009	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	7.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*	1.7*	0.0*															
LANE CONSTRUCTION	CORPORAT(2010)	FC125	RIDE	7.8	7.6		7.3	7.2	7.3	7.0	7.0	6.8	6.8	6.8	6.8	6.7	6.7	6.6	6.6																
4514771	29.840	30.632	C	2028	0226																														
16110000	30.393	30.632	L	1	1	CRACKING	9.0	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0																
60			2	40	27000	RIDE	8.3	7.9	8.2	7.3	7.2	7.0	7.4	7.0	7.0	8.1	7.9	7.9	7.8																
FOURTH ST(30.5C)																																			
1972202	29.420	30.541	C	2009	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.0	5.5*	5.5*	3.5*	3.5*	3.0*	1.0*															
LANE CONSTRUCTION	CORPORAT(2010)	FC125	RIDE	7.8	7.7		7.1	7.1	7.2	6.6	6.7	6.6	6.7	6.5	6.6	6.6	6.6	6.6	6.2																
4514771	29.840	30.632	C	2028	0226																														
16110000	20.598	24.733	L	1	1	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.5	5.5*	5.5*																	
60			2	55	29000	RIDE	8.6	8.8	8.8	8.2	8.1	8.0	8.2	8.0	7.9	7.5	7.2	7.0																	
DANA CAMP HOUSE RD(20.6L)																																			
4252431	20.602	24.733	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	4.5*	4.5*	3.5*	3.9*	2.5*	0.0*															
LANE CONSTRUCTION	CORPORAT(2014)	FC5M	RIDE	8.3	8.2		8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.3	8.1	8.1	8.0	7.9	7.7																
4514771	20.968	28.779	C	2028	0226																														
16110000	7.628	12.896	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.0	6.5	6.5	6.5	5.5*	5.5*	3.5*																
60			2	65	22500	RIDE	9.0	8.9	8.7	8.3	8.3	8.0	8.3	8.2	8.1	7.9	7.9	7.5	7.3																
UNSIGN(11.2L)																																			
4291071	7.228	12.896	C	2014	0012	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	6.5	4.5*															
LANE CONSTRUCTION	CORPORAT(2017)	FC5M	RIDE	6.9	6.8		8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	7.9	7.9	8.0	7.9	7.8																
4562541	6.514	12.871	C	2029	0226																														
16110000	5.298	7.628	L	1	2	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5																
60			2	45	24000	RIDE	9.0	8.9	8.5	7.6	7.3	6.8	7.4	7.2	7.2	7.2	6.9	7.2	6.9																
DIESEL(5.3L)																																			
4291071	5.281	7.228	C	2014	0012	CRACKING	6.5	6.0*		10.0	10.0	10.0	10.0	8.5	8.5	8.5	6.0*	4.0*	4.0*	2.5*															
LANE CONSTRUCTION	CORPORAT(2017)	FC125	RIDE	6.6	6.6		7.7	7.9	7.7	7.7	7.7	7.7	7.7	7.7	7.6	7.2	6.9	6.8	6.8																
4572471	0.000	6.514	C	2030	0012																														
16110000	0.000	5.298	L	1	1	CRACKING	1.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0																
60			2	60	23000	RIDE	8.0		8.5	8.4	8.4	8.4	8.5	8.5	8.4	8.4	8.3	8.2	8.1																
COUNTY LINE RD(0.0L)																																			
4356061	0.000	5.298	C	2017	0012	CRACKING	7.0	6.5	6.5	4.5*			10.0	9.0	9.0	9.0	9.0	8.3	8.5	7.0															
LANE CONSTRUCTION	CORPORAT(2020)	FC5M	RIDE	8.0	7.8		8.2	8.0					8.5	8.4	8.3	8.3	8.3	8.2	8.2																
4572471	0.000	6.514	C	2030	0012																														
16120000	3.821	5.492	R	1	1	CRACKING	8.0	7.0	7.0	7.0	7.0	6.5	6.5	3.5*	3.5*		10.0	10.0	10.0																
655			2	55	14300	RIDE	8.2	8.1	8.1	7.5	7.1	6.6	6.4*	6.2*	6.6		8.0	8.0	8.2																
13.7																																			
1974852	3.706	6.543	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	5.5*	3.5*															
LANE CONSTRUCTION	CORPORAT(2011)	FC125	RIDE	8.3	8.1		8.1	8.1	8.1	8.1	8.1	7.5	7.6	7.6	7.6	7.4																			

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1															CONTRACTOR = LANE CONSTRUCTION CORPORATIO										-----
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR			2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE					
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013						
INTERSECT AT (MP)	(SIDE)				#T	=====																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031					
CONTRACTOR	(AGE_ONE YEAR)	(AGE_ONE YEAR)		SURF_TYPE																(PMRS)					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F																			
16130000	0.996	2.903	R	1	1	CRACKING	8.5	7.0	6.0*	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
60			2	45	24000	RIDE	8.3	8.1	7.9	7.0	6.2*	4.7*	8.5	8.5	8.5	8.5	8.4	8.4	8.3						
CR 17B(1.0R)																									
1972912	0.979	2.897	C	2006	0012	CRACKING	9.0	9.0	7.5	7.5	7.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.4*	4.3*	2.0*					
LANE CONSTRUCTION					FC4	RIDE	8.3	8.1	8.1	8.1	8.2	8.0	7.9	7.9	7.9	7.7	7.8	7.8	7.7	7.4					
4514791	0.030	2.914	C	2028	0226																				
16130000	2.903	4.915	R	1	1	CRACKING	8.0	7.0	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5						
60			2	65	21500	RIDE	8.8	8.6	8.1	7.7	7.1	7.9	7.9	8.1	8.0	8.0	7.9	7.9	7.8						
21.1																									
4380241	2.914	4.900	R	2019	0012	CRACKING	8.5	7.0	7.0	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	8.6	10.0	8.5					
LANE CONSTRUCTION					FC5M	RIDE	7.8	7.6	7.9	7.8	8.0	7.8		8.6	8.5	8.5	8.5	8.5	8.5	8.3					
16130000	7.206	9.463	R	1	8	CRACKING	8.0	7.0	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
60			2	65	13700	RIDE	8.8	8.5	8.1	7.6	7.3	7.2	8.1	8.3	8.3	8.3	8.2	8.2	8.1						
BREEN RD(7.5R)																									
1973882	7.157	9.731	C	2006	0012	CRACKING	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5						
LANE CONSTRUCTION					FC5	RIDE	8.2	8.0	8.3	8.3	8.3	8.4	8.3	8.3	8.2	8.3	8.3	8.3	8.2						
4492761	6.398	12.642	C	2025	0012																				
16130000	7.206	10.738	L	1	1	CRACKING	9.5	8.0	8.0	7.0	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
60			2	65	13700	RIDE	8.8	8.6	8.4	7.6	7.1	6.9	8.3	8.2	8.2	8.0	8.0	7.9	7.8						
BREEN RD N(7.5L)																									
1973882	7.157	9.731	C	2006	0012	CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	5.9*	2.5*					
LANE CONSTRUCTION					FC5	RIDE	7.8	7.7	8.0	7.9	8.0	8.0	8.0	7.9	7.9	7.8	7.9	7.8	7.9	7.7					
4492761	6.398	12.642	C	2025	0012																				
16130000	2.903	4.910	L	1	1	CRACKING	8.0	7.0	6.0*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0						
60			2	65	21500	RIDE	8.8	8.4	8.2	7.0	6.6	8.0	8.2	8.2	8.2	8.1	7.9	8.0	7.8						
CAPPS RD(3.1L)																									
4380241	2.914	4.900	L	2019	0012	CRACKING	7.0	7.0	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	7.5					
LANE CONSTRUCTION					FC5M	RIDE	7.8	7.5	7.8	7.7	7.9	7.6		8.6	8.5	8.5	8.5	8.5	8.5	8.3					
16130000	0.996	2.903	L	1	1	CRACKING	9.5	9.5	8.0	8.0	6.0*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
60			2	45	24000	RIDE	8.1	7.9	8.2	7.2	7.0	6.3	8.4	8.4	8.4	8.3	8.3	8.2	8.1						
CR 17B(1.0L)																									
1972912	0.979	2.897	C	2006	0012	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	3.5*					
LANE CONSTRUCTION					FC4	RIDE	7.9	7.9	7.9	8.0	8.1	7.9	7.9	7.8	7.9	7.9	7.9	7.9	7.9	7.4					
4514791	0.030	2.914	C	2028	0226																				
16130000	0.000	0.996	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0					
60			2	45	29500	RIDE	8.5	8.3	8.5	7.6	7.8	7.8	8.1	7.9	8.0	7.7	7.5	7.2	7.1						
CR 17B/BUCK MOORE RD(0.0L)																									
4252401	0.000	0.996	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	3.3*	1.5*					
LANE CONSTRUCTION					FC125	RIDE	8.5	8.3	8.2	8.2	8.1	8.0	8.0	7.9	7.9	7.9	7.8	7.8	7.7	7.4					
4514791	0.030	2.914	C	2028	0226																				
16140000	3.189	3.693	R	1	1	CRACKING	9.0	9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5						
544			2	35	31000	RIDE	6.6	6.5	6.6	5.7	5.8	5.6	7.7	7.1	7.0	6.9	6.9	7.0	6.7						
SR 555(3.2C)																									
1972982	3.213	3.666	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	7.0	5.6*	5.4*	3.0*					
LANE CONSTRUCTION					DGFC	RIDE	6.6	6.6	5.5	5.5	5.9	5.5	5.4*	5.2*	5.3*	5.4*	6.5	5.5	6.3	6.0					
4508841	3.210	3.693	C	2029	0226																				
16140000	4.264	8.667	C	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
544			2	55	17100	RIDE	7.3	7.0	6.9	5.4*	7.9	7.6	7.8	7.7	7.8	7.8	7.7	7.7	7.6						
CONINE DR(5.1L)																									
1976971	4.265	9.794	C	2003	0012	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	1.5*	0.0*					
LANE CONSTRUCTION					FC125	RIDE	7.6	7.5	7.3	7.2	7.1	7.0	6.9	7.0	7.0	6.9	6.8	6.9	6.8	6.5					
4508841	4.169	11.647	C	2029	0226																				
16140000	8.667	9.617	R	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
544			1	50	31000	RIDE	6.9	6.5	6.1*	4.2*	8.0	8.0	8.1	7.9	7.9	7.9	7.7	7.7	7.6						
LAKE HAMILTON DR W(9.2R)																									
1976971	4.265	9.794	C	2003	0012	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	3.2*	3.4*	1.0*					
LANE CONSTRUCTION					FC125	RIDE	7.6	7.5	7.3	7.2	7.1	7.0	6.9	5.5*	5.4*	5.9*	5.7*	5.9*	5.8*	5.5*					
4508841	4.169	11.647	C	2029	0226																				
16140000	10.068	11.012	C	1	1	CRACKING	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
544			2	55	13900	RIDE	6.5	5.9*	5.7*		7.8	6.8	8.0	10.0	10.0	7.4	7.9	7.8	7.7	7.8					
SCENIC DR(10.6L)																									
1972242	9.982	11.647	C	2003	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.0*	6.0*	6.0*	3.5*	3.5*	1.1*	0.0*					
LANE CONSTRUCTION					FC125	RIDE	7.7	7.4	7.4	7.4	7.4	7.3	7.2	7.1	7.0	6.9	6.9	7.1	6.9	6.6					
4508841	4.169	11.647	C	2029	0226																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = LANE CONSTRUCTION CORPORATIO -----																							
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013			
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKM-F		SURF_TYPE													
CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)													
ITMSEG-P	ITMSEG-F	ITMSEG-P	ITMSEG-F	ITMSEG-P	ITMSEG-F	ITMSEG-P	ITMSEG-F	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		

16140000	11.012	11.658	C	1	1	CRACKING	8.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
544			4	45	13900	RIDE	7.6	7.5	7.3	6.6	7.9	8.0	8.2	8.2	7.3	8.0	7.9	7.3	7.3				
LA VISTA DR(11.0R)																							
1972242	9.982	11.647	C	2003	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	7.0	6.0*	5.5*	1.7*	0.0*		
LANE CONSTRUCTION CORPORAT(2005)																							
4508841	4.169	11.647	C	2029	0226	RIDE	6.9	6.7	7.5	7.7	7.7	7.6	7.6	7.4	7.4	6.9	6.5	6.8	6.6	6.3			

16140000	8.667	9.617	L	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
544			1	50	31000	RIDE	6.9	6.5	6.1*	4.2*	8.0	8.0	8.1	7.9	7.9	7.9	7.7	7.7	7.6				
CR 544(9.0L)																							
1976971	4.265	9.794	C	2003	0012	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*	1.7*	0.0*		
LANE CONSTRUCTION CORPORAT(2005)																							
4508841	4.169	11.647	C	2029	0226	RIDE	7.6	7.5	7.3	7.2	7.1	7.0	6.9	6.9	7.2	7.0	7.1	7.1	7.0	6.7			

16140000	3.189	3.693	L	1	6	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5			
544			2	35	31000	RIDE	6.2*	6.5	6.5	5.9	5.9	6.5	7.8	7.6	7.6	7.5	7.1	7.3	7.0				
SR 555(3.2C)																							
1972982	3.213	3.666	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.5	6.5	5.5*	3.5*	4.0*	3.5*	1.0*			
LANE CONSTRUCTION CORPORAT(2007)																							
4508841	3.210	3.693	C	2029	0226	RIDE	7.1	7.0	6.4	6.1	6.2	6.0	5.4*	5.7	6.1	6.0	5.7	6.3					

16170000	14.992	18.356	R	1	1	CRACKING	9.5	8.0	7.0	6.0*	6.0*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0			
25	27		2	60	25769	RIDE	9.0	8.6	8.5	7.9	7.9	7.8			8.3	8.0	8.3	8.2	8.2	8.2			
MEYERS RD(16.2R)																							
1973682	14.929	18.816	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*		
LANE CONSTRUCTION CORPORAT(2008)																							
4508861	10.255	18.397	C	2029	0226	RIDE	8.1	8.0	8.4	8.3	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.4	8.2		

16170000	14.992	18.356	L	1	1	CRACKING	6.5	6.5	5.5*	3.5*	1.0*	1.0*			10.0	10.0	10.0	10.0	10.0	10.0			
25	27		2	60	25769	RIDE	8.7	8.5	8.2	7.1	6.2*	5.9*			8.2	8.2	8.2	8.2	8.1	8.1			
PENNY LOOP(15.8L)																							
1973682	14.929	18.816	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*		
LANE CONSTRUCTION CORPORAT(2008)																							
4508861	10.255	18.397	C	2029	0226	RIDE	8.1	8.0	8.3	8.3	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.4	8.3	8.3	8.1		

16180000	0.583	2.700	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0			
25	27		3	60	33000	RIDE	8.8	8.7	8.6	8.3	8.2	8.1	8.3			7.9	7.8	7.8	7.8	7.8			
WASHINGTON AVE(1.1C)																							
1977051	0.000	2.961	C	2007	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	6.5	3.5*		
LANE CONSTRUCTION CORPORAT(2010)																							
4508861	0.000	2.961	C	2029	0226	RIDE	7.8	7.6	7.9	7.9	8.1	7.9	8.1	8.0	8.0	7.6	8.0	8.0	7.3	7.1			

16180000	19.200	21.349	R	1	8	CRACKING	9.0	8.0	7.5	7.5	7.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0			
25	27		3	55	75334	RIDE	9.0	8.8	8.7	8.1	8.0	7.7			8.2	8.2	8.2	8.1	8.1	8.1			
FOREST LAKE DR(19.4R)																							
1977091	19.136	21.352	C	2006	0218	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*				
LANE CONSTRUCTION CORPORAT(2008)																							
4492751	19.189	23.086	C	2025	0226	RIDE	8.1	8.0	8.3	8.2	8.5	8.4	8.5	8.4	8.3	8.4	8.4	8.4	8.4	8.4			

16180000	22.808	23.088	R	1	8	CRACKING	9.0	8.0	7.5	7.5	7.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0			
25	27		3	45	75334	RIDE	9.0	8.8	8.7	8.1	8.0	7.7			8.2	8.2	8.2	8.1	8.1	8.1			
DEER CREEK BLVD(22.9R)																							
1977101	21.352	23.155	C	2006	0218	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*					
LANE CONSTRUCTION CORPORAT(2008)																							
4492751	19.189	23.086	C	2025	0226	RIDE	8.1	8.0	8.3	8.2	8.5	8.4	8.5	8.4	8.3	8.4	8.4	8.4	8.4				

16180000	22.808	23.040	L	1	8	CRACKING	7.0	7.0	6.0*	6.0*	6.0*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0			
25	27		3	45	75334	RIDE	9.1	8.9	8.8	8.1	8.0	7.6			8.3	8.3	8.2	8.1	8.1	8.1			
HELLER BROTHERS BLVD(22.9L)																							
1977101	21.352	23.155	C	2006	0218	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5				
LANE CONSTRUCTION CORPORAT(2008)																							
4492751	19.189	23.086	C	2025	0226	RIDE	8.0	7.9	8.2	8.2	8.4	8.4	8.2	8.3	8.1	8.1	8.1	8.1	8.1				

16180000	19.160	21.349	L	1	8	CRACKING	7.0	7.0	6.0*	6.0*	6.0*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0			
25	27		3	55	75334	RIDE	9.1	8.9	8.8	8.1	8.0	7.6			8.3	8.3	8.2	8.1	8.1	8.1			
HOLLY HILL CUTOFF RD(19.2L)																							
1977091	19.136	21.352	C	2006	0218	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5				
LANE CONSTRUCTION CORPORAT(2008)																							
4492751	19.189	23.086	C	2025	0226	RIDE	8.0	7.9	8.2	8.2	8.4	8.4	8.2	8.3	8.1	8.1	8.1	8.1	8.1				

16180000	0.467	2.700	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0			
25	27		3	60	33000	RIDE	8.8	8.7	8.6	8.2	8.1	8.1	8.3			7.9	7.8	7.8	7.8	7.8			
WASHINGTON AVE(1.1C)																							
1977051	0.000	2.961	C	2007	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	4.5*		
LANE CONSTRUCTION CORPORAT(2010)																							
4508861	0.000	2.961	C	2029	0226	RIDE	7.9	7.8	7.8	8.0	8.1	8.1	8.1	7.9	7.9	7.8	7.8	7.9	7.9	7.9	7.7		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = LANE CONSTRUCTION CORPORATIO -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP)	SIDE	=====																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE)	YEAR		SURF_TYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
16210000	0.895	2.664	R	1	1	CRACKING	6.5	6.5	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	
35 98			2	45	36500	RIDE	7.5	7.3	7.1	6.5	6.3*	8.3	8.5	8.3	8.3	8.3	8.2	8.1	8.1	8.0	
PARK TRAMMELL ST(1.2R)																					
1975072	0.901	2.658	C	2004	0012	CRACKING	8.5	8.5	8.0	8.0	8.0	8.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.7*	1.0*
LANE CONSTRUCTION CORPORAT(2006) FC125 RIDE																					
4514801	0.901	2.624	C	2027	0226																
16210000	5.992	8.629	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	
35 98			2	55	42000	RIDE	8.9	8.7	8.7	8.1	8.0	7.9	7.8	7.3	7.1	6.4*	5.7*	7.0	6.6		
MARCUM RD(6.1C)																					
4291181	5.982	8.661	R	2014	0012	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.3	7.0	5.0*	
LANE CONSTRUCTION CORPORAT(2016) FC5M RIDE																					
16210000	8.629	8.974	R	1	8	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	4.5*	4.5*	4.5*	4.5*		
35 98			1	55	19600	RIDE	8.9	8.7	8.7	8.1	8.0	7.9	7.8	7.3	7.1	6.4*	5.7*	7.0	6.6		
HALL RD(8.7R)																					
4291181	8.661	8.974	R	2014	0012	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.3			
LANE CONSTRUCTION CORPORAT(2016) FC5M RIDE																					
4366731	8.662	17.664	C	2023	0213		6.3*		8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.2	8.2	8.2			
16210000	8.974	17.750	C	1	8	CRACKING	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0		
35 98			2	60	15200	RIDE	8.9	8.8	8.8	8.2	8.1	8.0	8.1	7.8	7.7	8.6	8.6	8.6	8.5		
BIG CYPRESS BLVD(10.2L)																					
1972312	8.974	17.728	C	2009	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.0*	6.0*	6.0*	5.5*	5.5*			
LANE CONSTRUCTION CORPORAT(2010) FC95 RIDE																					
4366731	8.662	17.664	C	2023	0213		8.5	8.5	8.3	8.3	8.3	8.2	8.2	8.2	8.1	8.1	8.0				
16210000	5.992	8.974	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	
35 98			2	55	42000	RIDE	8.9	8.7	8.7	8.1	8.0	7.9	8.1	8.1	7.9	7.8	7.3	7.4	7.1		
MARCUM RD(6.1C)																					
4291181	5.992	8.974	L	2014	0012	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.8	7.1	5.0*	
LANE CONSTRUCTION CORPORAT(2016) FC5M RIDE																					
16210000	0.901	2.678	L	1	1	CRACKING	3.5*	3.0*	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
35 98			2	45	36500	RIDE	7.5	7.3	7.0	5.9*	5.6*	8.2	8.4	8.4	8.2	8.3	8.2	8.2	8.1		
FOURTH ST W(0.9L)																					
1975072	0.901	2.658	C	2004	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	4.8*	2.0*	
LANE CONSTRUCTION CORPORAT(2006) FC125 RIDE																					
4514801	0.901	2.624	C	2027	0226		8.1	7.9	7.7	7.6	7.8	7.5	7.5	7.4	7.5	7.4	7.5	7.4	7.5	7.2	
16250000	18.230	19.052	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	
37			2	35	21500	RIDE	8.6	7.9	7.9	7.4	7.4	7.2	7.4	7.4	7.3	7.1	7.0	6.8	6.8		
BADCOCK BLVD(18.3R)																					
4366011	18.230	19.052	C	2017	0012	CRACKING	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	5.0*
LANE CONSTRUCTION CORPORAT(2019) FC125 RIDE																					
16250000	23.259	24.413	R	1	1	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	6.5		10.0	10.0	10.0	10.0	10.0		
37			2	45	44000	RIDE	8.3	8.1	7.8	6.8	6.8	6.5	7.0		8.1	8.2	8.0	8.1	8.1		
FITZGERALD RD(23.3R)																					
1972522	23.244	25.193	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.5	6.5	3.5*	
LANE CONSTRUCTION CORPORAT(2009) FC5M RIDE																					
16250000	24.413	25.586	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	6.5		10.0	10.0	10.0	10.0	10.0		
37			3	45	41500	RIDE	7.8	8.1	7.9	7.4	7.3	6.9	7.1		8.6	8.5	8.4	8.2	8.3		
HORIZON CT(24.6R)																					
1972522	23.244	25.193	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	6.5	6.5	6.5	6.5	5.0*	2.5*	
LANE CONSTRUCTION CORPORAT(2009) FC95M RIDE																					
16250000	26.175	27.182	R	1	1	CRACKING	8.0	8.0	8.0	8.0	7.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0		
37			2	40	33000	RIDE	6.6	6.3	6.2	5.6	5.8	5.3*	5.7	7.8	8.0	7.7	8.0	7.9	8.0		
EDGEWOOD DR(26.4C)																					
1969142	26.181	27.422	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.0	7.0	7.0	6.6	7.0	4.5*	
LANE CONSTRUCTION CORPORAT(2008) FC4 RIDE																					
16250000	28.435	28.693	R	1	1	CRACKING	8.0	8.0	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0		
37			2	30	25000	RIDE	6.9	6.5	5.9	6.1	5.4*	5.6	6.1	6.3	5.6	6.5	5.7	6.8	5.7		
LIME ST(28.4R)																					
1969143	27.390	28.647	C	2008	0012	CRACKING	9.0	9.0	8.5	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.2*	4.0*	
LANE CONSTRUCTION CORPORAT(2010) FC95M RIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = LANE CONSTRUCTION CORPORATIO -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ADT	*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT	*****														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT	*****														
16250000	28.435	28.693	L	1	1	CRACKING	7.5	7.5	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	
37			2	30	25000	RIDE	6.9	6.3	6.0	5.7	5.4*	5.6	5.9	5.9	5.3*	7.0	6.8	6.4	6.4		
LIME ST(28.4L)																					
1969143	27.390	28.647	C	2008	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*
LANE CONSTRUCTION	CORPORAT	(2010)	FC95M			RIDE	6.5	5.1*	5.9	5.7	6.2	5.9	5.5	5.0*	5.5	5.7	5.0*	7.4	6.8	6.5	
16250000	26.175	27.182	L	1	1	CRACKING	9.5	9.5	9.5	9.5	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
37			2	40	33000	RIDE	6.3*	6.1	6.0	5.4*	5.4*	5.3*	5.7	8.1	7.9	8.1	7.8	7.7	7.6		
YOUNG PL(26.2L)																					
1969142	26.181	27.422	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.9	6.6	4.0*	
LANE CONSTRUCTION	CORPORAT	(2008)	FC4			RIDE	7.6	7.5	7.1	7.2	7.2	6.9	7.0	7.0	6.9	7.0	6.8	6.7	6.6	6.3	
16250000	24.413	25.158	L	1	1	CRACKING	7.5	7.5	7.5	7.0	7.0	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0		
37			3	45	41500	RIDE	8.4	8.1	8.0	7.0	7.0	6.3	6.8		8.6	8.5	8.4	8.3	8.3		
E HIGHLAND DR(24.7L)																					
1972522	23.244	25.193	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	6.5	4.9*	2.5*	
LANE CONSTRUCTION	CORPORAT	(2009)	FC95M			RIDE	8.1	8.1	8.0	7.8	8.1	7.9	7.7	7.8	7.8	7.8	7.7	7.7	7.7	7.4	
16250000	23.230	24.413	L	1	1	CRACKING	8.0	7.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0		
37			2	45	44000	RIDE	8.4	8.0	8.0	6.9	6.8	6.6	7.0		8.1	8.1	7.9	8.0	8.0		
SCHOOL HOUSE RD(23.3L)																					
1972522	23.244	25.193	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	6.5	6.6	7.2	4.0*
LANE CONSTRUCTION	CORPORAT	(2009)	FC5M			RIDE	8.0	8.0	8.3	8.1	8.2	8.2	8.2	8.3	8.3	8.1	8.1	8.2	8.1	7.9	
16250000	18.209	19.052	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0		
37			2	35	21500	RIDE	8.5	7.9	7.9	7.4	7.4	7.1	7.3	7.4	7.0	6.9	6.7	6.9	6.7		
CANAL ST E(18.2L)																					
4366011	18.230	19.052	C	2017	0012	CRACKING	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0
LANE CONSTRUCTION	CORPORAT	(2019)	FC125			RIDE	6.5	6.5	6.6	7.0	7.4	8.2	7.9	7.9	7.9	7.9	7.8	8.0	7.6	7.3	7.0
16293000	1.251	2.280	R	1	1	CRACKING	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
549			2	35	29500	RIDE	7.2	7.0	7.0	6.7	6.5	6.6	7.0	7.9	7.6	7.3	7.2	7.2	7.7		
SR542(1.3R)																					
4172451	1.219	2.284	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	8.4	7.8	5.5*	
LANE CONSTRUCTION	CORPORAT	(2008)	FC125			RIDE	7.6	7.7	7.1	7.1	7.1	6.9	6.9	6.8	7.0	6.8	6.8	6.9	6.8	6.5	
16293000	2.280	2.782	R	1	1	CRACKING	8.0	7.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
549			2	40	22500	RIDE	7.2	7.0	7.0	6.7	6.5	6.6	8.0	7.8	8.1	7.8	7.7	7.0	6.4		
AVE O N(2.3R)																					
4067601	2.277	2.782	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.0*	6.0*	3.3*	1.0*	
LANE CONSTRUCTION	CORPORAT	(2007)	FC95			RIDE	6.2	6.4	6.8	6.9	7.0	6.9	6.8	6.5	6.9	6.6	6.7	6.7	6.3	6.0	
16293000	2.280	2.782	L	1	1	CRACKING	7.0	7.0	6.5	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
549			2	40	22500	RIDE	7.3	6.1	6.1	5.7	5.8	5.5	8.0	8.0	7.6	7.8	7.7	7.0	6.6		
AVE O N(2.3L)																					
4067601	2.277	2.782	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.5	5.5*	5.5*	5.5*	5.5*	5.5*	2.7*	0.0*	
LANE CONSTRUCTION	CORPORAT	(2007)	FC95			RIDE	6.7	6.5	6.8	6.8	6.8	6.4	6.3	6.0	6.5	6.3	6.1	6.1	5.8	5.5	
16293000	1.251	2.280	L	1	1	CRACKING	8.0	7.0	6.5	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0		
549			2	35	29500	RIDE	6.8	6.1	6.1	5.7	5.8	5.5	6.5	8.0	7.9	7.9	7.9	7.7	7.7		
CENTRAL AVE(1.3C)																					
4172451	1.219	2.284	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	7.0	7.0	8.2	7.5	5.0*	
LANE CONSTRUCTION	CORPORAT	(2008)	FC125			RIDE	7.8	7.7	7.1	7.1	7.2	7.1	6.9	6.6	7.1	7.0	7.0	7.1	7.0	6.7	
16470000	8.265	10.845	R	5	1	CRACKING	10.0	10.0	10.0	10.0	8.0	7.5	6.5	7.0	7.0	7.0	7.0	7.0	6.5		
570	8.3	10.8	2	65	45700	RIDE	8.9	8.7	8.7	8.2	8.1	7.9	8.0	8.1	8.2	8.1	7.9	7.7			
14.1																					
4231991	8.000	11.600	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	1.3*	0.0*	
LANE CONSTRUCTION	CORPORAT	(2014)	FC5M			RIDE	8.2	8.3	8.5	8.5	8.5	8.5	8.5	8.4	8.2	8.1	8.1	7.8	7.6	7.5	
4496881	8.280	11.997	C	2025	0012																
16470000	11.120	12.013	R	5	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.5			
570	11.1	12.0	2	65	32500	RIDE	8.9	8.7	8.7	8.1	8.2	8.2	8.2	7.6	8.2	8.2	7.9	7.8			
14.1																					
4231991	8.000	11.600	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	5.0*	3.0*	
LANE CONSTRUCTION	CORPORAT	(2014)	FC5M			RIDE	8.2	8.1	8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.1	8.3	8.1	8.2	8.1	
4496881	8.280	11.997	C	2025	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = LANE CONSTRUCTION CORPORATIO -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P WKMX-P		=====													
CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P		ITMSEG-F		ITMSEG-F		ITMSEG-F															
ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F															
16470000	12.960	14.522	R	5	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.5			
570	13.0	14.5	2	65	16400	RIDE	8.9	8.7	8.7	8.1	8.2	8.2	8.2	8.1	8.1	8.0	7.7	7.3			
4231991	12.808	16.978	R	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	5.5*	3.5*	
LANE CONSTRUCTION			CORPORAT(2014)		FC5M	RIDE	8.2	8.1	8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.1	8.1	8.1	7.9	7.8	
16470000	14.522	15.361	R	5	8	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.5			
570	14.5	15.4	2	65	20800	RIDE	8.9	8.7	8.7	8.1	8.2	8.2	8.2	8.1	8.1	8.0	7.7	7.3			
4231991	12.808	16.978	R	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5				
LANE CONSTRUCTION			CORPORAT(2014)		FC5M	RIDE	8.2	8.1	8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.1	8.1				
16470000	15.361	15.660	R	5	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5	6.5			
570	15.4	15.7	2	65	20800	RIDE	8.9	8.7	8.7	8.1	8.4	8.2	8.3	8.1	8.1	7.9	7.4	7.1			
4231991	12.808	16.978	R	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	4.5*	2.5*	
LANE CONSTRUCTION			CORPORAT(2014)		FC5M	RIDE	8.2	8.1	8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.1	8.1	7.1	7.0	6.9	
16470000	14.700	15.660	L	5	8	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	6.5	6.5			
570	14.7	15.7	2	65	20800	RIDE	8.9	8.6	8.7	8.1	8.1	8.0	7.9	7.8	7.8	7.7	7.4	7.1			
4231991	12.001	16.798	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	6.5	6.5			
LANE CONSTRUCTION			CORPORAT(2014)		FC5M	RIDE	8.2	8.1	8.4	8.4	8.5	8.4	8.4	8.3	8.2	8.2	8.1	8.1			
16470000	14.347	14.700	L	5	8	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	6.5	6.5			
570	14.3	14.7	2	65	20800	RIDE	8.9	8.6	8.7	8.1	8.1	8.0	7.9	7.8	7.8	7.7	7.4	7.1			
4231991	12.001	16.798	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	6.5				
LANE CONSTRUCTION			CORPORAT(2014)		FC5M	RIDE	8.2	8.1	8.4	8.4	8.5	8.4	8.4	8.3	8.2	8.2	8.1				
16470000	12.994	14.347	L	5	8	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	6.5	6.5			
570	13.0	14.3	2	65	16400	RIDE	8.9	8.6	8.7	8.1	8.1	8.0	7.9	7.8	7.8	7.7	7.4	7.1			
4231991	12.001	16.798	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	6.5	6.5			
LANE CONSTRUCTION			CORPORAT(2014)		FC5M	RIDE	8.2	8.1	8.4	8.4	8.5	8.4	8.4	8.3	8.2	8.2	8.1	8.1			
16470000	11.140	12.013	L	5	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0			
570	11.1	12.0	2	65	32500	RIDE	8.9	8.6	8.7	8.1	8.1	8.0	7.9	8.4	8.3	8.1	7.8	8.0			
4231991	8.000	11.600	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	6.5	6.5	3.5*	1.5*	
LANE CONSTRUCTION			CORPORAT(2014)		FC5M	RIDE	8.2	8.1	8.4	8.4	8.5	8.4	8.4	8.3	8.2	8.2	8.0	8.0	7.7	7.2	7.1
4496881	8.280	11.997	C	2025	0012																
16470000	9.683	10.863	L	5	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0			
570	9.7	10.9	2	65	32500	RIDE	8.9	8.9	8.9	8.5	8.4	8.4	8.4	7.9	8.4	8.2	8.3	8.3			
4231991	8.000	11.600	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.5	7.5	6.5	4.5*	
LANE CONSTRUCTION			CORPORAT(2014)		FC5M	RIDE	8.3	8.2	8.5	8.5	8.5	8.6	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.3	
4496881	8.280	11.997	C	2025	0012																
16470000	8.346	9.683	L	5	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0			
570	8.3	9.7	3	65	45700	RIDE	9.1	9.0	8.8	8.4	8.4	8.5	8.6	8.6	8.6	8.5	8.4	8.3			
4231991	8.000	11.600	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.5	7.5	6.5	4.5*	
LANE CONSTRUCTION			CORPORAT(2014)		FC5M	RIDE	8.3	8.2	8.6	8.6	8.7	8.7	8.7	8.7	8.6	8.6	8.6	8.5	8.3	8.2	
4496881	8.280	11.997	C	2025	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = LAWRENCE-LYNCH CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	

05020000	10.746	20.637	C	1	1	CRACKING	4.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	7.0	7.0	
78			2	60	5000	RIDE	6.8	6.6	6.2*	8.2	8.1	8.0	8.1	8.1	8.1	8.0	7.9	7.7	7.6	7.6	
CACTUS LN NW(10.9L)																					
4291001	9.551	20.640	C	2014	0012	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	6.8	6.2*	4.5*
LAWRENCE-LYNCH CORP. (2016) FC125 RIDE 7.3 8.5 8.4 8.4 8.3 8.2 8.1 8.0 7.9 7.7 7.8 7.7 7.4																					
05020000	20.637	29.437	C	1	1	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	7.0	7.0		
78			2	60	5000	RIDE	6.5	6.3*		8.2	8.1	8.0	8.1	8.1	8.0	7.9	7.7	7.6	7.6		
TOMATO GRADE RD(26.2L)																					
4291011	20.637	29.450	C	2016	0012	CRACKING	7.0	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.2	8.5	7.0
LAWRENCE-LYNCH CORP. (2018) FC125 RIDE 7.3 7.3 6.8 8.2 8.1 8.1 8.0 8.0 8.0 8.0 7.9 7.9 7.9 7.6																					
09060000	29.472	36.334	C	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	3.5*	
70			2	60	7000	RIDE	8.9	8.4	8.9	8.2	8.1	7.8	8.0	7.8	7.5	7.6	7.3	7.4	7.3		
CR 721(32.0L)																					
4252271	30.136	36.334	C	2012	0012	CRACKING	10.0	10.0	10.0	9.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.9	5.0*	
LAWRENCE-LYNCH CORP. (2014) FC125 RIDE 8.4 8.4 7.7 7.4 8.1 8.1 8.0 8.0 8.0 8.0 7.9 7.9 7.9 7.6																					
09140000	0.000	9.100	C	1	1	CRACKING	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.0	
66			2	60	7281	RIDE	7.6	7.4	7.5	8.4	8.2	8.3	8.1	8.0	6.9	7.8	7.9	7.8	7.7		
SPRING VALLEY LN(2.0L)																					
4366001	0.000	7.500	C	2017	0012	CRACKING	6.0*	6.0*	5.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	8.9	8.3	7.0	
LAWRENCE-LYNCH CORP. (2020) FC125 RIDE 7.5 6.7 7.2 7.3 7.3 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 7.9																					
91010000	0.000	3.060	C	1	1	CRACKING	10.0	9.5	9.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*		
78			2	50	8700	RIDE	8.9	8.9	8.7	8.4	8.4	8.1	8.2	8.1	7.9	7.9	7.6	7.6	7.4		
SW 40 TER(0.5L)																					
4291021	0.126	3.069	C	2014	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	5.1*	3.5*	
LAWRENCE-LYNCH CORP. (2015) FC125 RIDE 7.3 8.8 8.4 8.3 8.3 8.2 8.1 8.0 8.0 7.8 7.7 7.7 7.4																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = LYNCH PAVING & CONSTRUCTION -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	%T	=====															
ITMSEG-P	(AGE_ONE YEAR)	SURF_TYPE					2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2026	2031	(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
ITMSEG-F																						
91020000	16.888	22.266	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	
15 441			2	60	5000	RIDE		8.8	8.7	8.1	8.1	8.0	8.1	8.1	8.1	7.8	7.8	7.6	7.4	7.3		
CR 68/ NE 224TH ST(17.4R)																						
4349401	16.888	22.266	C	2017	0012	CRACKING	6.0*	5.5*	5.5*	5.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.1	8.1	9.0	7.5
LYNCH PAVING & CONSTRUCTIO(2019) FC125 RIDE																						
91050000	0.000	1.281	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
15 98			2	45	7400	RIDE	8.7	8.6	8.5	8.3	8.3	8.1	8.4	8.3	8.3	8.3	8.3	8.2	8.1	8.1		
SR 15(0.0C)																						
4349621	0.030	2.196	C	2017	0012	CRACKING	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.7	7.0	
LYNCH PAVING & CONSTRUCTIO(2019) FC95M RIDE																						
91050000	1.281	1.531	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
15 98			2	45	11900	RIDE	8.7	8.6	8.5	8.3	8.3	8.1	8.4	8.3	8.3	8.3	8.3	8.2	8.1	8.1		
SE 17TH WAY(1.3R)																						
4349621	0.030	2.196	C	2017	0012	CRACKING	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	8.5	
LYNCH PAVING & CONSTRUCTIO(2019) FC95M RIDE																						
91050000	1.531	2.196	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
15 98			2	45	11900	RIDE	8.7	8.6	8.5	8.3	8.3	8.1	8.4	8.3	8.3	8.3	8.3	8.2	8.1	8.1		
BUSCH RD(2.0R)																						
4349621	0.030	2.196	C	2017	0012	CRACKING	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.4	8.0	
LYNCH PAVING & CONSTRUCTIO(2019) FC95M RIDE																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = MACASPHALT A DIVISION OF -----																												
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE								
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013								
INTERSECT AT (MP SIDE) %T =====																												
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031							
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(PMRS)							
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																						
17020000	22.085	22.430	R	1	1	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0							
45	41			3	45	42000	RIDE	6.6	7.4	7.0	6.4*	6.8	6.6	7.0	6.8	6.6	6.7	6.6	6.5	6.5								
GEN SPAATZ BLVD(22.2R)																												
						3.0																						
1977671	19.275	22.406	C	1983	0216	CRACKING		9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	6.5	6.5	6.5	5.1*	4.4*	0.0*							
MACASPHALT A DIVISION OF (1986) DGFC																												
						RIDE		6.3	5.8	6.3	6.2	6.5	6.3	6.4	6.2	6.3	6.0	6.1	5.9	5.8	5.5							

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = OHLA USA, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR US	G_BMP	G_EMP	LN	ADT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	ADT	ADT	*****														(PMRS)	
CONTRACTOR	W_BMP	W_EMP	FW	FY-F	WKM-F																
ITMSEG-F	W_BMP	W_EMP	FW	FY-F	WKM-F																
01010000	7.720	11.833	R	1	1	CRACKING	8.5	8.5	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0		
45 41			2	50	31500	RIDE	8.7	8.6	8.7	8.2	8.2	8.1	8.1	8.1	8.2	8.1	8.1	8.1	8.0		
PAYNE ST (8.0R)																					
4444851	7.710	11.822	C	2022	0012	CRACKING	7.0	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	9.0	
OHLA USA, INC.			(2025)	FC5M	RIDE		7.9	7.8	8.1	8.1	8.0	8.0	8.1	8.0	8.0			8.4	8.3	8.1	
01010000	7.720	11.833	L	1	1	CRACKING	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.0		
45 41			2	50	31500	RIDE	8.2	7.9	8.5	8.0	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.7	7.6		
LEMON ST (8.0L)																					
4444851	7.710	11.822	C	2022	0012	CRACKING	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*			10.0	10.0	
OHLA USA, INC.			(2025)	FC5M	RIDE		7.6	7.5	7.9	7.9	7.8	7.7	7.8	7.7	7.8	7.7			8.3	8.2	8.0
03175000	25.130	33.857	R	4	1	CRACKING	9.5	8.0	8.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0		
93 175	75.9	84.6	2	70	30214	RIDE	8.8	8.5	8.4	7.6	7.6	7.3	7.2		7.9	7.9	7.9	7.8	7.8		
11.5																					
4440083	25.144	33.989	C	2023	0012	CRACKING	10.0	9.0	9.0	9.0	6.5	3.5*	3.5*	6.5	6.5	6.5	6.5	10.0	10.0	9.0	
OHLA USA, INC.			(2025)	FC5M	RIDE		7.7	7.6	8.1	8.1	8.0	7.8	8.3	8.3	8.2	8.0	8.0	8.5	8.5	8.4	
03175000	33.857	45.926	R	4	1	CRACKING	10.0	9.5	8.0	8.0	7.0	7.0	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0		
93 175	84.6	96.7	2	70	30214	RIDE	8.7	8.5	8.3	7.4	7.4	7.2	7.1	7.4	7.1	8.2	8.2	8.0	8.0		
11.5																					
4440084	33.989	46.000	C	2025	0012	CRACKING	10.0	9.0	9.0	9.0	6.5	4.5*	4.5*	7.5	7.5	7.5	7.5	10.0	6.5	5.5*	
OHLA USA, INC.			(2025)	FC5	RIDE		7.9	7.8	8.2	8.2	8.1	8.0	8.4	8.4	8.4	8.2	8.2	8.5	8.1	8.0	
03175000	45.926	49.300	R	4	1	CRACKING	10.0	9.5	9.5	8.0	8.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0		
93 175	96.7	100.1	2	70	30214	RIDE	8.6	8.5	8.3	7.6	7.7	7.5	7.4	8.4	8.3	8.2	8.2	8.2	8.1		
11.5																					
4440083	46.000	49.282	C	2023	0012	CRACKING	10.0	10.0	10.0	10.0	6.5	4.5*	4.5*	8.0	8.0	8.0		10.0	10.0	9.0	
OHLA USA, INC.			(2025)	FC5M	RIDE		8.0	7.9	8.4	8.4	8.3	8.2	8.6	8.6	8.6	8.5		8.5	8.5	8.4	
03175000	45.970	49.335	L	4	2	CRACKING	7.0	7.0	6.0*	4.0*	4.0*	3.0*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0		
93 175	96.7	100.1	2	70	30214	RIDE	8.8	8.6	8.3	7.3	7.2	6.8	6.7	8.4	8.3	8.3	8.3	8.3	8.2		
11.5																					
4440083	46.000	49.282	C	2023	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	9.0	
OHLA USA, INC.			(2025)	FC5M	RIDE		8.2	8.1	8.6	8.5	8.5	8.5	8.6	8.6	8.6	8.6	8.6	8.4	8.4	8.3	
03175000	44.470	45.970	L	4	8	CRACKING	7.0	7.0	6.0*	4.0*	4.0*	3.0*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0		
93 175	95.2	96.7	2	70	30214	RIDE	8.8	8.6	8.3	7.3	7.2	6.8	6.7	8.4	8.3	8.3	8.3	8.3	8.2		
11.5																					
4440084	33.989	46.000	C	2025	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0			
OHLA USA, INC.			(2025)	FC5M	RIDE		8.2	8.1	8.6	8.5	8.5	8.5	8.6	8.6	8.6	8.6	8.6	8.4			
03175000	33.750	44.470	L	4	2	CRACKING	9.0	8.0	8.0	7.0	7.0	7.0	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0		
93 175	84.5	95.2	2	70	30214	RIDE	8.9	8.8	8.6	7.9	7.9	7.6	7.5	7.6	7.3	8.0	8.1	8.1	8.1		
11.5																					
4440084	33.989	46.000	C	2025	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	7.5	6.5	
OHLA USA, INC.			(2025)	FC5	RIDE		8.0	7.9	8.4	8.3	8.3	8.2	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.2	
03175000	25.130	33.750	L	4	1	CRACKING	9.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0		
93 175	75.9	84.5	2	70	30214	RIDE	9.0	8.8	8.5	7.7	7.8	7.4	7.4		8.0	8.1	8.1	8.0	8.0		
11.5																					
4440083	25.144	33.989	C	2023	0012	CRACKING	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0	
OHLA USA, INC.			(2025)	FC5M	RIDE		7.9	7.8	8.3	8.3	8.3	8.2	8.4	8.5	8.5	8.4	8.4	8.4	8.5	8.4	
05010000	21.629	28.938	R	1	1	CRACKING	9.5	9.5	8.0	7.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	10.0	10.0		
25 27			2	65	9900	RIDE	9.0	9.1	9.0	8.4	8.4	8.2	8.3	8.4	8.3	8.2	8.0	8.1	8.0		
CR 733(22.3R)																					
4459321	21.688	28.938	R	2023	0012	CRACKING	10.0	9.5	8.5	8.0	8.0	6.5	6.5	4.5*	4.5*	3.5*			10.0	9.0	
OHLA USA, INC.			(2025)	FC5M	RIDE		8.0	7.9	8.3	8.4	8.3	8.3	8.4	8.3	8.1	8.2			8.7	8.6	8.4
05010000	21.629	28.938	L	1	1	CRACKING	9.5	9.5	9.5	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	10.0	10.0		
25 27			2	65	9900	RIDE	9.1	9.1	8.8	8.2	8.0	7.9	8.0	8.1	8.0	7.9	7.8	8.1	7.9		
FISHEATING CRK(22.1L)																					
4459321	21.915	28.938	L	2023	0012	CRACKING	10.0	9.5	8.5	8.0	8.0	6.5	4.5*	3.5*	3.5*	1.0*			10.0	9.3	
OHLA USA, INC.			(2025)	FC5M	RIDE		8.0	7.9	8.3	8.3	8.3	8.2	8.4	8.3	8.0	7.9			8.8	8.7	8.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = OHLA USA, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****														
ITMSEG-P	(AGE_ONE	YEAR)	SURF_TYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031				
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															
07010000	0.000	6.267	R	1	1	CRACKING	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
80			2	60	23000	RIDE	8.3	8.0	8.1		8.1	8.0	8.0	7.8	7.7	7.7	7.9	7.7	7.7		
TOWNSEND CANAL GR(0.5R)																					
4394311	0.000	6.278	C	2022	0012	CRACKING	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*	3.5*	3.5*		10.0	9.3	9.4	8.0	
OHLA USA, INC.				(2024)	FC5	RIDE	7.5	7.3	7.9	7.6	7.8	7.9	7.9	7.9	7.8		8.6	8.5	8.3	8.1	
07010000	0.000	6.429	L	1	1	CRACKING	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	
80			2	60	23000	RIDE	8.3	8.0	8.1		8.1	8.2	8.2	7.8	7.7	7.8	8.2	8.1	8.0		
COTTON STRIP AIRPARK(1.8L)																					
4394311	0.000	6.278	C	2022	0012	CRACKING	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	9.5	9.6	8.5	
OHLA USA, INC.				(2024)	FC5	RIDE	7.9	7.7	8.0	7.9	7.9	7.9	7.9	7.9	7.8		8.7	8.7	8.6	8.4	
09010000	6.527	12.022	R	1	7	CRACKING	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			2	65	9761	RIDE	9.0	8.5	8.8	8.1	8.0	7.9	7.6	8.3	8.5	8.2	8.2	8.5	8.5		
HORN RD(6.6R)																					
4489371	6.527	16.323	C	2025	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	10.0	9.0	
OHLA USA, INC.				(2026)	FC5M	RIDE	8.5	8.2	8.6	8.5	8.6	8.9	8.9	8.9	8.9	8.9	8.8	8.7	8.5	8.3	
09010000	12.022	12.199	R	1	5	CRACKING	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			2	55	9761	RIDE	9.0	8.5	8.8	8.1	8.0	7.9	7.6	8.3	8.5	8.2	8.2	8.5	8.5		
SR 70(12.2C)																					
4489371	6.527	16.323	C	2025	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	8.9	8.5	
OHLA USA, INC.				(2026)	CONC	RIDE	8.5	8.2	8.6	8.5	8.6	8.9	8.9	8.9	8.9	8.9	8.9	8.9	7.6	7.5	
09010000	12.199	16.337	R	1	7	CRACKING	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			2	60	12100	RIDE	9.0	8.5	8.8	8.1	8.0	7.9	7.6	8.3	8.5	8.2	8.2	8.5	8.5		
S SUN N LAKES BLVD(14.0R)																					
4489371	6.527	16.323	C	2025	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	10.0	9.0	
OHLA USA, INC.				(2026)	FC5	RIDE	8.5	8.2	8.6	8.5	8.6	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.3	8.1	
09010000	12.302	16.315	L	1	7	CRACKING	8.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			2	60	12100	RIDE	8.8	8.5	8.8	8.3	8.2	8.0	7.9	7.5	8.1	8.6	8.1	8.5	8.5		
KELSEY RD(15.5L)																					
4489371	6.527	16.323	C	2025	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*	10.0	9.0	
OHLA USA, INC.				(2026)	FC5	RIDE	8.5	8.4	8.7	8.6	8.7	8.8	8.9	8.8	8.8	8.8	8.9	8.9	8.4	8.2	
09010000	12.130	12.302	L	1	5	CRACKING	8.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			2	55	9800	RIDE	8.8	8.5	8.8	8.3	8.2	8.0	7.9	7.5	8.1	8.6	8.1	8.5	8.5		
SR 70(12.2C)																					
4489371	6.527	16.323	C	2025	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	5.5*	5.5*			9.4	9.0	
OHLA USA, INC.				(2026)	CONC	RIDE	8.5	8.4	8.7	8.6	8.7	8.8	8.9	8.8	8.8	8.8			7.2	7.1	
09010000	6.527	12.130	L	1	7	CRACKING	8.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			2	65	9761	RIDE	8.8	8.5	8.8	8.3	8.2	8.0	7.9	7.5	8.1	8.6	8.1	8.5	8.5		
FIESTA CT(7.1L)																					
4489371	6.527	16.323	C	2025	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*	10.0	9.0	
OHLA USA, INC.				(2026)	FC5	RIDE	8.5	8.4	8.7	8.6	8.7	8.8	8.9	8.8	8.8	8.8	8.8	8.9	8.5	8.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PAVEX CORPORATION -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	%T	=====														
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-X-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
16006000	0.000	1.514	C	1	1	CRACKING	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
659			2	40	17600	RIDE	5.5*	5.4*	4.9*	7.5	7.4	7.4	7.6	7.2	7.4	7.4	7.5	7.3	7.2		
SR 35(0.0C)																					
1976921	0.011	1.485	C	2002	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.0	7.0	5.5*	5.5*	5.5*	5.5*	5.2*	4.5*	2.0*	
PAVEX CORPORATION				(2004)	FC125	RIDE	7.4	7.2	6.8	6.8	6.9	6.6	6.3	6.4	6.6	6.6	6.4	6.6	6.4	6.1	
4508721	0.000	4.341	C	2029	0226																
16070000	0.747	1.041	R	1	1	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
33			2	35	28500	RIDE	5.1*	4.9*	6.8	7.0	7.0	6.5	7.0	6.8	6.8	7.0	6.9	6.7	6.7		
END EXCEPTION(0.7C)																					
1976481	0.007	2.417	C	2001	0012	CRACKING	9.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	7.0	4.0*	
PAVEX CORPORATION				(2004)	DGFC	RIDE	6.6	6.6	6.5	6.6	6.6	6.5	6.2	6.2	6.3	6.0	6.1	6.1	4.7*	4.4*	
4508781	0.753	1.122	C	2026	0226																
16070000	1.041	2.627	R	1	8	CRACKING	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
33			2	45	31000	RIDE	6.3*	5.6*	6.8	7.0	7.0	6.5	7.0	6.8	6.8	7.0	6.9	6.7	6.7		
BUENA VISTA ST(1.1R)																					
1976481	0.007	2.417	C	2001	0012	CRACKING	9.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*			
PAVEX CORPORATION				(2003)	DGFC	RIDE	6.6	6.6	6.5	6.6	6.6	6.5	6.2	6.2	6.3	6.0	6.1	6.1			
4404441	1.275	2.405	C	2024	0005																
16070000	0.747	2.369	L	1	1	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
33			2	35	28500	RIDE	4.9*	4.0*	7.0	6.4	6.4	6.0	6.5	6.4	6.5	6.4	6.2	6.1	6.0		
END EXCEPTION(0.7C)																					
1976481	0.007	2.417	C	2001	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	2.5*	
PAVEX CORPORATION				(2003)	DGFC	RIDE	6.1	6.1	6.1	6.0	6.3	6.0	5.8	5.8	5.8	5.7	5.7	5.4*	5.4*	5.1*	
4404441	1.275	2.405	C	2024	0005																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PCL CIVIL CONSTRUCTORS INC -----																												
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE								
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013								
INTERSECT AT (MP SIDE)															2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P	%T	=====																				
CONTRACTOR	(AGE_ONE	YEAR)																										
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																						
17020000	12.511	15.230	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5							
45 41				3	45	49000	RIDE	8.0	8.3	7.6	7.6	7.6	7.7	7.8	7.5	7.4	7.4	7.3	7.3	7.3								
COUVER DR(12.6R)																												
1979551	12.567	15.247	C	1993	0005	CRACKING	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	7.2	4.0*								
PCL CIVIL CONSTRUCTORS INC(1997)	FC4	RIDE	7.1	6.5	6.8	6.8	6.8	7.0	6.7	6.6	6.5	6.4	6.6	6.8	6.4	6.1												
4510091	12.151	15.248	C	2029	0226																							

17020000	12.511	15.250	L	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0								
45 41				3	45	49000	RIDE	7.5	7.5	7.4	7.0	6.9	6.8	7.5	6.7	6.7	7.9	7.8	7.9	7.9								
CRESTWOOD AVE(12.6L)																												
1979551	12.567	15.247	C	1993	0005	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	7.0	6.5	5.5*	5.5*	6.0*	5.4*	2.0*							
PCL CIVIL CONSTRUCTORS INC(1997)	FC4	RIDE	7.8	7.0	7.0	7.2	7.6	7.6	7.6	7.6	7.6	7.5	7.4	7.6	7.5	7.4	7.6	7.5	7.5	7.2								
4510091	12.151	15.248	C	2029	0226																							

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PCS CIVIL LLC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	RATINGS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	AADT			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X	-P	*****														
ITMSEG-P	(AGE_ONE YEAR)			SURF_TYPE				2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	CONTRACTOR	CONTRACTOR																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	-F															
13030000	5.093	8.228	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.0*	4.5*	4.5*	4.5*	
45 41			2	60	22500	RIDE	9.1	9.0	9.0	8.5	8.5	8.3	8.3	8.2	8.1	8.1	8.1	7.9	7.8	7.7	
ROCK PAYNE RD(5.6R)																					
1961142	6.432	8.242	C	2015	0012	CRACKING	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.3	7.8	6.0*
PCS CIVIL LLC				(2018)	FC5M	RIDE	7.6	7.3	8.0		8.5	8.4	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.5	8.3
13030000	8.228	8.864	R	1	4	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.0*	4.5*	4.5*	4.5*	
45 41			2	60	16100	RIDE	9.1	9.0	9.0	8.5	8.5	8.3	8.3	8.2	8.1	8.1	8.1	7.9	7.8	7.7	
INLAND TRANSPORT ST(8.5R)																					
1961143	8.229	8.884	C	2015	0233	CRACKING	4.5*	4.5*	4.5*		9.4	9.4	9.4	9.5	9.5	9.5	9.5	9.4	9.4	9.4	9.0
PCS CIVIL LLC				(2018)	LDG	RIDE	7.6	7.3	8.0		8.2	8.2	8.3	8.3	8.3	8.3	8.3	8.2	8.3	8.2	8.1
13030000	8.864	9.782	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.0*	4.5*	4.5*	4.5*	
45 41			2	60	16100	RIDE	9.1	9.0	9.0	8.5	8.5	8.3	8.3	8.2	8.1	8.1	8.1	7.9	7.8	7.7	
ENT TO ROYSTER R(9.2R)																					
1961142	9.263	9.779	C	2015	0012	CRACKING	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.3	6.5
PCS CIVIL LLC				(2018)	FC5M	RIDE	7.6	7.3	8.0		8.5	8.4	8.5	8.6	8.5	8.4	8.4	8.4	8.4	8.3	8.1
13030000	8.864	9.782	L	1	1	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.0*	4.5*	4.5*	4.5*		
45 41			2	60	16100	RIDE	9.0	8.9	8.7	7.8	8.4	8.3	8.3	8.2	8.2	8.1	8.1	7.9	7.8	7.7	
DOCK ST S(8.3L)																					
1961143	8.229	8.884	C	2015	0233	CRACKING	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	9.0	7.0
PCS CIVIL LLC				(2018)	LDG	RIDE	7.8	7.7	8.0		8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.4	8.3	8.2	8.0
13030000	8.228	8.864	L	1	4	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.0*	4.5*	4.5*	4.5*		
45 41			2	60	16100	RIDE	9.0	8.9	8.7	7.8	8.4	8.3	8.3	8.2	8.2	8.1	8.1	7.9	7.8	7.7	
DOCK ST S(8.3L)																					
1961143	8.229	8.884	C	2015	0233	CRACKING	4.5*	4.5*	3.5*		9.4	9.3	9.4	9.4	9.3	9.3	9.3	9.5	9.4	9.3	9.0
PCS CIVIL LLC				(2018)	LDG	RIDE	7.8	7.7	8.0		8.0	8.1	8.2	8.2	8.2	8.1	8.1	8.2	8.1	8.1	8.0
13030000	5.093	8.228	L	1	1	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.0*	4.5*	4.5*	4.5*		
45 41			2	60	22500	RIDE	9.0	8.9	8.7	7.8	8.4	8.3	8.3	8.2	8.2	8.1	8.1	7.9	7.8	7.7	
85 ST E(5.6L)																					
1961142	6.432	8.242	C	2015	0012	CRACKING	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	6.5	4.5*	
PCS CIVIL LLC				(2018)	FC5M	RIDE	7.8	7.7	8.0		8.5	8.4	8.5	8.5	8.5	8.3	8.3	8.2	8.1	7.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PREFERRED MATERIALS, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	ADT	*****														
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	SURF_TYPE				2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-F																					
01010000	21.003	22.167	R	1	1	CRACKING	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
45 41				3	45	55000	RIDE	8.4	8.2	8.1	7.1	6.9	6.8	6.6	6.6	8.2	8.2	8.1	8.1	7.8	
COCHRAN BLVD(21.1C)																					
4172371	21.021	22.142	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.0	7.8	5.5*
PREFERRED MATERIALS, INC. (2009)					FC125	RIDE	7.7	7.6	7.3	7.3	7.1	7.2	7.1	7.1	7.2	7.0	7.0	7.0	7.1	6.9	6.6

01010000	21.021	22.167	L	1	1	CRACKING	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
45 41				3	45	55000	RIDE	7.9	7.9	7.7	7.1	7.1	7.0	6.9	7.0	8.0	8.0	8.0	8.0	7.9	7.7
COCHRAN BLVD(21.1C)																					
4172371	21.021	22.142	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.9	7.8	5.5*
PREFERRED MATERIALS, INC. (2009)					FC125	RIDE	7.8	7.7	7.5	7.5	7.4	7.4	7.3	7.3	7.2	7.1	7.0	6.8	7.2	6.9	6.9

01040000	3.506	6.080	R	1	1	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17				2	55	19300	RIDE	7.4	7.2		8.3	8.4	8.3	8.3	8.3	8.2	7.7	8.0	8.0	7.9	
RIDGE RD(3.8R)																					
4365991	3.506	6.123	C	2018	0012	CRACKING	8.5	6.5	6.5	6.5	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.0	7.5
PREFERRED MATERIALS, INC. (2020)					FC5HP	RIDE	7.9	7.7	7.4	6.9	6.5	6.3*	8.7	8.7	8.6	8.6	8.5	8.6	8.6	8.6	8.4

01040000	3.506	6.120	L	1	1	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17				2	55	19300	RIDE	7.4	7.2		8.4	8.4	8.2	8.1	8.1	8.0	8.1	7.5	7.6	7.5	
CONSTITUTIONAL AVE(3.7L)																					
4365991	3.506	6.123	C	2018	0012	CRACKING	8.5	6.5	6.5	6.5	3.5*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.6	9.0	7.5
PREFERRED MATERIALS, INC. (2020)					FC5HP	RIDE	7.1	6.4*	6.4*	5.9*	5.5*	5.3*	8.6	8.5	8.4	8.4	8.3	8.2	8.2	8.2	8.0

01050000	2.237	4.550	R	1	1	CRACKING	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.0	7.0	7.0	
776				2	45	29000	RIDE	8.0	8.4	8.2	7.9	7.9	7.7	7.7	7.8	7.8	7.8	7.8	7.6	7.6	
MANOR RD(2.5C)																					
4365971	2.237	5.285	C	2020	0012	CRACKING	7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0
PREFERRED MATERIALS, INC. (2022)					FC125	RIDE	7.5	7.5	7.0	7.0	7.1	6.9	6.9	6.9	7.9	7.8	7.9	7.8	7.9	7.8	7.6

01050000	4.550	5.285	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
776				2	55	32000	RIDE		8.9	8.8	8.1	8.1	8.1	8.0	7.9	8.0	7.9	7.8	7.7	7.7	
MAYPORT ST(4.8R)																					
4365971	2.237	5.285	C	2020	0012	CRACKING	8.0	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.9	8.9	7.5	
PREFERRED MATERIALS, INC. (2022)					FC5M	RIDE	7.6	7.5	7.6	7.7	7.7	7.5	7.8	7.7	8.6	8.6	8.6	8.6	8.6	8.6	8.4

01050000	6.371	9.260	R	1	1	CRACKING	8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
776				2	55	26500	RIDE	8.6	8.6		8.5	8.5	8.4	8.4	8.5	8.4	8.4	8.4	8.3	8.2	
CERVANTES ST(6.6C)																					
4394251	6.371	9.260	C	2020	0012	CRACKING	8.0	8.0	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	10.0	9.7	9.0	7.5	
PREFERRED MATERIALS, INC. (2023)					FC5M	RIDE	8.1	8.0	8.1	8.1	8.0	7.9	8.0	7.9		8.8	8.8	8.8	8.8	8.8	8.6

01050000	6.371	9.260	L	1	1	CRACKING	8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
776				2	55	26500	RIDE	8.6	8.6		8.4	8.5	8.4	8.5	8.4	8.4	8.4	8.4	8.3	8.2	
CERVANTES ST(6.6C)																					
4394251	6.371	9.260	C	2020	0012	CRACKING	9.0	9.0	7.0	7.0	6.5	4.5*	4.5*	4.5*		10.0	10.0	9.8	9.0	7.5	
PREFERRED MATERIALS, INC. (2023)					FC5M	RIDE	8.2	8.1	8.1	8.1	8.1	8.0	8.1	8.0		8.9	8.8	8.9	8.8	8.8	8.6

01050000	4.550	5.285	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	
776				2	55	32000	RIDE		9.0	8.8	8.2	8.3	8.2	8.0	8.1	8.2	8.2	8.0	7.9	7.9	
MONTAUK TERR(4.6L)																					
4365971	2.237	5.285	C	2020	0012	CRACKING	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.6	9.3	8.0	
PREFERRED MATERIALS, INC. (2022)					FC5M	RIDE	7.8	7.7	7.8	7.8	7.8	7.6	7.8	7.6	8.5	8.5	8.5	8.5	8.5	8.5	8.3

01050000	2.237	4.550	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	
776				2	45	29000	RIDE	7.9	7.9	7.7	7.4	7.4	7.2	6.9	7.0	7.1	7.2	7.0	6.9	6.9	
MANOR RD(2.5C)																					
4365971	2.237	5.285	C	2020	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.6	9.7	8.5
PREFERRED MATERIALS, INC. (2022)					FC125	RIDE	6.8	6.9	6.6	6.6	6.6	6.5	6.5	6.5	6.3	8.1	8.0	8.0	8.0	8.1	7.8

03001000	0.000	1.020	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	7.5	7.5	6.5	
84				3	45	27000	RIDE	7.6	7.8	7.2	6.7	6.8	6.7	6.7	6.9	6.7	6.2	6.3	6.1	6.0	
SR 90(0.0C)																					
4365851	0.045	0.889	C	2019	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	8.9	7.5
PREFERRED MATERIALS, INC. (2020)					FC125	RIDE	6.2	6.0	6.0	5.7	5.6	5.2*	8.0	7.9	7.9	7.8	7.8	7.3	7.6	7.3	7.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1															CONTRACTOR = PREFERRED MATERIALS, INC.										-----										
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR										FUTURE																	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	FY-P	WKM-F	WKM-F	*****																												
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	W_RW	FY-F	WKM-F	WKM-F	*****																												
ITMSEG-P	W_BMP	W_EMP	W_RW	FY-F	WKM-F	WKM-F	*****																												
ITMSEG-F	W_BMP	W_EMP	W_RW	FY-F	WKM-F	WKM-F	*****																												
03001000	1.020	2.974	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.5	8.0															
84				2	45	27000	RIDE	8.8	8.3	8.5	7.7	7.9	7.4	7.6	7.8	7.8	7.9	7.7	7.3	7.5															
WINTER PARK BLVD(1.4R)																																			
4291201	1.020	2.975	C	2015	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.8	7.0													
PREFERRED MATERIALS, INC. (2017) FC125 RIDE																																			
03001000	2.974	3.983	R	1	1	CRACKING	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0																
84				2	50	29000	RIDE	8.6	8.5	8.4	7.2	7.3	6.9	6.9	7.0	6.5	6.5	7.7	7.6	7.6															
HERITAGE TR(3.0R)																																			
4331731	2.974	3.858	R	2016	0221	CRACKING	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	10.0	8.5														
PREFERRED MATERIALS, INC. (2019) FC95A RIDE																																			
03001000	1.020	2.974	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5																
84				2	45	27000	RIDE	8.5	8.1	7.9	7.8	7.6	7.2	7.4	7.3	7.2	7.3	7.1	7.1	7.3															
ENT TO SCHOOL(1.2L)																																			
4291201	1.020	2.975	C	2015	0012	CRACKING	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.8	7.0														
PREFERRED MATERIALS, INC. (2017) FC125 RIDE																																			
03001000	0.000	1.020	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0	6.5																
84				3	45	27000	RIDE	8.1	8.3	7.8	7.5	7.0	7.1	7.4	7.5	6.5	7.1	6.9	6.9	6.8															
SR 90(0.0C)																																			
4365851	0.045	0.889	C	2019	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.2	8.0														
PREFERRED MATERIALS, INC. (2020) FC125 RIDE																																			
03030000	3.100	4.676	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0																
951				2	45	41000	RIDE	8.6	8.5	8.4	8.0	8.0	7.8	7.9	7.9	7.7	7.7	7.6	7.5	7.5															
6.7																																			
4395551	3.152	6.183	C	2019	0012	CRACKING	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	9.0														
PREFERRED MATERIALS, INC. (2022) FC125 RIDE																																			
03030000	4.676	6.161	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0																
951				2	55	41000	RIDE	8.6	8.5	8.4	8.0	8.0	7.8	7.9	7.9	7.7	7.7	7.6	7.5	7.5															
MAINSAIL DR(5.2R)																																			
4395551	3.152	6.183	C	2019	0012	CRACKING	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*			10.0	10.0	10.0	10.0	10.0	8.5														
PREFERRED MATERIALS, INC. (2022) FC5M RIDE																																			
03030000	4.676	6.161	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.5	7.5	7.5																
951				2	55	41000	RIDE	8.5	8.4	8.2	7.9	8.0	7.8	7.8	7.9	7.9	7.8	7.8	7.7	7.6															
6.7																																			
4395551	3.152	6.183	C	2019	0012	CRACKING	7.5	7.0	7.0	7.0	7.0	5.0*	5.0*			10.0	10.0	10.0	10.0	10.0	8.5														
PREFERRED MATERIALS, INC. (2022) FC5M RIDE																																			
03030000	3.100	4.676	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.5	7.5	7.5																
951				2	45	41000	RIDE	8.5	8.4	8.2	7.9	8.0	7.8	7.8	7.9	7.9	7.8	7.8	7.7	7.6															
CAPRI BLVD(4.1L)																																			
4395551	3.152	6.183	C	2019	0012	CRACKING	7.5	7.0	7.0	7.0	7.0	5.0*	5.0*			10.0	10.0	10.0	10.0	10.0	9.0														
PREFERRED MATERIALS, INC. (2022) FC125 RIDE																																			
03080000	9.025	13.219	C	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.5	7.5	7.5															
29				2	60	2800	RIDE	9.0	8.9	8.8	8.1	8.1	7.9	7.8	7.9	7.8	7.9	7.8	7.7	7.7															
21.4																																			
4489291	9.015	13.218	C	2025	0226	CRACKING	7.5	7.5	7.5	7.5	7.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.1*	10.0	9.0															
PREFERRED MATERIALS, INC. (2026) DGFC RIDE																																			
03080000	16.511	17.439	R	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	6.5	6.5	6.5																
29				1	45	2800	RIDE	8.7	8.6	8.5	7.7	7.8	7.6	7.6	7.4	7.4	7.4	7.2	7.3																
TURNOUT(16.8C)																																			
4252101	16.511	16.951	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	9.1	7.0														
PREFERRED MATERIALS, INC. (2014) FC125 RIDE																																			
4512761	16.511	17.347	C	2027	0226																														
03080000	19.997	28.731	C	1	1	CRACKING	10.0	9.5	9.5	9.5	9.5	7.0	6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0																
29				2	60	8200	RIDE	8.1	8.0	7.7	7.2	7.0	6.7	6.5	6.6	6.6	6.5	6.4*	8.6	8.6															
SUNNILAND MINE RD(24.9R)																																			
4252191	19.996	28.731	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.0	7.0	7.4	6.9	5.0*													
PREFERRED MATERIALS, INC. (2012) FC125 RIDE																																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PREFERRED MATERIALS, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	FY-P	WKM-F	WKM-F	*****														
ITMSEG-P	(AGE_ONE YEAR)	YEAR	YEAR	YEAR	YEAR	YEAR	YEAR	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	W_BMP	W_EMP	W_RW	FY-F	WKM-F	WKM-F	*****													(PMRS)	
ITMSEG-F	W_BMP	W_EMP	W_RW	FY-F	WKM-F	WKM-F	*****													(PMRS)	
03080000	39.954	40.164	R	1	1	CRACKING	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
29			2	55	22930	RIDE	8.7	8.6	8.4	7.7	7.7	7.7	7.3	7.4	8.4	8.4	8.3	8.4	8.3	8.3	8.3
1953422	39.898	44.884	C	2006	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.4*	6.5	4.0*
PREFERRED	MATERIALS, INC.	(2008)	FC125	RIDE	8.2	8.3	8.1	8.1	8.0	7.9	7.9	7.9	7.8	7.8	7.9	7.8	7.8	7.8	7.8	6.4*	6.4*
03080000	40.164	42.357	C	1	1	CRACKING	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
29			2	60	22930	RIDE	8.7	8.6	8.4	7.7	7.7	7.7	7.3	7.4	8.4	8.4	8.3	8.4	8.3	8.3	8.3
CR 894(41.2L)					12.8																
1953422	39.898	44.884	C	2006	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.4*	7.0	4.5*
PREFERRED	MATERIALS, INC.	(2008)	FC125	RIDE	8.2	8.3	8.1	8.1	8.0	7.9	7.9	7.9	7.8	7.8	7.9	7.8	7.8	7.8	7.8	7.8	7.9
4175406	40.161	42.727	C	2027	0213																
03080000	43.235	44.884	C	1	1	CRACKING	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
29			2	60	7400	RIDE	8.7	8.6	8.4	7.7	7.7	7.7	7.3	7.4	8.4	8.4	8.3	8.4	8.3	8.3	8.3
HENDRY CO. LN(44.9C)					13.8																
1953422	39.898	44.884	C	2006	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	6.5	4.0*
PREFERRED	MATERIALS, INC.	(2008)	FC125	RIDE	8.2	8.3	8.1	8.1	8.0	7.9	7.9	7.9	7.8	7.8	8.2	8.1	8.1	8.1	8.1	8.1	8.0
03080000	39.954	40.164	L	1	1	CRACKING	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
29			1	55	22930	RIDE	8.7	8.6	8.4	7.7	7.7	7.7	7.3	7.4	8.4	8.4	8.3	8.4	8.3	8.3	8.3
1953422	39.898	44.884	C	2006	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.4*	5.5*	3.0*
PREFERRED	MATERIALS, INC.	(2008)	FC125	RIDE	8.2	8.3	8.1	8.1	8.0	7.9	7.9	7.9	7.8	7.8	7.9	7.8	7.8	7.8	7.8	6.7	6.4*
03080000	16.511	17.439	L	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*
29			1	45	2800	RIDE	8.4	8.5	8.4	7.7	7.7	7.7	7.5	7.4	7.6	7.0	7.2	7.2	7.0	7.0	7.0
TURNOUT(16.8C)					21.4																
4252101	16.511	16.951	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.8	8.8	7.0
PREFERRED	MATERIALS, INC.	(2014)	FC125	RIDE	8.1	8.0	7.8	7.8	7.8	7.8	7.8	7.8	7.7	7.6	7.7	7.6	7.6	7.6	7.4	7.7	7.4
4512761	16.511	17.347	C	2027	0226																
04040000	14.663	15.544	R	1	7	CRACKING	9.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*			10.0	10.0	10.0	10.0
70			2	40	27000	RIDE	7.8	8.1	8.3	7.5	7.4	7.2	6.0	6.6	6.1			7.9	7.9	7.9	7.9
CANAL ST NE(15.1R)					17.6																
4462021	14.685	15.470	R	2024	0226	CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	9.0
PREFERRED	MATERIALS, INC.	(2026)	FC125	RIDE	7.8	7.8	8.1	8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.9	7.8		8.3	8.0
04040000	15.544	15.852	R	1	1	CRACKING	7.0	7.0	7.0	7.0	5.5*	5.5*			10.0	10.0		10.0	10.0	10.0	10.0
70			1	55	13900	RIDE	8.2	8.1	8.3	7.5	7.4	7.2			8.7	8.4		7.9	7.9	7.9	7.9
4462021	15.470	15.851	R	2024	0226	CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0
PREFERRED	MATERIALS, INC.	(2025)	FC125	RIDE	7.8	7.8	8.1	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.9	7.8	8.5	8.5
04040000	14.663	15.852	L	1	7	CRACKING	9.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	3.5*	10.0			10.0	10.0	10.0	10.0
70			2	40	13900	RIDE	7.8	8.1	8.3	7.5	7.4	7.2	6.0	6.6	8.4			7.8	7.6	7.5	7.5
EIGHTEENTH AVE(14.7L)					14.9																
4462021	14.685	15.851	L	2024	0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.5	4.5*	4.5*	4.5*	1.0*		10.0	9.0
PREFERRED	MATERIALS, INC.	(2026)	FC125	RIDE	7.4	7.2	7.5	7.6	7.5	7.6	7.5	7.6	7.6	7.4	7.3	7.3	7.3	7.2		8.3	8.0
04060000	0.000	4.119	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
72			2	60	2900	RIDE	8.6	8.4	8.6	8.2	8.2	8.0	8.1	6.9	7.5	7.8	7.5	7.5	7.5	7.5	7.5
FLINT RD NW(0.2L)					18.4																
4462031	0.000	4.085	C	2023	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	9.6	10.0	10.0	9.0
PREFERRED	MATERIALS, INC.	(2024)	FC125	RIDE	7.2	7.4	7.4	7.3	7.5	7.5	7.5	7.4	7.3	7.4	7.3	7.3	7.3	8.3	8.4	8.3	8.0
06010000	15.882	17.890	R	1	1	CRACKING	10.0	9.5	9.5	8.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0
35 17			2	60	24000	RIDE	8.6	8.2	8.6	8.0	7.9	7.7	7.5	6.8	6.5	6.5	8.5	8.5	8.4	8.4	8.4
HEARTLAND WAY(15.9R)					20.3																
1940282	15.882	17.890	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	2.0*	0.8*	0.0*	0.0*
PREFERRED	MATERIALS, INC.	(2011)	FC5	RIDE	8.3	8.1	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.2	8.3	8.3	8.3	8.2	8.0	7.9	7.7
4462041	15.890	21.500	C	2027	0226																
06010000	17.890	20.145	R	1	1	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0
35 17			2	60	19100	RIDE	8.9	8.1	8.9	8.3	8.2	8.2	8.0	7.4	7.3	7.6	8.5	8.5	8.5	8.4	8.4
SAULS RD(18.7R)					21.0																
1940192	17.890	20.145	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	5.5*	2.5*
PREFERRED	MATERIALS, INC.	(2011)	FC5	RIDE	8.4	8.3	8.6	8.7	8.6	8.7	8.6	8.7	8.6	8.7	8.6	8.6	8.6	8.6	8.5	8.5	8.3
4462041	15.890	21.500	C	2027	0226																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PREFERRED MATERIALS, INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_EMP	LN	FW	WKM														
ITMSEG-P	(AGE_ONE YEAR)	YEAR																		
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	W_BMP	W_EMP	W_EMP	LN	FW	WKM														
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
06010000	17.890	20.145	L	1	1	CRACKING	10.0	9.5	9.5	9.5	7.0	6.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	10.0	
35 17			2	60	19100	RIDE	8.7	8.0	8.6	8.0	7.9	7.7	7.6	7.4	6.8	7.2	8.5	8.5	8.4	
SR 62(17.9L)					21.0															
1940192	17.890	20.145	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	3.5*	3.5*	3.5*	2.8*	2.1*	0.0*
PREFERRED MATERIALS, INC. (2011)					FC5	RIDE	8.3	8.1	8.5	8.6	8.5	8.5	8.6	8.5	8.5	8.4	8.2	8.1	8.0	7.8
4462041	15.890	21.500	C	2027	0226															
06010000	15.882	17.890	L	1	1	CRACKING	10.0	9.5	9.5	9.5	7.0	6.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	10.0	
35 17			2	60	24000	RIDE	8.7	8.0	8.6	8.0	7.9	7.7	7.6	7.4	6.8	7.2	8.4	8.5	8.4	
REA RD(16.1C)					20.3															
1940282	15.882	17.890	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	5.5*	3.5*	3.5*	1.8*	2.3*	0.0*
PREFERRED MATERIALS, INC. (2011)					FC5	RIDE	8.3	7.9	8.4	8.5	8.5	8.5	8.4	8.2	8.2	8.0	7.8	7.3	7.0	6.8
4462041	15.890	21.500	C	2027	0226															
06020000	0.000	3.317	C	1	1	CRACKING	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
62			2	60	5100	RIDE	7.6	7.4	7.4	7.1		8.0	8.0	8.0	8.0	8.1	8.1	8.0	8.0	
ALLAPATTAH RD(2.8R)					26.3															
1940712	0.094	3.340	C	2004	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0	7.0	6.9	6.7	4.0*
PREFERRED MATERIALS, INC. (2006)					FC95	RIDE	7.7	7.2	7.5	7.8	7.6	7.7	7.5	7.3	7.4	7.2	7.3	7.4	7.3	7.0
07010000	8.340	10.233	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	7.0	7.0	
80			2	40	18400	RIDE	8.3	7.9	8.4	8.0	8.1	7.9	7.7	6.8	6.7	6.7	7.8	7.8	7.6	
MILLER AVE(8.4R)					10.9															
4380611	8.273	10.222	C	2019	0012	CRACKING	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	8.5	
PREFERRED MATERIALS, INC. (2021)					FC125	RIDE	7.6	7.2	7.6	7.6	7.6	7.6	7.6	8.3	8.3	8.3	8.3	8.3	8.2	7.9
07010000	8.340	10.233	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0	
80			2	40	18400	RIDE	8.0	7.3	8.0	7.7	7.6	7.5	7.5	6.4	6.5	6.6	7.3	7.2	7.0	
CR 731(8.6L)					10.9															
4380611	8.273	10.222	C	2019	0012	CRACKING	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.2	8.0
PREFERRED MATERIALS, INC. (2021)					FC125	RIDE	7.0	6.5	6.8	6.6	6.7	6.7	6.7	8.0	8.0	8.0	7.9	7.8	7.8	7.5
09040000	10.095	11.160	R	1	1	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	
17			2	30	13800	RIDE	6.7	6.7	6.6	6.0	6.1	6.0	5.8		6.8	7.7	7.1	7.7	7.2	
N VERONA AVE(10.3R)					5.6															
1944262	10.170	11.134	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.0	6.0*	6.0*	6.0*	6.0*	6.9	6.6	4.5*
PREFERRED MATERIALS, INC. (2009)					FC95	RIDE	7.3	6.8	6.6	6.2	6.5	6.5	6.5	6.4	6.5	6.0	6.0	6.0	5.9	5.6
4512621	0.000	11.137	C	2026	0012															
09040000	10.095	11.160	L	1	1	CRACKING	9.0	9.0	8.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	
17			2	30	13800	RIDE	6.5	6.6	6.4	5.8	6.0	6.0	5.8		7.0	7.7	7.5	7.6	7.4	
DELANCY AVE(10.2L)					5.6															
1944262	10.170	11.134	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.5	4.0*
PREFERRED MATERIALS, INC. (2009)					FC95	RIDE	7.4	7.3	6.3	6.4	6.8	7.1	6.6	6.9	6.7	6.1	6.2	5.9	5.9	5.6
4512621	0.000	11.137	C	2026	0012															
12010000	12.833	13.555	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
45 41			3	50	62000	RIDE	8.7	8.9	8.2	8.2	8.0	8.0	7.8	8.2	8.0	7.8	7.8	7.7	7.7	
HICKORY RD(12.8R)					6.3															
4349391	12.855	15.769	C	2017	0012	CRACKING	8.5	8.0	8.0	8.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.6	8.9	7.0
PREFERRED MATERIALS, INC. (2020)					FC5M	RIDE	7.7	7.8	7.8	7.7	7.4	7.3	8.6	8.6	8.6	8.6	8.5	8.5	8.6	8.4
4560311	10.062	29.009	C	2026	6060															
12010000	13.555	16.994	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
45 41			3	45	69500	RIDE	8.6	8.6	8.2	8.0	8.1	7.9	8.0	7.9	7.9	7.8	7.9	7.7	7.7	
ISLAND PARK RD(13.8C)					5.3															
4349391	12.855	15.769	C	2017	0012	CRACKING	8.5	8.0	7.0	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
PREFERRED MATERIALS, INC. (2020)					FC125	RIDE	7.6	7.5	7.8	7.8	7.8	7.3	8.6	8.6	8.6	8.6	8.5	8.6	8.6	8.3
4560311	10.062	29.009	C	2026	6060															
12010000	13.555	16.994	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	7.5	
45 41			3	45	69500	RIDE	8.6	8.6	8.6	8.0	8.1	8.1	8.0	8.4	8.3	8.3	8.2	8.1	8.0	
ISLAND PARK RD(13.8C)					5.3															
4349391	12.855	15.769	C	2017	0012	CRACKING	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
PREFERRED MATERIALS, INC. (2020)					FC125	RIDE	7.9	7.9	8.1	8.0	8.0	7.9	8.5	8.5	8.5	8.5	8.5	8.3	8.4	8.5
4560311	10.062	29.009	C	2026	6060															
12010000	12.515	13.555	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	8.0	
45 41			3	50	62500	RIDE	8.8	8.8	8.5	8.3	8.3	8.2	8.1	8.0	7.8	7.8	7.7	7.6	7.6	
UNSIGN(12.7L)					5.0															
4349391	12.855	15.769	C	2017	0012	CRACKING	8.0	8.0	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0					

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PREFERRED MATERIALS, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE	YEAR)	YEAR	YEAR	YEAR	YEAR														(PMRS)	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																
ITMSEG-F																					
12011000	4.137	6.961	R	1	1	CRACKING	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0		
739			2	45	36500	RIDE	7.7	7.6	7.4	6.9	6.8	6.8	6.6	6.9	8.0	8.1	8.2	8.1	8.1		
CR 876(4.3C)																					
4154491	4.137	8.141	C	2007	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.9	8.8	6.0*
PREFERRED MATERIALS, INC. (2009) FC2 RIDE 8.1 8.1 7.9 7.9 7.8 7.7 7.8 7.7 7.7 7.7 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.4																					
12011000	6.961	7.815	R	1	1	CRACKING	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0		
739			2	45	38500	RIDE	7.7	7.6	7.4	6.9	6.8	6.8	6.6	6.9	8.0	7.5	7.5	7.4	7.4		
SIDE ROAD(7.6R)																					
4154491	4.137	8.141	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.6	8.2	5.0*
PREFERRED MATERIALS, INC. (2009) FC2 RIDE 7.2 7.1 7.1 7.0 6.8 6.7 7.1 7.1 6.7 6.7 6.0 6.5 6.8 6.6																					
12011000	6.961	7.815	L	1	1	CRACKING	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0		
739			2	45	38500	RIDE	7.7	7.6	7.4	6.8	7.2	7.0	6.8	7.3	8.2	8.1	8.2	8.1	8.2		
IDLEWILD RD L(7.0L)																					
4154491	4.137	8.141	C	2007	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.8	8.5	5.5*
PREFERRED MATERIALS, INC. (2009) FC2 RIDE 8.1 8.1 7.1 6.4 7.0 6.8 6.8 7.4 7.2 7.6 7.1 7.0 7.0 7.1 7.0 7.0 6.8 6.8 6.6																					
12011000	4.137	6.961	L	1	1	CRACKING	6.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0		
739			2	45	36500	RIDE	7.7	7.6	7.4	6.8	7.2	7.0	6.8	7.3	8.2	8.1	8.2	8.1	8.1		
CR 876(4.3C)																					
4154491	4.137	8.141	C	2007	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.3	5.5*
PREFERRED MATERIALS, INC. (2009) FC2 RIDE 8.1 8.1 7.9 7.9 7.8 7.7 7.8 7.8 7.8 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.6 7.4																					
12020000	10.828	13.769	R	1	8	CRACKING	6.5	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0		
80			2	55	35500	RIDE	8.5	8.6	8.4	7.6	7.4	7.2	7.0	7.0	8.0	7.9	7.9	8.0	7.9	7.9	
IOZZI CT(11.1R)																					
1956062	10.716	13.765	C	2006	0012	CRACKING	10.0	10.0	10.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*				
PREFERRED MATERIALS, INC. (2008) FC5M RIDE 7.9 7.7 7.7 7.7 7.8 7.7 7.8 7.8 7.8 7.7 7.7																					
4462921	10.802	20.340	C	2024	0012																
12020000	10.828	13.769	L	1	8	CRACKING	6.5	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0		
80			2	55	35500	RIDE	8.5	8.6	8.3	7.6	7.3	7.1	7.0	7.9	7.8	7.8	7.9	7.8	7.8		
CR 80A(11.3L)																					
1956062	10.716	13.765	C	2006	0012	CRACKING	10.0	9.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*				
PREFERRED MATERIALS, INC. (2008) FC5 RIDE 7.8 7.6 8.0 7.9 7.9 7.8 7.9 7.9 7.9 7.8 7.7																					
4462921	10.802	20.340	C	2024	0012																
12040000	5.083	5.549	R	1	1	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0		
867			1	40	23500	RIDE	7.3	7.5	7.3	7.1	7.0	6.9	6.9	6.7	6.7	8.1	7.9	7.9	7.9		
WHISKEY CREEK DR R(5.2R)																					
1957102	5.144	6.458	C	2009	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.9	8.1	6.0*
PREFERRED MATERIALS, INC. (2010) FC125 RIDE 7.7 7.7 7.3 7.3 7.3 7.1 6.8 6.9 6.8 6.8 6.7 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 7.2																					
12040000	5.549	6.485	C	1	1	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	6.5	7.0	10.0	10.0	9.0	9.0			
867			2	40	22500	RIDE	7.3	7.5	7.3	7.1	7.0	6.9	6.9	7.0	6.3	8.1	7.9	7.9	7.9		
CAJUPUT COVE(5.6L)																					
1957102	5.144	6.458	C	2009	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.9	7.5	5.5*
PREFERRED MATERIALS, INC. (2010) FC125 RIDE 7.7 7.7 7.3 7.3 7.3 7.1 6.8 6.9 6.8 6.8 6.7 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 5.6																					
12075000	22.433	23.729	R	4	1	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0				10.0	
93	175	136.9	3	70	118000	RIDE	8.9	8.9	8.7	8.0	8.0	8.1	8.2	8.4	8.3	8.3				7.7	
15.7																					
4110371	22.369	23.898	C	2010	0218	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.8	6.5	4.0*
PREFERRED MATERIALS, INC. (2013) FC5M RIDE 7.7 7.7 8.1 8.1 8.1 8.0 8.3 8.4 8.3 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.1																					
4560251	16.400	24.400	R	2026	6060																
12075000	22.397	23.836	L	4	1	CRACKING	6.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0				10.0	
93	175	136.8	3	70	118000	RIDE	8.8	8.8	8.7	7.9	8.1	8.4	8.4	8.6	8.5	8.5				7.8	
15.7																					
4110371	22.369	23.898	C	2010	0218	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	8.2	6.5	4.0*
PREFERRED MATERIALS, INC. (2013) FC5M RIDE 7.8 7.9 8.3 8.3 8.2 8.2 8.4 8.5 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.3 8.3 8.3 8.3 7.6																					
13010000	3.017	5.284	R	1	1	CRACKING	9.0	9.0	8.0	8.0	7.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0		
45	41		3	45	45500	RIDE	7.2	6.9	6.8	5.8*	5.8*	5.7	5.6	5.9		8.2	8.1	8.0	8.0		
BAYSHORE GARDENS PKW(3.1C)																					
1958133	3.017	5.068	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.6	8.1	6.0*
PREFERRED MATERIALS, INC. (2010) FC125 RIDE 7.9 7.8 7.6 7.5 7.5 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.1 7.2 7.0 7.1 6.8																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PREFERRED MATERIALS, INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR			2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****														
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	ADT	WKM-F	*****														
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	*****														
13010000	3.017	5.284	L	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	7.5	4.5*		10.0	10.0	10.0	10.0	
45 41			3	45	45500	RIDE	7.7	7.6	7.3	6.6	6.5	6.5	6.7	6.5		8.2	8.1	8.0	8.0	
BAYSHORE GARDENS PKW(3.1C)																				
1958133	3.017	5.068	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.4	8.1	6.0*
PREFERRED MATERIALS, INC. (2010) FC125 RIDE 7.9 7.1 7.6 7.6 7.6 7.4 7.4 7.4 7.3 7.2 7.1 6.8 7.3 7.2 7.3 7.0 7.2 7.2 6.9																				
13010001	0.000	0.480	R	1	1	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 B41			2	35	41000	RIDE	6.3*	6.3	6.0	5.7	5.4*	5.2*	7.7	7.8	7.4	7.9	7.9	7.1	7.3	
TENTH ST W(0.0C)																				
4067541	0.012	0.486	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	6.5
PREFERRED MATERIALS, INC. (2007) DGFC RIDE 7.5 7.4 7.4 7.4 7.3 7.0 7.3 7.2 7.1 6.8 6.6 6.6 6.6 6.6 6.3																				
4562371	0.000	1.379	C	2029	0012															
13010001	0.000	0.480	L	1	1	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
45 B41			2	35	41000	RIDE	6.0*	6.6	6.6	5.0*	3.9*	4.3*	7.3	7.1	7.2	7.3	7.3	7.1	7.3	
TENTH ST W(0.0C)																				
4067541	0.012	0.486	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.9	8.8	6.5
PREFERRED MATERIALS, INC. (2007) DGFC RIDE 7.2 6.6 6.6 6.9 7.1 6.6 7.2 7.1 6.9 6.5 7.1 6.8 7.1 6.8 7.1 6.8 7.1 6.8 6.8 6.8 6.8																				
4562371	0.000	1.379	C	2029	0012															
13030000	4.078	4.289	R	1	7	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
45 41			2	60	35000	RIDE	7.8	7.6	8.7	8.2	8.1	8.1	8.1	8.0	8.1	8.1	8.1	8.1	8.1	8.0
SR 45(7.7R)																				
4491141	2.582	4.789	R	2025	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	10.0	9.0
PREFERRED MATERIALS, INC. (2026) OGFC RIDE 8.0 7.8 8.0 8.1 8.1 8.0 8.1 8.1 8.1 8.1 8.1 8.1 8.0 7.9 7.9 7.9 7.8 7.1 7.1 6.9																				
13040000	3.974	7.025	R	1	1	CRACKING	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
684			2	45	31500	RIDE	6.0*	6.4*	6.1*	5.8*	5.8*	8.3	7.9	8.1	7.9	7.8	7.7	7.3	7.2	
71 ST W(4.2C)																				
4067551	5.073	6.857	C	2004	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.0*
PREFERRED MATERIALS, INC. (2006) FC125 RIDE 7.6 7.3 7.4 7.4 7.3 7.2 7.1 7.1 6.9 6.8 6.7 6.5 6.5 6.2 6.2 6.2 6.2 6.2 6.2 6.2 6.2																				
4450441	3.243	6.722	C	2026	0012															
13040000	7.670	8.015	R	1	1	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0
684 41			3	35	42000	RIDE	6.9	6.8	6.3	5.6	5.8	5.5		7.5	7.3	7.4	7.7	7.3	7.4	
SR 45(7.7R)																				
1960911	7.730	8.003	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.9	6.5
PREFERRED MATERIALS, INC. (2008) FC3 RIDE 7.5 7.1 6.6 7.1 6.8 7.1 6.8 6.6 6.6 6.5 6.2 6.6 6.2 6.6 6.2 6.2 6.2 6.2 6.2 6.2 5.9																				
4510221	6.722	8.574	C	2029	0012															
13040000	7.670	8.015	L	1	1	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0
684 41			3	35	42000	RIDE	7.3	6.8	6.7	5.9	5.3*	5.9		7.1	7.4	7.6	7.5	7.5	7.6	
SR45/BUS US41(7.7L)																				
1960911	7.730	8.003	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.9	8.7	6.5
PREFERRED MATERIALS, INC. (2008) HFST RIDE 7.8 7.3 7.1 7.1 7.0 7.0 7.0 6.8 6.9 7.0 6.6 6.6 6.5 6.5 6.5 6.0 6.3 6.3 6.3 6.0																				
4510221	6.722	8.574	C	2029	0012															
13040000	3.974	7.025	L	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5
684			2	45	31500	RIDE	6.7	6.9	6.8	6.1*	6.3*	8.2	7.8	7.7	7.6	7.6	7.6	7.4	7.3	
71 ST W(4.2C)																				
4067551	5.073	6.857	C	2004	0012	CRACKING	9.5	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.0*
PREFERRED MATERIALS, INC. (2006) FC125 RIDE 7.6 7.5 7.6 7.5 7.6 7.3 7.4 7.4 7.3 7.1 7.1 7.0 6.8 6.8 6.5 6.5 6.5 6.5 6.5 6.5 6.5																				
4450441	3.243	6.722	C	2026	0012															
13050000	30.759	37.039	C	1	1	CRACKING	10.0	10.0	10.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0
70			2	60	7000	RIDE	9.0	9.0	9.0	8.5	8.5	8.3	8.2	8.0	8.0	7.9	8.5	8.4	8.4	
BRENDLE RD(30.8R)																				
4224031	30.785	37.039	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.1	7.8	5.5*
PREFERRED MATERIALS, INC. (2011) FC125 RIDE 8.3 8.0 8.0 8.0 7.9 8.0 7.9 8.0 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.8 7.9 7.6																				
13050002	0.000	0.576	C	1	1	CRACKING	9.0	7.5	7.5	7.5	7.5	6.5		10.0	10.0	10.0	10.0	9.0	8.5	
64			3	35	23500	RIDE	5.4*	5.4*	6.6	5.8	6.0	5.7		7.0	6.8	6.9	6.7	6.4	6.1	
OLD ALIGN(0.0R)																				
1958092	0.000	0.576	C	2006	0012	CRACKING	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.0*	6.2*	4.0*
PREFERRED MATERIALS, INC. (2008) FC3 RIDE 6.4 5.8 6.7 6.4 6.5 6.6 6.4 6.2 5.9 5.7 5.9 5.7 5.9 5.7 5.7 5.7 5.7 5.7 5.7 5.7 5.4*																				
4473781	0.000	0.576	C	2024	0012															
13050102	0.000	0.372	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0
64			3	35	20500	RIDE	6.4*	6.3	6.4	6.4	6.1	6.1		7.8	7.4	7.6	7.3	7.5	7.6	
SEVENTEENTH ST *(0.0C)																				
1958093	0.000	0.372	C	2006	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.8	4.5*
PREFERRED MATERIALS, INC. (2008) FC95 RIDE 7.3 7.4 7.2 7.3 7.3 7.0 7.0 6.9 6.8 6.7 6.6 5.2* 6.4 6.5 6.5 6.2 6.2 6.2 6.2 6.2 6.2																				
4473781	0.000	0.372	C	2024	0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1										CONTRACTOR = PREFERRED MATERIALS, INC.										-----	
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR										FUTURE			
SR	US	G_BMP	G_EMP	LN	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	ADT	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	YEAR	TYPE	WKM	ADT	ADT														(PMRS)	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	ADT															
ITMSEG-F																					
13080000	4.950	5.827	R	1	1	CRACKING	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0		
789			2	35	15500	RIDE	7.6	7.4	7.5	7.2	6.7	6.4	6.6	6.7	6.2	5.9	5.9	7.6	7.7		
COQUINA PARK ENT(5.2C)																					
4224061	4.950	6.647	C	2010	0012	CRACKING	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	7.7	5.5*	
PREFERRED MATERIALS, INC. (2012) FC125 RIDE																					
4510211	4.950	8.717	C	2026	0226		7.8	7.6	7.4	7.1	7.1	7.0	6.9	6.4	6.5	6.3	6.4	6.4	7.3	7.0	
13080000	5.827	6.647	C	1	1	CRACKING	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0		
789			2	25	15500	RIDE	7.6	7.4	7.5	7.2	6.7	6.4	6.6	6.7	6.2	5.9	5.9	7.6	7.7		
THIRTEENTH ST S(5.9R)																					
4224061	4.950	6.647	C	2010	0012	CRACKING	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	7.1	5.0*	
PREFERRED MATERIALS, INC. (2012) FC125 RIDE																					
4510211	4.950	8.717	C	2026	0226		7.8	7.6	7.4	7.1	7.1	7.0	6.9	6.4	6.5	6.3	6.4	6.4	5.5	5.2*	
13080000	6.885	8.717	C	1	1	CRACKING	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0		
789			2	35	10500	RIDE	7.6	7.4	7.5	7.2	6.7	6.4	6.6	6.7	6.2	5.9	5.9	8.0	7.9		
ELEVENTH ST N(6.9R)																					
4224051	6.835	8.717	C	2010	0012	CRACKING	10.0	10.0	10.0	9.5	9.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	7.6	5.5*	
PREFERRED MATERIALS, INC. (2012) FC4 RIDE																					
4510211	4.950	8.717	C	2026	0226		7.8	7.5	7.0	7.1	7.0	6.9	6.7	6.4	6.4	6.2	6.0	5.8	5.7	5.4*	
13120001	1.597	3.030	C	1	1	CRACKING	10.0	8.5	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0		
70			2	40	13100	RIDE	6.5	6.2	6.5	5.7	5.8	5.5	5.3*	5.9	6.5	7.4	7.3	7.2	7.0		
SR 683(1.6C)																					
1959703	1.798	2.986	C	2009	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.2	7.8	5.5*	
PREFERRED MATERIALS, INC. (2009) FC125 RIDE																					
4528461	1.616	3.009	C	2028	0012		7.0	7.0	6.9	6.6	6.7	6.4	6.3	6.5	5.9	5.9	6.0	6.0	5.7	5.4*	
13130401	0.000	0.403	C	1	1	CRACKING	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
55	41		2	45	18500	RIDE	6.9	6.6	6.7	5.7*	5.4*	7.2	7.7	7.7	7.5	7.3	7.3	6.9	6.9		
21ST AVE W(0.0L)																					
4067571	0.000	0.638	C	2004	0012	CRACKING	8.5	8.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	4.9*	2.5*	
PREFERRED MATERIALS, INC. (2006) FC125 RIDE																					
4473791	0.000	0.403	C	2025	0012		7.2	7.3	7.1	7.0	7.0	6.7	6.9	6.7	6.6	6.5	6.5	6.5	6.3	6.0	
13140000	10.744	16.040	C	1	1	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	6.0*	6.0*	6.0*	6.0*	6.0*		
64			2	60	6400	RIDE	8.5	8.4	8.3	7.8	7.8	7.4	7.6	7.5	7.3	7.2	7.1	6.8	6.7		
401 ST E(11.1R)																					
4252361	10.744	16.026	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	7.8	6.0*	
PREFERRED MATERIALS, INC. (2014) FC125 RIDE																					
							8.4	8.4	8.2	8.2	8.1	8.1	8.0	8.0	7.9	7.9	7.8	7.7	7.8	7.5	
13150000	0.304	0.698	C	1	1	CRACKING	3.5*		3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
64			2	35	18500	RIDE	6.3*		6.5	6.3	7.9	7.7	7.7	7.7	7.8	7.8	7.8	7.6	7.8		
1960722																					
1960722	0.000	0.698	C	2003	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.1	6.7	
PREFERRED MATERIALS, INC. (2003) DGFC RIDE																					
							7.8	7.7	7.1	7.1	7.1	7.0	6.9	6.9	6.9	6.8	6.8	6.8	6.8	4.0*	
13150000	1.294	1.714	C	1	1	CRACKING	6.5		7.0	7.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0		
64			2	45	18500	RIDE	7.4		7.3	6.1*	7.9	7.8	7.7	7.8	8.0	8.0	7.9	7.8	7.8		
PENCO HARBOR L(1.5L)																					
1960722	1.294	1.714	C	2003	0012	CRACKING	9.0	9.0	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.7	6.5	4.0*	
PREFERRED MATERIALS, INC. (2005) FC125 RIDE																					
							7.7	7.8	7.5	7.3	7.5	7.3	7.2	7.2	7.2	7.0	7.1	7.0	7.1	6.8	
13160000	9.290	9.621	R	1	1	CRACKING	8.5	8.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
70			1	50	40000	RIDE	8.5	8.4	8.2	8.0	7.9		8.2	8.0	8.1	8.1	8.2	8.1	8.1		
ARBOR GREEN TRAIL(9.3R)																					
4043232	7.448	9.470	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	5.5*	2.5*	
PREFERRED MATERIALS, INC. (2007) FC5 RIDE																					
							8.2	7.8	8.1	8.1	8.1	8.0	8.1	8.1	8.0	7.9	8.0	7.9	6.1*	5.9*	
13160000	9.290	9.621	L	1	1	CRACKING	8.5	8.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
70			3	50	40000	RIDE	8.5	8.4	8.2	8.0	7.9		8.0	8.1	8.1	8.0	8.0	8.1	8.0		
LORRAINE RD(9.5L)																					
4043232	7.448	9.470	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	4.5*	4.5*	4.5*	3.5*	3.5*	2.2*	0.0*	
PREFERRED MATERIALS, INC. (2007) FC5 RIDE																					
							8.0	7.7	7.9	7.9	7.8	7.8	8.0	7.9	7.8	7.8	7.8	7.6	6.6	6.4*	
16003000	0.000	0.439	R	1	4	CRACKING	5.0*	5.3*	4.1*	3.0*	7.0	9.5	9.5	9.0	8.0	7.6	7.7	7.3	7.1		
563			2	40	34500	RIDE	6.3*	6.5	6.0	5.4*	6.5	6.8	7.2	7.0	6.9	6.4	6.5	6.4	6.3		
WEST LIME ST(0.0C)																					
1977001	0.014	0.439	C	2004	0227	CRACKING	6.9	6.9	6.8	6.4*	6.5	6.6	6.6	6.4*	6.7	6.8	6.7	6.0*	5.8*	5.0*	
PREFERRED MATERIALS, INC. (2006) LDG RIDE																					
4546031	0.018	0.470	C	2031	0217		6.1	5.9	6.1	6.3	6.4	6.2	5.5	5.5	5.4*	5.6	5.5	5.3*	5.1*	5.0*	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PREFERRED MATERIALS, INC. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	ADT	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	TYPE	WKM-F	WKM-F															(PMRS)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR															
ITMSEG-F	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR															
16003000	0.000	0.427	L	1	4	CRACKING	5.2*	5.3*	4.5*	4.6*	6.4*	9.5	9.5	8.5	7.7	7.1	7.3	7.1	6.4*	
563			2	40	34500	RIDE	6.4*	6.1	6.1	5.6	6.8	7.5	7.5	7.3	7.2	6.9	6.8	6.8	6.4	
WEST LIME ST(0.0C)																				
1977001	0.014	0.439	C	2004	0227	CRACKING	6.4*	6.2*	6.3*	6.6	6.1*	5.9*	5.8*	5.0*	6.1*	6.4*	5.7*	4.6*	4.7*	4.0*
PREFERRED MATERIALS, INC. (2006)					LDG	RIDE	6.3	6.1	6.5	6.4	6.3	6.3	6.2	5.9	5.7	5.6	5.6	5.7	5.5	5.4*
4546031	0.018	0.470	C	2031	0217															
16004000	0.449	2.210	R	1	1	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	
539			2	45	36500	RIDE	8.6	8.2	8.3	7.1	7.5	8.0	8.3	8.3	8.3	8.1	8.0	7.8	7.7	
EMMA ST(0.6R)																				
4291061	0.454	2.210	C	2015	0012	CRACKING	7.0	7.0	6.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.2	9.0	7.5
PREFERRED MATERIALS, INC. (2017)					FC125	RIDE	7.6	7.6	8.1	8.0	7.9	7.9	7.8	7.7	7.8	7.8	7.8	7.8	7.6	7.3
16004000	0.449	2.210	L	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	
539			2	45	36500	RIDE	8.7	8.5	8.4	8.0	7.9	7.7	8.2	7.8	8.0	7.9	7.7	7.4	7.1	
FIFTH ST(1.1C)																				
4291061	0.454	2.210	C	2015	0012	CRACKING	7.0	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.9	8.8	7.0
PREFERRED MATERIALS, INC. (2017)					FC125	RIDE	7.2	7.0	7.8	7.6	7.7	7.6	7.6	7.6	7.6	7.4	7.4	7.4	7.3	7.0
16006000	1.514	2.325	C	1	1	CRACKING	10.0	10.0	9.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
659			2	40	19200	RIDE	8.1	8.2	8.3	7.8	8.3	8.2	8.3	8.2	8.2	8.2	8.1	8.0	8.0	
SUNSHINE DR N(1.6R)																				
4092331	1.491	4.343	C	2004	0216	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.5	6.0*	6.0*	5.5*	5.5*	4.1*	3.6*	1.0*
PREFERRED MATERIALS, INC. (2005)					FC95	RIDE	7.9	7.8	7.9	7.8	7.8	7.8	7.6	7.6	7.6	7.4	7.4	7.4	7.4	7.1
4508721	0.000	4.341	C	2029	0226															
16006000	2.325	4.341	C	1	1	CRACKING	10.0	10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
659			2	40	15300	RIDE	8.4	8.4	8.5	7.8	8.2	8.0	8.2	7.7	7.7	7.6	7.6	7.4	7.4	
DONS PL(2.4L)																				
4092331	1.491	4.343	C	2004	0216	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.5	7.0	6.0*	5.5*	5.5*	4.3*	3.6*	1.0*
PREFERRED MATERIALS, INC. (2005)					FC95	RIDE	7.2	7.2	7.5	7.3	7.3	7.0	6.9	6.8	6.8	6.4	6.4	6.4	6.3	6.0
4508721	0.000	4.341	C	2029	0226															
16006000	4.341	7.571	C	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	
659			2	55	18600	RIDE	8.3	8.4	8.5	7.8	7.9	7.6	7.8	7.3	7.5	7.3	7.1	6.8	6.7	
CR 546(4.4R)																				
4291151	4.341	7.498	C	2014	0012	CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.8	7.1	5.5*
PREFERRED MATERIALS, INC. (2016)					FC125	RIDE	6.7		8.2	8.2	8.2	8.2	8.1	8.1	8.0	8.0	8.0	7.9	7.9	7.6
16010000	0.000	2.469	C	1	1	CRACKING	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
600 92			2	55	14600	RIDE	7.7	7.7	7.4	6.9	6.7	6.4*	7.5	7.4	7.4	7.2	8.1	8.0	7.8	
TURNOUT(0.0L)																				
4223931	0.121	2.469	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	9.5	8.5	8.5	6.0*	6.0*	5.5*	3.5*	3.5*	1.3*	0.0*
PREFERRED MATERIALS, INC. (2011)					FC125	RIDE	7.6	7.6	7.3	7.3	7.4	7.1	7.1	7.0	7.0	6.9	6.9	6.8	6.7	6.4*
4514731	0.023	2.469	C	2027	0226															
16011000	0.655	1.644	C	1	1	CRACKING	4.0*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	
572			2	45	13500	RIDE	7.3	6.8	8.2	7.9	7.7	7.7	7.9	7.7	7.7	7.7	7.7	7.7	7.4	
GAY RD(1.0L)																				
4380091	0.651	1.510	C	2019	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	9.0
PREFERRED MATERIALS, INC. (2022)					FC125	RIDE	7.3	7.2	7.0	7.1	7.1	7.2	7.3	7.1	8.5	8.5	8.4	8.5	8.4	8.1
16011000	1.644	2.410	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	
572			2	45	11400	RIDE	8.7	8.4	8.8	7.9	7.9	7.8	7.9	7.7	7.7	7.8	7.7	7.7	7.3	
UNSIGN(1.9C)																				
4380091	1.723	2.126	C	2019	0012	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	5.5*	3.5*	10.0	10.0	10.0	10.0	9.2	8.0
PREFERRED MATERIALS, INC. (2022)					FC125	RIDE	7.1	7.2	7.1	7.1	7.2	6.9	5.7	6.2	7.9	7.9	7.8	7.9	7.8	7.5
16011000	2.410	2.730	C	1	1	CRACKING	4.5*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0		
572			2	50	11400	RIDE	7.8	7.5	8.0	7.6	7.5	7.5	7.7	7.6	7.8	7.6	7.6	7.5	7.0	
D M G DR(2.5L)																				
4380091	2.461	2.726	C	2019	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	9.0
PREFERRED MATERIALS, INC. (2022)					FC125	RIDE	7.2	7.0	7.1	6.8	7.0	7.0	6.6	6.6	8.1	8.0	8.1	8.1	7.9	7.6
16011000	1.644	2.410	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
572			2	45	11400	RIDE	8.2	8.6	8.8	8.5	8.4	8.1	8.3	8.2	8.3	8.1	8.3	8.2	7.9	
UNSIGN(1.9C)																				
4380091	1.723	2.126	C	2019	0012	CRACKING	9.5	9.5	7.0	7.0	7.0	7.0	7.0	5.5*	10.0	10.0	10.0	9.6	9.6	8.5
PREFERRED MATERIALS, INC. (2022)					FC125	RIDE	7.8	7.5	7.8	7.8	7.8	8.0	7.3	7.5	8.2	8.2	8.2	8.1	8.2	7.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PREFERRED MATERIALS, INC. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR	US	G_BMP	G_EMP	LN	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	W_RW	W_KMX	W_P	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	CONTRACTOR	(AGE_ONE_YEAR)	SURF_TYPE	FY-F	W_KMX-F															(PMRS)
ITMSEG-F	CONTRACTOR	(AGE_ONE_YEAR)	SURF_TYPE	FY-F	W_KMX-F															(PMRS)
16020000	2.249	3.148	R	1	8	CRACKING	9.5	8.0	7.0	7.0	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	
600 92			2	45	33000	RIDE	7.8	7.6	7.5	7.3	7.3	7.2	7.0	7.3	8.2	8.2	8.0	8.1	7.9	
N CANAL AVE(2.4R)																				
1974572	2.249	3.238	C	2008	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	3.5*	1.0*	1.0*			
4350751	9.236	11.054	C	2009	FC125	RIDE	8.0	7.7	8.3	8.2	8.4	8.1	8.1	8.2	7.9	7.6	7.2	6.8		
4474321	2.249	3.224	C	2024	0012															
16020000	9.236	11.104	R	1	1	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	6.5	6.5	6.5	
600 92			3	45	41500	RIDE		8.7	8.5	8.2	8.2	8.1	8.2	8.1	7.9	7.9	7.7	7.6	7.5	
WALKER RD(9.2R)																				
4350751	9.236	11.054	C	2016	0012	CRACKING	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.3	6.5
PREFERRED MATERIALS, INC.				(2018)	FC125	RIDE	7.4	7.2	7.7	7.7	8.5	8.4	8.4	8.3	8.4	8.4	8.3	8.3	8.1	7.8
16020000	11.104	11.928	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	6.0*	
600 92			2	45	16700	RIDE		8.4	8.3	8.1	8.0	7.9	8.1	7.9	7.9	7.9	7.8	7.6	7.2	
HUGHES RD(11.2R)																				
4350761	11.104	11.928	C	2016	0012	CRACKING	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.7	6.5
PREFERRED MATERIALS, INC.				(2018)	FC5A	RIDE	7.2	7.0	7.0	6.8	8.6	8.6	8.5	8.5	8.5	8.5	8.5	8.5	7.4	7.2
16020000	11.928	14.384	R	1	1	CRACKING	9.5	8.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
600 92			2	55	26500	RIDE	8.9	8.8	8.8	8.2	8.0	7.9	7.6	7.8	7.8	8.2	8.0	8.1	8.1	
JERSEY RD(12.0R)																				
4474291	11.944	14.349	C	2024	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	6.5	6.5	10.0	10.0	9.0
PREFERRED MATERIALS, INC.				(2025)	FC5M	RIDE	8.0	8.1	8.3	8.3	8.4	8.4	8.4	8.4	8.3	8.3	8.3	9.1	9.0	8.8
16020000	15.852	16.403	R	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	
600 17			2	45	28500	RIDE	9.1	8.5	8.8	8.3	8.0	8.0	7.4	8.2	8.3		8.2	8.1	8.0	
N ROCHELLE AVE(15.9R)																				
1973722	15.868	21.091	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	5.5*	5.5*	1.6*	0.0*
PREFERRED MATERIALS, INC.				(2011)	FC95M	RIDE	8.1	8.0	7.8	7.9	7.9	7.8	7.7	7.7	7.7	7.6	7.6	7.6	7.4	7.1
4562411	15.096	16.403	C	2029	0226															
16020000	16.403	20.914	R	1	1	CRACKING	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	
600 17			2	60	31000	RIDE	9.1	9.0	8.8	8.6	8.6	8.4	8.2	8.5	8.3		8.2	8.1	8.1	
N RAMONA AVE(16.4C)																				
1973722	15.868	21.091	C	2009	0012	CRACKING	10.0	9.5	9.5	9.0	9.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.1*	3.2*	0.5*
PREFERRED MATERIALS, INC.				(2011)	FC5M	RIDE	8.1	8.0	8.3	8.2	8.3	8.3	8.2	8.2	8.1	8.1	8.1	7.9	7.9	7.7
4508741	16.403	22.133	C	2026	0226															
16020000	20.914	22.460	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0		10.0	10.0	10.0	
600 17			2	50	32000	RIDE	8.7	8.5	8.4	8.1	8.1	8.0	7.6	8.2	8.1		8.3	8.2	8.1	
F ST S(21.5R)																				
1973723	21.091	22.450	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.5	4.5*	3.3*	2.2*	0.0*
PREFERRED MATERIALS, INC.				(2011)	FC95M	RIDE	8.0	7.8	7.9	7.8	7.8	7.9	7.1	6.9	7.1	6.8	6.7	6.6	6.3*	6.0*
4508741	16.403	22.133	C	2026	0226															
16020000	21.349	22.460	L	1	1	CRACKING	9.5	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5		10.0	10.0	10.0	
600 17			2	45	32000	RIDE	8.7	8.2	8.2	8.1	7.7	7.8	8.0	7.7	7.8		8.1	8.2	8.0	
HAINES CITY MALL(21.6L)																				
1973723	21.091	22.450	C	2009	0012	CRACKING	10.0	9.5	9.5	8.5	8.5	8.5	8.5	7.0	6.0*	6.0*	5.5*	5.5*	3.5*	1.5*
PREFERRED MATERIALS, INC.				(2011)	FC95M	RIDE	8.0	8.0	7.8	7.5	7.7	7.4	6.3	6.2	6.3	6.1	6.1	6.1	5.6	5.3*
4508741	16.403	22.133	C	2026	0226															
16020000	16.403	21.349	L	1	1	CRACKING	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	
600 17			2	60	31000	RIDE	8.9	8.8	8.8	8.3	8.2	8.2	8.3	8.3	8.2		8.3	8.2	8.2	
N RAMONA AVE(16.4C)																				
1973722	15.868	21.091	C	2009	0012	CRACKING	10.0	9.5	9.5	9.0	9.0	9.0	9.0	6.5	4.5*	3.5*	3.5*	3.5*	4.2*	1.5*
PREFERRED MATERIALS, INC.				(2011)	FC5M	RIDE	8.2	8.1	8.4	8.4	8.5	8.4	8.4	8.3	8.2	8.2	8.2	8.0	7.9	7.7
4508741	16.403	22.133	C	2026	0226															
16020000	15.852	16.403	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		10.0	10.0	10.0	
600 17			2	45	28500	RIDE	8.9	8.0	8.4	7.9	8.3	7.8	7.4	8.0	7.9		7.7	7.9	7.8	
DAKOTA DR N(16.2L)																				
1973722	15.868	21.091	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	5.5*	5.5*	2.8*	0.5*
PREFERRED MATERIALS, INC.				(2011)	FC95M	RIDE	7.8	7.8	7.8	7.8	7.8	7.8	7.7	7.4	7.6	7.4	7.3	7.2	7.1	6.8
4562411	15.096	16.403	C	2029	0226															
16020000	11.928	14.384	L	1	1	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
600 92			2	55	26500	RIDE	8.9	8.7	8.7	8.2	8.1	8.0	7.8	8.1	8.1	8.1	7.9	8.0	8.0	
PALMETTO DR(12.4L)																				
4474291	11.944	14.349	C	2024	0012	CRACKING	10.0	9.5	9.0	9.0	9.0	8.0	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	9.0
PREFERRED MATERIALS, INC.				(2025)	FC5M	RIDE	7.9	8.0	8.2	8.2	8.4	8.3	8.3	8.2	8.2	8.2	8.2	8.9	9.0	8.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PREFERRED MATERIALS, INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	SURF_TYPE	CONTRACTOR	(PMRS)															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	CONTRACTOR														
16020000	11.104	11.928	L	1	1	CRACKING														
600 92			2	45	16700	RIDE														
LETA ST(11.2L)																				
4350761	11.104	11.928	C	2016	0012	CRACKING	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0
PREFERRED MATERIALS, INC. (2018) FC5A RIDE 7.1 7.1 7.4 7.4 8.4 8.4 8.4 8.2 8.3 8.3 8.2 8.3 8.1 7.9																				
16020000	9.236	11.104	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	
600 92			3	45	41500	RIDE		8.5	8.5	8.2	8.0	8.0	8.1	8.1	8.1	8.0	7.8	7.7	7.5	
COTTON CT(9.3L)																				
4350751	9.236	11.054	C	2016	0012	CRACKING	7.0	7.0	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.5	8.0
PREFERRED MATERIALS, INC. (2018) FC125 RIDE 7.4 7.3 7.7 7.6 8.5 8.5 8.3 8.4 8.4 8.4 8.3 8.4 8.4 8.3 8.4 8.3 8.4 8.3 8.0																				
16020000	2.249	3.220	L	1	8	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	
600 92			2	45	33000	RIDE	8.7	8.5	8.0	7.9	7.6	7.3	7.1	7.5	8.4	8.3	8.3	8.2	8.1	
CANAL AVE(2.4L)																				
1974572	2.249	3.238	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	4.5*	4.5*	3.5*	1.0*	1.0*		
PREFERRED MATERIALS, INC. (2009) FC125 RIDE 8.0 7.7 8.1 8.0 8.3 8.1 8.0 8.2 8.1 7.6 7.3 7.0																				
4474321	2.249	3.224	C	2024	0012															
16030000	0.252	3.149	R	1	1	CRACKING	9.5	8.0	7.0	6.0*	6.0*	4.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	
35 17			2	65	14127	RIDE	8.3	7.9	7.6	6.9	7.1	6.7	6.5	6.2*	8.2	8.3	8.2	8.2	8.3	
BILL BRYAN RD(1.3R)																				
1970132	0.222	3.139	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	7.7	4.5*
PREFERRED MATERIALS, INC. (2009) FC5 RIDE 8.2 8.2 8.2 8.3 8.3 8.1 8.2 8.2 8.2 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.1																				
4492311	0.250	3.160	C	2026	0226															
16030000	15.959	17.918	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0	7.0	6.5	
35 17			2	45	21500	RIDE	8.5	8.3	8.3	7.8	8.2	7.4	8.4	8.3	8.1	8.1	7.9	7.7	7.6	
CLEAR SPRINGS MINE RD(16.2R)																				
4312781	15.959	17.918	C	2016	0012	CRACKING	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.1	7.7	6.0*
PREFERRED MATERIALS, INC. (2017) FC125 RIDE 7.4 7.1 7.8 8.5 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.3 8.3 8.3 8.0																				
16030000	18.423	21.523	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.5	7.5	7.5	6.5	6.5	6.5	
555 17			2	60	26500	RIDE	9.1	8.9	8.9	8.6	8.5	8.6	8.4	8.6	8.6	8.4	8.3	8.2	8.2	
SR-60(18.4R)																				
4291031	18.511	21.523	C	2015	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.1	8.3	6.0*	
PREFERRED MATERIALS, INC. (2016) FC5M RIDE 8.0 7.6 8.7 8.7 8.7 8.8 8.9 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.6																				
16030000	27.826	28.533	R	1	1	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	10.0	10.0	
555 17			2	40	34000	RIDE	7.5	7.4	7.2	7.0	6.1	6.0	6.6	6.2	6.1	6.4	5.8	7.6	7.5	
POST AVE SW(27.9R)																				
1972972	27.760	28.542	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	7.0	4.2*	2.0*
PREFERRED MATERIALS, INC. (2012) FC125 RIDE 7.4 7.3 6.9 6.6 6.9 6.6 6.6 6.6 6.6 6.5 6.4 6.5 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.4																				
4474281	23.730	28.519	C	2026	0226															
16030000	29.132	30.550	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	10.0	10.0	
555 17			2	40	36000	RIDE	7.4	7.3	7.1	6.9	6.9	6.8	6.9	6.8	6.7	6.5	6.5	7.0	6.8	
CENTRAL AVE(29.2C)																				
1972972	29.000	30.550	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	7.1	6.5	4.5*
PREFERRED MATERIALS, INC. (2012) FC125 RIDE 6.5 6.6 6.0 6.1 6.1 5.9 5.8 5.5 5.8 5.5 5.7 5.5 5.8 5.5 5.8 5.5 5.5 5.8 5.5 5.2*																				
4508751	29.132	32.824	C	2028	0012															
16030000	30.550	32.209	R	1	1	CRACKING	6.0*	6.0*	6.0*	5.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	
555 17			2	45	31000	RIDE	7.9	7.7	7.4	6.4*	6.0*	5.8		8.2	8.3	8.2	8.2	8.1	8.1	
AVE S NW(30.6R)																				
1973322	30.614	31.884	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	7.0	7.0	7.5	8.0	5.5*
PREFERRED MATERIALS, INC. (2008) FC125 RIDE 8.1 8.1 7.7 7.7 7.7 7.7 7.6 7.5 7.6 6.8 7.1 7.1 7.1 6.9 6.6																				
4508751	29.132	32.824	C	2028	0012															
16030000	32.209	32.906	R	1	1	CRACKING	6.5	6.0*	6.0*	5.0*	3.5*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	
555 17			2	55	28000	RIDE	8.6	8.3	8.2	6.8	6.5	6.3*		7.9	7.7	7.8	7.5	7.7	7.6	
TURNOUT(32.8R)																				
1973322	32.130	32.792	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	6.5	6.5	4.7*	1.5*
PREFERRED MATERIALS, INC. (2008) FC5 RIDE 7.6 7.6 7.8 7.8 7.9 7.8 7.7 7.7 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.4																				
4508751	29.132	32.824	C	2028	0012															
16030000	32.209	32.906	L	1	6	CRACKING	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	
555 17			2	55	28000	RIDE	8.5	8.2	8.0	6.1*	5.9*	5.2*		7.7	7.6	7.8	7.6	7.6	7.4	
TURNOUT(32.9L)																				
1973322	32.130	32.792	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*	1.0*	0.0*
PREFERRED MATERIALS, INC. (2008) FC5 RIDE 7.4 7.4 7.7 7.6 7.8 7.5 7.5 7.5 7.6 7.5 7.1 7.2 6.9																				
4508751	29.132	32.824	C	2028	0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PREFERRED MATERIALS, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)																					(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															
16030000	30.550	32.209	L	1	1	CRACKING	7.0	6.0*	6.0*	4.5*	4.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	
555 17			2	45	31000	RIDE	8.4	7.3	7.0	6.0*	6.1*	6.1			8.3	8.2	8.2	8.1	8.2	8.2	
AVE T NW(30.7L)																					
1973322	30.614	31.884	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.5	5.0*
PREFERRED MATERIALS, INC. (2008)					FC125	RIDE	8.1	8.1	7.9	7.9	8.0	7.9	7.8	7.8	7.8	7.8	7.7	7.2	7.2	5.9	5.6
4508751	29.132	32.824	C	2028	0012																
16030000	29.132	30.550	L	1	1	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	10.0	10.0	
555 17			2	40	36000	RIDE	7.6	7.9	7.6	7.3	7.3	7.4	7.3	7.4	7.4	7.2	7.0	6.5	7.4	7.1	
CENTRAL AVE(29.2C)																					
1972972	29.000	30.550	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.0	7.0	7.0	7.0	6.5	4.5*	
PREFERRED MATERIALS, INC. (2012)					FC125	RIDE	7.2	7.1	6.4	6.7	6.7	6.5	6.2	6.4	6.5	6.3	6.3	6.3	5.9	5.6	
4508751	29.132	32.824	C	2028	0012																
16030000	27.826	28.533	L	1	1	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0		
555 17			2	40	34000	RIDE	8.5	8.1	8.1	7.7	7.7	7.3	7.8	7.8	7.7	7.7	7.5	7.7	7.6		
AVE P SW(27.9L)																					
1972972	27.760	28.542	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	5.5*	5.5*	5.5*	3.5*	3.5*	3.3*	1.0*	
PREFERRED MATERIALS, INC. (2012)					FC125	RIDE	7.4	7.4	6.9	6.6	6.9	6.4	6.4	6.7	6.7	6.4	6.5	6.6	6.5	6.2	
4474281	23.730	28.519	C	2026	0226																
16030000	18.423	21.523	L	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5		
555 17			2	60	26500	RIDE	9.1	9.0	9.0	8.6	8.7	8.6	8.7	8.7	8.6	8.6	8.3	8.3	8.2		
AUTO ZONE LANE(18.4L)																					
4291031	18.511	21.523	C	2015	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	8.3	7.5	5.5*	
PREFERRED MATERIALS, INC. (2016)					FC5M	RIDE	8.0	7.8	8.7	8.7	8.9	9.0	9.0	9.0	8.9	8.9	8.9	8.9	8.9	8.7	
16030000	15.959	17.918	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	7.0	7.0		
35 17			2	45	21500	RIDE	7.5	7.8	7.6	7.6	7.7	7.0	7.4	7.4	8.0	7.8	7.7	7.6	7.6	7.2	
BARTOW RD(16.1L)																					
4312781	15.959	17.918	C	2016	0012	CRACKING	7.0	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	9.0	7.5
PREFERRED MATERIALS, INC. (2017)					FC125	RIDE	7.3	7.1	7.7	8.0	8.0	7.9	7.9	8.0	7.9	7.8	7.8	7.9	7.8	7.5	
16030000	0.000	3.149	L	1	1	CRACKING	10.0	9.5	9.5	8.0	8.0	8.0	6.0*	4.5*	10.0	10.0	10.0	10.0	10.0		
35 17			2	65	14127	RIDE	8.7	8.5	8.5	8.0	7.9	7.6	7.5	7.5	8.2	8.3	8.2	8.2	8.2		
COUNTY LINE RD(0.0C)																					
1970132	0.222	3.139	C	2008	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.4*	1.5*	
PREFERRED MATERIALS, INC. (2009)					FC5	RIDE	8.2	8.1	8.3	8.1	8.3	8.2	8.0	8.0	7.9	7.9	7.8	7.7	7.7	7.5	
4492311	0.250	3.160	C	2026	0226																
16030301	0.000	0.508	R	1	1	CRACKING									10.0	10.0	10.0	10.0	10.0	10.0	
555 17			2	35	29500	RIDE									7.9	7.8	7.9	7.9	7.7	7.8	
LAKELAND CITY LIMITS(0.0C)																					
4312781	0.000	0.508	C	2016	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	8.3	6.5
PREFERRED MATERIALS, INC. (2017)					DGFC	RIDE	7.7	7.7	6.5	8.2	8.1	7.8	7.9	8.1	8.1	8.2	8.2	8.2	8.1	7.8	
16030301	0.000	0.508	L	1	1	CRACKING									10.0	10.0	10.0	10.0	10.0	10.0	
555 17			2	35	29500	RIDE									8.0	8.0	8.0	7.9	7.9	7.7	
LAKELAND CITY LIMITS(0.0C)																					
4312781	0.000	0.508	C	2016	0012	CRACKING	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.3	7.8	6.0*
PREFERRED MATERIALS, INC. (2017)					DGFC	RIDE	7.3	7.1	6.2	8.3	7.7	7.9	8.1	8.0	8.1	7.9	7.9	8.1	8.0	7.7	
16040000	13.656	15.064	C	1	7	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
700 98			2	60	3800	RIDE	7.0	6.8	6.5	7.8	7.7	7.8	8.0	7.8	7.6	7.5	7.6	7.0	7.1		
GILBERTO JOSE RD(14.0R)																					
4474311	14.001	14.884	C	2024	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	9.0	
PREFERRED MATERIALS, INC. (2026)					FC125	RIDE	7.2	7.2	6.9	6.8	6.8	6.9	6.6	6.6	6.5	6.3*	6.3*	6.2*	7.4	7.1	
16050000	0.000	1.199	R	1	1	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
600 17			1	45	19600	RIDE	7.5	7.8	7.8	7.4	6.9	7.2	7.7	7.7	7.5	7.3	7.2	7.3	7.2		
HINSON AVE E(0.0R)																					
4252491	0.000	1.154	C	2013	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	7.5	8.3	7.7	6.0*	
PREFERRED MATERIALS, INC. (2015)					FC125	RIDE	7.2	7.8	7.7	7.2	7.6	7.5	7.3	7.3	7.6	7.4	7.3	7.4	7.3	7.0	
16050000	0.000	1.199	L	1	1	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
600 17			1	45	19600	RIDE	7.5	7.8	7.8	7.4	6.9	7.2	7.7	7.7	7.5	7.3	7.2	7.3	7.2		
HINSON AVE(0.0C)																					
4252491	0.000	1.154	C	2013	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.7	8.6	7.0	
PREFERRED MATERIALS, INC. (2015)					FC125	RIDE	7.2	7.8	7.7	7.2	7.6	7.5	7.3	7.3	8.0	7.6	7.7	7.5	7.4	7.1	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PREFERRED MATERIALS, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT	AT	(MP		SIDE)			*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE	ONE	YEAR)	SURF	TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(PMRS)
16070000	2.627	3.217	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
33			2	45	28000	RIDE	7.2	6.9	7.5	6.6	6.5	6.6	6.8	7.0	6.7	6.5	6.4	6.6	6.5		
E ROBSON ST(2.8C)																					
4252451	2.391	3.428	R	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	8.5	7.3	5.5*
PREFERRED MATERIALS, INC. (2014) FC125 RIDE 7.9 7.6 7.8 7.7 7.7 7.5 7.4 7.5 7.5 7.4 7.5 7.4 7.5 7.4 7.5 7.4 7.5 7.4 6.8 6.5																					
16070000	8.590	8.909	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5
33			2	60	19900	RIDE	8.9	8.8	8.7	8.3	8.3	8.3	8.3	8.4	8.3	8.2	8.1	8.0	7.9	7.6	
TOMKOW RD(8.7L)																					
4292841	8.590	11.580	C	2015	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	7.3	5.5*
PREFERRED MATERIALS, INC. (2016) FC125 RIDE 7.5 7.3 8.6 8.5 8.5 8.5 8.2 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.0 8.0 7.7																					
16070000	9.449	9.841	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5
33			2	60	19900	RIDE	8.9	8.8	8.7	8.3	8.3	8.3	8.3	8.4	8.3	8.2	8.1	8.0	7.9	7.6	
EPICENTER BLVD(9.7L)																					
4292841	8.590	11.580	C	2015	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	7.2	5.5*
PREFERRED MATERIALS, INC. (2016) FC125 RIDE 7.5 7.3 8.6 8.5 8.5 8.5 8.2 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.0 8.0 7.7																					
16070000	9.841	10.517	C	1	8	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5
33			2	60	19900	RIDE	8.9	8.8	8.7	8.3	8.3	8.3	8.3	8.4	8.3	8.2	8.1	8.0	7.9	7.6	
GENE ROBSON LANE(10.5L)																					
4292841	8.590	11.580	C	2015	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	8.3	8.0
PREFERRED MATERIALS, INC. (2016) FC125 RIDE 7.5 7.3 8.6 8.5 8.5 8.5 8.2 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.0																					
16070000	10.517	11.165	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5
33			2	60	19900	RIDE	8.9	8.8	8.7	8.3	8.3	8.3	8.3	8.4	8.3	8.2	8.1	8.0	7.9	7.6	
OLD LAKELAND RD(11.1L)																					
4292841	8.590	11.580	C	2015	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	6.9	5.0*
PREFERRED MATERIALS, INC. (2016) FC125 RIDE 7.5 7.3 8.6 8.5 8.5 8.5 8.2 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.0 8.3 8.0																					
16070000	12.200	13.881	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5
33			2	60	11800	RIDE	8.9	8.8	8.7	8.3	8.3	8.3	8.3	8.4	8.3	8.2	8.1	8.0	7.9	7.6	
SHEPARD LANE(12.3R)																					
4292841	12.210	13.881	C	2015	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	7.0	7.0	5.5*
PREFERRED MATERIALS, INC. (2016) FC125 RIDE 7.5 7.6 8.6 8.5 8.5 8.5 8.4 8.4 8.3 8.2 8.2 8.2 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 7.8																					
16070000	11.165	11.580	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5
33			2	60	11800	RIDE	8.9	8.8	8.7	8.3	8.3	8.3	8.3	8.4	8.3	8.2	8.1	8.0	7.9	7.6	
PREFERRED MATERIALS, INC. (2016) FC125 RIDE 7.5 7.3 8.6 8.5 8.5 8.5 8.2 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.0 7.0 6.9 5.5*																					
16070000	9.129	9.449	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5
33			2	60	19900	RIDE	8.9	8.8	8.7	8.3	8.3	8.3	8.3	8.4	8.3	8.2	8.1	8.0	7.9	7.6	
PREFERRED MATERIALS, INC. (2016) FC125 RIDE 7.5 7.3 8.6 8.5 8.5 8.5 8.2 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.0 7.9 7.6																					
16070000	8.909	9.129	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5
33			2	60	19900	RIDE	8.9	8.8	8.7	8.3	8.3	8.3	8.3	8.4	8.3	8.2	8.1	8.0	7.9	7.6	
PREFERRED MATERIALS, INC. (2016) FC125 RIDE 7.5 7.3 8.6 8.5 8.5 8.5 8.2 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.0 7.4 5.5*																					
16070000	2.369	5.220	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0
33			2	45	13400	RIDE	8.7	8.6	8.1	7.8	7.5	7.5	7.5	7.7	7.7	7.6	7.5	7.4	7.1	7.2	
AIDA ST(2.4L)																					
4252451	2.391	3.870	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	8.1	8.0	6.0*
PREFERRED MATERIALS, INC. (2014) FC125 RIDE 8.0 7.9 7.7 7.6 7.6 7.6 7.4 7.4 7.4 7.4 7.4 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.2 7.3 7.0																					
16090000	0.000	4.185	C	1	1	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
17			2	55	3800	RIDE	7.4	7.2	7.1	6.6	6.7	6.7	6.7	8.4	8.3	8.4	8.5	8.4	8.2	8.2	
AVON PARK CUT-OFF RD(0.0C)																					
4126401	0.000	4.207	C	2005	0012	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.0*	6.0*	6.0*	6.0*	6.1*	3.5*
PREFERRED MATERIALS, INC. (2007) FC95 RIDE 7.9 7.8 7.7 7.7 7.7 7.5 7.5 7.4 7.4 7.4 7.5 7.5 7.5 7.5 7.4 7.4 7.3 7.3 7.3 7.2 6.9																					
4508791	0.025	11.823	C	2028	0226																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1										CONTRACTOR = PREFERRED MATERIALS, INC.										-----	
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	*****															
ITMSEG-P	(AGE_ONE YEAR)	YEAR		ADT	WKMX-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKMX-F															(PMRS)	
ITMSEG-F																					
16090000	4.185	6.270	C	1	1	CRACKING	4.5*	4.5*	4.5*	3.5*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
17			2	40	7300	RIDE	6.1*	5.5	5.5	4.7*	4.6*	4.7*	8.4	8.3	7.9	7.8	7.6	7.5	7.4		
11 TH ST(4.2R)																					
4067591	4.207	6.275	C	2005	0012	CRACKING	9.0	9.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.2*	3.5*	
PREFERRED MATERIALS, INC. (2007) DGFC																					
4508791	0.025	11.823	C	2028	0226	RIDE	7.3	7.3	7.0	6.9	7.0	6.6	6.6	6.4	6.4	6.3	6.2	6.3	5.8	5.5	
16090000	23.440	24.000	R	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.0	5.5*	5.5*	5.5*	5.5*	5.5*			
17			1	45	11300	RIDE	8.7	8.6	7.7	7.8	7.7	7.3	7.6	7.1	7.3	7.0	6.7	6.9			
E STARR AVE(23.4R)																					
4252531	23.440	25.056	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.4	7.0	5.0*	
PREFERRED MATERIALS, INC. (2014) FC125																					
16090000	24.302	25.056	C	1	1	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
17			2	55	9700	RIDE	8.1	7.6		7.8	7.7	7.7	7.9	7.9	7.8	7.9	7.7	7.6			
C F KINNEY RD(24.3L)																					
4252531	23.440	25.056	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.4	8.3	6.5	
PREFERRED MATERIALS, INC. (2014) FC125																					
16110000	24.733	28.781	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	6.5	6.5	6.5	6.5			
60			2	65	29000	RIDE	9.0	9.0	9.0	8.6	8.4	8.4	7.9	8.1	8.0	7.6	7.4	7.3			
WEST LK WALES RD(26.2R)																					
4252481	24.733	29.424	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	4.5*	3.5*	3.3*	2.3*	0.0*	
PREFERRED MATERIALS, INC. (2014) FC5M																					
4514771	20.968	28.779	C	2028	0226	RIDE	8.1	8.1	8.4	8.3	8.4	8.4	8.4	8.3	8.2	8.1	8.0	7.9	7.7	7.5	
16110000	24.733	28.781	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5			
60			2	65	29000	RIDE	9.1	8.9	8.9	8.6	8.6	8.4	8.4	8.2	8.1	7.8	7.6	7.4			
SECNIC PARK RD(26.2L)																					
4252481	24.733	29.424	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	4.5*	3.5*	4.2*	3.8*	1.5*	
PREFERRED MATERIALS, INC. (2014) FC5M																					
4514771	20.968	28.779	C	2028	0226	RIDE	8.1	8.1	8.4	8.4	8.5	8.4	8.3	8.3	8.2	8.1	8.0	7.9	7.6	7.4	
16120000	1.380	1.786	C	1	1	CRACKING	8.5	8.5	8.5	7.5	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0		
655			2	45	17600	RIDE	7.8	7.7	7.6	7.2	7.1	7.1	6.8	7.0	6.7	6.8	7.8	7.5	7.6		
AVE O SW(1.4R)																					
4223971	1.380	1.766	C	2010	0012	CRACKING	10.0	10.0	9.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	6.9	7.0	5.0*	
PREFERRED MATERIALS, INC. (2011) FC95R																					
16130000	6.487	7.206	R	1	8	CRACKING	6.5	3.5*	1.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
60			2	65	18600	RIDE	7.3	7.3	6.6	5.3*	4.6*	7.9	7.8	8.0	8.0	8.0	7.9	7.8	7.8		
CHURCH RD(6.7R)																					
1973082	6.067	7.157	C	2005	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*			
PREFERRED MATERIALS, INC. (2006) FC5																					
4492761	6.398	12.642	C	2025	0012	RIDE	7.8	7.6	7.8	7.8	7.8	7.8	7.8	7.8	7.6	7.7	7.6	7.6			
16130000	9.463	12.660	R	1	1	CRACKING	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
60			2	65	13700	RIDE	8.7	8.6	8.4	7.1	7.1	6.4*	8.1	8.3	8.3	8.3	8.2	8.2	8.1		
DOHERTY DR(10.1R)																					
1973092	9.674	12.572	C	2006	0012	CRACKING	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	3.5*	
PREFERRED MATERIALS, INC. (2007) FC5M																					
4492761	6.398	12.642	C	2025	0012	RIDE	8.2	8.0	8.3	8.3	8.3	8.4	8.3	8.3	8.2	8.3	8.3	8.2	8.1	7.9	
16130000	10.738	12.700	L	1	8	CRACKING	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
60			2	65	13700	RIDE	8.6	8.4	8.3	7.2	7.1	6.7	8.3	8.2	8.2	8.0	8.0	7.9	7.8		
TIGER LAKE RD(12.1L)																					
1973092	9.674	12.572	C	2006	0012	CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5			
PREFERRED MATERIALS, INC. (2007) FC5M																					
4492761	6.398	12.642	C	2025	0012	RIDE	7.8	7.7	8.0	7.9	8.0	8.0	8.0	7.9	7.9	7.8	7.9	7.8			
16130000	6.487	7.206	L	1	1	CRACKING	3.5*	3.5*	4.0*	3.5*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
60			2	65	18600	RIDE	8.0	7.2	6.6	5.4*	4.7*	8.0	8.1	8.2	8.1	8.0	7.9	7.7	7.6		
SADDLEBAG LAKE RD(6.5L)																					
1973082	6.067	7.157	C	2005	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	2.5*	0.0*	
PREFERRED MATERIALS, INC. (2006) FC5																					
4492761	6.398	12.642	C	2025	0012	RIDE	7.3	7.4	7.7	7.7	7.9	7.9	8.0	7.9	7.8	7.9	7.8	7.8	7.6	7.4	
16140000	0.000	3.189	R	1	1	CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0		
544			3	45	28000	RIDE	8.9	8.5	8.0	7.7	7.8	7.9	7.8	7.7	7.8	8.6	8.4	8.3	8.4		
SR 600(0.0C)																					
1969153	1.365	3.156	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.0*	6.0*	6.0*	6.0*	4.8*	4.2*	2.0*	
PREFERRED MATERIALS, INC. (2010) FC125																					
4549411	0.016	3.176	R	2028	0012	RIDE	8.4	8.4	8.4	8.4	8.5	8.4	8.3	8.2	8.3	8.1	8.0	8.0	7.8	7.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PREFERRED MATERIALS, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	-P	*****														
ITMSEG-P	(AGE_ONE YEAR)	YEAR	YEAR	ADT	TYPE	TYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	-F															(PMRS)
ITMSEG-F	YEAR	YEAR	YEAR	ADT	TYPE	TYPE															
16140000	0.000	3.189	L	1	1	CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0		
544			3	45	28000	RIDE	8.5	8.3	7.9	7.7	7.4	6.9	7.5	7.5	7.5	8.4	8.0	8.0	7.9		
SR 600(0.0C)																					
1969153	1.365	3.156	C	2009	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.0	6.0*	6.0*	6.0*	4.0*	3.4*	2.6*	0.5*	
PREFERRED MATERIALS, INC. (2010) FC125																					
4549411	0.031	3.176	L	2028	0012	RIDE	7.9	7.8	8.2	8.2	8.2	8.0	7.9	7.8	7.7	7.5	7.6	7.5	7.5	7.2	

16170000	0.000	6.976	R	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5		
25			2	65	20000	RIDE	9.2	9.0	9.0	8.5	8.5	8.4	8.6	8.4	8.3	8.4	8.2	8.1	8.0		
COUNTY LINE RD(0.0C)																					
4252421	0.000	7.008	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5	6.5	6.5	4.5*	3.9*	2.9*	0.5*	
PREFERRED MATERIALS, INC. (2015) FC5M																					
4508851	0.000	6.976	C	2028	0226	RIDE	8.2	8.5	8.5	8.6	8.5	8.5	8.5	8.5	8.4	8.3	8.2	8.2	8.0	7.8	

16170000	10.255	13.507	R	1	1	CRACKING	9.5	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0		
25			2	65	19200	RIDE	9.0	8.6	8.5	7.9	7.9	7.8	8.0	7.9	7.7	8.5	8.5	8.4	8.4		
COUNTY LINE RD(0.0C)																					
1973683	10.255	15.005	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	3.2*	2.5*	0.0*	
PREFERRED MATERIALS, INC. (2010) FC5M																					
4508861	10.255	18.397	C	2029	0226	RIDE	8.2	8.0	8.5	8.3	8.5	8.5	8.4	8.4	8.4	8.2	8.1	8.1	8.0	7.8	

16170000	13.507	14.992	R	1	1	CRACKING	9.5	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0		
25			2	65	19200	RIDE	9.0	8.6	8.5	7.9	7.9	7.8	8.0	7.9	7.7	8.5	8.5	8.4	8.4		
LAKESIDE GARDEN DR(13.5R)																					
1973683	10.255	15.005	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	4.5*	4.5*	4.5*	3.5*	3.5*	0.4*	0.0*	
PREFERRED MATERIALS, INC. (2010) FC5M																					
4508861	10.255	18.397	C	2029	0226	RIDE	8.2	8.0	8.5	8.3	8.5	8.5	8.4	8.1	7.8	7.5	7.1	6.8	6.8	6.6	

16170000	10.255	14.992	L	1	1	CRACKING	8.5	7.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0		
25			2	65	19200	RIDE	9.0	8.8	8.7	8.1	8.0	7.8	8.0	7.8	7.7	8.4	8.4	8.3	8.3		
SOUTHWOOD LN(10.8L)																					
1973683	10.255	15.005	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	0.5*	
PREFERRED MATERIALS, INC. (2010) FC5M																					
4508861	10.255	18.397	C	2029	0226	RIDE	8.3	8.2	8.5	8.4	8.5	8.5	8.4	8.4	8.2	8.2	8.1	8.0	7.9	7.7	

16170000	0.000	6.976	L	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5		
25			2	65	20000	RIDE	9.1	8.9	9.0	8.5	8.6	8.4	8.6	8.5	8.5	8.4	8.3	8.3	8.3		
COUNTY LINE RD(0.0C)																					
4252421	0.000	7.008	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	6.5	6.5	6.5	5.4*	3.0*	
PREFERRED MATERIALS, INC. (2015) FC5M																					
4508851	0.000	6.976	C	2028	0226	RIDE	8.1	8.5	8.4	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.4	8.3	8.1	

16180000	16.650	19.200	R	1	1	CRACKING	9.0	8.0	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
25			3	55	68500	RIDE	9.0	8.8	8.7	8.1	8.0		8.3	8.3	8.3	8.3	8.1	8.1	8.0		
PATTERSON RD(17.7R)																					
4415531	16.636	19.189	C	2022	0012	CRACKING	10.0	9.0	8.0	8.0	6.5	5.5*	5.5*	1.0*	1.0*		10.0	9.4	10.0	8.5	
PREFERRED MATERIALS, INC. (2024) FC5M																					
4415531	16.636	19.189	C	2022	0012	RIDE	7.9	7.8	7.9	7.8	7.7	7.6	7.4	6.9	6.7		8.5	8.5	8.4	8.2	

16180000	21.349	22.808	R	1	7	CRACKING	9.0	8.0	7.5	7.5	7.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0		
25			3	60	75334	RIDE	9.0	8.8	8.7	8.1	8.0	7.7		8.2	8.2	8.2	8.1	8.1	8.1		
HOLLY HILL GROVE RD 1(21.4C)																					
4492751	19.189	23.086	R	2025	0226	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	9.0	
PREFERRED MATERIALS, INC. (2026) FC5M																					
4492751	19.189	23.086	R	2025	0226	RIDE	8.1	8.0	8.3	8.2	8.5	8.4	8.5	8.4	8.3	8.4	8.4	8.4	8.8	8.6	

16180000	21.349	22.808	L	1	7	CRACKING	7.0	7.0	6.0*	6.0*	6.0*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
25			3	60	75334	RIDE	9.1	8.9	8.8	8.1	8.0	7.6		8.3	8.3	8.2	8.1	8.1	8.1		
HOLLY HILL GROVE RD 1(21.4C)																					
4492751	19.189	23.086	L	2025	0226	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	10.0	9.0	
PREFERRED MATERIALS, INC. (2026) FC5M																					
4492751	19.189	23.086	L	2025	0226	RIDE	8.0	7.9	8.2	8.2	8.4	8.4	8.2	8.3	8.1	8.1	8.1	8.1	8.1	8.7	

16180000	16.650	19.160	L	1	1	CRACKING	7.0	7.0	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
25			3	55	68500	RIDE	9.1	8.9	8.8	8.1	8.0		8.5	8.5	8.4	8.4	8.3	8.3	8.2		
BATES RD(17.3L)																					
4415531	16.636	19.189	C	2022	0012	CRACKING	10.0	10.0	10.0	9.0	8.0	8.0	8.0	3.5*	3.5*		10.0	9.3	10.0	8.5	
PREFERRED MATERIALS, INC. (2024) FC5M																					
4415531	16.636	19.189	C	2022	0012	RIDE	8.2	8.1	8.1	8.0	8.1	8.1	8.0	7.9	6.9		8.4	8.4	8.4	8.2	

16210000	4.210	5.675	R	1	1	CRACKING	7.0	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0		
35			3	50	58500	RIDE	8.5	8.2	8.1	7.4			8.1	8.2	8.1	8.1	8.0	7.9	7.8		
FOREST LAKE DR(4.5R)																					
1976381	4.225	5.730	C	2003	0213	CRACKING	9.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.3	6.7	4.0*	
PREFERRED MATERIALS, INC. (2007) FC125																					
4514811	3.569	5.982	C	2027	0005	RIDE	7.8	7.6	7.4	7.5	7.5	7.3	7.5	7.4	7.3	7.2	7.2	7.0	6.7		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PREFERRED MATERIALS, INC. -----

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYSTEM	TYPE	DISTRESS	RATINGS	SURVEYED YEAR										FUTURE				
												2001	2002	2003	2004	2005	2006	2007	2008	2009	2010		2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	W_LN	W_SPEED	W_ADRT	W_T	W_FY-P	W_WKMX-P	W_SURF_TYPE	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	W_RW	W_LN	W_SPEED	W_ADRT	W_T	W_FY-F	W_WKMX-F															(PMRS)		
16210000	35	98	4.198	5.992	L	1	50	58500	1	CRACKING	3.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
SAMS CLUB ENT(4.3L)																										
1976381			4.225	5.730	C	2003		0213	0012	CRACKING	9.0	9.0	9.0	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.2*	3.5*	
PREFERRED MATERIALS, INC. (2007) FC125 RIDE																										
4514811			3.569	5.982	C	2027		0005																		
16250000	37		19.052	23.259	R	1	55	27517	1	CRACKING	9.5	8.0	8.0	8.0	6.5	6.5	6.5	4.5*	4.5*			10.0	10.0	10.0		
CARTER RD W R(20.9R)																										
1976272			19.051	23.244	C	2009		0012	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	3.5*	3.5*	3.7*	1.0*		
PREFERRED MATERIALS, INC. (2011) FC5M RIDE																										
4508901			19.052	23.244	C	2026		0226			8.0	7.9	8.4	8.2	8.4	8.2	8.3	8.2	8.2	8.0	7.8	7.7	7.3	7.1		
16250000	37		19.052	23.230	L	1	55	27517	1	CRACKING	10.0	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5			10.0	10.0	10.0		
FLEA MARKET RD(19.3L)																										
1976272			19.051	23.244	C	2009		0012	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	3.5*	3.5*	3.5*	3.8*	1.0*		
PREFERRED MATERIALS, INC. (2011) FC5M RIDE																										
4508901			19.052	23.244	C	2026		0226			8.1	7.9	8.3	8.2	8.4	8.3	8.3	8.3	8.2	7.8	7.7	7.6	7.3	7.1		
16320000	400	14	12.349	21.210	R	4	70	91500	1	CRACKING	10.0	8.5	7.0				10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5		
OSCEOLA CO LINE(32.0C)																										
4463451			23.865	32.022	C	2022		0012	0012	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.5	10.0	9.6	10.0	8.5		
PREFERRED MATERIALS, INC. (2024) FC5M RIDE																										
16320000	400	14	12.349	21.210	L	4	70	91500	1	CRACKING	9.5	9.5	8.0	8.0			10.0	10.0	10.0	10.0	8.0	6.5	6.5	6.5		
OSCEOLA CO LINE(32.0C)																										
4463451			23.865	32.022	C	2022		0012	0012	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	9.5	10.0	8.5		
PREFERRED MATERIALS, INC. (2024) FC5M RIDE																										
16320000	400	14	12.349	21.210	R	4	70	91500	1	CRACKING	9.5	9.5	8.0	8.0			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5		
OSCEOLA CO LINE(32.0C)																										
4463451			23.865	32.022	C	2022		0012	0012	CRACKING	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.5	
PREFERRED MATERIALS, INC. (2024) FC5M RIDE																										
17010000	45	41	8.613	12.701	R	1	55	32500	1	CRACKING	5.0*	4.5*	5.0*	5.0*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
GALLERIA BLVD(8.9R)																										
4067641			7.850	12.293	C	2004		0012	0012	CRACKING	9.5	8.5	8.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.9	5.5*	2.0*	
PREFERRED MATERIALS, INC. (2006) FC5 RIDE																										
4491001			8.590	12.751	C	2025		0226			7.7	7.6	7.9	7.7	7.8	7.9	7.8	7.7	7.7	7.6	7.6	7.6	7.6	7.4		
17010000	45	41	8.613	12.701	L	1	55	32500	1	CRACKING	7.0	6.0*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
CORRADINO BLVD(8.9L)																										
4067641			7.850	12.293	C	2004		0012	0012	CRACKING	9.5	8.5	8.0	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.2*	5.5*	2.0*	
PREFERRED MATERIALS, INC. (2006) FC5 RIDE																										
4491001			8.590	12.751	C	2025		0226			7.8	7.8	8.0	8.0	8.0	8.0	8.0	7.9	7.8	7.8	7.9	7.8	7.8	7.8	7.6	
17020000	45	41	4.258	7.350	R	1	55	41500	1	CRACKING	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	9.5		
GULF AVE(4.3R)																										
1979872			4.244	7.350	C	2009		0012	0012	CRACKING	9.5	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.2*	5.7*	3.0*	
PREFERRED MATERIALS, INC. (2011) FC5 RIDE																										
4462901			4.247	7.394	C	2025		0226			7.6	7.5	7.8	7.8	7.8	7.9	7.9	7.9	7.9	7.8	7.8	7.7	7.7	7.5		
17020000	45	41	17.910	18.476	L	1	35	19700	1	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
PALM AVE S(17.9C)																										
4313111			18.009	19.155	C	2016		0012	0012	CRACKING	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.6	8.0	
PREFERRED MATERIALS, INC. (2020) FC125 RIDE																										

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1										CONTRACTOR = PREFERRED MATERIALS, INC.										-----	
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR										FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****														
ITMSEG-P	(AGE_ONE YEAR)	YEAR		WKM-F	WKM-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															
17020000	7.350	9.682	L	1	1	CRACKING	9.5	9.5	9.0	9.0	7.5	6.5	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0		
45 41			2	55	45500	RIDE	8.5	8.6	8.4	8.0	8.0	7.8	7.8	7.3	7.5	8.5	8.4	8.4	8.3		
BAY ST(7.4C)																					
1978372	7.350	9.680	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	9.4	9.3	7.0
PREFERRED MATERIALS, INC. (2010)					FC125	RIDE	8.3	7.8	7.3	7.7	8.1	8.0	8.0	7.8	7.4	7.7	7.7	7.8	7.8	7.5	
17020000	4.258	7.350	L	1	1	CRACKING	9.5	9.5	9.0	9.0	7.5	6.5	3.5*	3.5*	3.5*		10.0	10.0	9.5		
45 41			2	55	41500	RIDE	8.5	8.6	8.4	8.0	8.0	7.8	7.8	7.3	7.5		7.9	7.8	7.8		
LYCHE RD L(4.3L)																					
1979872	4.244	7.350	C	2009	0012	CRACKING	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	6.1*	5.5*	2.5*	
PREFERRED MATERIALS, INC. (2011)					FC5	RIDE	7.8	7.7	7.9	7.9	7.9	7.9	8.0	8.0	7.8	7.9	7.9	7.9	7.9	7.8	7.6
4462901	4.247	7.394	C	2025	0226																
17070000	0.000	0.689	R	1	1	CRACKING	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	8.0	10.0	10.0	10.0	
72			3	45	29500	RIDE	8.2	8.2	7.8	7.5	7.3	7.2	7.0	7.0	7.0	6.8	6.9	8.1	8.0	7.9	
SR 45(0.0C)																					
1979342	0.004	4.490	C	2010	0012	CRACKING	10.0	10.0	10.0	9.5	9.5	7.5	7.5	6.0*	6.0*	5.5*	5.5*	4.4*	7.0	5.0*	
PREFERRED MATERIALS, INC. (2011)					DGFC	RIDE	7.8	7.1	7.1	7.4	7.3	7.3	7.0	7.0	6.8	6.6	6.7	6.7	7.1	6.8	
4491221	0.059	2.696	C	2026	0012																
17070000	0.689	3.680	R	1	1	CRACKING	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	8.0	10.0	10.0	10.0	
72			3	45	41500	RIDE	8.2	8.2	7.8	7.5	7.3	7.2	7.0	7.0	7.0	6.8	6.9	8.1	8.0	7.9	
COLONIAL DR(0.9R)																					
1979342	0.004	4.490	C	2010	0012	CRACKING	10.0	10.0	10.0	9.5	9.5	7.5	7.5	6.0*	6.0*	5.5*	5.5*	4.4*	3.7*	1.5*	
PREFERRED MATERIALS, INC. (2011)					FC125	RIDE	7.8	7.1	7.1	7.4	7.3	7.3	7.0	7.0	6.8	6.6	6.7	6.7	6.3	6.0	
4491221	0.059	2.696	C	2026	0012																
17070000	4.018	4.490	R	1	1	CRACKING	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	8.5	10.0	10.0	10.0	
72			3	45	41500	RIDE	8.2	8.2	7.8	7.5	7.3	7.2	7.0	7.0	7.0	6.8	6.2	8.2	8.0	7.8	
PALMER CROSSING DR(4.1R)																					
1979342	0.004	4.490	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.0*	5.5*	5.5*	3.9*	2.0*	
PREFERRED MATERIALS, INC. (2011)					FC125	RIDE	7.8	7.2	6.7	7.0	7.3	7.1	6.8	6.7	6.4	6.2	6.0	5.0*	5.5	5.2*	
17070000	24.220	30.591	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	
72			2	60	3600	RIDE	8.8	8.7	8.6	8.5	8.4	8.4	8.3	8.0	7.4	7.7	7.7	7.4	6.9		
SIDE LL RD(26.3L)																					
4415591	24.220	30.591	C	2022	0012	CRACKING	9.0	9.0	7.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	9.6	10.0	9.0	
PREFERRED MATERIALS, INC. (2024)					FC125	RIDE	6.3*	6.5	6.9	7.0	6.7	7.0	6.8	6.4*	6.4*		8.4	8.4	8.4	8.1	
17070000	4.018	4.351	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.5	10.0	10.0	10.0		
72			3	45	41500	RIDE	8.2	8.1	7.5	7.3	6.9	7.1	6.9	6.7	6.7	6.8	8.1	7.8	7.8		
FIELDING LN(4.1L)																					
1979342	0.004	4.490	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	6.0*	4.5*	4.9*	3.0*	
PREFERRED MATERIALS, INC. (2011)					FC125	RIDE	7.5	7.2	6.9	7.2	7.6	7.5	7.2	7.3	7.1	6.7	6.8	6.4	6.4	6.1	
4462891	3.807	4.245	C	2025	0012																
17070000	0.689	3.680	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	10.0	10.0	10.0		
72			3	45	41500	RIDE	8.2	8.1	7.5	7.3	6.9	7.1	6.9	6.7	6.7	6.5	7.6	7.7	7.6		
TURNOUT(0.8L)																					
1979342	0.004	4.490	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.0	7.0	6.5	6.5	4.5*	
PREFERRED MATERIALS, INC. (2011)					FC125	RIDE	7.6	6.7	6.8	7.1	7.3	7.2	7.0	6.9	6.8	6.6	6.6	6.7	6.4	6.1	
4491221	0.059	2.696	C	2026	0012																
17070000	0.000	0.689	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	10.0	10.0	10.0		
72			3	45	29500	RIDE	8.2	8.1	7.5	7.3	6.9	7.1	6.9	6.7	6.7	6.5	7.6	7.7	7.6		
SR 45(0.0C)																					
1979342	0.004	4.490	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.0	7.0	6.5	7.5	5.5*	
PREFERRED MATERIALS, INC. (2011)					DGFC	RIDE	7.6	6.7	6.8	7.1	7.3	7.2	7.0	6.9	6.8	6.6	6.6	6.7	6.7	6.4	
4491221	0.059	2.696	C	2026	0012																
91020000	0.000	1.626	R	1	1	CRACKING	6.0*	6.0*	6.0*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
15 98			2	45	12600	RIDE	7.4	7.0	6.9	6.8		7.7	8.2	8.2	8.1	8.0	7.9	7.8	7.7		
US-441/SR-15/SR-700(0.0R)																					
1968981	0.000	1.649	C	2003	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	6.0*	
PREFERRED MATERIALS, INC. (2006)					FC125	RIDE	7.7	7.8	7.8	7.6	7.7	7.6	7.5	7.5	7.5	7.5	7.5	7.6	7.6	7.5	
91020000	1.626	2.950	R	1	1	CRACKING	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
15 98			2	40	27000	RIDE	6.6	6.3	5.9	6.1		7.3	7.3	7.8	7.7	7.5	7.5	7.5	7.3		
WALMART ENT(1.7R)																					
1968032	1.649	3.136	C	2003	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	4.0*	
PREFERRED MATERIALS, INC. (2006)					DGFC	RIDE	6.8	7.1	7.4	7.3	7.3	7.1	7.0	7.1	6.9	6.9	6.9	6.9	6.7	6.4	
4489761	1.626	2.963	C	2025	0226																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PREFERRED MATERIALS, INC. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
91020000	1.626	2.950	L	1	1	CRACKING	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
15 98				2	40	27000	RIDE	7.6	7.5	7.1	7.3			7.6	7.5	7.4	7.2	6.9	6.6	7.2	6.4	
SW 23RD ST(1.6L)																						
1968032	1.649	3.136	C	2003	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.5*	
PREFERRED MATERIALS, INC. (2006)							DGFC	6.3	6.3	6.8	7.2	7.2	7.1	7.1	6.9	6.8	6.9	6.9	6.9	6.8	6.5	
4489761	1.626	2.963	C	2025	0226																	
91020000	0.000	1.626	L	1	1	CRACKING	4.0*	4.0*	3.0*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
15 98				2	45	12600	RIDE	7.7	7.6	7.3	6.4*			8.3	8.6	8.6	8.6	8.3	8.4	8.1	8.1	
SR-78(0.0L)																						
1968981	0.000	1.649	C	2003	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.6	8.5	6.0*		
PREFERRED MATERIALS, INC. (2006)							FC125	8.2	8.1	8.0	7.9	8.0	7.9	7.8	7.8	7.8	7.7	7.9	7.9	7.7	7.4	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = PRINCE CONTRACTING, LLC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(PMRS)
13050000	8.972	9.907	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
64			2	50	35000	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.4	8.2	8.3	8.3	8.3		
BLUE CYPRESS ST(9.6R)																					
1960224	9.300	11.866	C	2006	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	6.5			4.5*	3.5*	3.5*	3.8*	3.2*	0.0*	
PRINCE CONTRACTING, LLC	(2009)			FC5		RIDE	8.3	7.8	8.2	8.2	8.2	8.2			8.0	7.9	7.8	7.8	7.7	7.5	
4473831	6.822	9.825	C	2028	0226																
13050000	10.800	11.186	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
64			2	45	15300	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.4	8.2	8.3	8.3	8.3		
SAVANNA AT LKWOOD RA(10.9R)																					
1960224	9.300	11.866	C	2006	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	6.5			3.5*	3.5*	1.0*		0.0*	0.0*	
PRINCE CONTRACTING, LLC	(2009)			FC5		RIDE	8.3	7.8	8.2	8.2	8.2	8.2			8.2	8.1	7.8		8.0	7.8	
4473831	11.598	11.866	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
64			1	45	6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.4	8.2	8.3	8.3	8.3		
13.8																					
1960224	9.300	11.866	C	2006	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	6.5			3.5*	3.5*	1.0*		0.0*	0.0*	
PRINCE CONTRACTING, LLC	(2009)			FC5		RIDE	8.3	7.8	8.2	8.2	8.2	8.2			8.2	8.1	7.8		7.6	7.4	
4473831	11.471	11.812	R	2028	0226																
13050000	11.598	11.866	L	1	2	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
64			2	45	6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.3	8.2	8.4	8.5	8.5		
13.8																					
1960224	9.300	11.866	C	2006	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0		3.5*	3.5*	4.5*	4.2*	2.0*	0.0*	
PRINCE CONTRACTING, LLC	(2009)			FC5		RIDE	8.5	8.5	8.5	8.5	8.5	8.5	8.5		8.4	8.3	8.2	8.2	7.6	7.4	
4473831	11.482	11.812	L	2028	0226																
13050000	10.800	11.186	L	1	2	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
64			2	45	15300	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.3	8.2	8.4	8.5	8.5		
16.5																					
1960224	9.300	11.866	C	2006	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0		3.5*	3.5*	4.5*	4.2*	4.6*	1.5*	
PRINCE CONTRACTING, LLC	(2009)			FC5		RIDE	8.5	8.5	8.5	8.5	8.5	8.5	8.5		8.4	8.3	8.2	8.2	8.2	8.0	
4473831	9.133	9.957	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
64			2	50	35000	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	8.3	8.2	8.3	8.2	8.2		
117 ST E(9.3L)																					
1960224	9.300	11.866	C	2006	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.6	3.5*	0.5*	
PRINCE CONTRACTING, LLC	(2011)			FC5		RIDE	8.1	8.1	8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.8	7.8	7.7	7.8	7.6	
4473831	6.822	9.825	C	2028	0226																
16090000	33.280	34.880	R	1	1	CRACKING	9.5	9.5	9.5	9.5	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		
17			1	45	15800	RIDE	7.7	7.5	7.5	7.2	7.3	7.1	7.1	6.8	6.7	6.6	6.2	6.1	5.9		
CR 544(33.3R)																					
4252511	33.280	34.797	C	2013	0005	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.9	9.5	
PRINCE CONTRACTING, LLC	(2016)			FC125		RIDE	5.6		6.9	6.9	6.9	6.8	6.8	6.7	6.7	6.7	6.7	6.7	6.8	6.5	
4473831	1.070	1.398	R	1	1	CRACKING	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*			10.0	
683 301			2	35	38500	RIDE	8.5	8.3	8.1	7.8	7.5	7.4	7.4	7.3	7.2	7.2				7.5	
TENTH ST(1.1C)																					
1980103	0.000	1.398	C	2009	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.0	6.2*	
PRINCE CONTRACTING, LLC	(2013)			FC125		RIDE	7.0	6.9	6.7	7.0	7.1	6.6	6.9	6.4	6.7	6.9	6.7	6.8	6.6	6.3	
4473831	1.398	2.548	R	1	1	CRACKING	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*			10.0	
683 301			3	45	50000	RIDE	8.5	8.3	8.1	7.8	7.5	7.4	7.4	7.3	7.2	7.2				8.1	
THIRTEENTH ST(1.4C)																					
1980103	1.398	2.604	C	2009	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	7.0	7.0	6.8	6.7	4.5*	
PRINCE CONTRACTING, LLC	(2013)			FC125		RIDE	7.9	7.2	7.4	7.8	7.7	7.6	7.5	7.4	7.4	7.4	7.4	7.4	7.2	7.3	
4473831	1.398	2.604	L	1	1	CRACKING	7.5	7.5	7.5	7.5	5.5*	4.5*	4.5*	2.0*	2.0*	2.0*				10.0	
683 301			3	45	50000	RIDE	8.4	8.3	8.3	7.5	7.2	6.8	6.4	6.7	6.8	6.1				8.1	
THIRTEENTH ST(1.4C)																					
1980103	1.398	2.604	C	2009	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.8	7.6	5.5*	
PRINCE CONTRACTING, LLC	(2013)			FC125		RIDE	8.1	7.7	7.6	7.9	8.1	8.1	8.0	8.0	7.8	7.9	8.0	8.0	7.8	7.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	TYPE	CONTRACTOR	INDUST	(2011)	FC95	RIDE	8.3	8.4	8.3	8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.1	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
16020000	7.907	9.236	R	1	1	CRACKING	9.5	9.5	8.0	8.0	7.5	7.5	7.5	6.5	6.5	4.5*	10.0	10.0	10.0	
600 92				2	50	38500	9.1	8.9	8.8	8.4	7.9	7.8	7.8	7.6	7.5	7.7	8.5	8.3	8.4	
RD E(8.1R)						8.8														
4223921	7.854	9.114	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.8	7.2	5.0*
RANGER CONSTRUCTION INDUST(2011)						FC95	8.3	8.4	8.3	8.2	8.2	8.3	8.2	8.1	8.1	8.1	8.1	8.1	8.1	7.8
16020000	7.862	9.236	L	1	1	CRACKING	9.5	8.0	8.0	8.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	
600 92				2	50	38500	8.9	8.8	8.8	8.2	7.8	7.8	7.5	7.5	7.7	7.3	8.6	8.5	8.5	
FRONTAGE RD(8.1L)						8.8														
4223921	7.854	9.114	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	10.0	8.5	8.5	8.5	8.5	8.6	8.1	6.0*
RANGER CONSTRUCTION INDUST(2011)						FC95	8.5	8.5	8.4	8.4	8.3	8.3	8.3	8.2	8.2	8.1	8.2	8.1	8.0	7.7
16070000	14.557	19.594	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	
33				2	60	11464	8.8	8.4	8.7	8.2	8.1	7.9	7.9	7.6	7.5	7.2	7.4	7.2	7.1	
BRONSON TRAIL(14.6R)						18.1														
4312911	14.557	27.138	C	2016	0012	CRACKING	6.5	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	8.3	7.0	5.5*	
RANGER CONSTRUCTION INDUST(2018)						FC125	6.9	7.0	6.9	6.9	8.6	8.6	8.5	8.5	8.4	8.4	8.4	8.4	8.2	7.9
16070000	19.594	19.897	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	
33				2	45	11464	8.8	8.4	8.7	8.2	8.1	7.9	7.9	7.6	7.5	7.2	7.4	7.2	7.1	
DEEN STILL RD W(19.8L)						18.1														
4312911	14.557	27.138	C	2016	0012	CRACKING	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0
RANGER CONSTRUCTION INDUST(2017)						FC125	6.9	7.0	6.9	6.6	6.8	6.6	6.5	6.5	6.3	5.3*				5.4*
16070000	19.897	27.216	C	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	6.0*	6.0*	
33				2	60	11600	8.9	8.8	8.8	8.5	8.4	8.4	8.6	8.5	8.3	8.1	7.9	7.8	7.7	
L.A. COMBEE DR(20.5L)						29.8														
4312911	14.557	27.138	C	2016	0012	CRACKING	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	7.8	6.0*
RANGER CONSTRUCTION INDUST(2018)						FC125	7.3	7.6	7.8	7.7	8.7	8.7	8.7	8.7	8.6	8.6	8.6	8.5	8.5	8.2
16130000	18.634	21.306	C	1	1	CRACKING	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	
60				2	55	10800	8.9	8.8	8.7	8.5	8.4	8.5	7.7	8.6	8.5	8.4	8.3	8.2	8.1	
						34.6														
4312941	18.634	21.157	C	2016	0012	CRACKING	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.5	8.0
RANGER CONSTRUCTION INDUST(2018)						FC125	8.1	7.7	8.1		8.9	8.9	8.8	8.8	8.8	8.8	8.7	8.7	8.7	8.4
16130000	21.306	22.166	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	
60				3	55	10800	8.8	8.7	8.6	8.3	8.3	8.3	7.6	8.4	8.5	8.3	8.1	8.2	7.9	
						34.6														
4312941	21.157	22.212	C	2016	0012	CRACKING	8.0	7.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.7	8.0
RANGER CONSTRUCTION INDUST(2018)						FC125	8.0	7.5	7.9		8.9	8.9	8.8	8.9	8.8	8.9	8.9	8.8	8.8	8.5
16130000	22.166	22.730	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	
60				2	55	10800	8.9	8.8	8.7	8.5	8.4	8.4	7.7	8.5	8.5	8.4	8.3	8.3	8.1	
						34.6														
4312941	22.212	22.703	C	2016	0012	CRACKING	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0
RANGER CONSTRUCTION INDUST(2018)						FC125	8.2	7.9	8.0		8.7	8.7	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.3
16130000	22.730	23.702	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	
60				3	55	10800	8.9	8.9	8.8	8.5	8.4	8.4	7.8	8.6	8.6	8.4	8.3	8.2	8.1	
						34.6														
4312941	22.703	23.702	C	2016	0012	CRACKING	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0
RANGER CONSTRUCTION INDUST(2018)						FC125	8.2	7.9	8.1		8.9	9.0	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.6
16130000	23.702	25.623	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	
60				2	55	10800	8.9	8.8	8.8	8.5	8.5	8.5	7.8	8.6	8.5	8.4	8.3	8.3	8.2	
GRAPE HAMMOCK RD(23.9L)						34.6														
4312941	24.188	25.480	C	2016	0012	CRACKING	8.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.9	7.5
RANGER CONSTRUCTION INDUST(2018)						FC125	8.2	8.1	8.1	7.7	8.6	8.7	8.6	8.6	8.6	8.6	8.6	8.5	8.6	8.3
16180000	23.088	24.599	R	1	1	CRACKING	10.0	10.0	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
25 27				3	45	75334	8.3	8.2	8.1	7.3		7.7	8.1	7.9	8.0	8.1	8.0	7.9	8.0	
TURNOUT(23.2R)						7.4														
4380141	23.565	24.595	C	2019	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
RANGER CONSTRUCTION INDUST(2021)						FC125	7.9	7.8	7.8	7.8	7.9	7.8	7.8	8.3	8.2	8.4	8.3	8.3	8.2	7.9
2012109	23.100	24.630	C	2025	0213															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE																
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	WKM-F	WKM-F	*****																													
ITMSEG-P	W_BMP	W_EMP	W_YEAR	FY-F	WKM-F	WKM-F	*****																													
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	W_YEAR	FY-F	WKM-F	WKM-F	*****																													
ITMSEG-F	W_BMP	W_EMP	W_YEAR	FY-F	WKM-F	WKM-F	*****																													
16180000	23.040	24.599	L	1	1	CRACKING	10.0	10.0	10.0	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5															
25 27			3	45	75334	RIDE	8.7	8.6	8.4	8.0			7.4	7.6	7.5	7.6	7.6	7.5	7.5	7.5	7.4															
ADVENTURE CT(23.3L)																																				
4380141	23.565	24.595	C	2019	0012	CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	10.0	8.5														
RANGER CONSTRUCTION INDUST(2021)																																				
2012109	23.100	24.630	C	2025	0213	RIDE	7.4	7.2	7.7	7.5	7.8	7.2	7.3	8.3	8.1	8.1	8.1	8.1	8.1	8.2	8.2	7.9														

91010000	3.060	4.730	C	1	7	CRACKING	4.0*	4.0*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5															
78			2	55	9100	RIDE	8.2	8.0	7.8	6.4*	8.3	7.8	8.0	8.1	8.0	8.0	8.0	8.0	7.9	7.8	7.8															
SIXTEENTH WAY SW(3.7L)																																				
4489751	3.069	3.823	C	2025	0226	CRACKING	8.5	7.5	7.5	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	5.6*	10.0	9.0															
RANGER CONSTRUCTION INDUST(2026)																																				
91020000	5.729	6.040	C	1	7	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5															
15 441			2	55	10400	RIDE	8.1	8.0	7.7	7.1	7.0	6.3*	8.6	8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.4															
24.2																																				
4489741	5.694	7.523	C	2025	0226	CRACKING	9.5	9.5	9.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	5.9*	10.0	9.0														
RANGER CONSTRUCTION INDUST(2026)																																				
91020000	11.100	16.888	C	1	1	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0	6.0*	6.0*																
15 441			2	60	8000	RIDE		8.9	8.7	8.3	8.2	8.2	8.3	8.4	8.2	8.1	8.1	8.1	7.9	7.9																
BLUE JAY BLVD(11.4R)																																				
4349411	11.099	16.888	C	2018	0012	CRACKING	6.0*	5.5*	5.5*	5.5*	5.5*	5.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.0	6.5															
RANGER CONSTRUCTION INDUST(2020)																																				

91050000	2.196	5.301	C	1	1	CRACKING	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0															
15 98			2	50	7300	RIDE	8.3	8.0	7.8	6.8	7.9	7.8	7.9	8.0	8.0	8.0	8.0	7.9	7.8	7.8	7.8															
SE 33RD TER(2.3L)																																				
1968552	2.213	11.924	C	2003	0012	CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	3.5*														
RANGER CONSTRUCTION INDUST(2005)																																				
4489731	2.196	11.994	C	2025	0226	RIDE	7.7	7.6	7.6	7.5	7.6	7.4	7.4	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.0														

91050000	5.301	11.160	C	1	1	CRACKING	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5																
15 98			2	55	4000	RIDE	8.3	8.2	8.0	6.9	8.2	8.1	8.2	8.3	8.3	8.2	8.1	8.1	8.1	8.1	8.1															
CR 15A(6.4L)																																				
1968552	2.213	11.924	C	2003	0012	CRACKING	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	3.5*														
RANGER CONSTRUCTION INDUST(2005)																																				
4489731	2.196	11.994	C	2025	0226	RIDE	8.1	8.0	8.0	7.9	7.9	7.9	7.9	7.8	7.7	7.8	7.7	7.8	7.7	7.7	7.7	7.4														

91050000	11.160	11.994	C	1	1	CRACKING	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5															
15 98			2	55	3400	RIDE	8.3	8.0	7.8	6.5	8.0	7.9	8.1	7.9	8.1	7.9	7.9	7.9	7.9	7.9	7.9															
SE 138TH BLVD(11.3L)																																				
1968552	2.213	11.924	C	2003	0012	CRACKING	9.5	9.5	9.5	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.3*	6.2*	3.5*															
RANGER CONSTRUCTION INDUST(2005)																																				
4489731	2.196	11.994	C	2025	0226	RIDE	7.8	7.6	7.6	7.4	7.5	7.3	7.3	7.2	7.0	7.1	7.1	7.1	6.9	6.9	6.6															

91070000	0.000	7.966	C	1	7	CRACKING	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5															
70			2	60	7400	RIDE	7.9	7.5	6.6	8.5	8.5	8.5	7.8	8.6	8.5	8.5	8.5	8.4	8.3	8.3																
BRIDGE #1(0.0C)																																				
4454741	0.074	3.885	C	2024	0012	CRACKING	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	9.0															
RANGER CONSTRUCTION INDUST(2026)																																				

91070000	7.966	8.281	R	1	7	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5															
70			1	45	13100	RIDE	6.5	6.3*	6.3*	5.8*	5.9*	8.5	7.8	8.6	8.5	8.5	8.4	8.3	8.3																	
SIDE ROAD(8.0C)																																				
4454741	7.963	8.178	R	2024	0012	CRACKING	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	9.0															
RANGER CONSTRUCTION INDUST(2026)																																				

91070000	10.555	11.600	R	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	8.0	8.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*																
70			2	45	32500	RIDE	8.8	8.7	8.6	8.3	8.2	8.2	8.3	8.3	8.3	7.9	7.9	7.6	7.7																	
SE 18TH TER(10.7R)																																				
4314611	10.555	11.528	C	2016	0012	CRACKING	4.5*	4.5*	4.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.5	8.0															
RANGER CONSTRUCTION INDUST(2018)																																				

91070000	11.600	13.691	R	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5															
70			2	45	13000	RIDE	8.9	8.8	8.7	8.4	8.3	8.2	8.1	8.0	7.9	7.7	7.5	7.5	7.6	7.4																
NE 31ST WAY(11.6R)																																				
1969042	11.966	15.567	C	2014	0213	CRACKING	6.5	6.5				10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.7	9.5	7.5															
RANGER CONSTRUCTION INDUST(2019)																																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	%T	=====														
ITMSEG-P	(AGE_ONE	YEAR)	SURF_TYPE					2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
91070000	16.311	18.997	R	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
70			2	60	13000	RIDE	8.9	8.8	8.7	8.4	8.3	8.2	8.1	8.0	7.9	7.7	7.5	7.6	7.4		
NE 103RD AVE(16.8R)																					
							21.6														
1969044	15.567	18.878	C	2014	0218	CRACKING	6.5	6.5					10.0	10.0	9.0	9.0	9.0	9.0	9.7	9.2	7.5
RANGER CONSTRUCTION INDUST(2019)					FC5M	RIDE	7.4	7.1					8.3	8.5	8.5	8.5	8.4	8.4	8.4	8.4	8.2

91070000	16.311	18.997	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
70			2	60	13000	RIDE	8.9	8.8	8.7	8.4	8.3	8.2	8.1	8.0	7.9	7.7	7.5	7.6	7.4		
NE 122ND DR(18.1L)																					
							21.6														
1969044	15.567	18.878	C	2014	0218	CRACKING	6.5	6.5					10.0	10.0	9.0	9.0	9.0	9.0	9.6	9.5	7.5
RANGER CONSTRUCTION INDUST(2019)					FC5M	RIDE	7.4	7.1					8.2	8.4	8.4	8.4	8.3	8.3	8.3	8.2	8.0

91070000	11.780	13.691	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
70			2	45	13000	RIDE	8.9	8.8	8.7	8.4	8.3	8.2	8.1	8.0	7.9	7.7	7.5	7.6	7.4		
NE 40TH AVE/SPARKMAN(12.2L)																					
							21.6														
1969042	11.966	15.567	C	2014	0213	CRACKING	6.5	6.5					10.0	10.0	9.0	9.0	9.0	9.0	9.6	9.1	7.5
RANGER CONSTRUCTION INDUST(2019)					FC5M	RIDE	7.4	7.1					8.2	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.1

91070000	10.555	11.780	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	6.5	6.5	4.5*	4.5*		
70			2	45	32500	RIDE	8.7	8.5	8.5	8.3	8.0	7.8	8.3	8.3	8.1	8.1	7.8	7.4	7.7		
NE 17TH AVE(10.6L)																					
							18.6														
4314611	10.555	11.528	C	2016	0012	CRACKING	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0
RANGER CONSTRUCTION INDUST(2018)					FC125	RIDE	7.6	7.5	7.7	7.7	8.4	8.2	8.2	8.2	8.2	8.0	8.1	8.0	8.2	7.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = ROADWAY CONSTRUCTION LLC -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR (AGE_ONE YEAR)							2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(PMRS)	
03010000	12.931	14.385	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
90	41			3	45	35500	RIDE	9.0	8.9	8.7	8.4	8.4	8.3	8.2	7.7	7.5	8.2	8.2	8.1	8.0		
FREDERICK ST(13.1R)																						
						3.6																
4380591	12.920	14.385	R	2021	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	9.0	
ROADWAY CONSTRUCTION LLC (2024)							FC125	RIDE	8.0	8.1	8.0	7.8	7.9	7.8	7.8	7.8	7.9	7.8	8.1	7.9	8.0	7.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = RUSSELL ENGINEERING INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP	SIDE)	=====																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																		(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
17050000	1.251	4.728	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
776			2	45	23500	RIDE		8.9	8.7	8.4	8.4	8.2	8.3	8.2	8.1	8.1	8.1	8.1	8.1	8.0	
LAKEVIEW LN(1.3R)																					
1979481	1.262	4.741	C	1999	0213	CRACKING		9.5	9.5	9.5	9.5	9.5	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.3	4.5*
RUSSELL ENGINEERING INC	(2002)	FC3	RIDE					7.9	7.8	7.4	7.5	7.7	7.7	7.6	7.3	7.5	7.2	7.4	7.3	7.4	7.1
4510141	0.000	8.140	C	2026	0226																

17050000	1.256	4.660	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
776			2	45	23500	RIDE		9.1	8.9	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.5	8.5	8.5	8.5	
WENTWORTH ST L(1.4L)																					
1979481	1.262	4.741	C	1999	0213	CRACKING		9.5	9.5	9.5	9.5	9.5	9.0	9.0	7.0	6.5	6.5	6.5	6.5	6.5	3.5*
RUSSELL ENGINEERING INC	(2002)	FC3	RIDE					8.4	8.2	7.9	7.5	8.1	8.1	8.0	7.9	8.0	7.7	7.9	7.8	7.9	7.6
4510141	0.000	8.140	C	2026	0226																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = RUSSELL ENGINEERING, INC -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	WKM-F	WKM-F	WKM-F															(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
12010000	7.833	10.370	R	1	1	CRACKING	3.5*	1.0*	1.0*	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
45 41			2	50	51500	RIDE	8.0	8.2	7.7	7.8	7.9	7.8	7.4	8.0	7.9	7.7	7.6	7.5		
COUNTY RD(8.3R)																				
1957651	7.940	10.183	R	2011	0218	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.3	8.9	6.5
RUSSELL ENGINEERING, INC				(2015)	FC5M	RIDE		7.9	8.2	8.2	8.0	8.0	8.1	8.1	8.0	8.0	7.9	8.0	8.1	7.9

12010000	7.833	10.350	L	1	1	CRACKING	3.5*	1.0*	1.0*	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	
45 41			3	50	51500	RIDE	8.4	8.3	8.1	7.7	7.8	7.7	7.7	7.9	7.9	7.7	7.8	7.5		
LYCHEE RD(8.3L)																				
1957651	7.940	10.084	L	2011	0218	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.3	8.8	6.5
RUSSELL ENGINEERING, INC				(2015)	FC5M	RIDE		8.0	8.3	8.3	7.9	8.0	8.1	8.1	8.3	8.1	8.0	7.9	8.0	7.8

13020000	10.457	11.771	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.0*	6.0*	9.0	9.0	10.0	8.5	
43 301			2	45	18200	RIDE	8.6	8.6	8.5	8.0	8.0	7.8	7.9	7.8	7.8	7.6	7.8	7.5	7.4	
PARRISH CEMETERY RD(10.8R)																				
4279951	10.457	11.669	C	2015	0213	CRACKING	8.5	8.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.0	7.5
RUSSELL ENGINEERING, INC				(2018)	FC125	RIDE	7.4	7.1	7.5		7.9	7.7	7.7	7.7	7.6	7.5	7.4	7.1	7.1	6.8

13020000	10.457	11.771	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	8.5	
43 301			2	45	18200	RIDE	8.6	8.6	8.5	8.0	8.0	7.8	7.9	7.8	7.7	7.6	7.8	7.5	7.4	
71 ST E(10.6L)																				
4279951	10.457	11.669	C	2015	0213	CRACKING	8.5	8.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.0	7.5
RUSSELL ENGINEERING, INC				(2018)	FC95A	RIDE	7.4	7.1	7.5		7.7	7.6	7.6	7.5	7.6	7.5	7.3	6.8	6.7	6.4

13030000	0.508	0.977	R	1	1	CRACKING	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 B41			2	45	26500	RIDE	7.9	7.7	7.6	6.7	6.6	7.6	7.6	7.6	7.6	7.6	7.4	7.4	7.3	
NINETEENTH ST W(0.6R)																				
4444401	0.559	1.291	R	2022	0012	CRACKING	10.0	10.0	7.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.0*		10.0	10.0	9.0
RUSSELL ENGINEERING, INC				(2025)	FC125	RIDE	7.3	7.0	6.9	7.1	6.8	6.7	6.7	6.4	6.0	6.3		7.3	7.3	7.0

13030000	0.977	1.309	R	1	1	CRACKING	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 B41			2	50	26500	RIDE	7.9	7.7	7.6	6.7	6.6	7.6	7.6	7.6	7.6	7.6	7.4	7.4	7.3	
BAYSHORE RD(1.3R)																				
4444401	0.559	1.291	R	2022	0012	CRACKING	10.0	10.0	7.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.0*		10.0	10.0	9.0
RUSSELL ENGINEERING, INC				(2025)	FC5M	RIDE	7.3	7.0	6.9	7.1	6.8	6.7	6.7	6.4*	6.0*	6.3*		8.1	8.1	7.9

13030000	0.977	1.309	L	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 B41			2	50	26500	RIDE	8.0	7.7	7.7	8.2	6.6	8.0	8.0	8.0	8.0	7.9	7.8	7.7	7.7	
TURNOUT(1.3L)																				
4444401	0.559	1.291	L	2022	0012	CRACKING	10.0	10.0	9.0	7.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	9.0
RUSSELL ENGINEERING, INC				(2025)	FC5M	RIDE	7.5	7.6	7.8	7.9	7.9	7.7	7.8	7.7	7.8	7.6		8.0	7.9	7.7

13030000	0.508	0.977	L	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 B41			2	45	26500	RIDE	8.0	7.7	7.7	8.2	6.6	8.0	8.0	8.0	8.0	7.9	7.8	7.7	7.7	
8TH AVE(0.8L)																				
4444401	0.559	1.291	L	2022	0012	CRACKING	10.0	10.0	9.0	7.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	9.0
RUSSELL ENGINEERING, INC				(2025)	FC125	RIDE	7.5	7.6	7.8	7.9	7.9	7.7	7.8	7.7	7.8	7.6		7.0	6.9	6.6

13030103	0.264	0.385	C	1	7	CRACKING														
45 B41			2	50	13000	RIDE														
26TH ST W(0.4R)																				
4444401	0.307	0.385	C	2022	0012	CRACKING								7.5	7.5	7.5	7.5	8.3	10.0	9.0
RUSSELL ENGINEERING, INC				(2026)	OGFC	RIDE								8.4	8.4	8.4	8.3	8.2	7.9	7.7

13050000	0.000	1.122	C	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
64			3	35	18000	RIDE	6.9	6.4	6.7	5.7	5.5	6.0	5.9	5.6	5.9	5.6	5.7	5.7	5.7	
10TH ST W(0.0C)																				
4415351	0.047	1.122	C	2023	0012	CRACKING		9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.0
RUSSELL ENGINEERING, INC				(2026)	DGFC	RIDE		5.6	5.1*	5.0*	5.0*	4.7*	4.7*	4.6*	4.7*	4.5*	4.6*		6.1	5.8

13050000	7.382	8.972	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5			10.0	10.0	10.0	
64			3	50	55000	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8			8.2	8.2	8.1	
HERITAGE GREENWAY(7.4R)																				
1960223	7.382	9.300	C	2007	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	6.5	6.9	6.9	4.0*
RUSSELL ENGINEERING, INC				(2011)	FC5	RIDE	8.2	7.7	8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.8	7.9	7.8	7.8	7.6
4473831	6.822	9.825	C	2028	0226															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = RUSSELL ENGINEERING, INC -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ADT	=====													
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	ADT	WKM-F	ADT	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT														
13050000	7.382	9.133	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5			10.0	10.0	10.0	
64			3	50	55000	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8			8.3	8.2	8.2	
HERITAGE GREEN WAY(7.4L)																				
1960223	7.382	9.300	C	2007	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.6	6.8	4.0*
RUSSELL ENGINEERING, INC				(2011)	FC5	RIDE	8.1	8.1	8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.8	7.8	7.7	7.9	7.7
4473831	6.822	9.825	C	2028	0226															

13120001	0.857	1.597	C	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
70			2	40	11300	RIDE	7.8	7.3	7.2	6.0	5.8	5.3*	8.1	7.6	7.7	7.7	7.7	7.6	7.6	
38 AVE E(0.9R)																				
4473801	0.832	1.550	C	2024	0012	CRACKING	8.5	8.5	8.5	7.5	6.5	6.5	6.0*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	9.0
RUSSELL ENGINEERING, INC				(2025)	FC125	RIDE	7.7	7.5	7.4	7.6	7.6	7.4	7.4	7.4	7.4	7.4	7.0	7.1	8.0	7.8

13150000	6.576	8.305	R	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	
64			2	40	44000	RIDE	7.4	7.6	7.5	6.6	6.9	6.7	6.1	6.6	6.3	6.3	6.5	6.3	6.3	
43 ST W(6.6C)																				
4415511	6.570	8.286	C	2023	0012	CRACKING	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	9.0
RUSSELL ENGINEERING, INC				(2026)	FC125	RIDE	6.2	6.0	6.4	6.4	6.4	6.8	6.8	6.7	6.8	6.4	6.6		7.0	6.7

13150000	6.576	8.305	L	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
64			2	40	44000	RIDE	7.9	7.9	7.8	7.2	7.3	7.1	6.7	7.0	7.0	7.0	7.1	6.9	6.9	
43 ST W(6.6C)																				
4415511	6.570	8.286	C	2023	0012	CRACKING	8.5	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	9.0
RUSSELL ENGINEERING, INC				(2026)	FC125	RIDE	6.8	6.7	7.0	6.9	6.9	6.8	6.5	6.7	6.8	6.6	6.6		6.8	6.5

13160000	5.966	7.481	R	1	1	CRACKING	8.5	8.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	
70			3	50	60000	RIDE	8.5	8.4	8.2	8.0	7.9			8.0	7.9	8.0	8.0	8.0	7.9	
BRADEN RUN(6.3R)																				
1961211	4.811	7.481	C	2005	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	3.5*
RUSSELL ENGINEERING, INC				(2009)	FC5	RIDE	8.0	7.6	8.0	8.0	8.0	7.9	7.8	7.7	7.4	7.7	7.8	7.7	7.7	7.5

13160000	5.966	7.481	L	1	1	CRACKING	8.5	8.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	
70			3	50	60000	RIDE	8.5	8.4	8.2	8.0	7.9			7.9	7.9	7.9	7.9	7.9	7.9	
SIDE ROAD(6.3L)																				
1961211	4.811	7.481	C	2005	0213	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	7.5	6.5	6.5	6.5	7.8	7.8	5.0*
RUSSELL ENGINEERING, INC				(2009)	FC5	RIDE	8.0	7.5	8.0	7.9	8.0	7.9	8.0	8.0	7.5	7.9	8.0	8.1	7.9	7.7

17010000	0.000	1.350	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
45 41			3	45	40500	RIDE	8.8	8.7	8.4	7.9	7.9	7.9	7.9	7.8	7.8	7.9	7.8	7.8	7.8	7.8
SALFORD BLVD(0.2C)																				
4227105	0.209	1.205	C	2017	0213	CRACKING	9.5	8.5	8.0	6.5	6.5			10.0	10.0	10.0	10.0	9.3	9.4	8.0
RUSSELL ENGINEERING, INC				(2021)	FC5M	RIDE	7.8	7.6	8.1	8.0	8.0			8.5	8.4	8.4	8.4	8.4	8.4	8.2

17010000	0.000	1.350	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	
45 41			3	45	40500	RIDE	8.8	8.8	8.5	7.9	7.9	7.3	7.9	7.8	7.7	7.8	7.8	7.7	7.6	
SALFORD BLVD(0.2C)																				
4227105	0.209	1.205	C	2017	0213	CRACKING	8.0	8.0	8.0	8.0	8.0			10.0	10.0	10.0	10.0	9.3	9.0	7.5
RUSSELL ENGINEERING, INC				(2021)	FC5M	RIDE	7.6	7.4	7.8	7.9	7.9			8.3	8.2	8.2	8.1	8.1	8.2	8.0

91070000	8.281	9.225	R	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	
70 98			2	35	24500	RIDE	7.7	7.4	7.0	6.0	5.5			8.2	8.2	7.7	7.7	7.8	7.4	
19TH AVE(8.4R)																				
1968801	8.206	9.062	C	2005	0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.5	6.0*	6.0*	6.0*	6.0*	5.9*	5.5*	3.0*
RUSSELL ENGINEERING, INC				(2008)	FC125	RIDE	7.5	7.0	6.9	6.7	6.7	6.5	6.6	6.4	6.5	6.3	6.4	6.3	6.4	6.1
4489711	8.263	9.229	C	2026	0226															

91070000	8.281	9.225	L	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	
70 98			2	35	24500	RIDE	7.7	7.4	7.0	6.0	5.5			8.2	8.2	8.0	8.0	7.9	7.7	
SR 700(8.3L)																				
1968801	8.206	9.062	C	2005	0213	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	4.5*
RUSSELL ENGINEERING, INC				(2008)	FC125	RIDE	7.6	7.7	6.2	6.9	7.0	6.9	6.6	7.0	7.0	6.9	6.7	6.7	6.7	6.4
4489711	8.263	9.229	C	2026	0226															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = S. T. WOOTEN CORPORATION -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ADT	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	WKM-F	ADT	ADT															(PMRS)	
CONTRACTOR																						
ITMSEG-F																						
01040000	2.580	3.506	R	1	1	CRACKING	10.0	10.0		10.0	9.0	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0		
35 17			2	55	29500	RIDE	8.3	8.4		7.7	7.8	7.5	7.5	7.2	6.6	6.7	6.6	6.2*	7.3			
REGENT RD(2.8C)					21.1																	
4236381	2.558	3.486	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	3.9*	1.5*		
S. T. WOOTEN CORPORATION				(2013)	FC5M	RIDE	7.4	7.5	7.7	7.6	7.7	7.4	7.5	7.6	7.6	7.5	7.4	7.3	7.3	7.1		
4415521	0.000	3.506	C	2024	0012																	
01040000	2.580	3.506	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.0*	6.0*	6.0*	6.0*	10.0			
35 17			2	55	29500	RIDE	8.5	8.4	8.7	8.2	8.3	8.0	8.0	7.9	7.5	7.4	7.0	7.0	7.6			
REGENT RD(2.8C)					21.1																	
4236381	2.558	3.486	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.5	4.5*	3.5*	3.5*	2.2*	0.0*		
S. T. WOOTEN CORPORATION				(2013)	FC5M	RIDE	7.6	7.6	7.9	7.9	7.8	7.6	7.6	7.5	7.3	7.4	7.3	7.0	6.9	6.7		
4415521	0.000	3.506	C	2024	0012																	
12060000	20.934	21.559	R	1	1	CRACKING	9.0	9.0	9.0	8.0	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0			
78			2	50	19100	RIDE	8.6	8.5	8.2	7.9	7.5	7.1	7.2	7.1	6.9	6.5	8.0	7.5	7.7			
TURNOUT(21.1C)					20.7																	
4224021	20.919	22.104	C	2010	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	5.9*	6.5	3.5*		
S. T. WOOTEN CORPORATION				(2011)	FC5M	RIDE	7.5	7.6	7.7	7.7	7.7	7.1	7.5	7.5	7.7	7.3	7.3	7.6	7.3	7.1		
4489561	20.857	21.430	C	2028	0226																	
12060000	21.559	22.000	C	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	10.0	10.0	10.0			
78			2	50	19100	RIDE	8.5	8.5	8.6	7.9	7.9	8.0	7.4	7.7	7.6	7.5	8.8	8.6	8.7			
EAST LAKE DR(21.6R)					20.7																	
4224021	20.919	22.104	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2	7.9	6.0*		
S. T. WOOTEN CORPORATION				(2011)	FC125	RIDE	8.6	8.2	8.2	8.3	8.2	8.2	8.1	8.1	8.2	7.9	8.2	8.0	7.9	7.6		
4489561	20.857	21.430	C	2028	0226																	
12060000	20.934	21.559	L	1	1	CRACKING	9.0	9.0	8.0	6.5	6.5	4.5*	4.5*	3.5*	3.5*	2.5*	10.0	10.0	10.0			
78			2	50	19100	RIDE	8.5	8.0	7.6	7.2	7.1	6.8	6.9	6.8	6.8	6.5	8.0	7.9	7.9			
TURNOUT(21.1C)					20.7																	
4224021	20.919	22.104	C	2010	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	5.6*	5.5*	2.5*		
S. T. WOOTEN CORPORATION				(2011)	FC5M	RIDE	7.7	7.9	7.8	7.6	7.7	7.0	7.4	7.4	7.7	7.3	7.1	7.1	7.3	7.1		
4489561	20.857	21.430	C	2028	0226																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = SACYR CONSTRUCCION SA -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
INTERSECT AT (MP SIDE)							=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P														
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(PMRS)
12070000	15.055	21.590	R	1	1	CRACKING	7.5	7.5	7.0	7.0	6.0*	5.5*	5.5*	3.5*	3.5*	3.5*			10.0	10.0
82			2	60	22500	RIDE	7.5	7.6	7.3	6.8	6.7	6.5	6.4*	6.4*	6.2*	6.1*			8.8	8.8
RUE LABEAU CIR(15.4R)																				
					14.1															
4258413	14.961	18.427	C	2018	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	9.6	9.5	8.0
SACYR CONSTRUCCION SA															8.7	8.6	8.6	8.6	8.5	8.3
				(2022)	FC5M	RIDE	8.8	8.7	8.6	8.6	8.5	8.4								

12070000	15.285	21.590	L	1	1	CRACKING	7.5	7.5	7.0	7.0	6.0*	5.5*	5.5*	3.5*	3.5*	3.5*			10.0	10.0
82			2	60	22500	RIDE	7.5	7.6	7.3	6.8	6.7	6.5	6.4*	6.4*	6.2*	6.1*			8.8	8.8
KALAMAR DR(16.0L)																				
					14.1															
4258413	14.961	18.427	C	2018	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	9.6	10.0	8.5
SACYR CONSTRUCCION SA															8.9	8.8	8.7	8.7	8.6	8.4
				(2022)	FC5M	RIDE	8.8	8.7	8.6	8.6	8.5	8.4								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = SHELTRA & SON CONST. CO. INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(PMRS)	
91070000	18.997	20.008	R	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	8.0	8.0	6.5	6.5	6.5			10.0	10.0	
70				2	60	11100	RIDE	9.1	9.0	8.9	8.4	8.3	8.2	8.1	8.0	7.9	7.7		8.1	8.2	
						21.2															
4150251	18.878	20.008	C	2009	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	7.5	8.9	8.6	6.0*
SHELTRA & SON CONST. CO.			I	(2012)	FC5	RIDE	8.2	8.2	8.1	8.1	8.1	8.0	8.1	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.8
91070000	18.997	20.008	L	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	8.0	8.0	6.5	6.5	6.5			10.0	10.0	
70				2	60	11100	RIDE	9.1	9.0	8.9	8.4	8.3	8.2	8.1	8.0	7.9	7.7		8.1	8.1	
						21.2															
4150251	18.878	20.008	C	2009	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.3	7.0	4.5*
SHELTRA & SON CONST. CO.			I	(2012)	FC5	RIDE	8.1	8.1	8.1	8.1	8.1	8.2	8.2	8.3	8.3	8.3	8.3	8.2	8.2	8.2	8.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = SMITH & COMPANY -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP	W_BMP	W_EMP	RW	FY-P	WKM	ADT	=====													
SEGMENT	(AGE_ONE YEAR)	(AGE_ONE YEAR)		ADT	TYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	F														(PMRS)
16320000	0.189	0.754	R	4	4	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.3	9.3	9.4	9.4	
400 I4	25.4	25.9	4	70	147000	RIDE	8.1	8.2	8.0	7.7	7.7	7.4	7.7	7.4	7.1	6.9	7.0	7.7	7.6	
2012081	0.000	2.160	C	1998	0217	CRACKING	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.3	9.1	9.3	9.2	9.3	9.4	8.5
SMITH & COMPANY				(2000)	LDG	RIDE	7.3	7.3	7.3	7.3	7.2	7.2	7.2	7.1	7.2	7.5	7.4	7.2	8.7	8.6
4463471	0.000	2.556	C	2023	0012															
16320000	0.754	2.197	R	4	2	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.4	9.4	9.2	9.2	9.3	9.3	
400 I4	25.9	27.4	3	70	120500	RIDE	8.5	8.4	8.4	7.9	7.8	7.7	7.7	7.8	7.4	7.4	7.5	7.4	7.5	
2012081	0.000	2.160	C	1998	0217	CRACKING	9.3	9.3	9.3	9.2	9.2	9.2	9.2	9.2	9.0	9.2	9.4	9.2	9.4	8.5
SMITH & COMPANY				(2000)	LDG	RIDE	7.4	7.4	7.3	7.3	7.3	7.3	7.2	7.3	7.3	7.3	7.2	6.8	8.7	8.6
4463471	0.000	2.556	C	2023	0012															
16320000	0.938	2.565	L	4	2	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.4	9.3	9.2	9.3	9.2	9.2	
400 I4	26.1	27.7	4	70	120500	RIDE	8.5	8.4	8.4	7.6	7.5	7.5	7.6	7.5	7.3	7.1	7.4	7.2	7.1	
2012081	0.000	2.160	C	1998	0217	CRACKING	9.2	9.2	9.2	9.1	9.2	9.2	9.1	9.0	9.0	9.0	9.1	9.1	9.4	8.5
SMITH & COMPANY				(2000)	LDG	RIDE	7.1	7.0	7.0	7.1	6.9	7.0	6.9	7.0	6.9	7.0	7.0	6.5	8.8	8.7
4463471	0.000	2.556	C	2023	0012															
16320000	0.000	0.938	L	4	2	CRACKING	9.5	9.5	9.5	9.4	9.4	9.4	9.4	9.3	9.2	8.9	9.2	8.5	8.5	
400 I4	25.2	26.1	4	70	147000	RIDE	8.6	8.5	8.5	8.0	7.7	7.7	7.8	7.6	7.6	7.4	7.4	7.1	6.9	
2012081	0.000	2.160	C	1998	0217	CRACKING	8.5	8.5	8.4	8.4	8.4	8.4	8.2	7.8	7.7	7.9	9.0	9.4	8.5	
SMITH & COMPANY				(2000)	LDG	RIDE	6.8	6.7	6.7	6.7	6.7	6.5	6.3*	6.4*	6.4*	6.4*	6.3*	5.8*	8.6	8.5
4463471	0.000	2.556	C	2023	0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = SOUTHLAND CONSTRUCTION, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(PMRS)	
16180000	24.599	27.700	R	1	1	CRACKING	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	9.5	9.5		
25	27		3	60	60000	RIDE	8.7	8.4	8.3	7.5	7.1	7.0	6.9		7.8	7.8	7.7	7.7	7.7		
RITCHIE BROS ENT(24.6R)																					
					5.4																
1975342	24.708	27.803	C	2012	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.1	7.7	5.5*	
SOUTHLAND CONSTRUCTION, IN(2015)								8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.8	7.8	7.8	7.7	7.7	7.5	

16180000	24.599	27.700	L	1	1	CRACKING	9.0	9.0	6.5	6.0*	6.0*	6.0*	4.5*		10.0	10.0	9.5	9.5	9.5		
25	27		3	60	60000	RIDE	8.9	8.8	8.7	8.0	8.1	7.9	8.0		7.8	7.9	7.7	7.7	7.7		
ACCESS RD(24.6L)																					
					5.4																
1975342	24.708	27.803	C	2012	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.1	8.0	5.5*	
SOUTHLAND CONSTRUCTION, IN(2015)								8.1	8.1	7.9	8.1	8.0	8.0	8.0	7.7	7.6	7.7	7.6	7.6	7.4	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = SUPERIOR ASPHALT, INC. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_RW	FY-P	W_KMX-P	ADT	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	(PMRS)																		
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	W_BMP	W_EMP	W_RW	FY-F	W_KMX-F	ADT	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
04040000	0.000	11.100	C	1	7	CRACKING	7.5	7.5	7.5												
70			2	60	5643	RIDE	7.8	7.8	7.6			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0
MANATEE COUNTY LINE(0.0C)																					
4454731	0.010	11.064	C	2023	0012	CRACKING	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*			10.0	9.0
SUPERIOR ASPHALT, INC. (2026) FC125 RIDE 7.7 7.3 7.6 7.6 7.4 7.2 7.3 7.3 7.1 7.1 7.2 8.5 8.2																					
04040000	11.100	11.329	R	1	7	CRACKING	7.5	6.5	6.5												
70			1	45	8400	RIDE	6.7	6.1*	6.7			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0
24.2																					
4454731	11.064	11.296	R	2023	0012	CRACKING	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*			10.0	9.0
SUPERIOR ASPHALT, INC. (2026) FC125 RIDE 7.7 7.3 7.6 7.6 7.4 7.2 7.3 7.3 7.1 7.1 7.2 8.3 8.0																					
13010000	5.284	6.331	R	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	
45	B41		2	40	27500	RIDE	8.5	8.4	8.3	7.4	7.7	7.6	7.3	7.4	7.4	7.4	7.3	7.3	7.3	7.3	7.0
SR684/US41/CORTEZ RD(5.3R)																					
4290961	5.284	6.298	C	2015	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.0	7.0	5.2*	3.5*	
SUPERIOR ASPHALT, INC. (2017) FC125 RIDE 7.3 6.9 7.0 8.0 7.9 7.8 7.8 7.9 7.7 7.6 7.7 7.6 7.7 7.7 7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.3																					
13010000	5.284	6.331	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	
45	B41		2	40	27500	RIDE	8.3	8.0	8.0	7.8	7.7	7.6	7.0	7.2	7.3	7.2	7.2	7.2	7.1	7.1	
CORTEZ RD(5.3L)																					
4290961	5.284	6.298	C	2015	0012	CRACKING	7.0	7.0	6.5	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.5	6.5	6.0*	4.5*	
SUPERIOR ASPHALT, INC. (2017) FC125 RIDE 7.1 6.7 6.8 7.8 7.5 7.6 7.5 7.5 7.5 7.1 7.1 7.3 6.9 7.1 6.8																					
13020000	0.569	3.866	R	1	1	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	
43	301		2	45	38500	RIDE	7.5	7.0	8.5	8.1	8.2	8.1	7.9	8.1	8.0	8.0	7.9	7.9	7.8	7.7	
PALM BAY MOBIL HM PK(0.9R)																					
4380621	1.091	2.633	C	2019	0012	CRACKING	7.0	6.0*	6.0*	6.0*	3.5*	3.5*	3.5*		10.0	10.0	10.0	9.6	9.4	8.0	
SUPERIOR ASPHALT, INC. (2022) FC125 RIDE 7.7 7.7 7.5 7.4 7.3 7.2 7.2 8.0 7.8 7.9 7.8 7.9 7.8 7.9 7.8 7.9 7.8 7.9 7.8 7.9 7.6																					
13020000	0.569	3.866	L	1	1	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	
43	301		2	45	38500	RIDE	7.3	7.3	8.6	8.2	8.2	8.1	7.8	8.2	8.2	8.1	8.1	8.0	7.9		
HASKOW RD(0.9L)																					
4380621	1.091	2.633	C	2019	0012	CRACKING	8.5	8.5	7.5	7.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.1	8.0	
SUPERIOR ASPHALT, INC. (2022) FC125 RIDE 7.8 7.5 7.8 7.8 7.7 7.6 7.7 7.9 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.5																					
13030000	0.000	0.508	C	1	1	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5		
45	B41		4	35	29500	RIDE	7.6	7.4	7.3	6.8	6.7	6.7	6.4	6.8	6.7	6.6	6.5	6.5	6.5		
SR 43/10TH ST E(0.0R)																					
4290941	0.168	0.435	C	2014	0226	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.4	8.1	6.5	
SUPERIOR ASPHALT, INC. (2015) FC95M RIDE 6.4 8.0 7.5 7.5 7.5 7.3 7.2 7.3 7.2 7.3 7.2 7.3 7.2 7.3 7.2 7.3 7.2 7.3 7.2 7.3 6.5																					
4562371	0.000	0.508	C	2029	0012																
13050000	11.866	12.389	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*		
64			2	45	6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.7	7.6	
UNSIGN(12.4R)																					
4252351	11.812	16.727	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	6.5	
SUPERIOR ASPHALT, INC. (2014) DGFC RIDE 8.6 8.2 8.3 8.3 8.3 8.1 8.2 8.2 8.1 7.9 7.9 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.2																					
13050000	12.389	12.585	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*		
64			2	45	6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.6		
162ND ST(12.5R)																					
4252351	11.812	16.727	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	5.5*	
SUPERIOR ASPHALT, INC. (2014) FC125 RIDE 8.6 8.2 8.3 8.3 8.3 8.1 8.2 8.2 8.1 7.9 7.9 8.0 8.1 7.9 7.9 8.0 8.1 7.8 7.7 7.6 7.8																					
13050000	12.961	13.696	R	1	2	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*		
64			2	45	6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.6		
13.8																					
4252351	11.812	16.727	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.0	8.5	6.5	
SUPERIOR ASPHALT, INC. (2014) FC125 RIDE 8.6 8.2 8.3 8.3 8.3 8.1 8.2 8.2 8.1 7.9 7.9 7.8 7.8 7.9 7.9 7.8 7.8 7.8 7.7 7.7 7.4																					
13050000	13.696	13.956	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*		
64			2	60	6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.6		
13.8																					
4252351	11.812	16.727	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.0	7.5	5.5*	
SUPERIOR ASPHALT, INC. (2014) DGFC RIDE 8.6 8.2 8.3 8.3 8.3 8.1 8.2 8.2 8.1 7.9 7.9 8.4 8.4 8.4 8.1 7.9 7.9 8.4 8.4 8.1																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = SUPERIOR ASPHALT, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ADT	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	YEAR	TYPE	(PMRS)																
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT	*****	CONTRACTOR													
13050000	14.385	14.659	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*	
64			2	60	6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.6		
4252351	11.812	16.727	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.2	5.0*
SUPERIOR ASPHALT, INC.			(2014)	FC2	RIDE		8.6	8.2	8.3	8.3	8.3	8.3	8.1	8.2	8.2	8.1	7.9	7.9	7.8	7.0	6.8
13050000	14.659	16.898	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*	
64			2	60	6701	RIDE	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8	7.9	7.9	7.7	7.7	7.6		
DESOTO SPEEDWAY ENT(15.7R)					13.8																
4252351	11.812	16.727	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.0	5.0*
SUPERIOR ASPHALT, INC.			(2014)	FC125	RIDE		8.6	8.2	8.3	8.3	8.3	8.3	8.1	8.2	8.2	8.1	7.9	7.9	7.8	8.0	7.7
13050000	37.039	39.483	C	1	1	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
70			2	60	7000	RIDE	7.9		8.4	8.1	8.0	8.0	8.0	7.9	8.0	8.0	8.0	8.0	8.0	7.8	7.6
CURTIS RD(37.8L)					26.3																
4447771	37.003	39.466	C	2022	0012	CRACKING	8.5	8.5	8.5	6.0*	3.5*	3.0*	3.0*	3.0*	3.0*	3.0*		10.0	9.5	10.0	9.0
SUPERIOR ASPHALT, INC.			(2024)	FC125	RIDE		7.8	7.6	7.4	7.3	7.3	7.1	7.2	7.1	7.1	7.1		8.2	8.2	8.2	7.9
13060000	0.478	0.754	C	1	1	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
62			2	60	4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	7.7	8.1	8.7	8.6	8.5	
1959682	0.006	6.931	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.1	8.0
SUPERIOR ASPHALT, INC.			(2010)	FC125	RIDE		8.3	8.0	8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.1	8.1	7.9	7.9	7.7	7.5
13060000	1.121	1.264	C	1	1	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
62			2	60	4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	7.7	8.1	8.7	8.6	8.5	
1959682	0.006	6.931	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.1	7.7
SUPERIOR ASPHALT, INC.			(2010)	FC125	RIDE		8.3	8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.1	8.1	7.9	7.9	7.7	7.9	5.5*
13060000	1.653	4.938	C	1	1	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
62			2	60	4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	7.7	8.1	8.7	8.6	8.5	
KEEN RD(2.5L)					23.1																
1959682	0.006	6.931	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.1	8.5
SUPERIOR ASPHALT, INC.			(2010)	FC125	RIDE		8.3	8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.1	8.1	7.9	7.9	7.7	7.9	6.5
13060000	5.288	6.931	C	1	1	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
62			2	60	4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	7.7	8.1	8.7	8.6	8.5	
1959682	0.006	6.931	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.1	8.5
SUPERIOR ASPHALT, INC.			(2010)	FC125	RIDE		8.3	8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.1	8.1	8.1	7.9	7.9	7.7	8.0
13060000	6.931	14.146	C	1	1	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
62			2	60	4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	7.7	8.3	8.7	8.5	8.5	
CR 579(8.3L)					23.1																
1959683	6.931	14.146	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8
SUPERIOR ASPHALT, INC.			(2010)	FC125	RIDE		8.3	8.3	8.1	8.1	8.0	8.2	8.1	8.1	8.1	8.2	8.0	8.0	7.9	7.9	7.6
13060000	14.146	16.988	C	1	1	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
62			2	60	4600	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	7.7	8.0	8.6	8.5	8.5	
BUNKER HILL RD(14.2L)					23.1																
1959684	14.146	19.376	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.1	8.8	6.5
SUPERIOR ASPHALT, INC.			(2010)	FC125	RIDE		8.3	8.3	8.0	8.0	8.0	8.0	7.9	7.9	8.0	8.0	7.9	7.9	7.8	7.8	7.5
13060000	16.988	17.319	C	1	1	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
62			2	60	5900	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7	7.7	7.7	8.0	8.6	8.5	8.5	
COUNTY LINE RD(17.1L)					29.3																
1959684	14.146	19.376	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.1	7.5	5.5*
SUPERIOR ASPHALT, INC.			(2010)	FC125	RIDE		8.3	8.3	8.0	8.0	8.0	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.8	6.4*	6.1*
13060000	17.319	19.376	C	1	1	CRACKING	10.0	8.5	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
62			2	60	5900	RIDE	8.6	8.6	8.5	7.9	7.9	7.8	7.4	7.4	7.5	7.4	8.0	8.6	8.5	8.5	
KEENTOWN RD(19.0R)					29.3																
1959684	14.146	19.376	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.1	9.0	7.0
SUPERIOR ASPHALT, INC.			(2010)	FC125	RIDE		8.3	8.3	8.0	8.0	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.9	7.8	7.8	7.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = SUPERIOR ASPHALT, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ADT	*****														2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	YEAR	WKM-F	WKM-F	ADT	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT	*****														
13120001	0.000	0.589	C	1	1	CRACKING	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	
70			2	45	9000	RIDE	7.8	7.5	8.5	8.0	8.0	8.0	8.0	7.7	7.6	7.6	7.5	7.2	8.1	8.1	
CR 683(0.0L)					8.5																
4224091	0.058	0.573	C	2010	0226	CRACKING	10.0	10.0	9.0	8.0	7.5	7.5	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.3*	3.0*	
SUPERIOR ASPHALT, INC.			(2012)	DGFC	RIDE	8.2	8.2	7.8	7.3	7.5	6.8	6.6	7.0	7.3	7.3	6.7	7.1	7.0	6.7		
13121000	0.409	7.908	R	1	7	CRACKING	4.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
683 301			2	55	41000	RIDE	7.9	7.7	7.3	6.2*			8.2	8.2	8.2	8.2	8.2	8.2	8.1	8.0	
25TH CT E(0.6R)					7.3																
4451441	0.392	7.908	R	2023	0012	CRACKING	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	1.0*	1.0*		10.0	9.0	
SUPERIOR ASPHALT, INC.			(2026)	FC5	RIDE	8.1	8.0	7.9	8.1	8.1	8.0	8.2	8.1	8.1	8.1	7.8	7.7		8.8	8.6	
13130000	0.115	1.258	R	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	
55 41			3	45	39500	RIDE	7.7	7.8	7.3	6.8	6.9	6.9	6.4	7.1	6.6	6.8	7.0	6.8	6.8	6.8	
CR 683(0.2C)					4.3																
4273631	0.220	1.080	C	2013	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.5	5.5*
SUPERIOR ASPHALT, INC.			(2015)	FC125	RIDE	6.8	8.2	8.0	7.9	7.9	7.9	7.9	7.6	7.8	7.7	7.8	7.8	7.6	7.7	7.4	
13130000	0.115	1.258	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	
55 41			3	45	39500	RIDE	7.8	7.8	7.7	7.2	7.2	7.2	6.6	6.9	6.8	7.1	7.2	7.0	7.1		
CR 683(0.2C)					4.3																
4273631	0.220	1.080	C	2013	0012	CRACKING	6.0*	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.5	7.6	6.7	5.0*	
SUPERIOR ASPHALT, INC.			(2015)	FC125	RIDE	7.0	8.2	8.1	8.0	8.0	8.0	7.9	7.9	7.9	7.9	7.9	7.9	8.0	7.8	7.9	7.6
13140000	0.000	4.947	C	1	1	CRACKING	10.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	
64			2	60	6400	RIDE	8.4	8.6	8.5	7.7	7.8	7.6	7.6	7.6	7.5	7.2	7.4		8.4	8.4	
CR 675(0.0R)					20.6																
4224011	0.000	4.947	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	4.0*	
SUPERIOR ASPHALT, INC.			(2012)	FC125	RIDE	8.5	8.4	8.1	8.1	8.0	7.8	7.7	7.7	7.6	7.4	7.4	7.4	7.3	7.4	7.1	
4510201	0.000	10.744	C	2027	0012																
13140000	4.947	10.744	C	1	1	CRACKING	10.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	
64			2	60	6400	RIDE	8.4	8.6	8.5	7.7	7.8	7.6	7.6	7.5	7.2	7.4		8.3	8.3		
BEAR BAY RD(8.7L)					20.6																
4223981	4.947	10.735	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	5.6*	3.5*	
SUPERIOR ASPHALT, INC.			(2012)	DGFC	RIDE	8.3	8.1	7.9	7.8	7.7	7.5	7.4	7.3	7.2	6.9	7.0	6.9	6.9	6.9	6.6	
4510201	0.000	10.744	C	2027	0012																
13150000	1.714	2.394	C	1	1	CRACKING	10.0		10.0	8.5	8.5	7.0	6.5	6.5	6.5	6.0*	6.0*	6.0*	10.0	10.0	
64			2	45	18500	RIDE	8.4		8.2	7.9	7.8	7.7	7.5	7.5	7.3	7.3	7.0	7.1	8.6		
PERICO BAY CLUB(2.2R)					4.6																
4252391	1.714	2.400	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.4	8.2	
SUPERIOR ASPHALT, INC.			(2013)	FC95R	RIDE	8.7	8.6	8.1	8.0	8.0	8.0	7.8	7.6	7.5	7.5	7.3	7.4	7.3	7.4	7.1	
13150000	4.051	6.576	R	1	1	CRACKING	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
64			2	45	35000	RIDE	7.8	7.7	7.6	6.8	6.7	6.6	6.4	6.4	6.6	6.6	6.6	8.3	8.2	8.1	
PALMA SOLA BLVD(4.2R)					3.8																
1958402	4.051	6.576	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	8.3	6.0*	
SUPERIOR ASPHALT, INC.			(2011)	FC4	RIDE	8.1	8.1	7.9	7.8	7.8	7.8	7.8	7.7	7.7	7.6	7.6	7.5	7.4	7.1		
13150000	4.051	6.576	L	1	1	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
64			2	45	35000	RIDE	7.8	7.7	7.7	6.9	6.9	6.7	6.3	6.5	6.2	6.4	8.4	8.2	8.1		
81 ST W(4.2L)					3.8																
1958402	4.051	6.576	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.8	8.4	6.5
SUPERIOR ASPHALT, INC.			(2011)	FC4	RIDE	8.2	8.2	8.0	8.0	7.9	7.9	7.9	7.8	7.8	7.8	7.9	7.8	7.9	7.8	7.7	7.4
13160000	0.000	2.495	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	7.0	
70			3	45	51000	RIDE	8.5	8.5	8.4	7.9	7.8	7.5	7.4	7.6	7.5	7.7	7.4	7.3	7.0		
CR 683(0.0C)					7.0																
4312071	0.015	2.495	C	2016	0012	CRACKING	6.5	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	8.9	8.6	7.0	
SUPERIOR ASPHALT, INC.			(2019)	FC125	RIDE	7.3	6.6	7.4	7.3				8.1	8.0	7.9	8.0	7.8	7.9	8.0	7.7	
4562421	0.000	4.793	C	2029	0012																
13160000	2.495	3.635	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	7.5	7.0	
70			3	50	53584	RIDE	8.5	8.5	8.4	7.9	7.8	7.5	7.4	7.6	7.5	7.7	7.4	7.3	7.0		
LOCKWOOD RIDGE RD(2.5R)					8.1																
4313731	2.495	4.793	C	2016	0012	CRACKING	6.5	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	9.0	8.9	8.5	
SUPERIOR ASPHALT, INC.			(2019)	FC125	RIDE	7.3	6.6	7.4	7.3				8.1	8.1	8.1	8.1	8.0	8.0	7.6	7.6	
4562421	0.000	4.793	C	2029	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = SUPERIOR ASPHALT, INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP)	W_BMP	W_EMP	FW	FY-P	WKM-F	ADT	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	ADT	ADT	ADT	ADT														(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT														
13160000	3.635	4.793	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.5	7.0
70			3	50	53584	RIDE	8.9	8.8	8.8	8.3	8.2	8.1	7.7	7.6	7.5	7.7	7.4	7.3	7.0	
CARUSO RD(3.8C)					8.1															
4313731	2.495	4.793	C	2016	0012	CRACKING	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	10.0	9.0	7.0
SUPERIOR ASPHALT, INC.				(2019)	FC5A	RIDE	7.3	6.6	7.4	7.3		8.1	8.1	8.1	8.1	8.0	8.0	8.4	8.3	8.1
4562421	0.000	4.793	C	2029	0012															
13160000	3.635	4.793	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.5	6.5
70			3	50	53584	RIDE	9.0	8.8	8.6	8.0	8.1	8.1	8.2	8.1	8.2	8.1	7.9	7.2	7.1	
CARUSO RD(3.8C)					8.1															
4313731	2.495	4.793	C	2016	0012	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.5	10.0	8.0
SUPERIOR ASPHALT, INC.				(2019)	FC5A	RIDE	7.2	6.7	7.2	7.2		8.1	8.1	8.1	8.0	8.0	8.0	8.3	8.3	8.1
4562421	0.000	4.793	C	2029	0012															
13160000	2.495	3.635	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	6.5	6.5	6.5	6.5
70			3	50	53584	RIDE	8.7	8.6	8.5	7.8	7.7	7.6	7.4	7.4	7.5	7.4	7.1	7.2	7.1	
LOCKWOOD RIDGE RD(2.5L)					8.1															
4313731	2.495	4.793	C	2016	0012	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.3	9.6	8.0
SUPERIOR ASPHALT, INC.				(2019)	FC125	RIDE	7.2	6.7	7.2	7.2		8.1	8.1	8.1	8.0	8.0	8.0	7.7	7.8	7.5
4562421	0.000	4.793	C	2029	0012															
13160000	0.000	2.495	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	6.5	6.5	6.5	6.5
70			3	45	51000	RIDE	8.7	8.6	8.5	7.8	7.7	7.6	7.4	7.4	7.5	7.4	7.1	7.2	7.1	
CR 683(0.0C)					7.0															
4312071	0.015	2.495	C	2016	0012	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.6	7.0
SUPERIOR ASPHALT, INC.				(2019)	FC125	RIDE	7.2	6.7	7.2	7.2		8.0	8.0	7.9	7.9	7.8	7.9	7.8	7.7	7.4
4562421	0.000	4.793	C	2029	0012															
13162000	0.000	1.074	C	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5
70			4	40	34500	RIDE	8.2	8.1	7.8	7.3	7.4	7.0	6.8	6.5	6.6	6.6	6.5	6.5	6.1	6.1
FORTEENTH ST(0.0C)					3.4															
4291041	0.011	1.155	C	2014	0226	CRACKING	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.0	6.5
SUPERIOR ASPHALT, INC.				(2016)	FC125	RIDE	6.2	5.9	7.6	7.3	7.3	7.3	7.0	7.1	7.2	7.1	7.3	6.9	6.9	6.6
4562421	0.013	1.761	C	2029	0012															
13162000	1.074	1.761	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5
70			2	40	34500	RIDE	7.1	7.1	6.9	6.7	6.5	6.5	6.4	6.5	6.6	6.5	6.4	6.3	6.2	
SEVENTH ST E(1.1R)					3.4															
4291041	1.155	1.574	C	2014	0226	CRACKING	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.8	6.0*
SUPERIOR ASPHALT, INC.				(2016)	FC125	RIDE	6.2	6.1	7.6	7.3	7.3	7.3	7.0	7.1	6.6	6.5	6.4	6.6	6.6	6.3
4562421	0.013	1.761	C	2029	0012															
13162000	1.074	1.761	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5
70			2	40	34500	RIDE	7.1	7.1	6.9	6.7	6.5	6.5	6.4	6.5	6.6	6.5	6.4	6.3	6.2	
NINTH ST E(1.3C)					3.4															
4291041	1.155	1.574	C	2014	0226	CRACKING	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	7.7	7.3	5.5*
SUPERIOR ASPHALT, INC.				(2016)	FC125	RIDE	6.2	6.1	7.6	7.3	7.3	7.3	7.0	7.1	6.8	6.4	6.3	6.3	6.4	6.1
4562421	0.013	1.761	C	2029	0012															
17008000	4.840	5.432	R	1	1	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0
758			3	45	28000	RIDE	8.1	8.2	7.7	7.6	7.5	7.5	7.3	7.4	7.2	7.1	7.7	7.4	7.2	
CATTLEMAN RD(4.9C)					5.0															
4291191	4.867	5.148	C	2014	0012	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.4	6.6	5.0*
SUPERIOR ASPHALT, INC.				(2015)	FC125	RIDE	7.1	8.0	7.8	7.7	7.7	7.6	7.4	7.3	7.3	7.1	7.1	7.0	7.1	6.8
17008000	4.840	5.432	L	1	1	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5
758			3	45	28000	RIDE	8.3	8.3	7.7	7.2	7.2	7.1	7.0	5.7	6.5	5.4*	6.9	6.7	6.8	
CATTLEMAN RD(4.9C)					5.0															
4291191	4.867	5.148	C	2014	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.3	6.9	5.0*
SUPERIOR ASPHALT, INC.				(2015)	FC125	RIDE	6.7	7.4	7.1	7.1	7.4	7.8	7.4	7.4	7.4	7.3	7.3	7.3	7.4	7.1
17070000	9.641	12.898	C	1	1	CRACKING	9.0	9.0	8.0	8.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
72			2	55	8000	RIDE	8.1	8.0	7.6	7.2	7.3	7.0	7.1	7.0	7.2	7.1	7.0	8.6		
SADDLE OAK TRL(9.7L)					13.7															
4252551	9.648	12.898	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	7.4	7.5	5.5*
SUPERIOR ASPHALT, INC.				(2013)	FC95R	RIDE	8.7	8.0	8.2	7.5	7.8	7.8	7.6	7.5	7.3	7.4	7.4	7.3	7.2	6.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = THE DE MOYA GROUP INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
																					(PMRS)
03040000	0.000	10.338	C	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	
90 41			2	60	3800	RIDE	8.2	8.0	7.7	6.8	6.5	6.3*	6.6	6.5			8.4	8.4	8.2	8.0	
CR 29/SR 29(0.0C)																					
4172481	0.009	10.338	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.9	8.5	6.5
THE DE MOYA GROUP INC. (2010) FC95 RIDE 7.8 7.7 7.6 7.5 7.4 7.4 7.3 7.3 7.3 7.3 7.2 7.1 7.3 7.3 7.0																					
03040000	10.338	20.818	C	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*			10.0	10.0	10.0	10.0	
90 41			2	60	3673	RIDE	6.3*	6.1*	5.9*	5.7*	5.8*	5.6*	5.6*	5.7*			8.5	8.4	8.3	8.3	
MONUMENT RD(16.1L)																					
4172482	10.338	22.001	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.9	9.1	7.0
THE DE MOYA GROUP INC. (2010) FC95 RIDE 8.3 8.3 8.0 7.9 7.7 7.7 7.5 7.6 7.4 7.5 7.3 7.4 7.3 7.0																					
03040000	21.620	32.308	C	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*			10.0	10.0	10.0	10.0	
90 41			2	60	3400	RIDE	6.3*	6.1*	5.9*	5.7*	5.8*	5.6*	5.6*	5.7*			8.5	8.4	8.2	8.2	
T & T AIRPORT RD(28.0L)																					
4172483	22.001	32.308	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.9	9.1	7.0
THE DE MOYA GROUP INC. (2010) FC95 RIDE 8.1 8.1 8.0 8.0 7.8 7.8 7.6 7.7 7.5 7.6 7.4 7.5 7.4 7.1																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = THE MIDDLESEX CORPORATION -----																																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE																	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	*****																															
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKMX-F																													(PMRS)			
16050000	4.278	9.510	C	1	1	CRACKING	10.0	9.5	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*																				
600 17			2	55	22500	RIDE	9.1	9.0	9.0	8.5	8.1	8.2	8.4	8.6	8.4	8.4																					
JAMES ST(4.3C)					9.0																																
4223911	5.952	9.203	C	2010	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	5.0*	
THE MIDDLESEX CORPORATION (2012)					FC125	RIDE	8.2	8.2	8.0	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.7	7.7	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.3	
16050000	10.262	10.750	C	1	1	CRACKING	10.0	9.5	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*																				
600 17			2	55	22500	RIDE	9.2	9.0	9.0	8.5	8.1	8.2	8.4	8.5	8.5	8.4																					
PARKER RD(10.6L)					9.0																																
4223911	10.120	10.750	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.5	7.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	
THE MIDDLESEX CORPORATION (2012)					FC125	RIDE	8.0	8.0	7.9	7.9	7.7	7.9	7.2	7.2	7.2	7.2	7.1	7.0	7.6	7.7	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.4
16090000	21.003	21.286	C	1	1	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
17			2	55	11300	RIDE	7.9	7.2		8.0	7.9	7.9	8.2	8.1	7.8	8.1	8.0	8.0	7.7	7.9																	
MOUNTAIN LAKE CUT-OFF(21.1L)					8.2																																
1974981	21.065	28.593	C	2002	0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5	6.0*	6.0*	5.7*	4.2*	1.5*																	
THE MIDDLESEX CORPORATION (2004)					DGFC	RIDE	7.9	7.6	7.6	7.6	7.6	7.6	7.5	7.4	7.4	7.3	7.3	7.3	7.3	7.0	6.7																
4508811	21.004	23.440	C	2029	0226																																
16090000	21.286	23.440	C	1	1	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
17			2	55	11300	RIDE	7.9	7.2		8.0	7.9	7.9	8.2	8.1	7.8	8.1	8.0	8.0	7.7	7.9																	
SIDE ROAD(21.8L)					8.2																																
1974981	21.065	28.593	C	2002	0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5	6.0*	6.0*	5.7*	3.9*	1.0*																	
THE MIDDLESEX CORPORATION (2004)					FC125	RIDE	7.9	7.6	7.6	7.6	7.6	7.6	7.5	7.4	7.4	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	
4508811	21.004	23.440	C	2029	0226																																
16090000	25.056	27.121	C	1	1	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
17			2	55	10000	RIDE	7.3	6.8		8.1	8.1	8.1	8.0	8.2	8.1	8.1	8.0	8.0	7.7	7.9																	
TINDEL CAMP RD(25.3R)					7.8																																
1974981	21.065	28.593	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	6.5	5.5*	5.5*	5.5*	5.5*	3.6*	1.0*																	
THE MIDDLESEX CORPORATION (2004)					FC125	RIDE	7.9	7.9	7.7	7.8	7.7	7.7	7.6	7.4	7.6	7.4	7.6	7.4	7.6	7.5	7.6	7.5	7.6	7.5	7.6	7.5	7.6	7.5	7.6	7.5	7.6	7.5	7.6	7.5	7.6	7.3	
4508821	25.115	27.114	C	2026	0226																																
16090000	28.074	28.728	C	1	1	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
17			2	45	11400	RIDE	7.9	7.6		7.7	7.6	7.6	8.0	7.9	7.8	7.8	7.7	7.6	7.5																		
HARMON AVE(28.1L)					7.2																																
1974981	21.065	28.593	C	2002	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.1*	6.0*	3.5*																
THE MIDDLESEX CORPORATION (2004)					FC125	RIDE	7.5	7.4	7.3	7.2	7.2	7.1	7.1	7.1	7.1	7.3	7.3	7.2	6.8	7.0	6.7																
4508831	28.034	33.349	C	2027	0226																																
16090000	28.728	29.279	C	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
17			2	30	11400	RIDE	7.4	7.4	7.4	6.7	6.3	6.2	6.1	6.3	6.2	7.5	7.3	7.2	7.0	7.0																	
FOURTH ST(28.8C)					7.2																																
1974982	28.676	29.226	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	7.0	7.0	7.0	6.9	6.5	4.5*																	
THE MIDDLESEX CORPORATION (2010)					FC125	RIDE	7.0	6.8	6.4	5.9	6.3	6.0	5.9	5.9	6.2	5.7	5.5	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	
4508831	28.034	33.349	C	2027	0226																																
16300000	2.482	3.500	R	1																																	

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = WATSON CIVIL CONSTRUCTION, I -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WT	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
06010000	0.000	4.955	R	1	1	CRACKING	8.0	6.5	6.5	3.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	60	12400	RIDE	8.6	8.2	8.3	7.7	7.7	7.5	7.3	8.4	8.3	8.3	8.3	8.3	8.3	8.1	
CR 665(0.8R)					32.8																
4145471	0.000	4.952	C	2016	0213	CRACKING	10.0	10.0	10.0	9.5			10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5	
WATSON CIVIL CONSTRUCTION, (2020)					FC5M	RIDE	7.9	7.8	7.6	7.7			8.9	8.8	8.8	8.7	8.6	8.6	8.5	8.3	
06010000	0.000	4.955	L	1	1	CRACKING	8.0	6.5	6.5	3.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	60	12400	RIDE	8.6	8.2	8.3	7.7	7.7	7.5	7.3	8.4	8.3	8.3	8.3	8.3	8.3	8.1	
OAK LN(0.4L)					32.8																
4145471	0.000	4.952	C	2016	0213	CRACKING	10.0	10.0	10.0	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
WATSON CIVIL CONSTRUCTION, (2020)					FC5M	RIDE	7.9	7.8	7.6	7.7			9.1	9.0	9.0	9.0	8.9	8.9	8.9	8.7	
16280000	0.380	2.492	R	1	1	CRACKING	9.5	9.5	9.5	9.0	9.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	
542			1	30	18600	RIDE	7.9	7.9	7.9	7.4	7.4	7.2	7.4	7.2	6.9	8.0	7.9	7.5	7.2		
SECOND ST SE(0.5R)					3.9																
4106662	0.380	2.685	C	2018	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0			10.0	10.0	10.0	8.9	10.0	9.0	
WATSON CIVIL CONSTRUCTION, (2022)					FC125	RIDE	7.0	6.9	7.0	6.9	6.9	6.7			7.3	7.1	7.2	7.1	7.1	6.8	
16280000	0.380	2.569	L	1	1	CRACKING	9.5	9.5	9.5	9.0	9.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	
542			1	30	18600	RIDE	7.9	7.9	7.9	7.4	7.4	7.2	7.4	7.2	6.9	8.0	7.9	7.5	7.2		
SECOND ST NE L(0.5L)					3.9																
4106662	0.380	2.685	C	2018	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0			10.0	10.0	10.0	9.2	10.0	9.0	
WATSON CIVIL CONSTRUCTION, (2022)					FC125	RIDE	7.0	6.9	7.0	6.9	6.9	6.7			7.3	7.1	7.0	7.1	7.1	6.8	
17008000	0.000	3.368	R	1	1	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	7.0	7.0	6.5	6.5	6.5	5.5*	5.5*	5.5*		
758			3	45	38500	RIDE	5.9*	5.5*	5.4*	7.2	7.3	7.2	7.1	7.1	6.9	7.0	6.7	6.4	6.4		
S TAMIAMI TRL(0.0C)					3.3																
4313061	0.157	3.200	C	2016	0005	CRACKING	5.5*	5.5*	5.5*			10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.6	5.0*	
WATSON CIVIL CONSTRUCTION, (2019)					FC125	RIDE	6.3	5.9	5.9			8.4	8.3	8.2	8.2	8.2	8.2	8.1	8.0	7.7	
17008000	0.000	3.368	L	1	1	CRACKING	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.0		
758			3	45	38500	RIDE	6.2*	6.1*	6.1*	7.4	7.6	7.2	7.5	7.3	7.1	7.1	7.0	7.0	6.7		
S TAMIAMI TRL(0.0C)					3.3																
4313061	0.157	3.200	C	2016	0005	CRACKING	6.5	6.5	5.5*			10.0	10.0	8.5	8.5	7.5	7.5	6.6	7.5	6.0*	
WATSON CIVIL CONSTRUCTION, (2019)					FC125	RIDE	6.8	6.1	6.0			8.2	8.2	8.1	8.0	7.9	7.9	7.8	7.8	7.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	RATINGS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT			2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****													2031	
ITMSEG-P	(AGE_ONE YEAR)			WKM-F	WKM-F			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															
ITMSEG-F																					
05010000	3.880	4.435	R	1	1	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	7.0	7.0	6.5		
25 27			2	45	14800	RIDE		8.6	8.6	8.3	8.3	8.2	8.2	8.0	8.0	8.0	7.7	7.4	7.4		
SIDE ROAD(4.0R)																					
4349631	3.879	4.430	C	2017	0012	CRACKING		6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	7.3	7.3	5.5*
WEEKLEY ASPHALT PAVING, IN(2019) OGFC RIDE																					
4560271	3.800	4.400	C	2026	6060			7.1	6.8	7.6	7.7	7.7	7.1	7.2	7.1	7.1	7.1	7.0	7.0	6.9	6.7

05010000	4.872	5.166	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	
25 27			2	45	14800	RIDE		8.2	8.1	7.8	7.6	7.7	7.9	7.9	7.7	7.4	7.4	6.9	6.6		
N FRONTAGE RD(5.0R)																					
4349631	4.878	5.170	C	2017	0012	CRACKING		7.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.8	7.5
WEEKLEY ASPHALT PAVING, IN(2019) DGFC RIDE																					
4560271	3.800	4.400	C	2026	6060			6.8	6.3	6.7	6.7	6.6	7.4	7.4	7.3	7.1	7.2	7.3	7.2	7.3	7.0

05010000	4.872	5.166	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	6.5	6.5	6.5	
25 27			2	45	14800	RIDE		7.6	7.6	7.4	7.4	7.4	7.3	7.5	7.7	7.3	6.7	6.6	6.7		
3RD ST(5.0L)																					
4349631	4.878	5.170	C	2017	0012	CRACKING		6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.5	7.0
WEEKLEY ASPHALT PAVING, IN(2019) DGFC RIDE																					
4560271	3.800	4.400	C	2026	6060			5.6	5.4*	5.6	5.6	5.5	6.9	6.6	6.8	6.9	6.8	7.2	6.9	6.8	6.5

05010000	3.880	4.435	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	
25 27			2	45	14800	RIDE		8.4	8.5	8.1	8.1	8.0	8.2	8.2	8.1	7.9	7.9	7.6	7.8		
UNSIGNED(4.0L)																					
4349631	3.879	4.430	C	2017	0012	CRACKING		7.0	6.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.3	9.2	7.5
WEEKLEY ASPHALT PAVING, IN(2019) OGFC RIDE																					
4560271	3.800	4.400	C	2026	6060			7.6	7.7	7.7	7.5	7.4	7.5	7.6	7.5	7.6	7.5	7.4	7.4	7.4	7.2

07030000	2.193	4.055	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	6.0*	6.0*	
25 27			2	35	23500	RIDE		8.2	7.6	8.1	7.5	7.4	7.3	7.3	7.3	7.1	7.0	7.0	6.9	6.8	
N SAN DIEGO(2.3R)																					
4312111	2.193	3.843	C	2015	0012	CRACKING		6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.3	7.0	5.5*
WEEKLEY ASPHALT PAVING, IN(2017) FC125 RIDE																					
4472871	2.196	3.550	C	2026	0012			6.8	6.2	6.4	7.5	7.6	7.4	7.3	7.2	7.3	7.0	7.0	6.9	6.9	6.6

07030000	2.193	4.055	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	
25 27			2	35	23500	RIDE		7.9	7.2	7.9	7.4	7.3	7.3	7.2	7.2	7.0	6.9	6.9	6.8	6.8	
S SAN DIEGO(2.3L)																					
4312111	2.193	3.843	C	2015	0012	CRACKING		6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.9	7.4	5.5*
WEEKLEY ASPHALT PAVING, IN(2017) FC125 RIDE																					
4472871	2.196	3.550	C	2026	0012			6.7	6.3	6.2	7.5	7.3	7.2	7.5	7.2	7.1	7.0	7.0	6.9	6.8	6.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 CONTRACTOR = WESTWIND CONTRACTING, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(PMRS)	
12060000	18.285	20.934	R	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	
78			2	50	26500	RIDE	6.8	6.8	7.2	7.1	6.9	6.6			8.3	8.1	8.2	8.2	8.2	8.2	
WILLOW STREAM LN(18.7R)							7.7														
1957051	18.440	20.657	C	2004	0213	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	6.5	6.5	6.5	4.0*	
WESTWIND CONTRACTING, INC.(2008)							DGFC RIDE 8.2 8.2 8.1 8.0 8.1 8.0 8.0 8.0 8.0 8.0 8.0 7.9 7.9 7.6														
12060000	18.361	20.934	L	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	
78			2	50	26500	RIDE	6.8	6.8	7.2	7.1	6.9	6.6			8.4	8.3	8.3	8.3	8.2	8.1	
OLD BAYSHORE RD(18.8L)							7.7														
1957051	18.440	20.657	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	7.6	6.9	4.5*	
WESTWIND CONTRACTING, INC.(2008)							DGFC RIDE 8.1 8.1 7.9 7.9 7.9 7.8 7.8 7.8 7.8 7.7 7.7 7.6 7.6 7.3														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2031 FORECASTED BY PAVEMARS (PMRS).