

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = APAC-FLORIDA INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE) =====																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															
86028000	4.763	5.805	R	1	1	CRACKING	6.5	6.5	9.0	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
834			3	45	59500	RIDE	7.2	6.9	7.5	7.4	7.4	6.6	6.8	6.7	6.7	6.9	6.9	6.9	6.9	6.8	
FESTIVAL FLEA MARKET( 5.4R)																					
2280721	4.754	7.558	C	2003	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.5	7.5	7.5	7.5
APAC-FLORIDA INC				(2005)	UNKW	RIDE	6.7	6.5	6.8	6.8	6.3	6.3	6.3	6.3	6.3	6.3	6.2	6.0	6.1	6.1	5.9
86028000	5.805	7.070	R	1	1	CRACKING	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
834			3	45	39926	RIDE	7.2	6.9			7.5	6.6	6.5	6.6	6.9	7.0	7.0	7.0	6.5	6.5	
CROSSROADS SHOPPING CENT( 5.9C)																					
2280721	4.754	7.558	C	2003	0012	CRACKING	9.0	9.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.0*	6.0*	4.5*	4.1
APAC-FLORIDA INC				(2003)	FC125	RIDE	5.9	6.3	6.5	6.5	6.4	6.6	6.8	6.7	6.6	6.3	6.5	6.1	6.1	6.1	6.1
4461951	6.078	7.139	C	2024	0012																
86028000	7.070	7.187	R	1	6	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
834			3	35	57500	RIDE	7.2	6.9	6.0*	5.3*	5.4*	6.6	6.5	6.6	6.9	7.0	7.0	7.0	6.5	6.5	
ANDREWS AVE( 7.1R)																					
2280721	4.754	7.558	C	2003	0012	CRACKING	9.0	9.0	7.0	7.0	7.0		6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.6
APAC-FLORIDA INC				(2004)	UNKW	RIDE	5.9	6.3	6.5	6.5	6.4										
4461951	6.078	7.139	C	2024	0012																
86028000	5.805	7.118	L	1	1	CRACKING	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
834			3	45	39926	RIDE	6.7	6.7			8.0	7.3	7.5	7.5	7.3	7.4	7.4	7.4	7.5	7.3	
CROSSROADS SHOPPING CENT( 5.9C)																					
2280721	4.754	7.558	C	2003	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.4
APAC-FLORIDA INC				(2003)	FC125	RIDE	7.3	7.4	7.3	7.3	7.1	7.1	7.1	6.9	7.0	6.7	6.8	6.7	6.5	6.5	6.5
4461951	6.078	7.139	C	2024	0012																
86028000	4.763	5.805	L	1	1	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
834			3	45	59500	RIDE	6.7	6.7	7.3	7.2	6.8	6.2*	7.0	6.8	6.8	6.9	7.0	7.0	7.0	6.9	
LAND FILL( 5.4L)																					
2280721	4.754	7.558	C	2003	0012	CRACKING	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0
APAC-FLORIDA INC				(2005)	UNKW	RIDE	6.8	6.9	6.5	6.6	5.9	6.0	6.1	5.9	5.9	5.8	6.0	5.8	5.7	5.3	
86050000	7.443	9.792	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
A1A			1	35	18000	RIDE	5.9*	5.5*	5.7*	5.5	5.4*	6.2	6.4	6.1	6.0	5.9	6.2	6.0	5.9		
PINE AVE( 7.5C)																					
2281141	7.443	9.267	C	2002	0012	CRACKING	10.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5
APAC-FLORIDA INC				(2004)	FC125	RIDE	5.6	5.5	5.6	5.8	5.7	5.8	5.6	5.5	5.4*	5.4*	5.1*	5.9	5.8	5.2	
4416281	7.440	8.678@	C	2021	0012																
86050000	7.443	9.792	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	
A1A			1	35	18000	RIDE	5.9*	5.5*	5.7*	5.5	5.4*	6.2	6.4	6.1	6.0	5.9	6.5	6.0	5.9		
PINE AVE( 7.5C)																					
2281141	7.443	9.267	C	2002	0012	CRACKING	10.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.6
APAC-FLORIDA INC				(2004)	FC125	RIDE	5.6	5.5	5.6	5.8	5.7	5.8	5.6	5.5	5.4*	5.4*	5.1*	5.9	6.0	5.3	
4416281	7.440	8.678@	C	2021	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = ARCHER WESTERN CONTRACTORS L -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	%T	=====														
ITMSEG-P	(AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR					SURF_TYPE																(REG)
ITMSEG-F																					
93120000	15.652	16.196	L	1	1	CRACKING	8.5	8.0	8.0	8.0	8.0	8.0					10.0	10.0	10.0	10.0	
80 98			4	50	82500	RIDE	7.2	6.9	7.3	7.3	6.8	6.2*					8.1	7.7	8.1	8.1	
PINE AVE(15.9L)																					
2297971	15.900	18.200	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ARCHER WESTERN CONTRACTORS(2008)					FC125	RIDE	8.1	8.2	8.1	8.1	8.0	8.0	8.0	7.8	8.0	8.0	7.9	7.9	8.0	8.0	7.9
-----																					
93220000	24.555	25.111	R	4	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	
9 I95			5	65	245000	RIDE		9.0	8.9	8.8	8.7	8.3	8.4				7.8	8.0	8.0	8.1	
6.8																					
2319191	24.594	25.328	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	
ARCHER WESTERN CONTRACTORS(2008)					OGFC	RIDE	8.1	7.9	7.8	8.0	8.2	8.3	8.2	7.7	8.0	8.3	8.3	8.3	8.3	8.1	8.1
-----																					
93220000	32.877	34.934	L	4	1	CRACKING			10.0	10.0	10.0		10.0						10.0	10.0	
9 I95			5	65	187000	RIDE			8.7	8.8	8.3		7.5						8.2	8.2	
7.6																					
2319201	33.183	34.152	L	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5
ARCHER WESTERN CONTRACTORS(2010)					FC5	RIDE	8.3	8.2	8.3	8.3	8.3	8.4	8.3	8.2	8.4	8.4	8.4	8.4	8.3	8.0	8.0
-----																					
93220000	30.093	32.877	L	4	1	CRACKING			10.0	10.0	10.0	10.0	10.0						10.0	10.0	
9 I95			5	65	191000	RIDE			8.7	8.8	8.3	7.9	7.5						8.3	8.3	
7.6																					
2319201	29.560	31.737	L	2004	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.4
ARCHER WESTERN CONTRACTORS(2010)					FC5	RIDE	8.3	8.2	8.3	8.4	8.3	8.4	8.3	8.2	8.3	8.4	8.4	8.4	8.3	8.2	8.2
-----																					
93220000	24.817	25.373	L	4	1	CRACKING	7.0						10.0				10.0	10.0	10.0	10.0	
9 I95			5	65	245000	RIDE	8.3						8.1				7.9	8.0	7.5	8.0	
6.8																					
2319191	24.594	25.328	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5
ARCHER WESTERN CONTRACTORS(2008)					OGFC	RIDE	7.7	7.8	7.8	7.7	8.0	8.1	8.0	8.0	8.2	8.2	8.2	8.2	8.2	8.0	8.0
-----																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = ASPHALT GROUP, INC. -----

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SPEED	SYSTEM	TYPE	DISTRESS	ADT	RATINGS	SURVEYED YEAR										FUTURE					
														1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010	2011		
INTERSECT AT (MP SIDE)																													
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																													
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE													2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029			
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																							(REG)						
86028000			8.122		9.491	R	1		1	CRACKING			5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0			
834							3	45	40000	RIDE			6.7	6.2*	6.7	5.8*	5.9*	5.6*	5.7*	5.7	5.1*			7.4	7.2	7.3			
NE 3 AVE( 8.1C)																													
4416301			8.122		9.491	C	2021		0012	CRACKING			9.0	8.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0		
ASPHALT GROUP, INC.													(2023)																
86028000			8.122		9.491	L	1		1	CRACKING			7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0			
834							3	45	40000	RIDE			6.4*	6.4*	6.7	6.9	6.6	6.1*	6.2*	5.8				7.3	6.7	7.0			
NE 3 AVE( 8.1C)																													
4416301			8.122		9.491	C	2021		0012	CRACKING			10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0			
ASPHALT GROUP, INC.													(2023)																
86075000			18.900		30.054	R	4		1	CRACKING			9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*				
93			175				2	70	32671	RIDE			8.9	8.8	8.8	8.5	8.6	8.2	8.1	8.0	7.8	7.8	7.8	7.8	7.7				
14.1																													
4153941			18.870		30.054	C	2009		0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5		
ASPHALT GROUP, INC.													(2012)																
4441221			18.873		31.260	C	2025		0012	RIDE			8.1	8.1	8.1	8.1	8.2	8.2	8.1	8.1	8.3	8.3	8.3	8.3	8.3	8.3			
86075000			30.054		34.870	R	4		1	CRACKING			9.0	9.0	9.0	9.0	6.5	6.5	7.0	7.0	7.0	7.0	6.5	6.0*					
93			175				2	70	32671	RIDE			8.5	8.6	8.7	8.5	8.5	7.8	8.1	8.0	7.8	7.9	7.9	7.8	7.8				
14.1																													
4153972			30.054		35.000	C	2009		0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5			
ASPHALT GROUP, INC.													(2012)																
4441224			31.261		45.341	C	2024		0012	RIDE			8.0	8.1	8.0	8.1	8.2	8.2	8.1	8.1	8.3	8.3	8.3	8.3	8.2	8.3			
86075000			30.050		35.000	L	4		1	CRACKING			9.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	7.0	6.5	5.5*	5.5*					
93			175				2	70	32671	RIDE			8.8	8.7	8.6	8.6	8.8	7.8	7.6	7.5	7.8	7.9	7.8	7.7					
14.1																													
4153972			30.054		35.000	C	2009		0012	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			
ASPHALT GROUP, INC.													(2012)																
4441224			31.261		45.341	C	2024		0012	RIDE			8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.0	8.0	8.2	8.2	8.2	8.2	8.2			
86075000			18.870		30.050	L	4		1	CRACKING			9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	5.5*					
93			175				2	70	32671	RIDE			8.7	8.7	8.6	8.6	8.5	7.8	7.8	7.7	7.2	7.2	7.3	7.2					
14.1																													
4153941			18.870		30.054	C	2009		0012	CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	5.6			
ASPHALT GROUP, INC.													(2012)																
4441221			18.873		31.260	C	2025		0012	RIDE			8.0	8.1	8.0	8.1	8.1	8.1	8.1	8.1	8.0	8.3	8.3	8.3	8.2	8.2			
86080000			16.171		16.260	R	1		6	CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*				
84							2	50	36500	RIDE			7.6	7.5	7.5	7.7	7.8	6.6	7.1	6.9	7.3	7.0	7.1	7.2	7.0				
4.8																													
4230041			16.080		16.803	R	2012		0012	CRACKING			4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
ASPHALT GROUP, INC.													(2015)																
DGFC																													
86080000			16.260		16.796	R	1		1	CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*				
84							2	45	36500	RIDE			7.6	7.5	7.5	7.7	7.8	6.6	7.1	6.9	7.3	7.0	7.1	7.2	7.0				
4.8																													
4230041			16.080		16.803	R	2012		0012	CRACKING			4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	6.5	6.5	6.5	4.6			
ASPHALT GROUP, INC.													(2014)																
4498271			16.260		17.187	C	2027		0012	RIDE			6.9	6.5	7.8	7.5	7.7	7.6	7.6	7.4	7.4	7.4	7.4	7.4	7.2	7.1			
86080000			16.796		17.137	R	1		1	CRACKING			9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*				
84							4	45	37000	RIDE			7.9	7.8	7.8	7.6	7.7	7.1	7.2	6.9	6.7	6.7	6.6	6.7	6.4				
9.0																													
4230041			16.803		16.975	R	2012		0012	CRACKING			4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.3			
ASPHALT GROUP, INC.													(2014)																
4498271			16.260		17.187	C	2027		0012	RIDE			6.2	6.2	7.6	7.6	7.4	7.0	7.6	7.1	6.6	7.0	6.9	6.7	6.7	6.2			
86080000			16.260		17.187	L	1		1	CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*				
84							2	45	36500	RIDE			7.9	7.9	7.1	7.9	7.0	7.5	7.5	7.3	7.2	7.2	7.0	6.8	6.6				
4.8																													
4230041			16.080		17.137	L	2012		0012	CRACKING			4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	4.4			
ASPHALT GROUP, INC.													(2014)																
4498271			16.260		17.187	C	2027		0012	RIDE			6.5	6.1	7.4	7.4	7.0	7.0	7.2	7.0	6.9	6.9	6.9	6.8	6.8	6.5			
86080000			16.171		16.260	L	1		6	CRACKING			10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5					
84							2	50	36500	RIDE			8.1	8.2	8.2	8.2	8.1	7.5	7.6	7.3	7.2	7.4	7.4	7.4	7.3				
4.8																													
4230041			16.080		17.137	L	2012		0012	CRACKING			6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
ASPHALT GROUP, INC.													(2015)																
DGFC																													

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = ASTALDI CONSTRUCTION CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		%		=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)	
93220000	20.844	21.570	R	4	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0					10.0	10.0	10.0
9 I95			5	65	233000	RIDE		9.0	8.9	8.8	8.7	8.3	8.4						7.6	7.7	7.7
2319181	19.807	21.610	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.4
ASTALDI	CONSTRUCTION	CORP.(2009)			FC5	RIDE	7.9	7.7	7.7	7.9	7.6	7.8	7.6	7.4	7.8	7.9	7.8	7.8	7.8	7.6	7.6
93220000	20.844	22.038	L	4	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0					10.0	10.0	10.0
9 I95			5	65	233000	RIDE		8.9	9.0	8.5	8.9	8.4	8.3						7.9	7.8	7.7
2319181	19.807	21.610	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0
ASTALDI	CONSTRUCTION	CORP.(2009)			FC5	RIDE	7.9	7.9	7.8	7.8	7.7	7.7	7.6	7.5	7.6	7.7	7.7	7.7	7.7	7.6	7.5

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4                    CONTRACTOR = BERGERON LAND DEVELOPMENT, I -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR										FUTURE					
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)	
86472000	0.000	1.774	R	5	1	CRACKING		9.0	9.0	9.0	7.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
869			3	65	109900	RIDE		7.7	7.5	7.7	7.7	8.2			7.4	7.3	7.3	7.4	7.3	7.3		
BEGIN SECTION( 0.0C)																						
2323521	0.000	8.173	C	2002	0218	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
BERGERON LAND DEVELOPMENT,(2006)					FC5M	RIDE		7.2	7.2	7.3	8.1	8.3	8.3	8.2	8.3	8.3	8.3	8.3	8.2	8.2	8.2	
4371551	0.500	4.100	C	2025	0213																	
93210000	2.880	6.283	R	1	1	CRACKING		3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441			3	45	42500	RIDE		6.9	7.3	7.0			7.9	7.5	7.5	7.5	8.0	8.0	7.9	7.9		
SERVICE RD( 3.3R)																						
2290921	2.877	9.001	C	2000	0213	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.2	
BERGERON LAND DEVELOPMENT,(2004)					FC125	RIDE		7.9	7.8	7.8	7.8	7.5	7.5	7.4	7.2	7.3	7.3	7.3	7.2	7.3	7.1	
4476701	2.861	6.281	R	2025	0012																	
93210000	2.880	6.283	L	1	1	CRACKING		3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
7 441			3	45	42500	RIDE		6.9	7.3	7.0			7.7	7.8	7.7	7.7	7.7	7.7	7.7	7.5		
KIMBERLY BLVD( 3.8C)																						
2290921	2.877	9.001	C	2000	0213	CRACKING		9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.3	
BERGERON LAND DEVELOPMENT,(2004)					FC125	RIDE		7.6	7.5	7.4	7.4	7.1	7.0	6.8	6.8	6.8	6.7	6.8	6.6	6.8	6.3	
4476701	2.880	6.283	L	2025	0012																	

-----

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = C. W. ROBERTS CONTRACTING, I -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP   SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE					2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)	
94010000	0.417	5.440	R	1	1	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5	1			3	45	41000	RIDE	7.1	7.3	8.0	8.1	8.1	7.6	7.6	7.7	7.0	6.6	7.5	7.7	7.5	
CANE SLOUGH RD( 0.6R)																					
4398471	0.470	5.457	R	2020	0012	CRACKING	10.0	8.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0
C. W. ROBERTS CONTRACTING, (2023)							FC3	RIDE	7.4	7.3	7.3	6.7	6.7	6.5	6.8	6.8	6.7	6.7	6.6	7.8	7.7
-----																					
94010000	0.417	5.440	L	1	1	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
5	1			3	45	41000	RIDE	8.5	8.6	8.1	7.7	8.2	7.8	7.9	7.7	7.1	6.8	7.6	7.6	7.5	
CANE SLOUGH( 0.6L)																					
4398471	0.690	5.457	L	2020	0012	CRACKING	8.5	8.5	8.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	10.0	10.0	
C. W. ROBERTS CONTRACTING, (2023)							FC3	RIDE	7.3	7.2	7.2	6.9	6.9	6.8	7.0	6.9	6.8	6.8	6.8	7.9	7.8
-----																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = CAROLINA CONSULTING CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)	
89040000	1.750	2.537	R	1	1	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0		
ALA			2	35	28000	RIDE	6.5	6.4*	6.0*	5.8	5.8	5.7	5.3*	5.0*		6.7	7.4	7.4	7.2		
MONTEREY RD( 1.8R)							8.3														
2288531	1.600	2.537	C	2005	0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0
CAROLINA CONSULTING CORP. (2008)							FC95 RIDE 7.4 7.4 7.2 6.8 6.8 6.6 6.5 6.4 6.3 6.4 6.2 6.0 5.9 5.6														
89040000	1.750	2.537	L	1	1	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0		
ALA			2	35	28000	RIDE	7.9	7.6	5.9*	7.8	7.9	6.3	5.6	5.2*		7.1	7.0	7.4	7.4		
SMITHFIELD PLAZA( 1.8L)							8.3														
2288531	1.600	2.537	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.3
CAROLINA CONSULTING CORP. (2008)							FC95 RIDE 7.5 7.4 7.5 7.2 6.9 6.8 7.0 6.9 6.8 6.7 6.8 6.8 6.7 6.5														

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = CENTRAL MORRISON COBALT JV -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	*****														
INTERSECT AT (MP SIDE)																						
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE																	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
89470000	8.689	12.952	R	5	1	CRACKING	9.5		7.5	7.5	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	
91			2	70	52700	RIDE	9.1		9.0	8.9	8.5	8.8	8.1	7.7	7.5	7.4		7.7	7.6	7.6		
4379921	0.000	20.194	C	2019	0012	CRACKING	10.0		10.0	9.5	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.5		10.0	10.0	
CENTRAL MORRISON COBALT JV(2023)					FC5M	RIDE	7.6		7.6	7.5	7.4	7.4	7.8	7.7	7.8	7.9	8.0	7.9		8.8	8.8	
89470000	13.474	20.249	R	5	1	CRACKING	8.0		8.0	7.5	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	
91			2	70	59900	RIDE	9.0		8.6	8.8	8.3	8.4	8.1	7.7	7.5	7.3		7.5	7.7	7.7		
4379921	0.000	20.194	C	2019	0012	CRACKING	10.0		9.0	9.0	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	
CENTRAL MORRISON COBALT JV(2023)					FC5M	RIDE	7.7		7.6	7.5	7.4	7.9	7.8	7.8	7.9	7.9	7.7		8.6	8.6		
89470000	13.474	20.249	L	5	1	CRACKING	9.0		7.5	7.5	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	
91			2	70	59900	RIDE	9.0		8.2	8.7	8.3	8.2	7.5	7.6	7.1	7.1		7.7	7.8	7.8		
4379921	0.000	20.194	C	2019	0012	CRACKING	10.0		9.5	9.0	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*		10.0	10.0		
CENTRAL MORRISON COBALT JV(2023)					FC5M	RIDE	7.8		7.6	7.6	7.5	7.9	7.8	7.8	7.9	8.0		8.6	8.6			
89470000	5.967	12.952	L	5	1	CRACKING	9.0		7.5	7.5	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	
91			2	70	52700	RIDE	9.0		8.9	8.8	8.4	8.6	7.8	7.6	7.2	7.1		7.7	7.8	7.9		
4379921	0.000	20.194	C	2019	0012	CRACKING	10.0		9.5	9.5	9.5	9.5	9.5	8.0	8.0	6.5	6.5		10.0	10.0		
CENTRAL MORRISON COBALT JV(2023)					FC5M	RIDE	7.8		7.7	7.7	7.4	8.1	8.0	8.0	8.2	8.2		8.9	8.9			

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).







**FLORIDA DEPARTMENT OF TRANSPORTATION****ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P WKMX-P		*****												
CONTRACTOR (AGE_ONE YEAR)		SURF_TYPE		2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2029																
ITMSEG-F		W_BMP		W_EMP		FY-F WKMX-F		(REG)												
86020000	0.000	1.080	L	1	2	CRACKING	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5
5	1		3	35	41000	RIDE	7.3	8.4	8.0	7.6	7.3	6.8	6.8	6.4	6.4	6.4	7.0	6.9	6.9	6.5
BROWARD BLVD( 0.0C)																				
4287261	0.012	1.813	C	2015	0012	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP.			(2017)	FC125	RIDE	6.4	6.3	6.5	6.6	6.3	7.4	7.0	7.0	6.8	7.0	6.8	7.0	7.3	7.0	6.7
-----																				
86028000	0.000	1.428	R	1	1	CRACKING	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5
834			3	45	38000	RIDE	6.5	7.6	7.7	7.4	7.5	6.8	7.0	6.8	6.8	6.2	6.6	6.6	6.7	6.5
CORAL SPRINGS CITY LIMIT( 0.0C)																				
2280371	0.000	1.684	C	1998	0012	CRACKING	9.5	9.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5
COMMUNITY ASPHALT CORP.			(2000)	FC125	RIDE	6.4	6.3	6.3	6.3	6.5	6.5	6.5	6.4	6.0	6.2	6.1	6.2	6.1	6.2	5.9
4461941	0.011	1.451	C	2024	0012															5.7
-----																				
86028000	0.000	1.428	L	1	1	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5
834			3	45	38000	RIDE	5.9*	8.0	7.9	7.7	7.7	6.7	6.6	6.5	6.2	6.2	6.2	6.2	6.4	5.8
CORAL SPRINGS CITY LIMIT( 0.0C)																				
2280371	0.000	1.684	C	1998	0012	CRACKING	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5
COMMUNITY ASPHALT CORP.			(2000)	FC125	RIDE	5.9	5.9	5.8	5.9	6.3	6.2	6.0	5.9	5.6	5.7	5.6	5.5	5.5	5.5	4.8
4461941	0.011	1.451	C	2024	0012															
-----																				
86030000	2.282	2.497	R	1	1	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5
A1A			3	35	31500	RIDE	5.6*	4.6*		7.2	6.6	5.8	5.8	5.5	5.3*	5.2*	5.2*	5.3*	5.2*	
MONROE ST( 2.3R)																				
4323231	2.288	2.547	R	2017	0012	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.			(2021)	FC95M	RIDE	5.6	5.5	5.5	5.4*	5.0*	4.8*	4.7*	4.4*			6.8	6.4	6.7	6.0	5.1
-----																				
86030000	2.497	4.104	R	1	1	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5
A1A			2	35	27000	RIDE	5.5*	5.0*		6.3	6.6	5.8	5.8	5.5	5.3*	5.2*	5.2*	5.3*	5.2*	
HOLLYWOOD BLVD( 2.6R)																				
4323231	2.547	4.104	R	2017	0012	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.			(2021)	FC95M	RIDE	5.6	5.5	5.5	5.4*	5.0*	4.8*	4.7*				6.2	6.0	6.0	5.9	5.4
-----																				
86030000	4.104	5.351	C	1	1	CRACKING	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0
A1A			2	35	10100	RIDE	6.9	6.4*	7.1	6.9	6.8	5.8	5.7	5.5	5.3*	5.2*			6.8	6.3
FOREST ST( 4.4R)																				
4114321	4.122	5.193	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	4.0
COMMUNITY ASPHALT CORP.			(2010)	FC95	RIDE	6.5	6.1	6.2	6.0	5.8	5.5	5.6	5.3*	5.4*	5.1*	5.0*	4.9*	5.0*	4.1	
4484021	4.104	5.351	C	2028	0012															
-----																				
86030000	2.497	4.104	L	1	1	CRACKING	4.5*	3.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5
A1A			2	35	27000	RIDE	5.7*	4.6*		7.8	7.6	6.8	6.6	6.2	5.7	5.8	5.9	5.4*	5.5	
BILLY'S STONE CRAB( 2.7L)																				
4323231	2.497	4.104	L	2017	0012	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.			(2021)	FC95M	RIDE	6.1	6.0	5.9	5.9	4.9*	4.9*	4.7*	4.4*			5.9	5.8	5.6	5.4*	4.6
-----																				
86030000	2.282	2.497	L	1	1	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5
A1A			3	35	31500	RIDE	6.1*	6.0*		8.0	7.6	6.8	6.6	6.2	5.7	5.8	5.9	5.4*	5.5	
-----																				
4323231	2.362	2.497	L	2017	0012	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.			(2021)	FC95M	RIDE	6.1	6.0	5.9	5.9	4.9*	4.9*	4.7*	5.4*			6.6	6.5	6.3	6.3	5.7
-----																				
86040000	1.667	5.087	R	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	6.5
820			3	45	40500	RIDE	8.3	8.2	8.2	8.1	8.0	7.5	7.5	7.4	7.3	7.5	7.3	7.3	7.3	7.3
SW 186 AVE( 2.2R)																				
4270061	1.667	3.623	R	2013	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP.			(2015)	FC95	RIDE	7.2	7.1	7.2	8.7	8.3	8.4	8.4	8.3	8.3	8.2	8.2	8.2	8.2	8.1	7.9
-----																				
86040000	10.489	13.410	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*
820			3	40	49000	RIDE	8.4	8.3	8.0	8.4	8.3	7.2	7.4	7.0	7.2	6.6	6.6	6.7	6.6	
DOUGLAS RD/NW 89 AVE(10.5R)																				
4216591	10.489	13.432	C	2011	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5	5.7
COMMUNITY ASPHALT CORP.			(2013)	DGFC	RIDE	6.2	8.1	8.0	8.1	8.0	8.0	8.1	7.9	7.8	7.8	7.8	7.8	7.8	7.8	7.6
-----																				
86040000	14.038	15.241	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5
820			3	35	40500	RIDE	7.0	6.6	6.6	6.6	6.6	5.8	6.0	5.9	5.8	5.7	5.6	5.6	5.5	
WALMART(14.2R)																				
4216592	14.038	15.241	C	2011	0012	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.1
COMMUNITY ASPHALT CORP.			(2015)	FC95	RIDE	5.3*		8.5	7.7	7.8	7.7	7.8	7.7	7.8	7.9	7.7	7.4	7.5	7.5	7.0

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P WKMX-P		*****													
CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F		W_BMP		W_EMP		FY-F WKMX-F															
86040000	15.402	15.625	C	1	6	CRACKING	9.0	10.0	10.0	9.0	10.0	8.5	7.0	7.5	7.0	7.0	7.0	7.0	10.0	10.0	
820			3	30	16500	RIDE	7.0	7.3	7.1	6.6	7.1	6.3	6.3	5.9	6.3	6.3	6.2	7.5			
PRESIDENTIAL CIR(15.5L)																					
2281601	15.402	15.625	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	
COMMUNITY ASPHALT CORP.																					
4484041	15.233	16.521	C	2026	0012	RIDE														7.5	
-----																					
86040000	15.625	16.431	R	1	1	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	
820			3	35	46500	RIDE	5.3*	4.9*	5.1*	5.0*	5.1*	4.5*	4.3*	4.3*	4.2*	4.6*	4.5*			7.4	
ALLEY(15.7C)																					
2281601	15.625	16.431	R	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.3	
COMMUNITY ASPHALT CORP.																					
4484041	15.233	16.521	C	2026	0012	RIDE	7.0	6.5	6.7	6.5	6.9	6.9	7.0	6.8	6.7	5.9	5.9	6.0	5.9	5.6	
-----																					
86040000	15.625	16.431	L	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	
820			3	35	46500	RIDE	5.9*	5.8*	5.9*	6.1	5.8	5.9	5.4*	5.2*	5.0*	5.1*	5.3*			7.4	
TO 86040215(15.6L)																					
2281601	15.625	16.431	L	2008	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	4.6
COMMUNITY ASPHALT CORP.																					
4484041	15.233	16.521	C	2026	0012	RIDE	7.3	6.8	6.8	6.8	5.7	5.9	5.8	5.9	6.0	5.9	5.4*	5.5	5.3*	4.4	
-----																					
86040000	14.038	15.241	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
820			3	35	40500	RIDE	7.5	7.3	7.1	7.2	7.1	6.3	6.3	6.2	6.3	6.3	6.2	6.3	6.4		
N 59 AVE(14.1L)																					
4216592	14.038	15.241	C	2011	0012	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
COMMUNITY ASPHALT CORP.																					
-----																					
86040000	10.489	13.410	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	
820			3	40	49000	RIDE	8.8	8.7	8.6	8.6	8.5	7.7	7.9	7.7	7.7	7.7	7.7	7.7	7.1	7.1	
DOUGLAS RD(10.5L)																					
4216591	10.489	13.432	C	2011	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
COMMUNITY ASPHALT CORP.																					
-----																					
86040000	1.667	5.087	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	
820			3	45	40500	RIDE	8.4	8.3	8.3	8.3	8.3	7.6	7.5	7.4	7.4	7.4	7.4	7.3	7.3	7.3	
NW 186 AVE( 2.2L)																					
4270061	1.667	5.087	L	2013	0012	CRACKING	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
COMMUNITY ASPHALT CORP.																					
-----																					
86060000	7.190	27.627	R	1	1	CRACKING	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.0*		10.0		
25	27		2	65	10600	RIDE	9.1	9.0	9.1	8.9	8.8	8.5	8.5	8.3	8.2	8.2	8.1		8.2		
CIRCLE K TRUCK STOP( 7.3R)																					
4162421	7.192	27.678	C	2009	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	5.7
COMMUNITY ASPHALT CORP.																					
4401431	15.250	27.627@	C	2021	9924	RIDE	8.2	8.2	8.2	8.3	8.5	8.5	8.5	8.4	8.4	8.5	8.6	8.6	8.6	8.6	
-----																					
86060000	7.190	27.627	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	
25	27		2	65	10600	RIDE	9.1	8.9	8.9	8.9	8.8	8.3	8.3	8.1	7.9	7.8	7.8	7.6	7.8		
FRONTAGE RD(11.9C)																					
4162421	7.192	27.678	C	2009	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	0.7	
COMMUNITY ASPHALT CORP.																					
4401431	15.250	27.627@	C	2021	9924	RIDE	7.9	7.9	7.8	7.9	8.2	8.2	8.1	8.0	8.0	8.3	8.3	8.3	8.3	8.3	
-----																					
86065000	0.000	1.800	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	
845			2	40	23500	RIDE	8.3	8.1	8.0	8.1	8.0	7.2	7.1	7.1	6.9	7.9	7.7	7.6	7.5		
FORT LAUDERDALE CITY LIM( 0.0C)																					
4306041	0.000	1.230	R	2017	0012	CRACKING	7.0	7.0	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.																					
-----																					
86065000	0.000	1.800	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	
845			2	40	23500	RIDE	8.1	8.3	8.3	8.3	8.2	7.2	6.9	6.6	6.5	6.0	6.3	5.8	5.2*		
FORT LAUDERDALE CITY LIM( 0.0C)																					
4306041	0.000	1.230	L	2017	0012	CRACKING	7.5	7.5	7.5	7.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.																					
-----																					
86075000	10.700	11.610	R	4	1	CRACKING	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0		
93	175		5	70	176000	RIDE	8.7	8.7	8.7	8.7	8.6	7.8	7.8	7.6	7.8			7.8	7.9		
(MEDIAN)(11.5R)																					
4113221	5.917	11.153	R	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	
COMMUNITY ASPHALT CORP.																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

## FLORIDA DEPARTMENT OF TRANSPORTATION

### ALL SYSTEM PAVEMENT CONDITION FORECAST

#### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----

RDWYID	SR	US	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED				2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE												
									1999	2000	2001	2002																							
INTERSECT AT (MP   SIDE)																						2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																																(REG)			
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE																																			
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																																			
86075000	93	I75	34.870	45.367	R	4	1	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	10.0														
					2	70	32671	RIDE	8.5	8.6	8.7	8.5	8.5	7.8	7.7	7.5	7.0	7.2		8.0	8.0														
								14.1																											
4153971			35.000	45.410	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5													
COMMUNITY			ASPHALT	CORP.		(2010)	FC5M	RIDE	7.9	7.9	7.8	7.9	8.2	8.2	8.1	8.0	8.4	8.3	8.3	8.3	8.3	6.5													
4441224			31.261	45.341	C	2024	0012																												

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

**FLORIDA DEPARTMENT OF TRANSPORTATION****ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	FW	FY-F	WKM-F		(REG)														
CONTRACTOR	(AGE_ONE YEAR)	W_EMP	FW	FY-F	WKM-F		(REG)														
86090000	3.329	4.400	L	1	1	CRACKING	7.5	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*		10.0		
816			3	45	52500	RIDE	7.3	6.5	7.0	6.7	6.6	5.9*	6.1*	6.1	5.9	5.8	5.3*		7.4		
NW 36 TER(	3.6C)				4.3																
4138861	3.329	4.429	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	5.7	
COMMUNITY ASPHALT CORP.	(2011)	FC95	RIDE				7.4	7.3	7.2	7.1	6.9	7.0	7.1	6.9	6.8	6.6	6.4	5.9	6.0	5.6	
4476751	2.102	4.407	C	2026	0012																
86100000	6.573	7.401	R	1	1	CRACKING	6.5	6.5	9.0	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
7 441			3	45	48500	RIDE	7.9	7.7	8.3	8.2	8.1	7.4	7.4	7.2	6.9	7.1	7.1	7.0	7.0		
AT&T(	6.7R)				5.9																
4168761	6.479	7.400	C	2010	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
COMMUNITY ASPHALT CORP.	(2013)	FC125	RIDE				7.2	8.4	8.2	8.3	7.9	7.9	7.9	7.9	7.4	7.8	7.7	7.4	7.7	7.7	7.1
86100000	12.986	14.791	R	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	6.5	10.0	10.0	10.0		
7 441			3	40	52000	RIDE	7.9	8.0	8.0	7.6	8.0	7.0	7.2	7.1	6.9	5.3*	7.5	7.4	7.2		
NW 29 ST(13.1R)					2.5																
2281891	12.985	14.791	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5	
COMMUNITY ASPHALT CORP.	(2009)	FC95	RIDE				7.3	7.2	7.3	7.3	6.9	7.0	6.6	6.6	6.6	6.2	5.9	6.4	6.1	5.6	
86100000	15.796	16.500	R	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5		
7 441			3	45	44000	RIDE	7.6	7.2	7.4	7.4	6.8	7.6	7.7	7.3	7.2	7.4	7.4	7.5	7.4		
RAMP TO MCNAB RD(16.1R)					3.4																
4168771	15.796	16.389	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2	
COMMUNITY ASPHALT CORP.	(2012)	FC125	RIDE				8.1	8.0	7.7	7.5	7.3	7.3	7.2	6.8	6.5	6.8	6.7	6.6	6.8	5.8	
86100000	23.290	24.597	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
7 441			3	45	53000	RIDE	8.6	8.2	8.5	8.3	8.4	7.4	7.9	7.7	7.5	7.8	7.7	7.8	7.7		
JOHNSON RD(23.5R)					4.6																
4270101	23.290	24.591	C	2013	0012	CRACKING	9.0	9.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.	(2015)	FC125	RIDE				7.5	7.6	7.4	8.7	8.1	8.4	8.4	8.3	8.3	8.0	8.0	7.9	7.9	7.5	
86100000	23.290	24.597	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5		
7 441			3	45	53000	RIDE	8.5	8.4	8.4	8.4	8.5	7.7	7.7	7.5	7.5	7.8	7.7	7.6	7.5		
HOLMBERG RD(23.5L)					4.6																
4270101	23.290	24.591	C	2013	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2	
COMMUNITY ASPHALT CORP.	(2015)	FC125	RIDE				7.3	7.4	7.3	8.6	8.1	8.2	8.2	8.1	8.0	7.7	7.8	7.8	7.5	7.1	
86100000	15.796	16.500	L	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		
7 441			3	45	44000	RIDE	7.1	6.8	7.3	7.0	6.9	6.4*	6.4*	6.2	6.1	5.7	5.7	6.0	5.9		
BROADVIEW BLVD/SW 17(16.1L)					3.4																
4168771	15.796	16.389	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.2	
COMMUNITY ASPHALT CORP.	(2012)	FC125	RIDE				8.1	8.0	7.7	7.9	7.4	7.5	6.9	7.2	6.9	6.7	6.7	6.7	6.5	5.7	
86100000	12.986	14.791	L	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0		
7 441			3	40	52000	RIDE	6.9	7.1	6.8	7.1	7.1	6.2	6.5	6.3	6.1	5.5	7.6	7.4	7.3		
WALMART(13.1L)					2.5																
2281891	12.985	14.791	C	2007	0012	CRACKING	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.0	
COMMUNITY ASPHALT CORP.	(2009)	FC95	RIDE				7.5	7.1	7.1	7.1	7.1	6.9	6.8	6.8	6.7	6.6	6.7	6.5	6.5	6.1	
86100000	6.640	7.401	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5		
7 441			3	45	48500	RIDE	8.3	7.9	8.1	8.0	8.1	7.6	7.7	7.5	7.4	7.4	7.4	7.4	7.3		
U-PULL-IT(	6.7L)				5.9																
4168761	6.479	7.400	C	2010	0012	CRACKING	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.4	
COMMUNITY ASPHALT CORP.	(2013)	FC125	RIDE				7.6	8.3	8.3	8.3	8.0	7.9	8.0	7.8	8.0	7.9	7.8	7.8	7.9	7.5	
86110000	0.000	2.706	R	1	1	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
838			3	45	31000	RIDE	6.5	6.5	6.3*	5.4*	8.2	7.8	7.5	7.7	7.3	7.5	7.3	7.5	7.4		
PLANTATION CITY LIMITS(	0.0C)				4.7																
2281171	0.000	3.156	C	2000	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.4	
COMMUNITY ASPHALT CORP.	(2003)	FC125	RIDE				7.3	7.3	7.2	7.2	7.1	7.2	6.9	6.9	6.8	6.7	6.6	6.6	6.6	6.3	
4484111	0.000	2.696	C	2026	0012																
86110000	0.000	2.707	L	1	1	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
838			3	45	31000	RIDE	6.3*	6.2*	6.5	5.0*	8.0	7.5	7.4	7.2	7.1	6.8	7.0	7.1	7.1		
PLANTATION CITY LIMITS(	0.0C)				4.7																
2281171	0.000	3.156	C	2000	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	
COMMUNITY ASPHALT CORP.	(2003)	FC125	RIDE				7.0	6.8	7.0	6.8	6.7	6.6	6.5	6.4	6.3	6.2	6.2	6.0	5.9	5.6	
4484111	0.000	2.696	C	2026	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR											FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP)	(SIDE)						=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE YEAR)	(YEAR)		SURF_TYPE																	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																
86130000	3.591	4.591	R	1	1	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	
814			3	45	47000	RIDE	7.1	7.0	7.2	7.3	7.2	6.4*	6.2*	6.3	6.2	5.9	7.7	7.4	7.3		
SW 27 AVE( 3.6R)																					
4035771	3.591	4.591	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	6.2
COMMUNITY ASPHALT CORP.	(2009)	FC95				RIDE	7.4	7.4	7.3	7.4	7.2	7.2	7.1	7.2	7.2	7.0	6.8	7.0	6.6	6.6	
4476811	3.821	4.662	R	2025	0012																
86130000	3.591	4.591	L	1	1	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
814			3	45	47000	RIDE	7.5	7.3	7.6	7.3	7.1	6.4*	6.2*	6.0	5.6	6.4	7.7	7.5	7.6		
NW 27 AVE( 3.6L)																					
4035771	3.591	4.591	C	2007	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.5	7.0
COMMUNITY ASPHALT CORP.	(2009)	FC95				RIDE	7.5	7.2	7.1	7.2	6.6	6.7	6.3	6.4	6.4	6.5	6.4	6.3	6.4	5.6	
4476811	3.591	4.662	L	2025	0012																
86170000	1.800	2.771	R	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	6.5	6.5	6.5	
811			2	35	21500	RIDE	7.7	7.6	7.5	7.3	7.1	6.8	6.8	6.4	6.5	6.6	6.4	6.0	6.3		
SPUR TO DIXIE HWY( 1.8R)																					
4246711	1.800	2.858	C	2013	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5
COMMUNITY ASPHALT CORP.	(2016)	FC125				RIDE	6.3	6.2	6.0	5.9	6.2	6.1	5.9	5.9	5.8	5.9	5.8	5.7	5.3*	5.1	
86170000	2.976	5.144	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	7.5	6.5	6.5	
811			2	40	20500	RIDE	8.3	8.3	8.3	8.0	7.9	7.5	7.3	7.1	7.1	7.0	7.1	6.8	7.0		
NE 40 CT( 3.0R)																					
4246711	2.864	5.440	R	2013	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.0
COMMUNITY ASPHALT CORP.	(2016)	FC125				RIDE	6.9	6.8	6.8	6.7	7.2	6.9	6.9	6.8	6.8	6.8	6.8	6.8	6.7	6.6	6.4
86170000	2.976	5.144	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	6.5	6.5	6.5	
811			2	40	20500	RIDE	7.6	7.6	7.6	7.6	7.2	6.9	6.9	6.9	6.7	6.4	6.9	6.8	6.8	7.0	
NE 39 DR( 3.0L)																					
4246711	2.864	5.440	L	2013	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.9
COMMUNITY ASPHALT CORP.	(2016)	FC125				RIDE	6.9	6.8	6.8	6.7	7.2	6.9	6.9	6.8	6.8	6.8	6.8	6.5	6.5	6.3	5.9
86170000	1.800	2.771	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	6.5	6.5	6.5	
811			2	35	21500	RIDE	7.3	7.2	7.3	7.0	6.9	6.4	6.2	6.1	6.0	6.6	6.4	6.0	6.3		
WILTON DR/NE 26 ST( 1.8C)																					
4246711	1.800	2.858	C	2013	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5
COMMUNITY ASPHALT CORP.	(2016)	FC125				RIDE	6.3	6.2	6.0	5.9	6.2	6.1	5.9	5.9	5.8	5.9	5.9	5.9	5.6	5.5	
86190000	7.599	10.897	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.0	6.5	6.5	
823			3	50	35500	RIDE	8.7	8.7	8.7	8.5	8.5	8.0	8.0	8.0	8.0	7.8	7.8	7.7	7.9	7.8	
DAYSTAR( 7.9R)																					
4270121	7.599	10.833	R	2016	0012	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.	(2018)	FC95A				RIDE	7.6	7.5	7.4	7.8	7.9	7.9	8.7	8.6	8.6	8.6	8.6	8.6	8.6	8.5	8.4
86190000	7.599	10.897	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	6.5	
823			3	50	35500	RIDE	8.8	8.7	8.7	8.5	8.4	8.1	8.1	8.0	7.9	7.7	7.8	7.9	7.8	7.9	7.8
SW 38 ST( 7.9L)																					
4270121	7.599	10.833	L	2016	0012	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.	(2018)	FC95A				RIDE	7.7	7.5	7.4	7.8	7.8	7.8	8.5	8.4	8.4	8.4	8.4	8.3	8.4	8.3	8.2
86190500	0.000	1.925	R	1	1	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0		
823			3	45	40000	RIDE	8.6	8.6	8.4	8.5	8.4	7.7	7.6	7.5	7.4	7.1	8.4	8.6	8.5		
DADE CO LINE/BR# 550( 0.0C)																					
4138371	0.000	2.032	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.	(2009)	FC95				RIDE	8.4	8.4	8.4	8.4	7.9	7.8	7.9	7.8	7.9	7.7	7.8	7.7	7.6	7.2	
86190500	0.000	1.925	L	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	10.0	10.0	10.0		
823			3	45	40000	RIDE	8.4	8.5	8.4	8.5	8.2	7.5	7.5	7.4	7.3	7.1	8.6	8.2	8.2		
DADE CO LINE/BR# 550( 0.0C)																					
4138371	0.000	2.032	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.	(2009)	FC95				RIDE	8.1	8.2	8.1	8.1	7.7	7.6	7.6	7.6	7.6	7.3	7.2	7.2	7.3	6.7	
86200000	0.000	2.166	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	
858			2	40	44000	RIDE	8.4	8.1	8.2	8.1	7.7	7.0	6.6	6.6	6.6	6.8	6.9	7.0	6.5	6.9	
SR 7( 0.0C)																					
4287331	0.220	2.166	C	2017	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*		10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.	(2020)	FC125				RIDE	6.8	6.6	6.9	6.6	7.1	6.9	6.7		6.7	6.8	6.7	6.8	6.6	6.6	6.6

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).





# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	RATINGS	SURVEYED	YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P																	
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	SURF_TYPE	FC5																	
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2024	2029		
																					(REG)	
86470000 91	11.911	12.484	R	5	1	CRACKING	7.5	7.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0					
			4	65	142000	RIDE	8.2	8.5	8.4	8.4	8.4	7.7	7.7	7.7	7.7	7.7	7.6					
4060944 COMMUNITY ASPHALT CORP.	9.500	12.530	R	2009	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	
	ASPHALT	CORP.	(2012)	FC5	RIDE		7.9	8.1	8.0	8.0	8.0	8.0	8.0	7.9	7.8	7.9	7.8	7.8	8.0	7.8	7.8	
86470000 91	18.934	25.912	R	5	1	CRACKING	10.0	10.0	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
			3	65	95800	RIDE	8.5	8.5	8.5	8.4	8.4	8.0	8.0	8.0	7.9	7.8	7.8	7.7	7.7	7.7	7.6	
4061505 COMMUNITY ASPHALT CORP.	18.660	25.912	R	2012	0226	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	
	ASPHALT	CORP.	(2014)	FC5	RIDE		7.6	8.2	8.2	8.3	8.3	8.3	8.3	8.2	8.2	8.1	8.2	8.2	8.2	8.2	8.1	
4460241	18.125	23.811@	C	2023	0012	CRACKING	6.5															
86470000 91	18.774	25.912	L	5	1	CRACKING	9.0	9.0	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*		
			3	65	95800	RIDE	8.3	8.2	8.2	8.2	8.2	7.6	7.4	7.4	7.3	7.3	7.2	7.2	7.2	7.2		
4061505 COMMUNITY ASPHALT CORP.	18.960	25.912	L	2012	0226	CRACKING	6.0*		10.0	10.0	10.0	10.0	10.0	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		
	ASPHALT	CORP.	(2014)	FC5	RIDE		7.1	8.1	8.2	8.2	8.2	8.2	8.2	8.1	8.0	8.1	8.1	8.1	8.0	8.0		
4460241	18.125	23.811@	C	2023	0012	CRACKING	6.0*															
86470000 91	3.375	5.711	L	5	1	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	4.5*		
			3	65	148700	RIDE	8.4	8.4	8.8	8.8	8.2	8.1	8.1	8.0	7.9	7.7	7.7	7.7	7.6			
4060958 COMMUNITY ASPHALT CORP.	3.163	5.711	L	2011	0226	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	3.5*	1.0*	1.0*	1.0*			
	ASPHALT	CORP.	(2013)	FC5M	RIDE		8.2	8.2	8.2	8.3	8.2	8.2	8.1	7.9	8.2	8.1	8.0	8.0	8.0			
4462241	3.500	7.000	C	2024	0548	CRACKING																
86470000 91	0.576	2.590	L	5	1	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	4.5*			
			3	65	144131	RIDE	8.4	8.4	8.8	8.8	8.2	8.1	8.1	8.0	7.9	7.9	7.7	7.7	7.6			
4060958 COMMUNITY ASPHALT CORP.	0.749	2.590	C	2011	0226	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	3.5*			
	ASPHALT	CORP.	(2013)	FC5M	RIDE		8.2	8.2	8.1	8.2	8.1	8.0	8.0	7.9	7.9	8.0	8.0	8.0	7.9			
4462231	0.000	3.500	C	2024	0548	CRACKING																
88003000 656	0.000	0.715	R	1	1	CRACKING	7.5	7.5	7.5	7.5			10.0	10.0	10.0	9.5	7.0	7.0	7.0			
			2	45	10500	RIDE	5.9*	6.2*	6.1*	5.8*			7.0	6.8	7.3	7.1	7.1	7.0	7.0			
SR 5( 0.0C)					5.0																	
4305932	0.000	0.716	C	2017	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0				
	COMMUNITY ASPHALT	CORP.	(2020)	FC125	RIDE		6.7	6.8	6.8	6.6	6.2	6.3	6.1	7.5	7.4	7.3	7.9	7.8				
88003000 656	1.611	1.978	R	1	1	CRACKING	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	9.0	9.0	9.0			
			2	45	1950	RIDE	5.3*	5.2*	5.1*	5.2*			6.8	6.6	6.9	6.8	6.7	6.4	6.7			
INDIAN BAY DR( 1.7R)					7.8																	
2286071	0.000	1.971	C	2002	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*				
	COMMUNITY ASPHALT	CORP.	(2005)	FC125	RIDE		6.6	6.6	6.7	6.5	5.9	5.7	5.5	5.5	5.2*	5.2*	5.2*	5.2*				
88003000 656	1.612	1.978	L	1	1	CRACKING	7.5	7.5	7.5	7.5			10.0	10.0	10.0	10.0	9.0	9.0	9.0			
			2	45	1950	RIDE	5.9*	4.8*	5.1*	5.2*			7.0	6.1	6.7	6.6	6.6	6.7				
SR A1A( 2.0C)					7.8																	
2286071	0.000	1.971	C	2002	0012	CRACKING	9.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*		6.0*				
	COMMUNITY ASPHALT	CORP.	(2005)	FC125	RIDE		6.3	6.5	6.3	6.3	6.1	5.5	5.3*	5.3*	5.2*	5.1*		5.1*				
88003000 656	0.000	0.709	L	1	1	CRACKING	7.5	7.5	6.5	6.5			10.0	10.0	10.0	9.5	7.0	7.0	7.0			
			2	45	10500	RIDE	6.3*	6.2*	6.3*	6.3*			7.5	7.3	7.5	7.4	7.0	7.0				
SR 5( 0.0C)					5.0																	
4305932	0.000	0.716	C	2017	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5		10.0	10.0	10.0	10.0				
	COMMUNITY ASPHALT	CORP.	(2020)	FC125	RIDE		6.6	6.5	6.6	6.4	6.2	6.2	5.9		7.2	7.2	7.5	7.7				
88010000 5	4.058	4.779	R	1	1	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*	4.0*		10.0	10.0	10.0	10.0				
			2	45	23500	RIDE	8.0	7.9	7.7	7.7	7.3	6.9	6.6		8.3	7.6	7.5	7.2				
CR 612( 4.3C)					2.7																	
4035981	3.920	5.846	R	2005	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	6.5	6.5	6.5	6.5				
	COMMUNITY ASPHALT	CORP.	(2007)	FC95	RIDE		7.3	7.3	7.4	7.3	6.7	6.8	6.7	7.4	7.1	6.7	6.7	6.7				
4461071	4.039	4.779	C	2023	0012	CRACKING																
88010000 5	4.779	5.845	R	1	1	CRACKING	7.5	8.0	8.0	8.0	8.0	7.0	6.0*		10.0	10.0	10.0	10.0				
			2	35	22450	RIDE	8.3	8.3	8.1	7.3	7.5	6.9	7.0		7.7	7.6	7.5	7.2				
TWELFTH ST( 4.8C)					4.3																	
4035981	3.920	5.846	R	2005	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0				
	COMMUNITY ASPHALT	CORP.	(2007)	FC95	RIDE		7.3	7.3	7.4	7.3	6.7	6.8	6.7	6.6	6.5	6.6	6.2	6.4				
4476481	4.779	5.845	C	2025	0012	CRACKING																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	-P	=====													
ITMSEG-P	W_BMP	W_EMP	RW	ADT	ADT	RATINGS	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)
88010000	5.845	7.268	R	1	1	CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	4.5*	3.5*		10.0	
5 1			2	35	21000	RIDE	8.2	8.0	8.0	7.5	7.7	7.3	7.2	7.0	7.2	7.3	7.2		8.3	
SR 60 WB( 5.9C)																				
4152911	5.846	7.294	R	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.9
COMMUNITY ASPHALT CORP.			(2011)	FC95		RIDE	8.3	8.2	8.1	8.0	7.7	7.3	7.6	7.4	6.7	7.2	7.2	7.4	7.0	6.4
88010000	7.268	7.930	R	1	1	CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*		10.0	10.0	10.0	
5 1			2	45	32500	RIDE	8.2	8.0	8.0	7.5	7.7	7.3	7.2	7.0	7.2		8.2	7.7	7.9	
BEACON RD( 7.3R)																				
2286231	7.277	14.800	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	7.5
COMMUNITY ASPHALT CORP.			(2009)	FC95		RIDE	7.9	8.0	7.9	7.9	7.3	7.4	7.4	7.3	7.2	7.2	7.1	7.2	7.2	6.7
88010000	7.930	13.625	R	1	1	CRACKING	7.0	6.0*	6.0*	4.0*	4.0*	4.0*	4.5*	3.5*	3.5*		10.0	10.0	10.0	
5 1			2	55	26000	RIDE	8.8	8.7	8.7	7.6	8.1	7.1	6.8	6.5	6.6		8.1	8.0	8.0	
38 ST( 8.0R)																				
2286231	7.277	14.800	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.3
COMMUNITY ASPHALT CORP.			(2009)	FC2		RIDE	8.1	8.0	8.1	8.0	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1
88010000	13.625	14.860	R	1	1	CRACKING	7.0	7.0	7.0	6.5	6.5	5.5*	5.5*	4.0*	4.0*		10.0	10.0	10.0	
5 1			2	45	26000	RIDE	8.9	8.9	8.9	7.8	8.4	7.8	7.3	7.1	7.1		7.8	7.7	7.7	
81 ST(13.7C)																				
2286231	7.277	14.800	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.7
COMMUNITY ASPHALT CORP.			(2009)	FC95		RIDE	7.6	7.6	7.7	7.5	7.3	7.3	7.3	7.3	7.4	7.3	7.3	7.3	7.3	7.0
88010000	14.860	18.770	R	1	1	CRACKING	8.0	7.0	6.0*	5.5*	3.5*	3.5*	3.5*	1.5*	1.5*		10.0	10.0	10.0	
5 1			2	50	23500	RIDE	8.8	8.8	8.8	7.7	8.3	7.2	6.7	6.4*	6.6		7.8	7.7	7.7	
IRBY LN(15.6R)																				
2286151	14.911	18.806	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5
COMMUNITY ASPHALT CORP.			(2009)	FC5		RIDE	7.7	7.7	7.8	7.7	8.0	8.0	8.0	8.0	8.0	8.1	8.0	8.0	8.0	8.0
4498121	14.548	18.770	C	2027	0012															
88010000	18.770	19.940	R	1	1	CRACKING	6.5	6.5	7.0	6.0*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
5 1			2	35	22000	RIDE	7.4	7.3	7.3	6.9		7.7	7.5	7.1	7.5	7.6	7.5	7.3	7.3	
CR 512(18.8C)																				
2286031	18.740	22.269	C	2001	0012	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	5.3
COMMUNITY ASPHALT CORP.			(2004)	DGFC		RIDE	7.3	7.2	7.4	7.2	7.4	7.3	7.1	7.0	7.0	6.8	7.0	6.9	6.8	6.7
4323251	18.760	20.221	C	2023	0012															
88010000	19.940	22.269	R	1	1	CRACKING	8.0	8.0	8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
5 1			2	45	22500	RIDE	8.8	8.8	8.7	8.6	8.5	7.9	7.9	7.8	8.1	8.1	8.1	7.9	7.9	
MADISON ST(20.2R)																				
2286031	18.740	22.269	C	2001	0012	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	5.7
COMMUNITY ASPHALT CORP.			(2004)	DGFC		RIDE	7.8	7.7	7.8	7.8	7.7	7.7	7.7	7.6	7.5	7.5	7.4	7.5	7.4	7.3
4476461	20.215	22.269	C	2024	0012															
88010000	19.940	22.269	L	1	1	CRACKING	7.0	7.0	5.0*	5.0*	5.0*	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	
5 1			2	45	22500	RIDE	8.9	8.9	8.9	8.5	8.6	7.8	7.8	7.6	8.0	8.0	8.0	8.0	8.0	
DAVIS ST(20.2L)																				
2286031	18.740	22.269	C	2001	0012	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.0
COMMUNITY ASPHALT CORP.			(2004)	DGFC		RIDE	7.7	7.9	7.9	7.9	7.7	7.7	7.7	7.6	7.6	7.5	7.5	7.6	7.5	7.5
4476461	20.215	22.269	C	2024	0012															
88010000	18.770	19.940	L	1	1	CRACKING	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1			2	35	22000	RIDE	7.5	7.4	7.4	7.0		7.6	7.4	7.2	7.5	7.5	7.5	7.4	7.3	
CR 512(18.8C)																				
2286031	18.740	22.269	C	2001	0012	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	5.1
COMMUNITY ASPHALT CORP.			(2004)	DGFC		RIDE	7.3	7.2	7.2	7.1	7.2	7.0	7.1	6.9	6.9	6.9	6.8	6.7	6.7	6.6
4323251	18.760	20.221	C	2023	0012															
88010000	14.860	18.770	L	1	1	CRACKING	6.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.0*	3.5*		10.0	10.0	10.0	
5 1			2	50	23500	RIDE	8.7	8.7	8.6	7.3	8.3	7.2	6.9	6.7	6.9		7.6	7.5	7.5	
93 ST(15.4L)																				
2286151	14.911	18.806	C	2006	0012	CRACKING	10.0	9.5	9.5	8.0	8.0	8.0	8.0	7.5	7.5	4.5*	4.5*	4.5*	4.5*	2.5
COMMUNITY ASPHALT CORP.			(2009)	FC5		RIDE	7.5	7.5	7.6	7.5	7.8	7.8	7.8	7.7	7.8	7.8	7.8	7.8	7.8	7.8
4498121	14.548	18.770	C	2027	0012															
88010000	13.625	14.860	L	1	1	CRACKING	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	4.5*	4.5*		10.0	10.0	10.0	
5 1			2	45	26000	RIDE	8.8	8.9	8.8	8.2	8.5	7.8	7.6	7.4	7.6		8.3	8.2	8.2	
81 ST(13.7C)																				
2286231	7.277	14.800	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.7
COMMUNITY ASPHALT CORP.			(2009)	FC95		RIDE	8.2	8.2	8.1	8.1	7.9	7.5	7.9	7.7	7.6	7.8	7.7	7.7	7.6	7.3

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****															
ITMSEG-P	(AGE_ONE YEAR)	YEAR	YEAR	SURF_TYPE	WKM-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR																(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
88060000	31.798	32.316	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5		10.0	10.0		
60			2	45	32000	RIDE	7.2	7.1	7.1	6.9	6.8	6.4*	6.9	6.1	6.1	5.7		7.4	7.1		
FRONTAGE ROAD(31.8R)																					
4035961	30.868	33.296	R	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	8.0	8.0
COMMUNITY ASPHALT CORP.				(2010)	FC125	RIDE	7.6	7.6	7.5	7.5	7.1	7.4	7.2	7.1	6.9	6.9	6.7	6.8	6.5	6.4	6.4
88060000	31.798	32.316	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5	6.5		10.0	10.0		
60			2	45	32000	RIDE	8.1	8.1	7.8	7.6	7.7	7.1	7.0	6.8	6.7	6.8		7.6	7.2		
SPUR(31.8L)																					
4035961	30.868	33.296	L	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.2	8.2
COMMUNITY ASPHALT CORP.				(2010)	FC125	RIDE	7.6	7.6	7.5	7.5	6.6	7.0	7.3	7.3	6.5	6.9	6.5	6.8	6.6	6.2	6.2
88060000	31.196	31.798	L	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.5*	4.5*	4.5*		10.0	10.0		
60			2	45	34000	RIDE	6.5	6.4*	6.3*	6.6	6.0*	5.7*	5.5*	5.1*	5.5	5.5		7.4	7.5		
SPUR(31.2L)																					
4035961	30.868	33.296	L	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.2	8.2
COMMUNITY ASPHALT CORP.				(2010)	FC125	RIDE	7.2	7.3	7.1	7.2	6.6	6.8	6.7	6.4	6.2	6.7	6.8	6.5	6.6	6.0	6.0
88060000	30.920	31.196	L	1	1	CRACKING	10.0	9.5	9.5	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0		
60			2	40	8400	RIDE	8.3	7.7	7.9	7.1	7.5	7.0	7.3	6.9	7.1	7.2	7.5	6.7	6.4		
88060001/20 ST(30.9L)																					
4035961	30.868	33.296	L	2007	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	6.2	6.2
COMMUNITY ASPHALT CORP.				(2010)	FC125	RIDE	7.0	6.7	6.9	6.9	7.2	7.1	6.9	6.6	6.9	6.4	6.5	6.4	5.9	5.9	5.9
4484431	29.564	31.253	C	2028	0012																
88060000	27.151	27.920	L	1	1	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0		
60			3	45	28000	RIDE	7.9	7.9	7.8	7.2	7.5	7.3	7.1		8.2	7.9	8.1	8.0	8.1		
CR 613(27.2C)																					
2285681	27.101	28.086	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.3	8.3
COMMUNITY ASPHALT CORP.				(2007)	FC125	RIDE	7.8	7.6	7.8	7.7	8.1	7.8	7.9	7.8	8.1	7.9	7.9	8.0	8.1	7.9	7.9
88060001	0.000	1.364	C	1	1	CRACKING	9.5	9.5	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	4.5*		10.0	10.0		
60			4	40	8600	RIDE	7.9	7.8	7.7	7.0	7.3	7.2	6.6	6.7	6.9	6.7		7.5	7.4		
SIXTH AVE( 0.0C)																					
4035961	0.268	0.895	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	7.0	5.9	5.9
COMMUNITY ASPHALT CORP.				(2010)	DGFC	RIDE	7.3	7.5	7.3	7.2	7.1	6.6	6.8	7.0	6.7	6.6	6.9	6.8	6.6	6.3	6.3
4484431	0.000	1.364	C	2028	0012																
88070000	15.395	22.364	C	1	1	CRACKING	6.0*	6.0*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5		
60			2	50	6800	RIDE	8.1	8.0	7.9	7.4	7.6	8.2	8.2	8.0	8.2	8.2	8.1	7.9	7.9		
SANDPIPER W(15.4L)																					
2286051	15.184	22.686	C	2002	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	5.9	5.9
COMMUNITY ASPHALT CORP.				(2004)	FC125	RIDE	7.7	7.6	7.5	7.5	7.4	7.4	7.3	7.2	7.2	7.0	7.1	7.0	6.9	6.9	6.5
4456182	15.395	21.945	C	2026	0012																
88470000	5.200	7.992	R	5	1	CRACKING	9.5	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5		
91			2	70	36700	RIDE	9.0	9.0	8.8	8.0	8.4		8.0	8.0	8.2	8.1	8.1	8.0	8.0		
10.4																					
4351671	5.200	8.000	C	2017	0012	CRACKING	9.5	9.5	9.5	8.0	7.0	7.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2020)	FC5M	RIDE	7.9	7.8	7.7	7.6	8.0	7.9	7.9		9.1	9.0	9.0	9.0	9.0	8.9	8.9
88470000	5.200	7.992	L	5	1	CRACKING	9.5	9.5	9.5	8.0	8.0		10.0	10.0	10.0	10.0	10.0	9.5	9.5		
91			2	70	36700	RIDE	9.0	9.0	8.9	8.3	8.5		7.7	7.8	8.0	8.0	8.0	7.9	7.9		
10.4																					
4351671	5.200	8.000	C	2017	0012	CRACKING	9.5	9.5	9.5	8.0	7.0	7.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2020)	FC5M	RIDE	7.9	7.8	7.8	7.7	7.9	7.8	7.8		9.1	9.1	9.1	9.1	9.1	9.1	9.1
89010000	7.256	9.171	R	1	1	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*		10.0	10.0	10.0	10.0		
5			2	45	24500	RIDE	8.3	8.2	7.9	7.5	7.7	6.4*	6.2*	5.6		7.4	7.4	7.5	7.5		
SIDE ROAD( 7.5R)																					
2288511	7.268	9.171	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	8.6
COMMUNITY ASPHALT CORP.				(2008)	FC5	RIDE	7.4	7.5	7.4	7.1	7.6	7.4	7.4	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
4484471	5.050	11.140	C	2026	0012																
89010000	14.722	16.295	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5		
5			3	45	39000	RIDE	8.3	8.2	8.2	7.4	8.1	7.6	7.6	7.5	7.5	7.2	6.9	7.2	7.1		
BROOK ST SE R(14.8R)																					
4360961	14.710	16.320	C	2018	0012	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2021)	FC95M	RIDE	6.9	7.1	6.8	6.8	7.3	7.1	7.1	7.3		8.1	8.1	8.1	8.1	8.1	8.1

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		W_BMP W_EMP		FW	FY-P	WKM-F	*****														
CONTRACTOR (AGE_ONE YEAR)		SURF_TYPE		RW	FY-F	WKM-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F		W_BMP W_EMP		RW	FY-F	WKM-F	(REG)														
89010000	14.722	16.295	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	
5	1			3	45	39000	8.4	8.2	8.1	8.1	8.0	7.6	7.4	7.5	7.4	7.5	7.3	7.4	7.3		
SUNSHINE NOB MANOR(14.8L) 4.9																					
4360961	14.710	16.320	C	2018	0012	CRACKING	8.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2021)	FC95M	RIDE	7.2	7.5	7.4	7.3	7.4	7.2	7.4	7.4		8.0	8.0	7.9	8.0	7.9	
89010000	7.256	9.171	L	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0		
5	1			2	45	24500	8.3	8.1	8.1	8.1	7.9	7.0	6.8	6.2		7.2	7.2	7.3	7.3		
ALGOZZINI ST SE( 7.5L) 9.0																					
2288511	7.268	9.171	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	
COMMUNITY ASPHALT CORP.				(2008)	FC5	RIDE	7.2	7.2	7.2	7.1	7.2	7.1	7.2	7.2	7.2	7.2	7.1	7.1	7.2	7.1	
4484471	5.050	11.140	C	2026	0012																
-----																					
89040000	5.738	8.110	C	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0		
5	1			2	45	8715	7.8	7.6	7.4	7.6	7.3	6.8	6.7		8.0	8.0	8.0	8.0	7.8		
NE SHORE VILLAGE TER( 5.7L) 4.1																					
4051671	5.685	8.669	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	5.3	
COMMUNITY ASPHALT CORP.				(2007)	FC95	RIDE	8.0	7.9	8.0	7.5	7.9	7.6	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.3	
4476501	5.738	8.110	C	2026	0012																
-----																					
89040000	8.110	8.630	C	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0		
5	1			1	35	15900	7.8	7.6	7.4	7.6	7.3	6.8	6.7		8.0	8.0	8.0	8.0	7.8		
JENSEN BEACH CLUB( 8.3L) 4.0																					
4051671	5.685	8.669	C	2004	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.2	
COMMUNITY ASPHALT CORP.				(2007)	FC95	RIDE	7.6	7.8	7.8	7.3	7.3	7.2	7.2	7.5	7.5	7.5	7.3	7.4	7.1	7.3	
-----																					
89050000	0.000	1.182	C	1	1	CRACKING	8.0	7.0	6.0*	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*		10.0	10.0	10.0		
15	98			2	55	5000	8.0	8.1	7.8	7.6	7.5	7.0	6.6	6.3*	6.2*		8.4	8.3	8.3		
42.9																					
4114361	0.000	1.182	C	2007	0012	CRACKING	9.5	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	4.1	
COMMUNITY ASPHALT CORP.				(2009)	DGFC	RIDE	8.2	8.0	7.9	7.5	7.3	7.1	6.9	6.7	6.3*	6.2*	6.0*	6.0*	6.0*	5.0	
4461711	0.000	1.718	C	2023	0012																
-----																					
89050000	2.658	12.333	C	1	1	CRACKING		10.0	10.0	9.5	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*		
15	98			2	55	3000		8.6	8.5	8.3	8.3	7.4	7.3	7.0	7.2	6.7	6.4*	6.3*	6.2*		
PORT MAYACA DR( 6.9R) 39.7																					
4168881	2.658	12.333	C	2010	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	3.6	
COMMUNITY ASPHALT CORP.				(2012)	FC95	RIDE	8.5	8.3	8.1	7.8	7.6	7.1	7.4	7.2	7.1	6.8	6.7	6.3*	6.2*	5.3	
4461711	2.184	12.333	C	2023	0012																
-----																					
89060000	1.843	9.918	C	1	1	CRACKING	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	
5	1			2	55	2900	8.1	8.5	8.4	8.3	8.3	7.3	7.4	7.2	7.1	7.0	6.6	6.8	6.7		
LAKE POINT CIR SW( 2.1R) 43.8																					
4229531	1.810	9.918	C	2011	0012	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.3	
COMMUNITY ASPHALT CORP.				(2014)	FC95	RIDE	6.4*		8.7	7.7	6.8	7.3	8.0	8.0	7.9	7.8	7.6	7.4	7.5	7.4	
-----																					
89060000	12.487	14.400	C	1	1	CRACKING	9.5	7.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	2.0*	10.0	10.0	10.0		
5	1			2	55	4300	8.8	8.5	8.5	8.5	8.6	8.1	7.8	7.6	7.5	7.3	7.7	7.6	7.8		
15.9																					
4138021	12.487	14.400	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.0	7.0	7.0	6.0*	5.5*	3.5*	3.3	
COMMUNITY ASPHALT CORP.				(2009)	FC5	RIDE	7.8	7.7	7.7	7.6	7.7	7.7	7.8	7.8	7.8	7.8	7.8	7.6	7.7	7.7	
4461121	12.487	14.400	C	2023	0012																
-----																					
89090000	5.222	6.375	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5		10.0	10.0	10.0		
5	1			2	45	14900	8.3	8.3	8.2	7.7	8.2	7.7	7.5	7.2	6.7		8.2	8.2	8.2		
ACCESS RD( 5.2R) 12.8																					
4114351	5.222	6.137	R	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2009)	DGFC	RIDE	8.1	8.0	7.9	7.8	7.6	7.5	7.7	7.7	7.6	7.6	7.6	7.7	7.6	7.3	
-----																					
89090000	6.375	10.440	C	1	1	CRACKING	7.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0		
5	1			2	50	14900	8.7	8.5	8.4	8.3	8.5	7.9	7.7	7.4	7.5		8.4	8.5	8.5		
MARTIN COUNTY LANDFILL R( 7.0L) 12.8																					
4114351	7.209	9.965	C	2006	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	
COMMUNITY ASPHALT CORP.				(2009)	DGFC	RIDE	8.5	8.5	8.4	8.2	8.0	7.9	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.0	
4484461	6.375	9.998	C	2026	0012																
-----																					
89090000	13.849	14.226	R	1	1	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0		
5	1			2	35	37500	7.0	6.1*	6.2*	6.2	6.2	5.2*	5.6	6.6	6.2	6.6	6.7	6.4	6.7		
FEROE AVE SW(13.9C) 5.7																					
2288501	13.835	14.660	C	2004	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	
COMMUNITY ASPHALT CORP.				(2006)	DGFC	RIDE	6.7	6.6	6.6	6.6	5.7	5.4*	5.6	5.7	5.6	5.3*	5.1*	5.3*	5.2*	4.7	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	WKM	*****														
ITMSEG-P	(AGE_ONE	YEAR)	YEAR	WKM	TYPE	TYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	WKM															
93001000	4.127	6.117	L	1	1	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*	5.5*	3.5*		
786			3	45	51000	RIDE	7.8	7.4	7.5	8.0	7.7	6.5	6.9	6.9	7.0	6.9	6.7	6.7	6.8		
OLD PALM DR( 4.5L)																					
4216821	4.127	5.860	C	2011	0012	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.4
COMMUNITY ASPHALT CORP.				(2013)	FC125	RIDE	6.6	8.4	8.3	8.1	8.1	8.0	7.7	7.6	7.8	7.8	7.8	7.8	7.8	7.8	7.4
-----																					
93004000	0.000	4.647	R	1	1	CRACKING	10.0	9.0	8.0	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*			
808			3	45	43500	RIDE	8.4	8.3	8.3	8.1	7.8	7.5	7.6	7.4	7.5	7.4	7.3	7.2			
SR 7( 0.0C)																					
4153081	2.020	4.779	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
COMMUNITY ASPHALT CORP.				(2012)	FC95	RIDE	8.8	8.6	8.6	8.5	8.5	8.5	7.9	7.7	7.8	7.9	7.9	7.9	7.8	8.0	7.3
-----																					
93004000	2.500	4.647	L	1	1	CRACKING	10.0	9.0	8.0	7.5	7.5	7.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*			
808			3	45	43500	RIDE	8.1	8.1	8.1	8.1	7.9	7.4	7.4	7.3	7.4	7.3	7.2	7.2			
BOCA WEST DR( 2.7L)																					
4153081	2.020	4.779	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.9
COMMUNITY ASPHALT CORP.				(2012)	FC95	RIDE	8.8	8.7	8.6	8.5	8.5	8.5	7.8	7.8	8.0	7.9	8.0	7.9	8.3	7.5	7.9
-----																					
93005000	1.549	2.780	R	1	1	CRACKING	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
794			3	45	50500	RIDE	7.3	7.4	6.9	7.1	7.4	8.0	7.5	7.8	8.0	7.7	7.8	7.9	7.2		
NW 4TH AVE( 2.1R)																					
2297581	1.174	2.780	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.6	7.6
COMMUNITY ASPHALT CORP.				(2004)	FC125	RIDE	7.5	7.4	7.6	7.3	7.8	7.7	7.6	7.0	7.2	7.3	7.3	7.5	7.3	7.5	7.1
4476571	2.128	2.761	C	2025	0012																
-----																					
93005000	1.549	2.780	L	1	1	CRACKING	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
794			3	45	50500	RIDE	7.2	7.0	6.9	6.9	7.5	7.7	7.6	7.7	7.7	7.7	7.7	8.1	7.7	7.5	
NW 5TH AVE( 2.1L)																					
2297581	1.174	2.780	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.6
COMMUNITY ASPHALT CORP.				(2004)	FC125	RIDE	7.3	7.2	7.3	7.0	7.5	7.6	6.5	6.6	6.8	7.1	7.1	7.1	7.1	7.0	6.6
4476571	2.128	2.761	C	2025	0012																
-----																					
93006000	2.078	4.225	R	1	1	CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
807			3	40	39000	RIDE	6.9	6.9		8.7	8.5	7.9	7.9	8.0	8.2	8.0	8.0	8.0	7.9	7.8	
LAKE WORTH RD( 2.1C)																					
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0
COMMUNITY ASPHALT CORP.				(2002)	FC3	RIDE	7.8	7.5	7.4	7.5	7.8	7.8	7.7	7.5	7.6	7.6	7.6	7.6	7.6	7.5	7.2
-----																					
93006000	4.225	4.534	R	1	1	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
807			3	40	36000	RIDE	7.0	7.0		8.0	7.6	7.1	7.4	7.3	7.6	7.3	7.2	7.2	7.5		
APALACHEE RD( 4.3R)																					
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0
COMMUNITY ASPHALT CORP.				(2002)	FC3	RIDE	7.5	7.0	6.9	6.9	7.3	7.5	7.3	6.9	7.3	7.1	7.3	7.3	6.9	7.1	6.9
-----																					
93006000	4.534	5.462	R	1	1	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
807			3	40	32500	RIDE	7.0	7.0		8.5	8.7	8.1	7.6	7.9	8.1	8.0	8.0	8.0	7.7	7.8	
CHEROKEE RD( 4.6R)																					
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5
COMMUNITY ASPHALT CORP.				(2002)	FC3	RIDE	7.8	7.6	7.3	7.2	7.6	7.6	7.5	7.4	7.4	7.4	7.3	7.3	7.3	7.2	6.9
-----																					
93006000	4.563	5.462	L	1	1	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
807			3	40	32500	RIDE	6.6	6.4*		8.7	8.0	8.0	8.1	8.2	8.1	8.1	8.1	8.0	8.0		
MELALEUCA DR( 4.7C)																					
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.1
COMMUNITY ASPHALT CORP.				(2002)	FC3	RIDE	8.0	8.0	7.9	7.8	8.0	8.1	7.9	7.8	7.9	7.8	7.8	7.8	7.6	7.8	7.6
-----																					
93006000	4.250	4.563	L	1	6	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
807			3	40	32500	RIDE	7.2	7.2		8.4	8.3	7.6	7.7	7.6	7.7	7.6	7.6	7.5	7.4		
FOREST HILL BLVD( 4.4C)																					
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0
COMMUNITY ASPHALT CORP.				(2002)	FC3	RIDE	7.3	7.1	7.0	6.9	7.1	7.3									
-----																					
93006000	2.078	4.250	L	1	1	CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
807			3	40	36000	RIDE	5.9*	5.9*		8.5	8.3	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.6	7.4	
LAKE WORTH RD( 2.1C)																					
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0
COMMUNITY ASPHALT CORP.				(2002)	FC3	RIDE	7.5	7.3	7.2	7.2	7.5	7.5	7.3	7.0	7.1	7.1	7.1	7.1	6.6	7.1	6.6

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	*****															
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	(REG)
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
93010000	15.117	17.435	R	1	1	CRACKING	9.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	
5 1			2	40	19400	RIDE	8.0	7.9	7.8	7.6	7.5	7.0	7.0	6.8	6.9	6.8	6.6	6.4	6.2		
OCEAN INLET(15.2R)																					
4153111	15.117	17.435	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.3	
COMMUNITY ASPHALT CORP.				(2012)	FC125	RIDE	7.9	7.8	7.7	7.7	7.3	7.2	7.1	7.0	7.1	7.1	7.1	7.0	7.0	6.3	
-----																					
93010000	15.117	17.435	L	1	1	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	5.5*	5.5*	5.5*		
5 1			2	40	19400	RIDE	8.1	8.1	8.0	7.9	7.6	7.3	7.3	7.2	7.3	7.2	7.0	7.0	6.3		
NE 22 LN(15.7L)																					
4153111	15.117	17.435	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2012)	FC125	RIDE	7.9	7.9	7.8	7.6	7.3	7.3	7.0	7.0	7.1	7.1	7.1	7.1	7.0	6.5	
-----																					
93040000	5.869	9.838	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5		
5 1			2	45	29500	RIDE	8.2	8.6	8.6	8.8	8.3	7.8	7.9	7.8	8.0	7.8	7.8	7.6	7.5		
DONALD ROSS RD( 5.9C)																					
4229641	2.389	9.468	L	2011	0012	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
COMMUNITY ASPHALT CORP.				(2014)	FC125	RIDE	7.5	7.3	8.1	8.2	8.0	8.0	7.9	7.7	7.9	7.9	7.9	7.9	7.9	7.7	
-----																					
93040000	3.447	5.869	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5		
5 1			2	45	27500	RIDE	8.2	8.6	8.6	8.8	8.3	7.8	7.9	7.8	8.0	7.8	7.8	7.6	7.5		
KATHY LN( 3.5L)																					
4229641	2.389	9.468	L	2011	0012	CRACKING	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2015)	FC125	RIDE	7.5	7.3	7.1	8.3	8.1	8.0	8.1	8.0	8.0	8.0	8.1	8.0	8.0	7.9	
-----																					
93040000	2.290	3.447	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5		
5 1			2	45	29500	RIDE	8.2	8.6	8.6	8.8	8.3	7.8	7.9	7.8	7.8	8.0	7.8	7.8	7.6	7.2	
GOLFVIEW RD( 2.6L)																					
4229641	2.389	9.468	L	2011	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0
COMMUNITY ASPHALT CORP.				(2014)	FC125	RIDE	7.2	7.1	8.1	8.1	7.7	7.7	7.4	7.3	7.5	7.4	7.6	7.7	7.7	7.3	
-----																					
93050000	0.000	1.540	C	1	1	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
805 1			4	35	14900	RIDE	7.2		8.4	8.3	8.0	7.7	7.8	7.6	7.7	7.6	7.7	7.5	7.2		
SR-5/FEDERAL HWY( 0.0R)																					
2290881	0.000	1.278	C	1998	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	
COMMUNITY ASPHALT CORP.				(2001)	FC3	RIDE	7.3	7.0	6.7	6.8	6.8	6.7	6.6	6.2	6.4	6.3	6.2	6.1	5.9	5.4	
-----																					
93050000	1.540	1.921	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.5	7.5	
805 1			2	35	21000	RIDE	7.5	7.0	7.5	7.3	7.3	6.9	6.6	6.5	6.7	6.8	6.8	6.7	6.7		
1ST AVE S( 1.6R)																					
2294251	1.278	2.680	C	1998	0005	CRACKING	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	3.7
COMMUNITY ASPHALT CORP.				(1999)	FC3	RIDE	6.6	6.3	6.2	6.1	5.6	5.2*	5.5	5.0*	5.0*	5.1*	5.1*	4.9*	5.1*	4.3	
-----																					
93050000	3.700	4.166	C	1	1	CRACKING	6.5	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
805 1			4	35	25500	RIDE	7.0	6.7	6.6	6.6		7.3	7.2	7.3	7.3	6.9	6.9	6.9	6.8		
ARLINGTON RD( 3.7R)																					
2297541	3.725	5.874	C	2001	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5
COMMUNITY ASPHALT CORP.				(2004)	FC125	RIDE	7.0	6.8	6.8	6.8	6.3	6.3	6.3	5.7	6.0	6.2	6.0	6.2	6.0	5.5	
-----																					
93050000	4.166	5.860	C	1	1	CRACKING	6.5	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
805 1			4	35	25500	RIDE	7.0	6.7	6.6	6.6		7.3	7.2	7.3	7.3	7.5	7.5	7.4	7.1		
DESOTA RD( 4.2R)																					
2297541	3.725	5.874	C	2001	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
COMMUNITY ASPHALT CORP.				(2004)	FC125	RIDE	7.0	7.2	7.2	7.2	6.4	6.4	6.5	6.3	6.3	6.3	6.3	6.0	6.2	5.7	
-----																					
93050000	1.540	1.921	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	
805 1			2	35	21000	RIDE	7.5	7.0	7.5	7.3	7.3	6.9	6.6	6.5	6.8	6.7	6.8	6.5	6.5		
FIRST AVE S( 1.6L)																					
2294251	1.278	2.680	C	1998	0005	CRACKING	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	4.1
COMMUNITY ASPHALT CORP.				(1999)	FC3	RIDE	6.5	6.3	6.0	5.9	5.3*	5.3*	5.4*	5.2*	5.2*	5.3*	5.5	5.3*	5.0*	4.5	
-----																					
93080000	3.995	5.830	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	
A1A			2	45	9300	RIDE	8.2	8.1	8.1	8.1	7.8	7.6	7.6	7.5	7.7	7.7	7.7	7.5	7.4		
MC ARTHUR PARK( 4.2R)																					
2296081	4.006	6.183	C	1995	0215	CRACKING	8.5	8.5	8.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	5.5	
COMMUNITY ASPHALT CORP.				(1998)	DGFC	RIDE	7.3	7.4	7.3	7.3	6.9	6.9	6.9	6.8	6.7	6.6	6.7	6.5	6.6	6.2	
4461761	3.995	5.830	C	2024	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	ADT	*****														
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	ADT	TYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	ADT														(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	ADT															
93080000	5.830	6.207	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	6.5	6.5	6.5	6.5	
A1A			2	35	10900	RIDE	6.7	6.4*	6.7	7.2	6.7	6.6	6.7	6.2	6.6	5.9	5.9	6.4	5.8		
PORTAGE LANDING N( 5.8R)					2.6																
4229841	5.945	6.207	C	2011	0012	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2014)	DGFC	RIDE	5.7		7.6	7.6	6.7	6.4	5.9	5.3*	6.3	5.9	5.7	5.9	5.7	5.7	4.5
93090000	11.382	11.689	R	1	6	CRACKING	9.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	3.5*	5.5*	5.5*	5.5*	10.0	
811			3	45	42000	RIDE	7.4	7.3	7.0	7.3	6.7	6.3*	6.2*	6.6	5.9	5.7	6.1	6.2	8.0		
RIVERSIDE DR(11.4C)					7.3																
4196481	11.426	11.576	R	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2011)	DGFC	RIDE	8.2	7.3	7.3	6.9	7.2	7.2	6.6	6.5	6.8						
93090000	11.382	11.689	L	1	6	CRACKING	9.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	6.5	6.5	6.5	4.5*	10.0		
811			3	45	42000	RIDE	7.8	7.3	7.5	7.4	7.2	6.5	6.7	6.7	6.5	4.9*	5.3*	4.9*	7.6		
RIVERSIDE DR(11.4C)					7.3																
4196481	11.426	11.576	L	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
COMMUNITY ASPHALT CORP.				(2011)	DGFC	RIDE	7.3	7.4	7.1	7.1	7.5	7.4	7.6	7.6	6.9	7.0	7.3				
93110000	0.000	2.620	R	1	1	CRACKING	10.0	9.0	8.0	7.5	5.5*	4.0*	4.0*	4.0*	4.0*	1.5*	1.0*		10.0		
80			2	45	20500	RIDE	8.0	8.0	8.0	8.0	7.5	6.9	6.7	6.1	6.3	5.9	5.6		7.8		
PALM BEACH RD E( 0.0C)					18.8																
4153151	0.000	2.620	C	2009	0012	CRACKING	10.0	10.0	10.0	8.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	1.0*	0.0	
COMMUNITY ASPHALT CORP.				(2011)	FC5	RIDE	7.8	7.9	7.8	7.8	7.9	7.8	7.5	7.4	7.7	7.5	7.5	7.2	7.0	7.0	
4461001	0.094	2.456	C	2023	0012																
93110000	0.000	2.623	L	1	1	CRACKING	10.0	9.0	9.0	7.5	5.5*	4.0*	4.0*	4.0*	4.0*	4.0*	3.5*		10.0		
80			2	45	20500	RIDE	8.4	8.3	7.8	8.3	7.9	7.3	7.1	6.9	6.8	6.7	6.5		8.0		
PALM BEACH RD E( 0.0C)					18.8																
4153151	0.000	2.620	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0	5.7	
COMMUNITY ASPHALT CORP.				(2011)	FC5	RIDE	8.0	8.0	8.0	8.0	8.1	8.1	8.1	7.9	8.1	8.0	8.0	8.0	8.0	8.0	
4461001	0.094	2.456	C	2023	0012																
93120000	1.632	9.218	R	1	1	CRACKING	8.5	8.0	6.0*	5.0*	5.0*	5.0*	3.5*	2.5*	2.5*			10.0	10.0		
80 98			3	55	17600	RIDE	8.6	8.5	8.2	8.4	7.9	7.1	7.0	6.8	6.9			8.0	8.1		
WATER TREATMNT PLANT( 1.7R)					14.3																
4193452	1.725	8.704	R	2018	0218	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0		
COMMUNITY ASPHALT CORP.				(2023)	FC5M	RIDE	8.1	8.0	8.1	8.1	8.1	8.1	8.0	7.9	8.0			8.2	8.3		
93120000	11.164	12.202	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0						10.0	10.0		
80 98			3	50	76055	RIDE	8.5	8.3	8.3	8.1	8.1	7.4						8.1	8.1		
2294981	11.164	13.740	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2010)	FC125	RIDE	8.2	8.2	8.3	8.2	7.8	7.8	7.8	7.7	7.7	7.7	7.7	7.7	7.7	7.4	
93120000	12.202	13.915	R	1	1	CRACKING	9.0	9.0	9.0	8.0	8.0							10.0	10.0		
80 98			4	50	65000	RIDE	8.1	8.1	7.9	7.9	7.6	7.3						8.4	8.2		
LYONS RD(12.8R)					8.9																
2294981	11.164	13.740	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2010)	FC125	RIDE	8.2	8.3	8.2	8.3	8.1	8.0	8.0	7.8	7.9	7.8	8.0	7.9	7.9	7.6	
93120000	13.915	15.072	R	1	1	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0						10.0	10.0		
80 98			4	50	65000	RIDE	8.1	8.1	7.9	7.9	7.6	7.3						8.1	8.2		
2294991	13.709	15.902	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2008)	FC125	RIDE	8.1	8.1	8.1	8.1	7.7	7.7	7.7	7.6	7.6	7.6	7.5	7.6	7.5	7.2	
93120000	15.072	15.486	R	1	1	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0						10.0	10.0		
80 98			3	50	82500	RIDE	8.1	8.1	7.9	7.9	7.6	7.3						8.1	8.0		
2294991	13.709	15.902	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2008)	FC125	RIDE	8.1	8.1	8.2	7.9	7.6	7.7	7.6	7.5	7.2	7.3	7.3	7.4	7.6	7.0	
93120000	15.486	16.161	R	1	1	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0						10.0	10.0		
80 98			4	50	82500	RIDE	8.1	8.1	7.9	7.9	7.6	7.3						8.4	8.3		
2294991	13.709	15.902	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2008)	FC125	RIDE	8.3	8.3	8.3	8.3	8.0	8.0	8.0	7.8	8.0	7.9	8.0	8.0	8.0	7.7	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-F															(REG)
CONTRACTOR																				
ITMSEG-F																				
93120000	20.393	21.111	C	1	1	CRACKING	10.0	10.0	9.0	8.0	7.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	
80 98			4	35	31000	RIDE	6.2*	6.4*	6.8	5.9	6.3	6.8	5.5	7.9	4.0*	5.6	5.5	5.6	5.9	
LAKE AVE(20.5C)																				
4229871	20.393	20.812	C	2011	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8
COMMUNITY ASPHALT CORP.				(2013)	FC95	RIDE		7.1	7.1	6.6	6.5	5.7	5.8	5.9	5.4*	5.5	5.6	5.3*	5.1*	4.1
4461011	20.379	21.111	C	2023	0012															
93120000	21.232	21.945	C	1	8	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	10.0	10.0	10.0	10.0	
80			2	35	9100	RIDE	7.1	6.7	6.1*	6.7	6.4	5.7	6.1	6.3	6.4	7.1	6.8	6.8	6.6	
FLAGLER DR(21.2C)																				
4136801	21.467	21.824	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2008)	FC4	RIDE	7.0	7.0	7.0	6.2	5.9	5.7	5.2*	4.8*						
-----																				
93120000	14.942	15.652	L	1	1	CRACKING	8.5	8.0	8.0	8.0	8.0	8.0			10.0	10.0	10.0	10.0		
80 98			3	50	82500	RIDE	7.2	6.9	7.3	7.3	6.8	6.2*			8.2	8.1	8.1	8.1		
TALL PINES RD(15.0L)																				
2294991	13.709	15.902	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2008)	FC125	RIDE	8.0	8.1	8.1	8.0	7.7	7.7	7.6	7.6	7.6	7.6	7.7	7.5	7.5	7.2
-----																				
93120000	13.915	14.942	L	1	1	CRACKING	8.5	8.0	8.0	8.0	8.0	8.0			10.0	10.0	10.0	10.0		
80 98			4	50	65000	RIDE	7.2	6.9	7.3	7.3	6.8	6.2*			8.2	8.0	8.0	8.2		
DRAWY RD(14.1L)																				
2294991	13.709	15.902	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2008)	FC125	RIDE	8.1	7.9	8.1	7.9	8.0	7.9	7.6	7.6	7.8	7.9	7.9	7.7	7.8	7.6
-----																				
93120000	12.147	13.915	L	1	1	CRACKING	8.5	8.0	8.0	8.0	8.0	8.0					10.0	10.0		
80 98			4	50	65000	RIDE	7.2	6.9	7.3	7.3	6.8	6.2*					8.1	8.0		
SUNSHINE RD(12.2L)																				
2294981	11.164	13.740	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5
COMMUNITY ASPHALT CORP.				(2010)	FC125	RIDE	8.0	8.0	7.9	7.9	7.9	8.0	7.8	7.7	7.9	7.8	7.9	8.0	7.9	7.8
-----																				
93120000	11.300	12.147	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0					10.0	10.0		
80 98			3	50	76055	RIDE	8.1	8.1	7.7	7.8	7.8	7.4					8.2	8.2		
SR 7(11.7L)																				
2294981	11.164	13.740	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2010)	FC125	RIDE	8.2	8.3	8.2	8.3	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.5
-----																				
93120000	1.632	9.218	L	1	1	CRACKING	10.0	8.0	7.5	7.5	7.0	6.5	5.5*	5.5*	3.5*		10.0	10.0		
80 98			3	55	17600	RIDE	8.8	8.8	8.7	8.7	8.4	7.6	7.6	7.5	7.9		8.2	8.2		
TRACTOR CROSSING( 1.7L)																				
4193452	1.725	8.800	L	2018	0218	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0		
COMMUNITY ASPHALT CORP.				(2023)	FC5M	RIDE	8.2	8.1	8.1	8.1	8.1	8.1	8.0	7.8	8.0		8.3	8.3		
-----																				
93121000	0.000	1.054	C	1	1	CRACKING												6.0*	6.0*	
812			2	45	5100	RIDE												4.9*	5.1*	
SR 715( 0.0C)																				
4260531	0.028	1.034	C	2015	0012	CRACKING	5.5*	5.5*	3.5*	3.5*	3.0*	10.0	10.0	9.5	9.5	9.5	9.5	6.0*	6.0*	3.9
COMMUNITY ASPHALT CORP.				(2017)	FC95M	RIDE	4.1*	3.9*	4.3*	3.9*	4.0*	7.7	7.4	7.1	7.1	6.8	6.8	6.4	6.5	5.5
-----																				
93130000	0.000	0.260	R	1	6	CRACKING	7.5	7.5	7.0	2.0*	1.0*	0.0*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	
15			2	35	21000	RIDE	6.9	5.7*	5.5*	5.5	4.8*	4.2*	3.7*	3.6*	3.3*	3.2*	7.0	6.6	6.0	
SR-880/DR MLK JR BLV( 0.0R)																				
4137991	0.000	0.242	C	2007	0012	CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	3.5*	3.5
COMMUNITY ASPHALT CORP.				(2009)	FC95M	RIDE	6.4	6.5	6.3	5.9	5.0*	4.9*								
4498341	0.000	0.260	C	2027	0012															
93130000	3.978	6.447	C	1	1	CRACKING		0.0*	0.0*	0.0*	0.0*	0.0*	0.0*			10.0	10.0	10.0	10.0	
15 441			2	45	7200	RIDE		5.0*	4.5*	4.5*	4.2*	2.9*	2.9*			8.3	8.1	7.8	8.0	
OLD VANDERCRAFT RD( 4.6C)																				
2298181	3.999	6.843	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0
COMMUNITY ASPHALT CORP.				(2008)	FC125	RIDE	7.9	7.8	7.8	7.7	7.1	7.0	6.9	6.8	6.8	6.9	6.8	6.8	6.8	6.8
-----																				
93130000	8.918	9.274	C	1	8	CRACKING		6.5	5.5*	5.5*	3.5*	3.5*	3.5*			10.0	10.0	9.0	9.0	
15 441			2	35	8000	RIDE		6.2*	5.7*	5.4*	4.8*	4.6*	4.6*			8.3	8.3	7.7	7.5	
SHIRLEY DR( 9.0R)																				
4036001	8.949	9.332	L	2005	0012	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	4.5*	4.5*	4.5*		
COMMUNITY ASPHALT CORP.				(2008)	FC125	RIDE	7.0	6.9	6.6	6.4	5.8	5.1*	5.1*	4.6*	4.5*	4.1*	4.3*	3.9*		
4439941	8.896	10.871	C	2022	0012															

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4										CONTRACTOR = COMMUNITY ASPHALT CORP.										-----																
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR										FUTURE																		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	-P	*****											(REG)																		
ITMSEG-P	(AGE_ONE	YEAR)	RW	ADT	TYPE	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029																
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	-F											(REG)																			
ITMSEG-F																																				
93130000	9.274	10.888	C	1	8	CRACKING		7.5	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	9.0	9.0																	
15 441			2	35	5800	RIDE		6.4*	5.9*	5.8	5.5	4.5*	4.6*	4.4*		8.1	7.8	7.7	7.5																	
FARM MARKET RD( 9.3R)																																				
4246561	9.332	10.336	C	2005	0012	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*																		
4439941	8.896	10.871	C	2022	0012	RIDE	7.3	7.2	7.0	6.9	6.1	6.1	5.7	5.6	5.5	5.5	5.2*	5.1*																		
93130000	10.888	14.223	C	1	1	CRACKING	4.0*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	8.0	6.0*	5.5*	5.5*	3.5*																
15 441			2	35	3000	RIDE	7.1	6.1*	4.9*	6.0	8.1	7.6	7.6	7.4	7.1	6.8	6.3	6.2	6.0																	
BARFIELD HWY N(11.1R)																																				
4246561	10.307	14.265	C	2012	0012	CRACKING	3.5*	3.5*	3.0*	10.0	10.0	10.0	8.5	8.5	7.5	7.0	6.0*	5.5*	3.5*	1.0																
4476641	10.871	14.213	C	2025	0012	RIDE	5.8	5.6	5.3*	8.4	7.8	7.5	7.4	6.9	6.8	6.6	6.4	5.9	5.8	4.4																
93130000	0.000	0.260	L	1	6	CRACKING	7.5	7.5	7.5	2.0*	1.0*	1.0*	1.0*	1.0*	1.0*	0.0*	10.0	10.0	10.0																	
15 441			2	35	21000	RIDE	7.9	7.3	5.7*	6.4	6.1	5.6	6.2	5.0*	4.8*	4.7*	7.8	7.4	7.4																	
AVE E SE( 0.0C)																																				
4137991	0.000	0.242	C	2007	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	6.5	3.5*	3.5															
4498341	0.000	0.260	C	2027	0012	RIDE	7.3	7.0	7.1	7.0	5.5	5.7																								
93140000	19.652	26.288	C	1	1	CRACKING	8.5		7.5	5.5*	3.5*	1.5*	1.0*	1.0*	1.0*	1.0*			10.0	10.0																
15 98			2	55	4100	RIDE	8.2		7.9	7.6	7.3	6.2*	6.0*	5.5*	5.0*	4.7*			8.3	8.4																
CANAL POINT REC AREA(19.7L)																																				
4138041	19.674	26.519	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	3.4																
4461021	19.528	26.288	C	2023	0012	RIDE	8.4	8.2	8.1	7.9	7.4	7.3	7.0	6.8	6.5	6.2*	6.2*	5.9*	5.9*	4.7																
93150000	2.025	5.583	R	1	1	CRACKING	9.0	8.0	8.0	7.0	6.0*	6.0*				10.0	10.0	10.0																		
809			3	45	36500	RIDE	7.4	7.3	7.3	7.3	6.9	6.8				7.9	7.7	7.6																		
ZIP CODE RD( 2.2R)																																				
2295872	2.008	5.583	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																
4498341	0.000	0.260	C	2027	0012	RIDE	7.7	7.6	7.6	7.7	7.3	7.3	7.2	7.1	6.7	7.1	7.1	7.1	7.1	7.1	6.6															
93150000	5.583	7.043	R	1	1	CRACKING	9.0	8.0	8.0	7.0	6.0*					10.0	10.0	10.0	10.0	10.0																
809			3	45	35000	RIDE	7.4	7.3	7.3	7.3	6.9					7.5	7.5	7.6	7.4	7.4																
CR 702( 5.7C)																																				
2295871	5.583	7.154	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																
4498341	0.000	0.260	C	2027	0012	RIDE	7.6	7.3	7.5	7.3	7.3	7.2	7.1	6.9	6.8	7.0	7.2	7.1	7.1	6.8																
93150000	7.451	10.441	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0			7.0	7.0	7.0	7.0	7.0	7.0	7.0																
809			3	45	34500	RIDE	7.8	7.6	7.6	7.6	7.4			7.5	7.5	7.3	7.6	7.5	7.4	7.3																
UNSIGN( 7.5R)																																				
4229881	7.451	10.966	C	2011	0012	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
4498341	0.000	0.260	C	2027	0012	RIDE	7.5	8.4	8.3	8.2	8.1	8.1	8.1	7.8	7.9	7.8	7.8	7.8	7.9	7.9	7.5															
93150000	10.802	11.059	R	1	6	CRACKING	9.0	9.0	9.0	9.0	9.0			7.0	7.0	7.0	7.0	7.0	7.0	7.0																
809			3	45	36000	RIDE	7.8	7.6	7.6	7.6	7.4			7.5	7.5	7.3	7.6	7.5	7.4	7.3																
TANGLEWOOD ST(10.9R)																																				
4229881	7.451	10.966	C	2011	0012	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
4498341	0.000	0.260	C	2027	0012	RIDE	7.5	7.3	7.6	7.3	7.3	7.3	7.3	6.6																						
93150000	10.802	11.059	L	1	6	CRACKING	9.0	8.0	8.0	8.0	8.0			7.0	7.0	6.5	6.5	6.5	6.5	6.5																
809			3	45	36000	RIDE	7.8	7.7	7.6	7.6	7.3			7.4	7.4	7.5	7.5	7.3	7.2	7.0																
JOHNSON DAIRY RD(10.8L)																																				
4229881	7.451	10.966	C	2011	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
4498341	0.000	0.260	C	2027	0012	RIDE	7.1	6.7	6.7	6.9	6.6	6.6	6.5																							
93150000	7.451	10.441	L	1	1	CRACKING	9.0	8.0	8.0	8.0	8.0			7.0	7.0	6.5	6.5	6.5	6.5	6.5																
809			3	45	34500	RIDE	7.8	7.7	7.6	7.6	7.3			7.4	7.4	7.5	7.5	7.3	7.2	7.0																
MEDITERRANEA( 7.6L)																																				
4229881	7.451	10.966	C	2011	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0															
4498341	0.000	0.260	C	2027	0012	RIDE	7.1	8.5	8.4	8.2	8.2	8.1	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.5															
93150000	5.630	7.043	L	1	1	CRACKING	9.0	9.0	8.0	8.0	8.0					10.0	10.0	10.0	10.0	10.0																
809			3	45	35000	RIDE	7.7	7.6	7.4	7.4	7.2					7.2	7.1	7.0	6.8	7.1</																

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P	(AGE_ONE YEAR)	YEAR	YEAR	WKM-F	WKMX-F															(REG)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F	ITMSEG-F
93150000	2.025	5.630	L	1	1	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0					10.0	10.0	10.0	
809			3	45	36500	RIDE	7.7	7.6	7.4	7.4	7.2	7.1					7.8	7.6	7.6	
SCHALL WAY( 2.2L)																				
2295872	2.008	5.583	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.4
COMMUNITY ASPHALT CORP.				(2009)	FC125	RIDE	7.6	7.6	7.5	7.5	7.1	7.0	7.0	6.8	6.9	6.9	6.8	6.8	6.8	6.3
93170000	0.000	0.540	C	1	1	CRACKING	8.5	7.5	10.0	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	
717			2	35	2700	RIDE	7.7	7.7	8.5	8.2	8.1	7.5	7.1	7.3	7.2	6.9	6.9	6.6	6.4	
AVENUE E( 0.0C)																				
4246591	0.033	0.534	C	2012	0226	CRACKING	6.0*	5.5*	10.0	10.0	10.0	10.0	8.5	8.5	8.5		6.5	6.5	6.5	4.2
COMMUNITY ASPHALT CORP.				(2014)	FC95	RIDE	6.1	5.8	8.3	7.1	5.9	5.9	7.0	6.9	6.8		6.3	5.9	5.5	5.0
93190000	13.740	16.047	R	1	1	CRACKING	8.5	7.5	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	2.5*	2.5*	
706			3	45	44000	RIDE	8.0	7.8	7.7	7.7	7.4	6.3*	6.3*	6.6	6.0	5.9	5.6	5.5	5.4*	
BUSH RD(13.9R)																				
4169051	13.740	16.070	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5
COMMUNITY ASPHALT CORP.				(2012)	FC125	RIDE	7.5	7.5	7.3	7.1	7.0	7.0	6.8	6.7	6.8	6.6	6.5	6.5	6.6	6.0
93190000	13.740	16.047	L	1	1	CRACKING	10.0	10.0	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	2.5*	2.5*	
706			3	45	44000	RIDE	8.5	7.8	8.4	8.2	8.0	7.3	7.2	7.1	7.0	7.0	6.9	6.7	6.5	
CARVER AVE(13.8L)																				
4169051	13.740	16.070	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
COMMUNITY ASPHALT CORP.				(2012)	FC125	RIDE	8.5	8.3	8.2	8.0	8.0	8.0	7.9	7.6	7.8	7.7	7.7	7.5	7.6	7.1
93220000	8.110	14.400	R	4	1	CRACKING		10.0	10.0					10.0	10.0	10.0	10.0	10.0	10.0	
9 I95			5	65	210324	RIDE		8.6	8.7					7.0	7.7	7.6	7.6	7.4	7.1	
4268432	7.715	14.400	R	2011	0012	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.6	
COMMUNITY ASPHALT CORP.				(2013)	FC5M	RIDE	7.1	8.1	8.2	8.2	8.4	8.5	8.4	8.3	8.5	8.5	8.5	8.5	8.5	8.5
93220000	14.400	16.460	R	4	1	CRACKING		10.0	10.0					10.0	10.0	10.0	9.0	9.0	9.0	
9 I95			5	65	229000	RIDE		8.6	8.7					7.8	7.6	7.6	7.5	7.4	7.2	
4275161	14.366	16.427	R	2018	0012	CRACKING	9.0	9.0	8.0	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	7.2	7.2	7.1	6.9	7.4	7.4	7.4	7.0	7.5	8.8	8.7	8.7	8.7	8.5
93220000	43.975	46.018	R	4	1	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	9.5	
9 I95			3	70	91500	RIDE	8.6	8.4	8.3	8.3	8.1			7.9	8.0	8.3	8.2	8.2	8.1	
4342732	44.023	46.018	R	2017	0012	CRACKING	8.5	8.5	7.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	8.1	8.0	7.9	8.0	8.1	8.2	8.1	8.2	8.1	8.8	8.7	8.7	8.6	8.3
93220000	43.975	46.018	L	4	1	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	
9 I95			3	70	91500	RIDE	8.5	8.2	8.1	8.1	7.7			7.9	8.1	8.2	8.1	8.1	8.0	8.0
4342732	44.005	46.018	L	2017	0012	CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	8.0	7.8	7.8	7.8	8.0	8.0	8.0	8.0	7.8	8.6	8.6	8.5	8.6	8.5
93220000	11.476	16.383	L	4	1	CRACKING		10.0	10.0					10.0	10.0	10.0	10.0	10.0	9.0	
9 I95			5	65	210324	RIDE		8.6	8.6					7.9	8.0	8.1	8.0	7.9	7.8	
4275161	11.442	14.042	L	2018	0012	CRACKING	9.0	9.0	9.0	8.0	6.5	6.5	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	7.7	7.7	7.7	7.5	8.0	8.0	7.9	7.7	8.1	8.8	8.8	8.7	8.5	8.1
93290000	2.097	12.072	C	1	1	CRACKING	3.5*	1.0*	1.0*		10.0	10.0	9.5	9.5	8.0	8.0	8.0	6.5	6.5	
715			2	55	4200	RIDE	6.0*	5.9*	5.8*		8.3	8.0	8.0	7.8	7.9	7.7	7.5	7.1	7.0	
W CANAL ST S( 2.1C)																				
4287221	2.090	12.070	C	2016	0012	CRACKING	6.5	6.5	5.5*	3.5*	3.0*	3.0*	10.0	10.0	10.0	10.0	8.5	8.5	7.5	5.8
COMMUNITY ASPHALT CORP.				(2018)	FC125	RIDE	7.1	7.1	6.9	6.7	6.6	6.8	7.7	7.6	7.6	7.6	7.6	7.4	7.4	7.2
93310000	11.800	16.900	R	1	1	CRACKING	6.5	5.5*	3.0*	3.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0
710			2	55	15700	RIDE	8.4	8.2	8.2	8.2	7.9	6.8	6.7	6.5	6.5	8.1	8.1	8.0	8.0	
4036191	11.800	16.930	C	2005	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3
COMMUNITY ASPHALT CORP.				(2008)	FC5	RIDE	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.0	8.1	8.1	8.2	8.2	8.2	8.2

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ADT	*****															(REG)
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-F	ADT		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR																						
ITMSEG-F																						
93310000	11.800	16.900	L	1	1	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0			
710			2	55	15700	RIDE	8.6	8.6	8.5	8.5	8.1	7.7	7.7	7.6	7.6	8.1	8.1	8.0	8.1			
BEELINE HWY(13.5L)																						
4036191	11.800	16.930	C	2005	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5	
COMMUNITY ASPHALT CORP.				(2008)	FC5	RIDE	8.1	8.2	8.1	8.2	8.1	8.0	8.1	8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.9	
93310000	6.900	7.912	L	1	1	CRACKING	7.5	7.0	7.0	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
710			2	60	14400	RIDE	7.9	7.8	8.3	7.7	7.3	5.7*	7.8	7.7	7.9	7.9	7.8	7.8	7.7	7.7	7.7	
CR 711( 7.4L)																						
4061301	5.006	7.500	C	2003	0012	CRACKING	9.0	8.0	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.0	
COMMUNITY ASPHALT CORP.				(2005)	FC5M	RIDE	7.6	7.5	7.3	7.0	7.4	7.5	7.4	7.0	7.6	8.4	8.6	8.3	8.4	8.0		
4484391	6.900	11.800	C	2028	0012																	
93470000	2.996	8.152	R	5	1	CRACKING	7.5	6.0*	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
91			3	65	103300	RIDE	8.7	8.6	7.5			7.8	7.8	7.5	7.5	7.5	7.3	7.2	7.1			
13.6																						
4310791	2.996	7.976	C	2013	0012	CRACKING	9.5	9.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
COMMUNITY ASPHALT CORP.				(2015)	FC5M	RIDE	7.1	7.1	7.1	8.0	8.0	8.0	8.0	7.9	8.1	8.0	8.1	8.0	8.0	8.0	8.0	
4171321	3.660	7.035@	C	2027	0213																	
93470000	21.695	29.210	R	5	1	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
91			2	70	83000	RIDE	8.5	9.0	9.0	9.0	8.9	8.0	8.0	8.1	8.2	8.1	8.1	8.0	7.9			
13.6																						
4351711	21.287	26.260	R	2017	0012	CRACKING	10.0	10.0	9.0	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	7.9	7.7	7.6	7.6	7.8	7.8	7.8	7.7		8.6	8.6	8.6	8.6	8.6	8.6	
93470000	29.210	30.499	R	5	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.0	6.5	6.5	5.5*	5.5*		
91			2	70	72500	RIDE	8.7	8.6	8.6	8.6	8.5	7.9	7.8	7.8	7.8	7.8	7.7	7.5	7.4	7.3		
19.2																						
4351721	29.410	32.900	C	2017	0012	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	8.0	8.0	3.8		
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	7.5	7.2	8.1	8.1	8.1	8.1	8.1	8.1		8.6	8.6	8.0	8.1	7.0		
4061436	27.800	32.800	C	2026	0213																	
93470000	29.210	30.499	L	5	1	CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5		
91			2	70	72500	RIDE	8.6	8.8	8.7	8.8	8.6	8.0	7.9	7.6	7.7	7.2	7.0	7.2	7.0			
19.2																						
4351721	29.410	32.900	C	2017	0012	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	8.0	8.0	3.8		
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	6.8	6.4*	8.2	8.2	8.3	8.3	8.3	8.2		8.8	8.7	8.2	8.3	7.2		
4061436	27.800	32.800	C	2026	0213																	
93470000	21.695	29.210	L	5	1	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
91			2	70	83000	RIDE	8.1	9.0	9.0	9.1	8.9	8.4	8.4	8.3	8.4	8.4	8.3	8.1	8.1			
13.6																						
4351711	24.690	29.248	L	2017	0012	CRACKING	9.5	8.5	8.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	8.1	7.9	7.8	7.7	8.0	7.9	7.9	7.9		8.8	8.7	8.8	8.8	8.9	8.9	
93470000	2.996	8.152	L	5	1	CRACKING	8.0	6.0*	5.5*			10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5			
91			3	65	103300	RIDE	8.6	8.5	8.4			7.7	7.6	7.6	7.6	7.7	7.3	7.2	7.3			
13.6																						
4310791	2.996	7.976	C	2013	0012	CRACKING	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	8.0	6.8	
COMMUNITY ASPHALT CORP.				(2015)	FC5M	RIDE	6.8	7.0	6.5	8.1	8.2	8.4	8.2	8.3	8.3	8.5	8.2	8.2	8.2	8.2	8.2	
4171321	3.660	7.035@	C	2027	0213																	
94003000	0.278	3.911	C	1	8	CRACKING	9.5	9.5	4.5*			10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0		
713			2	50	11200	RIDE	8.5	8.3	6.9			7.6	7.6	7.5	6.6	7.6	7.0	7.4	7.5			
24.6																						
ANDREWS AVE( 0.4R)																						
2302791	0.000	3.993	C	2001	0012	CRACKING	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*						
COMMUNITY ASPHALT CORP.				(2004)	FC125	RIDE	7.5	7.5	7.3	6.6	6.8	6.9	7.1	7.2	7.1	6.9						
94003000	3.911	7.500	C	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5		10.0	9.0	9.0	9.0	9.0	9.0	9.0		
713			2	50	13500	RIDE	7.9	7.8	7.7	7.2	7.6	7.2		7.8	6.8	7.8	7.7	7.8	7.8			
7.3																						
COMMERCIAL CIR( 4.0L)																						
2304571	3.979	7.261	C	2003	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	
COMMUNITY ASPHALT CORP.				(2006)	FC125	RIDE	7.8	7.8	7.8	7.0	7.2	6.9	7.3	7.5	7.5	7.4	7.4	7.6	7.4	7.4	7.3	
94010000	15.133	20.880	R	1	1	CRACKING	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0		
5			2	55	28000	RIDE	9.0	9.0	8.8	8.5	8.8	7.8	7.6	7.2		7.2	7.5	7.8	7.8			
5.3																						
OLSON AVE(15.8R)																						
4035941	14.961	20.823	C	2005	0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.2	
COMMUNITY ASPHALT CORP.				(2008)	FC5	RIDE	7.6	7.7	7.6	7.6	8.0	7.9	8.0	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	
4484501	15.044	20.880	C	2028	0012																	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ADT	*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT															
94010000	15.133	20.880	L	1	1	CRACKING	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	
5	1		2	55	28000	RIDE	9.0	8.8	8.7	8.4	8.6	7.4	7.2	7.2			7.2	7.2	7.6	7.4	
JUANITA AVE(15.2L)																					
4035941	14.961	20.823	C	2005	0012	CRACKING	10.0	9.5	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	5.1
COMMUNITY ASPHALT CORP.				(2008)	FC5	RIDE	7.4	7.4	7.4	7.3	7.7	7.7	7.8	7.8	7.9	7.8	7.8	7.8	7.8	7.8	7.8
4484501	15.044	20.880	C	2028	0012																
94030000	21.359	25.225	R	1	1	CRACKING	10.0	9.5	9.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5
70			3	45	24500	RIDE	8.4	8.3	8.1	7.7	8.1	7.7	7.4	7.3	6.9	6.9	6.9	6.9	7.1	7.0	
SPUR TO JENKINS RD(21.5R)																					
4229561	21.636	25.225	C	2011	0012	CRACKING	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.1
COMMUNITY ASPHALT CORP.				(2014)	FC95	RIDE	7.1		8.2	7.5	7.9	7.2	8.0	8.0	8.0	8.0	7.8	7.8	7.8	7.8	7.8
94030000	21.495	25.225	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
70			3	45	24500	RIDE	8.4	8.2	7.7	8.2	7.9	7.6	7.6	7.5	7.1	7.4	7.2	7.3	7.2		
CR 611(21.5C)																					
4229561	21.636	25.225	C	2011	0012	CRACKING	6.5		10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.2
COMMUNITY ASPHALT CORP.				(2014)	FC95	RIDE	7.2		8.3	7.6	7.1	7.5	7.9	7.9	7.9	7.9	7.8	7.7	7.8	7.7	7.7
94050000	0.000	3.080	C	1	1	CRACKING	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	1.0*	
ALA			2	45	15900	RIDE	7.6	7.5	7.4	6.7	7.3	6.9	6.7	6.6	6.1	6.2	5.9	4.8*	4.3*		
MARTIN CO LINE( 0.0C)																					
4196531	0.000	2.428	L	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5
COMMUNITY ASPHALT CORP.				(2013)	FC95	RIDE		8.7	8.6	8.3	7.9	7.4	8.3	8.1	8.1	8.1	8.0	8.0	8.0	8.0	8.0
94050000	3.080	5.804	C	1	1	CRACKING	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.0*	
ALA			2	50	15900	RIDE	7.7	7.5	7.1	7.2	7.6	7.1	7.1	6.4*	6.0*	6.1*	6.3*	6.0*	5.5*		
OCEAN BAY( 4.7R)																					
4196532	3.253	4.936	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.1
COMMUNITY ASPHALT CORP.				(2013)	FC95	RIDE		8.7	8.7	8.1	7.7	7.5	8.1	8.1	8.0	8.0	7.9	7.9	7.8	7.8	7.5
94060000	1.350	2.525	C	1	1	CRACKING	8.0	8.0	7.5	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	
ALA			2	40	8600	RIDE	8.2	8.0	7.6	7.1	7.6	7.1	7.0			6.3	7.0	6.9	6.9	7.0	
MARINA ENT( 1.4R)																					
2303671	1.528	2.550	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.5
COMMUNITY ASPHALT CORP.				(2007)	FC95	RIDE	7.1	7.0	7.0	6.9	5.9	6.1	6.2	6.2	6.1	6.1	6.1	6.1	6.1	5.9	5.6
4498281	1.224	2.525	C	2028	0012																
94120000	5.096	7.728	R	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	
716			3	45	41500	RIDE	8.2	8.0	7.2	7.4	7.5	7.0	6.8	6.7	6.2	6.8	6.6	6.6	6.6	6.7	
CARY ST SW( 5.6R)																					
4153021	5.096	7.728	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.7
COMMUNITY ASPHALT CORP.				(2012)	FC95	RIDE	7.8	7.6	7.6	7.0	7.0	7.3	7.1	7.1	7.1	6.9	6.8	6.8	6.7	6.8	6.3
94120000	5.096	7.728	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
716			3	45	41500	RIDE	8.3	7.9	7.5	8.2	7.9	7.7	7.4	7.5	6.9	7.3	6.6	7.2	7.3		
SW TRENTON LN( 5.2L)																					
4153021	5.096	7.728	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.8	
COMMUNITY ASPHALT CORP.				(2012)	FC95	RIDE	8.1	7.8	7.8	7.9	7.0	7.1	7.3	7.4	7.3	7.1	7.0	7.0	7.1	6.5	
94470000	0.000	7.300	R	5	1	CRACKING	10.0	10.0	9.5	8.0	7.5	7.5	7.5	7.5	7.5	7.5	6.5		10.0	10.0	
91			2	70	46000	RIDE	9.0	8.9	8.9	8.4	8.9	8.3	8.0	7.9	7.8	7.6			7.6	7.4	
END BRIDGE 890083( 0.0C)																					
4379861	0.000	15.100	C	2019	0005	CRACKING	10.0	9.5	9.5	9.5	9.5	9.0	8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2022)	FC5M	RIDE	7.5	7.5	7.5	7.3	7.9	7.8	7.9	8.0	8.0	7.9	8.5	8.6	8.6	8.6	8.6
94470000	7.300	31.200	R	5	1	CRACKING	9.5	7.5	7.5	7.5	7.5	7.5	4.5*	4.5*		10.0	10.0	9.5	9.5		
91			2	70	36700	RIDE	9.0	9.0	8.9	8.3	8.8	8.1	8.0	7.9			7.6	7.3	7.7	7.5	
4365171	15.109	31.199	C	2018	0012	CRACKING	9.5	9.5	9.5	9.5	9.0	7.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	7.6	7.6	7.5	7.3	7.8	7.7	7.8	7.9			8.4	8.5	8.6	8.6	8.6
94470000	7.500	31.200	L	5	1	CRACKING	8.0	7.5	7.5	7.5	5.5*	5.5*	4.5*			10.0	10.0	10.0	10.0	10.0	
91			2	70	36700	RIDE	8.8	8.6	8.6	8.2	8.5	7.7	7.4				7.7	7.6	7.7	7.4	
4365171	15.109	31.199	C	2018	0012	CRACKING	10.0	9.0	9.0	8.0	8.0	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	7.5	7.5	7.4	7.4	7.7	7.6	7.7	7.8			8.7	8.7	8.7	8.7	8.7

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4                    CONTRACTOR = COMMUNITY ASPHALT CORP. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR (AGE_ONE YEAR)								2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)	
94470000	0.000	7.500	L	5	1	CRACKING	9.5	9.5	9.5	7.5	7.5	7.0	6.5	4.5*	4.5*	4.5*			10.0	10.0		
91			2	70	46000	RIDE	9.1	9.0	8.9	8.4	8.9	8.4	8.2	8.0	7.8	7.5			7.7	7.5		
END BRIDGE	890083(	0.0C)																				
4379861	0.000	15.100	C	2019	0005	CRACKING	10.0	9.5	9.0	9.0	9.0	7.5	7.5	7.5	6.5			10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2022)	FC5M	RIDE	7.7	7.7	7.7	7.6	8.0	7.9	8.0	8.1	8.1			8.5	8.5	8.5	8.5	

-----

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = CONE & GRAHAM, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP   SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
-----																					
88050000	6.390	6.582	C	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5						4.5*	3.5*	1.0*	10.0	
510			2	40	14500	RIDE	6.6	6.5	6.3*	6.7	5.9						5.4*	5.2*	5.6	7.7	
WABASSO CAUSEWAY PAR( 6.5C)																					
4138031	6.378	7.697	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
CONE & GRAHAM, INC. (2011) FC95 RIDE 7.6 7.6 7.6 7.4 7.5 8.2 8.6 8.5 8.5 8.4 8.3 8.4 8.4 8.4 8.4 8.4																					
88050000	6.838	7.217	C	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5						4.5*	3.5*	1.0*	10.0	
510			2	40	14500	RIDE	6.6	6.5	6.3*	6.7	5.9						5.4*	5.2*	5.6	7.7	
PARK ENTR( 6.9C)																					
4138031	6.378	7.697	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.7
CONE & GRAHAM, INC. (2011) FC95 RIDE 7.6 7.6 7.6 7.4 7.5 8.2 8.0 7.8 7.8 7.7 7.8 7.6 7.7 7.7																					
88050000	7.538	8.485	R	1	1	CRACKING	7.0	5.5*	5.5*	3.5*	8.0						4.5*	3.5*	1.0*	10.0	
510			1	40	14500	RIDE	5.7*	5.5*	6.2*	6.3	5.8						5.4*	5.2*	5.6	7.7	
MICHAEL CREEK CIR( 7.8R)																					
4138031	8.038	8.485	R	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.0	8.0	8.0	8.0	7.0	6.6
CONE & GRAHAM, INC. (2011) FC95 RIDE 7.6 7.6 7.6 7.4 7.5 7.2 7.2 7.0 6.9 6.8 6.6 6.7 6.6 6.1																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = DICKERSON FLORIDA INC -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP	W_BMP	W_EMP	RW	FY-P	WKM	WKM	-----															
ITMSEG-P	(AGE_ONE	YEAR)						2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	(AGE_ONE	YEAR)																			(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	WKM																
94005000	3.809	4.991	R	1	1	CRACKING		10.0	10.0		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
615			2	40	12600	RIDE		8.7	8.6		8.0	7.9	7.6	7.5	7.4	7.0	6.5	7.4	7.6	7.7		
ROSARITA( 4.0R)																						
2301321	3.600	5.016	C	1998	0213	CRACKING		9.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	4.5	
DICKERSON	FLORIDA	INC		(2002)	FC3	RIDE		7.4	7.6	7.2	6.4	6.8	7.1	7.0	7.3	7.2	7.1	7.1	7.2	6.8	6.8	
4439971	3.761	5.016	C	2022	0012																	
-----																						
94005000	3.809	4.991	L	1	1	CRACKING		10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
615			2	40	12600	RIDE		8.7	8.6		7.9	8.1	7.7	7.5	7.8	6.9	6.5	7.6	7.7	7.7		
AVE R( 3.8L)																						
2301321	3.600	5.016	C	1998	0213	CRACKING		9.5	9.0	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	4.6	
DICKERSON	FLORIDA	INC		(2002)	FC3	RIDE		7.6	7.6	7.4	7.5	7.3	6.7	6.9	7.0	7.1	7.0	7.0	7.0	6.7	6.7	
4439971	3.761	5.016	C	2022	0012																	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).





# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = DICKERSON FLORIDA INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP   SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)	
94070000	17.816	19.758	L	1	1	CRACKING	7.5	5.5*	4.5*	2.0*	2.0*				10.0	10.0	10.0	10.0	10.0	10.0	
68			2	45	19100	RIDE	8.0	8.1	7.7	7.3	7.4				7.1	7.0	6.0	6.9	6.8	6.9	
LAMONT RD(17.8L)																					
2301081	17.750	19.700	C	2002	0213	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.1
DICKERSON FLORIDA INC.	(2006)				FC125	RIDE	6.8	6.7	6.5	6.0	5.7	5.9	6.0	5.9	5.9	5.8	5.6	5.6	5.8	5.1	
4484481	17.810	19.758	C	2028	0012																
94470000	31.200	34.959	R	5	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.5	6.5	4.5*	10.0	
91			2	70	36700	RIDE	8.9	8.8	8.9	8.1	8.8	8.1	7.9	7.7	7.5	6.8	6.7	6.7	8.1		
INDIAN RIVER CO LINE(35.0C)																					
4196031	31.189	34.959	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	6.5	
DICKERSON FLORIDA INC.	(2011)				FC5M	RIDE	8.5	8.5	8.4	8.3	8.6	8.5	8.7	8.9	8.9	8.9	8.9	8.8	8.7	8.7	
4444021	31.259	34.959	C	2024	0012																
94470000	31.200	34.959	L	5	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
91			2	70	36700	RIDE	8.8	8.8	8.7	8.4	8.6	7.8	7.7	7.4	7.1	6.8	6.5	6.6	8.1		
INDIAN RIVER CO LINE(35.0C)																					
4196031	31.189	34.959	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	8.0	8.0	6.5	6.5	4.5*	4.1	
DICKERSON FLORIDA INC.	(2011)				FC5M	RIDE	8.4	8.4	8.4	8.2	8.5	8.5	8.6	8.7	8.7	8.5	8.3	8.1	8.2	8.2	
4444021	31.259	34.959	C	2024	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = GENERAL ASPHALT CO., INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP)	SIDE	=====																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	P															
CONTRACTOR	(AGE_ONE)	YEAR	SURF_TYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
-----																					
86014000	1.180	2.330	R	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	
870			3	45	52000	RIDE	8.2	8.1	7.9	8.0	7.9	7.2	6.8	6.6	6.1	6.4	6.4	6.5	6.2		
WHITE OAK LA( 1.2R)																					
4270041	1.180	2.330	C	2014	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC.	(2016)	FC125	RIDE																		
-----																					
86014000	1.180	2.330	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	
870			3	45	52000	RIDE	8.3	8.0	8.1	8.0	7.8	6.9	7.7	7.6	7.4	7.7	7.4	7.6	7.5		
SAFEGUARD( 1.2L)																					
4270041	1.180	2.330	C	2014	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC.	(2016)	FC125	RIDE																		
-----																					
86018000	0.285	1.150	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	
824			3	45	43500	RIDE	7.0	6.8	6.9	6.7	6.9	6.6	6.9	6.5	6.5	5.4*	8.0	7.9	7.9		
OLEANDER DR( 0.3R)																					
4114391	0.285	1.150	R	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	
GENERAL ASPHALT CO., INC.	(2009)	FC125	RIDE																		
4463721	0.364	2.335	C	2027	0012	RIDE	7.8	7.9	7.7	7.8	7.6	7.6	7.4	7.3	7.3	7.2	7.1	7.2	7.1	6.7	
-----																					
86018000	1.150	2.335	R	1	1	CRACKING	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	
824			2	40	36500	RIDE	6.0*	6.4*	6.4*	6.2	6.0	5.6	5.6	5.3*	5.7	5.6	7.3	7.0	6.9		
ALCAZAR DR( 1.1R)																					
4114391	1.150	2.267	R	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	5.9	
GENERAL ASPHALT CO., INC.	(2009)	FC125	RIDE																		
4463721	0.364	2.335	C	2027	0012	RIDE	7.1	7.1	6.8	7.0	7.1	6.9	7.0	7.1	7.0	6.8	6.7	6.7	6.5	6.5	
-----																					
86018000	5.220	6.547	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	
824			2	35	40500	RIDE	7.4	7.0	7.0	7.1	6.8	6.5	6.4	6.6	6.2	6.4	6.4	6.3	6.4	6.3	
NW 10 AVE( 5.3R)																					
4305901	5.172	6.150	R	2016	0012	CRACKING	7.0	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC.	(2018)	FC95A	RIDE																		
-----																					
86018000	5.220	6.547	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	9.5	7.5	7.0	
824			2	35	40500	RIDE	7.5	7.6	7.5	7.6	7.6	7.0	6.6	7.0	6.4	6.8	6.8	6.8	7.0		
S 28 AVE( 5.3L)																					
4305901	5.219	6.150	L	2016	0012	CRACKING	7.0	7.0	7.0	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	8.5	8.5	8.5	6.8	
GENERAL ASPHALT CO., INC.	(2018)	FC95A	RIDE																		
-----																					
86018000	1.528	2.335	L	1	1	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	
824			2	40	36500	RIDE	6.8	6.6	6.5	6.5	6.4	5.6	6.3	6.1	5.8	5.9	7.3	7.3	7.2		
S 66 AVE( 1.7L)																					
4114391	1.528	2.334	L	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	5.5	
GENERAL ASPHALT CO., INC.	(2009)	FC125	RIDE																		
4463721	0.364	2.335	C	2027	0012	RIDE	7.1	7.1	6.8	7.1	7.4	7.4	7.2	7.2	7.3	7.3	7.3	7.2	7.3	7.3	
-----																					
86018000	0.285	1.528	L	1	1	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	10.0	10.0	10.0	
824			3	45	43500	RIDE	6.7	6.5	6.5	6.7	6.4*	6.2*	6.4*	6.3	6.3	6.4	7.6	7.6	7.4		
UNSIGN( 0.3L)																					
4114391	0.285	1.528	L	2006	0012	CRACKING	10.0	9.5	9.5	9.5	9.0	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	5.4	
GENERAL ASPHALT CO., INC.	(2009)	FC125	RIDE																		
4463721	0.364	2.335	C	2027	0012	RIDE	7.2	7.6	7.4	7.2	7.2	7.2	7.0	6.9	7.1	6.8	6.9	6.8	6.8	6.5	
-----																					
86028000	3.221	4.763	R	1	1	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*		
834			3	45	52500	RIDE	7.9	7.8	7.6	7.8	7.6	7.1	7.2	7.0	6.9	7.1	6.9	7.0	6.9		
NW 54 AVE( 3.3C)																					
4216561	3.221	4.763	C	2011	0012	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC.	(2013)	FC95	RIDE																		
-----																					
86028000	3.221	4.763	L	1	1	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*		
834			3	45	52500	RIDE	7.9	7.7	7.6	7.9	7.5	7.3	7.3	7.1	6.3	7.0	7.0	7.1	6.8		
NW 54 AVE( 3.3C)																					
4216561	3.221	4.763	C	2011	0012	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC.	(2013)	FC95	RIDE																		
-----																					
86030000	0.879	2.282	R	1	2	CRACKING	8.5	6.5	6.5	6.5											
ALA			3	35	31500	RIDE	6.7	5.0*	4.8*	4.9*				6.5	6.5	6.5	5.5*	5.5*	5.5*		
OCEAN CREST CLUB( 1.3R)																					
4168691	1.242	2.011	R	2010	0012	CRACKING		10.0	10.0	10.0	8.5	8.5	8.5	8.0	8.0	7.0	7.0	6.5	6.5	4.5	
GENERAL ASPHALT CO., INC.	(2013)	FC95	RIDE																		
4461991	0.905	2.288	C	2025	0012	RIDE		6.3	5.8	6.6	6.1	6.0	6.6	5.8	5.7	5.2*	5.2*	5.1*	4.8*	4.3	
-----																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = GENERAL ASPHALT CO., INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ADT	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P	(AGE_ONE	YEAR)	RW	FY-F	WKM-F	ADT														(REG)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT														
86030000	0.879	2.282	L	1	1	CRACKING	10.0	10.0	8.5	8.5		6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
ALA			3	35	31500	RIDE	7.0	7.4	7.4	6.6		5.8	5.8	5.6	5.3*	5.4*	5.8	5.1*	5.6	
SEACREST PKWY( 0.9L)																				
4168691	1.242	2.011	L	2010	0012	CRACKING		10.0	10.0	10.0	9.5	9.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	3.9
GENERAL ASPHALT CO., INC. (2013) FC95 RIDE																				
4461991	0.905	2.288	C	2025	0012	RIDE		7.4	7.2	7.2	7.2	7.0	6.9	6.9	6.8	6.3	6.3	6.3	6.2	5.6
-----																				
86040000	13.410	13.840	R	1	6	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
820			3	35	46000	RIDE	7.0	6.4*	6.5	5.9	6.4	5.2*	5.8	5.1*	5.0*	4.5*	4.7*	4.7*	4.3*	
SW 63 TER(13.6R)																				
4270071	13.432	13.860	C	2013	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2015) DGFC RIDE																				
-----																				
86040000	13.410	13.840	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	
820			3	35	46000	RIDE	7.2	7.3	6.5	7.2	7.1	6.0	6.9	5.3*	5.3*	5.7	5.5	5.5	5.6	
NW 64 AVE(13.5L)																				
4270071	13.432	13.860	C	2013	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
GENERAL ASPHALT CO., INC. (2015) FC125 RIDE																				
-----																				
86050000	4.322	5.363	R	1	1	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	10.0
ALA			2	35	21000	RIDE	7.2	6.5	6.3*	6.4	6.4	6.1	6.1	5.5	5.6	5.6	5.5	5.9	7.8	
ATLANTIC BLVD N( 4.5R)																				
4168721	4.310	5.365	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5
GENERAL ASPHALT CO., INC. (2011) FC95M RIDE																				
-----																				
86050000	4.322	5.363	L	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	
ALA			2	35	21000	RIDE	7.6	7.0	7.2	7.2	7.2	6.3	6.5	6.2	6.1	6.2	6.2	6.0	7.3	
NE 21 ST( 4.5L)																				
4168721	4.310	5.365	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.7
GENERAL ASPHALT CO., INC. (2011) FC95M RIDE																				
-----																				
86100000	20.865	23.290	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	
7 441			3	45	55000	RIDE	8.2	8.2	8.2	8.1	8.2	7.7	7.7	7.6	7.5	7.7	7.7	7.5	7.5	
CULLUM RD(21.4R)																				
4216621	20.941	23.359	C	2011	0012	CRACKING	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2014) FC95 RIDE																				
-----																				
86100000	20.865	23.290	L	1	1	CRACKING	9.0	9.0	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
7 441			3	45	55000	RIDE	8.2	8.1	8.1	8.0	8.0	7.5	7.4	7.3	7.1	7.2	7.2	7.1	6.8	
CREEKSIDE DR(21.4L)																				
4216621	20.941	23.359	C	2011	0012	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2014) FC95 RIDE																				
-----																				
86120000	4.644	5.169	R	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	
810			3	40	41000	RIDE	8.5	8.4	8.2	8.1	8.2	7.3	7.5	7.4	7.3	7.3	7.7	7.3	7.0	
GOOLSBY BLVD( 4.8R)																				
4306021	4.635	5.343	R	2016	0012	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC. (2020) FC95M RIDE																				
-----																				
86120000	6.100	6.897	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	
810			3	35	28500	RIDE	8.5	8.4	8.2	8.1	8.2	7.3	7.5	7.4	7.3	7.4	7.2	7.2	7.0	
SW 1 TER( 6.1R)																				
4306021	5.752	6.897	R	2016	0012	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC. (2020) FC95M RIDE																				
-----																				
86120000	6.383	6.897	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5		
810			3	35	28500	RIDE	8.1	8.2	8.1	8.1	7.8	7.3	7.3	7.0	6.5	7.4	7.3	7.1	7.0	
NE 3 AVE( 6.4L)																				
4306021	5.752	6.897	L	2016	0012	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC. (2020) FC95M RIDE																				
-----																				
86210000	2.350	2.698	R	1	6	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5			9.5	9.0	
736			2	40	45500	RIDE	8.5	7.6	8.1	7.8	7.5	7.4	7.3	6.9	6.7			4.9*	4.6*	
SEVENTEENTH AVE SW R( 2.4R)																				
4339671	2.355	2.620	C	2014	0226	CRACKING	9.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
GENERAL ASPHALT CO., INC. (2016) DGFC RIDE																				

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 CONTRACTOR = GENERAL ASPHALT CO., INC.

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT	(MP)	(SIDE)					*****														
ITMSEG-P	W_BMP	W_EMP	FW	FY-P	WKM	-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE)	YEAR	RW	SURF_TYPE																	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
86210000	2.350	2.698	L	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0			9.0	9.0	
736			2	40	45500	RIDE	8.4	7.5	8.1	8.3	7.3	6.8	6.0	6.5	7.1			4.9*	4.7*		
SIXTEENTH AVE SW	L( 2.4L)																				
4339671	2.355	2.620	C	2014	0226	CRACKING	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
GENERAL ASPHALT CO., INC.	(2016)					DGFC	4.9*	4.7*	4.6*	4.6*											
86220000	6.468	8.035	R	1	1	CRACKING	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5
817			3	45	42000	RIDE	7.9	7.8	7.9	7.8	7.7	7.5	7.3	7.2	7.2	7.2	7.1	7.1	7.1	7.1	7.0
ORANGE DR( 6.5R)																					
4216721	6.468	7.744	C	2011	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.5
GENERAL ASPHALT CO., INC.	(2013)					FC125	6.8	8.4	8.2	8.3	7.8	7.5	7.4	7.4	7.3	7.4	7.2	7.2	7.2	7.1	6.4
86220000	15.614	18.000	R	1	1	CRACKING	8.5	8.5	8.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	
817			3	45	53500	RIDE	7.6	7.5	7.5	7.4	7.1	6.8	6.8	6.6	6.5	6.7	6.7	6.6	6.6	7.9	
NW 58 ST(15.7C)																					
4153221	13.408	18.002	C	2009	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.8
GENERAL ASPHALT CO., INC.	(2011)					FC95	7.9	7.9	7.8	7.8	7.4	7.5	7.3	7.3	7.3	7.5	7.5	7.5	7.5	7.5	
86220000	15.614	18.002	L	1	1	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0		
817			3	45	53500	RIDE	7.6	7.4	7.6	7.5	7.4	6.7	6.7	6.5	6.4	6.6	6.4	6.5	8.1		
NW 58 ST(15.7C)																					
4153221	13.408	18.002	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
GENERAL ASPHALT CO., INC.	(2011)					FC95	8.0	7.9	7.9	7.9	7.5	7.5	7.4	7.3	7.3	7.3	7.3	7.3	7.3	6.8	
86220000	6.468	8.114	L	1	1	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
817			3	45	42000	RIDE	7.5	7.1	7.5	7.3	7.0	6.6	6.6	6.5	6.2	6.3	6.5	6.3	6.3		
ORANGE DR( 6.5L)																					
4216721	6.468	7.744	C	2011	0012	CRACKING	4.5*	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	4.1	
GENERAL ASPHALT CO., INC.	(2013)					FC125	6.3	8.0	7.9	7.9	7.9	7.5	7.4	7.5	7.4	7.2	7.2	7.2	7.1	6.6	
86230000	0.000	2.524	R	1	1	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
822			3	40	42500	RIDE	7.5	7.5	7.3	7.4	7.4	6.6	6.6	6.6	6.4	6.3	6.2	6.4	6.2		
HOLLYWOOD CITY LIMITS( 0.0C)																					
4168831	0.022	2.679	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC.	(2012)					FC95	7.8	7.7	7.6	7.8	7.6	7.5	7.5	7.4	7.1	7.4	7.4	7.3	7.3	7.0	
86230000	0.000	2.524	L	1	1	CRACKING	9.0	9.0	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*			
822			3	40	42500	RIDE	8.0	7.9	7.8	7.6	7.7	7.0	7.1	6.8	6.8	6.8	6.7	6.8	6.7		
HOLLYWOOD CITY LIMITS( 0.0C)																					
4168831	0.022	2.679	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC.	(2012)					FC95	8.1	8.0	8.0	8.0	8.1	7.7	7.8	7.7	7.6	7.6	7.4	7.5	7.5	7.4	
93010000	7.931	8.391	R	1	1	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5			2	45	29000	RIDE	8.3	8.2	8.0		7.7	7.0	7.1	7.1	7.2	7.4	7.3	7.0	6.9		
EVE ST( 8.0R)																					
4398411	7.930	8.420	R	2020	0012	CRACKING	10.0	10.0	9.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC.	(2022)					FC125	7.0	6.7	6.8	6.7	6.8	6.8	6.9	6.2	6.9	6.6	7.4	7.3	7.3		
93016000	0.000	2.960	R	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
882			3	45	37500	RIDE	8.4	8.5	8.4	8.3	7.9	8.2	8.3	8.2	8.2	8.0	7.9	7.9	7.8		
SR 7( 0.0C)																					
4416331	0.126	2.897	R	2021	0012	CRACKING	8.5	8.5	8.5	7.5	7.0	7.0	7.0	6.0*	5.5*	5.5*	4.0*	10.0	10.0		
GENERAL ASPHALT CO., INC.	(2023)					FC95M	7.8	7.6	7.6	7.5	7.8	7.9	7.8	7.5	7.7	7.6	7.6	7.8	7.8		
93016000	0.000	2.960	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		
882			3	45	37500	RIDE	8.2	8.0	7.9	8.1	7.6	8.2	7.9	8.1	8.0	8.2	8.1	7.8	7.7		
SR 7( 0.0C)																					
4416331	0.126	2.897	L	2021	0012	CRACKING	9.5	9.5	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0		
GENERAL ASPHALT CO., INC.	(2023)					FC95M	7.9	7.7	7.6	7.4	7.9	7.8	7.7	7.7	7.5	7.5	7.5	8.0	8.0		
93200000	1.049	2.172	R	1	1	CRACKING	10.0	9.0	9.0		7.5	7.5	7.0		10.0	10.0	10.0	10.0	9.5		
804			3	45	34500	RIDE	8.5	8.4	8.4		8.5	8.0	7.3		8.0	8.0	7.9	7.9	7.7		
ACME DAIRY BLVD( 1.6C)																					
4398441	1.041	1.768	R	2020	0012	CRACKING	9.5	9.5	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0		
GENERAL ASPHALT CO., INC.	(2022)					FC125	7.8	7.7	7.5	7.5	7.5	7.4	7.4	7.0	7.3	7.0	7.9	7.9	7.9		

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = GENERAL ASPHALT CO., INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	RATINGS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		%		=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE					2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)
93200000	3.440	7.147	R	1	1	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5
804				3	45	39000	RIDE	7.6	7.4	7.2	7.7	7.4	7.2	7.1	7.2	7.4	7.3	7.2	7.1	6.9	
JOG RD( 3.6C)																					
4323441	3.439	7.150	C	2019	0012	CRACKING		7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC.	(2022)	FC95M	RIDE					7.0	6.9	6.9	6.9	7.0	7.1	7.0	6.8	6.9		8.3	8.2	8.2	7.9
-----																					
93200000	3.440	7.147	L	1	1	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5
804				3	45	39000	RIDE	7.8	8.2	6.7	7.9	7.6	7.4	7.4	7.3	7.4	7.4	7.3	7.2	7.1	
FOUNTAINS OF BOYNTON( 3.5L)																					
4323441	3.439	7.150	C	2019	0012	CRACKING		7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC.	(2022)	FC95M	RIDE					7.1	7.0	7.1	7.0	7.1	7.1	7.0	6.8	7.0		8.2	8.2	8.1	7.9
-----																					
93200000	1.049	2.172	L	1	1	CRACKING		10.0	9.0	9.0		7.5	6.5	6.0*		10.0	10.0	10.0	10.0	10.0	10.0
804				3	45	34500	RIDE	8.5	8.4	8.4		8.1	7.6	7.0		8.0	7.9	7.9	7.9	7.8	
ACME DAIRY BLVD( 1.6C)																					
4398441	1.229	2.204	L	2020	0012	CRACKING		9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC.	(2022)	FC125	RIDE					7.7	7.7	7.6	7.6	7.3	7.4	7.1	7.2	6.9	7.2	8.0	7.8	7.9	7.6
-----																					
93210000	8.678	13.750	R	1	1	CRACKING		6.0*	6.0*	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
7	441			2	55	23080	RIDE	8.7	8.5	8.5			7.4	7.5	7.4	7.5	7.5	7.5	7.4	7.4	
TIVOLI ISLES BLVD( 9.1R)																					
4378361	8.670	13.594	R	2019	0012	CRACKING		9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC.	(2022)	FC5M	RIDE					7.4	7.4	7.2	7.3	7.3	7.2	7.4	7.4	7.6		8.4	8.4	8.4	8.4
-----																					
93210000	8.678	13.750	L	1	1	CRACKING		6.0*	6.0*	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
7	441			2	55	23080	RIDE	8.7	8.5	8.5			7.8	7.4	7.8	7.9	7.9	7.8	7.7	7.5	
PERO FAMILY FARM( 9.7L)																					
4378361	8.670	13.593	L	2019	0012	CRACKING		9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC.	(2022)	FC5M	RIDE					7.7	7.6	7.4	7.5	7.6	7.6	7.4	7.4	7.5		8.4	8.3	8.3	8.0

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = GIBBS & REGISTER, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P WKM--P		=====													
CONTRACTOR (AGE_ONE YEAR)		SURF_TYPE		RW		FY-F WKM-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
GIBBS & REGISTER, INC.		(2015)		FC95A		RIDE		(REG)													
93020000	12.789	14.150	R	1	1	CRACKING	9.5	9.5	9.5	9.5	8.5	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
5	1		2	35	24000	RIDE	4.4*	4.6*	4.2*	4.0*	3.7*	5.3*	4.5*	4.0*	3.9*	3.6*	3.7*	3.3*	3.4*		
E 12TH ST(12.8C)																					
2297443	12.796	14.144	C	2012	0012	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2
GIBBS & REGISTER, INC. (2015) FC95A RIDE 3.2* 2.9* 7.9 7.0 6.5 6.4 6.2 6.2 5.8 5.4* 4.5																					
-----																					
93020000	12.789	14.150	L	1	1	CRACKING	10.0	10.0	10.0	5.0*	5.0*	5.0*	5.0*	4.0*	6.5	6.5	6.5	6.5	6.5	6.5	
5	1		2	35	24000	RIDE	7.8	7.7	7.6	7.5	7.0	6.5	6.6	6.4	6.7	6.4	6.5	6.5	6.4	6.2	
E 12TH ST(12.8C)																					
2297443	12.796	14.144	C	2012	0012	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GIBBS & REGISTER, INC. (2015) FC95A RIDE 6.2 5.9 7.9 7.5 7.4 7.2 7.1 7.3 7.0 7.1 6.9 6.8 6.3																					
-----																					
94030000	20.358	20.740	R	1	1	CRACKING	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	7.5	4.5*	4.5*	10.0	4.5*		
70			3	55	27500	RIDE	8.3	8.2	8.8	6.7	8.7	8.1	7.9	7.7	7.1	7.1	7.0	7.7	7.0		
TURNPIKE(20.5R)																					
4107171	20.358	20.939	R	2011	0213	CRACKING	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	
GIBBS & REGISTER, INC. (2016) FC125 RIDE 6.4* 7.0 6.3* 6.4* 6.3* 6.0* 5.9* 5.6* 6.2* 5.8* 5.1																					
-----																					
94030000	20.358	20.939	L	1	1	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	6.5		
70			2	55	27500	RIDE	8.5	8.5	8.7	8.4	8.8	8.2	8.0	7.9	7.4	7.4	7.2	7.1	6.1*		
ROCK RD(20.4L)																					
4107171	20.358	20.939	L	2011	0213	CRACKING	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	
GIBBS & REGISTER, INC. (2016) FC125 RIDE 5.9* 6.2* 6.8 7.0 6.8 6.6 6.9 6.8 6.8 6.9 6.9																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = GUETTTLER BROTHERS CONSTRUCTI -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR											FUTURE				
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP		SIDE)	=====																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																2029
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																		(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
94030000	0.000	6.111	R	1	1	CRACKING	10.0	10.0	10.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*		
70			2	65	11000	RIDE	8.7	8.7	8.3	8.3	8.4	7.6	7.5	7.4	6.7	6.9	6.6	6.7	6.4*			
GRACEWOOD FARMS( 0.2R)																						
2302622	0.000	5.871	C	2011	0213	CRACKING	3.5*	3.5*					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
GUETTTLER BROTHERS	CONSTRUC(2016)	FC5	RIDE				6.3*	6.0*					8.5	8.4	8.4	8.5	8.4	8.3	8.2	8.2		
-----																						
94030000	0.000	6.351	L	1	1	CRACKING	10.0	10.0	10.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*		
70			2	65	11000	RIDE	8.7	8.7	8.3	8.3	8.4	7.6	7.5	7.4	6.7	6.9	6.6	6.7	6.4*			
V-2 RANCH RD( 5.3L)																						
2302622	0.000	5.871	C	2011	0213	CRACKING	3.5*	3.5*					10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
GUETTTLER BROTHERS	CONSTRUC(2016)	FC5	RIDE				6.3*	6.0*					8.3	8.4	8.4	8.4	8.4	8.4	8.3	8.3		
-----																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = HALLEY ENGINEERING CONTRACTO -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ADT	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P	(AGE_ONE YEAR)	YEAR	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	(REG)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT	ADT
86075000	0.000	1.960	R	4	1	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	
93 I75			4	70	196645	RIDE	8.9	8.8	8.8	8.8	8.7	8.2	8.1	7.8		7.4	7.5	7.7	7.7	
4378321	0.000	6.000	R	2019	0012	CRACKING	10.0	10.0	10.0	9.0	10.0	10.0			6.5	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2021)					FC5M	RIDE	7.6	7.5	7.6	7.6	8.3	8.4			8.1	8.6	8.7	8.6	8.6	8.6
86075000	1.960	2.437	R	4	1	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	
93 I75			4	70	159500	RIDE	8.9	8.8	8.8	8.8	8.7	8.2	8.1	7.8		7.4	7.5	7.7	7.7	
4378321	0.000	6.000	R	2019	0012	CRACKING	10.0	10.0	10.0	9.0	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2020)					FC5M	RIDE	7.6	7.5	7.6	7.6	7.7	7.6			8.4	8.6	8.5	8.6	8.5	8.5
86075000	2.437	5.104	R	4	1	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	
93 I75			4	70	159500	RIDE	8.9	8.8	8.8	8.8	8.7	8.2	8.1	7.8		7.4	7.5	7.7	7.7	
4378321	0.000	6.000	R	2019	0012	CRACKING	10.0	10.0	10.0	9.0	4.5*	4.5*			3.5*	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2021)					FC5M	RIDE	7.6	7.5	7.6	7.6	7.7	7.6			7.2	8.9	8.9	8.8	8.9	8.8
86075000	5.104	6.000	R	4	1	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	
93 I75			4	70	159500	RIDE	8.9	8.8	8.8	8.8	8.7	8.2	8.1	7.8		7.4	7.5	7.7	7.7	
4378321	0.000	6.000	R	2019	0012	CRACKING	10.0	10.0	10.0	9.0	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2020)					FC5M	RIDE	7.6	7.5	7.6	7.6	7.7	7.6			8.1	8.3	8.4	8.3	8.3	8.3
86075000	5.020	6.000	L	4	1	CRACKING	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	
93 I75			4	70	159500	RIDE	8.8	8.8	8.8	8.7	8.6	7.9	7.8	7.7		7.3	7.4	7.4	7.4	7.3
4378321	0.000	6.000	L	2019	0012	CRACKING	10.0	10.0	10.0	9.0	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2020)					FC5M	RIDE	7.3	7.3	7.3	7.4	7.4	7.4			8.2	8.4	8.4	8.3	8.3	8.3
86075000	2.954	5.020	L	4	1	CRACKING	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	
93 I75			4	70	159500	RIDE	8.8	8.8	8.8	8.7	8.6	7.9	7.8	7.7		7.3	7.4	7.4	7.4	7.3
4378321	0.000	6.000	L	2019	0012	CRACKING	10.0	10.0	10.0	9.0	4.5*	4.5*			3.5*	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2021)					FC5M	RIDE	7.3	7.3	7.3	7.4	7.4	7.4			7.0	8.4	8.4	8.4	8.4	8.4
86075000	2.188	2.954	L	4	1	CRACKING	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	
93 I75			4	70	159500	RIDE	8.8	8.8	8.8	8.7	8.6	7.9	7.8	7.7		7.3	7.4	7.4	7.4	7.3
4378321	0.000	6.000	L	2019	0012	CRACKING	10.0	10.0	10.0	9.0	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2020)					FC5M	RIDE	7.3	7.3	7.3	7.4	7.4	7.4			8.1	8.4	8.4	8.4	8.3	8.3
86075000	1.211	2.188	L	4	1	CRACKING	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	
93 I75			4	70	159500	RIDE	8.8	8.8	8.8	8.7	8.6	7.9	7.8	7.7		7.3	7.4	7.4	7.4	7.3
4378321	0.000	6.000	L	2019	0012	CRACKING	10.0	10.0	10.0	9.0	4.5*	4.5*			6.5	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2021)					FC5M	RIDE	7.3	7.3	7.3	7.4	7.4	7.4			7.4	8.7	8.6	8.6	8.6	8.4
86075000	0.000	1.211	L	4	1	CRACKING	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	
93 I75			5	70	196645	RIDE	8.8	8.8	8.8	8.7	8.6	7.9	7.8	7.7		7.3	7.4	7.4	7.4	7.3
4378321	0.000	6.000	L	2019	0012	CRACKING	10.0	10.0	10.0	9.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2020)					FC5M	RIDE	7.3	7.3	7.3	7.4	8.4	8.3			8.4	8.4	8.5	8.4	8.4	8.4
93220000	16.460	18.781	R	4	1	CRACKING		10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	9.0	9.0	
9 I95			5	65	247000	RIDE		9.0	9.0	9.0	8.9	8.5			7.4	7.4	7.5	7.5	7.4	
4275162	16.427	18.781	R	2020	0012	CRACKING	9.0	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*		10.0	10.0	
HALLEY ENGINEERING CONTRAC(2023)					FC5M	RIDE	7.5	7.2	7.1	7.0	7.4	7.3	7.1	7.0	7.3	7.0		8.0	8.0	
93220000	16.383	18.802	L	4	1	CRACKING		10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	
9 I95			5	65	247000	RIDE		8.9	8.9	8.8	8.9	8.3			7.3	7.5	7.5	7.3	7.3	
4275162	16.427	18.781	L	2020	0012	CRACKING	10.0	9.0	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	
HALLEY ENGINEERING CONTRAC(2023)					FC5M	RIDE	7.4	7.4	7.4	7.3	7.6	7.7	7.7	7.4	7.8	7.7	7.8	8.1	7.9	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 \*@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = HARDRIVES OF DELRAY, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)		W_BMP W_EMP		FW	FY-P	WKM-F	*****														
ITMSEG-P		W_BMP W_EMP		RW	FY-F	WKM-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR (AGE_ONE YEAR)		W_BMP W_EMP		RW	FY-F	WKM-F															
ITMSEG-F		W_BMP W_EMP		RW	FY-F	WKM-F															
86014000	8.350	8.738	R	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
870				3	35	37000	7.2	7.7	7.3	7.4	7.1	6.2	6.5	6.4	7.0	6.7	7.4	7.2	7.0		
NE 19 AVE( 8.4R) 2.4																					
2279391	8.299	8.780	C	1995	0220	CRACKING	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0
HARDRIVES OF DELRAY, INC. (1997)						FC125	7.3	6.2	5.9	6.1	5.9	5.9	5.6	5.7	5.4*	5.7	5.8				
4461821	6.230	9.893	C	2024	0012																
-----																					
86014000	8.350	8.738	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
870				3	35	37000	8.0	7.8	7.8	7.9	7.7	6.5	6.2	6.2	6.0	6.4	7.3	7.2	7.2		
NE 20 AVE( 8.5C) 2.4																					
2279391	8.299	8.780	C	1995	0220	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.9
HARDRIVES OF DELRAY, INC. (1997)						FC125	7.3	7.4	6.5	6.7	6.6	6.5	6.4	6.0	6.3	6.4	6.0	6.4	6.2	6.2	
4461821	6.230	9.893	C	2024	0012																
-----																					
89070000	15.700	16.456	C	1	1	CRACKING	10.0	10.0	10.0	9.0	10.0	10.0	10.0	9.5	10.0	9.5	8.5			10.0	
710				4	35	14200	8.4	8.6	8.1	8.1	8.0	7.5	7.0	7.1	6.8	7.4	7.3			7.8	
SW VAN BUREN AVE(15.7L) 32.4																					
4138451	15.747	16.605	R	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
HARDRIVES OF DELRAY, INC. (2011)						FC95	8.1	8.0	7.9	7.8	7.4	6.6	7.5	7.4	7.4	7.2	7.1	7.0	6.7	6.4	
-----																					
93010000	10.777	15.117	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
5				2	35	25000		8.5	8.5	8.4	8.1	7.6	7.7	7.6	7.7	7.6	7.6	7.6	7.2	7.3	
BOND WAY(10.8R) 4.2																					
4378341	10.780	15.100	R	2019	0012	CRACKING	9.5	9.5	9.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
HARDRIVES OF DELRAY, INC. (2022)						FC125	7.2	7.2	7.0	7.0	7.3	7.3	7.0	6.9	7.1	6.8	8.2	7.9	8.0	7.4	
-----																					
93010000	10.777	15.117	L	1	1	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.0	8.0	8.0		
5				2	35	25000		8.1	7.8	7.8	7.4	7.3	7.3	7.2	7.0	6.9	6.8	6.5	6.5		
FOURTEENTH ST NE(10.9L) 4.2																					
4378341	10.780	15.100	L	2019	0012	CRACKING	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
HARDRIVES OF DELRAY, INC. (2022)						FC125	6.4	6.2	6.1	6.1	6.5	6.7	6.4	6.3	6.5	6.2	8.1	8.0	7.9	7.4	
-----																					
93060000	15.798	18.400	C	1	1	CRACKING	7.5	7.0	4.5*	4.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	10.0	10.0		
A1A				2	35	6700	8.1	7.8	7.8	7.7	7.4	6.7	6.5	6.5	6.3	6.1	5.9	8.3	8.1		
OCEAN LN(18.1R) 3.7																					
4036101	15.698	18.274	C	2007	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
HARDRIVES OF DELRAY, INC. (2010)						DGFC	8.1	8.0	7.8	7.8	7.1	7.1	7.1	6.9	6.9	6.6	6.8	6.7	6.6	5.8	
-----																					
93210000	6.283	8.678	R	1	1	CRACKING	3.0*	3.0*	1.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
7				2	55	35000	6.3*	6.0*	6.0*			7.4	7.5	7.4	7.5	7.5	7.5	7.4	7.4		
CABERNET DR( 6.6R) 9.0																					
4323491	6.283	8.678	R	2017	0012	CRACKING	9.0	9.0	9.0	6.5	6.5	6.5		10.0	10.0	9.0	9.0	9.0	9.0		
HARDRIVES OF DELRAY, INC. (2019)						FC5A	7.4	7.4	7.2	7.3	7.3	7.2		7.9	8.0	8.0	8.1	7.9	8.0		
-----																					
93210000	19.931	24.250	R	1	1	CRACKING	7.5			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0		
7				4	50	60000	8.2			8.6	8.5	8.4	8.3	8.2	8.1	8.1	8.1	8.0	8.1		
MISSING DESCRIPTION I(20.7R) 5.2																					
2291851	19.787	24.244	C	1998	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5		
HARDRIVES OF DELRAY, INC. (2002)						FC125	8.1	8.0	8.1	8.0	7.9	7.9	7.8	7.6	7.7	7.8	7.8	7.7	7.8		
-----																					
93210000	19.931	24.250	L	1	1	CRACKING	7.5			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0		
7				4	50	60000	8.2			8.5	8.3	8.4	8.2	8.0	8.4	7.9	8.0	7.9	7.9		
WELLINGTON PARC DR(20.5L) 5.2																					
2291851	19.787	24.244	C	1998	0213	CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0		
HARDRIVES OF DELRAY, INC. (2002)						FC125	8.0	7.9	7.9	7.8	7.7	7.8	7.6	7.6	7.6	7.6	7.5	7.5	7.6		
-----																					
93210000	6.283	8.678	L	1	1	CRACKING	3.0*	3.0*	1.0*			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
7				2	55	35000	6.3*	6.0*	6.0*			7.8	7.4	7.8	7.9	7.9	7.8	7.7	7.5		
EL PARAISO PL( 7.9L) 9.0																					
4323491	6.283	8.678	L	2017	0012	CRACKING	6.5	6.5	5.5*	5.5*	5.5*	5.5*	3.5*	10.0	10.0	9.0	9.0	9.0	9.0		
HARDRIVES OF DELRAY, INC. (2019)						FC5A	7.4	7.4	7.1	7.5	7.5	7.5	7.4	7.8	7.9	7.8	7.9	7.9	7.8		

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4                      CONTRACTOR = HORIZON CONTRACTORS, INC. -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															(REG)	
94010000	8.472	10.772	R	1	1	CRACKING		9.5	9.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1			2	45	34000	RIDE	8.1	8.1	7.6	7.9	8.0	7.5	7.4	7.4	6.6	6.5	7.4	7.6	7.5		
WEATHERBEE RD( 8.7C)							6.1															
4287281	8.423	10.785	C	2018	0012	CRACKING		10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	
HORIZON CONTRACTORS, INC. (2021)							FC125	RIDE	7.4	7.5	7.4	6.6	6.9	7.3	7.3	7.3		8.2	8.3	8.3	8.2	8.2
-----																						
94010000	8.472	10.772	L	1	1	CRACKING		4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	7.0	7.0		
5	1			2	45	34000	RIDE	7.4	7.3	7.1	7.0	7.2	6.7	7.5	7.4	6.6	6.5	7.4	7.7	7.6		
WEATHERBEE RD( 8.7C)							6.1															
4287281	8.423	10.785	C	2018	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0	10.0	10.0	
HORIZON CONTRACTORS, INC. (2021)							FC125	RIDE	7.4	7.5	7.4	7.2	6.9	7.2	7.2	7.2		8.3	8.2	8.3	8.2	8.1
-----																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = HUBBARD CONSTRUCTION CO -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							%T	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)
93290000	0.000	2.097	C	1	1	CRACKING		8.5	8.5	8.5		10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	8.5	
715			2	40	12000	RIDE		7.8	7.8	7.4		8.2	7.7	7.6	7.7	7.9	7.9	7.9	7.4	7.2	
BELLE GLADE CITY LIMITS(				0.0C)	9.8																
2297171	0.000	9.300	C	2000	0012	CRACKING		7.5	7.5	7.5	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.2
HUBBARD CONSTRUCTION CO	(2003)	FC125	RIDE					7.1	7.3	7.0	7.1	7.1	7.2	7.1	6.9	6.9	6.9	7.0	6.8	6.7	6.4
4398451	0.052	2.088	C	2023	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

**FLORIDA DEPARTMENT OF TRANSPORTATION**  
**ALL SYSTEM PAVEMENT CONDITION FORECAST**

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

```

----- DISTRICT = 4          CONTRACTOR = HUBBARD CONSTRUCTION COMPANY -----
RDWYID          BMP      EMP RW  SYSTEM TYPE  DISTRESS SURVEYED YEAR      FUTURE
SR  US  G_BMP  G_EMP LN  SPEED ADT  RATINGS 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2029
INTERSECT AT (MP|SIDE)  =====
ITMSEG-P  W_BMP  W_EMP RW  FY-P  WKMX-P
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE
ITMSEG-F  W_BMP  W_EMP RW  FY-F  WKMX-F

86028000  1.428  3.221  R    1    1  CRACKING 10.0 10.0 10.0  9.0  7.5  6.5  4.5* 4.5* 4.5* 4.5* 4.5* 4.5* 10.0
834                    3    45 43000  RIDE    8.3  7.8  7.7  7.9  7.6  7.1  7.1  6.9  6.8  6.7  6.5  6.4  8.1
BELMONTE BLVD( 1.5R)
                            4.2
4138381  1.428  3.236  C 2009 0012  CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0
HUBBARD CONSTRUCTION COMPA(2011) FC95  RIDE    8.0  7.9  7.9  8.0  7.8  7.7  7.7  7.6  7.6  7.6  7.6  7.6  7.6  7.4  7.5  9.0
-----
86028000  1.428  3.221  L    1    1  CRACKING 10.0  8.5  8.5  7.0  6.5  6.5  4.5* 3.5* 3.5* 3.5* 3.5* 3.5* 10.0
834                    3    45 43000  RIDE    7.9  8.1  8.0  8.1  7.7  6.8  7.0  6.8  6.6  6.8  6.4  6.6  8.1
SHOPPING CENTER ENT( 1.6L)
                            4.2
4138381  1.428  3.236  C 2009 0012  CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0  9.0  9.0  8.0  8.0  8.0
HUBBARD CONSTRUCTION COMPA(2011) FC95  RIDE    8.0  7.8  7.8  7.7  7.7  7.7  7.7  7.6  7.5  7.4  7.4  7.4  7.4  7.3  7.0
-----
93012000  0.000  0.678  R    1    1  CRACKING 10.0 10.0 10.0  9.0  9.0  9.0  9.0  10.0 10.0 10.0 10.0 10.0
708                    3    40 20000  RIDE    7.5  7.3  7.1  7.3  7.2  6.6  6.3  7.7  7.1  7.5  7.4  7.4
BEE LINE HWY( 0.0C)
                            10.5
2296481  0.235  0.901  C 2004 0213  CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0  9.5  9.5  9.5
HUBBARD CONSTRUCTION COMPA(2007) FC125 RIDE    7.5  7.4  7.3  7.4  7.1  7.1  7.1  6.5  6.5  6.6  6.4  6.4  6.7  6.1
-----
93012000  0.000  0.678  L    1    1  CRACKING 10.0 10.0 10.0  9.0  9.0  9.0  9.0  10.0 10.0 10.0 10.0 10.0
708                    3    40 20000  RIDE    8.1  7.4  6.8  7.9  7.4  7.4  7.4  7.7  7.2  7.3  7.2  7.1
BEE LINE HWY( 0.0C)
                            10.5
2296481  0.235  0.901  C 2004 0213  CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0  9.0  9.0  9.0  9.0  9.0
HUBBARD CONSTRUCTION COMPA(2007) FC125 RIDE    7.2  7.1  7.1  7.1  6.8  6.8  6.5  6.6  6.6  6.6  6.5  6.4  6.5  6.0
-----
93120000  0.228  1.632  R    1    1  CRACKING  8.5  8.0  6.0* 5.0* 5.0* 5.0* 3.5* 2.5* 2.5* 10.0 10.0
80 98                    2    55 17600  RIDE    8.6  8.5  8.2  8.4  7.9  7.1  7.0  6.8  6.9  8.0  8.0
                            14.3
4138011  0.228  8.709  R 2007 0012  CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0  9.0  9.0  9.0  9.0  9.0
HUBBARD CONSTRUCTION COMPA(2010) FC5   RIDE    8.2  8.1  8.1  8.1  8.1  8.1  8.1  8.0  7.9  8.1  8.1  8.1  8.1  8.1  8.1
-----
93120000  0.228  1.632  L    1    1  CRACKING 10.0  8.0  7.5  7.5  7.0  6.5  5.5* 5.5* 3.5* 10.0 10.0
80 98                    2    55 17600  RIDE    8.8  8.8  8.7  8.7  8.4  7.6  7.6  7.5  7.9  8.2  8.3
210 TER( 0.9L)
                            14.3
4138011  0.228  8.709  L 2007 0012  CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0  9.0  9.0
HUBBARD CONSTRUCTION COMPA(2010) FC5   RIDE    8.3  8.3  8.3  8.3  8.4  8.4  8.3  8.2  8.4  8.2  8.2  8.2  8.2  8.2
-----
93190000  12.371 13.740  R    1    1  CRACKING  8.5  7.5  7.5  7.5  7.5  7.0  6.5  5.5* 5.5* 5.5* 5.5* 10.0 10.0
706                    3    45 56000  RIDE    8.6  8.5  8.3  8.6  8.5  7.3  7.6  7.7  7.6  7.3  7.5  8.2  8.0
68 TER(13.2R)
                            6.7
4138431  12.795 13.781  R 2008 0012  CRACKING 10.0 10.0 10.0 10.0  9.0  9.0  7.5  7.5  7.5  7.5  6.5  6.5  6.5
HUBBARD CONSTRUCTION COMPA(2010) FC5   RIDE    8.2  8.1  8.1  7.9  8.1  8.0  7.9  7.6  7.5  7.8  7.9  7.5  7.9  4.8
4397581  12.081 13.527  C 2023 0231
-----
93190000  12.371 13.740  L    1    1  CRACKING  8.5  7.5  7.5  7.5  7.5  7.0  6.5  5.5* 5.5* 3.5* 3.5* 10.0 10.0
706                    3    45 56000  RIDE    8.2  8.5  8.7  8.5  8.4  7.7  7.6  7.6  7.5  7.4  7.5  8.1  8.0
ISLAND WAY(13.2L)
                            6.7
4138431  13.063 13.781  L 2008 0012  CRACKING 10.0 10.0 10.0 10.0  9.0  9.0  7.5  7.5  7.5  7.5  6.5  6.5  6.5
HUBBARD CONSTRUCTION COMPA(2010) FC5   RIDE    7.9  8.0  8.1  8.0  8.1  8.1  7.8  7.6  8.0  7.9  8.0  8.0  7.9  7.9
4397581  12.081 13.527  C 2023 0231
-----
93200000  7.786  8.035  R    1    1  CRACKING  9.0  9.0  9.0  9.0  9.0  9.0  9.0  9.0  9.0  10.0 10.0 10.0
804                    3    40 56000  RIDE    8.6  8.3  8.2  8.3  7.9  7.4  7.1  7.0  7.2  7.9  7.9  7.4
NW 8TH ST( 7.8R)
                            2.6
4036051  7.786  8.030  R 2006 0012  CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0
HUBBARD CONSTRUCTION COMPA(2009) DGFC  RIDE    7.4  7.4  7.3  7.4  7.4  7.4  7.3  7.3  7.2  7.2  7.3  7.5  7.4  7.1
-----
93200000  8.035  9.140  R    1    1  CRACKING 10.0  9.0  9.0  9.0  9.0  9.0  8.0 10.0 10.0 10.0 10.0 10.0
804                    2    35 30500  RIDE    7.5  7.6  7.7  7.5  7.2  7.0  6.9  6.6  7.1  7.5  6.9  7.5
NW 3 ST( 8.5R)
                            5.5
4036051  8.030  9.115  R 2006 0012  CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0  9.5  9.5
HUBBARD CONSTRUCTION COMPA(2009) DGFC  RIDE    6.9  6.8  6.8  6.8  6.6  6.6  6.7  6.5  6.6  6.4  6.6  6.7  6.6  6.2
-----
93200000  8.035  9.140  L    1    1  CRACKING  3.0* 3.0* 3.0* 3.0* 3.0* 3.0* 3.0* 3.0* 10.0 10.0
804                    2    35 30500  RIDE    7.4  7.1  6.7  6.5  6.8  6.7  6.5  6.3  6.4  10.0 10.0 10.0
NW 4 ST( 8.4L)
                            5.5
4036051  8.168  9.115  L 2006 0012  CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0  9.5  9.5  9.5  9.5  8.0  8.0
HUBBARD CONSTRUCTION COMPA(2009) DGFC  RIDE    6.9  6.8  6.9  6.7  6.0  6.1  5.9  5.7  5.9  6.0  6.0  6.1  5.9  5.2
    
```

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = HUBBARD CONSTRUCTION COMPANY -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP   SIDE)		%		=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																2029
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																		(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
93200000	7.786	8.035	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0		
804			3	40	56000	RIDE	6.7	7.8	7.9	7.5	7.0	7.5	7.6	7.6	7.6	6.6		7.6	7.5	7.3		
OLD BOYNTON RD( 7.8L)																						
4036051	7.786	8.168	L	2006	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.9	
HUBBARD	CONSTRUCTION	COMPA	(2009)	DGFC	RIDE		7.1	6.9	6.9	7.0	7.4	7.1	7.0	6.9	7.2	6.7	7.0	7.0	6.8	6.7		
-----																						
93220000	21.570	24.555	R	4	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0						10.0	10.0	
9	I95		5	65	233000	RIDE		9.0	8.9	8.8	8.7	8.3	8.4							8.0	7.9	
7.6																						
2319182	21.610	23.993	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.9	
HUBBARD	CONSTRUCTION	COMPA	(2010)	FC5	RIDE		8.1	8.0	8.1	8.1	7.9	8.0	7.8	7.6	7.9	8.0	7.9	7.9	7.8	7.8		
-----																						
93220000	25.373	27.213	L	4	1	CRACKING	7.0								10.0	10.0	10.0	10.0	10.0	10.0		
9	I95		5	65	238000	RIDE	8.3								8.1	8.0	8.0	7.9	7.8	7.9		
8.0																						
2319193	25.328	27.979	C	2004	0234	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5
HUBBARD	CONSTRUCTION	COMPA	(2006)	OGFC	RIDE		8.0	7.9	8.0	8.0	8.1	8.2	8.0	8.0	8.2	8.2	8.2	8.2	8.1	7.8	7.8	
-----																						
93220000	22.038	23.520	L	4	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0							10.0	10.0	
9	I95		5	65	233000	RIDE		8.9	9.0	8.5	8.9	8.4	8.3							8.1	7.8	8.1
7.6																						
2319182	21.610	23.993	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	
HUBBARD	CONSTRUCTION	COMPA	(2009)	FC5	RIDE		8.1	8.1	8.1	8.1	7.9	8.0	7.8	7.8	7.8	8.0	8.0	8.0	7.9	7.8	7.8	
-----																						
94010000	5.440	8.472	R	1	1	CRACKING	2.0*	2.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*				10.0	10.0	
5	1		3	45	32000	RIDE	8.2	8.0	7.9	7.8	7.8	6.6	6.6	6.3	6.1					8.5	8.4	
6.8																						
2302882	5.475	8.364	R	2006	0213	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	
HUBBARD	CONSTRUCTION	COMPA	(2010)	FC125	RIDE		7.5	7.4	7.4	7.0	7.0	7.2	7.5	7.4	7.5	7.3	7.3	7.3	7.3	7.3	6.8	
-----																						
94010000	5.440	8.472	L	1	1	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	1.0*	1.0*					10.0	10.0	
5	1		3	45	32000	RIDE	7.9	7.8	7.7	7.2	7.6	6.8	6.6	6.7	6.4					8.4	7.9	
6.8																						
2302882	5.475	8.364	L	2006	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	
HUBBARD	CONSTRUCTION	COMPA	(2010)	FC125	RIDE		8.3	7.4	7.6	7.1	7.1	7.1	7.4	7.1	7.3	7.3	7.2	7.2	7.2	7.2	6.6	
-----																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = I 595 EXPRESS, LLC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P	=====														
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
-----																					
86095000	0.592	5.820	R	4	1	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0		
862 I595			3	65	117000	RIDE	8.6	8.5	8.4	8.4	8.4	7.8	7.8	7.8	7.8	7.9	7.7	7.8	7.7		
SR 84 EB( 4.7R)					8.5																
4208093	0.920	5.820	R	2011	0213	CRACKING				10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.7
I 595 EXPRESS, LLC				(2015)	FC5M	RIDE	8.0	8.2	8.1	8.1	8.0	7.9	8.1	8.0	7.9	8.1	8.1	8.0	8.0	8.0	
4208098	0.592	10.407	C	2025	0012																
86095000	5.820	7.720	R	4	1	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
862 I595			4	65	148903	RIDE	8.5	8.5	8.5	8.5	8.4	7.8	7.7	7.7	7.7	7.5	7.9	7.9	7.9	7.9	
SR-84 EB 86080500( 6.9R)					7.3																
4208093	5.820	7.720	R	2011	0213	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	5.3	
I 595 EXPRESS, LLC				(2015)	FC5M	RIDE	8.0	8.4	8.3	8.3	8.2	8.2	8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.3	
4208098	0.592	10.407	C	2025	0012																
86095000	7.720	9.056	R	4	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
862 I595			4	65	218500	RIDE	8.4	8.3	8.3	8.2	8.2	7.1	7.5	7.5	7.2	7.4	7.9	7.8	8.0		
SR 84 WB( 6.9L)					7.9																
4208093	7.720	10.407	R	2011	0213	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	4.8	
I 595 EXPRESS, LLC				(2015)	FC5M	RIDE	8.0	8.1	8.0	8.0	8.0	7.9	7.9	7.9	8.0	7.9	8.0	7.9	7.7	7.7	7.6
4208098	0.592	10.407	C	2025	0012																
86095000	9.960	10.407	R	4	8	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	10.0	10.0		
862 I595			3	65	72000	RIDE	8.5	8.5	8.5	8.5	8.2	8.0	7.6	7.6	7.5	7.3	7.5	7.3	7.3		
SR 84 WB( 1.6L)					7.3																
4208093	7.720	10.407	R	2011	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0			
I 595 EXPRESS, LLC				(2013)	FC5M	RIDE	7.9	7.4	7.8	8.0	8.0	8.0	7.9	7.9	8.1	8.1	8.1	8.0			
4208098	0.592	10.407	C	2025	0012																
86095000	6.825	9.056	L	4	1	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
862 I595			4	65	218500	RIDE	8.5	8.4	8.4	8.3	8.2	7.6	7.2	7.5	7.6	7.6	7.8	7.9	7.9		
SR 84 WB( 6.9L)					7.9																
4208093	6.825	9.525	L	2011	0213	CRACKING					10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	5.5	
I 595 EXPRESS, LLC				(2016)	FC5M	RIDE	8.2	8.2	8.2	8.1	8.0	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.1	
4208098	0.592	10.407	C	2025	0012																
86095000	0.592	6.825	L	4	1	CRACKING	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0		
862 I595			4	65	117000	RIDE	8.7	8.7	8.6	8.6	8.5	7.9	7.8	7.7	7.7	8.0	7.7	7.7	7.6		
SR 84 WB( 1.6L)					8.5																
4208093	0.592	6.825	L	2011	0213	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2	
I 595 EXPRESS, LLC				(2015)	FC5M	RIDE	8.2	8.3	8.3	8.3	8.2	8.2	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	
4208098	0.592	10.407	C	2025	0012																
-----																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4										CONTRACTOR = J.W. CHEATHAM, LLC										-----									
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR										FUTURE											
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011									
INTERSECT AT (MP SIDE)						#T	=====																						
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029								
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(REG)								
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																							
89010000	0.000	5.050	R	1	1	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	6.5	6.5	6.5									
5	1		2	55	20000	RIDE	9.0	9.0	8.9	8.6	8.8	8.3	8.3	8.1	8.1	8.0	7.6	7.9	7.9										
FRONTAGE RD( 0.2R)																													
4270231	0.000	5.050	C	2013	0012	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0								
J.W. CHEATHAM, LLC				(2016)	FC5	RIDE	7.8	7.7	7.5		8.4	8.3	8.4	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5								
89010000	11.156	14.722	R	1	1	CRACKING	2.0*	2.0*	2.0*	2.0*				10.0	10.0	10.0	10.0	10.0	10.0	9.0									
5	1		3	45	30500	RIDE	8.3	8.2	7.9	7.5				7.2	7.2	7.2	7.0	7.0	7.0	7.1	7.1								
HERITAGE BLVD SE(11.3C)																													
4378381	11.596	14.710	R	2019	0012	CRACKING	9.0	9.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*			10.0	10.0	10.0	10.0								
J.W. CHEATHAM, LLC				(2022)	FC5M	RIDE	7.0	6.9	6.8	6.8	6.8	6.7	6.8	6.8	6.8			8.4	8.4	8.4	8.4								
89010000	11.156	14.722	L	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0									
5	1		3	45	30500	RIDE	8.3	8.1	8.1	8.1				7.3	7.2	7.1	6.9	6.7	6.7	6.7									
HERITAGE BLVD SE(11.3C)																													
4378381	11.596	14.710	L	2019	0012	CRACKING	9.5	9.0	9.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*			10.0	10.0	10.0	10.0								
J.W. CHEATHAM, LLC				(2022)	FC5M	RIDE	6.6	6.5	6.4	6.2	6.6	6.4	6.6	6.7	6.6			8.3	8.2	8.1	7.6								
89010000	0.000	5.050	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5										
5	1		2	55	20000	RIDE	8.8	8.9	8.9	8.9	8.9	8.5	8.5	8.0	8.3	8.0	7.5	8.0	8.3										
SIDE ROAD( 0.9C)																													
4270231	0.000	5.050	C	2013	0012	CRACKING	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0								
J.W. CHEATHAM, LLC				(2016)	FC5	RIDE	8.1	6.7	6.5		8.5	8.5	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6								
89070000	0.000	2.000	C	1	1	CRACKING	10.0	8.0	8.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0									
710			2	60	8800	RIDE	9.2	8.9	8.9	8.8	8.8	8.1	8.0	8.0	7.8	7.6	7.1	6.9	8.4	8.4									
CR 714( 0.0L)																													
4138441	0.154	14.648	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0								
J.W. CHEATHAM, LLC				(2010)	FC95	RIDE	8.4	8.4	8.4	7.9	7.7	8.1	8.1	8.0	8.0	8.0	8.0	8.0	8.0	7.8	7.6								
89070000	12.446	14.648	C	1	1	CRACKING	9.5	9.5	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	3.5*	10.0	10.0									
710			2	55	8800	RIDE	9.1	8.8	8.8	8.7	8.6	8.0	7.8	7.6	7.4	6.9	6.4*	8.4	8.4										
SIDE ROAD(12.5L)																													
4138441	0.154	14.648	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5								
J.W. CHEATHAM, LLC				(2010)	FC95	RIDE	8.4	8.4	8.4	7.9	7.7	7.7	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2								
89095000	7.849	11.490	L	4	1	CRACKING	10.0	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*									
9	195		3	70	103000	RIDE	9.0	8.9	8.8	8.5	8.6	8.0	8.0	8.0	8.0	7.9	7.9	7.8	7.9	7.4									
10.8																													
4153951	7.849	11.490	L	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	3.9								
J.W. CHEATHAM, LLC				(2012)	FC5	RIDE	7.7	7.8	7.8	7.7	8.3	8.3	8.3	8.4	8.5	8.5	8.5	8.5	8.4	8.3	8.3								
4491591	7.815	11.490	C	2025	0012																								
93016000	2.960	3.342	R	1	1	CRACKING	9.0	9.0	7.5	6.0*	6.0*	5.5*	5.5*	5.5*	6.0*	7.0	7.0	7.0	10.0										
882			3	45	42000	RIDE	6.9	6.8	6.8	6.7	7.3	6.8	6.7	6.7	7.3	7.1	7.2	6.7	7.8										
RIVER BRIDGE( 3.2R)																													
2298171	2.902	3.425	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0								
J.W. CHEATHAM, LLC				(2011)	FC125	RIDE	7.7	7.6	7.5	7.4	7.7	7.7	7.4	7.7	7.3	7.6	7.1	7.6	7.6	7.6	7.3								
93016000	3.794	5.124	R	1	1	CRACKING	9.0	9.0	7.5	6.0*	6.0*	5.5*	5.5*	5.5*	6.0*	7.0	7.0	10.0	10.0										
882			3	45	38500	RIDE	6.9	6.8	6.8	6.7	7.3	6.8	6.7	6.7	7.3	7.1	7.2	8.4	8.3										
FOREST HILL VILLAS( 4.1C)																													
2298171	3.800	5.124	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0								
J.W. CHEATHAM, LLC				(2010)	FC125	RIDE	8.0	8.0	7.9	8.0	7.9	7.9	7.9	7.6	7.8	7.6	7.7	7.7	7.8	7.8	7.4								
93016000	5.124	8.161	R	1	1	CRACKING	9.0	9.0	7.5	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0									
882			3	45	41500	RIDE	6.9	6.8	6.8	6.7	7.3	6.8	6.7	6.7	6.7	6.5	6.5	6.4	7.8										
HAVERHILL RD( 5.1C)																													
2298172	5.124	8.161	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0								
J.W. CHEATHAM, LLC				(2011)	FC125	RIDE	7.6	7.6	7.5	7.5	7.6	7.5	7.1	7.1	7.1	7.2	7.2	7.1	7.2	7.2	6.8								
93016000	5.124	8.161	L	1	1	CRACKING	8.5	8.5	7.5	6.0*	6.0*	5.5*	5.5*	3.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0									
882			3	45	41500	RIDE	7.2	6.8	6.9	6.8	6.4*	7.0	6.7	7.0	6.8	6.6	6.2	6.1	8.1										
HAVERHILL RD( 5.1C)																													
2298172	5.124	8.161	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0								
J.W. CHEATHAM, LLC				(2011)	FC125	RIDE	7.9	7.9	7.9	7.7	7.8	7.8	7.7	7.4	7.6	7.6	7.7	7.5	7.6	7.6	7.3								

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = J.W. CHEATHAM, LLC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		W_BMP W_EMP		FW	FY-P	WKM	*****														
CONTRACTOR (AGE_ONE YEAR)		W_BMP W_EMP		RW	FY-F	WKM	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F		W_BMP W_EMP		RW	FY-F	WKM	-----														
93016000	3.794	5.124	L	1	1	CRACKING	8.5	8.5	7.5	6.0*	6.0*	5.5*	5.5*	3.5*	6.0*	6.0*	6.0*	10.0	10.0		
882			3	45	38500	RIDE	7.2	6.8	6.9	6.8	6.4*	7.0	6.7	7.0	7.6	7.6	7.6	8.5	8.2		
FOREST HILL VILLAS( 4.1C)																					
2298171	3.800	5.124	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
J.W. CHEATHAM, LLC				(2010)	FC125	RIDE	7.9	8.1	8.0	7.9	7.9	7.9	7.7	7.7	7.8	7.7	7.8	7.7	7.8	7.4	
93016000	2.960	3.342	L	1	1	CRACKING	8.5	8.5	7.5	6.0*	6.0*	5.5*	5.5*	3.5*	6.0*	6.0*	6.0*	10.0	10.0		
882			3	45	42000	RIDE	7.2	6.8	6.9	6.8	6.4*	7.0	6.7	7.0	7.6	7.6	7.6	8.5	8.2		
FAIRWAY ISLES( 3.2L)																					
2298171	2.902	3.425	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
J.W. CHEATHAM, LLC				(2011)	FC125	RIDE	8.0	8.1	8.0	7.8	8.1	8.3	8.2	8.0	8.0	8.1	8.1	8.1	8.1	8.1	
93020100	0.540	0.960	C	1	6	CRACKING								10.0							
5	1		2	30	12200	RIDE								4.8*							
CLEMATIS ST( 0.5C)																					
4323501	0.741	0.960	L	2016	0012	CRACKING	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
J.W. CHEATHAM, LLC				(2017)	FC125	RIDE	4.8*	4.2*	4.3*	5.0*	3.9*										
93040000	10.527	10.848	R	1	8	CRACKING	9.0	9.0	9.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	
5	1		2	45	25000	RIDE	8.3	8.2	8.1	8.4	7.9	6.8	7.7	7.5	7.7	7.7	7.8	7.5	7.5		
CR A1A(10.5R)																					
4246521	10.565	11.047	R	2012	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
J.W. CHEATHAM, LLC				(2015)	DGFC	RIDE	7.3	7.2	7.4	7.6											
93040000	10.848	11.127	R	1	8	CRACKING	9.0	9.0	9.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5		
5	1		3	45	25000	RIDE	8.3	8.2	8.1	8.4	7.9	6.8	7.7	7.5	7.7	7.7	7.8	7.5	7.5		
ALT A1A(11.1R)																					
4246521	10.565	11.047	R	2012	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
J.W. CHEATHAM, LLC				(2014)	DGFC	RIDE	7.3	7.2	8.3	8.0	7.8	7.6	7.7	7.1	7.4	7.5	7.3	7.2			
93040000	11.127	12.396	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	7.0	7.0	7.0	7.0		
5	1		3	45	26000	RIDE	8.8	8.7	8.7	8.4	8.3	8.1	8.1	8.0	8.1	8.1	8.1	8.1	8.1		
COVE RD(11.4R)																					
4287181	11.049	12.134	R	2018	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0		
J.W. CHEATHAM, LLC				(2020)	FC125	RIDE	8.1	7.9	7.9	8.0	8.1	8.1	7.9	7.8	8.4	8.4	8.4	8.3	8.3		
93040000	11.127	12.396	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0		
5	1		3	45	26000	RIDE	8.8	8.1	8.6	8.7	8.5	8.1	8.0	7.8	8.0	8.2	8.1	7.9	8.2		
EYEBALL AVE(11.3L)																					
4287181	11.126	12.411	L	2018	0012	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0		
J.W. CHEATHAM, LLC				(2020)	FC125	RIDE	8.2	8.0	8.0	8.1	8.3	8.2	8.0	8.1	8.5	8.4	8.5	8.5	8.5	8.4	
93190000	16.047	16.859	R	1	6	CRACKING	10.0		10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5		
706			3	45	32000	RIDE	8.0		7.8	7.2	7.2	6.2*	6.2*	6.5	6.6	6.7	7.1	6.9	7.0		
ALT A1A(16.1C)																					
4246601	16.047	16.661	R	2012	0012	CRACKING	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	
J.W. CHEATHAM, LLC				(2015)	FC95	RIDE	7.0	6.9	7.0	7.5	7.5	7.0	6.9								
93190000	16.047	16.859	L	1	6	CRACKING	7.5		10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5		
706			3	45	32000	RIDE	7.7		7.3	6.7	6.9	6.1*	6.2*	6.3	6.9	6.6	6.4	6.1	6.8		
ALT A1A(16.1C)																					
4246601	16.047	16.859	L	2012	0012	CRACKING	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.4	
J.W. CHEATHAM, LLC				(2015)	FC95	RIDE	7.0	6.9	7.3	7.5	7.0	6.9	6.8								
93310000	5.631	6.900	R	1	7	CRACKING	3.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0		
710			2	60	7463	RIDE	7.2	7.2	6.9	6.8	6.2*	4.9*	7.8	7.8	7.9	7.9	8.0	7.9	7.8		
INNOVATION DR( 6.4R)																					
4460971	5.597	6.888	C	2023	0012	CRACKING	9.0	9.0	9.0	8.0	8.0			4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	
J.W. CHEATHAM, LLC				(2024)	FC2	RIDE	7.7	7.7	7.6	7.6	7.7			7.7	7.6	7.9	7.7	7.6	7.6	8.3	
93310000	22.832	23.605	R	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0	7.0	7.0	7.0		
710			2	35	6600	RIDE	8.3	8.2	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7	7.5	7.3	7.5		
AVE N(22.9C)																					
2298961	22.836	23.655	C	2016	0213	CRACKING	7.0	7.0		6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0		
J.W. CHEATHAM, LLC				(2020)	FC95M	RIDE	7.4	7.4		7.0	6.6	6.5			8.0	7.3	8.0	7.9	7.9		

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = J.W. CHEATHAM, LLC -----																							
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE				
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011			
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P WKMX-P		=====															
ITMSEG-P		W_BMP		W_EMP		RW		FY-F WKMX-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)		(AGE_ONE YEAR)		SURF_TYPE																			
ITMSEG-F		W_BMP		W_EMP		RW		FY-F WKMX-F															
93310000	22.010	23.605	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0	7.0	7.0	7.0	7.0			
710			2	35	18100	RIDE	8.3	8.2	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7	7.5	7.3	7.5				
AVE U(22.2L)																							
2298961	22.836	23.655	C	2016	0213	CRACKING	7.0	7.0		10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
J.W. CHEATHAM, LLC				(2020)		FC125	RIDE	7.4	7.4		7.9	7.5	7.1		7.4	7.1	7.2	7.0	7.0	7.0	7.0	6.5	
93310000	5.631	6.900	L	1	7	CRACKING	3.0*	0.0*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
710			2	60	7463	RIDE	7.8	7.4	7.3	7.2	6.8	7.2	7.8	7.7	7.9	7.8	7.8	7.8	7.7	7.7			
ENTRANCE RD N( 6.4L)																							
4460971	5.597	6.888	C	2023	0012	CRACKING	9.0	9.0	9.0	8.0	8.0		6.5	6.5	6.5	4.5*	3.5*	3.5*	10.0				
J.W. CHEATHAM, LLC				(2024)		FC2	RIDE	7.6	7.7	7.7	7.5	7.7		7.4	7.4	7.6	7.6	7.6	7.8	8.2			
94001000	0.000	0.739	R	4	1	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*
9	I95		3	70	88000	RIDE	9.0	8.9	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	7.3	7.0			
11.6																							
4197152	0.000	0.739	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	5.5	5.5	5.5	5.5
J.W. CHEATHAM, LLC				(2012)		FC5M	RIDE	7.9	8.0	8.0	8.0	8.4	8.2	8.4	8.5	8.3	8.3	8.3	8.3	8.1	8.1		
94001000	0.000	0.739	L	4	1	CRACKING	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*
9	I95		3	70	88000	RIDE	9.0	8.8	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	7.3	7.2			
11.6																							
4197152	0.000	0.739	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	4.8	4.8
J.W. CHEATHAM, LLC				(2012)		FC5M	RIDE	7.9	8.1	8.1	8.0	8.4	8.3	8.5	8.5	8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.5
94030000	6.111	10.216	R	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
70			2	65	11000	RIDE	9.0	9.0	8.9	8.1	8.7	8.3	8.2	8.3	7.1	7.1	8.1	7.9	8.0				
SUMMERLIN RD( 9.7R)																							
2302623	5.860	10.216	C	2009	0213	CRACKING	9.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	6.5	5.8			
J.W. CHEATHAM, LLC				(2013)		FC5	RIDE	7.8	8.2	8.0	7.7	8.1	8.1	8.2	8.2	8.2	8.0	8.0	8.0	8.0	8.0	8.0	8.0
4476532	6.351	12.500	C	2028	0012																		
94030000	6.351	10.216	L	1	1	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	7.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*				
70			2	65	11000	RIDE	9.0	9.0	8.9	8.5	8.6	8.0	7.8	7.6	6.9	7.0	7.0	6.8	6.8				
ARCCO ST(10.1C)																							
2302623	5.860	10.216	C	2009	0213	CRACKING	1.0*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
J.W. CHEATHAM, LLC				(2013)		FC5	RIDE	6.6	8.2	8.1	8.0	8.4	8.3	8.4	8.5	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4
4476532	6.351	12.500	C	2028	0012																		

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = LANZO CONSTRUCTION CO FLORID -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)	
86065000	9.142	11.941	R	1	1	CRACKING	9.0	9.0	9.0	7.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0		
845			3	45	45000	RIDE	6.1*	5.8*	5.7*	5.5*				7.5	7.5	7.3	7.5	7.4	7.4	7.0		
NW 30 PL( 9.2R)																						
2279001	9.612	11.848	C	2001	0213	CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	5.2	
LANZO CONSTRUCTION CO FLOR(2005)							FC125	RIDE	7.1	7.0	7.0	7.0	6.7	6.6	6.6	6.5	6.5	6.3	6.2	6.1	5.8	
4460961	9.142	11.412	C	2023	0012																	
-----																						
86065000	9.142	11.941	L	1	1	CRACKING	9.0	9.0	9.0	9.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0		
845			3	45	45000	RIDE	7.5	7.3	7.4	7.0				7.5	7.8	7.4	7.7	7.6	7.5	7.5		
NW 30 PL( 9.2L)																						
2279001	9.612	11.848	C	2001	0213	CRACKING	10.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	7.0	6.5	6.0*	6.0*	6.0*	4.6		
LANZO CONSTRUCTION CO FLOR(2005)							FC125	RIDE	7.4	7.4	7.2	7.3	6.7	6.6	6.5	6.4	6.2	6.3	6.0	6.0	6.0	5.5
4460961	9.142	11.412	C	2023	0012																	
-----																						
93020000	10.270	11.445	R	1	1	CRACKING	3.0*	0.0*	0.0*					10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		2	35	15300	RIDE	4.3*	4.6*	4.2*					7.6	7.6	7.4	7.3	7.5	7.2	6.5	6.3	
28TH ST(10.5C)																						
2293391	9.952	12.200	C	2000	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
LANZO CONSTRUCTION CO FLOR(2004)							FC125	RIDE	6.7	6.3	6.2	6.1	6.8	6.5	6.4	6.2	6.3	6.4	6.4	6.4	6.1	5.7
-----																						
93020000	10.270	11.445	L	1	1	CRACKING	0.0*	0.0*	0.0*					10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		2	35	15300	RIDE	5.4*	4.6*	4.3*					7.1	7.3	6.9	6.8	6.9	6.9	5.9	5.8	
BROADWAY AVE(10.3L)																						
2293391	9.952	12.200	C	2000	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
LANZO CONSTRUCTION CO FLOR(2004)							FC125	RIDE	5.9	5.7	6.1	5.9	6.2	6.0	6.0	5.8	5.9	5.8	5.9	5.9	5.7	5.2
-----																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = LYNCH PAVING & CONSTRUCTION -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)		
89060000	0.000	1.843	C	1	1	CRACKING	9.5	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0		
76			2	55	2200	RIDE	8.0	7.7	7.4	8.5	8.5	7.8	7.6	7.6	7.4	7.4	7.0	7.1	7.1			
CONNERS HWY( 0.0C)																						
4342751	0.000	1.843	C	2017	0012	CRACKING	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
LYNCH PAVING & CONSTRUCTIO(2018)							FC125	RIDE	7.1	7.0	7.0	6.8	5.9*	6.0*	8.0	7.7	7.7	7.6	7.5	7.4	7.4	6.9

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = MCM CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP	W_BMP	W_EMP	RW	FY-P	WKM	-%P	=====														
ITMSEG-P	(AGE_ONE	YEAR)	SURF_TYPE																		2029
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)	
86006000	5.384	7.166	R	1	1	CRACKING	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.5	
842			3	35	63500	RIDE	5.9*	6.2*	6.1*	4.6*			6.1	5.9	5.6	5.7	5.9	5.7	5.9	6.0	
SW 18 AVE(	5.4R)				9.7																
4287241	5.664	7.032	C	2016	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	
MCM CORP.				(2020)	FC125	RIDE	5.8	5.8	4.9*	4.9*	5.2*	5.0*	4.7*		6.0	5.6	5.7	5.7	5.5	5.1	
86006000	5.384	7.166	L	1	1	CRACKING	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.5	
842			3	35	63500	RIDE	6.2*	5.9*	5.9*	5.4*			6.0	6.2	6.0	5.9	5.6	5.8	5.8	5.3*	
NW 18 AVE(	5.4L)				9.7																
4287241	5.664	7.032	C	2016	0012	CRACKING	6.5	6.5	6.5	10.0	8.5	8.5			10.0	10.0	10.0	10.0	10.0	10.0	
MCM CORP.				(2020)	FC125	RIDE	5.5	5.5	5.1*	4.9*	4.9*	5.0*			5.3*	5.1*	5.3*	5.1*	5.3*	5.2	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = ODEBRECHT CONTRACTORS OF FL -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP   SIDE)							%T	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)
86120000	0.000	3.080	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
810			3	45	37500	RIDE	8.3	8.2	7.9	8.0	8.0	7.4	7.6	7.3	7.3	7.5	7.3	7.4	7.3		
COCONUT CREEK CITY LIMIT( 0.0C)							4.6														
2274671	0.014	3.084	C	1995	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	7.5	7.0	7.0	7.0	6.7
ODEBRECHT CONTRACTORS OF F(1999)					FC3	RIDE	7.4	7.3	7.1	7.3	6.9	7.1	7.1	6.9	6.9	6.9	6.8	6.8	6.6	6.4	
4476791	0.000	3.038	C	2024	0012																
86120000	0.000	3.038	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
810			3	45	37500	RIDE	8.2	8.0	8.3	8.2	8.0	7.6	7.6	7.6	7.5	7.6	7.5	7.5	7.5	7.5	7.6
COCONUT CREEK CITY LIMIT( 0.0C)							4.6														
2274671	0.014	3.084	C	1995	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5
ODEBRECHT CONTRACTORS OF F(1999)					FC3	RIDE	7.5	7.5	7.5	7.5	7.3	7.3	7.1	7.1	7.1	6.9	6.9	7.1	6.9	6.6	
4476791	0.000	3.038	C	2024	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = OHLA USA, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-P	(AGE_ONE YEAR)	YEAR	WKM-F	WKM-F	WKM-F															(REG)	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																
86075000 93 I75	6.000	8.120	R 4	4	159500	1 CRACKING RIDE	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0		10.0	10.0	10.0		
4378322 OHLA USA, INC.	5.966	9.451	R 2021	(2023)	0012	CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	9.0	10.0	10.0	10.0	
86075000 93 I75	8.120	10.700	R 4	5	158500	1 CRACKING RIDE	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0				10.0	10.0	
4378322 OHLA USA, INC.	5.966	9.451	R 2021	(2023)	0012	CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	
86075000 93 I75	11.610	12.650	R 4	3	55500	7 CRACKING RIDE	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0		
4416681 OHLA USA, INC.	11.605	17.199	R 2021	(2024)	0012	CRACKING RIDE	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5		10.0	8.9	
86075000 93 I75	12.650	13.800	R 4	5	55500	7 CRACKING RIDE	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0		
4416681 OHLA USA, INC.	11.605	17.199	R 2021	(2024)	0012	CRACKING RIDE	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5		10.0	8.7	
86075000 93 I75	13.800	17.500	R 4	3	33500	7 CRACKING RIDE	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0		
4416681 OHLA USA, INC.	11.605	17.199	R 2021	(2024)	0012	CRACKING RIDE	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5		10.0	8.6	
86075000 93 I75	17.500	18.900	R 4	2	32671	7 CRACKING RIDE	7.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0		
4416681 OHLA USA, INC.	17.199	18.932	R 2021	(2024)	0012	CRACKING RIDE	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	8.5	
89010000 5 JACK WILLIAMS NW(23.1R)	23.060	24.476	R 1	4	63000	7 CRACKING RIDE	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	
4439921 OHLA USA, INC.	23.050	24.476	R 2022	(2024)	0012	CRACKING RIDE	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	7.8
89010000 5 HOME DEPOT(23.2L)	23.060	24.476	L 1	4	63000	7 CRACKING RIDE	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
4439921 OHLA USA, INC.	23.258	24.476	L 2022	(2024)	0012	CRACKING RIDE	9.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0	7.9
93130000 15 441 TRACTOR CROSSING( 6.6R)	6.447	8.918	C 1	2	8000	1 CRACKING RIDE		6.5	5.5*	5.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0		
4398431 OHLA USA, INC.	6.582	8.898	C 2020	(2021)	0012	CRACKING RIDE	9.5	8.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	
93160000 25 27 PUMP STATION S7( 0.1R)	0.000	12.550	R 1	2	11800	1 CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	3.5*				10.0	10.0	
4398421 OHLA USA, INC.	0.000	7.846	R 2020	(2023)	0012	CRACKING RIDE	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.8	6.1*			10.0	10.0
93160000 25 27 SERVICE RD( 3.1L)	2.120	4.230	L 1	2	11800	1 CRACKING RIDE	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0				6.5	6.5	
4398421 OHLA USA, INC.	0.000	3.669	L 2020	(2023)	0012	CRACKING RIDE	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				10.0	10.0	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = OHLA USA, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP	W_BMP	W_EMP	FW	FY-P	WKM	ADT	=====														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	ADT	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM	ADT															(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	ADT															
93160000	0.850	2.120	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5		
25 27			3	65	11800	RIDE	9.0	9.0	8.9	9.1	8.8	8.3	8.2	8.2	8.2	8.1	8.1	7.7	7.7		
4398421	0.000	3.669	L	2020	0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					10.0	10.0
OHLA USA, INC.				(2023)	FC5M	RIDE	7.6	8.0	8.1	8.0	8.2	8.1	8.0	8.0	8.1					8.6	8.6
93160000	0.000	0.850	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5		
25 27			2	65	11800	RIDE	9.0	9.0	8.9	9.1	8.8	8.3	8.2	8.2	8.2	8.1	8.1	7.7	7.7		
PUMP STATION S8( 0.2L)					32.4																
4398421	0.000	3.669	L	2020	0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					10.0	10.0
OHLA USA, INC.				(2023)	FC5M	RIDE	7.6	8.0	8.1	8.0	8.2	8.1	8.0	8.0	8.1					8.6	8.6
93470000	39.000	44.561	R	5	7	CRACKING	9.0	9.0	8.5	8.5	7.5	7.0	6.0*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
91			2	70	55449	RIDE	8.9	8.9	8.9	8.9	8.7	8.2	8.2	8.1	8.1	7.9	8.2	8.2	8.2		
4426241	39.020	44.560	C	2022	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	10.0		
OHLA USA, INC.				(2024)	FC5M	RIDE	8.0	8.1	8.1	8.0	8.3	8.2	8.2	8.1	8.4	8.3	8.3	8.2	8.8		
4157484	36.804	44.319	C	2029	0213																
93470000	39.000	44.561	L	5	7	CRACKING	10.0	10.0	9.0	8.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.5		
91			2	70	55449	RIDE	8.9	8.9	8.8	8.9	8.7	8.0	7.7	7.5	7.5	7.3	8.2	8.1	8.0		
4426241	39.020	44.560	C	2022	0012	CRACKING	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	10.0		
OHLA USA, INC.				(2024)	FC5M	RIDE	8.0	7.9	7.9	7.9	8.1	8.1	8.1	8.0	8.3	8.3	8.3	8.2	8.7		
4157484	36.804	44.319	C	2029	0213																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4                    CONTRACTOR = PAN AMERICAN CONSTRUCTION CO -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP   SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)	
86014000	8.738	9.586	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
870			3	35	42000	RIDE	7.0	6.8	6.7	6.9	6.6	6.3	6.0	6.0	6.4	6.0	7.5	7.0	7.5			
SR 5( 8.8C)																						
2277771	8.780	9.586	C	1996	0220	CRACKING	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.2	
PAN AMERICAN CONSTRUCTION (1998)							FC3	RIDE	7.1	6.9	7.0	7.1	6.7	6.6	6.4	6.4	6.3	6.3	6.5	6.1	5.7	5.7
4461821	6.230	9.893	C	2024	0012																	
-----																						
86014000	8.738	9.586	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
870			3	35	42000	RIDE	7.5	6.3*	6.5	6.6	6.6	6.1	6.2	5.7	5.3*	5.6	6.8	7.3	6.6			
SR 5( 8.8C)																						
2277771	8.780	9.586	C	1996	0220	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.0	8.0	8.0	8.0	8.0	8.0	7.6	
PAN AMERICAN CONSTRUCTION (1998)							FC3	RIDE	6.5	6.8	6.8	6.7	6.7	6.4	6.7	6.4	6.4	6.3	6.4	6.1	6.0	6.0
4461821	6.230	9.893	C	2024	0012																	
-----																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = PAN AMERICAN CONSTRUCTION L -----

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR										FUTURE				
												1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010	2011	2029
INTERSECT AT (MP   SIDE)												RATINGS										=====				
ITMSEG-P W_BMP W_EMP RW FY-P WKMXP												CONTRACTOR (AGE_ONE YEAR) SURF_TYPE														
ITMSEG-F W_BMP W_EMP RW FY-F WKMXP																						(REG)				
86065000			2.920		3.273	R		1	1	CRACKING	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
845							2	40	28000	RIDE	6.0*	7.6	7.3	6.0	7.1	6.9	6.8	6.8	6.7	7.1	6.5	6.6	6.6	6.6	6.6	6.6
PROSPECT RD( 3.1C)																										
2281091			3.008		4.329	C		1998	0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.0	8.0	8.0	8.0	8.0
PAN AMERICAN CONSTRUCTION (2000)												FC95M										RIDE				
86065000			3.273		4.527	R		1	1	CRACKING	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5
845							3	40	35000	RIDE	6.0*	6.4*	8.4	7.7	7.7	7.5	7.2	6.9	7.3	7.0	7.1	6.7	6.7	6.7	6.7	6.7
COMMERCIAL BLVD( 3.6C)																										
2281091			3.008		4.329	C		1998	0012	CRACKING	8.5	8.5	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.2
PAN AMERICAN CONSTRUCTION (2001)												FC95										RIDE				
4461961			3.558		5.627	C		2024	0012		6.9	6.2	6.4	6.4	6.9	6.7	6.8	6.6	6.5	6.7	6.5	6.5	6.3	5.9	5.9	5.9
86065000			3.273		4.527	L		1	1	CRACKING	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0
845							3	40	35000	RIDE	6.6	6.2*	8.1	7.8	7.6	7.2	7.1	6.9	6.8	7.1	6.8	6.7	6.7	6.7	6.7	6.7
NW 47 ST( 3.3L)																										
2281091			3.008		4.329	C		1998	0012	CRACKING	9.0	8.5	8.5	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.2
PAN AMERICAN CONSTRUCTION (2001)												FC95										RIDE				
4461961			3.558		5.627	C		2024	0012		6.5	6.4	6.3	6.3	6.4	6.3	6.3	6.2	6.1	5.9	5.7	6.0	5.8	5.8	5.8	5.3

-----

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4													CONTRACTOR = PAVEX CORPORATION										
RDWYID	BMP		RW	SYSTEM	TYPE	DISTRESS RATINGS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE				
	SR	US					G_BMP	G_EMP LN											ADT	1999	2000	2001	2012
INTERSECT AT (MP   SIDE)																							
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P	*****																	
CONTRACTOR	(AGE_ONE YEAR)	(YEAR)		SURF_TYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029 (REG)				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																		
-----																							
86016000	2.786	6.726	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0				
848			3	45	39500	RIDE	6.7	6.5	6.6	6.4*	6.3*	6.0*	5.9*	6.0	5.6	5.8	7.9	7.5	7.4				
N 58 AVE( 2.9R)																							
4114381	2.727	6.650	R	2006	0012	CRACKING	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	5.6			
PAVEX CORPORATION (2009) FC95 RIDE 7.3 7.2 7.0 7.0 6.9 6.9 6.8 6.9 6.6 6.6 6.4 6.4 6.3 6.1 5.7																							
-----																							
86016000	5.363	6.726	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0					
848			3	45	19700	RIDE	6.6	6.5	6.3*	6.6	6.1*	5.7*	4.8*	6.0	5.5	5.8	7.8	7.6	7.5				
SW 19 CT( 5.4L)																							
4114381	2.727	6.693	L	2006	0012	CRACKING	10.0	9.5	9.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	5.2			
PAVEX CORPORATION (2009) FC95 RIDE 7.4 7.3 7.3 7.2 7.0 6.1 5.9 5.6 5.5 5.3* 5.4* 5.3* 5.1* 3.9																							
4463701	2.767	6.726	L	2024	0012																		
-----																							
86016000	4.498	5.363	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0					
848			3	45	45500	RIDE	6.6	6.5	6.3*	6.6	6.1*	5.7*	4.8*	6.0	5.5	5.8	7.8	7.6	7.5				
LAKE SHORE DR( 4.5L)																							
4114381	2.727	6.693	L	2006	0012	CRACKING	10.0	9.5	9.5	8.5	8.5		6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.0			
PAVEX CORPORATION (2009) FC95 RIDE 7.4 7.3 7.3 7.2 7.0 5.6 6.9 6.8 6.5 6.5 6.3 6.3 6.3 5.7																							
4463701	2.767	6.726	L	2024	0012																		
-----																							
86016000	2.786	4.498	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0					
848			3	45	39500	RIDE	6.6	6.5	6.3*	6.6	6.1*	5.7*	4.8*	6.0	5.5	5.8	7.8	7.6	7.5				
SW 40 AVE( 3.2L)																							
4114381	2.727	6.693	L	2006	0012	CRACKING	10.0	9.5	9.5	8.5	8.5	8.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.0			
PAVEX CORPORATION (2009) FC95 RIDE 7.4 7.3 7.3 7.2 7.0 7.4 6.8 7.2 7.2 7.1 7.1 7.0 6.7 6.6																							
4463701	2.767	6.726	L	2024	0012																		
-----																							
86018000	0.000	0.285	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0				
824			3	45	43500	RIDE	7.0	6.8	6.9	6.7	6.9	6.6		7.8	7.4	7.3	7.3	7.3	6.8				
MIRAMAR CITY LIMITS( 0.0C)																							
4062781	0.000	0.257	C	2003	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7			
PAVEX CORPORATION (2006) FC125 RIDE 7.1 7.3 7.0 7.1 7.3 7.3 7.1 6.8 6.9 7.0 6.9 6.4 6.5 6.5																							
-----																							
86018000	0.000	0.285	L	1	1	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0				
824			3	45	43500	RIDE	6.7	6.5	6.5	6.7	6.4*	6.2*		7.7	7.4	7.4	6.9	7.0	6.6				
MIRAMAR CITY LIMITS( 0.0C)																							
4062781	0.000	0.257	C	2003	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0			
PAVEX CORPORATION (2006) FC125 RIDE 6.9 6.9 6.7 6.7 6.6 6.5 6.2 5.8 5.7 5.6 6.4 5.7 5.7 5.1																							
-----																							
86020000	1.813	4.200	R	1	1	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0				
5			3	45	54500	RIDE	6.7	6.7	6.4*	6.4*	6.4*	6.0*	6.0*	5.8	5.7	5.4*	7.9	7.8	7.7				
VICTORIA PK RD( 1.9R)																							
4114401	1.834	4.200	C	2006	0012	CRACKING	10.0	9.0	9.0	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	5.0			
PAVEX CORPORATION (2009) FC95 RIDE 7.8 7.6 7.6 7.7 7.1 7.1 7.1 7.1 6.9 6.9 6.9 6.8 6.6 6.6																							
4461851	1.818	4.307	C	2023	0012																		
-----																							
86020000	1.813	4.200	L	1	1	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0					
5			3	45	54500	RIDE	6.6	6.5	6.4*	6.6	6.4*	5.9*	6.1*	5.8	5.9	5.8	7.5	7.5	7.5				
VICTORIA PARK RD( 1.9L)																							
4114401	1.834	4.200	C	2006	0012	CRACKING	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	6.0			
PAVEX CORPORATION (2009) FC95 RIDE 7.4 7.3 7.3 7.3 6.9 6.9 6.7 6.4 6.7 6.6 6.6 6.4 6.4 5.9																							
4461851	1.818	4.307	C	2023	0012																		
-----																							
86065000	4.527	6.519	R	1	1	CRACKING	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0				
845			3	45	43500	RIDE	6.0*	6.4*	6.2*	6.4*	6.2*	5.7*	5.6*	5.4*	5.1*	5.5	5.3*	7.9	7.7				
CYPRESS CREEK RD( 4.6C)																							
2280751	4.527	6.519	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	6.7			
PAVEX CORPORATION (2010) FC95 RIDE 7.7 7.4 7.6 7.5 7.4 7.4 7.4 7.1 6.9 7.0 6.9 6.8 7.0 6.9 6.8 7.0 6.5																							
4461961	3.558	5.627	C	2024	0012																		
-----																							
86065000	6.519	9.142	R	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0				
845			3	45	32000	RIDE	6.5	6.4*	6.4*	6.3*	6.4*	5.6*	5.7*		7.4	7.6	7.7	7.5	7.6				
NW 2 ST/REV E GRAHAM( 6.7R)																							
2281101	6.519	9.424	C	2004	0012	CRACKING	10.0	9.0	9.0	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	5.9			
PAVEX CORPORATION (2007) FC125 RIDE 7.5 7.5 7.4 7.5 7.1 7.0 7.1 6.8 6.9 6.8 6.6 6.6 6.6 6.3																							
4484061	6.519	9.142	C	2028	0012																		
-----																							
86065000	6.519	9.142	L	1	1	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0					
845			3	45	32000	RIDE	6.3*	6.4*	6.4*	6.3*	6.2*	5.6*	5.6*		7.1	6.9	6.7	6.8	6.5				
NW 2 ST( 6.7L)																							
2281101	6.519	9.424	C	2004	0012	CRACKING	9.0	8.5	8.5	8.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.3			
PAVEX CORPORATION (2007) FC125 RIDE 6.5 6.5 6.4 6.3 6.4 6.2 6.3 6.1 6.0 5.9 5.8 5.7 5.8 5.4																							
4484061	6.519	9.142	C	2028	0012																		

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = PAVEX CORPORATION -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	ADT	=====													
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	ADT	TYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	F														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F														
86065000	4.527	6.519	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	10.0	10.0
845			3	45	43500	RIDE	6.6	6.2*	6.6	6.4*	6.1*	6.0*	5.7*	5.5	5.3*	5.6	5.6	8.2	8.1	
CYPRESS CREEK RD( 4.6C) 8.1																				
2280751	4.527	6.519	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	4.9
PAVEX CORPORATION (2010) FC95 RIDE 7.3 7.5 7.3 7.7 7.7 7.6 7.4 7.4 7.3 7.2 7.0 6.9																				
4461961	3.558	5.627	C	2024	0012															
86070000	6.432	7.100	R	4	1	CRACKING	7.5	7.5	6.5	4.5*	4.5*	4.5*	6.5	6.5				10.0	10.0	10.0
9 I95			5	65	219000	RIDE	8.4	8.3	8.3	8.2	8.3	7.6	7.2	7.3				7.8	7.8	7.7
9.5																				
2317321	6.569	6.932	R	2005	0012	CRACKING	10.0	10.0				7.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.0
PAVEX CORPORATION (2009) FC5 RIDE 7.7 7.6 7.8 7.8 7.5 7.6 7.8 7.9 7.8 7.7 7.7																				
86070000	7.100	7.700	R	4	8	CRACKING	7.5	7.5	6.5	4.5*	4.5*	4.5*	6.5	6.5				10.0	10.0	10.0
9 I95			5	65	219000	RIDE	8.4	8.3	8.3	8.2	8.3	7.6	7.2	7.3				7.8	7.8	7.7
9.5																				
2317321	6.932	7.614	R	2005	0012	CRACKING	10.0	10.0				7.5	6.5	3.5*	3.5*	3.5*	3.5*			
PAVEX CORPORATION (2009) FC5 RIDE 7.7 7.6 7.8 7.8 7.5 7.6 7.8 7.9																				
86070000	7.700	8.382	R	4	8	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5				10.0	10.0	10.0
9 I95			4	65	188000	RIDE	8.4	8.4	8.4	8.3	8.2	7.6	7.2	7.3				7.8	7.8	7.7
9.5																				
2317321	7.614	8.382	R	2005	0012	CRACKING	10.0	10.0				7.5	6.5	3.5*	3.5*					
PAVEX CORPORATION (2009) FC5 RIDE 7.7 7.6 7.5 7.4 7.8 7.7 7.6 7.4																				
86070000	7.700	8.382	L	4	8	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5				10.0	10.0	10.0
9 I95			4	65	188000	RIDE	8.6	8.5	8.5	8.4	8.4	7.5	7.4	7.5				8.1	8.1	8.1
9.5																				
2317321	7.614	8.382	L	2005	0012	CRACKING	10.0	10.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*			
PAVEX CORPORATION (2009) FC5 RIDE 8.0 8.0 7.8 7.9 8.1 8.1 8.1 8.0 7.9 8.2 8.2																				
86070000	6.444	7.700	L	4	8	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5				10.0	10.0	10.0
9 I95			5	65	219000	RIDE	8.6	8.4	8.5	8.4	8.3	7.4	7.5	7.4				8.1	8.1	8.1
9.5																				
2317321	6.932	7.614	L	2005	0012	CRACKING	10.0	10.0				7.5	7.5	4.5*	4.5*	4.5*	4.5*			
PAVEX CORPORATION (2009) FC5 RIDE 8.0 8.0 8.0 7.9 7.9 7.8 8.1 8.0																				
86095000	10.407	11.156	R	4	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	10.0	10.0	
862 I595			3	65	72000	RIDE	8.5	8.5	8.5	8.5	8.2	8.0	7.6	7.6	7.5	7.3	7.5	7.3	7.3	
7.3																				
4202321	10.735	11.166	R	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.8
PAVEX CORPORATION (2010) FC5M RIDE 7.2 7.3 7.3 7.3 7.9 7.4 7.8 7.7 7.3 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5																				
86100000	10.461	12.986	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	
7 441			3	40	49000	RIDE	7.8	7.4	5.6*	7.0	6.9	6.3	6.5	6.1	5.9	8.2	8.1	7.8	7.9	
HOSPITAL DR N(10.6R) 3.9																				
2281881	10.461	12.986	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.6
PAVEX CORPORATION (2008) FC95 RIDE 7.1 7.1 6.8 6.9 7.1 7.0 6.9 6.9 6.4 6.5 6.3 6.3 6.2 5.5																				
4484101	10.461	12.986	C	2026	0012															
86100000	10.461	12.986	L	1	1	CRACKING	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0
7 441			3	40	49000	RIDE	7.9	7.3	7.3	7.1	7.3	6.8	6.7	6.5	6.2	7.6	7.4	7.3	6.9	
HOSPITAL DR S(10.6L) 3.9																				
2281881	10.461	12.986	C	2006	0012	CRACKING	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.1
PAVEX CORPORATION (2008) FC95 RIDE 7.3 7.2 7.2 7.2 7.3 7.3 7.2 7.1 7.1 7.1 7.1 6.9 7.0 6.9 6.8																				
4484101	10.461	12.986	C	2026	0012															
86120000	3.080	4.644	R	1	1	CRACKING	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
810			3	45	41500	RIDE	7.5		8.1	8.2	8.1	7.6	7.6	7.5	7.3	7.5	7.4	7.6	7.4	
POWERLINE RD( 3.1C) 5.7																				
2280771	3.108	4.614	C	1998	0012	CRACKING	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.6
PAVEX CORPORATION (2001) FC3 RIDE 7.4 7.4 7.4 7.4 7.4 7.4 7.6 7.5 7.7 7.5 7.2 7.3 7.3 7.4 7.2																				
4498231	3.038	4.644	C	2028	0012															
86120000	3.038	4.218	L	1	1	CRACKING	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
810			3	45	41500	RIDE	6.3*		8.0	8.1	8.0	7.5	7.6	7.6	7.5	7.3	7.3	7.3	7.3	7.6
POWERLINE RD( 3.1C) 5.7																				
2280771	3.108	4.614	C	1998	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.0*	6.0*	6.0*	5.7
PAVEX CORPORATION (2001) FC3 RIDE 7.4 7.3 7.4 7.4 7.4 7.4 7.4 7.4 7.3 7.3 7.2 7.1 7.0 7.0 6.9																				
4498231	3.038	4.644	C	2028	0012															

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = PAVEX CORPORATION -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE		
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WT	=====														
ITMSEG-P	(AGE_ONE	YEAR)	YEAR)	YEAR)	YEAR)	YEAR)	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F	F														(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	F															
86220000	1.600	2.432	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
817			3	45	55500	RIDE	7.1	7.1	6.9	7.0	6.8	6.6	6.5	8.1	7.6	7.8	7.7	7.7	7.7	7.6	
MISSING DESCRIPTION I( 2.1R)																					
4062781	1.347	2.572	C	2003	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.3	7.3
PAVEX CORPORATION				(2006)	FC125	RIDE	7.6	7.5	7.5	7.6	7.2	7.2	7.1	7.1	6.9	6.9	7.0	6.8	6.9	6.5	6.5
86220000	8.456	10.276	R	1	1	CRACKING	2.0*	2.0*	1.0*	1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	
817			3	45	48500	RIDE	7.4	7.4	7.4	7.4	7.2	6.5	6.5		7.3	7.3	7.3	7.3	7.3	7.3	
S 1900 BLOCK( 8.7C)																					
2280791	8.851	10.270	C	2004	0012	CRACKING	10.0	9.0	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.3
PAVEX CORPORATION				(2007)	FC125	RIDE	7.0	7.2	6.9	7.3	6.7	6.8	6.9	6.7	6.6	6.6	6.7	6.5	6.5	6.5	6.2
86220000	18.000	21.003	R	1	1	CRACKING	10.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	
817			3	45	35500	RIDE	7.4	7.8	7.7	7.6	7.5	6.7	6.4*	6.3	5.8	6.0	6.2	8.0	7.8		
SW 1 CT(18.1R)																					
4137971	18.000	21.003	C	2008	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3
PAVEX CORPORATION				(2010)	FC125	RIDE	7.8	7.7	7.7	7.8	7.3	7.4	7.4	7.3	7.2	7.1	7.2	6.9	7.1	6.6	6.6
86220000	18.002	21.003	L	1	1	CRACKING	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
817			3	45	35500	RIDE	7.5	6.6	6.5	6.3*	6.8	6.1*	6.0*	5.7	5.1*	5.6	5.2*	7.8	7.7		
FIRST CT SW(18.1L)																					
4137971	18.000	21.003	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.8
PAVEX CORPORATION				(2010)	FC125	RIDE	7.5	7.5	7.4	7.5	7.0	7.1	7.2	7.0	6.9	6.8	6.8	6.5	6.7	6.2	6.2
86220000	8.397	10.276	L	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	
817			3	45	48500	RIDE	7.0	6.9	6.9	6.9	6.7	6.1*	6.1*		7.1	7.0	7.1	7.0	7.1	7.1	
VALENCIA DR( 8.5L)																					
2280791	8.851	10.270	C	2004	0012	CRACKING	9.0	9.0	8.5	8.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.3
PAVEX CORPORATION				(2007)	FC125	RIDE	6.9	7.0	6.8	7.3	6.7	6.8	6.8	6.5	6.6	6.6	6.5	6.7	6.6	6.4	6.4
86220000	1.600	2.432	L	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
817			3	45	55500	RIDE	6.6	6.4*	6.2*	6.2*	6.4*	5.9*	5.6*	8.0	7.6	7.7	7.7	7.7	7.7	7.7	
HOWARD FOREMAN( 2.1L)																					
4062781	1.347	2.572	C	2003	0012	CRACKING	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	5.9
PAVEX CORPORATION				(2006)	FC125	RIDE	7.5	7.5	7.6	7.5	7.3	7.2	6.9	7.1	7.1	7.0	7.0	7.0	6.9	6.6	6.6
86230000	4.057	5.707	R	1	1	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	
822			2	45	18200	RIDE	8.1	7.9	7.9	7.4	7.8	7.0	7.2		7.0	7.1	7.1	6.9	7.1		
HOLLYWOOD LINCOLN MERCUR( 4.2R)																					
2279381	4.057	5.639	C	2004	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.8
PAVEX CORPORATION				(2007)	FC125	RIDE	7.0	6.8	6.8	6.8	6.2	5.9	6.0	5.7	5.7	5.7	5.7	5.7	5.7	5.7	4.9
4498261	4.057	5.638	C	2027	0012																
86230000	4.057	5.707	L	1	1	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	
822			2	45	18200	RIDE	8.1	7.9	7.9	7.4	7.8	7.0	7.2		7.3	7.4	7.5	7.3	7.3		
SE 2 AVE( 4.2L)																					
2279381	4.057	5.639	C	2004	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3
PAVEX CORPORATION				(2007)	FC125	RIDE	7.3	7.1	6.9	7.1	6.7	6.8	6.6	6.6	6.6	6.4	6.4	6.4	6.4	6.5	6.0
4498261	4.057	5.638	C	2027	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = PCL CIVIL CONSTRUCTORS, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE_YEAR)	SURF_TYPE																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
(REG)																					
93220000	34.326	36.539	R	4	1	CRACKING	10.0	10.0	8.5	8.5	7.5		10.0				10.0	10.0	10.0	10.0	
9 I95			5	65	187000	RIDE	8.8	8.7	8.8	8.8	8.5		8.0				7.8	7.6	7.7	7.6	
2319211	34.152	36.733	C	2002	0213	CRACKING	10.0	10.0	10.0	9.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	1.5	
PCL CIVIL CONSTRUCTORS, IN(2008)					FC5	RIDE	7.7	7.6	7.5	7.6	7.4	7.7	7.5	7.4	7.6	7.6	7.6	7.4	7.6	7.4	
4358031	34.520	36.539	R	2026	0236																
93220000	34.934	36.539	L	4	2	CRACKING	10.0	10.0	10.0	9.0	9.0		10.0				10.0	10.0	10.0	10.0	
9 I95			6	65	187000	RIDE	8.8	8.9	8.8	8.8	8.6		7.5				7.9	8.0	7.9	7.8	
2319211	34.152	36.733	C	2002	0213	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	5.8	
PCL CIVIL CONSTRUCTORS, IN(2008)					FC5	RIDE	7.8	7.6	7.8	7.8	7.6	7.7	7.6	7.8	7.6	7.7	7.7	7.6	7.8	7.6	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = POSEN CONSTRUCTION -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP   SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)	
93220000	36.539	43.975	R	4	1	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0		
9 I95			5	70	149000	RIDE	8.6	8.4	8.3	8.3	8.1			7.9	8.0	8.3	8.2	8.2	8.2		
					8.7																
4068702	39.642	44.029	C	2008	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.6
POSEN CONSTRUCTION			(2013)	FC5M	RIDE			8.1	7.8	8.3	8.4	8.4	8.4	8.4	8.3	8.4	8.5	8.5	8.4	8.5	8.5
-----																					
93220000	36.539	43.975	L	4	1	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0		
9 I95			5	70	149000	RIDE	8.5	8.2	8.1	8.1	7.7			7.9	8.1	8.2	8.1	8.1	8.0		
					8.7																
4068702	39.642	44.029	C	2008	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.3
POSEN CONSTRUCTION			(2013)	FC5M	RIDE			8.0	8.0	8.2	8.2	8.3	8.2	8.1	8.3	8.3	8.3	8.3	8.2	8.2	8.2
-----																					

"\*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 "\*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = PREFERRED MATERIALS, INC. -----																																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE															
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011															
INTERSECT AT (MP SIDE)		%		=====																															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																											(REG)					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																													
86090000	0.000	0.910	R	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0															
816			3	45	38500	RIDE	7.4	6.9	7.4	7.3	7.3	6.4*	6.3*	6.2	6.4	7.1	7.3	7.3	7.1																
SR 817( 0.0C)																																			
2281571	0.000	2.332	R	2005	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5															
PREFERRED MATERIALS, INC. (2008) FC125 RIDE 7.0 7.1 7.0 7.0 6.6 6.3 6.7 6.5 6.3 6.2 6.5 6.3 6.0 5.7																																			
86090000	0.910	2.102	R	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0															
816			3	45	44500	RIDE	7.4	6.9	7.4	7.3	7.3	6.4*	6.3*	6.2	6.4	6.9	6.8	6.6	6.5																
DENTISTRY( 1.0R)																																			
2281571	0.000	2.332	R	2005	0012	CRACKING	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5															
PREFERRED MATERIALS, INC. (2008) FC125 RIDE 6.4 6.2 6.0 5.6 6.1 6.0 5.9 6.0 5.9 5.7 5.8 5.8 5.7 5.2																																			
86090000	0.910	2.102	L	1	1	CRACKING	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0															
816			3	45	44500	RIDE	7.3	7.1	7.1	6.9	7.0	6.1*	6.1*	6.0	5.9	6.9	7.0	6.6	6.9																
LANDINGS DR( 1.1C)																																			
2281571	0.000	2.332	L	2005	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0															
PREFERRED MATERIALS, INC. (2008) FC125 RIDE 6.9 6.9 6.9 6.9 6.2 6.1 6.1 5.9 6.0 5.8 5.8 5.9 5.8 5.3																																			
86090000	0.000	0.910	L	1	1	CRACKING	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0															
816			3	45	38500	RIDE	7.3	7.1	7.1	6.9	7.0	6.1*	6.1*	6.0	5.9	6.9	6.9	6.9	6.7																
SR 817( 0.0C)																																			
2281571	0.000	2.332	L	2005	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0															
PREFERRED MATERIALS, INC. (2008) FC125 RIDE 6.8 6.8 6.8 6.9 6.3 6.4 6.4 6.0 6.3 5.9 6.1 6.1 6.1 5.6																																			

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM-F	ADT	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	WKM-F	ADT	WKM-F	ADT	(REG)													
CONTRACTOR	W_BMP	W_EMP	RY	FY-F	WKM-F	ADT														
ITMSEG-F	W_BMP	W_EMP	RY	FY-F	WKM-F	ADT														
86039000	0.000	2.482	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.0*	4.5*	
814				3	45	52500	RIDE	6.9	6.9	6.9	6.7	6.5	6.2*	6.1*	6.1	5.8	6.1	6.0	6.0	5.7
MARGATE CITY LIMITS( 0.0C)																				
4230021	0.484	1.786	R	2011	0012	CRACKING	4.5*	4.5*	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6
RANGER CONSTRUCTION INDUST(2014) FC125 RIDE 5.9 5.7 8.0 8.1 7.7 7.6 7.7 7.6 7.8 7.4 7.4 7.4 7.3 7.0																				
86039000	0.000	2.482	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	
814				3	45	52500	RIDE	7.0	6.9	6.9	7.0	6.8	6.3*	6.5	6.4	6.2	7.3	7.2	7.3	7.1
MARGATE CITY LIMITS( 0.0C)																				
4230021	0.484	1.786	L	2011	0012	CRACKING	7.0	7.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6
RANGER CONSTRUCTION INDUST(2014) FC125 RIDE 7.2 6.9 7.9 8.0 7.7 7.7 7.8 7.7 7.4 7.5 7.6 7.4 7.4 7.4 7.1																				
86060000	0.000	7.190	R	1	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0
25 27				2	60	21000	RIDE	8.2	8.0	8.1	8.0	7.9	8.0	8.0	7.9	7.9	7.8	7.8	7.7	7.7
MIRAMAR CITY LIMITS( 2.5R)																				
4306031	0.000	7.190	R	2017	0012	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	3.5*		10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2020) FC5M RIDE 7.7 7.6 7.5 7.5 7.7 7.6 7.6 8.5 8.6 8.6 8.6 8.6 8.6 8.6																				
86060000	0.000	7.190	L	1	1	CRACKING	10.0	10.0	10.0	10.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0
25 27				2	60	21000	RIDE	8.9	8.6	8.7	8.7	8.6	8.1	8.1	8.1	8.0	8.0	7.9	7.9	7.7
JOHNSON ST( 4.0C)																				
4306031	0.000	7.190	L	2017	0012	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	3.5*		10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2020) FC5M RIDE 7.6 7.6 7.5 7.5 7.8 7.7 7.7 8.3 8.5 8.4 8.4 8.4 8.4 8.4																				
86100000	17.900	20.865	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5
7 441				3	45	51000	RIDE	8.1	7.9	7.4	7.5	7.4	7.0	7.0	6.9	6.8	6.8	6.7	6.7	6.5
MARGATE CT(18.0R)																				
4168781	17.900	20.865	C	2010	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2013) FC95 RIDE 5.8 8.3 8.1 8.3 7.9 7.9 7.7 7.6 7.3 7.3 7.2 7.1 6.5																				
86100000	17.900	20.865	L	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	
7 441				3	45	51000	RIDE	8.4	8.4	8.2	8.1	8.0	7.6	7.5	7.4	7.2	7.4	7.3	7.1	7.0
NW 3RD ST(18.0L)																				
4168781	17.900	20.865	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.3
RANGER CONSTRUCTION INDUST(2013) FC95 RIDE 8.4 8.4 8.2 8.0 8.0 7.9 7.9 7.6 7.4 7.4 7.3 7.2 6.6																				
86130000	3.228	3.591	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	3.5*	3.5*	7.0	6.0*	6.0*	
814				3	45	47000	RIDE	7.6	7.3	7.2	7.1	6.8	6.4*	6.3*	6.2	6.2	5.9	6.8	7.2	6.7
RANGER CONSTRUCTION INDUST(2014) FC125 RIDE 6.0* 6.0* 10.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 8.6																				
86130000	3.228	3.525	R	2011	0012	CRACKING	6.0*	6.0*	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6
RANGER CONSTRUCTION INDUST(2014) FC125 RIDE 6.5 6.3 7.7 7.5 7.8 7.8 7.6 7.6 7.4 7.5 7.5 7.5 7.7 7.6 7.4 7.5 7.5 7.3 7.3 7.3 7.1																				
86130000	3.228	3.591	L	1	1	CRACKING	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*
814				3	45	47000	RIDE	7.1	7.5	6.9	6.6	6.7	6.1*	5.9*	6.1	5.7	5.1*	6.8	6.9	6.4
NW 30 AVE( 3.4L)																				
4230021	3.228	3.525	L	2011	0012	CRACKING	6.0*	6.0*	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6
RANGER CONSTRUCTION INDUST(2014) FC125 RIDE 6.0 5.7 7.9 8.1 7.5 7.5 7.5 7.7 7.6 7.4 6.8 6.5 6.9 6.2																				
86230000	2.524	3.021	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	4.5*
822				3	35	47000	RIDE	8.3	8.0	8.1	8.0	8.1	7.1	7.2	7.1	6.7	7.2	7.2	7.2	6.7
N 29 AVE( 2.7C)																				
4246741	2.524	3.015	C	2013	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2016) FC125 RIDE 6.5 6.4 6.0 6.3 6.7 6.2 6.3 6.1 6.0 6.4 6.0 6.4 6.2 6.0																				
86230000	2.524	3.021	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	4.5*	
822				3	35	47000	RIDE	8.0	8.1	8.1	5.6	8.0	7.1	7.0	7.1	6.4	6.9	7.1	7.0	6.9
N 29 AVE( 2.7C)																				
4246741	2.524	3.015	C	2013	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2016) FC125 RIDE 6.6 6.2 6.4 6.1 7.5 7.3 7.0 7.2 7.1 7.2 7.1 7.0 6.7 6.5																				
86470000	0.000	0.576	R	5	7	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	10.0
91				3	65	144131	RIDE	8.6	7.8	8.7	8.6	8.6	7.9	7.9	7.6	7.6	7.5	7.3	7.2	7.8
HEFT( 0.4R)																				
4379901	0.000	0.465	R	2022	0012	CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	
RANGER CONSTRUCTION INDUST(2024) FC5M RIDE 7.9 7.8 7.8 8.1 8.2 8.2 8.1 8.0 8.1 8.2 8.2 8.4																				

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		W_BMP W_EMP		FW	FY-P	WKM-X-P	*****														
CONTRACTOR (AGE_ONE YEAR)		W_BMP W_EMP		RW	FY-F	WKM-X-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-P		W_BMP W_EMP		RW	FY-F	WKM-X-F															
ITMSEG-F		W_BMP W_EMP		RW	FY-F	WKM-X-F															
86470000	0.000	0.576	L	5	7	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	10.0		
91			3	65	144131	RIDE	8.6	8.7	8.7	8.6	8.6	7.9	7.8	7.8	7.7	7.6	7.6	7.4	8.1		
HEFT( 0.3L)																					
4379901	0.000	0.439	L	2022	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	10.0	
RANGER CONSTRUCTION INDUST(2024) FC5M RIDE 8.0 8.2 8.2 8.1 8.2 8.2 8.2 8.2 8.2 8.2 8.3 8.3 8.3 8.2																					
86472000	0.000	1.609	L	5	1	CRACKING	9.0	9.0	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0		
869			3	65	109900	RIDE	8.4	8.2	8.2	8.1	8.0			7.4	7.4	7.4	7.6	7.5	7.2		
BEGIN SECTION( 0.0C)																					
4310891	0.570	1.505	L	2012	0012	CRACKING	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2015) FC5M RIDE 7.1 7.1 7.1 8.5 8.3 8.3 8.4 8.3 8.3 8.5 8.4 8.4 8.4 8.4 8.4																					
4371551	0.500	4.100	C	2025	0213																
88060000	22.920	26.184	R	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	3.0*	3.0*	3.0*	1.0*	1.0*	0.0*	0.0*				
60			3	45	18300	RIDE	7.2	7.2	7.0	6.6	6.4*	5.3*	5.1*	4.7*	5.1*	4.9*	4.7*				
AMERICAN WAY(23.0R)																					
2286271	23.923	26.072	C	2008	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.6	
RANGER CONSTRUCTION INDUST(2012) FC95 RIDE 8.8 8.6 8.6 8.6 8.3 8.3 8.3 8.3 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 7.9																					
88060000	26.184	27.151	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.5	6.5	6.5	6.5		
60			3	45	32500	RIDE	8.9	9.0	8.9	8.2	8.7	8.2	8.0	8.1	8.3	8.0	8.2	8.0	8.1		
63 CT(26.4R)																					
4246381	26.184	27.111	C	2012	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.5	9.5	8.9	
RANGER CONSTRUCTION INDUST(2014) FC95R RIDE 7.5 7.2 8.5 8.5 8.3 8.2 8.3 8.2 8.1 8.1 8.0 8.1 8.1 8.0 8.1 8.0 8.1 8.0 8.0 7.7																					
88060000	28.448	29.564	R	1	1	CRACKING	6.0*	6.0*	6.0*	4.0*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
60			3	45	32000	RIDE	7.7	7.7	7.7	6.7	7.3	7.2	7.0	6.8	7.1	6.4	7.1	7.0	6.9		
38 AVE(28.5R)																					
4360951	28.408	29.545	R	2018	0012	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2020) FC125 RIDE 6.9 6.9 6.9 6.8 6.4 6.4 6.6 6.3 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 7.9 7.8																					
88060000	28.448	29.564	L	1	1	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
60			3	45	32000	RIDE	7.9	7.9	7.8	7.2	7.5	7.3	7.2	7.0	7.2	7.3	7.3	7.2	7.1		
38 AVE(28.5L)																					
4360951	28.408	29.545	L	2018	0012	CRACKING	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2020) FC125 RIDE 7.1 7.0 7.1 7.0 6.6 6.8 6.8 6.7 8.4 8.2 8.2 8.3 8.1 8.1 8.1 8.1 8.1 8.1 8.1 7.9																					
88060000	26.184	27.151	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.5	6.5	6.5	6.5		
60			3	45	32500	RIDE	8.7	8.9	8.7	8.1	8.3	8.1	8.0	8.0	8.0	8.2	8.3	8.0	7.7	7.4	
63 CT(26.5L)																					
4246381	26.184	27.111	C	2012	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.5	9.5	8.9	
RANGER CONSTRUCTION INDUST(2014) FC95R RIDE 7.4 7.5 8.6 8.2 8.4 8.2 8.4 8.4 8.3 8.3 8.4 8.3 8.3 8.4 8.3 8.4 8.3 8.4 8.3 8.3 8.3																					
88060000	22.920	26.184	L	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	4.0*	4.0*				
60			3	45	18300	RIDE	8.0	8.0	7.9	8.1	7.5	6.9	7.1	6.9	6.7	6.9	6.8				
NINETIETH AVE(23.1C)																					
2286271	23.923	26.072	C	2008	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.9
RANGER CONSTRUCTION INDUST(2012) FC95 RIDE 8.7 8.5 8.5 8.5 8.3 8.2 8.3 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 7.9																					
88070000	0.000	5.474	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	3.5*	
A1A			2	45	6600	RIDE	8.8	8.9	8.9	8.4	8.5	8.0	7.9	7.8	7.9	7.8	7.6	7.5	7.4		
OCEAN TRAIL LN( 0.1R)																					
4216951	0.000	5.474	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	7.0	6.5	4.9	
RANGER CONSTRUCTION INDUST(2013) DGFC RIDE 8.6 8.5 8.5 8.3 8.2 8.2 8.2 8.1 8.0 7.9 7.9 7.8 7.8 7.9 7.9 7.9 7.9 7.9 7.8 7.4																					
4498181	0.000	5.459	C	2027	0012																
88070000	7.135	8.658	C	1	1	CRACKING	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
A1A			2	35	16800	RIDE	7.2	7.5	7.5	6.8		7.4	7.3	7.2	7.4	7.4	7.3	7.3	7.2		
ACACIA RD( 7.2C)																					
2286041	7.135	10.330	C	2001	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.9	
RANGER CONSTRUCTION INDUST(2004) FC125 RIDE 7.1 7.1 7.2 7.1 6.8 6.6 6.6 6.4 6.4 6.2 6.4 6.4 6.2 6.4 6.3 6.3 6.3 6.3 6.3 5.9																					
88470000	15.464	17.452	R	5	1	CRACKING	9.5	8.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
91			2	70	36700	RIDE	9.2	9.0	9.0	7.5	8.9	8.1	7.7	7.7	7.9	7.9	7.9	7.9	7.7	7.8	
4351681																					
4351681	15.464	17.444	C	2017	0012	CRACKING	10.0	10.0	10.0	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2020) FC5M RIDE 7.8 7.6 7.7 7.5 7.7 7.4 7.7 8.9 8.9 8.8 8.9 8.9 8.8 8.9 8.9 8.9 8.9 8.9 8.9 8.9																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).





# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W	FY-P	WKM	WKM	*****															
ITMSEG-P	(AGE_ONE	YEAR)	YEAR	YEAR	TYPE	TYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR		(REG)														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	WKM																
93020000	14.150	14.558	R	1	2	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.5	8.5	8.5	8.5		
5	1		2	35	24000	RIDE	4.1*	3.8*	3.7*	3.4*	3.4*	3.6*	4.7*	5.9	6.3	6.1	6.3	5.7	6.3			
SILVER BEACH RD(14.2C)																						
2297471	14.184	14.539	C	2002	0012	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5	
RANGER CONSTRUCTION INDUST(2006) FC125 RIDE 6.3 5.9 6.5 6.3 5.8 5.7 5.6 5.4* 5.3*																						
93020000	14.150	14.558	L	1	1	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		2	35	24000	RIDE	6.9	6.6	3.3*	6.8	6.3	6.4	6.5	7.1	7.1	7.4	7.5	7.5	6.9	6.9		
SILVER BEACH RD(14.2C)																						
2297471	14.184	14.539	C	2002	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.2	
RANGER CONSTRUCTION INDUST(2006) FC125 RIDE 6.9 6.7 6.9 7.0 6.7 6.6 6.2 6.6 6.6 6.4 6.3 6.4 6.3 6.4 6.3 5.9																						
93030000	0.261	0.768	C	1	1	CRACKING	7.0	6.0*	4.5*	3.5*	1.0*	1.0*	1.0*	8.5	4.5*	1.0*	10.0	10.0	10.0			
806			2	45	19800	RIDE	7.9	8.2	8.2	8.1	7.5	7.0	6.8	6.7	6.7	6.7	8.2	7.7	7.7			
HALF MILE RD( 0.5R)																						
2297861	0.300	0.775	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	6.0		
RANGER CONSTRUCTION INDUST(2009) FC95M RIDE 7.7 7.3 7.4 7.2 7.0 7.0 7.0 6.9 7.0 7.0 6.9 6.8 6.8 6.8 6.3																						
2296584	0.000	1.252	C	2024	0213																	
93040000	0.000	0.637	R	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		2	35	30000	RIDE	4.1*	3.9*	3.5*	4.0*	3.8*		7.9	7.2	7.0	7.2	6.9	6.8	6.1			
END 93020( 0.0C)																						
2297471	0.001	0.657	R	2002	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5	5.5	5.5	
RANGER CONSTRUCTION INDUST(2005) FC125 RIDE 6.2 6.5 6.2 6.2 6.2 5.8 5.6 5.7 5.9 5.6 5.7 5.5 5.3* 4.7																						
93040000	0.637	2.290	R	1	1	CRACKING	8.5	7.5	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		3	35	29500	RIDE	7.5	7.2	7.2	7.6	7.4	6.9	8.3	8.1	7.8	7.8	7.7	7.3	7.3			
ANCHORAGE DR( 0.8R)																						
2297471	0.657	2.125	R	2002	0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	
RANGER CONSTRUCTION INDUST(2005) FC125 RIDE 7.4 7.3 7.3 7.2 7.4 7.4 7.3 7.2 7.3 7.3 7.4 7.1 7.3 7.3 7.4 7.1 7.3 6.9																						
93040000	0.637	2.290	L	1	1	CRACKING	9.5	8.0	8.0	8.0	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		3	35	29500	RIDE	7.2	7.3	7.3	7.3	7.1	6.6	8.3	8.3	8.2	8.0	8.2	7.8	7.7			
S ANCHORAGE DR( 0.8L)																						
2297471	0.657	2.200	L	2002	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.0		
RANGER CONSTRUCTION INDUST(2005) FC125 RIDE 7.8 7.6 7.7 7.6 7.8 7.7 7.7 7.4 7.5 7.6 7.7 7.5 7.5 7.5 7.2																						
93040000	0.000	0.637	L	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		2	35	30000	RIDE	7.4	7.1	6.9	7.3	7.0		7.8	7.5	7.6	7.6	7.5	7.5	7.1			
PARK AVE( 0.0L)																						
2297471	0.001	0.657	L	2002	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	6.6	6.6	6.6	6.6	6.6	8.0	8.0	
RANGER CONSTRUCTION INDUST(2005) FC125 RIDE 7.2 7.3 7.1 7.3 6.9 6.8 6.5 6.4 6.6 6.6 6.9 6.8 6.5 6.5 6.1																						
93060000	8.242	9.836	C	1	1	CRACKING	4.0*	4.0*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*			10.0	10.0		
A1A			2	35	9000	RIDE	7.6	7.2	7.1	7.3	6.9	6.0	6.1	6.0	6.0	6.0			8.2	7.5		
CR 872( 8.3L)																						
4036031	8.209	9.836	C	2007	0012	CRACKING	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	2.1		
RANGER CONSTRUCTION INDUST(2010) DGFC RIDE 7.3 7.2 7.3 7.1 7.7 7.8 7.6 7.5 7.4 7.1 7.2 7.1 6.9 6.9																						
4476621	8.242	9.836	C	2025	0012																	
93060000	9.836	10.750	C	1	1	CRACKING	4.0*	4.0*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0		
A1A			2	30	8300	RIDE	7.6	7.2	7.1	7.3	6.9	6.0	6.1	6.0	6.0	6.0	6.1	8.4	8.3			
THOMAS ST(10.1L)																						
2297481	9.836	10.708	C	2007	0012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.0*	5.8	
RANGER CONSTRUCTION INDUST(2010) DGFC RIDE 8.1 8.1 8.2 8.0 8.0 7.9 7.8 7.7 7.8 7.3 7.3 7.1 7.2 6.8																						
93060000	25.531	26.795	C	1	1	CRACKING	8.0	8.0	7.0	7.0	7.0	5.5*	3.5*	8.5	8.0	6.5	10.0	10.0	10.0	9.0		
A1A			2	35	12900	RIDE	6.6	6.4*	6.4*	6.4	5.9	4.4*	5.3*	6.2	5.7	5.8	7.1	6.7	6.8			
VIA VIZCAYA(25.6R)																						
2297491	24.890	26.711	C	2007	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	5.5*	4.6		
RANGER CONSTRUCTION INDUST(2009) FC95M RIDE 6.6 6.6 6.6 6.6 6.3 6.1 6.1 5.9 6.0 5.8 5.0* 4.9* 4.9* 4.4																						
4461751	24.796	27.091	C	2025	0012																	
93060000	27.044	27.914	C	1	1	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
A1A			4	35	12400	RIDE	7.0	6.3*	6.4*	7.8	7.1	6.7	7.1	6.6	6.6	6.3	6.6	6.9	6.9			
ROYAL PALM WAY(27.1C)																						
2297531	27.044	27.914	C	1999	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.8	
RANGER CONSTRUCTION INDUST(2002) FC95M RIDE 6.7 6.7 6.6 6.6 6.8 6.9 6.5 6.1 6.4 6.3 6.5 6.3 6.5 6.3 6.3 6.1																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-F	ADT	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT															(REG)
93070000	20.401	24.491	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	7.0	7.0	
809			3	40	46500	RIDE		8.5	8.3	8.2	8.2	7.9	8.0	7.8	7.9	7.9	7.1	6.9	7.4		
LAKE WORTH RD(20.4C)																					
4287191	20.359	24.290	C	2017	0012	CRACKING		7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2020)					FC125	RIDE		6.8	6.8	6.6	6.6	7.0	7.4	7.4	7.2	8.2	8.2	8.2	8.1	8.1	8.0
93070000	20.401	24.491	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	
809			3	40	46500	RIDE		8.3	8.6	8.5	8.4	8.0	8.0	7.4	7.9	7.8	7.7	7.6	7.5		
LAKE WORTH RD(20.4C)																					
4287191	20.359	24.290	C	2017	0012	CRACKING		8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2020)					FC125	RIDE		7.5	7.6	7.3	7.5	7.5	7.5	7.3	7.2	8.3	8.3	8.3	8.3	8.3	8.3
93090000	1.245	1.950	R	1	1	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.5	6.5	
811			2	45	20500	RIDE		7.9	7.7	7.8	7.4	7.2	7.3	7.5	7.0	7.0	7.1	6.9	7.2	6.9	
PARK RD( 1.3R)																					
4153141	1.247	3.571	R	2011	0012	CRACKING		6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
RANGER CONSTRUCTION INDUST(2013)					FC125	RIDE		6.8	7.4	7.0	7.1	8.0	7.9	7.9	7.7	7.7	7.6	7.7	7.6	7.6	7.6
93090000	1.950	3.571	R	1	1	CRACKING		10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.0	6.5	6.5	6.5	6.5	
811			2	45	20500	RIDE		8.9	8.3	8.6	8.8	8.3	8.2	8.2	8.0	8.2	8.2	8.1	8.1	8.1	
LIGHTHOUSE DR( 2.1C)																					
4153141	1.247	3.571	R	2011	0012	CRACKING		6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
RANGER CONSTRUCTION INDUST(2013)					FC125	RIDE		8.1	8.4	8.0	8.2	8.1	8.1	8.0	8.0	7.9	7.9	8.0	8.1	8.0	8.0
93090000	1.950	3.571	L	1	1	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	
811			2	45	20500	RIDE		8.9	8.9	8.8	8.9	8.6	8.3	8.1	8.1	8.2	8.2	8.1	8.1	8.0	7.8
LIGHTHOUSE DR( 2.1C)																					
4153141	1.247	3.571	L	2011	0012	CRACKING		6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
RANGER CONSTRUCTION INDUST(2013)					FC125	RIDE		8.0	8.3	8.3	8.3	8.0	8.1	8.0	8.0	7.9	7.8	7.9	7.9	7.7	7.5
93090000	1.245	1.950	L	1	1	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	
811			2	45	20500	RIDE		8.8	8.7	8.6	8.7	8.5	8.0	7.9	7.9	7.8	7.9	7.8	7.5	7.0	
RICHARD RD( 1.6C)																					
4153141	1.247	3.571	L	2011	0012	CRACKING		6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2013)					FC125	RIDE		7.7	8.3	8.0	8.3	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.9	7.7
93100000	0.000	11.698	R	1	8	CRACKING		8.5	7.5	7.5	6.5	6.5	4.5*	4.5*	2.0*	2.0*	2.0*	2.0*		10.0	
25 27			2	65	17400	RIDE		8.5	9.0	8.3	8.2	7.9	7.2	6.9	6.4*	6.4*	6.3*	5.6*		8.0	
CORKSCREW RD( 2.1R)																					
4138421	0.000	12.553	C	2008	0012	CRACKING		10.0	10.0	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	10.0
RANGER CONSTRUCTION INDUST(2011)					FC5M	RIDE		8.1	8.0	8.0	7.9	8.1	8.0	7.7	7.6	7.9	7.6	7.6	7.4		
4416311	0.000	12.599	C	2022	0012																
93100000	11.698	12.599	R	1	1	CRACKING		10.0	10.0	8.0	8.0	8.0	4.5*	4.5*	4.5*	4.5*	2.0*	1.0*	1.0*	1.0*	10.0
25 27			2	35	18400	RIDE		8.0	9.0	8.3	8.1	7.8	6.7	6.3	6.1	5.7	5.4*	5.5	5.3*	8.0	
SPUR(11.7R)																					
4138421	0.000	12.553	C	2008	0012	CRACKING		10.0	10.0	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	0.0
RANGER CONSTRUCTION INDUST(2011)					FC5M	RIDE		8.1	8.0	8.0	7.9	8.1	8.0	7.7	7.6	7.9	7.6	7.6	7.4	6.6	6.6
4416311	0.000	12.599	C	2022	0012																
93100000	0.000	12.599	L	1	1	CRACKING		8.5	7.5	7.5	6.5	6.5	4.5*	4.5*	2.0*	2.0*	1.0*	0.0*		10.0	
25 27			2	65	17400	RIDE		8.8	8.8	8.6	8.5	8.1	7.1	6.9	6.2*	6.1*	5.8*	5.6*		8.0	
LEVEE RD(11.0L)																					
4138421	0.000	12.553	C	2008	0012	CRACKING		10.0	10.0	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	0.0
RANGER CONSTRUCTION INDUST(2011)					FC5M	RIDE		8.1	8.0	7.9	7.7	8.0	7.9	7.8	7.5	7.7	7.4	7.3	6.9	7.0	6.7
4416311	0.000	12.599	C	2022	0012																
93110001	0.000	3.439	R	1	1	CRACKING		6.5	4.0*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	
80 98			2	65	13000	RIDE		8.5	8.3	8.4	8.3	7.8		7.8	7.8	8.1	8.2	8.1	8.0	7.9	
SR-15 / SR-80( 0.0R)																					
4287201	0.024	3.439	R	2014	0012	CRACKING		7.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	4.6
RANGER CONSTRUCTION INDUST(2017)					FC5A	RIDE		7.8	7.7	7.4	7.3		8.6	8.5	8.4	8.5	8.5	8.5	8.4	8.4	8.3
93110001	3.439	18.181	L	1	1	CRACKING		8.5	8.5	7.5	6.0*	6.0*		10.0	10.0	10.0	10.0	9.5	8.5	8.5	
80 98			2	65	13000	RIDE		9.0	9.0	8.9	8.9	8.6		8.1	8.0	8.1	8.1	8.1	8.0	7.9	
TRACTOR CROSSING( 6.5C)																					
4344271	3.439	18.246	L	2018	0012	CRACKING		8.0	6.5	5.5*	5.5*		3.5*	3.5*	3.5*	10.0	10.0	10.0	9.0	9.0	7.5
RANGER CONSTRUCTION INDUST(2020)					FC5M	RIDE		7.9	7.9	7.8	7.4		7.9	7.6	7.5	8.7	8.7	8.7	8.7	8.7	8.7

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).





# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	*****															
CONTRACTOR (AGE_ONE YEAR)	(AGE_ONE YEAR)	YEAR		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)
93180000	3.602	5.497	R	1	1	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	
802			3	45	46500	RIDE	7.8	7.7	7.7	7.6	7.2	6.5	6.6	6.4	6.7	8.2	8.2	8.1	8.1		
JOG RD( 3.6C)																					
2297511	3.690	5.660	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	
RANGER CONSTRUCTION INDUST(2008) DGFC RIDE																					
93180000	3.602	5.497	L	1	1	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	
802			3	45	46500	RIDE	7.3	7.2	6.9	6.9	6.5	6.3*	6.1*	6.1	6.0	8.0	10.0	7.8	7.8	7.7	
JOG RD( 3.6C)																					
2297511	3.690	5.660	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2008) DGFC RIDE																					
93180000	2.139	3.602	L	1	1	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	
802			3	45	40500	RIDE	7.3	7.2	6.9	6.9	6.5	6.3*	6.1*	6.1	6.0	7.9	7.8	7.8	7.7		
HADJES DR( 2.2L)																					
2297501	2.139	3.602	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	
RANGER CONSTRUCTION INDUST(2008) DGFC RIDE																					
93200000	7.147	7.786	R	1	1	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
804			3	40	35000	RIDE	6.4*	7.5	7.9	8.7	8.5	8.0	8.3	8.1	8.2	8.2	8.3	8.1	8.3		
CROSS CREEK CENTER( 7.4R)																					
2297461	7.031	8.090	C	2000	0012	CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	
RANGER CONSTRUCTION INDUST(2001) DGFC RIDE																					
4476671	7.148	7.801	R	2025	0012																
93200000	7.147	7.786	L	1	1	CRACKING	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
804			3	40	35000	RIDE	6.8	7.1	8.8	8.6	8.3	8.2	8.2	8.2	8.4	8.2	8.2	8.0	8.1		
CROSS CREEK CENTRE( 7.4L)																					
2297461	7.031	8.090	C	2000	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5
RANGER CONSTRUCTION INDUST(2001) DGFC RIDE																					
4476671	7.147	7.801	L	2025	0012																
93220000	8.062	11.476	L	4	1	CRACKING		10.0	10.0					10.0	10.0	10.0	10.0	10.0	9.0	9.0	
9	195		5	65	210324	RIDE		8.6	8.6					7.3	7.4	7.4	7.3	7.3	7.2		
7.0																					
4268431	8.200	11.476	L	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	
RANGER CONSTRUCTION INDUST(2012) FC5M RIDE																					
93230000	0.000	2.290	C	1	1	CRACKING	2.0*	10.0	10.0	10.0	9.0	8.0	7.5	7.5	7.0	6.0*	5.5*	5.5*	5.5*		
729			2	45	6100	RIDE	4.8*	8.3	8.4		7.6	7.2	7.4	6.6	7.2	7.1	7.1	7.0	6.5		
S LAKE AVE( 0.0C)																					
4153191	0.000	2.283	C	2010	0012	CRACKING	10.0	10.0	9.0	8.5	7.5	7.5	7.0	7.0	6.0*	5.5*	3.5*	3.5*	3.0*	0.2	
RANGER CONSTRUCTION INDUST(2012) FC95M RIDE																					
4461051	0.011	2.285	C	2024	0012																
93280000	3.940	5.559	R	1	1	CRACKING	9.0	9.0	8.5	8.5	8.5	7.5	7.0	6.5	6.5	4.5*	4.5*	3.5*	3.5*		
704			4	45	72500	RIDE	8.8	8.6	8.8	8.7	8.4	7.8	7.8	7.6	7.8	7.6	7.3	7.3	7.0		
DREXEL RD( 4.0R)																					
4216941	3.848	5.535	R	2011	0012	CRACKING	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5
RANGER CONSTRUCTION INDUST(2013) FC95M RIDE																					
93280000	5.559	7.552	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.5	6.5	4.5*	4.5*		
704			4	45	47000	RIDE	8.8	8.6	8.6	8.6	8.4	8.0	7.8	7.9	8.0	7.9	7.6	7.7	7.6		
DONNELL RD( 5.9R)																					
4270201	6.242	7.550	R	2013	0012	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.7	
RANGER CONSTRUCTION INDUST(2015) FC95R RIDE																					
93280000	5.559	7.552	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.5	6.5	6.5	6.5		
704			4	45	47000	RIDE	8.5	8.6	8.5	8.3	8.3	7.8	7.6	7.4	7.4	7.4	7.3	7.2	7.1		
ZIP CODE PL( 5.7L)																					
4270201	6.242	7.550	L	2013	0012	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.4	
RANGER CONSTRUCTION INDUST(2015) FC95R RIDE																					
93280000	3.848	5.559	L	1	1	CRACKING	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	6.0*	4.0*	4.0*	2.0*	2.0*		
704			4	45	72500	RIDE	8.7	8.3	8.8	8.3	8.3	7.7	7.5	7.2	7.5	7.3	7.2	7.0	6.9		
WEST DR( 4.2L)																					
4216941	4.115	5.535	L	2011	0012	CRACKING	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2013) FC95M RIDE																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		W_BMP W_EMP		RW		FY-P WKMX-P		=====													
CONTRACTOR (AGE_ONE YEAR)		SURF_TYPE		FY-F WKMX-F																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
																				(REG)	
93310000	6.900	11.800	R	1	1	CRACKING	7.5	7.5	7.0	7.0	7.0	7.0	7.0	5.0*	5.0*	5.0*		10.0	10.0	10.0	
710			2	60	14400	RIDE	9.0	8.8	8.8	8.9	8.6	7.9	7.8	7.6	7.8		8.3	8.3	8.3		
HALPATIOKEE RD( 9.9R)																					
4137981	7.228	11.800	C	2006	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.1	
RANGER CONSTRUCTION INDUST(2009)																					
4484391	6.900	11.800	C	2028	0012	RIDE	8.3	8.2	8.2	8.3	8.3	8.2	8.1	8.0	8.3	8.4	8.4	8.4	8.4	8.3	
93310000	16.900	20.631	R	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0		
710			2	55	24000	RIDE	8.3	8.3	8.3	8.3	8.1	7.3	7.1	7.0	7.1	8.1	8.2	7.9	8.1		
CR 809A(17.0C)																					
2298151	16.861	20.474	C	2006	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.4	
RANGER CONSTRUCTION INDUST(2008)																					
4192511	17.006	20.148	C	2023	0213	RIDE	8.1	8.1	8.1	8.0	8.0	8.0	7.8	7.6	7.9	8.0	8.0	8.0	8.0	7.8	
93310000	20.631	22.010	R	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0				10.0	
710			2	45	13300	RIDE	8.3	8.2	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7				8.4	
CONGRESS AVE(21.9C)																					
2298971	20.631	21.994	C	2007	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2011)																					
93310000	20.631	22.010	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0				10.0	
710			2	45	13300	RIDE	8.3	8.2	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7				8.3	
42ND WAY(20.7L)																					
2298971	20.631	21.994	C	2007	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2011)																					
93310000	16.900	20.631	L	1	1	CRACKING	6.5	5.5*	5.5*	3.5*	2.5*	2.5*	2.5*	2.5*	2.5*	10.0	10.0	10.0	10.0		
710			2	55	24000	RIDE	8.2	8.1	8.0	7.9	7.7	6.8	6.6	6.6	6.5	8.1	8.1	8.1	8.1		
CR 809A(17.0C)																					
2298151	16.861	20.474	C	2006	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.0	
RANGER CONSTRUCTION INDUST(2008)																					
4192511	17.006	20.148	C	2023	0213	RIDE	8.1	8.1	8.1	8.1	8.0	8.0	8.0	7.9	8.0	8.0	8.0	7.9	8.0	7.9	
93310000	7.912	11.800	L	1	1	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	10.0		
710			2	60	14400	RIDE	8.8	8.8	8.8	8.7	8.5	8.0	7.9	7.8	7.6		8.3	8.2	8.2		
CALOOSA BLVD W( 8.2L)																					
4137981	7.228	11.800	C	2006	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.3	
RANGER CONSTRUCTION INDUST(2009)																					
4484391	6.900	11.800	C	2028	0012	RIDE	8.3	8.2	8.1	8.2	8.3	8.2	8.2	8.1	8.2	8.2	8.2	8.2	8.1	8.1	
93470000	0.000	2.996	R	5	1	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5	10.0	10.0	10.0		
91			3	65	110900	RIDE	8.5	8.2	8.4	8.3	8.4	7.8	7.7	7.8	7.8	7.8	8.0	8.0	8.0		
13.6																					
4170241	0.000	3.000	C	2007	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	
RANGER CONSTRUCTION INDUST(2009)																					
4182145	0.000	3.406	C	2025	0548	RIDE	8.0	7.9	8.0	7.9	8.0	8.0	7.9	7.9	8.1	8.1	8.1	8.1	8.1	8.1	
93470000	8.152	13.608	R	5	1	CRACKING	7.5	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.0*		10.0	10.0	10.0	10.0		
91			3	65	97678	RIDE	8.7	8.6	7.5	8.6	8.4	7.7	7.6	7.3		8.2	8.1	7.9	7.9		
13.6																					
4379911	8.181	14.071	R	2019	0012	CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.9	
RANGER CONSTRUCTION INDUST(2021)																					
93470000	30.499	39.000	L	5	1	CRACKING	10.0	10.0	9.0	8.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.5		
91			2	70	55449	RIDE	8.9	8.9	8.8	8.9	8.7	8.0	7.7	7.5	7.5	7.3	8.2	8.1	8.0		
19.2																					
4365211	32.881	38.993	L	2018	0012	CRACKING	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5		10.0	10.0	10.0	10.0		
RANGER CONSTRUCTION INDUST(2021)																					
93470000	8.152	13.608	L	5	1	CRACKING	8.0	6.0*	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0		
91			3	65	97678	RIDE	8.6	8.5	8.4	8.4	8.4	7.5	7.5	7.5		8.0	8.0	8.0	7.9		
13.6																					
4379911	8.726	14.071	L	2019	0012	CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2021)																					
93470000	0.000	2.996	L	5	1	CRACKING	9.0	8.5	8.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	10.0	10.0	10.0		
91			3	65	110900	RIDE	8.5	8.3	8.4	8.3	8.4	7.6	7.6	7.2	7.6	7.6	8.2	8.2	8.2		
13.6																					
4170241	0.000	3.000	C	2007	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	
RANGER CONSTRUCTION INDUST(2009)																					
4182145	0.000	3.406	C	2025	0548	RIDE	8.3	8.2	8.2	8.1	8.0	8.3	8.0	8.2	8.2	8.4	8.2	8.1	8.1	8.1	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	WT	=====	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKMX-F	REG																
94001000 9 I95	0.739	3.925	R	4		1 CRACKING 88000 RIDE	11.6	10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	
4197151 RANGER CONSTRUCTION INDUST(2011)	0.739	6.018	C	2009	0012	FC5M		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.3
94001000 9 I95	4.750	6.018	R	4		1 CRACKING 88000 RIDE	11.6	10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	
4197151 RANGER CONSTRUCTION INDUST(2011)	0.739	6.018	C	2009	0012	FC5M		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.3
94001000 9 I95	5.157	6.018	L	4		1 CRACKING 88000 RIDE	11.6	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	10.0
4197151 RANGER CONSTRUCTION INDUST(2011)	0.739	6.018	C	2009	0012	FC5M		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.3
94001000 9 I95	0.739	3.917	L	4		1 CRACKING 88000 RIDE	11.6	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	10.0
4197151 RANGER CONSTRUCTION INDUST(2011)	0.739	6.018	C	2009	0012	FC5M		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.3
94003000 713	9.517	10.198	C	1	50	1 CRACKING 11500 RIDE	6.2	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	8.0	
KINGS HWY SB( 9.7L)							6.2															
4152931 RANGER CONSTRUCTION INDUST(2012)	9.853	10.198	C	2010	0012	FC95		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5
94005000 615	1.024	2.488	R	1	40	1 CRACKING 24000 RIDE	10.8	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0
RHODE ISLAND AV( 1.3R)							10.8															
4247621 RANGER CONSTRUCTION INDUST(2015)	1.024	2.488	C	2013	0012	FC125		8.0	8.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0
94005000 615	2.488	3.809	R	1	35	1 CRACKING 21000 RIDE	4.1	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	10.0	10.0	10.0	
ORANGE AVE( 2.5C)							4.1															
4138461 RANGER CONSTRUCTION INDUST(2010)	2.514	3.809	R	2008	0012	FC125		10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0
94005000 615	4.991	6.168	R	1	40	1 CRACKING 8800 RIDE	4.2						10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5
SR 608/ST LUCIE BLVD( 5.0R)							4.2															
4323261 RANGER CONSTRUCTION INDUST(2019)	4.991	6.160	R	2017	0012	FC95M		7.0	6.0*	6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
94005000 615	4.991	6.168	L	1	40	1 CRACKING 8800 RIDE	4.2						10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0
CR-608/ST LUCIE BLVD( 5.0L)							4.2															
4323261 RANGER CONSTRUCTION INDUST(2019)	4.991	6.160	L	2017	0012	FC95M		7.0	6.0*	6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
94005000 615	2.488	3.809	L	1	35	1 CRACKING 21000 RIDE	4.1	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0
ORANGE AVE( 2.5C)							4.1															
4138461 RANGER CONSTRUCTION INDUST(2010)	2.514	3.809	L	2008	0012	FC125		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0
94005000 615	1.024	2.488	L	1	40	1 CRACKING 24000 RIDE	10.8	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5
TENNESSE AVE( 1.1L)							10.8															
4247621 RANGER CONSTRUCTION INDUST(2015)	1.024	2.488	C	2013	0012	FC125		9.5	8.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0

-----

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR		FUTURE												
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE
INTERSECT AT (MP   SIDE)		W_BMP   W_EMP		RW   LN		FY-P   WKM-X-P		*****													
CONTRACTOR (AGE_ONE YEAR)		SURF_TYPE		FY-F   WKM-X-F																	
94009000	0.300	2.525	C	1	1	CRACKING	4.5*	4.5*	4.5*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
607			2	50	5600	RIDE	7.6	7.5	7.3	7.2	7.2	6.2*	8.0	7.8	6.9	7.7	7.6	7.5	7.5		
WATERSTONE BLVD( 0.5R)																					
2304091	0.000	2.525	C	2003	0012	CRACKING	10.0	9.5	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	7.0	6.8
RANGER CONSTRUCTION INDUST(2005) FC125																					
4476511	0.289	2.525	C	2025	0012	RIDE	7.4	7.4	7.2	6.9	6.5	6.3*	6.8	7.1	7.1	7.1	7.0	7.0	7.0	7.0	6.5
-----																					
94010000	10.772	14.580	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	10.0	9.0	9.0	9.0	8.0	8.0	8.0		10.0	
5	1		2	40	31000	RIDE	8.3	8.1	7.6	7.5	7.6	7.6	7.6	7.4	6.8	6.5	7.3			8.0	
CORAL SQUARE SHOPPES(10.9R)																					
4138471	10.772	14.580	R	2008	0012	CRACKING	10.0	10.0	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	4.2
RANGER CONSTRUCTION INDUST(2011) FC95																					
4461091	11.876	14.793	L	2023	0012	RIDE	7.9	7.7	7.7	7.0	7.2	7.3	7.2	7.3	7.2	7.0	6.9	6.8	6.8	6.8	6.3
-----																					
94010000	10.772	14.580	L	1	1	CRACKING	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.5	7.5	7.5	6.5			10.0	
5	1		2	40	31000	RIDE	8.3	8.0	7.8	7.3	7.7	7.5	7.1	7.0	6.6	7.1	6.9			8.2	
HOWIE DR(10.8L)																					
4138471	10.772	14.580	L	2008	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	4.4
RANGER CONSTRUCTION INDUST(2011) FC95																					
4461091	11.876	14.793	L	2023	0012	RIDE	8.2	8.1	7.9	7.9	7.4	7.2	7.6	7.7	7.6	7.4	7.3	7.4	7.1	7.1	6.8
-----																					
94060000	2.525	7.126	C	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	6.5	6.5	6.5	
ALA			2	45	6400	RIDE	9.0	8.9	8.9	8.5	8.8	8.1	8.1	7.9	7.4	7.3	7.1	7.1	7.0		
ATLANTIC BEACH BLVD( 2.5R)																					
4230341	2.525	7.709	C	2012	0012	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.1	
RANGER CONSTRUCTION INDUST(2015) FC95R																					
4230341	2.525	7.709	C	2012	0012	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2015) DGFC																					
4230341	2.525	7.709	C	2012	0012	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2015) DGFC																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP   SIDE)							*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
93030000	1.910	3.400	R	1	1	CRACKING	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
806			2	45	37000	RIDE	7.6	7.4	7.2	7.2	8.3	7.8	7.8	7.2	7.9	7.8	7.9	7.7	7.8	7.8		
LEXINGTON CLUB BLVD( 2.2R)							6.0															
2296001	1.814	3.367	C	2000	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	
RANGER CONSTRUCTION INDUST(2003)							FC125	7.8	7.8	7.7	7.7	7.7	7.6	7.7	7.4	7.3	7.3	7.4	7.6	7.6	7.6	7.3
4405754	1.748	3.078	C	2029	0213																	
93030000	1.910	3.400	L	1	1	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
806			2	45	37000	RIDE	8.0	7.9	7.9	7.6	8.1	7.7	7.4	7.7	7.7	7.8	7.8	7.8	7.3	7.5		
STONE QUARRY BLVD( 2.2L)							6.0															
2296001	1.814	3.367	C	2000	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	
RANGER CONSTRUCTION INDUST(2003)							FC125	7.5	7.5	7.5	7.2	7.4	7.4	7.3	7.1	7.4	7.6	7.3	7.5	7.4	7.2	
4405754	1.748	3.078	C	2029	0213																	
94006000	0.000	0.569	C	1	1	CRACKING	2.0*	2.0*	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
608			2	35	5600	RIDE	7.4	7.4	6.7		7.3	7.4	7.2	6.9	6.4	6.1	6.6	7.1	6.7			
M L KING BLVD( 0.0C)							6.1															
2303461	0.000	0.569	C	2000	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.9	
RANGER CONSTRUCTION INDUST(2003)							FC125	6.6	6.5	6.5	6.5	5.9	5.8	6.0	5.9	6.0	5.9	5.6	5.8	5.5	5.5	5.2
4484491	0.023	0.546	C	2028	0012																	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RUSSELL ENGINEERING INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	RATINGS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	ADT	%T	=====	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	WT	=====	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)
ITMSEG-P	ITMSEG-F																				
93020000	0.000	0.773	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
5			2	35	8800	RIDE		8.0	7.8	7.6	7.6	7.1	7.0	6.8	7.0	6.9	6.8	6.6	6.1		
SR-805/DIXIE HWY( 0.0L)																					
2296291	0.000	2.029	C	1997	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
RUSSELL ENGINEERING INC				(2000)	DGFC	RIDE		6.1	5.9	6.0	5.9	6.1	5.8	5.3*	5.5	5.7	5.8	5.6	5.5	5.7	4.7
4498321	0.000	0.773	C	2027	0012																
93020000	0.773	1.238	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			2	35	8800	RIDE		8.0	8.0	7.9	7.8	6.5	6.5	6.0	6.3	6.4	6.2	5.6	5.5		
TENTH AVE S( 0.8L)																					
2296291	0.000	2.029	C	1997	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6
RUSSELL ENGINEERING INC				(2000)	DGFC	RIDE		5.9	5.8	5.3*	5.5	5.2*	5.0*	5.1*	4.7*	4.9*	4.9*	4.9*	4.7*	4.8*	3.6
4461731	0.773	2.071	C	2024	0012																
93020000	1.238	1.645	C	1	6	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			2	25	8800	RIDE		7.6	7.2	7.1	6.7	6.4	6.5	6.2	6.6	6.5	6.4	6.1	6.0		
4TH AV S( 1.3R)																					
2296291	0.000	2.029	C	1997	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.2
RUSSELL ENGINEERING INC				(2000)	DGFC	RIDE		5.8	5.7	5.9	5.8	5.7	5.8	5.4*	4.8*						
4461731	0.773	2.071	C	2024	0012																
93020000	1.645	2.071	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			2	25	10300	RIDE		8.0	7.8	7.7	7.6	7.3	7.3	7.2	6.6	6.3	6.6	6.3	6.3		
LUCERNE AVE( 1.7C)																					
2296291	0.000	2.029	C	1997	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RUSSELL ENGINEERING INC				(2000)	DGFC	RIDE		6.2	6.0	5.7	5.7	5.7	5.4*	5.4*	5.5	5.4*	5.3*	5.3*	5.3*	4.9*	4.2
4461731	0.773	2.071	C	2024	0012																
93050000	1.921	3.700	C	1	1	CRACKING		7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
805 1			4	35	23000	RIDE		7.6		8.3	8.0	7.9	7.5	7.7	7.7	7.8	7.8	7.8	7.6	7.6	
3 AVE N( 1.9C)																					
2290041	2.680	3.800	C	1998	0012	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5
RUSSELL ENGINEERING INC				(2001)	FC3	RIDE		7.7	7.5	7.3	7.2	7.2	7.3	7.3	6.9	7.1	6.8	6.9	6.6	6.5	6.4
94005000	0.000	1.024	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
615			2	40	23000	RIDE		8.1	8.1	6.9	7.8	8.2	8.0	7.3	7.5	7.1	7.3	7.8	8.0	8.1	
CR 611( 0.0C)																					
2303001	0.000	0.960	C	1996	0213	CRACKING		9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.7
RUSSELL ENGINEERING INC				(1999)	FC3	RIDE		8.1	7.6	7.8	7.6	6.9	7.0	7.4	7.4	7.4	7.3	7.3	7.3	7.3	7.2
4461701	0.000	1.024	C	2024	0012																
94005000	0.000	1.024	L	1	1	CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	
615			2	40	23000	RIDE		8.4	8.3	8.1	8.0	7.9	7.4	7.6	7.3	6.8	6.5	7.0	6.9	7.2	
CR 611( 0.0C)																					
2303001	0.000	0.960	C	1996	0213	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0
RUSSELL ENGINEERING INC				(1999)	FC3	RIDE		7.0	6.9	6.9	6.1	6.5	5.9	6.3	6.6	6.6	6.4	6.3	6.5	6.5	5.6
4461701	0.000	1.024	C	2024	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RUSSELL ENGINEERING, INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		W_BMP W_EMP		RW		FY-P WKMX-P		*****													
CONTRACTOR (AGE_ONE YEAR)		(AGE_ONE YEAR)		SURF_TYPE		FY-F WKMX-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P		W_BMP W_EMP		RW		FY-F WKMX-F															
ITMSEG-F		W_BMP W_EMP		RW		FY-F WKMX-F															
86015000	0.000	2.497	R	1	1	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5				10.0	10.0	10.0	10.0	10.0	
818			3	45	27000	RIDE	7.9	7.9	7.8	7.7	7.6	7.1				7.9	7.7	7.6	7.6	7.4	
COOPER CITY LIMITS( 0.0C)																					
2274621	0.200	2.424	C	2003	0213	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	4.8
RUSSELL ENGINEERING, INC		(2007)		FC125		RIDE		7.5	7.5	7.4	7.4	7.0	6.9	6.9	6.7	6.9	6.6	6.7	6.6	6.6	6.1
4463711	0.000	2.507	C	2024	0012																
86015000	2.497	3.924	R	1	1	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
818			3	45	38500	RIDE	7.9	7.9	7.8	7.7	7.6	7.1				7.9	7.7	7.6	7.6	7.4	
SW 90 AVE( 2.6R)																					
2278821	2.424	3.906	C	2001	0213	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	6.5
RUSSELL ENGINEERING, INC		(2004)		FC125		RIDE		7.6	7.6	7.5	7.6	6.8	6.6	6.6	6.5	6.5	6.5	6.5	6.4	6.2	5.9
4483991	2.507	3.924	C	2026	0012																
86015000	2.497	3.924	L	1	1	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
818			3	45	38500	RIDE	7.9	7.9	7.8	7.7	7.6	7.9	7.9	7.8	7.7	7.7	7.7	7.8	7.8	7.7	
ACCESS RD TO ORANGE( 3.0L)																					
2278821	2.424	3.906	C	2001	0213	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.4
RUSSELL ENGINEERING, INC		(2004)		FC125		RIDE		7.6	7.6	7.5	7.5	6.9	6.8	6.8	6.6	6.7	6.5	6.4	6.5	6.4	5.9
4483991	2.507	3.924	C	2026	0012																
86015000	0.000	2.497	L	1	1	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5				10.0	10.0	10.0	10.0	10.0	
818			3	45	27000	RIDE	7.9	7.9	7.8	7.7	7.6	7.1				7.9	7.5	7.6	7.5	7.3	
COOPER CITY LIMITS( 0.0C)																					
2274621	0.200	2.424	C	2003	0213	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.7
RUSSELL ENGINEERING, INC		(2007)		FC125		RIDE		7.2	7.3	7.2	7.2	6.5	6.5	6.4	6.2	6.3	5.9	6.0	6.0	6.0	5.2
4463711	0.000	2.507	C	2024	0012																
86050000	3.334	4.322	R	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
ALA			1	30	24000	RIDE	8.0	7.8	7.8	7.8	7.8	7.1	6.9	7.0	6.7	6.9	6.6	6.6	6.4	6.6	
PED CROSSWALK( 3.5C)																					
4336884	3.334	4.322	C	2014	0005	CRACKING	9.0	9.0		8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RUSSELL ENGINEERING, INC		(2017)		FC125		RIDE		6.2	5.9		6.4				5.6	5.6					
86050000	3.334	4.322	L	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
ALA			1	30	24000	RIDE	8.0	7.8	7.8	7.8	7.8	7.1	6.9	7.0	6.7	6.9	6.6	6.6	6.4	6.6	
SR 838( 3.3L)																					
4336884	3.334	4.322	C	2014	0005	CRACKING	9.0	9.0		8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RUSSELL ENGINEERING, INC		(2017)		FC125		RIDE		6.2	5.9		6.4				5.9	5.9					
86100000	0.000	0.900	R	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
7			4	40	51500	RIDE	7.5	6.7	6.8	6.8	6.7	6.5	6.8	6.4	6.3	6.3					
NW 215 ST/COUNTY LIN( 0.0R)																					
2277731	0.000	1.050	C	2007	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
RUSSELL ENGINEERING, INC		(2012)		FC125		RIDE		7.2	7.5	7.4	7.5	6.8	6.7	6.5	6.3	6.8	6.8	6.8	6.6	6.7	8.5
2277731	0.000	1.050	C	2007	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
RUSSELL ENGINEERING, INC		(2012)		FC125		RIDE		7.5	7.4	6.7	7.5	6.7	6.8	6.7	6.5	6.9	6.7	6.8	6.6	6.6	6.2
86470000	12.484	16.730	R	5	1	CRACKING	7.5	7.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
91			4	65	142000	RIDE	8.2	8.5	8.4	8.4	8.4	7.7	7.7	7.7	7.7	7.6					
13.6																					
4060974	12.484	18.934	R	2010	0213	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5
RUSSELL ENGINEERING, INC		(2014)		FC5M		RIDE			7.9	7.8	7.8	7.8	7.8	7.8	7.7	7.9	8.1	8.1	7.8	7.8	7.8
86470000	17.480	18.934	R	5	1	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
91			4	65	124200	RIDE	8.3	8.2	8.2	8.1	8.1	7.6	6.9	7.4	7.0	7.2	7.2				
13.6																					
4060974	12.484	18.934	R	2010	0213	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5
RUSSELL ENGINEERING, INC		(2014)		FC5M		RIDE			7.9	7.8	7.8	7.8	7.8	7.7	7.9	8.1	8.2	8.0	8.0	8.0	8.0
4460241	18.125	23.811	C	2023	0012																
93020000	2.071	3.209	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
5			2	35	7100	RIDE		8.0	7.8	7.7	7.6	7.3	7.3	7.2	7.8	7.8	7.8	7.8	7.7	7.5	
SIXTH AVE N( 2.1C)																					
2297061	2.029	3.651	C	1998	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
RUSSELL ENGINEERING, INC		(2000)		DGFC		RIDE		7.6	7.6	7.4	7.6	7.3	7.0	7.1	7.2	7.3	7.3	7.2	6.9	7.1	7.0
4476601	2.071	3.651	C	2025	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RUSSELL ENGINEERING, INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE															2029		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)
93020000	3.209	3.651	C	1	1	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0		
5			2	35	7100	RIDE	5.6*	8.0	7.9	7.9	7.6	7.5	7.4	7.3	6.6	6.9	7.1	6.8	6.7		
VANDERBILT DR( 3.2L)																					
2297061	2.029	3.651	C	1998	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.9	
RUSSELL ENGINEERING, INC	(2000)			DGFC		RIDE	6.6	6.7	6.7	6.7	6.3	6.2	6.1	6.2	6.3	6.2	6.1	6.0	6.0	5.4	
4476601	2.071	3.651	C	2025	0012																
-----																					
93120000	9.218	9.758	R	1	1	CRACKING	8.0	7.5	7.5	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0		
80 98			3	50	54000	RIDE	8.7	8.5	8.3	8.2	7.6	7.0			7.3	7.2	7.1	7.0	7.4		
LITTLE RANCHES TR(10.0R)																					
2294971	8.935	10.951	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
RUSSELL ENGINEERING, INC	(2007)			FC125		RIDE	7.5	7.2	7.2	7.2	6.7	6.8	6.3*	6.5	6.4*	7.9	7.1	6.9	6.8	6.7	
-----																					
93120000	9.758	11.164	R	1	1	CRACKING	8.0	7.5	7.5	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0		
80 98			4	50	76055	RIDE	8.7	8.5	8.3	8.2	7.6	7.0			7.2	7.2	7.2	7.1	7.2		
LITTLE RANCHES TR(10.0R)																					
2294971	8.935	10.951	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	8.5	
RUSSELL ENGINEERING, INC	(2007)			FC125		RIDE	7.0	7.0	7.1	7.2	7.1	7.1	6.9	6.7	7.0	6.9	7.0	6.8	7.0	6.8	
-----																					
93120000	10.016	11.300	L	1	1	CRACKING	9.0	7.5	7.5	7.0	7.0	6.0*			10.0	10.0	10.0	10.0	10.0		
80 98			4	50	76055	RIDE	7.6	7.5	7.2	7.3	7.0	6.4*			8.1	8.0	7.9	8.0	8.1		
LAMSTEIN LN(10.6L)																					
2294971	8.935	10.951	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
RUSSELL ENGINEERING, INC	(2007)			FC125		RIDE	8.1	8.0	8.1	8.0	7.8	7.7	7.6	7.5	7.6	7.7	7.6	7.5	7.6	7.3	
-----																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = SHELTRA & SON CONST. CO. INC -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
88010000	1.829	3.550	R	1	1	CRACKING		6.0*	4.0*	4.0*	3.5*	3.5*	3.5*	4.0*	3.5*	3.5*	1.0*	1.0*				
5	1			3	45	37500	RIDE	8.7	8.7	8.6	8.4	8.2	7.2	7.2	6.8	7.1	7.1	7.4				
ELEVENTH ST( 1.8R)																						
2285835	1.829	3.533	C	2008	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.9	
SHELTRA & SON CONST. CO. I(2012) FC95								8.7	8.4	8.4	8.4	8.3	8.1	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.1	7.8
88010000	3.550	4.058	R	1	1	CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	9.5			10.0	10.0	10.0	10.0		
5	1			3	45	22000	RIDE	8.4	8.4	8.4	8.1	8.0	7.5	7.6			8.3	8.2	8.3	8.2		
VISTA GARDENS( 3.6R)																						
2285833	3.432	4.071	C	2005	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.4	
SHELTRA & SON CONST. CO. I(2008) FC95								8.1	8.1	7.9	8.0	7.9	7.6	7.6	7.7	7.7	7.3	7.6	7.7	7.6	7.6	7.2
88010000	1.829	4.058	L	1	1	CRACKING		8.0	8.0	8.0	7.0	6.0*	4.0*	4.0*	4.0*	4.0*	1.0*	0.0*				
5	1			3	45	37500	RIDE	8.7	8.7	8.7	8.2	8.5	7.7	7.6	7.4	7.6	7.5	7.5				
CR 606( 2.1C)																						
2285835	1.829	3.533	C	2008	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.9	
SHELTRA & SON CONST. CO. I(2012) FC95								8.7	8.5	8.5	8.5	8.4	8.4	8.3	8.3	8.1	8.1	8.1	8.1	8.0	7.9	7.6

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = SMITH & COMPANY -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP   SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)		
93210000	13.750	19.931	R	1	1	CRACKING	6.0*	6.0*	6.0*				10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0		
7	441		3	50	31500	RIDE	8.7	8.5	8.5				8.3	8.2	8.3	8.4	8.2	8.2	8.1	8.1		
BOYNTON BCH BLVD(13.8R)																						
2291841	14.135	19.500	C	2000	0213	CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	
SMITH & COMPANY							8.1	8.0	7.9	8.0	7.7	7.7	7.7	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.3
4484381	13.775	19.725	C	2027	0012																	
-----																						
93210000	13.750	19.931	L	1	1	CRACKING	6.0*	6.0*	6.0*				10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0		
7	441		3	50	31500	RIDE	8.7	8.5	8.5				8.5	7.9	8.5	8.6	8.2	8.2	8.1	8.1		
BOYNTON BEACH BLVD(13.8L)																						
2291841	14.135	19.500	C	2000	0213	CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	
SMITH & COMPANY							8.1	8.0	7.8	7.9	7.6	7.6	7.4	7.3	7.4	7.3	7.5	7.3	7.4	6.9		
4484381	13.775	19.725	C	2027	0012																	

"\*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 "\*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = THE DE MOYA GROUP INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT	(MP)	(SIDE)				*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															
86015000	6.519	10.738	R	1	1	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5		10.0	10.0	
818			3	45	38000	RIDE	7.5	7.3	7.3	7.3	7.2	6.6	6.7	6.5	6.3	6.4		8.3	7.9	
DAVIE CITY LIMITS( 6.7C)																				
4138321	6.691	10.587	R	2008	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.9
THE DE MOYA GROUP INC.				(2010)	FC95	RIDE	7.8	7.7	7.8	7.8	7.6	7.6	7.4	7.3	7.3	7.1	7.0	7.0	6.9	6.5
86015000	6.519	10.738	L	1	1	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	
818			3	45	38000	RIDE	7.6	7.3	6.7	6.6	6.6	5.9*	6.0*	5.9	5.8	5.8		8.3	8.2	
SW 46 TERR( 6.6L)																				
4138321	6.691	10.729	L	2008	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.4
THE DE MOYA GROUP INC.				(2010)	FC95	RIDE	7.9	8.1	7.8	7.8	7.6	7.3	7.3	7.2	7.2	6.9	7.0	6.8	6.8	6.1
86018000	2.335	4.910	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
824			3	40	53500	RIDE	7.9	7.8	7.8	7.7	7.5	7.2	7.1	7.0	6.9	6.9	7.2	7.1	7.0	
SW 60 TER( 2.5R)																				
2274531	2.282	4.898	C	1994	0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.9
THE DE MOYA GROUP INC.				(1998)	FC3	RIDE	7.0	6.9	6.6	5.9	6.5	6.6	6.9	6.0	6.3	6.3	6.2	6.2	6.2	5.7
4484001	2.335	4.910	R	2028	0012															
86018000	2.335	4.910	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
824			3	40	53500	RIDE	8.3	8.3	8.3	8.2	8.2	7.7	7.6	7.4	7.2	7.4	7.5	7.4	7.4	
S 61 AVE( 2.4L)																				
2274531	2.282	4.898	C	1994	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	7.5	6.9
THE DE MOYA GROUP INC.				(1998)	FC3	RIDE	7.2	6.5	7.0	7.0	7.0	6.9	6.7	6.6	6.7	6.7	6.7	6.6	6.5	6.0
4484001	2.413	4.910	L	2028	0012															
86472000	2.187	8.174	R	5	1	CRACKING	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	9.0	9.0	
869			3	65	88500	RIDE	8.6	8.5	8.6	8.6	8.5			7.9	7.9	7.9	8.0	8.1	7.9	
6.5																				
4310893	2.852	8.174	C	2013	0012	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.1
THE DE MOYA GROUP INC.				(2015)	FC5M	RIDE	7.9	7.9	7.8	8.4	8.1	8.1	8.0	8.0	8.0	8.2	8.2	8.2	8.2	8.1
4371556	4.100	7.500@	C	2026	0213															
86472000	2.224	8.174	L	5	1	CRACKING	6.5	6.5	6.5	4.5*	3.5*			10.0	10.0	9.0	9.0	9.0	9.0	
869			3	65	88500	RIDE	8.2	8.1	8.1	8.1	8.0			7.6	7.6	7.6	7.6	7.6	7.6	
6.5																				
4310893	2.852	8.174	C	2013	0012	CRACKING	9.0	9.0	6.5		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	6.8
THE DE MOYA GROUP INC.				(2016)	FC5M	RIDE	7.5	7.4	7.4		7.9	8.0	8.0	7.9	7.9	8.0	8.0	8.0	8.0	8.0
4371556	4.100	7.500@	C	2026	0213															
93120000	18.668	19.396	R	1	1	CRACKING	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
80 98			4	45	65000	RIDE	7.2	7.0	7.1			8.1	8.2	8.2	8.3	8.2	8.3	8.2	8.2	
CONGRESS AVE(18.9R)																				
2289871	18.200	20.393	C	1999	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
THE DE MOYA GROUP INC.				(2004)	FC125	RIDE	8.2	8.2	8.0	8.1	8.0	8.0	8.0	7.9	8.0	8.0	7.9	7.9	8.0	7.8
93120000	18.668	19.551	L	1	1	CRACKING	8.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
80 98			4	45	65000	RIDE	6.8	6.5	6.7			8.3	8.0	8.1	8.3	8.3	8.3	8.2	8.1	
GEM LAKE DR(19.5C)																				
2289871	18.200	20.393	C	1999	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
THE DE MOYA GROUP INC.				(2004)	FC125	RIDE	8.1	8.1	8.1	8.2	7.9	7.9	7.9	7.7	7.8	7.8	7.8	7.8	7.8	7.6

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = TRIPLE R PAVING INC -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	W_YEAR	FY-P	WKMX-P	WT	=====															
ITMSEG-P	CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
86015000	3.924	6.124	R	1	1	CRACKING	8.5					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
818			3	45	28027	RIDE	7.5					8.3	7.9	8.2	7.9	7.9	7.8	7.6	7.7	7.6		
SUNDANCE WAY( 3.9R)																						
2277061	3.877	6.525	C	1998	0213	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.8	6.8
TRIPLE R PAVING INC	(2003)	FC3	RIDE	7.5	7.4	7.4	7.4	7.4	7.4	7.3	7.4	7.4	7.4	7.4	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.6
4498161	3.924	6.124	C	2027	0012																	
86015000	3.924	6.124	L	1	1	CRACKING	8.5					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
818			3	45	28027	RIDE	7.5					8.8	8.2	8.2	8.0	8.3	8.2	8.0	8.0	7.9	7.9	
ACCESS RD TO ORANGE( 4.7L)																						
2277041	3.877	6.525	C	1998	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0
TRIPLE R PAVING INC	(2003)	FC3	RIDE	8.0	7.8	7.8	7.8	7.8	7.8	7.6	7.9	7.8	7.8	7.7	7.7	7.7	7.7	7.7	7.6	7.6	7.4	
4498161	3.924	6.124	C	2027	0012																	
86100000	8.349	10.461	R	1	1	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441			3	45	44000	RIDE					8.0	7.9	7.3	7.1	6.9	6.5	7.0	7.1	6.6	6.6	6.4	
RIVERLAND RD( 8.5R)																						
2277041	8.500	10.300	C	1998	0213	CRACKING	10.0	10.0	10.0	10.0	8.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.3
TRIPLE R PAVING INC	(2002)	FC3	RIDE	6.0	6.4	6.3	6.4	6.5	6.6	6.3	6.3	6.6	6.3	6.3	6.6	6.3	6.3	6.2	6.1	6.1	5.7	
4476771	8.349	10.461	C	2025	0012																	
86100000	9.065	10.461	L	1	1	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441			3	45	44000	RIDE					8.0	8.0	7.7	7.7	7.6	7.1	7.1	7.5	7.0	7.3	7.3	
DAVIE BLVD( 9.1L)																						
2277041	8.500	10.300	C	1998	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	6.3	6.3
TRIPLE R PAVING INC	(2002)	FC3	RIDE	7.0	7.2	6.4	6.8	6.8	6.5	6.8	6.9	6.9	6.8	6.9	6.9	6.8	6.8	6.8	6.8	6.9	6.9	6.3
4476771	8.349	10.461	C	2025	0012																	
86100000	8.370	9.065	L	1	1	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441			3	45	51500	RIDE			8.6	8.5	8.6	7.8	7.9	7.4	7.4	7.7	7.8	7.8	7.2	7.3	7.3	
SW 21 ST( 8.4L)																						
2277041	8.500	10.300	C	1998	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.1	8.1
TRIPLE R PAVING INC	(2001)	FC3	RIDE	7.5	7.6	7.6	6.2	7.1	7.1	6.9	6.9	6.9	6.8	6.9	6.8	6.9	6.9	6.9	6.9	6.9	6.9	6.2
4476771	8.349	10.461	C	2025	0012																	
86170000	10.021	12.100	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
811			2	40	28000	RIDE	8.5	8.4	8.3	8.3	8.2	8.0	8.0	7.9	7.7	7.7	7.7	7.7	7.6	7.5	7.5	
SAMPLE RD(10.0C)																						
2281001	8.971	13.011	C	1995	0213	CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	7.4	7.4
TRIPLE R PAVING INC	(1999)	FC3	RIDE	7.3	7.4	7.2	7.1	7.1	7.4	7.2	7.2	7.1	7.3	7.3	7.3	7.3	7.3	7.2	7.2	6.7	6.7	
4481742	10.057	12.112	R	2028	9924																	
86170000	12.100	13.120	R	1	1	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
811			2	40	14400	RIDE			8.4	8.5	8.3	8.3	7.8	7.9	7.2	7.6	7.8	7.2	7.8	7.4	7.4	
SW 10 ST(12.1C)																						
2281001	8.971	13.011	C	1995	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.9	7.9
TRIPLE R PAVING INC	(2000)	FC3	RIDE	7.0	7.3	7.4	7.1	7.4	7.1	6.9	7.1	7.0	6.9	7.1	7.0	7.2	7.2	7.2	7.0	6.9	6.5	6.5
4481741	10.057	13.006	C	2027	0012																	
86170000	12.100	13.120	L	1	1	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
811			2	40	14400	RIDE			7.6	7.9	6.9	7.7	7.3	7.3	7.1	6.8	7.0	6.6	6.6	7.8	7.4	
SW 10 ST(12.1C)																						
2281001	8.971	13.011	C	1995	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0
TRIPLE R PAVING INC	(2000)	FC3	RIDE	7.0	7.3	7.4	7.1	7.4	7.1	6.9	7.1	7.0	7.1	7.0	7.2	7.2	7.2	6.3	6.1	6.4	6.4	6.4
4481741	10.057	13.006	C	2027	0012																	
86170000	10.021	12.100	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
811			2	40	28000	RIDE	8.5	8.4	8.4	8.3	8.2	7.7	7.5	7.7	7.1	7.4	7.0	7.6	7.5	7.5	7.5	
SAMPLE RD(10.0C)																						
2281001	8.971	13.011	C	1995	0213	CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.0	8.0	7.0	7.0	7.0	7.0	6.9	6.9
TRIPLE R PAVING INC	(1999)	FC3	RIDE	7.3	7.4	7.2	7.1	7.1	7.4	7.2	7.2	7.1	7.3	6.9	6.9	6.9	7.1	7.3	6.9	6.9	7.1	6.6
4481741	10.057	13.006	C	2027	0012																	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = VEZINA, LAWRENCE & PISCITELL -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP   SIDE) %T =====																				
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F															
88060000	11.628	14.634	R	1	1	CRACKING	7.0	6.0*	5.5*	5.5*	3.5*	3.5*					10.0	10.0	10.0	10.0
60			2	65	8175	RIDE	9.1	9.1	9.0	8.0	8.7	8.1					8.2	8.2	8.0	8.0
SIDE ROAD(14.5R)																				
2285971	11.628	14.634	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	6.5	6.5	6.5	6.5	5.9
VEZINA, LAWRENCE & PISCITE(2008)						FC5M	RIDE	8.0	8.0	7.9	7.8	8.0	7.9	7.8	7.6	7.7	7.7	7.6	7.6	7.4
4484441	7.900	15.040	C	2026	0012															
88060000	14.634	19.000	R	1	1	CRACKING	7.0	6.0*	5.5*	5.5*	3.5*	3.5*					10.0	10.0	10.0	10.0
60			2	65	5600	RIDE	9.1	9.1	9.0	8.0	8.7	8.1					8.3	8.4	8.2	8.1
154 AVE(16.0R)																				
2285961	14.634	19.000	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	6.9
VEZINA, LAWRENCE & PISCITE(2008)						FC5M	RIDE	8.1	8.1	8.0	7.9	8.3	8.3	8.3	8.1	8.5	8.5	8.5	8.5	8.5
4476471	15.056	22.395	C	2024	0012															
88060000	19.000	22.389	R	1	1	CRACKING	7.0	6.0*	5.5*	5.5*	3.5*	3.5*					10.0	10.0	10.0	10.0
60			2	65	5600	RIDE	9.1	9.1	9.0	8.0	8.7	8.1					8.2	8.2	8.1	8.0
122 AVE(19.1R)																				
2285951	19.000	22.500	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	7.5	7.5	6.5	6.5	6.4
VEZINA, LAWRENCE & PISCITE(2008)						FC5M	RIDE	8.0	8.0	7.9	7.9	8.2	8.1	8.2	8.0	8.4	8.4	8.4	8.4	8.4
4476471	15.056	22.395	C	2024	0012															
88060000	19.000	22.389	L	1	1	CRACKING	7.0	6.0*	5.5*	5.5*	3.5*	3.5*					10.0	10.0	10.0	10.0
60			2	65	5600	RIDE	9.1	9.1	9.0	8.0	8.7	8.1					8.1	8.2	8.0	8.0
GREEN ACRES RANCH(21.2C)																				
2285951	19.000	22.500	C	2002	0213	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	6.5	6.5	6.5	6.5	6.5	5.9
VEZINA, LAWRENCE & PISCITE(2008)						FC5M	RIDE	8.0	7.9	7.9	7.7	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.9	7.9
4476471	15.056	22.395	C	2024	0012															
88060000	14.634	19.000	L	1	1	CRACKING	7.0	6.0*	5.5*	5.5*	3.5*	3.5*					10.0	10.0	10.0	10.0
60			2	65	5600	RIDE	9.1	9.1	9.0	8.0	8.7	8.1					8.2	8.2	8.0	8.0
CR 512(15.1L)																				
2285961	14.634	19.000	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	6.9
VEZINA, LAWRENCE & PISCITE(2008)						FC5M	RIDE	8.0	7.9	7.8	7.7	8.0	7.9	7.9	7.8	8.0	7.9	7.9	7.9	7.9
4476471	15.056	22.395	C	2024	0012															
88060000	11.628	14.634	L	1	1	CRACKING	7.0	6.0*	5.5*	5.5*	3.5*	3.5*					10.0	10.0	10.0	10.0
60			2	65	8175	RIDE	9.1	9.1	9.0	8.0	8.7	8.1					8.2	8.2	8.0	8.1
2285971																				
2285971	11.628	14.634	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	6.5	6.5	6.5	6.5	5.8
VEZINA, LAWRENCE & PISCITE(2008)						FC5M	RIDE	8.0	7.9	7.9	7.8	7.7	7.8	7.7	7.5	7.6	7.5	7.5	7.4	7.4
4484441	7.900	15.040	C	2026	0012															

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WALSH GROUP ARCHER-WESTERN -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							%T	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)	
86100000	16.500	17.900	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7	441		3	45	47000	RIDE	8.5	8.6	8.6	8.4	8.6	8.2	8.1	7.8	7.6	8.1	8.1	8.0	7.9		
KIMBERLY BLVD(16.8L)																					
2277721	16.374	17.850	C	1995	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	
WALSH GROUP	ARCHER-WESTER	(1999)			DGFC	RIDE	8.0	8.1	7.9	7.8	8.0	7.9	7.9	7.7	7.5	7.6	7.6	7.5	7.3	7.3	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP   SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)	
86050000	10.443	12.090	R	1	1	CRACKING	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	
ALA			1	35	7500	RIDE	7.3	6.8	7.4	7.3	7.1	6.8	6.7	6.3	6.5	6.3	6.2	6.3	6.4		
NE 10 ST(10.9C)																					
2281151	10.429	12.109	C	1999	0012	CRACKING	8.5	8.5	7.5	7.5	7.5	7.5	7.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	2.0	
WEEKLEY ASPHALT PAVING INC(2001)					FC125	RIDE	6.2	6.2	6.0	6.2	5.8	5.7	5.6	5.2*	5.2*	5.2*	5.2*	5.1*	5.0*	4.5	
4476551	10.430	12.047	C	2024	0012																
-----																					
86050000	10.443	12.090	L	1	1	CRACKING	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	
ALA			1	35	7500	RIDE	7.3	6.8	7.4	7.3	7.1	6.8	6.7	6.3	6.5	6.3	6.2	6.3	6.4		
FIFTH ST NE(10.5L)																					
2281151	10.429	12.109	C	1999	0012	CRACKING	8.5	8.5	7.5	7.5	7.5	7.5	7.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	2.0	
WEEKLEY ASPHALT PAVING INC(2001)					FC125	RIDE	6.2	6.2	6.0	6.2	5.8	5.7	5.6	5.2*	5.2*	5.2*	5.2*	5.1*	4.3*	4.3	
4476551	10.430	12.047	C	2024	0012																

"\*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 "\*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE) =====																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F														(REG)	
86010000	4.117	5.948	R	1	1	CRACKING	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	
5 1			2	35	30000	RIDE	7.4	7.3	7.5	7.5	7.3	6.7	6.3	6.5	6.0	6.1	6.6	7.5	7.2		
SHERIDAN ST( 4.1C)																					
4138291	4.094	5.806	R	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	
WEEKLEY ASPHALT PAVING, INC			IN	(2010)	DGFC	RIDE	7.3	7.0	7.3	7.1	7.2	7.1	7.0	6.9	6.7	6.7	6.7	6.6	6.4	6.2	
4498151	4.117	5.917	C	2027	0012																
86010000	4.117	5.948	L	1	1	CRACKING	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	
5 1			2	35	30000	RIDE	7.9	7.8	6.2*	6.8	6.5	5.8	5.9	6.1	5.7	5.8	5.6	7.3	7.1		
SHERIDAN ST( 4.1C)																					
4138291	4.094	5.806	L	2008	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	5.7	
WEEKLEY ASPHALT PAVING, INC			IN	(2010)	DGFC	RIDE	6.9	6.8	6.7	6.7	6.2	6.4	6.1	6.1	5.9	6.0	6.2	6.0	5.9	5.3	
4498151	4.117	5.917	C	2027	0012																
86010000	2.713	4.117	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.0*	6.0*	10.0	10.0	
5 1			2	35	32000	RIDE	6.5	6.4*	5.8*	6.2	5.8	5.4*	4.9*	4.8*	4.6*	5.0*	4.9*	4.9*	7.0		
POLK ST( 2.7C)																					
4137941	2.713	4.117	L	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.7	
WEEKLEY ASPHALT PAVING, INC			IN	(2011)	FC95	RIDE	6.9	6.9	6.8	6.7	7.0	6.9	6.6	6.7	6.5	6.7	6.5	6.1	6.1	6.0	
86014000	0.000	0.803	R	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.0	6.5	6.5	6.5	4.5*		
870			3	45	50000	RIDE	8.2	8.1	7.9	8.0	7.9	7.2	7.3	7.3	7.2	6.8	6.8	6.9	7.1		
SR 817( 0.0C)																					
4246661	0.017	0.814	C	2012	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.6		
WEEKLEY ASPHALT PAVING, INC			IN	(2014)	FC95	RIDE	6.7	6.5	7.9	8.1	7.5	7.7	7.6	7.4	7.5	7.3	7.5	7.6	7.2	7.0	
86014000	0.000	0.803	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	4.5*		
870			3	45	50000	RIDE	8.3	8.0	8.1	8.0	7.8	6.9	6.5	6.6	6.1	6.5	6.0	5.9	5.8		
SR 817( 0.0C)																					
4246661	0.017	0.814	C	2012	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
WEEKLEY ASPHALT PAVING, INC			IN	(2014)	FC95	RIDE	6.2	6.2	8.0	8.0	7.8	7.9	7.9	7.3	7.7	7.6	7.6	7.6	7.4	7.2	
86016000	0.000	2.786	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0		
848			3	45	33000	RIDE	7.4	7.5	7.4	7.2	7.3	6.7	6.6	6.7	6.6	6.6	6.6	6.6	6.7		
CARRIAGE HILLS DR( 0.0C)																					
4287251	0.018	2.786	C	2017	0012	CRACKING	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0		
WEEKLEY ASPHALT PAVING, INC			IN	(2019)	FC95M	RIDE	6.4	6.5	6.5	5.7	5.7	5.5	5.5	7.0	6.9	6.9	6.9	6.9	7.0	6.9	
86016000	0.000	2.786	L	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5		
848			3	45	33000	RIDE	7.0	6.9	6.7	6.7	6.7	6.3*	6.1*	6.3	5.9	6.0	6.0	6.1	6.0		
CARRIAGE HILLS DR( 0.0C)																					
4287251	0.018	2.786	C	2017	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0		
WEEKLEY ASPHALT PAVING, INC			IN	(2019)	FC95M	RIDE	6.0	6.0	5.7	5.8	5.3*	5.3*	5.2*	7.0	6.9	6.8	6.9	6.9	6.8	6.7	
86020000	8.254	8.756	R	1	1	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5		
5 1			3	45	39500	RIDE	6.9	6.7	6.7	6.7	6.6	6.6	6.3*	6.4	6.2	6.3	6.3	6.2	6.2		
SE 7 ST( 8.3R)																					
4229981	8.274	8.769	C	2012	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.4	
WEEKLEY ASPHALT PAVING, INC			IN	(2013)	FC95	RIDE	6.2	7.4	7.4	7.5	7.0	7.2	7.0	6.9	6.8	6.7	6.9	6.7	6.6	6.2	
86020000	8.254	8.756	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
5 1			3	45	39500	RIDE	7.7	7.5	7.4	7.4	7.3	6.6	6.6	6.5	6.7	6.8	6.9	6.5	6.5		
FIFTH CT SE( 8.5L)																					
4229981	8.274	8.769	C	2012	0012	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
WEEKLEY ASPHALT PAVING, INC			IN	(2013)	FC95	RIDE	6.5	8.4	8.2	8.0	7.8	7.8	7.7	7.6	7.6	7.6	7.6	7.5	7.2	6.9	
86030000	0.000	0.879	R	1	1	CRACKING	8.5						9.0	9.0	9.0	9.0	9.0	9.0	7.5		
Ala			3	35	33500	RIDE	6.7						5.8	6.0	5.3*	4.9*	5.7	4.4*	3.7*	3.1*	
OCEAN DR( 0.2R)																					
4287271	0.000	0.583	R	2014	0012	CRACKING	7.5	7.5	6.5	4.5*			10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	
WEEKLEY ASPHALT PAVING, INC			IN	(2017)	FC95A	RIDE	4.1*	4.0*	3.8*	4.8*			6.9	6.2	6.4	6.3	6.3	6.1	5.9	6.0	5.4
86030000	0.000	0.879	L	1	1	CRACKING	10.0						9.0	9.0	9.0	9.0	9.0	9.0	9.0		
Ala			3	35	33500	RIDE	7.0						6.4	6.8	6.6	6.1	6.4	6.9	6.7	6.3	
HEMISPHERES( 0.3C)																					
4287271	0.124	0.774	L	2014	0012	CRACKING	6.5	6.5	6.5	4.5*			10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.5	
WEEKLEY ASPHALT PAVING, INC			IN	(2017)	FC95A	RIDE	5.5	5.9	6.1	5.4*			7.4	7.3	7.2	7.1	7.0	6.8	6.7	6.8	6.2

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

**FLORIDA DEPARTMENT OF TRANSPORTATION****ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)						*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-K	P	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE YEAR)	YEAR	SURF_TYPE																	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-K	F														
86040000	0.000	1.365	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	
820						RIDE	8.2	7.7	7.7	7.5	7.8	7.2	7.3	6.8	7.2	7.4	7.2	7.1	7.0	
PEMBROKE PINES CITY LIM(0.0C) 7.4																				
4216571	0.009	1.365	R	2011	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	5.6
WEEKLEY ASPHALT PAVING, IN(2013) DGFC RIDE 7.0 8.0 7.9 7.9 7.8 7.7 7.6 7.7 7.3 7.6 7.5 7.4 7.4 7.1 7.0																				
86040000	1.365	1.667	R	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	
820						RIDE	8.3	8.2	8.2	8.1	8.0	7.5	7.5	7.4	7.3	7.5	7.3	7.3	7.3	
SW 196 AVE( 1.5R) 4.6																				
4216571	1.365	1.660	R	2011	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
WEEKLEY ASPHALT PAVING, IN(2013) DGFC RIDE 7.2 8.2 7.9 8.0 7.8 7.8 7.8 7.8 7.6 7.5 7.3 7.0 7.1 6.9 6.4																				
86040000	18.394	19.956	R	1	1	CRACKING	10.0	10.0	7.0	6.0*	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*		
820						RIDE	6.5	6.6	7.1	7.7	7.7	6.9	6.8	6.3	6.2	6.4	6.1	5.7		
S 16 AVE(18.5R) 2.0																				
4138351	18.394	19.764	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	4.7
WEEKLEY ASPHALT PAVING, IN(2012) FC95 RIDE 7.4 6.9 7.1 7.3 6.8 6.7 6.6 6.5 6.7 6.5 6.3 6.0 5.9 5.5																				
4476541	18.394	19.956	C	2024	0012															
86040000	18.394	19.956	L	1	1	CRACKING	10.0	8.5	7.0	6.0*	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	
820						RIDE	6.8	6.6	6.7	7.6	7.4	6.2	6.3	6.3	5.8	5.7	5.5	5.6	8.0	
HARRISON ST(18.4L) 2.0																				
4138351	18.394	19.764	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	7.5	7.5	7.0	7.0	5.6
WEEKLEY ASPHALT PAVING, IN(2011) FC95 RIDE 7.6 7.1 7.0 7.1 7.0 6.7 6.7 6.5 6.5 6.0 6.3 5.9 5.9 5.1																				
4476541	18.394	19.956	C	2024	0012															
86040000	0.000	1.667	L	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	
820						RIDE	8.2	8.3	8.2	8.1	8.2	7.5	7.4	7.3	7.0	6.9	7.0	7.1	6.6	
PEMBROKE PINES CITY LIM( 0.0C) 7.4																				
4216571	0.009	1.660	L	2011	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2013) DGFC RIDE 6.8 8.1 7.9 7.8 7.7 7.6 7.8 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.6 7.5																				
86050000	2.039	2.497	C	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	
A1A						RIDE	7.1	7.1	7.1	7.1	6.7	6.0	5.9	5.9	6.0	5.3*	5.5	5.4*	5.3*	
POINSETTIA DR( 2.2L) 23.6																				
4306011	2.040	2.497	C	2016	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2018) FC95A RIDE 5.5 5.6 5.4* 5.4* 5.7 5.7 7.3																				
86050000	2.497	3.334	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
A1A						RIDE	6.7	6.5	6.6	6.4	6.2	5.6	5.9	7.6	7.4	5.3*	5.3*	5.6	5.5	
4.1																				
4306011	2.497	3.320	R	2016	0012	CRACKING	9.0	9.0	7.5	7.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2018) FC95A RIDE 5.1* 5.3* 5.6 5.4* 5.9 5.9 6.6 6.4 6.3 6.6 6.5 6.5 6.7 6.3 6.3																				
86050000	6.434	7.443	R	1	1	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
A1A						RIDE	5.6*	5.5*	5.3*	5.3*	6.3	5.4*	5.4*	5.1*	4.9*	4.7*	4.7*	4.9*	4.9*	
PALM AVE( 6.5R) 4.4																				
2279511	6.656	7.443	C	2000	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.8	
WEEKLEY ASPHALT PAVING, IN(2003) FC125 RIDE 4.7* 4.9* 4.8* 5.0* 4.4* 4.6* 4.6* 4.5* 4.6* 4.5* 4.6* 4.6* 4.4* 4.1																				
4484051	6.434	7.443	C	2026	0012															
86050000	15.170	15.669	C	1	1	CRACKING	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	
A1A						RIDE	7.2	7.0	6.8	6.8	6.5	6.7	6.7	6.6	6.7	6.6	6.6	6.6	6.5	
NINTH ST SE(15.3R) 3.5																				
2280441	12.109	15.666	C	2002	0012	CRACKING	9.0	9.0	8.0	8.0	7.5	7.5	6.5	6.5		6.5	6.5	6.5	6.5	4.9
WEEKLEY ASPHALT PAVING, IN(2004) FC125 RIDE 6.4 6.4 6.2 6.3 5.9 5.9 5.9 5.7 6.6 6.2 6.5 6.2 6.5 6.2 5.9																				
86050000	6.434	7.443	L	1	1	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
A1A						RIDE	5.6*	5.5*	5.3*	5.3*	6.3	5.4*	5.4*	5.1*	4.9*	4.7*	4.7*	4.9*	4.9*	
CODRINGTON DR( 6.4L) 4.4																				
2279511	6.656	7.443	C	2000	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.8	
WEEKLEY ASPHALT PAVING, IN(2003) FC125 RIDE 4.7* 4.9* 4.8* 5.0* 4.4* 4.6* 4.6* 4.5* 4.6* 4.5* 4.6* 4.6* 4.3* 4.0																				
4484051	6.434	7.443	C	2026	0012															
86050000	2.497	3.334	L	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	
A1A						RIDE	6.5	6.4*	6.3*	6.3	6.1	5.3*	5.2*	4.9*	5.3*	4.9*	4.8*	4.3*	4.9*	
SEVILLE ST( 2.5L) 4.1																				
4306011	2.497	3.320	L	2016	0012	CRACKING	6.5	6.5	6.5	4.5*		6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2018) FC95A RIDE 4.6* 4.7* 4.9* 4.7* 5.0* 5.9 5.9 5.8 6.0 5.6 5.7																				

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).





# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT	(MP)	(SIDE)					*****															
ITMSEG-P	W_BMP	W_EMP	RY	FY-P	WKMX-P			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR	(AGE_ONE	YEAR)	3	SURF_TYPE																	(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
86190000	3.700	7.599	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*		
823			3	45	40500	RIDE	8.5	8.5	8.5	8.4	8.3	7.7	7.7	7.6	7.5	7.5	7.5	7.5	7.5	7.4		
TAFT ST( 4.5C)																						
4216701	3.700	7.599	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2013)					FC95	RIDE		8.1	8.1	8.2	8.0	7.9	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.8	7.7	
86190000	3.700	7.599	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*		
823			3	45	40500	RIDE	8.7	8.5	8.5	8.4	8.4	7.7	7.7	7.6	7.5	7.5	7.5	7.5	7.4	7.4		
TAFT ST( 4.5C)																						
4216701	3.700	7.599	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2013)					FC95	RIDE		8.0	8.0	8.1	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.8	7.9	7.9	7.8	7.7
86190000	2.384	3.700	L	1	1	CRACKING	10.0	10.0	10.0	7.5	6.5	6.5	6.5	6.5	7.0	6.5	6.5	10.0	10.0			
823			3	45	51500	RIDE	8.2	8.1	8.1	8.1	8.0	7.3	7.5	7.1	7.1	7.2	7.2	7.5	7.5			
MIRAMAR CITY LIMITS( 2.5C)																						
4138341	2.384	3.669	L	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	5.3	
WEEKLEY ASPHALT PAVING, IN(2010)					FC95	RIDE		7.5	7.5	7.4	7.5	7.4	7.3	7.4	7.4	7.3	7.3	7.3	7.3	7.2	7.2	
86200000	2.166	3.707	R	1	1	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0			
858			3	40	56498	RIDE	6.2*	6.1*	6.1*	6.3	6.0	5.4*	5.2*	5.3*	4.9*	5.6	5.4*	7.0	6.9			
HOLIDAY PARK( 2.2C)																						
4137911	2.407	3.707	R	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5		
WEEKLEY ASPHALT PAVING, IN(2010)					FC95	RIDE		6.5	6.7	6.5	6.7	6.3	6.2	6.1	6.0	5.9	5.7	5.7	5.4*	5.0		
86200000	2.166	3.707	L	1	1	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0		
858			3	40	56498	RIDE	6.4*	6.2*	6.0*	6.2	5.9	5.2*	5.4*	5.1*	5.1*	5.6	5.6	7.4	6.8			
HOLIDAY PARK( 2.2C)																						
4137911	2.407	3.707	L	2008	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	
WEEKLEY ASPHALT PAVING, IN(2010)					FC95	RIDE		6.6	6.5	6.6	6.5	6.6	6.4	6.5	6.0	6.2	6.3	6.3	6.2	6.0	5.7	
86210000	2.698	4.033	R	1	1	CRACKING	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0			
736			2	35	34500	RIDE	6.4*	6.2*	6.4*	6.3	5.8	5.3*	5.3*	5.2*	4.8*		6.9	6.5	6.6			
NINTH AVE SW( 3.0C)																						
2281801	2.698	4.033	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.4	
WEEKLEY ASPHALT PAVING, IN(2009)					FC95	RIDE		6.6	6.1	6.5	6.6	5.9	5.7	5.5	5.2*	5.3*	5.3*	5.4*	5.2*	5.1*	4.4	
86210000	2.698	4.033	L	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0				
736			2	35	34500	RIDE	7.0	6.4*	6.3*	6.1	6.3	5.6	4.8*	5.3*	5.5		6.6	6.6	6.4			
NINTH AVE SW( 3.0C)																						
2281801	2.698	4.033	C	2007	0012	CRACKING	10.0	9.5	9.5	9.5	8.5	8.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.2	
WEEKLEY ASPHALT PAVING, IN(2009)					FC95	RIDE		6.3	6.3	6.3	6.3	5.6	5.6	5.4*	5.0*	5.3*	5.2*	5.0*	5.1*	5.2*	4.3	
86220000	0.000	1.600	R	1	8	CRACKING	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0			
817			3	45	48500	RIDE	7.1	7.1	6.9		7.9	7.1	7.1	7.0	7.0	7.1	7.0	7.0	7.1			
MIRAMAR PKWY( 0.7C)																						
2280781	0.000	1.340	C	2000	0012	CRACKING	9.0	9.0	8.5	8.5	8.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0			
WEEKLEY ASPHALT PAVING, IN(2003)					FC125	RIDE		6.9	6.9	7.0	7.5	6.8	6.9	6.6	6.6	6.6	6.8	6.7	6.9			
86220000	0.000	1.600	L	1	8	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
817			3	45	48500	RIDE	6.6	6.4*	6.2*		7.6	7.2	6.7	7.0	6.9	7.1	7.1	7.2	6.9			
MIRAMAR PINELAND( 0.4L)																						
2280781	0.000	1.340	C	2000	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0			
WEEKLEY ASPHALT PAVING, IN(2003)					FC125	RIDE		7.0	7.0	6.9	7.4	7.1	7.1	7.1	6.8	6.9	6.4	6.7	7.3			
86230000	3.500	4.057	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
822			2	40	32000	RIDE	7.7	8.1	8.2	8.8	7.1	7.2	6.5	7.2	7.5	7.0	6.7	7.2	6.7			
N 22 AVE( 3.5R)																						
4416291	3.547	4.050	R	2021	0012	CRACKING	9.0	8.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0			
WEEKLEY ASPHALT PAVING, IN(2023)					FC125	RIDE		6.6	6.9	6.7	7.0	6.5	6.3	6.4	6.2	5.8	5.8	5.9	6.2	5.7		
86230000	3.555	4.057	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
822			2	40	32000	RIDE	8.3	7.6	7.6	7.6	6.1	7.0	6.9	6.5	7.1	7.4	7.2	7.0	6.9			
CR 5A( 3.6C)																						
4416291	3.547	4.050	L	2021	0012	CRACKING	9.5	9.5	9.5	9.0	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0			
WEEKLEY ASPHALT PAVING, IN(2023)					FC2	RIDE		6.4	7.0	6.9	6.7	6.8	6.4	6.0	6.4	6.5	6.3	6.4	6.3	5.7		

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X	P	*****														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X	F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-X	F														(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	F															
93010000	0.000	1.434	L	1	1	CRACKING	9.0	9.0	8.0	7.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5
5 1			3	45	31500	RIDE	8.6	8.7	8.4	8.5	8.2	7.7	7.8	7.6	8.1	7.6	7.6	7.4	7.2		
ROYAL PALM WAY( 0.3L)																					
4153101	0.000	1.352	L	2011	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.1
WEEKLEY ASPHALT PAVING, INC(2013) FC95 RIDE 7.2 8.3 8.2 8.2 8.1 8.1 8.0 7.4 7.9 7.8 7.8 7.8 7.7 7.7 7.4 7.4																					
93030000	3.400	4.275	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5
806			3	45	40000	RIDE	8.2	8.4	8.5	8.5	8.2	7.7	7.5	7.7	7.6	7.6	6.8	6.8	6.7	6.8	
CARTER RD( 3.6C)																					
4246511	3.390	4.275	R	2013	0012	CRACKING	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.6
WEEKLEY ASPHALT PAVING, INC(2014) FC95 RIDE 6.5 6.5 8.2 7.8 7.9 7.9 7.3 7.1 7.1 7.6 7.8 7.7 7.1 7.0																					
4405755	3.078	3.847	C	2029	0213																
93030000	4.275	6.798	R	1	1	CRACKING	9.0	9.0	9.0	7.5	7.5	7.0	7.0	6.5	6.5	4.5*	3.5*	10.0	10.0		
806			3	45	43500	RIDE	7.4	8.1	8.4	8.4	8.3	7.7	7.6	7.6	7.7	7.7	7.5	7.7	7.4		
VIA FLORA( 4.3R)																					
4138412	4.275	7.097	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.6
WEEKLEY ASPHALT PAVING, INC(2010) FC95 RIDE 7.5 7.5 7.7 7.5 7.3 7.9 7.1 7.5 7.0 7.7 7.7 7.7 7.7 6.9 6.9																					
93030000	7.502	8.270	R	1	1	CRACKING	8.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.0*	5.0*	10.0		
806			2	35	24000	RIDE	6.9	7.1	7.0	7.1	6.0	6.0	5.7	6.6	6.8	6.5	6.4	5.4*	6.6		
W 12 AVE( 7.5C)																					
4138401	7.513	8.270	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, INC(2011) FC125 RIDE 6.6 6.6 6.7 6.7 6.6 6.6 6.4 6.3 6.3 6.6 6.4 6.3 6.6 6.4 6.5 6.3																					
93030000	7.502	8.270	L	1	1	CRACKING	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.0*	5.5*	5.5*	10.0		
806			2	35	24000	RIDE	7.3	7.1	7.3	7.5	6.8	6.7	6.0	6.8	7.0	6.8	6.8	5.5	7.0		
W 12 AVE( 7.5C)																					
4138401	7.513	8.270	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, INC(2011) FC125 RIDE 6.7 6.8 6.4 6.9 6.2 6.6 6.2 6.4 6.5 6.6 6.5 6.6 6.5 6.3 6.5 6.2																					
93030000	4.275	6.798	L	1	1	CRACKING	9.0	9.0	9.0	7.5	7.5	7.0	7.0	5.5*	5.5*	4.0*	3.5*	10.0	10.0		
806			3	45	43500	RIDE	7.0	8.1	8.4	8.1	7.7	7.4	6.8	7.3	7.4	7.3	7.2	8.1	7.9		
VIA FLORA( 4.3L)																					
4138412	4.275	7.097	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
WEEKLEY ASPHALT PAVING, INC(2010) FC95 RIDE 7.9 7.9 7.9 7.9 7.9 7.9 7.6 7.5 7.8 7.8 7.8 7.8 7.7 7.7 7.6																					
93030000	3.400	4.275	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0		
806			3	45	40000	RIDE	8.2	8.8	8.7	8.7	8.3	7.9	6.7	7.9	8.0	7.9	7.9	7.6	7.5		
CARTER RD( 3.6C)																					
4246511	3.683	4.275	L	2013	0012	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, INC(2014) FC95 RIDE 7.4 7.2 8.2 8.1 8.0 7.9 7.5 7.6 7.8 7.6 7.7 7.7 7.7 7.6 7.6																					
4405755	3.078	3.847	C	2029	0213																
93050000	5.860	6.844	C	1	1	CRACKING	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*
805 1			4	35	26000	RIDE	7.0	6.7	6.6	6.6	6.7	5.9	5.8	5.9	5.8	5.5	5.8	5.6	5.7		
CONNISTON RD( 5.9R)																					
4153121	5.859	6.367	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.5	7.0	7.0	6.3
WEEKLEY ASPHALT PAVING, INC(2012) FC95 RIDE 7.6 7.5 7.4 7.3 6.8 6.7 6.5 6.5 6.3 6.4 6.3 6.4 6.3 6.2 6.2 5.3																					
93060000	4.883	8.242	C	1	1	CRACKING	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
A1A			2	35	11200	RIDE	7.7	7.6	7.5	7.4	7.1	6.4	7.3	7.3	7.5	7.3	7.4	7.3	7.1		
GRAND CT( 5.0L)																					
2297851	4.545	8.187	C	2003	0012	CRACKING	8.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	4.4
WEEKLEY ASPHALT PAVING, INC(2005) FC125 RIDE 7.2 7.2 7.2 7.2 6.8 6.8 6.8 6.7 6.7 6.6 6.7 6.5 6.5 6.5 6.5 6.3																					
4444771	4.883	8.232	C	2024	0012																
93060000	10.750	15.798	C	1	1	CRACKING	7.5	7.0	4.5*	4.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0	10.0		
A1A			2	35	6900	RIDE	8.1	7.8	7.8	7.7	7.4	6.7	6.5	6.5	6.3	6.1	7.5	7.4	7.3		
DELRAY BEACH CITY LIMITS(10.8L)																					
4036061	12.670	15.698	C	2007	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
WEEKLEY ASPHALT PAVING, INC(2009) DGFC RIDE 7.4 7.3 7.4 7.4 6.9 6.8 6.8 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.7 6.6 6.6																					
93060000	20.307	22.313	C	1	1	CRACKING	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	
A1A			2	35	9200	RIDE	5.6*	5.3*	5.3*	5.2*	4.9*	4.2*	4.4*	4.3*	7.7	7.5	7.6	7.4	7.4		
LAKE WORTH CASINO(20.6R)																					
2298581	20.616	22.754	C	2005	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.7
WEEKLEY ASPHALT PAVING, INC(2007) FC95 RIDE 7.4 7.3 7.3 7.3 6.8 6.8 6.7 6.6 6.6 6.4 6.6 6.4 6.6 6.4 6.3 5.9																					
4476631	20.307	22.381	C	2024	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4												CONTRACTOR = WEEKLEY ASPHALT PAVING, INC.									
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE		
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	(REG)	
INTERSECT AT (MP   SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F															(REG)	
ITMSEG-P	ITMSEG-F	ITMSEG-F																			
93110000	2.620	3.992	R	1	1	CRACKING	10.0	10.0	10.0	8.0	8.0	7.5	7.5	7.0	7.0	6.5	4.5*	4.5*	4.5*		
80			2	45	20000	RIDE	8.4	8.3	8.1	8.2	7.9	7.5	7.4	7.3	7.7	7.4	7.2	7.0	6.8		
CR 827A( 2.9R) 11.6																					
4229861	2.620	3.921	R	2012	0012	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2014)					FC95	RIDE	6.6		8.4	8.4	8.2	8.1	8.2	8.0	8.0	8.1	8.1	8.1	8.1	7.9	
93110000	3.992	4.473	C	1	1	CRACKING	10.0	10.0	10.0	8.0	8.0	7.5	7.5	7.0	6.5	6.5	6.5	4.5*	4.5*		
880			4	35	6600	RIDE	8.4	8.3	7.9	7.8	7.9	7.5	7.4	6.9	6.5	5.8	5.5	5.3*	5.0*		
AVE E SE( 4.0L) 8.2																					
4229861	4.030	4.469	C	2012	0012	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	6.2	
WEEKLEY ASPHALT PAVING, IN(2014)					FC95	RIDE	4.9*		8.0	6.8	7.5	7.1	6.8	6.7	6.9	6.2	6.2	6.6	6.4	5.5	
93110000	2.623	3.992	L	1	1	CRACKING	10.0	10.0	10.0	8.0	8.0	7.5	7.5	7.0	7.0	6.5	4.5*	4.5*	4.5*		
80			2	45	20000	RIDE	8.2	7.7	7.9	7.8	7.6	7.2	7.0	6.9	6.9	7.2	7.1	7.0	6.6		
AVE J SE( 3.3L) 11.6																					
4229861	2.620	3.921	L	2012	0012	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2014)					FC95	RIDE	6.5		8.2	8.3	8.1	8.2	8.2	8.1	8.0	8.0	8.2	8.2	8.1	8.0	
93170000	0.580	1.350	C	1	1	CRACKING	10.0	10.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	6.0*	5.0*	5.0*	5.0*		
717			4	35	3900	RIDE	6.8	6.3*	6.2*	6.5	6.0	5.5	5.7	5.5	5.2*	5.5	5.7	5.7	5.3*		
BELLE GRADE CITY LIMITS( 0.6R) 6.0																					
4229891	0.590	1.276	C	2012	0012	CRACKING	5.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2014)					FC95	RIDE	5.5		7.5	7.5	7.2	7.2	6.9	6.4	6.7	6.3	6.6	6.5	6.3	5.6	
93170000	1.350	1.727	C	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	5.5*	3.5*	3.5*		
717			2	35	3900	RIDE	7.8	8.0	8.1	7.8	7.8	7.0	6.9	7.1	7.5	7.3	6.8	6.6	6.6	7.1	
NW 12 ST( 1.4R) 6.0																					
4229891	1.276	1.704	C	2012	0012	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2014)					FC95	RIDE	6.5		7.8	7.8	6.6	6.2	6.4	6.6	6.9	6.8	6.9	6.6	6.1	5.8	
93180000	0.000	0.477	R	1	1	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*		
802			3	45	37000	RIDE	8.4	8.3	8.5	8.4	8.1	7.3	7.3	7.6	7.3	7.1	7.1	7.5	7.4		
LAKEWORTH RD( 0.0C) 6.1																					
4216911	0.014	1.565	C	2011	0012	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	7.0	7.0	6.2	
WEEKLEY ASPHALT PAVING, IN(2013)					FC125	RIDE	7.3	7.8	7.3	7.5	7.0	7.1	7.2	6.9	7.0	7.3	7.0	7.0	7.2	6.8	
93180000	0.477	1.565	R	1	1	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*		
802			3	50	43500	RIDE	8.4	8.3	8.5	8.4	8.1	7.3	7.3	7.6	7.3	7.1	7.1	7.5	7.4		
HUNTING TRAIL( 0.6R) 4.1																					
4216911	0.014	1.565	C	2011	0012	CRACKING	3.5*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	4.9	
WEEKLEY ASPHALT PAVING, IN(2013)					FC5M	RIDE	7.3	7.3	7.3	7.2	7.4	7.4	7.3	7.3	7.4	7.4	7.4	7.1	7.1	7.1	
4484361	0.477	1.565	C	2026	0012																
93180000	7.165	7.950	R	1	1	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*		
802			2	40	26500	RIDE	8.8	8.7	8.7	8.7	8.3	7.8	7.9	7.8	7.6	7.5	7.5	7.4	7.3		
CONGRESS AVE( 7.2C) 3.2																					
4229901	7.233	8.010	R	2012	0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2013)					FC95	RIDE	7.4	7.9	7.3	7.3	7.2	7.2	6.8	7.1	7.2	7.1	7.2	7.1	7.1	6.8	
93180000	10.156	10.313	C	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0		
802			4	35	14700	RIDE	6.1*	5.2*	5.3*	4.5*	4.9*	4.6*	5.9	4.7*	7.7	6.8	7.7	6.3	7.5		
LAKE WORTH CITY LIMITS(10.3C) 9.9																					
2298641	10.156	10.313	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2007)					DGFC	RIDE	6.9														
93180000	7.343	7.950	L	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	5.5*	5.5*	5.5*		
802			2	40	26500	RIDE	8.1	8.0	7.7	7.9	7.4	7.3	7.4	7.4	7.5	7.7	7.4	7.1	7.1		
CLUB MANGER ASSOC OF AME( 7.5L) 3.2																					
4229901	7.233	8.010	L	2012	0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2013)					FC95	RIDE	7.0	7.8	7.9	7.6	7.4	7.3	7.2	7.1	7.3	7.3	7.3	7.3	7.2	6.9	
93180000	0.477	1.565	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		
802			3	50	43500	RIDE	8.1	8.1	8.4	8.2	7.7	7.8	7.7	7.7	7.8	7.8	7.7	7.4	7.4		
CYPRESS EDGE DR( 0.6L) 4.1																					
4216911	0.014	1.565	C	2011	0012	CRACKING	4.5*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.6	
WEEKLEY ASPHALT PAVING, IN(2013)					FC5M	RIDE	7.3	7.6	7.5	7.4	7.6	7.5	7.3	7.4	7.5	7.4	7.4	7.2	7.4	7.2	
4484361	0.477	1.565	C	2026	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)	
93180000	0.000	0.477	L	1	6	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
802			3	45	37000	RIDE	8.1	8.1	8.4	8.2	7.7	7.8	7.7	7.7	7.8	7.8	7.7	7.4	7.4		
LAKEWORTH RD( 0.0C)																					
4216911	0.014	1.565	C	2011	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.6
WEEKLEY ASPHALT PAVING, IN(2013) FC125 RIDE																					
93200000	2.740	3.440	R	1	1	CRACKING	10.0	9.0	9.0		8.5	8.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*		
804			3	45	53500	RIDE	8.5	8.4	8.4		8.3	7.8	7.7	7.6	7.7	7.6	7.5	7.2	6.9		
MIZNER FALLS WAY( 2.9R)																					
4229911	2.739	3.439	C	2011	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5
WEEKLEY ASPHALT PAVING, IN(2013) FC125 RIDE																					
93200000	2.740	3.440	L	1	1	CRACKING	10.0	9.0	9.0		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	
804			3	45	53500	RIDE	8.5	8.4	8.4		8.6	7.9	7.7	7.8	7.9	7.7	7.6	7.3	7.0		
MIZNER FALLS( 2.9L)																					
4229911	2.739	3.439	C	2011	0012	CRACKING	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2013) FC125 RIDE																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).