

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = APAC-FLORIDA INC -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	RATINGS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP   SIDE)															2031							
ITMSEG-P W_BMP W_EMP RW FY-P WKM-F															(PMRS)							
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE																						
ITMSEG-F W_BMP W_EMP RW FY-F WKM-F																						
86028000	4.763	5.805	R	1	1	CRACKING		9.0	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
834			3	45	55500	RIDE		7.5	7.4	7.4	6.6	6.8	6.7	6.7	6.9	6.9	6.9	6.8	6.7	6.5		
FESTIVAL FLEA MARKET( 5.4R)																						
2280721	4.754	7.558	C	2003	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.5	7.5	8.1	8.0	6.5	
APAC-FLORIDA INC (2005) UNKW RIDE 6.8 6.8 6.3 6.3 6.3 6.3 6.2 6.0 6.1 6.1 6.2 5.9																						
86028000	5.805	6.155	R	1	1	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0		
834			3	45	55500	RIDE				7.5	6.6	6.5	6.6	6.9	7.0	7.0	6.5	6.5	5.9	6.3		
CROSSROADS SHOPPING CENT( 5.9C)																						
2280721	4.754	7.558	C	2003	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	4.5*	4.5*	7.1	5.5*	
APAC-FLORIDA INC (2003) UNKW RIDE 6.5 6.5 6.4 6.6 6.8 6.7 6.6 6.3 6.5 6.1 6.1 6.1 5.1* 4.8*																						
86028000	5.805	6.155	L	1	1	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
834			3	45	55500	RIDE				8.0	7.3	7.5	7.5	7.3	7.4	7.4	7.5	7.3	7.3	7.4		
CROSSROADS SHOPPING CENT( 5.9C)																						
2280721	4.754	7.558	C	2003	0012	CRACKING		10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.7	7.0	5.5*	
APAC-FLORIDA INC (2003) UNKW RIDE 7.3 7.3 7.1 7.1 7.1 6.9 7.0 6.7 6.8 6.7 6.5 6.6 5.7 5.4*																						
86028000	4.763	5.805	L	1	1	CRACKING		9.0	9.0	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5		
834			3	45	55500	RIDE		7.3	7.2	6.8	6.2*	7.0	6.8	6.8	6.9	7.0	7.0	6.9	6.8	6.9		
LAND FILL( 5.4L)																						
2280721	4.754	7.558	C	2003	0012	CRACKING		9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	5.5*	
APAC-FLORIDA INC (2005) UNKW RIDE 6.5 6.6 5.9 6.0 6.1 5.9 5.9 5.8 6.0 5.8 5.7 5.8 5.9 5.6																						

"\*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 "\*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = ARCHER WESTERN CONTRACTORS L -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	RATINGS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P WKMX-P		=====													
		(AGE_ONE YEAR)		SURF_TYPE		CONTRACTOR		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
						ARCHER WESTERN CONTRACTORS(2008)															(PMRS)
93120000	15.652	16.196	L	1	1	CRACKING	8.0	8.0	8.0	8.0					10.0	10.0	10.0	10.0	10.0	10.0	
80	98			4	50	94500	RIDE	7.3	7.3	6.8	6.2*				8.1	7.7	8.1	8.1	8.1	8.2	
PINE AVE(15.9L)																					
2297971	15.900	18.200	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	7.9	6.5
ARCHER WESTERN CONTRACTORS(2008) FC125 RIDE 8.1 8.1 8.0 8.0 8.0 7.8 8.0 8.0 8.0 7.9 7.9 8.0 7.9 7.9 7.6																					
93220000	24.555	25.373	R	4	1	CRACKING									10.0	10.0	10.0	10.0	10.0	10.0	
9	I95	67.1	67.9	5	65	262000	RIDE								7.8	8.0	8.0	8.1	8.1	7.9	
2319191 24.594 25.328 C 2003 0213 CRACKING 10.0 10.0 10.0 10.0 9.0 9.0 9.0 9.0 7.5 6.5 6.5 7.2 7.0 4.0*																					
ARCHER WESTERN CONTRACTORS(2008) OGFC RIDE 7.8 8.0 8.2 8.3 8.2 7.7 8.0 8.3 8.3 8.3 8.1 8.1 8.1 8.0																					
93220000	29.740	33.193	R	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0						10.0	10.0	10.0	10.0	
9	I95	72.3	75.7	5	65	191500	RIDE	8.7	8.9	8.6	8.1	8.0					8.2	8.2	8.3	8.2	
2319201 29.560 31.618 R 2004 0213 CRACKING 10.0 10.0 10.0 10.0 9.0 9.0 9.0 9.0 9.0 9.0 8.0 9.1 9.0 6.0*																					
ARCHER WESTERN CONTRACTORS(2010) FC5 RIDE 8.1 8.3 8.3 8.4 8.3 8.2 8.3 8.4 8.4 8.4 8.3 8.3 8.3 8.1 8.0																					
93220000	33.193	34.326	R	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0						10.0	10.0	10.0	10.0	
9	I95	75.7	76.9	5	65	180000	RIDE	8.7	8.9	8.6	8.1	8.0					8.2	8.2	8.3	8.2	
2319201 33.284 34.009 R 2004 0213 CRACKING 10.0 10.0 10.0 10.0 9.0 9.0 9.0 9.0 9.0 9.0 8.0 9.1 9.0 6.0*																					
ARCHER WESTERN CONTRACTORS(2010) FC5 RIDE 8.1 8.3 8.3 8.4 8.3 8.2 8.3 8.4 8.4 8.4 8.3 8.3 8.3 8.1 8.0																					
93220000	32.877	34.934	L	4	1	CRACKING	10.0	10.0	10.0			10.0					10.0	10.0	10.0	10.0	
9	I95	75.4	77.5	5	65	180000	RIDE	8.7	8.8	8.3		7.5					8.2	8.2	8.3	8.2	
2319201 33.183 34.152 L 2004 0213 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0 9.0 9.0 7.5 8.6 8.5 5.5*																					
ARCHER WESTERN CONTRACTORS(2010) FC5 RIDE 8.3 8.3 8.3 8.4 8.3 8.2 8.4 8.4 8.4 8.4 8.3 8.0 8.5 8.4 8.3																					
93220000	30.093	32.877	L	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0						10.0	10.0	10.0	10.0	
9	I95	72.6	75.4	5	65	191500	RIDE	8.7	8.8	8.3	7.9	7.5					8.3	8.3	8.3	8.2	
2319201 29.560 31.737 L 2004 0213 CRACKING 10.0 10.0 9.0 9.0 9.0 9.0 9.0 9.0 7.5 7.5 6.5 8.3 8.5 5.5*																					
ARCHER WESTERN CONTRACTORS(2010) FC5 RIDE 8.3 8.4 8.3 8.4 8.3 8.2 8.3 8.4 8.4 8.4 8.3 8.2 8.3 8.3 8.2																					
93220000	24.817	25.373	L	4	1	CRACKING							10.0		10.0	10.0	10.0	10.0	10.0	10.0	
9	I95	67.4	67.9	6	65	262000	RIDE						8.1		7.9	8.0	7.5	8.0	7.7	7.8	
2319191 24.594 25.328 C 2003 0213 CRACKING 10.0 10.0 10.0 10.0 9.0 9.0 9.0 9.0 9.0 9.0 7.5 6.5 7.5 7.9 4.5*																					
ARCHER WESTERN CONTRACTORS(2008) OGFC RIDE 7.8 7.7 8.0 8.1 8.0 8.0 8.0 8.2 8.2 8.2 8.2 8.0 8.2 8.2 8.1																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).



**FLORIDA DEPARTMENT OF TRANSPORTATION****ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = ASTALDI CONSTRUCTION CORP. -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS															
INTERSECT	AT	(MP		SIDE)		%T	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
93220000	20.844	21.570	R	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0						10.0	10.0	10.0	10.0	10.0	
9	I95	63.4	64.1	5	65	257000	RIDE	8.9	8.8	8.7	8.3	8.4					7.6	7.7	7.7	7.9	7.7	
						8.0																
2319181	19.807	21.610	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	7.5	7.2	4.0*
ASTALDI	CONSTRUCTION	CORP.	(2009)	FC5		RIDE	7.7	7.9	7.6	7.8	7.6	7.4	7.8	7.9	7.8	7.8	7.8	7.8	7.6	7.6	7.4	7.3
4552201	20.844	22.038	C	2029	0012																	
93220000	20.844	22.038	L	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0						10.0	10.0	10.0	10.0	10.0	
9	I95	63.4	64.6	5	65	257000	RIDE	9.0	8.5	8.9	8.4	8.3					7.9	7.8	7.7	7.9	7.9	
						8.0																
2319181	19.807	21.610	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.3	8.2	5.0*
ASTALDI	CONSTRUCTION	CORP.	(2009)	FC5		RIDE	7.8	7.8	7.7	7.7	7.6	7.5	7.6	7.7	7.7	7.7	7.7	7.7	7.6	7.7	7.6	7.5
4552201	20.844	22.038	C	2029	0012																	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = BERGERON LAND DEVELOPMENT, I -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP   SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	%T	=====														
ITMSEG-P	(AGE_ONE YEAR)	SURF_TYPE					2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F															(PMRS)
86472000	0.000	1.774	R	5	1	CRACKING	9.0	7.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
869	0.0	1.8	3	65	121900	RIDE	7.7	7.7	8.2			7.4	7.3	7.3	7.4	7.3	7.3	7.2	7.2		
BEGIN SECTION( 0.0C) 6.7																					
2323521	0.000	8.173	C	2002	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.0*
BERGERON LAND DEVELOPMENT, (2006) FC5M RIDE 7.3 8.1 8.3 8.3 8.2 8.2 8.3 8.3 8.2 8.2 8.2 8.3 8.2																					
4371551	0.500	4.100	C	2025	0213																
-----																					
93210000	2.880	6.283	R	1	1	CRACKING	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441			3	45	48000	RIDE	7.0			7.9	7.5	7.5	7.5	8.0	8.0	7.9	7.9	7.9	7.9	7.8	
SERVICE RD( 3.3R) 3.6																					
2290921	2.877	9.001	C	2000	0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	5.0*	
BERGERON LAND DEVELOPMENT, (2004) FC125 RIDE 7.8 7.8 7.5 7.5 7.4 7.2 7.3 7.3 7.3 7.2 7.3 7.3 7.2 6.9																					
4476701	2.861	6.281	C	2025	0012																
-----																					
93210000	2.880	6.283	L	1	1	CRACKING	3.5*			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
7 441			3	45	48000	RIDE	7.0			7.7	7.8	7.7	7.7	7.7	7.7	7.7	7.5	7.6	7.5		
KIMBERLY BLVD( 3.8C) 3.6																					
2290921	2.877	9.001	C	2000	0213	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.0*	
BERGERON LAND DEVELOPMENT, (2004) FC125 RIDE 7.4 7.4 7.1 7.0 6.8 6.8 6.8 6.7 6.8 6.6 6.8 6.8 6.8 6.8 6.5																					
4476701	2.861	6.281	C	2025	0012																
-----																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = C. W. ROBERTS CONTRACTING, I -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	WKM-F	*****		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	SURF_TYPE																			(PMRS)
CONTRACTOR																						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																	
89090000	9.703	11.154	R	1	7	CRACKING	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
714			2	45	28500	RIDE	8.4	8.3	8.5	7.9	7.7	7.4	7.5			8.4	8.5	8.5	8.5	8.5	8.5	
CITRUS BLVD SW(10.0C)																						
4368701	10.320	11.050	R	2021	0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	10.0	9.5
C. W. ROBERTS CONTRACTING, (2026) FC125 RIDE 8.4 8.2 8.0 7.9 8.3 8.2 8.2 8.2 8.2 8.2 8.1 7.5 7.2																						
89090000	9.703	11.154	L	1	5	CRACKING	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
714			2	45	28500	RIDE	8.4	8.3	8.5	7.9	7.7	7.4	7.5			8.4	8.5	8.5	8.5	8.5	8.5	
CITRUS BLVD SW(10.0C)																						
4368701	10.320	11.050	L	2021	0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	10.0	9.5
C. W. ROBERTS CONTRACTING, (2026) FC125 RIDE 8.4 8.2 8.0 7.9 8.3 8.2 8.2 8.2 8.2 8.2 8.1 7.0 6.7																						
94010000	0.417	5.440	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
5			3	45	35500	RIDE	8.0	8.1	8.1	7.6	7.6	7.7	7.0	6.6	7.5	7.7	7.5	7.4	7.3	7.3	7.3	
CANE SLOUGH RD( 0.6R)																						
4398471	0.470	5.457	R	2020	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	9.4	10.0	9.0	
C. W. ROBERTS CONTRACTING, (2023) FC125 RIDE 7.3 6.7 6.7 6.5 6.8 6.8 6.7 6.7 6.6 7.8 7.7 7.6 7.4 7.1																						
94010000	11.866	14.805	R	1	7	CRACKING	10.0	10.0	9.5	10.0	9.0	9.0	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	
5			2	30	29000	RIDE	7.6	7.5	7.6	7.6	7.6	7.4	6.8	6.5	7.3		8.0	7.9	7.7	7.7	7.7	
TENNESSEE AVE(11.9R)																						
4461091	11.876	14.603	R	2023	0012	CRACKING	9.5	9.5	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	7.3	10.0	9.5	
C. W. ROBERTS CONTRACTING, (2026) FC95 RIDE 7.7 7.0 7.2 7.3 7.2 7.3 7.2 7.0 6.9 6.8 6.9 7.4 7.1																						
94010000	11.866	14.805	L	1	7	CRACKING	10.0	9.5	8.0	8.0	7.5	7.5	7.5	6.5	6.5		10.0	10.0	9.5	9.5	8.5	
5			2	30	29000	RIDE	7.8	7.3	7.7	7.5	7.1	7.0	6.6	7.1	6.9		8.2	8.2	8.1	8.1	8.1	
SIDE ROAD(12.0L)																						
4461091	11.876	14.603	L	2023	0012	CRACKING	9.5	9.5	9.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.5	
C. W. ROBERTS CONTRACTING, (2026) FC95 RIDE 7.9 7.9 7.4 7.2 7.6 7.7 7.6 7.4 7.3 7.4 7.1 7.2 7.1 6.8																						
94010000	0.417	5.440	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.5	8.5	
5			3	45	35500	RIDE	8.1	7.7	8.2	7.8	7.9	7.7	7.1	6.8	7.6	7.6	7.5	7.3	7.2	7.2	7.2	
CANE SLOUGH( 0.6L)																						
4398471	0.690	5.457	L	2020	0012	CRACKING	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	10.0	10.0	9.3	8.6	8.0		
C. W. ROBERTS CONTRACTING, (2023) FC125 RIDE 7.2 6.9 6.9 6.8 7.0 6.9 6.8 6.8 6.8 7.9 7.8 7.7 7.6 7.3																						
94070000	19.705	21.079	R	1	7	CRACKING	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	
68			2	35	14200	RIDE	7.6	6.8	7.3	6.6	6.8	6.6	6.3			7.8	7.8	7.8	7.8	7.7	7.7	
S 32 ST(19.8R)																						
4461691	19.755	20.880	R	2024	0012	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.1	10.0	9.5	
C. W. ROBERTS CONTRACTING, (2026) FC125 RIDE 7.7 6.9 7.0 6.2 7.2 7.3 7.3 7.3 7.1 6.9 7.0 7.1 7.1 6.8																						
94070000	21.079	21.669	C	1	7	CRACKING	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
68			2	30	10500	RIDE	4.0*		5.6	5.5	5.1*	5.3*	4.7*	5.5	5.2*	4.9*	5.0*	4.7*	4.7*	4.7*	4.7*	
S 11 ST(21.1R)																						
4461691	21.053	21.470	C	2024	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	7.0	7.5	10.0	9.5	
C. W. ROBERTS CONTRACTING, (2026) FC125 RIDE 5.0* 4.6* 3.9* 3.9* 4.1* 3.8* 3.9* 3.7* 3.9* 3.9* 3.7* 3.9* 3.9* 3.7*																						
94070000	19.705	21.079	L	1	7	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
68			2	35	14200	RIDE	7.1	6.7	6.2	6.2	6.1	6.0	6.0			7.6	7.5	7.8	7.6	7.6	7.6	
N 32 ST(19.8L)																						
4461691	19.755	20.880	L	2024	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	6.7	10.0	9.5
C. W. ROBERTS CONTRACTING, (2026) FC125 RIDE 7.5 6.8 7.1 7.1 6.8 6.9 6.8 6.6 6.6 6.6 6.5 6.0 6.5 6.0 7.3 7.0																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = CAROLINA CONSULTING CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP   SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(PMRS)	
89040000	1.750	2.537	R	1	1	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
ALA			2	35	28000	RIDE	6.0*	5.8	5.8	5.7	5.3*	5.0*		6.7	7.4	7.4	7.2	7.4	7.4	7.4	
MONTEREY RD( 1.8R)																					
2288531	1.600	2.537	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.5	8.3	7.0
CAROLINA CONSULTING CORP. (2008)					FC95	RIDE	7.2	6.8	6.8	6.6	6.5	6.4	6.3	6.4	6.2	6.0	5.9	5.9	5.9	5.9	5.6
-----																					
89040000	1.750	2.537	L	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
ALA			2	35	28000	RIDE	5.9*	7.8	7.9	6.3	5.6	5.2*		7.1	7.0	7.4	7.4	7.5	7.4	7.4	
SMITHFIELD PLAZA( 1.8L)																					
2288531	1.600	2.537	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	8.7	7.5
CAROLINA CONSULTING CORP. (2008)					FC95	RIDE	7.5	7.2	6.9	6.8	7.0	6.9	6.8	6.7	6.8	6.8	6.7	6.6	6.6	6.6	6.3
-----																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = CENTRAL MORRISON COBALT JV -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR		FUTURE												
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
INTERSECT AT (MP   SIDE)	=====																				
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P														2031	
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
89470000	8.689	12.952	R	5	1	CRACKING	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0		
91	126.6	130.9	2	70	57200	RIDE	8.9	8.5	8.8	8.1	7.7	7.5	7.4		7.7	7.6	7.6	7.6	7.6		
4379921	0.000	20.194	C	2019	0012	CRACKING	9.5	9.0	9.0	8.0	8.0	8.0	6.5	6.5		10.0	10.0	10.0	10.0	10.0	8.5
CENTRAL MORRISON COBALT JV(2023)					FC5M	RIDE	7.5	7.4	7.8	7.7	7.8	7.9	8.0	7.9		8.8	8.8	8.8	8.7	8.6	
89470000	13.474	20.249	R	5	1	CRACKING	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	10.0	9.0		
91	131.4	138.2	2	70	64900	RIDE	8.8	8.3	8.4	8.1	7.7	7.5	7.3		7.5	7.7	7.7	7.7	7.6		
4379921	0.000	20.194	C	2019	0012	CRACKING	9.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.2	8.0	
CENTRAL MORRISON COBALT JV(2023)					FC5M	RIDE	7.5	7.4	7.9	7.8	7.8	7.9	7.9	7.7		8.6	8.6	8.6	8.6	8.5	
89470000	13.474	20.249	L	5	1	CRACKING	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	10.0	9.5		
91	131.4	138.2	2	70	64900	RIDE	8.7	8.3	8.2	7.5	7.6	7.1	7.1		7.7	7.8	7.8	7.8	7.6		
4379921	0.000	20.194	C	2019	0012	CRACKING	9.0	8.0	8.0	6.5	6.5	5.5*	5.5*		10.0	10.0	10.0	8.9	7.5		
CENTRAL MORRISON COBALT JV(2023)					FC5M	RIDE	7.6	7.5	7.9	7.8	7.8	7.9	8.0		8.6	8.6	8.6	8.6	8.6	8.5	
89470000	5.967	12.952	L	5	1	CRACKING	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*		10.0	10.0	10.0	10.0	9.5		
91	123.9	130.9	2	70	57200	RIDE	8.8	8.4	8.6	7.8	7.6	7.2	7.1		7.7	7.8	7.9	7.8	7.7		
4379921	0.000	20.194	C	2019	0012	CRACKING	9.5	9.5	9.5	8.0	8.0	6.5	6.5		10.0	10.0	10.0	10.0	10.0	8.5	
CENTRAL MORRISON COBALT JV(2023)					FC5M	RIDE	7.7	7.4	8.1	8.0	8.0	8.2	8.2		8.9	8.9	8.9	8.9	8.9	8.8	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4										CONTRACTOR = COMMUNITY ASPHALT CORP.										-----	
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR										FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP)	SIDE	=====																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE)	YEAR	SURF_TYPE	FY-F	WKM-F	F															(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	F															(PMRS)
86003000	0.240	0.902	R	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
844			2	35	18100	RIDE	6.9	6.5	6.5	6.0	5.8	4.8*	4.7*		7.4	7.2	7.1	7.0	7.1		
NE 27 AVE( 0.3R)																					
2279541	0.240	0.902	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.7	7.5
COMMUNITY ASPHALT	CORP.			(2009)	FC95	RIDE	6.9	6.9	6.1	6.2	6.4	5.8	5.7	5.9	5.5	5.7	5.6	5.3*	6.0	5.7	
86003000	0.240	0.902	L	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
844			2	35	18100	RIDE	6.8	6.8	6.5	5.7	5.6	5.3*	5.4*		7.2	7.1	7.2	7.1	7.1		
NE 27 AVE( 0.3L)																					
2279541	0.240	0.902	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	8.7	7.5	
COMMUNITY ASPHALT	CORP.			(2009)	FC95	RIDE	7.1	7.2	6.4	6.3	6.3	6.1	5.9	6.0	5.9	5.9	5.8	5.7	5.8	5.5	
4476721	0.000	0.894	L	2025	0012																
86010000	1.526	2.476	R	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			2	35	30125	RIDE	6.5	6.4	6.5	5.9	5.5	6.3	6.0	6.0	6.2	5.8	5.9	5.8	5.9		
MOFFETT ST( 1.5R)																					
2280341	0.777	2.426	C	2003	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.7	9.3	7.5	
COMMUNITY ASPHALT	CORP.			(2006)	FC4	RIDE	5.8	5.7	5.3*	5.1*	5.0*	4.9*	4.8*	5.0*	5.0*	4.9*	4.6*	5.0*	5.3*	5.0*	
86012000	0.000	0.312	R	1	1	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
869			3	45	48500	RIDE	7.1	7.1	7.2	6.5	6.2*	6.6	6.2	6.7	6.0	6.5	5.9	5.5	5.9		
POWERLINE RD( 0.0C)																					
4246651	0.012	0.163	R	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.1	8.0	
COMMUNITY ASPHALT	CORP.			(2014)	FC95	RIDE	7.9	7.5	7.4	7.6	7.7	7.6	7.4	7.6	7.6	7.4	7.3	7.4	7.1	6.8	
86012000	0.312	1.330	R	1	1	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
869			2	45	48500	RIDE	6.2*	6.1*	6.0*	5.9*	5.7*	5.9	5.3*	5.7	5.6	5.7	5.8	5.4*	5.5		
SW 30 AVE( 0.5R)																					
4246651	0.163	1.445	R	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.9	7.5	
COMMUNITY ASPHALT	CORP.			(2014)	FC95	RIDE	7.8	7.8	7.2	7.2	7.2	6.8	6.9	6.9	6.9	6.9	6.9	6.9	6.8	6.5	
86012000	1.330	1.820	R	1	1	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
869			3	40	51500	RIDE	7.0	7.4	7.4	6.7	6.1	6.9	6.9	6.5	6.1	7.0	7.0	6.9	6.9		
CR 809( 1.4C)																					
4246651	1.445	1.829	R	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.4	9.5	8.5	
COMMUNITY ASPHALT	CORP.			(2014)	FC95	RIDE	8.4	8.4	7.6	7.6	7.7	7.0	7.5	7.6	7.3	7.3	7.3	7.5	7.4	7.1	
86012000	1.557	1.820	L	1	1	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
869			3	40	51500	RIDE	6.7	6.9	7.1	6.8	6.3	6.5	6.1	7.0	7.1	7.2	7.5	6.7	6.7		
4246651	1.653	1.829	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.6	8.6	
COMMUNITY ASPHALT	CORP.			(2014)	FC95	RIDE	7.8	8.3	8.1	7.6	8.0	7.9	7.8	7.7	7.8	7.6	7.4	7.4	7.3	7.0	
86012000	0.312	1.557	L	1	1	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	6.5	6.5	
869			2	45	48500	RIDE	7.3	7.5	7.3	6.9	6.9	6.8	6.7	6.9	6.8	6.8	6.3	6.6	6.6		
CR 809( 1.4C)																					
4246651	0.312	1.653	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	
COMMUNITY ASPHALT	CORP.			(2014)	FC95	RIDE	8.0	7.9	7.4	7.6	7.3	7.4	7.4	7.3	7.1	7.4	7.2	7.3	7.3	7.0	
86012000	0.000	0.312	L	1	1	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	
869			3	45	48500	RIDE	8.1	7.9	8.2	7.5	7.1	7.1	7.2	6.7	6.5	6.9	6.5	6.4	6.2		
POWERLINE RD( 0.0C)																					
4246651	0.012	0.312	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.1	8.0	
COMMUNITY ASPHALT	CORP.			(2014)	FC95	RIDE	7.8	7.4	7.3	7.3	7.4	7.0	7.1	7.1	7.0	6.8	6.5	7.0	6.9	6.6	
86014000	4.228	6.230	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	
870			3	45	52000	RIDE	6.7	6.9	6.6	5.7*	5.7*	5.5			7.7	7.6	7.4	7.3	7.2	7.1	
NW 31 AVE( 4.2C)																					
4109561	4.228	6.230	C	2005	0012	CRACKING	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	8.0	8.6	
COMMUNITY ASPHALT	CORP.			(2008)	FC95	RIDE	7.1	7.3	7.3	7.4	7.4	7.2	7.3	7.2	7.2	7.2	7.1	7.1	7.1	6.8	
4484081	4.228	6.230	C	2029	0012																
86014000	4.228	6.230	L	1	1	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	
870			3	45	52000	RIDE	7.2	6.9	6.9	6.2*	6.2*	6.0			7.7	7.7	8.0	7.8	7.4	7.5	
NW 31 AVE( 4.2C)																					
4109561	4.228	6.230	C	2005	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0	7.0	8.0	8.5	7.0	
COMMUNITY ASPHALT	CORP.			(2008)	FC95	RIDE	7.6	7.3	7.7	7.7	7.6	7.5	7.5	7.5	7.4	7.4	7.4	7.1	7.4	7.1	
4484081	4.228	6.230	C	2029	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR			2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	*****														
ITMSEG-P	(AGE_ONE YEAR)	YEAR)	FW	SURF_TYPE	WKMX-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKMX-F															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															
86018000	4.910	5.220	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
824			3	35	55000	RIDE	7.6	7.6	8.0	6.7	6.4	6.8	6.8	6.9	7.0	6.6	6.8	7.0	6.9	
SW 31 AVE( 4.9R)					10.9															
2316221	5.029	5.200	C	1995	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0
COMMUNITY ASPHALT CORP.				(1997)	FC3	RIDE	6.5	6.8	6.1											6.8
86018000	4.910	5.220	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5
824			3	35	55000	RIDE	6.7	7.1	7.2	6.8	6.5	6.6	6.3	6.4	6.5	6.3	6.6	6.4	6.4	6.4
S 30 AVE( 5.0L)					10.9															
2316221	5.029	5.200	C	1995	0213	CRACKING	8.5	8.5	8.5	8.5	9.0	9.0	9.0	9.0	9.0	7.5	7.5	8.3	8.4	6.5
COMMUNITY ASPHALT CORP.				(1997)	FC3	RIDE	6.2	6.6	6.2	6.0	6.6	6.6	6.5	6.4	6.5	6.0	6.5	6.5	6.4	6.1
86020000	0.000	1.813	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	6.5	6.5	4.5*	
5 1			3	35	36000	RIDE	7.8	8.0	7.6	7.2	7.1	6.8	6.5	7.1	6.9	7.1	7.0	6.9	6.6	
BROWARD BLVD( 0.0C)					2.7															
4287261	0.012	1.813	C	2015	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	8.0
COMMUNITY ASPHALT CORP.				(2017)	FC125	RIDE	6.3	6.4	6.5	7.3	7.6	7.4	6.8	6.9	7.3	6.9	6.4	6.1	6.3	6.0
86020000	4.200	5.750	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
5 1			3	45	47500	RIDE	8.3	8.3	8.3	7.5	7.5	7.4	7.2	7.5	7.6	7.6	7.4	7.3	7.4	
NE 33 CT( 4.3R)					5.2															
4360971	4.200	5.740	R	2018	0012	CRACKING	9.0	9.0	9.0	9.0	8.5	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP.				(2020)	FC125	RIDE	7.4	7.4	7.1	7.3	7.1	7.1	8.0	7.9	7.8	8.0	7.9	7.9	7.9	7.6
86020000	4.200	5.750	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	
5 1			3	45	47500	RIDE	7.8	7.8	7.7	6.9	7.1	6.8	6.2	6.7	7.1	7.1	6.9	6.8	6.8	
NE 33 CT( 4.3L)					5.2															
4360971	4.200	5.740	L	2018	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.7	9.6	8.5
COMMUNITY ASPHALT CORP.				(2020)	FC125	RIDE	6.8	6.8	6.6	6.6	6.4	6.5	7.7	7.6	7.5	7.6	7.6	7.3	7.3	7.0
86020000	1.080	1.813	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	
5 1			3	35	57000	RIDE	8.0	7.6	7.3	6.8	6.8	6.4	6.4	7.0	6.9	6.9	6.5	6.4	6.3	
EIGHTH AVE NE( 1.1L)					2.5															
4287261	0.012	1.813	C	2015	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.3	9.1	8.0
COMMUNITY ASPHALT CORP.				(2018)	FC125	RIDE	6.5	6.6	6.3	7.9	7.9	7.7	7.7	7.4	7.6	6.9	7.4	7.2	6.9	
86020000	0.000	1.080	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	
5 1			3	35	36000	RIDE	8.0	7.6	7.3	6.8	6.8	6.4	6.4	7.0	6.9	6.9	6.5	6.4	6.3	
BROWARD BLVD( 0.0C)					2.7															
4287261	0.012	1.813	C	2015	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9	9.4	8.5
COMMUNITY ASPHALT CORP.				(2017)	FC125	RIDE	6.5	6.6	6.3	7.4	7.0	7.0	6.8	7.0	7.3	7.0	6.7	6.6	6.9	6.6
86030000	2.282	2.497	R	1	2	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	6.5	
A1A			3	35	26500	RIDE		7.2	6.6	5.8	5.8	5.5	5.3*	5.2*	5.2*	5.3*	5.2*	5.6	5.5	
MONROE ST( 2.3R)					1.6															
4323231	2.288	2.547	R	2017	0012	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.1	9.0	8.0
COMMUNITY ASPHALT CORP.				(2021)	FC95M	RIDE	5.5	5.4*	5.0*	4.8*	4.7*	4.4*		6.8	6.4	6.7	6.0	5.7	6.4	6.1
86030000	2.497	4.104	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	6.5	
A1A			2	35	25000	RIDE		6.3	6.6	5.8	5.8	5.5	5.3*	5.2*	5.2*	5.3*	5.2*	5.6	5.5	
HOLLYWOOD BLVD( 2.6R)					1.2															
4323231	2.547	4.104	R	2017	0012	CRACKING	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	8.0	
COMMUNITY ASPHALT CORP.				(2021)	FC95M	RIDE	5.5	5.4*	5.0*	4.8*	4.7*		6.2	6.0	6.0	5.9	5.8	5.7	5.4*	
86030000	4.104	5.351	C	1	1	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0		
A1A			2	35	10200	RIDE	7.1	6.9	6.8	5.8	5.7	5.5	5.3*	5.2*		6.8	6.3	6.5	6.1	
FOREST ST( 4.4R)					10.7															
4114321	4.122	5.193	C	2007	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*	
COMMUNITY ASPHALT CORP.				(2010)	FC95	RIDE	6.2	6.0	5.8	5.5	5.6	5.3*	5.4*	5.1*	5.0*	4.9*	5.0*	4.8*	4.7*	
4484021	4.104	5.351	C	2028	0012															
86030000	2.497	4.104	L	1	1	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	
A1A			2	35	25000	RIDE		7.8	7.6	6.8	6.6	6.2	5.7	5.8	5.9	5.4*	5.5	6.1	6.0	
BILLY'S STONE CRAB( 2.7L)					1.2															
4323231	2.497	4.104	L	2017	0012	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	8.7	8.6	7.5
COMMUNITY ASPHALT CORP.				(2021)	FC95M	RIDE	5.9	5.9	4.9*	4.9*	4.7*	4.4*		5.9	5.8	5.6	5.4*	5.5	5.4*	5.1*

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	RATINGS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	*****	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ADT	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT	*****														(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT	*****														
86030000	2.282	2.497	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	
A1A			3	35	26500	RIDE		8.0	7.6	6.8	6.6	6.2	5.7	5.8	5.9	5.4*	5.5	6.1	6.0		
4323231	2.362	2.497	L	2017	0012	CRACKING		6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP.				(2021)	FC95M	RIDE		5.9	5.9	4.9*	4.9*	4.7*	5.4*		6.6	6.5	6.3	6.3	6.3	6.2	6.0
86040000	1.667	5.087	R	1	1	CRACKING		10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5
820			3	45	42500	RIDE		8.2	8.1	8.0	7.5	7.5	7.4	7.3	7.5	7.3	7.3	7.3	7.2	7.1	
SW 186 AVE( 2.2R)					2.8																
4270061	1.667	3.623	R	2013	0012	CRACKING		6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.6	9.5	8.5
COMMUNITY ASPHALT CORP.				(2015)	FC95	RIDE		7.2	8.7	8.3	8.4	8.4	8.3	8.3	8.2	8.2	8.2	8.1	8.1	8.1	7.8
86040000	10.489	13.410	R	1	1	CRACKING		10.0	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	10.0	
820			3	40	49500	RIDE		8.0	8.4	8.3	7.2	7.4	7.0	7.2	6.6	6.6	6.7	6.6	6.2	8.1	
DOUGLAS RD/NW 89 AVE(10.5R)					3.7																
4216591	10.489	13.432	C	2011	0012	CRACKING		10.0	10.0	10.0	9.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5	8.0	8.7	7.5
COMMUNITY ASPHALT CORP.				(2013)	DGFC	RIDE		8.0	8.1	8.0	8.0	8.1	7.9	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.5
86040000	14.038	15.241	R	1	1	CRACKING		9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	
820			3	35	41000	RIDE		6.6	6.6	6.6	5.8	6.0	5.9	5.8	5.7	5.6	5.6	5.5	5.3*		
WALMART(14.2R)					3.4																
4216592	14.038	15.241	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.7	8.5	7.5
COMMUNITY ASPHALT CORP.				(2015)	FC95	RIDE		8.5	7.7	7.8	7.7	7.8	7.9	7.8	7.7	7.4	7.5	7.5	7.5	7.3	7.0
86040000	15.402	15.625	C	1	1	CRACKING		10.0	10.0	9.0	8.5	7.5	7.0	7.0	7.0	7.5	10.0	10.0	10.0		
820			3	30	18000	RIDE		7.1	7.2	6.6	6.3	6.0	6.2	6.3	6.3	5.6	7.5				
PRESIDENTIAL CIR(15.5L)					4.5																
2281601	15.402	15.625	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.1	6.5
COMMUNITY ASPHALT CORP.				(2010)	FC95	RIDE														6.5	6.2
4484041	15.233	16.521	C	2029	0012																
86040000	15.625	16.431	R	1	1	CRACKING		6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	
820			3	35	50000	RIDE		5.1*	5.0*	5.1*	4.5*	4.3*	4.3*	4.2*	4.6*	4.5*		7.4	7.0	6.5	
ALLEY(15.7C)					3.7																
2281601	15.625	16.431	R	2008	0012	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.9	7.7	6.5
COMMUNITY ASPHALT CORP.				(2011)	FC95	RIDE		6.7	6.5	6.9	6.9	7.0	6.8	6.7	5.9	5.9	6.0	5.9	5.7	5.2*	4.9*
4484041	15.233	16.521	C	2029	0012																
86040000	15.625	16.431	L	1	1	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0
820			3	35	50000	RIDE		5.9*	6.1	5.8	5.9	5.4*	5.2*	5.0*	5.1*	5.3*		7.4	7.3	6.8	
TO 86040215(15.6L)					3.7																
2281601	15.625	16.431	L	2008	0012	CRACKING		10.0	10.0	8.5	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	5.0*
COMMUNITY ASPHALT CORP.				(2011)	FC95	RIDE		6.8	6.8	5.7	5.9	5.8	5.9	6.0	5.9	5.4*	5.5	5.5	5.3*	5.5	5.2*
4484041	15.233	16.521	C	2029	0012																
86040000	14.038	15.241	L	1	1	CRACKING		10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		
820			3	35	41000	RIDE		7.1	7.2	7.1	6.3	6.3	6.2	6.3	6.3	6.2	6.3	6.4	6.4		
N 59 AVE(14.1L)					3.4																
4216592	14.038	15.241	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.7	8.5
COMMUNITY ASPHALT CORP.				(2015)	FC95	RIDE		8.5	7.7	7.8	7.7	7.6	7.7	7.5	7.4	7.5	7.5	7.5	7.6	7.6	7.3
86040000	10.489	13.410	L	1	1	CRACKING		10.0	10.0	10.0	9.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
820			3	40	49500	RIDE		8.6	8.6	8.5	7.7	7.9	7.7	7.7	7.4	7.3	7.3	7.1	6.9	8.3	
DOUGLAS RD(10.5L)					3.7																
4216591	10.489	13.432	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.6	9.6
COMMUNITY ASPHALT CORP.				(2013)	DGFC	RIDE		8.3	8.4	8.1	8.1	8.2	8.0	7.9	7.9	8.0	8.0	7.8	7.9	7.9	7.6
86040000	1.667	5.087	L	1	1	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	
820			3	45	42500	RIDE		8.3	8.3	8.3	7.6	7.5	7.4	7.4	7.4	7.3	7.3	7.3	7.2	7.2	
NW 186 AVE( 2.2L)					2.8																
4270061	1.667	5.087	L	2013	0012	CRACKING		4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.6	9.6
COMMUNITY ASPHALT CORP.				(2015)	FC95	RIDE		7.2	8.7	8.4	8.4	8.4	8.3	8.4	8.3	8.3	8.3	8.2	8.3	8.3	8.0
86060000	7.190	27.627	R	1	1	CRACKING		9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.0*		10.0	10.0	10.0	
25 27			2	65	10900	RIDE		9.1	8.9	8.8	8.5	8.5	8.3	8.2	8.2	8.1		8.2	8.2	8.2	
CIRCLE K TRUCK STOP( 7.3R)					32.1																
4162421	7.192	27.678	C	2009	0012	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	7.0	6.5	4.0*
COMMUNITY ASPHALT CORP.				(2011)	FC5	RIDE		8.2	8.3	8.5	8.5	8.5	8.4	8.4	8.5	8.6	8.5	8.6	8.5	8.5	8.4

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR)	RW	FY-F	WKMX-F															(PMRS)
CONTRACTOR	CONTRACTOR	CONTRACTOR																		
ITMSEG-F	CONTRACTOR	CONTRACTOR																		
86060000	7.190	27.627	L	1	1	CRACKING	10.0	10.0	9.0	7.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
25 27				2	65	10900	8.9	8.9	8.8	8.3	8.3	8.1	7.9	7.8	7.8	7.6	7.8	7.9	7.9	
FRONTAGE RD(11.9C)																				
4162421	7.192	27.678	C	2009	0012	CRACKING	10.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	5.5*	5.0*	2.5*
COMMUNITY ASPHALT CORP.				(2011)	FC5	RIDE	7.8	7.9	8.2	8.2	8.1	8.0	8.0	8.3	8.3	8.3	8.3	8.2	8.2	8.1
86065000	0.000	1.800	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.0	7.0
845				2	40	24000	8.0	8.1	8.0	7.2	7.1	7.1	6.9	7.9	7.7	7.6	7.5	7.3	7.6	
FORT LAUDERDALE CITY LIM( 0.0C)																				
4306041	0.000	1.230	R	2017	0012	CRACKING	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.9	8.0
COMMUNITY ASPHALT CORP.				(2018)	FC125	RIDE	6.9	7.0	7.3	7.3	8.5	8.3	8.2	8.2	8.2	8.1	8.1	8.0	8.0	7.7
86065000	0.000	1.800	L	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5
845				2	40	24000	8.3	8.3	8.2	7.2	6.9	6.6	6.5	6.0	6.3	5.8	5.2*	5.5	5.2*	
FORT LAUDERDALE CITY LIM( 0.0C)																				
4306041	0.000	1.230	L	2017	0012	CRACKING	7.5	7.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.5	8.5
COMMUNITY ASPHALT CORP.				(2018)	FC125	RIDE	5.3*	5.5	5.3*	5.1*	8.0	7.7	7.7	7.7	7.6	7.6	7.5	7.5	7.4	7.1
86075000	10.700	11.610	R	4	1	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*				10.0	10.0	10.0	10.0
93 175	16.2	17.1	5	70	172500	RIDE	8.7	8.7	8.6	7.8	7.8	7.6	7.8				7.8	7.9	7.8	7.8
(MEDIAN)(11.5R)																				
4113221	5.917	11.153	R	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	9.5	6.5
COMMUNITY ASPHALT CORP.				(2010)	FC5M	RIDE	7.8	7.8	8.0	8.1	8.1	8.0	8.0	8.2	8.2	8.1	8.0	8.0	8.0	7.9
86080550	6.700	8.686	C	1	1	CRACKING	10.0	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
84				2	55	8700	8.5	8.2	8.1	7.5	7.5	7.4	7.3	7.2	7.0	6.9	8.3	8.1	8.1	
INTERNATIONAL AVE *( 7.3R)																				
4153231	6.545	8.710	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.4	8.2	6.0*
COMMUNITY ASPHALT CORP.				(2011)	FC5	RIDE	7.8	7.7	7.8	7.7	7.7	7.6	7.5	7.4	7.1	7.1	7.0	6.9	6.8	6.7
86090000	3.329	4.400	R	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	
816				3	45	60500	7.0	6.8	6.8	6.1*	6.3*	6.0	6.1	5.9	5.5		7.4	7.6	7.2	
NW 36 TER( 3.6C)																				
4138861	3.329	4.429	C	2008	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	7.5	7.5	7.5	8.5	7.5	6.0*
COMMUNITY ASPHALT CORP.				(2011)	FC95	RIDE	6.4	7.2	7.0	6.9	6.8	6.5	6.5	6.1	5.9	6.1	6.1	6.0	6.1	5.8
4476751	2.102	4.407	C	2027	0012															
86090000	4.400	6.230	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.5	6.5	6.5
816				3	45	56500	7.6	7.9	7.6	6.8	6.9	6.7	6.5	6.8	6.7	6.5	6.4	6.4	6.5	
NW 30 AVE( 4.5R)																				
4287321	4.400	6.230	C	2016	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.6	8.5
COMMUNITY ASPHALT CORP.				(2018)	FC95A	RIDE	4.2*	6.4	5.8	5.5	7.8	7.5	7.6	7.4	7.3	7.3	6.9	7.1	7.4	7.1
86090000	6.230	9.201	R	1	1	CRACKING	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	
816				3	35	38000	7.3	7.3	7.0	6.5	6.4	6.6	6.1	6.1	6.1		7.2	6.8	6.9	
NW 9 AVE( 6.4C)																				
4137951	6.233	8.672	C	2008	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0	7.0	8.0	7.7	6.5
COMMUNITY ASPHALT CORP.				(2011)	FC95	RIDE	7.0	7.1	6.7	6.6	6.5	6.2	6.1	6.0	6.2	5.7	5.7	5.5	5.7	5.4*
4484091	6.230	9.720	C	2028	0012															
86090000	6.230	9.201	L	1	1	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	
816				3	35	38000	7.1	6.7	6.6	6.4	6.3	6.2	5.8	5.5	5.9		7.2	7.0	6.9	
NW 9 AVE( 6.4C)																				
4137951	6.233	8.672	C	2008	0012	CRACKING	10.0	10.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
COMMUNITY ASPHALT CORP.				(2011)	FC95	RIDE	6.8	6.8	6.3	6.0	6.1	5.8	5.7	5.7	5.7	5.5	5.4*	5.5	5.6	5.3*
4484091	6.230	9.720	C	2028	0012															
86090000	4.400	6.230	L	1	1	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	9.0	9.0	9.0	7.5	7.5	
816				3	45	56500	7.6	7.5	7.5	6.5	6.6	6.4	6.3	6.2	6.4	6.8	6.8	6.0	6.0	
THE SHOPPES OF OAK( 4.5L)																				
4287321	4.400	6.230	C	2016	0012	CRACKING	7.5	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5
COMMUNITY ASPHALT CORP.				(2018)	FC95A	RIDE	5.8	6.2	6.3	6.0	8.1	8.0	7.8	7.8	7.7	7.7	7.4	7.4	7.6	7.3
86090000	3.329	4.400	L	1	1	CRACKING	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	
816				3	45	60500	7.0	6.7	6.6	5.9*	6.1*	6.1	5.9	5.8	5.3*		7.4	7.4	7.3	
NW 36 TER( 3.6C)																				
4138861	3.329	4.429	C	2008	0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	5.0*
COMMUNITY ASPHALT CORP.				(2011)	FC95	RIDE	7.2	7.1	6.9	7.0	7.1	6.9	6.8	6.6	6.4	5.9	6.0	5.7	5.7	5.4*
4476751	2.102	4.407	C	2027	0012															

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	FW	ADT	WKMX-F															(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKMX-F															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															
86100000	6.573	7.401	R	1	1	CRACKING	9.0	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
7 441			3	45	53500	RIDE	8.3	8.2	8.1	7.4	7.4	7.2	6.9	7.1	7.1	7.0	7.0	7.2	8.4	
AT&T( 6.7R)																				
4168761	6.479	7.400	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.9	9.3	8.0
COMMUNITY ASPHALT CORP.				(2013)	FC125	RIDE	8.2	8.3	7.9	7.9	7.9	7.4	7.8	7.7	7.4	7.7	7.7	7.6	7.6	7.3
86100000	12.986	14.791	R	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	6.5	10.0	10.0	10.0	10.0	10.0	
7 441			3	40	55500	RIDE	8.0	7.6	8.0	7.0	7.2	7.1	6.9	5.3*	7.5	7.4	7.2	7.3	7.2	
NW 29 ST(13.1R)																				
2281891	12.985	14.791	C	2007	0012	CRACKING	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	8.4	8.4	7.0
COMMUNITY ASPHALT CORP.				(2009)	FC95	RIDE	7.3	7.3	6.9	7.0	6.6	6.6	6.6	6.2	5.9	6.4	6.1	6.2	6.4	6.1
86100000	15.796	16.500	R	1	1	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	
7 441			3	45	46500	RIDE	7.4	7.4	6.8	7.6	7.7	7.3	7.2	7.4	7.4	7.5	7.4	8.1	8.0	
RAMP TO MCNAB RD(16.1R)																				
4168771	15.796	16.389	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.9	9.0	7.5
COMMUNITY ASPHALT CORP.				(2012)	FC125	RIDE	7.7	7.5	7.3	7.3	7.2	6.8	6.5	6.8	6.7	6.6	6.8	7.0	6.8	6.5
86100000	23.290	24.597	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
7 441			3	45	54000	RIDE	8.5	8.3	8.4	7.4	7.9	7.7	7.5	7.8	7.7	7.8	7.7	7.5	7.6	
JOHNSON RD(23.5R)																				
4270101	23.290	24.591	C	2013	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5
COMMUNITY ASPHALT CORP.				(2015)	FC125	RIDE	7.4	8.7	8.1	8.4	8.4	8.3	8.3	8.0	8.0	7.9	7.9	7.9	8.0	7.7
86100000	23.290	24.597	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	
7 441			3	45	54000	RIDE	8.4	8.4	8.5	7.7	7.7	7.5	7.5	7.8	7.7	7.6	7.5	7.3	7.4	
HOLMBERG RD(23.5L)																				
4270101	23.290	24.591	C	2013	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.6	9.7	8.5
COMMUNITY ASPHALT CORP.				(2015)	FC125	RIDE	7.3	8.6	8.1	8.2	8.2	8.1	8.0	7.7	7.8	7.8	7.5	7.8	7.8	7.5
86100000	15.796	16.500	L	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
7 441			3	45	46500	RIDE	7.3	7.0	6.9	6.4*	6.4*	6.2	6.1	5.7	5.7	6.0	5.9	8.1	8.0	
BROADVIEW BLVD/SW 17(16.1L)																				
4168771	15.796	16.389	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	8.2	8.0	6.5
COMMUNITY ASPHALT CORP.				(2012)	FC125	RIDE	7.7	7.9	7.4	7.5	6.9	7.2	6.9	6.7	6.7	6.7	6.5	6.7	6.6	6.3
86100000	12.986	14.791	L	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	8.5	
7 441			3	40	55500	RIDE	6.8	7.1	7.1	6.2	6.5	6.3	6.1	5.5	7.6	7.4	7.3	7.5	7.1	
WALMART(13.1L)																				
2281891	12.985	14.791	C	2007	0012	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	8.0	8.1	6.5
COMMUNITY ASPHALT CORP.				(2009)	FC95	RIDE	7.1	7.1	7.1	6.9	6.8	6.8	6.7	6.6	6.7	6.5	6.5	6.5	6.5	6.2
86100000	6.640	7.401	L	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	10.0		
7 441			3	45	53500	RIDE	8.1	8.0	8.1	7.6	7.7	7.5	7.4	7.4	7.4	7.4	7.3	7.6	8.3	
U-PULL-IT( 6.7L)																				
4168761	6.479	7.400	C	2010	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	9.0	9.4	8.0
COMMUNITY ASPHALT CORP.				(2013)	FC125	RIDE	8.3	8.3	8.0	7.9	8.0	7.8	8.0	7.9	7.8	7.8	7.9	7.5	7.6	7.3
86110000	0.000	2.706	R	1	1	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
838			3	45	33500	RIDE	6.3*	5.4*	8.2	7.8	7.5	7.7	7.3	7.5	7.3	7.5	7.4	7.3	7.3	
PLANTATION CITY LIMITS( 0.0C)																				
2281171	0.000	3.156	C	2000	0012	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	8.2	8.2	6.5
COMMUNITY ASPHALT CORP.				(2003)	FC125	RIDE	7.2	7.2	7.1	7.2	6.9	6.9	6.8	6.7	6.6	6.6	6.6	6.5	6.4	6.1
86110000	0.000	2.707	L	1	1	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
838			3	45	33500	RIDE	6.5	5.0*	8.0	7.5	7.4	7.2	7.1	6.8	7.0	7.1	7.1	7.0	6.8	
PLANTATION CITY LIMITS( 0.0C)																				
2281171	0.000	3.156	C	2000	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	8.3	8.3	6.5
COMMUNITY ASPHALT CORP.				(2003)	FC125	RIDE	7.0	6.8	6.7	6.6	6.5	6.4	6.3	6.2	6.2	6.0	5.9	5.9	6.0	5.7
86130000	3.591	4.591	R	1	8	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
814			3	45	51000	RIDE	7.2	7.3	7.2	6.4*	6.2*	6.3	6.2	5.9	7.7	7.4	7.3	7.4	7.4	
SW 27 AVE( 3.6R)																				
4035771	3.591	4.591	C	2007	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	8.5		
COMMUNITY ASPHALT CORP.				(2009)	FC95	RIDE	7.3	7.4	7.2	7.2	7.1	7.2	7.0	6.8	7.0	6.6	6.6			
4476811	3.821	4.662	R	2025	0012															

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2013
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ADT	*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT	*****														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT	*****														
86130000	3.591	4.591	L	1	8	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
814				3	45	51000	RIDE	7.6	7.3	7.1	6.4*	6.2*	6.0	5.6	6.4	7.7	7.5	7.6	7.5	7.2	
NW 27 AVE( 3.6L)						5.4															
4035771	3.591	4.591	C	2007	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.5	7.5		
COMMUNITY ASPHALT CORP.				(2009)	FC95	RIDE	7.1	7.2	6.6	6.7	6.3	6.4	6.4	6.5	6.4	6.3	6.4	6.5			
4476811	3.591	4.662	L	2025	0012																
86170000	1.800	2.771	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	
811				2	35	20300	RIDE	7.5	7.3	7.1	6.8	6.8	6.4	6.5	6.6	6.4	6.0	6.5	6.3	6.2	
SPUR TO DIXIE HWY( 1.8R)						2.8															
4246711	1.800	2.858	C	2013	0012	CRACKING	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.6	7.4	6.5
COMMUNITY ASPHALT CORP.				(2016)	FC125	RIDE	6.0	5.9	6.2	6.1	5.9	5.9	5.8	5.9	5.8	5.8	5.7	5.3*	5.7	5.8	5.5
86170000	2.976	5.144	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	
811				2	40	22500	RIDE	8.3	8.0	7.9	7.5	7.3	7.1	7.1	7.0	7.1	6.8	7.0	6.9	6.8	
NE 40 CT( 3.0R)						3.2															
4246711	2.864	5.440	R	2013	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.9	8.3	7.0
COMMUNITY ASPHALT CORP.				(2016)	FC125	RIDE	6.8	6.7	7.2	6.9	6.9	6.8	6.8	6.8	6.8	6.8	6.7	6.6	6.7	6.6	6.3
86170000	2.976	5.144	L	1	1	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	
811				2	40	22500	RIDE	7.6	7.6	7.2	6.9	6.9	6.7	6.4	6.9	6.8	6.8	7.0	6.9	6.8	
NE 39 DR( 3.0L)						3.2															
4246711	2.864	5.440	L	2013	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.2	8.0	7.0
COMMUNITY ASPHALT CORP.				(2016)	FC125	RIDE	6.8	6.7	7.2	6.9	6.9	6.8	6.8	6.8	6.8	6.5	6.5	6.3	6.4	6.3	6.0
86170000	1.800	2.771	L	1	1	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	
811				2	35	20300	RIDE	7.3	7.0	6.9	6.4	6.2	6.1	6.0	6.6	6.4	6.0	6.5	6.3	6.2	
WILTON DR/NE 26 ST( 1.8C)						2.8															
4246711	1.800	2.858	C	2013	0012	CRACKING	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.4	6.5
COMMUNITY ASPHALT CORP.				(2016)	FC125	RIDE	6.0	5.9	6.2	6.1	5.9	5.9	5.8	5.9	5.9	5.9	5.9	5.6	5.9	5.9	5.6
86190000	7.599	10.897	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	
823				3	50	35000	RIDE	8.7	8.5	8.5	8.0	8.0	8.0	7.8	7.8	7.7	7.9	7.8	7.6	7.5	
DAYSTAR( 7.9R)						3.2															
4270121	7.599	10.833	R	2016	0012	CRACKING	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP.				(2018)	FC95A	RIDE	7.4	7.8	7.9	7.9	8.7	8.6	8.6	8.6	8.6	8.6	8.6	8.5	8.5	8.6	8.3
86190000	7.599	10.897	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5	6.5	
823				3	50	35000	RIDE	8.7	8.5	8.4	8.1	8.1	8.0	7.9	7.7	7.8	7.9	7.8	7.7	7.5	
SW 38 ST( 7.9L)						3.2															
4270121	7.599	10.833	L	2016	0012	CRACKING	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP.				(2018)	FC95A	RIDE	7.4	7.8	7.8	7.8	8.5	8.4	8.4	8.4	8.4	8.3	8.4	8.3	8.3	8.3	8.0
86190500	0.000	1.925	R	1	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
823				3	45	41500	RIDE	8.4	8.5	8.4	7.7	7.6	7.5	7.4	7.1	8.4	8.6	8.5	8.4	8.4	
DADE CO LINE/BR# 550( 0.0C)						2.7															
4138371	0.000	2.032	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.5	8.0
COMMUNITY ASPHALT CORP.				(2009)	FC95	RIDE	8.4	8.4	7.9	7.8	7.9	7.8	7.9	7.8	7.7	7.8	7.7	7.6	7.6	7.8	7.5
86190500	0.000	1.925	L	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
823				3	45	41500	RIDE	8.4	8.5	8.2	7.5	7.5	7.4	7.3	7.1	8.6	8.2	8.2	8.1	8.2	
DADE CO LINE/BR# 550( 0.0C)						2.7															
4138371	0.000	2.032	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.6	8.0
COMMUNITY ASPHALT CORP.				(2009)	FC95	RIDE	8.1	8.1	7.7	7.6	7.6	7.6	7.6	7.6	7.3	7.2	7.2	7.3	7.1	7.3	7.0
86200000	0.000	2.166	R	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.5	6.5	
858				2	40	45500	RIDE	8.2	8.1	7.7	7.0	6.6	7.1	6.8	6.9	7.0	6.5	6.9	6.8	6.6	
SR 7( 0.0C)						8.3															
4287331	0.220	2.166	C	2017	0012	CRACKING	6.5	6.5	6.5	6.5	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.3	9.3	8.5
COMMUNITY ASPHALT CORP.				(2020)	FC125	RIDE	6.9	6.6	7.1	6.9	6.7		6.7	6.8	6.7	6.8	6.6	6.6	6.6	6.6	6.3
86200000	3.707	5.000	R	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	
858				3	35	42500	RIDE	6.1*	6.0	5.9	5.6	5.5	5.4*	4.6*	6.9	6.8	6.5	6.3	5.8	5.8	
SE 2 AVE( 3.7R)						6.9															
2281591	4.008	5.000	C	2004	0012	CRACKING	10.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
COMMUNITY ASPHALT CORP.				(2008)	FC95	RIDE	5.7	5.8	5.5	5.3*	5.1*	5.0*	5.1*	4.9*	5.0*	4.8*	4.9*	5.1*	4.6*	4.3*	
4484131	3.707	5.429	C	2030	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	YEAR	SURF_TYPE	WKMX-F															(PMRS)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															
86200000	3.707	5.000	L	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	
858			3	35	42500	RIDE	6.0*	5.8	5.9	5.5	4.9*	5.1*	3.7*	7.3	7.3	6.9	6.8	6.8	6.4	
NE 2 AVE( 3.7L)																				
2281591	4.008	5.000	C	2004	0012	CRACKING	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
COMMUNITY ASPHALT CORP.				(2008)	FC95	RIDE	6.7	6.7	5.9	6.0	5.8	5.6	5.6	5.7	5.5	5.5	5.3*	5.6	5.3*	5.0*
4484131	3.707	5.429	C	2030	0012															
86200000	0.000	2.166	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5	6.5	6.5	
858			2	40	45500	RIDE	8.4	8.3	8.2	7.3	7.4	7.0	6.8	7.0	7.1	6.9	6.6	7.3	7.3	
SR 7( 0.0C)																				
4287331	0.220	2.166	C	2017	0012	CRACKING	6.5	6.5	6.5	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5
COMMUNITY ASPHALT CORP.				(2020)	FC125	RIDE	7.0	7.2	7.1	7.1	6.4	6.2	7.3	7.1	7.1	7.1	7.0	7.0	6.9	6.6
86220000	2.432	6.468	R	1	1	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
817			3	45	50000	RIDE	7.7	7.6	7.6	6.8	7.0	6.9	6.9	6.7	6.6	6.8	8.1	8.0	7.9	
PINES BLVD( 2.6C)																				
4137961	2.432	6.394	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	8.4	8.4	7.0
COMMUNITY ASPHALT CORP.				(2011)	FC125	RIDE	7.8	7.7	7.5	7.5	7.4	7.4	7.3	7.1	7.1	7.1	7.1	7.0	7.2	6.9
86220000	10.479	13.262	R	1	1	CRACKING	2.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
817			3	45	54500	RIDE	7.2	6.8		7.8	7.8	7.7	7.5	7.7	7.8	7.7	7.7	7.7	7.6	
SPUR(10.6R)																				
2280801	10.205	13.537	C	2001	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.6	8.6	7.0
COMMUNITY ASPHALT CORP.				(2004)	FC125	RIDE	7.6	7.7	6.9	6.9	6.9	6.8	6.8	6.8	6.8	6.9	6.8	6.8	6.9	6.6
86220000	10.479	13.262	L	1	1	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
817			3	45	54500	RIDE	6.8	6.6		7.7	7.7	7.7	7.6	7.7	7.5	7.6	7.6	7.5	7.4	
FRONTAGE RD(10.6L)																				
2280801	10.205	13.537	C	2001	0012	CRACKING	9.0	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	8.0	8.3	8.2	6.5
COMMUNITY ASPHALT CORP.				(2004)	FC125	RIDE	7.4	7.5	6.8	6.8	6.8	6.7	6.7	6.7	6.7	6.6	6.5	6.4	6.7	6.4
86220000	2.432	6.468	L	1	1	CRACKING	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
817			3	45	50000	RIDE	7.3	7.2	7.3	6.8	6.6	6.4	6.7	6.6	6.6	6.9	8.3	8.1	7.9	
PINES BLVD( 2.6C)																				
4137961	2.432	6.394	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.9	8.6	7.5
COMMUNITY ASPHALT CORP.				(2011)	FC125	RIDE	7.9	7.9	7.6	7.6	7.6	7.5	7.4	7.4	7.4	7.3	7.3	7.2	7.2	6.9
86470000	0.576	2.590	R	5	1	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	4.5*	10.0	10.0	
91	48.0	50.0	3	65	150916	RIDE		8.7	8.7	8.1	8.0	8.0	7.9	7.8	7.7	7.6	7.6	7.7	7.9	
4060958	0.749	2.590	C	2011	0226	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	4.5*	3.5*	4.5*	5.5*	4.5*	2.0*
COMMUNITY ASPHALT CORP.				(2012)	FC5M	RIDE	7.8	7.8	8.0	7.9	7.9	7.8	7.6	7.9	7.9	7.7	7.7	7.5	7.5	7.4
4462231	0.000	3.500	C	2024	0548															
86470000	3.163	6.418	R	5	8	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	4.5*			10.0	
91	50.6	53.9	3	65	153800	RIDE		8.7	8.7	8.1	8.0	8.0	7.9	7.8	7.7	7.6	7.6		8.0	
4060958	3.163	6.924	R	2011	0226	CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	3.5*	4.5*	5.5*		
COMMUNITY ASPHALT CORP.				(2013)	FC5M	RIDE	7.9	7.6	8.1	8.0	8.0	7.9	7.9	8.0	8.0	7.9	7.8	7.8		
4462241	3.500	7.000	C	2024	0548															
86470000	6.418	6.924	R	5	1	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	4.5*		10.0	
91	53.9	54.4	3	65	153800	RIDE		8.7	8.7	8.1	8.0	8.0	7.9	7.8	7.7	7.6	7.6		8.0	
4060958	3.163	6.924	R	2011	0226	CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	3.5*	4.5*	5.5*	6.5	4.0*
COMMUNITY ASPHALT CORP.				(2013)	FC5M	RIDE	7.9	7.6	8.1	8.0	8.0	7.9	7.9	8.0	8.0	7.9	7.8	7.8	7.9	7.8
4462241	3.500	7.000	C	2024	0548															
86470000	9.450	10.115	R	5	1	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0				10.0	10.0	
91	56.9	57.5	4	65	159200	RIDE	8.5	8.5	8.5	7.7	7.7	7.7	7.6					7.9	8.1	
4060944	9.500	12.530	R	2009	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	6.0*
COMMUNITY ASPHALT CORP.				(2012)	FC5	RIDE	8.0	8.0	8.0	8.0	8.0	7.9	7.8	8.1	8.0	8.1	8.1	8.0	7.9	7.8
4513641	7.000	10.101	C	2026	0012															
86470000	24.048	25.912	R	5	1	CRACKING	10.0	10.0	8.5	8.5	7.0	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*		
91	71.5	73.3	3	65	118700	RIDE	8.7	8.4	8.5	7.8	7.7	7.5	7.5	7.6	7.5	7.4	7.1	7.2		
4061505	18.660	25.912	R	2012	0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	7.0	5.9*	3.5*
COMMUNITY ASPHALT CORP.				(2014)	FC5	RIDE	8.2	8.2	8.3	8.3	8.3	8.2	8.1	8.2	8.2	8.2	8.1	8.1	8.0	7.9
4159274	24.335	25.912	C	2025	0548															

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR			2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR)	FW	WKM-F	WKM-F															(PMRS)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
86470000	24.048	25.912	L	5	1	CRACKING	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
91	71.5	73.3	3	65	118700	RIDE	8.4	8.4	8.2	7.8	7.6	7.5	7.2	7.3	7.2	7.2	7.1	7.0		
4061505	18.960	25.912	L	2012	0226	CRACKING	10.0	10.0	10.0	10.0	10.0	7.5	6.5	6.5	4.5*	4.5*	4.5*		5.9*	3.5*
COMMUNITY ASPHALT CORP.				(2014)	FC5	RIDE	8.1	8.2	8.2	8.2	8.2	8.1	8.0	8.1	8.1	8.0	8.0		8.0	7.9
4159274	24.335	25.912	C	2025	0548															
86470000	3.099	6.396	L	5	8	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	4.5*		10.0	
91	50.5	53.8	4	65	153800	RIDE		8.8	8.8	8.2	8.1	8.1	8.0	7.9	7.7	7.7	7.6		8.2	
4060958	3.163	5.711	L	2011	0226	CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	3.5*	1.0*	1.0*	1.0*	4.5*		
COMMUNITY ASPHALT CORP.				(2013)	FC5M	RIDE	8.2	8.2	8.3	8.2	8.2	8.1	7.9	8.2	8.1	8.0	8.0	8.0	7.8	
4462241	3.500	7.000	C	2024	0548															
86470000	0.576	2.590	L	5	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	4.5*		10.0	
91	48.0	50.0	3	65	150916	RIDE		8.8	8.8	8.2	8.1	8.1	8.0	7.9	7.7	7.7	7.6		8.2	
4060958	0.749	2.590	C	2011	0226	CRACKING	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	3.5*	3.5*	5.0*	5.0*	2.5*
COMMUNITY ASPHALT CORP.				(2013)	FC5M	RIDE	8.2	8.1	8.2	8.1	8.0	7.9	7.9	8.0	8.0	7.9	7.9	7.8	7.7	7.6
4462231	0.000	3.500	C	2024	0548															
88003000	0.000	0.715	R	1	2	CRACKING	7.5	7.5		10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	
656			2	45	11200	RIDE	6.1*	5.8*		7.0	6.8	7.3	7.1	7.1	7.0	7.0	7.0	6.7	6.8	
SR 5( 0.0C)					3.4															
4305932	0.000	0.716	C	2017	0012	CRACKING	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	8.9	10.0	9.0
COMMUNITY ASPHALT CORP.				(2020)	FC125	RIDE	6.8	6.6	6.2	6.3	6.1		7.5	7.4	7.3	7.9	7.8	7.4	6.8	6.5
88003000	1.611	1.978	R	1	1	CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
656			2	45	1400	RIDE	5.1*	5.2*		6.8	6.6	6.9	6.8	6.7	6.4	6.7	6.6	6.6	6.6	
INDIAN BAY DR( 1.7R)					6.0															
2286071	0.000	1.971	C	2002	0012	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	6.7	5.9*	4.5*
COMMUNITY ASPHALT CORP.				(2005)	FC125	RIDE	6.7	6.5	5.9	5.7	5.5	5.5	5.2*	5.2*	5.2*	5.2*	5.2*	5.0*	5.1*	4.8*
88003000	1.612	1.978	L	1	1	CRACKING	7.5	7.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	
656			2	45	1400	RIDE	5.1*	5.2*		7.0	6.1	6.7	6.6	6.6	6.7	6.7	6.3	6.5		
SR 1A( 2.0C)					6.0															
2286071	0.000	1.971	C	2002	0012	CRACKING	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*		6.0*	6.0*	5.4*	5.1*	3.5*
COMMUNITY ASPHALT CORP.				(2005)	FC125	RIDE	6.3	6.3	6.1	5.5	5.3*	5.3*	5.2*	5.1*		5.1*	5.0*	5.4*	5.1*	4.8*
88003000	0.000	0.709	L	1	2	CRACKING	6.5	6.5		10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	
656			2	45	11200	RIDE	6.3*	6.3*		7.5	7.3	7.5	7.4	7.0	7.0	7.1	6.6	6.5		
SR 5( 0.0C)					3.4															
4305932	0.000	0.716	C	2017	0012	CRACKING	7.0	7.0	7.0	6.5	6.5		10.0	10.0	10.0	10.0	10.0	8.8	8.5	7.5
COMMUNITY ASPHALT CORP.				(2020)	FC125	RIDE	6.6	6.4	6.2	6.2	5.9		7.2	7.2	7.5	7.7	7.5	7.0	7.5	7.2
88010000	5.845	7.268	R	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	4.5*	3.5*		10.0	10.0	10.0	
5 1			2	35	20400	RIDE	8.0	7.5	7.7	7.3	7.2	7.0	7.2	7.3	7.2		8.3	8.3	8.2	
SR 60 WB( 5.9C)					3.6															
4152911	5.846	7.294	R	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	9.1	9.3	8.0
COMMUNITY ASPHALT CORP.				(2011)	FC95	RIDE	8.1	8.0	7.7	7.3	7.6	7.4	6.7	7.2	7.2	7.4	7.0	7.1	7.3	7.0
88010000	7.268	7.930	R	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	
5 1			2	45	33500	RIDE	8.0	7.5	7.7	7.3	7.2	7.0	7.2		8.2	7.7	7.9	7.9	8.0	
BEACON RD( 7.3R)					2.8															
2286231	7.277	14.800	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.9	8.7	7.5
COMMUNITY ASPHALT CORP.				(2009)	FC95	RIDE	7.9	7.9	7.3	7.4	7.4	7.3	7.2	7.2	7.1	7.2	7.2	7.0	7.0	6.7
88010000	7.930	13.625	R	1	1	CRACKING	6.0*	4.0*	4.0*	4.0*	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	
5 1			2	55	25500	RIDE	8.7	7.6	8.1	7.1	6.8	6.5	6.6		8.1	8.0	8.0	8.1	8.0	
38 ST( 8.0R)					9.2															
2286231	7.277	14.800	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.6	7.9	5.5*
COMMUNITY ASPHALT CORP.				(2009)	FC2	RIDE	8.1	8.0	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.0	7.9
88010000	13.625	14.860	R	1	1	CRACKING	7.0	6.5	6.5	5.5*	5.5*	4.0*	4.0*		10.0	10.0	10.0	10.0	10.0	
5 1			2	45	25500	RIDE	8.9	7.8	8.4	7.8	7.3	7.1	7.1		7.8	7.7	7.7	7.6	7.6	
81 ST(13.7C)					9.2															
2286231	7.277	14.800	C	2006	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.7	7.6	6.0*
COMMUNITY ASPHALT CORP.				(2009)	FC95	RIDE	7.7	7.5	7.3	7.3	7.3	7.3	7.4	7.3	7.3	7.3	7.3	7.3	7.1	6.8

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	*****														(PMRS)	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	*****															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	*****															
88010000	14.860	18.770	R	1	1	CRACKING	6.0*	5.5*	3.5*	3.5*	3.5*	1.5*	1.5*		10.0	10.0	10.0	10.0	10.0		
5 1			2	50	24500	RIDE	8.8	7.7	8.3	7.2	6.7	6.4*	6.6		7.8	7.7	7.7	7.7	7.7		
IRBY LN(15.6R)																					
2286151	14.911	18.806	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5	6.5	4.0*	
COMMUNITY ASPHALT CORP.				(2009)	FC5	RIDE	7.8	7.7	8.0	8.0	8.0	8.0	8.1	8.0	8.0	8.0	8.0	8.0	8.0	7.9	
4498121	14.548	18.770	C	2027	0012																
88010000	20.250	22.269	R	1	1	CRACKING	8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
5 1			2	45	22500	RIDE	8.7	8.6	8.5	7.9	7.9	7.8	8.1	8.1	8.1	8.1	7.9	7.9	7.8	7.7	
JACKSON ST(20.3C)																					
2286031	18.740	22.269	C	2001	0012	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	5.0*	
COMMUNITY ASPHALT CORP.				(2004)	FC95M	RIDE	7.8	7.8	7.7	7.7	7.7	7.6	7.5	7.5	7.4	7.5	7.4	7.6	7.5	7.2	
4476461	20.215	22.269	C	2024	0012																
88010000	20.250	22.269	L	1	1	CRACKING	5.0*	5.0*	5.0*	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5		
5 1			2	45	22500	RIDE	8.9	8.5	8.6	7.8	7.8	7.6	8.0	8.0	8.0	8.0	8.0	7.7	7.9		
JACKSON ST(20.3C)																					
2286031	18.740	22.269	C	2001	0012	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	5.0*	
COMMUNITY ASPHALT CORP.				(2004)	FC95M	RIDE	7.9	7.9	7.7	7.7	7.7	7.6	7.6	7.5	7.5	7.6	7.5	7.4	7.3	7.0	
4476461	20.215	22.269	C	2024	0012																
88010000	14.860	18.770	L	1	1	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	4.0*	3.5*		10.0	10.0	10.0	10.0	9.5		
5 1			2	50	24500	RIDE	8.6	7.3	8.3	7.2	6.9	6.7	6.9		7.6	7.5	7.5	7.5	7.5		
93 ST(15.4L)																					
2286151	14.911	18.806	C	2006	0012	CRACKING	9.5	8.0	8.0	8.0	8.0	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	2.0*	
COMMUNITY ASPHALT CORP.				(2009)	FC5	RIDE	7.6	7.5	7.8	7.8	7.8	7.7	7.8	7.8	7.8	7.8	7.8	7.8	7.7	7.6	
4498121	14.548	18.770	C	2027	0012																
88010000	13.625	14.860	L	1	1	CRACKING	7.0	7.0	7.0	6.0*	6.0*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0		
5 1			2	45	25500	RIDE	8.8	8.2	8.5	7.8	7.6	7.4	7.6		8.3	8.2	8.2	8.2	8.2		
81 ST(13.7C)																					
2286231	7.277	14.800	C	2006	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.1	8.0	6.5	
COMMUNITY ASPHALT CORP.				(2009)	FC95	RIDE	8.1	8.1	7.9	7.5	7.9	7.7	7.6	7.8	7.7	7.7	7.6	7.8	7.7	7.4	
88010000	7.930	13.625	L	1	1	CRACKING	4.0*	4.0*	4.0*	3.5*	4.0*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0		
5 1			2	55	25500	RIDE	8.6	8.0	8.1	6.7	6.4*	6.1*	6.5		8.2	8.1	8.2	8.1	8.1		
CR 5A( 8.0L)																					
2286231	7.277	14.800	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.6	8.4	6.0*	
COMMUNITY ASPHALT CORP.				(2009)	FC2	RIDE	8.1	8.1	8.2	8.2	8.2	8.1	8.2	8.2	8.2	8.2	8.1	8.0	8.0	7.9	
88010000	7.268	7.930	L	1	1	CRACKING	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0		
5 1			2	45	33500	RIDE	8.1	7.2	7.8	7.1	7.1	7.1	7.2		8.3	8.3	8.2	8.1	8.1		
SIDE ROAD( 7.5C)																					
2286231	7.277	14.800	C	2006	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	9.2	8.5	7.0	
COMMUNITY ASPHALT CORP.				(2009)	FC95	RIDE	8.1	8.1	7.8	7.7	7.8	7.6	7.2	7.7	7.7	7.7	7.4	7.6	7.6	7.3	
88010000	5.845	7.268	L	1	1	CRACKING	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	4.5*	3.5*		10.0	10.0	10.0		
5 1			2	35	20400	RIDE	8.1	7.2	7.8	7.1	7.1	7.1	7.2	6.9	6.9		8.1	8.0	7.9		
SR 60 WB( 5.9C)																					
4152911	5.846	7.294	L	2009	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.7	8.7	7.5	
COMMUNITY ASPHALT CORP.				(2011)	FC95	RIDE	7.9	7.9	7.7	7.6	7.7	7.5	6.7	7.5	7.4	7.6	7.4	7.1	7.1	6.8	
88050000	5.879	6.390	C	1	2	CRACKING	6.5	6.5	6.5					4.5*	3.5*	1.0*		4.5*	4.5*	4.5*	
510			2	40	15800	RIDE	6.3*	6.7	5.9					5.4*	5.2*	5.6		4.5*	4.2*	4.3*	
SR 5( 5.9C)																					
4270221	5.860	6.380	C	2013	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.7	9.5	8.5	
COMMUNITY ASPHALT CORP.				(2015)	FC95M	RIDE	4.3*	8.2	7.8	7.5	7.5	7.4	7.3	7.1	7.2	7.3	7.1	7.1	4.9*	4.6*	
88060000	27.151	27.920	R	1	1	CRACKING	6.0*	4.0*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	9.5	9.5	9.5	
60			3	45	32500	RIDE	7.7	6.7	7.3	7.0	6.8			8.5	8.0	8.0	7.9	8.0	7.8	7.5	
CR 613(27.2C)																					
2285681	27.101	28.086	C	2004	0012	CRACKING	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.8	8.8	7.5
COMMUNITY ASPHALT CORP.				(2007)	FC125	RIDE	7.9	7.7	8.1	7.8	7.9	8.0	8.0	8.0	8.0	8.0	8.1	7.8	7.9	7.6	
88060000	29.564	30.665	C	1	1	CRACKING	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0		
60			3	40	9200	RIDE	8.1	8.0	8.2	7.4	7.0	7.2	7.5	7.5	7.2	7.6	7.4	7.4	7.4	7.2	
VERO BEACH AVE(29.6L)																					
4035961	29.518	30.620	C	2007	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.0	7.0	5.5*	
COMMUNITY ASPHALT CORP.				(2009)	FC125	RIDE	7.2	7.5	7.3	6.9	7.1	6.8	6.9	6.7	6.9	6.9	6.9	6.9	6.6	6.3	
4484431	29.564	31.253	C	2029	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR			2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	TYPE	WKM-F	WKM-F															(PMRS)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
88060000	30.665	30.920	C	1	1	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
60			2	40	9200	RIDE	7.6	7.4	6.9	6.7	7.4	7.5	7.1	7.0	6.8	7.5	7.4	6.8	6.6	
SR 5(30.7C)																				
4035961	30.620	30.868	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.8	7.5	6.0*
COMMUNITY ASPHALT CORP.	(2011)				FC125	RIDE	6.7	5.9	5.6										6.2	5.9
4484431	29.564	31.253	C	2029	0012															
88060000	30.920	31.196	R	1	1	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
60			2	40	8500	RIDE	8.5	7.9	8.1	7.8	6.9	7.5	7.6	7.2	7.1	8.0	7.9	7.6	7.7	
SIXTH AVE(30.9C)																				
4035961	30.868	33.296	R	2007	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.3	7.3	6.0*
COMMUNITY ASPHALT CORP.	(2010)				FC125	RIDE	7.7	7.9	7.3	6.7	6.7	6.8	7.0	7.0	7.0	7.0	6.7	6.4	6.4	6.1
4484431	29.564	31.253	C	2029	0012															
88060000	31.196	31.798	R	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	
60			2	45	30500	RIDE	7.6	6.8	7.3	6.2*	6.1*	5.8	6.2	6.0		7.9	7.5	7.5	7.6	
INDIAN RIVER BLVD(31.2R)																				
4035961	30.868	33.296	R	2007	0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.4	8.4	7.0
COMMUNITY ASPHALT CORP.	(2010)				FC125	RIDE	7.5	7.4	7.0	7.2	6.9	7.0	7.1	7.0	6.9	7.0	6.9	6.9	6.9	6.6
88060000	31.798	32.316	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5		10.0	10.0	10.0	10.0	
60			2	45	33000	RIDE	7.1	6.9	6.8	6.4*	6.9	6.1	6.1	5.7		7.4	7.1	7.6	7.6	
FRONTAGE ROAD(31.8R)																				
4035961	30.868	33.296	R	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	7.6	6.7	5.5*
COMMUNITY ASPHALT CORP.	(2010)				FC125	RIDE	7.5	7.5	7.1	7.4	7.2	7.1	6.9	6.9	6.7	6.8	6.5	6.7	6.1	5.8
88060000	31.798	32.316	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.0	7.5	6.5		10.0	10.0	10.0	10.0	
60			2	45	33000	RIDE	7.8	7.6	7.7	7.1	7.0	6.8	6.7	6.8		7.6	7.2	7.6	7.6	
SPUR(31.8L)																				
4035961	30.868	33.296	L	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.8	8.4	7.0
COMMUNITY ASPHALT CORP.	(2010)				FC125	RIDE	7.5	7.5	6.6	7.0	7.3	7.3	6.5	6.9	6.5	6.8	6.6	7.1	6.5	6.2
88060000	31.196	31.798	L	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	
60			2	45	30500	RIDE	6.3*	6.6	6.0*	5.7*	5.5*	5.1*	5.5	5.5		7.4	7.5	7.2	7.3	
SPUR(31.2L)																				
4035961	30.868	33.296	L	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	9.0	9.0	7.5
COMMUNITY ASPHALT CORP.	(2010)				FC125	RIDE	7.1	7.2	6.6	6.8	6.7	6.4	6.2	6.7	6.8	6.5	6.6	6.2	6.6	6.3
88060000	30.920	31.196	L	1	1	CRACKING	9.5	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
60			2	40	8500	RIDE	7.9	7.1	7.5	7.0	7.3	6.9	7.1	7.2	7.5	6.7	6.4	7.0	6.7	
88060001/20 ST(30.9L)																				
4035961	30.868	33.296	L	2007	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	7.3	6.8	5.5*
COMMUNITY ASPHALT CORP.	(2010)				FC125	RIDE	6.9	6.9	7.2	7.1	6.9	6.6	6.9	6.4	6.5	6.4	5.9		6.5	6.2
4484431	29.564	31.253	C	2029	0012															
88060000	27.151	27.920	L	1	1	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
60			3	45	32500	RIDE	7.8	7.2	7.5	7.3	7.1		8.2	7.9	8.1	8.0	8.1	7.8	7.6	
CR 613(27.2C)																				
2285681	27.101	28.086	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.8	9.1	7.5
COMMUNITY ASPHALT CORP.	(2007)				FC125	RIDE	7.8	7.7	8.1	7.8	7.9	7.8	8.1	7.9	7.9	8.0	8.1	7.8	8.0	7.7
88060001	0.000	1.364	C	1	1	CRACKING	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	4.5*		10.0	10.0	10.0	10.0	
60			4	40	8400	RIDE	7.7	7.0	7.3	7.2	6.6	6.7	6.9	6.7		7.5	7.4	7.3	7.5	
88060000/20TH ST( 0.0L)																				
4035961	0.268	0.895	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
COMMUNITY ASPHALT CORP.	(2010)				DGFC	RIDE	7.3	7.2	7.1	6.6	6.8	7.0	6.7	6.6	6.9	6.8	6.6	6.5	6.6	6.3
4484431	0.000	1.364	C	2029	0012															
88070000	15.395	22.364	C	1	1	CRACKING	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	8.5	
ALA			2	50	8800	RIDE	7.9	7.4	7.6	8.2	8.2	8.0	8.2	8.2	8.1	7.9	7.9	7.7	7.6	
SANDPIPER W(15.4L)																				
2286051	15.184	22.686	C	2002	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	5.0*
COMMUNITY ASPHALT CORP.	(2004)				FC125	RIDE	7.5	7.5	7.4	7.4	7.3	7.2	7.2	7.0	7.1	7.0	6.9	6.9	6.9	6.6
4456182	15.395	21.905	C	2029	0012															
88470000	5.200	7.992	R	5	1	CRACKING	8.0	8.0	8.0		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
91	178.3	181.1	2	70	38200	RIDE	8.8	8.0	8.4		8.0	8.0	8.2	8.1	8.1	8.0	8.0	7.9	7.8	
4351671																				
COMMUNITY ASPHALT CORP.	(2020)				FC5M	RIDE	9.5	8.0	7.0	7.0	6.5		10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0
							7.7	7.6	8.0	7.9	7.9		9.1	9.0	9.0	9.0	9.0	8.9	8.9	8.8

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F															(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW																	
ITMSEG-F	W_BMP	W_EMP	RW																	
88470000	5.200	7.992	L	5	1	CRACKING	9.5	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5
91	178.3	181.1	2	70	38200	RIDE	8.9	8.3	8.5		7.7	7.8	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.8
4351671	5.200	8.000	C	2017	0012	CRACKING	9.5	8.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.8	9.0
COMMUNITY ASPHALT CORP.				(2020)	FC5M	RIDE	7.8	7.7	7.9	7.8	7.8	7.8	9.1	9.1	9.1	9.1	9.1	9.1	9.1	7.5
89010000	7.256	9.171	R	1	1	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*			10.0	10.0	10.0	10.0	10.0	10.0
5 1			2	45	26500	RIDE	7.9	7.5	7.7	6.4*	6.2*	5.6			7.4	7.4	7.5	7.5	7.4	7.5
SIDE ROAD( 7.5R)					5.2															
2288511	7.268	9.171	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	8.5
COMMUNITY ASPHALT CORP.				(2008)	FC5	RIDE	7.4	7.1	7.6	7.4	7.4	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.4
4484471	5.025	10.130	C	2026	0012															
89010000	14.722	16.295	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5
5 1			3	45	38000	RIDE	8.2	7.4	8.1	7.6	7.6	7.5	7.5	7.2	6.9	7.2	7.1	6.9	7.1	
BROOK ST SE R(14.8R)					5.0															
4360961	14.710	16.320	C	2018	0012	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP.				(2021)	FC95M	RIDE	6.8	6.8	7.3	7.1	7.1	7.3			8.1	8.1	8.1	8.1	8.1	7.8
89010000	14.722	16.295	L	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	9.0
5 1			3	45	38000	RIDE	8.1	8.1	8.0	7.6	7.4	7.5	7.4	7.5	7.3	7.4	7.3	7.2	7.5	
SUNSHINE NOB MANOR(14.8L)					5.0															
4360961	14.710	16.320	C	2018	0012	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	3.5*			10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP.				(2021)	FC95M	RIDE	7.4	7.3	7.4	7.2	7.4	7.4			8.0	8.0	7.9	8.0	8.0	7.7
89010000	7.256	9.171	L	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0
5 1			2	45	26500	RIDE	8.1	8.1	7.9	7.0	6.8	6.2			7.2	7.2	7.3	7.3	7.2	7.2
ALGOZZINI ST SE( 7.5L)					5.2															
2288511	7.268	9.171	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.6	6.0*
COMMUNITY ASPHALT CORP.				(2008)	FC5	RIDE	7.2	7.1	7.2	7.1	7.2	7.2	7.2	7.2	7.1	7.1	7.2	7.1	7.1	7.0
4484471	5.025	10.130	C	2026	0012															
89040000	5.738	7.632	C	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0
A1A			2	45	8479	RIDE	7.4	7.6	7.3	6.8	6.7			8.0	8.0	8.0	8.0	7.8	8.0	7.9
NE SHORE VILLAGE TER( 5.7L)					4.1															
4051671	5.685	8.669	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.0*
COMMUNITY ASPHALT CORP.				(2007)	FC95	RIDE	8.0	7.5	7.9	7.6	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.6	7.8
4476501	5.738	8.015	C	2026	0012															
89040000	7.954	8.110	R	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0
A1A			2	35	8479	RIDE	7.4	7.6	7.3	6.8	6.7			8.0	8.0	8.0	8.0	7.8	8.0	7.9
BEACH ENT( 8.0R)					4.1															
4051671	5.685	8.669	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
COMMUNITY ASPHALT CORP.				(2007)	FC95	RIDE	8.0	7.5	7.9	7.6	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.6	7.4
4051671	5.685	8.669	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
COMMUNITY ASPHALT CORP.				(2007)	FC95	RIDE	8.0	7.5	7.9	7.6	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.6	7.4
89040000	8.110	8.460	R	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	9.5
A1A			1	35	17900	RIDE	7.4	7.6	7.3	6.8	6.7			8.0	8.0	8.0	8.0	7.8	7.6	7.8
4051671	5.685	8.669	C	2004	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0
COMMUNITY ASPHALT CORP.				(2007)	FC95	RIDE	7.8	7.3	7.3	7.2	7.2	7.5	7.5	7.3	7.4	7.1	7.3	7.3	7.2	6.9
89040000	8.460	8.630	C	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	9.5
A1A			1	35	17900	RIDE	7.4	7.6	7.3	6.8	6.7			8.0	8.0	8.0	8.0	7.8	7.6	7.8
THE DUNE( 8.6R)					4.6															
4051671	5.685	8.669	C	2004	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.5
COMMUNITY ASPHALT CORP.				(2007)	FC95	RIDE	7.8	7.3	7.3	7.2	7.2	7.5	7.5	7.3	7.4	7.1	7.3	7.3	7.4	7.1
89060000	1.843	9.918	C	1	1	CRACKING	9.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	
76			2	55	2300	RIDE	8.4	8.3	8.3	7.3	7.4	7.2	7.1	7.0	6.6	6.8	6.7	6.4*		
LAKE POINT CIR SW( 2.1R)					43.8															
4229531	1.810	9.918	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5
COMMUNITY ASPHALT CORP.				(2014)	FC95	RIDE	8.7	7.7	6.8	7.3	8.0	8.0	7.9	7.8	7.6	7.4	7.5	7.4	7.2	6.9
89090000	5.222	6.375	R	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.0			10.0	10.0	10.0	10.0	10.0	
714			2	45	15200	RIDE	8.2	7.7	8.2	7.7	7.5	7.2	6.7		8.2	8.2	8.2	8.1	8.0	
ACCESS RD( 5.2R)					11.9															
4114351	5.222	6.137	R	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
COMMUNITY ASPHALT CORP.				(2009)	DGFC	RIDE	7.9	7.8	7.6	7.5	7.7	7.7	7.6	7.6	7.6	7.7	7.6	7.6	7.6	7.3

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	ADT	WKM-F	*****														(PMRS)
CONTRACTOR	W_BMP	W_EMP	FW	FY-F	WKM-F															
ITMSEG-F	W_BMP	W_EMP	FW	FY-F	WKM-F															
89090000	6.375	9.703	C	1	1	CRACKING	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	
714			2	50	15200	RIDE	8.4	8.3	8.5	7.9	7.7	7.4	7.5		8.4	8.5	8.5	8.5	8.5	
MARTIN COUNTY LANDFILL R( 7.0L)					11.9															
4114351	7.209	9.965	C	2006	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0
COMMUNITY ASPHALT CORP.						RIDE	8.4	8.2	8.0	7.9	8.3	8.2	8.2	8.2	8.2	8.2	8.1	8.3	8.2	7.9
4484461	6.375	9.689	C	2026	0012															
89090000	13.849	14.226	R	1	1	CRACKING	9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
714			2	35	41000	RIDE	6.2*	6.2	6.2	5.2*	5.6	6.6	6.2	6.6	6.7	6.4	6.7	6.7	6.6	
FEROE AVE SW(13.9C)					5.0															
2288501	13.835	14.660	C	2004	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.6	7.4	6.0*
COMMUNITY ASPHALT CORP.						RIDE	6.6	6.6	5.7	5.4*	5.6	5.7	5.6	5.3*	5.1*	5.3*	5.2*	5.3*	5.2*	4.9*
89090000	14.576	14.660	L	1	1	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	
714			2	35	41000	RIDE								7.6	7.9					
PALM CITY RD(14.7L)					5.0															
2288501	13.835	14.660	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
COMMUNITY ASPHALT CORP.						RIDE														7.1
4498291	14.571	14.660	C	2028	0012															6.8
89090000	13.849	14.226	L	1	1	CRACKING	6.5	6.5	6.5	6.5	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
714			2	35	41000	RIDE						5.8	5.7	5.7	5.9	5.7	5.7	5.7	5.5	
FEROE AVE SW(13.9C)					5.0															
2288501	13.835	14.660	C	2004	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.5	7.0
COMMUNITY ASPHALT CORP.						RIDE	5.3*	5.7	5.2*	5.4*	5.8	5.5	5.4*	5.3*	5.2*	5.1*	5.1*	5.1*	5.1*	4.8*
89090000	5.222	6.375	L	1	1	CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0		10.0	10.0	10.0	10.0	10.0	
714			2	45	15200	RIDE	7.6	7.2	8.3	7.7	7.4	7.4	7.1		7.1	8.1	8.1	8.0	8.0	
					11.9															
4114351	5.222	6.291	L	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.7	8.5
COMMUNITY ASPHALT CORP.						RIDE	7.9	7.8	7.5	7.4	7.8	7.8	7.7	7.7	7.6	7.6	7.5	7.6	7.5	7.2
89091000	0.000	2.475	R	1	1	CRACKING	10.0	10.0	9.5	9.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	
714			2	45	35000	RIDE	8.4	8.3	8.3	7.5	7.8	7.1	7.3	7.2	7.1	7.2	7.0	6.9	8.5	
CR 714( 0.0C)					5.4															
4216811	0.013	2.458	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	8.7	7.5
COMMUNITY ASPHALT CORP.						RIDE	8.4	8.0	7.9	7.8	8.1	8.1	8.1	8.0	7.9	8.0	8.0	8.0	7.9	7.6
89091000	0.000	2.475	L	1	1	CRACKING	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0	
714			2	45	35000	RIDE	8.5	8.2	8.3	7.6	7.8	7.6	7.6	7.5	6.7	6.7	6.3	6.0	8.6	
CR 714( 0.0C)					5.4															
4216811	0.013	2.458	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.2	9.1	8.0
COMMUNITY ASPHALT CORP.						RIDE	8.4	8.0	7.3	7.7	8.0	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.6
89095000	0.000	7.849	R	4	1	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	8.0	8.0	7.0	
9 I95	88.6	96.4	3	70	101000	RIDE	8.4	8.5	8.6	7.8	7.7	7.7	7.6	7.5	7.4	7.2	7.1	7.3	7.2	
					8.0															
4342731	0.000	7.825	R	2017	0012	CRACKING	7.0	7.0	5.5*	5.5*	5.5*			10.0	10.0	10.0	10.0	9.4	10.0	8.5
COMMUNITY ASPHALT CORP.						RIDE	7.2	7.2	7.6	7.6	7.7			8.6	8.6	8.6	8.6	8.6	8.6	8.5
89095000	0.000	7.849	L	4	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0	7.0	
9 I95	88.6	96.4	3	70	101000	RIDE		8.1	8.5	7.7	7.7	7.7	7.6	7.4	7.4	7.2	7.1	7.3	7.2	
					8.0															
4342731	0.000	7.825	L	2017	0012	CRACKING	7.0	7.0	5.5*	5.5*	5.5*			10.0	10.0	10.0	10.0	8.8	9.0	7.5
COMMUNITY ASPHALT CORP.						RIDE	7.2	7.2	7.6	7.5	7.5			8.8	8.7	8.7	8.7	8.7	8.7	8.6
93001000	4.127	6.117	R	1	1	CRACKING	10.0	10.0	8.0	8.0	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0	
786			3	45	43000	RIDE	7.8	7.8	7.5	6.8	6.8	6.7	6.8	6.6	6.5	6.3	6.2	6.1	8.1	
FAIRWAY DR( 4.1R)					3.7															
4216821	4.127	5.860	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.6	8.5	7.5
COMMUNITY ASPHALT CORP.						RIDE	8.0	8.0	8.0	8.0	7.8	7.5	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.5
93001000	7.020	7.763	R	1	1	CRACKING	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
786			3	45	47500	RIDE	6.8	6.7	6.3*	8.3	8.3	8.3	8.3	8.4	8.3	8.2	8.2	8.2	8.0	
CAMPUS DR( 7.3R)					5.8															
2297561	6.992	8.540	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.3	8.3	6.5
COMMUNITY ASPHALT CORP.						RIDE	8.0	8.0	7.8	7.8	7.6	7.7	7.7	7.7	7.6	7.7	7.6	7.6	7.6	7.3

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	ADT	WKMX-F															(PMRS)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															
93001000	7.020	7.763	L	1	1	CRACKING	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
786			3	45	47500	RIDE	6.6	6.6	6.1*	7.9	7.9	7.7	8.0	8.0	8.0	7.8	7.7	7.8	7.8	
CAMPUS( 7.3L)																				
2297561	6.992	8.540	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	8.7	7.0
COMMUNITY ASPHALT CORP.				(2004)	FC125	RIDE	7.7	7.6	7.5	7.5	7.4	7.1	7.4	7.4	7.3	7.4	7.4	7.4	7.4	7.1
93001000	4.127	6.117	L	1	1	CRACKING	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*	5.5*	3.5*	3.5*	10.0	
786			3	45	43000	RIDE	7.5	8.0	7.7	6.5	6.9	6.9	7.0	6.9	6.7	6.8	6.6	6.6	8.4	
OLD PALM DR( 4.5L)																				
4216821	4.127	5.860	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.2	8.2	7.0
COMMUNITY ASPHALT CORP.				(2013)	FC125	RIDE	8.3	8.1	8.1	8.0	7.7	7.6	7.8	7.8	7.8	7.8	7.8	7.9	7.9	7.6
93004000	0.000	4.647	R	1	1	CRACKING	8.0	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*			10.0	10.0	
808			3	45	49500	RIDE	8.3	8.1	7.8	7.5	7.6	7.4	7.5	7.4	7.3	7.2			8.8	8.6
SR 7( 0.0C)																				
4153081	2.020	4.779	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	9.2	8.0
COMMUNITY ASPHALT CORP.				(2012)	FC95	RIDE	8.6	8.5	8.5	8.5	7.9	7.7	7.8	7.9	7.9	7.8	8.0	8.0	7.9	7.6
93004000	2.500	4.647	L	1	1	CRACKING	8.0	7.5	7.5	7.5	6.5	6.5	5.5*	3.5*	3.5*	3.5*			10.0	10.0
808			3	45	49500	RIDE	8.1	8.1	7.9	7.4	7.4	7.3	7.4	7.3	7.2	7.2			8.8	8.7
BOCA WEST DR( 2.7L)																				
4153081	2.020	4.779	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	9.2	9.1	8.0
COMMUNITY ASPHALT CORP.				(2012)	FC95	RIDE	8.6	8.5	8.5	8.5	7.8	7.8	8.0	7.9	8.0	7.9	8.3	8.3	8.3	8.0
93005000	1.549	2.780	R	1	1	CRACKING	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
794			3	45	43000	RIDE	6.9	7.1	7.4	8.0	7.5	7.8	8.0	7.7	7.8	7.9	7.2	7.5	7.4	
NW 4TH AVE( 2.1R)																				
2297581	1.174	2.780	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.8	8.6	7.0
COMMUNITY ASPHALT CORP.				(2004)	FC125	RIDE	7.6	7.3	7.8	7.7	7.6	7.0	7.2	7.3	7.5	7.3	7.5	7.3	7.1	6.9
4476571	2.128	2.761	C	2025	0012															
93005000	1.549	2.780	L	1	1	CRACKING	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
794			3	45	43000	RIDE	6.9	6.9	7.5	7.7	7.6	7.7	7.7	7.7	8.1	7.7	7.5	7.3	7.2	
NW 5TH AVE( 2.1L)																				
2297581	1.174	2.780	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.7	8.5	7.0
COMMUNITY ASPHALT CORP.				(2004)	FC125	RIDE	7.3	7.0	7.5	7.6	6.5	6.6	6.8	7.1	7.1	7.1	7.0	7.1	7.1	6.8
4476571	2.128	2.761	C	2025	0012															
93006000	2.078	4.225	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
807			3	40	46000	RIDE		8.7	8.5	7.9	7.9	8.0	8.2	8.0	8.0	7.9	7.8	7.8	7.5	
LAKE WORTH RD( 2.1C)																				
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	7.4	7.4
COMMUNITY ASPHALT CORP.				(2002)	FC3	RIDE	7.4	7.5	7.8	7.8	7.7	7.5	7.6	7.6	7.6	7.6	7.5	7.5	7.5	5.5*
93006000	4.225	4.534	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
807			3	40	42500	RIDE		8.0	7.6	7.1	7.4	7.3	7.6	7.3	7.2	7.2	7.5	7.5	7.0	
APALACHEE RD( 4.3R)																				
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.1	7.0	
COMMUNITY ASPHALT CORP.				(2002)	FC3	RIDE	6.9	6.9	7.3	7.5	7.3	6.9	7.3	7.1	7.3	6.9	7.1	7.2	7.2	6.9
93006000	4.534	5.462	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
807			3	40	30500	RIDE		8.5	8.7	8.1	7.6	7.9	8.1	8.0	7.7	7.8	7.8	7.6		
CHEROKEE RD( 4.6R)																				
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5	8.2	8.0	
COMMUNITY ASPHALT CORP.				(2002)	FC3	RIDE	7.3	7.2	7.6	7.6	7.5	7.4	7.4	7.3	7.3	7.3	7.2	7.3	7.3	6.5
93006000	4.563	5.462	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
807			3	40	30500	RIDE		8.7	8.0	8.0	8.0	8.1	8.2	8.1	8.1	8.0	8.0	8.0	8.0	
MELALEUCA DR( 4.7C)																				
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.4	
COMMUNITY ASPHALT CORP.				(2002)	FC3	RIDE	7.9	7.8	8.0	8.1	7.9	7.8	7.9	7.8	7.8	7.6	7.8	7.7	7.7	7.4
93006000	4.250	4.563	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
807			3	40	30500	RIDE		8.4	8.3	7.6	7.7	7.6	7.7	7.6	7.6	7.5	7.4	7.3	7.1	
FOREST HILL BLVD( 4.4C)																				
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.0*	6.0*	7.0	6.9	
COMMUNITY ASPHALT CORP.				(2002)	FC3	RIDE	7.0	6.9	7.1	7.3								6.8	6.5	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE	YEAR)	RW	ADT	WKM-F	*****														(PMRS)	
CONTRACTOR	(AGE_ONE	YEAR)	RW	ADT	WKM-F	*****														(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	*****														(PMRS)	
93006000	2.078	4.250	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
807			3	40	42500	RIDE		8.5	8.3	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.6	7.4	7.5	7.3	
LAKE WORTH RD( 2.1C)																					
2296111	2.078	5.916	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.6	7.5	6.0*
COMMUNITY ASPHALT CORP.				(2002)	FC3	RIDE	7.2	7.2	7.5	7.5	7.3	7.0	7.1	7.1	7.1	7.1	6.6	7.1	7.0	7.0	6.7
-----																					
93010000	15.117	17.435	R	1	1	CRACKING	9.0	8.0	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0		
5	1		2	40	17300	RIDE	7.8	7.6	7.5	7.0	7.0	6.8	6.9	6.8	6.6	6.4	6.2	7.9	7.8		
OCEAN INLET(15.2R)																					
4153111	15.117	17.435	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	9.6	9.6	8.5	
COMMUNITY ASPHALT CORP.				(2012)	FC125	RIDE	7.7	7.7	7.3	7.2	7.1	7.0	7.1	7.1	7.1	7.1	7.0	7.0	7.0	7.0	6.7
-----																					
93010000	15.117	17.435	L	1	1	CRACKING	9.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	10.0	10.0		
5	1		2	40	17300	RIDE	8.0	7.9	7.6	7.3	7.3	7.2	7.3	7.2	7.2	7.0	6.3	7.9	7.9		
NE 22 LN(15.7L)																					
4153111	15.117	17.435	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.1	8.0
COMMUNITY ASPHALT CORP.				(2012)	FC125	RIDE	7.8	7.6	7.3	7.3	7.0	7.0	7.1	7.1	7.1	7.1	7.1	7.0	7.0	7.0	6.7
-----																					
93040000	5.869	9.838	L	1	1	CRACKING	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	
5	1		2	45	24000	RIDE	8.6	8.8	8.3	7.8	7.9	7.8	8.0	7.8	7.8	7.6	7.5	7.5	7.3		
DONALD ROSS RD( 5.9C)																					
4229641	2.389	9.468	L	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.1	9.0	8.0
COMMUNITY ASPHALT CORP.				(2014)	FC125	RIDE	8.1	8.2	8.0	8.0	7.9	7.7	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.6
-----																					
93040000	3.447	5.869	L	1	1	CRACKING	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	
5	1		2	45	29000	RIDE	8.6	8.8	8.3	7.8	7.9	7.8	8.0	7.8	7.8	7.6	7.5	7.5	7.5	7.3	
KATHY LN( 3.5L)																					
4229641	2.389	9.468	L	2011	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9	8.0
COMMUNITY ASPHALT CORP.				(2015)	FC125	RIDE	7.1	8.3	8.1	8.0	8.1	8.0	8.0	8.0	8.1	8.0	8.0	8.1	8.1	8.1	7.8
-----																					
93040000	2.290	3.447	L	1	1	CRACKING	9.0	9.0	9.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
5	1		2	45	21000	RIDE	8.6	8.8	8.3	7.8	7.9	7.8	8.0	7.8	7.8	7.6	7.2	7.2	7.1		
GOLFVIEW RD( 2.6L)																					
4229641	2.389	9.468	L	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	9.0	8.9	7.5	
COMMUNITY ASPHALT CORP.				(2014)	FC125	RIDE	8.1	8.1	7.7	7.7	7.4	7.3	7.5	7.4	7.6	7.7	7.7	7.6	7.5	7.2	
-----																					
93050000	0.000	1.540	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
805	1		4	35	17200	RIDE	8.4	8.3	8.0	7.7	7.8	7.6	7.7	7.6	7.7	7.5	7.2	7.3	7.0		
SR-5/FEDERAL HWY( 0.0R)																					
2290881	0.000	1.278	C	1998	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	7.0
COMMUNITY ASPHALT CORP.				(2001)	FC3	RIDE	6.7	6.8	6.8	6.7	6.6	6.2	6.4	6.3	6.2	6.1	5.9	5.8	5.7	5.4*	
-----																					
93050000	1.540	1.921	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.5	7.5	7.5	7.5		
805	1		2	35	19400	RIDE	7.5	7.3	7.3	6.9	6.6	6.5	6.7	6.8	6.8	6.7	6.7	6.6	6.3		
1ST AVE S( 1.6R)																					
2294251	1.278	2.680	C	1998	0005	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	5.3*	4.5*	2.5*	
COMMUNITY ASPHALT CORP.				(1999)	FC3	RIDE	6.2	6.1	5.6	5.2*	5.5	5.0*	5.0*	5.1*	5.1*	4.9*	5.1*	5.2*	5.3*	5.0*	
-----																					
93050000	3.700	4.166	C	1	1	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
805	1		4	35	25500	RIDE	6.6	6.6		7.3	7.2	7.3	7.3	6.9	7.2	6.9	6.8	7.0	6.8		
ARLINGTON RD( 3.7R)																					
2297541	3.725	5.874	C	2001	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.1	7.8	6.0*	
COMMUNITY ASPHALT CORP.				(2004)	FC125	RIDE	6.8	6.8	6.3	6.3	6.3	5.7	6.0	6.2	6.0	6.2	6.0	6.2	5.9	5.6	
-----																					
93050000	4.166	5.860	C	1	1	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
805	1		4	35	25500	RIDE	6.6	6.6		7.3	7.2	7.3	7.3	7.5	7.5	7.4	7.1	7.0	7.2		
DESOTA RD( 4.2R)																					
2297541	3.725	5.874	C	2001	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.2	8.1	6.5	
COMMUNITY ASPHALT CORP.				(2004)	FC125	RIDE	7.2	7.2	6.4	6.4	6.5	6.3	6.3	6.3	6.3	6.0	6.2	6.1	6.3	6.0	
-----																					
93050000	1.540	1.921	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	7.5	7.5		
805	1		2	35	19400	RIDE	7.5	7.3	7.3	6.9	6.6	6.5	6.8	6.7	6.8	6.5	6.5	6.5	6.3		
FIRST AVE S( 1.6L)																					
2294251	1.278	2.680	C	1998	0005	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	
COMMUNITY ASPHALT CORP.				(1999)	FC3	RIDE	6.0	5.9	5.3*	5.3*	5.4*	5.2*	5.2*	5.3*	5.5	5.3*	5.0*	5.2*	5.3*	5.0*	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @# INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ADT	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	WKM-F	WKM-F	ADT														(PMRS)	
CONTRACTOR																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT															
93080000	3.322	3.995	C	1	1	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
ALA			2	35	10400	RIDE	7.8	8.1	8.0	7.6	7.5	7.4	7.5	7.4	7.3	7.1	7.0	6.6	7.0		
4229841	3.380	4.000	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.0
COMMUNITY ASPHALT CORP.				(2014)	FC125	RIDE	8.0	7.8	7.5	7.5	7.4	7.3	7.3	7.1	7.2	7.1	7.0	7.1	7.2	6.9	
93080000	3.995	4.663	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5		
ALA			2	45	10400	RIDE	8.1	8.1	7.8	7.6	7.6	7.5	7.7	7.7	7.7	7.5	7.4	7.3	7.4		
MC ARTHUR PARK( 4.2R)					3.1																
2296081	4.006	6.183	C	1995	0215	CRACKING	8.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*
COMMUNITY ASPHALT CORP.				(1998)	DGFC	RIDE	7.3	7.3	6.9	6.9	6.9	6.8	6.7	6.6	6.7	6.5	6.6	6.6	6.7	6.4	
4461761	3.995	5.830	C	2024	0012																
93080000	4.951	5.830	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5		
ALA			2	35	11800	RIDE	8.1	8.1	7.8	7.6	7.6	7.5	7.7	7.7	7.7	7.5	7.4	7.3	7.4		
BEACH CLUB WAY R( 5.3R)					3.8																
2296081	4.006	6.183	C	1995	0215	CRACKING	8.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*
COMMUNITY ASPHALT CORP.				(1998)	DGFC	RIDE	7.3	7.3	6.9	6.9	6.9	6.8	6.7	6.6	6.7	6.5	6.6	6.6	6.7	6.4	
4461761	3.995	5.830	C	2024	0012																
93080000	5.830	6.207	C	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5		
ALA			2	35	11800	RIDE	6.9	7.2	7.2	6.4	5.4*	6.2	6.6	6.1	5.9	6.4	5.8	5.7			
PORTAGE LANDING S( 5.8L)					3.8																
4229841	5.945	6.207	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.8	7.5
COMMUNITY ASPHALT CORP.				(2014)	DGFC	RIDE	7.6	7.6	6.7	6.4	5.9	5.3*	6.3	5.9	5.7	5.9	5.7	5.8	5.7	5.4*	
93090000	11.382	11.689	R	1	1	CRACKING	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	3.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0		
811			3	45	45000	RIDE	7.0	7.3	6.7	6.3*	6.2*	6.6	5.9	5.7	6.1	6.2	8.0	8.2	7.3		
RIVERSIDE DR(11.4C)					4.3																
4196481	11.426	11.576	R	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.8	7.5	
COMMUNITY ASPHALT CORP.				(2011)	DGFC	RIDE	7.3	6.9	7.2	7.2	6.6	6.5	6.8					7.5	7.2		
93090000	11.382	11.689	L	1	1	CRACKING	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	6.5	6.5	6.5	4.5*	10.0	10.0	10.0		
811			3	45	45000	RIDE	7.5	7.4	7.2	6.5	6.7	6.7	6.5	4.9*	5.3*	4.9*	7.6	7.3	7.4		
RIVERSIDE DR(11.4C)					4.3																
4196481	11.426	11.576	L	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.1	9.0	7.5	
COMMUNITY ASPHALT CORP.				(2011)	DGFC	RIDE	7.1	7.1	7.5	7.4	7.6	7.6	6.9	7.0	7.3			6.9	6.6		
93120000	1.632	8.941	R	1	1	CRACKING	6.0*	5.0*	5.0*	5.0*	3.5*	2.5*	2.5*		10.0	10.0	10.0	10.0			
80 98			3	55	17700	RIDE	8.2	8.4	7.9	7.1	7.0	6.8	6.9		8.0	8.1	8.1	8.0			
WATER TREATMNT PLANT( 1.7R)					17.6																
4193452	1.725	8.704	R	2018	0218	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	9.1	10.0	9.0		
COMMUNITY ASPHALT CORP.				(2023)	FC5M	RIDE	8.1	8.1	8.1	8.1	8.0	7.9	8.0		8.2	8.3	8.3	8.4	8.3		
93120000	11.164	12.202	R	1	1	CRACKING	10.0	10.0	10.0	9.0					10.0	10.0	10.0	10.0			
80 98			3	50	80900	RIDE	8.3	8.1	8.1	7.4					8.1	8.1	8.2	8.2			
2294981	11.164	13.740	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.3	8.1	6.5	
COMMUNITY ASPHALT CORP.				(2010)	FC125	RIDE	8.3	8.2	7.8	7.8	7.8	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.4	
93120000	12.202	13.915	R	1	1	CRACKING	9.0	9.0	8.0	8.0					10.0	10.0	10.0	10.0			
80 98			4	50	81500	RIDE	7.9	7.9	7.6	7.3					8.4	8.2	8.2	8.3			
LYONS RD(12.8R)					6.8																
2294981	11.164	13.740	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.8	7.5	
COMMUNITY ASPHALT CORP.				(2010)	FC125	RIDE	8.2	8.3	8.1	8.0	8.0	7.8	7.9	7.8	7.9	7.9	7.9	7.9	7.9	7.6	
93120000	13.915	15.072	R	1	1	CRACKING	9.0	9.0	8.0	8.0					10.0	10.0	10.0	10.0			
80 98			4	50	81500	RIDE	7.9	7.9	7.6	7.3					8.1	8.2	8.1	8.1	8.1		
2294991	13.709	15.902	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.7	7.5	
COMMUNITY ASPHALT CORP.				(2008)	FC125	RIDE	8.1	8.1	7.7	7.7	7.7	7.6	7.6	7.6	7.5	7.6	7.5	7.5	7.6	7.3	
93120000	15.072	15.486	R	1	1	CRACKING	9.0	9.0	8.0	8.0					10.0	10.0	10.0	10.0			
80 98			3	50	94500	RIDE	7.9	7.9	7.6	7.3					8.1	8.0	8.0	8.0	8.1		
2294991	13.709	15.902	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.7	7.5	
COMMUNITY ASPHALT CORP.				(2008)	FC125	RIDE	8.2	7.9	7.6	7.7	7.6	7.5	7.2	7.3	7.3	7.4	7.6	7.7	7.6	7.3	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	X-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE	YEAR)	YEAR	(PMRS)																		
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	X-F																
93150000	2.025	5.583	R	1	1	CRACKING	8.0	7.0	6.0*	6.0*						10.0	10.0	10.0	10.0	10.0		
809			3	45	39500	RIDE	7.3	7.3	6.9	6.8						7.9	7.7	7.6	7.7	7.6		
ZIP CODE RD( 2.2R)																						
2295872	2.008	5.583	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.0	7.5
COMMUNITY ASPHALT CORP.				(2009)	FC125	RIDE	7.6	7.7	7.3	7.3	7.2	7.1	6.7	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	6.8
93150000	5.583	7.043	R	1	1	CRACKING	8.0	7.0	6.0*					10.0	10.0	10.0	10.0	10.0	10.0	10.0		
809			3	45	36000	RIDE	7.3	7.3	6.9					7.5	7.5	7.6	7.4	7.4	7.6	7.3		
CR 702( 5.7C)																						
2295871	5.583	7.154	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.8	7.5
COMMUNITY ASPHALT CORP.				(2007)	FC125	RIDE	7.5	7.3	7.3	7.2	7.1	6.9	6.8	7.0	7.2	7.1	7.1	7.1	7.1	7.3	7.3	7.0
93150000	7.451	10.441	R	1	1	CRACKING	9.0	9.0	9.0		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	
809			3	45	42000	RIDE	7.6	7.6	7.4		7.5	7.5	7.3	7.6	7.5	7.4	7.3	7.5	7.5	8.4		
UNDESIGNED( 7.5R)																						
4229881	7.451	10.966	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP.				(2013)	FC125	RIDE	8.3	8.2	8.1	8.1	8.1	7.8	7.9	7.8	7.8	7.8	7.9	7.9	7.9	7.9	7.9	7.6
93150000	10.802	11.059	R	1	1	CRACKING	9.0	9.0	9.0		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	
809			3	45	40000	RIDE	7.6	7.6	7.4		7.5	7.5	7.3	7.6	7.5	7.4	7.3	7.5	7.5	7.3		
TANGLEWOOD ST(10.9R)																						
4229881	7.451	10.966	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.0
COMMUNITY ASPHALT CORP.				(2013)	UNKW	RIDE	7.6	7.3	7.3	7.3	6.6										7.2	6.9
93150000	10.802	11.059	L	1	1	CRACKING	8.0	8.0	8.0		7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
809			3	45	40000	RIDE	7.6	7.6	7.3		7.4	7.4	7.5	7.5	7.3	7.2	7.0	7.0	7.1	6.7		
JOHNSON DAIRY RD(10.8L)																						
4229881	7.451	10.966	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.2	8.0
COMMUNITY ASPHALT CORP.				(2013)	UNKW	RIDE	6.7	6.9	6.6	6.6	6.5										5.6	5.3*
93150000	7.451	10.441	L	1	1	CRACKING	8.0	8.0	8.0		7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
809			3	45	42000	RIDE	7.6	7.6	7.3		7.4	7.4	7.5	7.5	7.3	7.2	7.0	7.1	8.5			
MEDITERRANEA( 7.6L)																						
4229881	7.451	10.966	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
COMMUNITY ASPHALT CORP.				(2013)	FC125	RIDE	8.4	8.2	8.2	8.1	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.6
93150000	5.630	7.043	L	1	1	CRACKING	8.0	8.0	8.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0		
809			3	45	36000	RIDE	7.4	7.4	7.2					7.2	7.1	7.0	6.8	7.1	7.2	7.0		
CR 702( 5.7C)																						
2295871	5.583	7.154	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.6	8.5	7.0
COMMUNITY ASPHALT CORP.				(2007)	FC125	RIDE	6.9	7.1	6.8	6.8	6.7	6.4	6.6	6.6	6.6	6.4	6.5	6.5	6.5	6.7	6.7	6.4
93150000	2.025	5.630	L	1	1	CRACKING	8.0	8.0	8.0	8.0						10.0	10.0	10.0	10.0	10.0		
809			3	45	39500	RIDE	7.4	7.4	7.2	7.1						7.8	7.6	7.6	7.6	7.6		
SCHALL WAY( 2.2L)																						
2295872	2.008	5.583	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.1	9.0	7.5	
COMMUNITY ASPHALT CORP.				(2009)	FC125	RIDE	7.5	7.5	7.1	7.0	7.0	6.8	6.9	6.9	6.8	6.8	6.8	6.8	6.9	6.9	6.6	
93170000	0.000	0.540	C	1	1	CRACKING	10.0	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.5*		
717			2	35	3100	RIDE	8.5	8.2	8.1	7.5	7.1	7.3	7.2	6.9	6.9	6.6	6.4	6.1	5.8			
E CANAL ST N( 0.0R)																						
4246591	0.033	0.534	C	2012	0226	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5		6.5	6.5	6.5	6.4*	6.4*	5.0*		
COMMUNITY ASPHALT CORP.				(2014)	FC95	RIDE	8.3	7.1	5.9	5.9	7.0	6.9	6.8		6.3	5.9	5.5	5.3*	5.4*	5.1*		
93190000	13.740	16.047	R	1	1	CRACKING	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	2.5*	2.5*	10.0	10.0		
706			3	45	43500	RIDE	7.7	7.7	7.4	6.3*	6.3*	6.6	6.0	5.9	5.6	5.5	5.4*	7.5	7.5			
BUSH RD(13.9R)																						
4169051	13.740	16.070	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.7	8.6	7.5	
COMMUNITY ASPHALT CORP.				(2012)	FC125	RIDE	7.3	7.1	7.0	7.0	6.8	6.7	6.8	6.6	6.5	6.5	6.6	6.5	6.5	6.4	6.1	
93190000	13.740	16.047	L	1	1	CRACKING	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	2.5*	2.5*	10.0	10.0		
706			3	45	43500	RIDE	8.4	8.2	8.0	7.3	7.2	7.1	7.0	7.0	6.9	6.9	6.7	6.5	8.5	8.3		
CARVER AVE(13.8L)																						
4169051	13.740	16.070	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	8.5	7.0	
COMMUNITY ASPHALT CORP.				(2012)	FC125	RIDE	8.2	8.0	8.0	8.0	7.9	7.6	7.8	7.7	7.7	7.5	7.6	7.6	7.5	7.5	7.2	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2013
INTERSECT	AT	(MP		SIDE)		%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE	ONE	YEAR)	SURF	TYPE																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
93220000	8.110	14.400	R	4	1	CRACKING	10.0						10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0
9 I95	50.6	56.9	5	65	218316	RIDE	8.7						7.0	7.7	7.6	7.6	7.4	7.1	7.1	7.1	8.1
4268432	7.715	14.400	R	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	8.1	7.8	5.0*
COMMUNITY ASPHALT CORP.				(2013)	FC5M	RIDE	8.2	8.2	8.4	8.5	8.4	8.4	8.3	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
93220000	14.400	16.460	R	4	1	CRACKING	10.0						10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0
9 I95	56.9	59.0	5	65	230500	RIDE	8.7						7.8	7.6	7.6	7.5	7.4	7.2	7.2	7.2	7.2
4275161	14.366	16.427	R	2018	0012	CRACKING	8.0	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.4	10.0	8.5
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	7.1	6.9	7.4	7.4	7.4	7.4	7.0	7.5	8.8	8.7	8.7	8.7	8.6	8.5	8.4
93220000	43.975	46.018	R	4	1	CRACKING	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5
9 I95	86.5	88.6	3	70	101000	RIDE	8.3	8.3	8.1		7.9	8.0	8.3	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.0
4342732	44.023	46.018	R	2017	0012	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	9.5	10.0	8.5	8.5
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	7.9	8.0	8.1	8.2	8.2	8.1		8.8	8.7	8.7	8.6	8.7	8.7	8.7	8.6
93220000	43.975	46.018	L	4	1	CRACKING	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
9 I95	86.5	88.6	3	70	101000	RIDE	8.1	8.1	7.7		7.9	8.1	8.2	8.1	8.1	8.1	8.0	8.0	8.0	8.0	7.8
4342732	44.005	46.018	L	2017	0012	CRACKING	9.0	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	9.1	10.0	8.5	8.5
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	7.8	7.8	8.0	8.0	8.0	7.8		8.6	8.6	8.5	8.6	8.6	8.5	8.6	8.5
93220000	11.476	16.383	L	4	1	CRACKING	10.0						10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
9 I95	54.0	58.9	5	65	218316	RIDE	8.6						7.9	8.0	8.1	8.0	7.9	7.8	7.7	7.7	7.7
4275161	11.442	14.042	L	2018	0012	CRACKING	9.0	8.0	6.5	6.5	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	9.0	10.0	8.5	8.5
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	7.7	7.5	8.0	8.0	7.9	7.7	8.1	8.8	8.8	8.7	8.5	8.7	8.7	8.7	8.6
93290000	2.097	12.072	C	1	1	CRACKING	1.0*		10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5
715			2	55	4400	RIDE	5.8*		8.3	8.0	8.0	7.8	7.9	7.7	7.5	7.1	7.0	7.1	7.1	7.1	7.1
W CANAL ST S( 2.1C)					8.2																
4287221	2.090	12.070	C	2016	0012	CRACKING	5.5*	3.5*	3.0*	3.0*	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.7	7.3	6.5	6.5
COMMUNITY ASPHALT CORP.				(2018)	FC125	RIDE	6.9	6.7	6.6	6.8	7.7	7.6	7.6	7.6	7.4	7.4	7.4	7.4	7.3	7.0	7.0
93310000	11.800	16.500	R	1	1	CRACKING	3.0*	3.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
710			2	55	16400	RIDE	8.2	8.2	7.9	6.8	6.7	6.5	6.5	8.1	8.1	8.0	8.0	8.1	8.1	8.1	8.1
4036191	11.800	16.930	C	2005	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	9.0	6.5
COMMUNITY ASPHALT CORP.				(2008)	FC5	RIDE	8.1	8.1	8.1	8.1	8.1	8.0	8.1	8.1	8.1	8.2	8.2	8.2	8.2	8.2	8.2
93310000	11.700	16.705	L	1	1	CRACKING	7.5	7.5	7.5	6.5	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
710			2	55	16400	RIDE	8.5	8.5	8.1	7.7	7.7	7.6	7.6	8.1	8.1	8.0	8.1	8.1	8.1	8.1	8.2
BEELINE HWY(13.5L)					23.7																
4036191	11.800	16.930	C	2005	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*
COMMUNITY ASPHALT CORP.				(2008)	FC5	RIDE	8.1	8.2	8.1	8.0	8.1	8.0	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.9	7.8
93470000	2.996	8.152	R	5	1	CRACKING	5.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0
91	76.3	81.5	3	65	110100	RIDE	7.5			7.8	7.8	7.5	7.5	7.5	7.3	7.2	7.1	7.1	7.1	7.1	7.1
4310791	2.996	7.976	C	2013	0012	CRACKING	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.6	8.6	6.5
COMMUNITY ASPHALT CORP.				(2015)	FC5M	RIDE	7.1	8.0	8.0	8.0	8.0	7.9	8.1	8.0	8.1	8.0	8.0	8.0	8.0	8.0	7.9
4171321	3.270	7.035@	C	2027	0213																
93470000	21.695	29.210	R	5	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
91	95.0	102.6	2	70	84000	RIDE	9.0	9.0	8.9	8.0	8.0	8.1	8.2	8.1	8.1	8.0	7.9	7.9	7.9	7.7	7.7
4351711	21.287	26.260	R	2017	0012	CRACKING	9.0	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	8.5	9.1	7.5	7.5
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	7.6	7.6	7.8	7.8	7.8	7.7		8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.5
93470000	29.210	30.499	R	5	1	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*
91	102.6	103.8	2	70	75400	RIDE	8.6	8.6	8.5	7.9	7.8	7.8	7.8	7.7	7.5	7.4	7.3	7.5	7.5	7.2	7.2
4351721	29.410	32.900	C	2017	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	8.0	8.0	8.4	8.5	7.0	7.0
COMMUNITY ASPHALT CORP.				(2021)	FC5M	RIDE	8.1	8.1	8.1	8.1	8.1	8.1		8.6	8.6	8.0	8.1	8.1	8.0	8.0	7.9
4061436	27.800	32.800	C	2026	0213																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT	AT	(MP		SIDE)	*****																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																
93470000	29.210	30.499	L	5	1	CRACKING	10.0	9.0	9.0	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	
91	102.6	103.8	2	70	75400	RIDE	8.7	8.8	8.6	8.0	7.9	7.6	7.7	7.2	7.0	7.2	7.0	6.8	6.4*		
4351721	29.410	32.900	C	2017	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	8.0	8.0	7.5	7.4	6.0*	
COMMUNITY ASPHALT CORP.	(2021)			FC5M		RIDE	8.2	8.2	8.3	8.3	8.3	8.2		8.8	8.7	8.2	8.3	8.2	8.2	8.1	
4061436	27.800	32.800	C	2026	0213																
93470000	24.591	29.210	L	5	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	
91	97.9	102.6	2	70	75400	RIDE	9.0	9.1	8.9	8.4	8.4	8.3	8.4	8.4	8.3	8.1	8.1	8.1	8.1	7.9	
4351711	24.690	29.248	L	2017	0012	CRACKING	8.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	9.1	9.1	7.5	
COMMUNITY ASPHALT CORP.	(2021)			FC5M		RIDE	7.8	7.7	8.0	7.9	7.9	7.8		8.8	8.7	8.8	8.9	8.9	8.9	8.8	
4061438	24.700	27.800@	C	2025	0213																
93470000	2.996	8.152	L	5	1	CRACKING	5.5*			10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5		
91	76.3	81.5	3	65	110100	RIDE	8.4			7.7	7.6	7.6	7.6	7.7	7.3	7.2	7.3	6.8	7.0		
4310791	2.996	7.976	C	2013	0012	CRACKING	7.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	8.0	8.5	8.2	6.0*	
COMMUNITY ASPHALT CORP.	(2015)			FC5M		RIDE	6.5	8.1	8.2	8.4	8.2	8.3	8.3	8.5	8.2	8.2	8.2	8.2	8.2	8.1	
4171321	3.270	7.035@	C	2027	0213																
94003000	3.184	6.989	C	1	1	CRACKING	6.5	6.5	6.5	6.5		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
713			2	50	16400	RIDE	7.7	7.2	7.6	7.2		7.8	6.8	7.8	7.7	7.8	7.8	7.8	7.8	7.8	
ANGLE RD( 3.9C)					7.3																
2304571	3.979	7.261	C	2003	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.4	7.5	6.0*	
COMMUNITY ASPHALT CORP.	(2006)			FC125		RIDE	7.8	7.0	7.2	6.9	7.3	7.5	7.5	7.4	7.4	7.6	7.4	7.3	7.3	7.0	
94010000	14.805	15.133	R	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
5	1		2	45	29000	RIDE	8.8	8.5	8.8	7.8	7.6	7.5	6.4	6.3	7.3	6.9	6.9	7.0	6.9	6.9	
ALA(14.9C)					6.2																
4035941	14.961	20.823	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.7	8.5	7.0
COMMUNITY ASPHALT CORP.	(2006)			FC95		RIDE	7.0	6.9	7.0	6.4	6.7	6.8	6.7	6.6	6.7	6.7	6.7	6.9	6.2	5.9	
94010000	15.133	20.880	R	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1		2	55	27000	RIDE	8.8	8.5	8.8	7.8	7.6	7.2		7.2	7.5	7.8	7.8	7.6	7.7		
OLSON AVE(15.8R)					5.3																
4035941	14.961	20.823	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.0*	
COMMUNITY ASPHALT CORP.	(2008)			FC5		RIDE	7.6	7.6	8.0	7.9	8.0	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.0	
4484501	15.044	20.880	C	2031	0012																
94010000	15.133	20.880	L	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	
5	1		2	55	27000	RIDE	8.7	8.4	8.6	7.4	7.2	7.2		7.2	7.2	7.6	7.4	7.4	7.4		
JUANITA AVE(15.2L)					5.3																
4035941	14.961	20.823	C	2005	0012	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	7.5	7.2	4.5*
COMMUNITY ASPHALT CORP.	(2008)			FC5		RIDE	7.4	7.3	7.7	7.7	7.8	7.8	7.9	7.8	7.8	7.8	7.8	7.8	7.9	7.9	7.8
4484501	15.044	20.880	C	2031	0012																
94010000	14.805	15.133	L	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
5	1		2	45	29000	RIDE	8.7	8.4	8.6	7.4	7.2	7.6	6.5	6.2	7.3	7.6	7.6	7.7	7.6		
TAYLOR CREEK COMMONS(14.9L)					6.2																
4035941	14.961	20.823	C	2005	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.3	9.1	7.5
COMMUNITY ASPHALT CORP.	(2006)			FC95		RIDE	7.5	7.4	7.1	6.5	7.2	7.1	7.1	7.1	7.2	7.2	7.2	7.2	6.7	6.4	
94030000	21.359	25.225	R	1	1	CRACKING	9.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
70			3	45	24500	RIDE	8.1	7.7	8.1	7.7	7.4	7.3	6.9	6.9	6.9	7.1	7.0	7.1			
SPUR TO JENKINS RD(21.5R)					4.4																
4229561	21.636	25.225	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.3	8.2	7.0	
COMMUNITY ASPHALT CORP.	(2014)			FC95		RIDE	8.2	7.5	7.9	7.2	8.0	8.0	8.0	7.8	7.8	7.8	7.8	7.7	7.7	7.4	
94030000	21.495	25.225	L	1	1	CRACKING	10.0	9.5	9.5	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
70			3	45	24500	RIDE	7.7	8.2	7.9	7.6	7.6	7.5	7.1	7.4	7.2	7.3	7.2	7.2			
CR 611(21.5C)					4.4																
4229561	21.636	25.225	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.4	8.3	7.0
COMMUNITY ASPHALT CORP.	(2014)			FC95		RIDE	8.3	7.6	7.1	7.5	7.9	7.9	7.9	7.8	7.7	7.8	7.7	7.7	7.7	7.4	
94050000	0.000	3.080	R	1	1	CRACKING	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	1.0*		10.0		
ALA			2	45	17900	RIDE	7.4	6.7	7.3	6.9	6.7	6.6	6.1	6.2	5.9	4.8*	4.3*		8.7		
MARTIN CO LINE( 0.0C)					4.6																
4196531	0.000	2.428	R	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.8	8.7	7.5	
COMMUNITY ASPHALT CORP.	(2013)			FC95		RIDE	8.6	8.3	7.9	7.4	8.3	8.1	8.1	8.1	8.0	8.0	8.0	7.9	8.0	7.7	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																																		
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR			FUTURE																								
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****																												
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	WKM-F	WKM-F	*****																												
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F	*****																												
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	*****																												
94050000	3.080	5.804	C	1	1	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.0*															10.0		
ALA			2	50	17900	RIDE	7.1	7.2	7.6	7.1	7.1	6.4*	6.0*	6.1*	6.3*	6.0*	5.5*															8.7		
OCEAN BAY( 4.7R)					4.6																													
4196532	3.253	4.936	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.7	8.6	7.5														
COMMUNITY ASPHALT CORP.					(2013)	FC95	8.7	8.1	7.7	7.5	8.1	8.1	8.0	8.0	7.9	7.9	7.8	7.8	7.9	7.6														
94050000	0.000	3.080	L	1	1	CRACKING	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	1.0*															10.0		
ALA			2	45	17900	RIDE	7.4	6.7	7.3	6.9	6.7	6.6	6.1	6.2	5.9	4.8*	4.3*															8.7		
MARTIN CO LINE( 0.0C)					4.6																													
4196531	0.000	2.428	L	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.8	8.7	7.5														
COMMUNITY ASPHALT CORP.					(2013)	FC95	8.6	8.3	7.9	7.4	8.3	8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.8	7.5														
94060000	1.350	2.525	C	1	1	CRACKING	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0															
ALA			2	40	9300	RIDE	7.6	7.1	7.6	7.1	7.0		6.3	7.0	6.9	6.9	7.0	7.1	7.0															
MARINA ENT( 1.4R)					8.3																													
2303671	1.528	2.550	C	2004	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	8.1	7.8	6.5														
COMMUNITY ASPHALT CORP.					(2007)	FC95	7.0	6.9	5.9	6.1	6.2	6.2	6.1	6.1	6.1	6.1	5.9	6.0	6.0	5.7														
4498281	1.224	2.525	C	2028	0012																													
94120000	5.096	7.728	R	1	1	CRACKING	10.0	9.5	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0															
716			3	45	42500	RIDE	7.2	7.4	7.5	7.0	6.8	6.7	6.2	6.8	6.6	6.6	6.7	7.8	7.6															
CARY ST SW( 5.6R)					5.0																													
4153021	5.096	7.728	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	9.1	8.9	7.5													
COMMUNITY ASPHALT CORP.					(2012)	FC95	7.6	7.0	7.0	7.3	7.1	7.1	7.1	6.9	6.8	6.7	6.8	6.8	6.8	6.8														
94120000	5.096	7.728	L	1	1	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0															
716			3	45	42500	RIDE	7.5	8.2	7.9	7.7	7.4	7.5	6.9	7.3	6.6	7.2	7.3	8.1	7.8															
SW TRENTON LN( 5.2L)					5.0																													
4153021	5.096	7.728	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.8	8.7	7.5														
COMMUNITY ASPHALT CORP.					(2012)	FC95	7.8	7.9	7.0	7.1	7.3	7.4	7.3	7.1	7.0	7.0	7.1	7.1	7.2	6.9														
94470000	0.000	7.300	R	5	1	CRACKING	9.5	8.0	7.5	7.5	7.5	7.5	7.5	6.5		10.0	10.0	10.0	9.5															
91	138.2	145.5	2	70	57568	RIDE	8.9	8.4	8.9	8.3	8.0	7.9	7.8	7.6		7.6	7.4	7.5	7.5															
END BRIDGE 890083( 0.0C)					18.5																													
4379861	0.000	15.100	C	2019	0005	CRACKING	9.5	9.5	9.5	9.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	8.5	8.6	7.0														
COMMUNITY ASPHALT CORP.					(2022)	FC5M	7.5	7.3	7.9	7.8	7.9	8.0	8.0	7.9	8.5	8.6	8.6	8.6	8.6	8.5														
94470000	7.300	31.200	R	5	1	CRACKING	7.5	7.5	7.5	7.5	4.5*	4.5*		10.0	10.0	9.5	9.5	9.5	9.5															
91	145.5	169.4	2	70	38200	RIDE	8.9	8.3	8.8	8.1	8.0	7.9		7.6	7.3	7.7	7.5	7.6	7.6															
16.0																																		
4365171	15.109	31.199	C	2018	0012	CRACKING	9.5	9.5	9.0	7.5	6.5	5.5*		10.0	10.0	10.0	10.0	8.8	9.2	7.5														
COMMUNITY ASPHALT CORP.					(2021)	FC5M	7.5	7.3	7.8	7.7	7.8	7.9		8.4	8.5	8.6	8.6	8.6	8.6	8.6														
94470000	7.500	31.200	L	5	1	CRACKING	7.5	7.5	5.5*	5.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0															
91	145.7	169.4	2	70	38200	RIDE	8.6	8.2	8.5	7.7	7.4		7.7	7.6	7.7	7.4	7.5	7.5	7.5															
16.0																																		
4365171	15.109	31.199	C	2018	0012	CRACKING	9.0	8.0	8.0	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	8.7	8.9	7.5														
COMMUNITY ASPHALT CORP.					(2021)	FC5M	7.4	7.4	7.7	7.6	7.7	7.8		8.7	8.7	8.7	8.7	8.7	8.7	8.6														
94470000	0.000	7.500	L	5	1	CRACKING	9.5	7.5	7.5	7.0	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	9.5															
91	138.2	145.7	2	70	57568	RIDE	8.9	8.4	8.9	8.4	8.2	8.0	7.8	7.5		7.7	7.5	7.7	7.7															
END BRIDGE 890083( 0.0C)					18.5																													
4379861	0.000	15.100	C	2019	0005	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	6.5		10.0	10.0	10.0	8.5	9.0	7.5														
COMMUNITY ASPHALT CORP.					(2022)	FC5M	7.7	7.6	8.0	7.9	8.0	8.1	8.1		8.5	8.5	8.5	8.5	8.5	8.5														

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = CONE & GRAHAM, INC. -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP   SIDE)							*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(PMRS)		
88050000	6.390	6.582	C	1	1	CRACKING	6.5	6.5	6.5					4.5*	3.5*	1.0*		10.0	10.0	10.0		
510			2	40	15800	RIDE	6.3*	6.7	5.9					5.4*	5.2*	5.6		7.7	7.6	7.6		
WABASSO CAUSEWAY PAR( 6.5C)							6.3															
4138031	6.378	7.697	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
CONE & GRAHAM, INC.							(2011)	7.6	7.4	7.5	8.2	8.6	8.5	8.5	8.5	8.4	8.3	8.4	8.4	8.3	8.3	8.0
88050000	6.838	7.217	C	1	1	CRACKING	6.5	6.5	6.5					4.5*	3.5*	1.0*		10.0	10.0	10.0		
510			2	40	15800	RIDE	6.3*	6.7	5.9					5.4*	5.2*	5.6		7.7	7.6	7.6		
PARK ENTR( 6.9C)							6.3															
4138031	6.378	7.697	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.6	8.9	7.5	
CONE & GRAHAM, INC.							(2011)	7.6	7.4	7.5	8.2	8.0	7.8	7.8	7.7	7.8	7.6	7.7	7.5	7.6	7.3	
88050000	8.245	8.485	L	1	1	CRACKING	10.0	10.0	10.0					4.5*	3.5*	1.0*		10.0	10.0	10.0		
510			1	40	15800	RIDE	8.4	8.3	8.2					5.4*	5.2*	5.6		7.7	7.6	7.6		
							6.3															
4138031	8.244	8.485	L	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.5	8.5	9.2	10.0	8.5	
CONE & GRAHAM, INC.							(2011)	7.6	7.4	7.5	7.2	7.2	7.0	6.9	6.6	6.9	6.8	6.6	7.1	7.4	7.1	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = DICKERSON FLORIDA INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR)	SURF_TYPE	WKM-F	*****															(PMRS)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
89010000	9.171	11.156	R	1	1	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1			2	55	31000	RIDE	7.9	7.5	7.7	6.4*	6.2*	7.5	7.5	7.5	7.5	7.7	7.6	7.6	7.6	
HOBE TERR(10.0R) 4.8																				
2288581	9.170	11.996	C	2003	0012	CRACKING	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	3.5*
DICKERSON	FLORIDA INC.			(2006)	FC5	RIDE	7.6	7.5	7.7	7.6	7.7	7.7	7.7	7.7	7.7	7.6	7.6	7.6	7.6	7.5
-----																				
89010000	9.171	11.156	L	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1			2	55	31000	RIDE	8.1	8.1	7.9	7.0	6.8	7.5	7.7	7.6	7.6	7.7	7.7	7.7	7.6	
OSPREY ST(10.1L) 4.8																				
2288581	9.170	11.996	C	2003	0012	CRACKING	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	3.5*
DICKERSON	FLORIDA INC.			(2006)	FC5	RIDE	7.5	7.3	7.6	7.5	7.6	7.6	7.6	7.5	7.4	7.4	7.4	7.4	7.3	7.2
-----																				
89040000	3.143	3.519	C	1	1	CRACKING	9.5	8.0	8.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	
A1A			2	40	30000	RIDE	5.8*	4.0*				6.1	5.6	6.0	6.2	5.9	6.4	6.3	6.3	
RIVER RD( 3.2C) 5.4																				
4246391	3.143	3.436	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.6	7.5
DICKERSON	FLORIDA INC.			(2014)	FC125	RIDE	8.0	7.2	6.4	6.8	7.2	6.7	7.1	6.7	6.9	7.0	7.0	6.9	6.8	6.5
-----																				
89040000	4.401	5.738	C	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
A1A			2	45	8479	RIDE	7.4	7.6	7.3	6.8	6.7	7.4	7.3	7.0	7.4	7.5	7.4	7.4	7.3	
EAST ISLAND ACCESS( 4.5R) 4.1																				
2288371	4.547	5.685	C	2003	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.1	9.0	7.5
DICKERSON	FLORIDA INC.			(2006)	FC95	RIDE	7.3	6.8	6.2	6.4	6.7	6.6	6.6	6.4	6.4	6.5	6.4	6.3	6.4	6.1
-----																				
89060000	9.918	12.487	C	1	1	CRACKING	10.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	
76			2	45	2300	RIDE	8.9	8.8	8.8	8.3	8.4	8.3	8.2	8.0	7.7	7.8	7.8	7.7	8.4	
INDIANTOWN AVE SW(11.5R) 43.8																				
4216801	9.918	12.486	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.3	8.0
DICKERSON	FLORIDA INC.			(2013)	FC125	RIDE	8.6	7.5	7.3	7.7	8.3	8.3	8.2	8.1	8.1	7.9	8.0	8.1	8.0	7.7
-----																				
89060000	14.400	20.452	C	1	1	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	
76			2	55	4500	RIDE	8.7	8.7	8.6	8.1	8.0	7.8	7.7	7.3	7.2	7.2	7.2		8.6	
GROVESIDE DR SW(18.0R) 11.2																				
4216971	14.400	23.381	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	8.4	7.0	
DICKERSON	FLORIDA INC.			(2013)	FC125	RIDE	8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8	7.7	7.4
-----																				
89060000	20.452	20.873	C	1	8	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	
76			2	55	4500	RIDE	8.7	8.7	8.6	8.1	8.0	7.8	7.7	7.3	7.2	7.2	7.2		8.6	
BRIDGE RD(20.9R) 11.2																				
4216971	14.400	23.381	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	8.4	7.0	
DICKERSON	FLORIDA INC.			(2013)	FC125	RIDE	8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8	7.7	7.4
-----																				
89060000	21.510	22.104	C	1	8	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	
76			2	55	3288	RIDE	8.7	8.7	8.6	8.1	8.0	7.8	7.7	7.3	7.2	7.2	7.2		8.6	
BRIDGE RD(20.9R) 13.0																				
4216971	14.400	23.381	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	8.4	7.0	
DICKERSON	FLORIDA INC.			(2013)	FC125	RIDE	8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8	7.7	7.4
-----																				
89060000	22.104	22.411	C	1	1	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	
76			2	55	3288	RIDE	8.7	8.7	8.6	8.1	8.0	7.8	7.7	7.3	7.2	7.2	7.2		8.6	
BRIDGE RD(20.9R) 13.0																				
4216971	14.400	23.381	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	8.4	7.0	
DICKERSON	FLORIDA INC.			(2013)	FC125	RIDE	8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8	7.7	7.4
-----																				
89060000	22.411	23.185	C	1	8	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	1.0*	1.0*	0.0*	0.0*	0.0*		10.0	
76			2	55	3288	RIDE	8.7	8.7	8.6	8.1	8.0	7.8	6.6	6.1*	6.2*	7.1	6.4*		8.6	
BRIDGE RD(20.9R) 13.0																				
4216971	14.400	23.381	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	8.4	7.0	
DICKERSON	FLORIDA INC.			(2013)	DGFC	RIDE	8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8	7.7	7.4

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = DICKERSON FLORIDA INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR											FUTURE		
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	%T	=====														
ITMSEG-P	(AGE_ONE YEAR)	YEAR	YEAR	W	W	W	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR														(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
89060000	23.185	23.381	C	1	1	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	1.0*	1.0*	0.0*	0.0*	0.0*		10.0		
76			2	50	3288	RIDE	8.7	8.7	8.6	8.1	8.0	7.8	6.6	6.1*	6.2*	7.1	6.4*		8.6		
4216971	14.400	23.381	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	10.0	8.0
DICKERSON	FLORIDA INC.		(2013)	FC5M		RIDE	8.6	8.2	8.1	8.2	8.6	8.5	8.4	8.2	8.1	8.0	7.9	7.8	7.9	7.8	
89070000	14.648	15.700	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	
710			2	40	14400	RIDE	8.9	8.8	8.9	8.5	8.5	8.5	8.4	8.5	8.3	8.3	8.3	8.3	9.0	9.0	
M L KING DR SW(14.7R)					18.3																
4271121	14.648	15.720	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.6	7.5	
DICKERSON	FLORIDA INC.		(2013)	FC95		RIDE	9.0	8.6	8.5	7.9	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.1	
4533334	14.872	15.710	C	2030	0213																
89095000	11.490	24.817	R	4	1	CRACKING	9.5	8.0	8.0	7.5	7.5	6.5	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0		
9	195	100.0	3	70	81500	RIDE	8.8	8.6	8.6	7.7	7.4	7.2	7.0	6.5	6.7	8.3	8.0	8.3	8.2		
4153961	11.494	24.835	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	3.5*	
DICKERSON	FLORIDA INC.		(2010)	FC5M		RIDE	8.2	8.0	8.6	8.6	8.7	8.9	8.9	8.9	8.8	8.8	8.9	8.8	8.8	8.7	
4491601	11.490	24.817	C	2025	0012																
89095000	11.490	24.817	L	4	1	CRACKING	9.5	7.5	7.5	7.5	7.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0		
9	195	100.0	3	70	81500	RIDE	8.8	8.2	8.4	7.5	7.4	7.4	7.2	7.0	6.8	8.3	8.0	8.2	8.2		
4153961	11.494	24.835	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	3.5*	
DICKERSON	FLORIDA INC.		(2010)	FC5M		RIDE	8.2	8.1	8.5	8.5	8.6	8.7	8.8	8.7	8.6	8.6	8.6	8.7	8.6	8.5	
4491601	11.490	24.817	C	2025	0012																
93012000	2.905	3.682	R	1	1	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0		
708			2	35	30000	RIDE	5.1*	7.8	7.2	6.9	6.2	5.9	6.0	5.6	5.6	5.5	6.3	6.3	6.6		
CR 811( 2.9C)					3.3																
4246491	3.096	3.659	R	2013	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.4	7.4	6.5	
DICKERSON	FLORIDA INC.		(2015)	FC95R		RIDE		7.6	7.1	6.9	6.9	6.1	6.7	6.5	6.6	6.5	6.4	6.3	6.4	6.1	
93012000	2.905	3.682	L	1	1	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0		
708			2	35	30000	RIDE	4.4*	7.2	6.2	6.0	5.9	5.7	5.6	5.7	5.0*	5.5	5.7	5.7	5.7		
CR 811( 2.9C)					3.3																
4246491	3.096	3.659	L	2013	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.1	7.7	6.5	
DICKERSON	FLORIDA INC.		(2015)	FC95R		RIDE		6.8	6.3	6.0	5.7	5.6	5.9	5.9	5.5	5.6	5.6	5.6	5.9	5.6	
94003000	7.905	8.318	R	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
713			2	45	14100	RIDE	7.7	7.2	7.6	7.2	6.8	6.5	5.7	6.1	5.8	6.2	6.0	6.2	6.0		
PALOMAR PKWY( 8.0C)					7.2																
4229571	7.500	9.517	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.0	
DICKERSON	FLORIDA INC.		(2014)	FC95		RIDE	8.6	8.7	7.9	8.0	8.3	8.2	8.1	8.0	8.1	8.1	8.0	7.9	7.9	7.6	
94003000	8.318	9.517	C	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
713			2	45	13500	RIDE	7.7	7.2	7.6	7.2	6.8	6.5	5.7	6.1	5.8	6.2	6.0	6.2	6.0		
PLACE LAKE DR( 8.5L)					6.9																
4229571	7.500	9.517	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
DICKERSON	FLORIDA INC.		(2014)	FC95		RIDE	8.6	8.7	7.9	8.0	8.3	8.2	8.1	8.0	8.1	8.1	8.0	7.9	7.9	7.6	
94004000	0.000	0.275	R	1	1	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
614			1	45	2100	RIDE	7.1	6.1*	6.8	7.9	7.8	7.7	6.7	7.8	7.8	7.7	7.7	7.7	7.7		
AICO RD( 0.1R)					82.4																
2303384	0.123	0.282	R	2016	0213	CRACKING	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	8.9	10.0	9.0	
DICKERSON	FLORIDA INC.		(2021)	FC125		RIDE	8.6	8.6	8.3	7.6				8.4	8.0	8.0	7.9	7.9	8.1	7.8	
94004000	0.275	2.818	R	1	1	CRACKING	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
614			2	45	13100	RIDE	6.9	6.5	6.5	6.2*		7.7	6.7	7.6	7.7	7.7	7.8	7.6	7.6		
CR 603( 1.6C)					13.7																
2303384	0.962	2.406	C	2016	0213	CRACKING	9.5	9.5	9.5	8.5				10.0	10.0	10.0	10.0	8.9	9.4	8.5	
DICKERSON	FLORIDA INC.		(2021)	FC125		RIDE	7.5	7.4	6.4	6.6				8.4	8.0	8.0	7.9	7.9	8.1	7.8	
94004000	0.275	2.818	L	1	1	CRACKING	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
614			2	45	13100	RIDE	6.9	6.5	6.5	6.2*		7.7	6.7	7.6	7.7	7.7	7.8	7.6	7.6		
SPUR FROM SPANISH LK( 0.7L)					13.7																
2303384	0.962	2.406	C	2016	0213	CRACKING	9.5	9.5	9.5	8.5				10.0	10.0	10.0	10.0	9.6	9.5	8.5	
DICKERSON	FLORIDA INC.		(2021)	FC125		RIDE	7.5	7.4	6.4	6.6				8.1	8.0	8.0	8.0	8.0	8.2	7.9	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = DICKERSON FLORIDA INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT	(MP)	(SIDE)				%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
94004000	0.000	0.275	L	1	1	CRACKING		3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
614			2	45	2100	RIDE		7.2	6.7	6.7	7.5	7.8	7.6	7.0	8.0	7.6	7.9	7.7	7.8	7.7	
					82.4																
2303384	0.123	0.282	L	2016	0213	CRACKING		10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	9.6	9.2	8.5
DICKERSON	FLORIDA	INC.		(2021)	FC125	RIDE		8.7	8.3	7.4	6.8				8.1	8.0	8.0	8.0	8.0	8.0	7.7
94050000	5.804	13.146	C	1	1	CRACKING		1.0*	0.0*	0.0*	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0
ALA			2	55	6400	RIDE		7.8	7.7	7.7	7.1	7.1	6.4*	6.0*	6.1*		8.6	8.6	8.5	8.4	
FPL E ENTRANCE(	5.9L)				7.2																
2302961	8.834	13.114	C	2007	0012	CRACKING		10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	8.3	8.1	6.5
DICKERSON	FLORIDA	INC.		(2010)	FC95	RIDE		8.1	7.3	7.7	7.5	7.4	7.4	7.4	7.4	7.2	7.3	7.2	7.2	7.2	6.9
94070000	17.816	19.705	R	1	1	CRACKING		4.5*	2.0*	2.0*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
68			2	45	19900	RIDE		7.7	7.3	7.4				7.1	6.4	6.1	7.0	7.0	7.0	6.9	6.8
COPENHAVER RD(	17.8R)				15.5																
2301081	17.750	19.700	C	2002	0213	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.4	8.4	7.0
DICKERSON	FLORIDA	INC.		(2006)	FC125	RIDE		6.7	6.5	6.3	5.5	6.3	6.1	6.1	5.9	5.9	5.9	6.0	5.8	5.9	5.6
4484481	17.810	19.758	C	2031	0012																
94070000	17.816	19.705	L	1	1	CRACKING		4.5*	2.0*	2.0*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
68			2	45	19900	RIDE		7.7	7.3	7.4				7.1	7.0	6.0	6.9	6.8	6.9	6.8	6.7
LAMONT RD(17.8L)					15.5																
2301081	17.750	19.700	C	2002	0213	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0
DICKERSON	FLORIDA	INC.		(2006)	FC125	RIDE		6.5	6.0	5.7	5.9	6.0	5.9	5.9	5.8	5.6	5.6	5.8	5.7	5.7	5.4*
4484481	17.810	19.758	C	2031	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4                    CONTRACTOR = FLORIDA ENGINEERING & DEVELO -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP   SIDE)						%T	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)																						(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F																
93080000	4.663	4.951	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	
A1A				2	45	10400	RIDE	8.1	8.1	7.8	7.6	7.6	7.5	7.7	7.7	7.7	7.5	7.4	7.3	7.4		
						3.1																
4461761	4.305	4.976	C	2024	0012	CRACKING		8.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.5	
FLORIDA ENGINEERING & DEVE(2026)					DGFC	RIDE		7.3	7.3	6.9	6.9	6.9	6.8	6.7	6.6	6.7	6.5	6.6	6.6	6.3	6.0	

-----

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = GENERAL ASPHALT CO., INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	ADT	WKM-F	*****														(PMRS)	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
86006000	2.958	4.938	R	1	7	CRACKING	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0		
842				3	40	48500	6.6	7.0			6.2	6.0	6.0	5.8	6.0	6.0	5.9	5.8	5.7		
BRYAN BLVD( 3.1R)																					
4460941	3.899	4.949	R	2023	0012	CRACKING	8.0	8.0	8.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.5	
GENERAL ASPHALT CO., INC. (2026) FC125 RIDE																					
86006000	2.958	4.938	L	1	7	CRACKING	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
842				3	40	48500	5.4*	5.5			5.9	5.7	5.7	5.5	5.5	5.4*	5.6	5.3*	5.2*	5.2*	
NW 42 AVE( 3.0L)																					
4460941	3.251	4.949	L	2023	0012	CRACKING	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.6	10.0	9.5
GENERAL ASPHALT CO., INC. (2026) FC125 RIDE																					
86010000	0.000	0.838	R	1	7	CRACKING	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5				3	45	51000	7.5	7.0	7.1	6.4*		6.9	6.6	7.0	6.9	6.5	6.4	6.3	6.9		
VIA DA FORTUNA( 0.1R)																					
4476741	0.000	0.858	R	2025	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	10.0	9.5	
GENERAL ASPHALT CO., INC. (2026) FC125 RIDE																					
86010000	0.838	1.526	R	1	7	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5				2	35	35000	6.5	6.4	6.5	5.9	5.5	6.3	6.0	6.0	6.2	5.8	5.9	5.8	5.9		
FIRST CT NE( 0.9R)																					
4476741	0.858	1.538	R	2025	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.7	10.0	
GENERAL ASPHALT CO., INC. (2026) FC125 RIDE																					
86010000	0.838	1.550	L	1	7	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5				2	35	35000	5.1*	6.0	5.9	5.1*	5.1*	6.1	6.1	6.2	6.1	6.2	6.0	6.0	5.8	9.0	
FIRST CT NE( 0.9L)																					
4476741	0.825	1.538	L	2025	0012	CRACKING	8.5	8.5	7.5	7.5	7.5	7.0	7.0	6.5	6.5	6.5	6.5	7.0	10.0	9.5	
GENERAL ASPHALT CO., INC. (2026) FC125 RIDE																					
86010000	0.000	0.838	L	1	7	CRACKING	9.0	6.5	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5				3	45	51000	5.2*	6.5	6.6	6.1*		7.6	7.6	7.8	7.8	7.6	7.7	7.5	7.5		
NINTH ST SE L( 0.1L)																					
4476741	0.000	0.825	L	2025	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.7	10.0	9.5	
GENERAL ASPHALT CO., INC. (2026) FC125 RIDE																					
86014000	1.180	2.330	R	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*		
870				3	45	53500	7.9	8.0	7.9	7.2	6.8	6.6	6.1	6.4	6.4	6.5	6.2	6.8	6.3		
WHITE OAK LA( 1.2R)																					
4270041	1.180	2.330	C	2014	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.6	8.5	
GENERAL ASPHALT CO., INC. (2016) FC125 RIDE																					
86014000	1.180	2.330	L	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*		
870				3	45	53500	8.1	8.0	7.8	6.9	7.7	7.6	7.4	7.7	7.4	7.6	7.5	7.4	7.4		
SAFEGUARD( 1.2L)																					
4270041	1.180	2.330	C	2014	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.6	8.5	
GENERAL ASPHALT CO., INC. (2016) FC125 RIDE																					
86018000	0.285	1.150	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0		
824				3	45	47500	6.9	6.7	6.9	6.6	6.9	6.5	6.5	5.4*	8.0	7.9	7.9	7.8	7.9		
OLEANDER DR( 0.3R)																					
4114391	0.285	1.150	R	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8	8.7	7.5	
GENERAL ASPHALT CO., INC. (2009) FC125 RIDE																					
4463721	0.364	2.335	C	2027	0012		7.7	7.8	7.6	7.6	7.4	7.3	7.3	7.2	7.1	7.2	7.1	7.3	7.2	6.9	
86018000	1.150	2.335	R	1	1	CRACKING	7.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0		
824				2	40	42000	6.4*	6.2	6.0	5.6	5.6	5.3*	5.7	5.6	7.3	7.0	6.9	7.1	7.1		
ALCAZAR DR( 1.1R)																					
4114391	1.150	2.267	R	2006	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	
GENERAL ASPHALT CO., INC. (2009) FC125 RIDE																					
4463721	0.364	2.335	C	2027	0012		6.8	7.0	7.1	6.9	7.0	7.1	7.0	6.8	6.7	6.7	6.5	6.9	6.8	6.5	
86018000	5.220	6.547	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0		
824				2	35	36500	7.0	7.1	6.8	6.5	6.4	6.6	6.2	6.4	6.3	6.4	6.3	6.0	5.9		
NW 10 AVE( 5.3R)																					
4305901	5.172	6.150	R	2016	0012	CRACKING	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.9	8.0	
GENERAL ASPHALT CO., INC. (2018) FC95A RIDE																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = GENERAL ASPHALT CO., INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	=====																				
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	SURF_TYPE																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															(PMRS)
86018000	5.220	6.547	L	1	1	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	9.5	7.5	7.0	7.0	7.0	7.0	
824			2	35	36500	RIDE	7.5	7.6	7.6	7.0	6.6	7.0	6.4	6.8	6.8	6.8	7.0	6.9	6.7		
S 28 AVE( 5.3L)																					
4305901	5.219	6.150	L	2016	0012	CRACKING	7.0	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.8	8.5	7.5	
GENERAL ASPHALT CO., INC. (2018) FC95A RIDE																					
86018000	1.528	2.335	L	1	1	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	
824			2	40	42000	RIDE	6.5	6.5	6.4	5.6	6.3	6.1	5.8	5.9	7.3	7.3	7.2	7.1	7.1		
S 66 AVE( 1.7L)																					
4114391	1.528	2.334	L	2006	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	
GENERAL ASPHALT CO., INC. (2009) FC125 RIDE																					
4463721	0.364	2.335	C	2027	0012		6.8	7.1	7.4	7.4	7.2	7.2	7.3	7.3	7.3	7.2	7.3	7.3	7.2	6.9	
86018000	0.285	1.528	L	1	1	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5		
824			3	45	47500	RIDE	6.5	6.7	6.4*	6.2*	6.4*	6.3	6.3	6.4	7.6	7.6	7.4	7.2	7.6		
UNSIGN( 0.3L)																					
4114391	0.285	1.528	L	2006	0012	CRACKING	9.5	9.5	9.0	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	
GENERAL ASPHALT CO., INC. (2009) FC125 RIDE																					
4463721	0.364	2.335	C	2027	0012		7.4	7.2	7.2	7.2	7.0	6.9	7.1	6.8	6.9	6.8	6.8	6.8	6.7	6.4	
86020000	5.750	8.254	R	1	7	CRACKING	9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
5			3	45	42500	RIDE	7.0	7.1	7.0	6.7	6.6	7.3	6.9	7.3	7.1	7.1	7.1	7.1	7.0		
SPUR( 5.8R)																					
4461881	5.751	8.254	R	2023	0012	CRACKING	9.0	9.0	9.0	9.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5		10.0	9.5	
GENERAL ASPHALT CO., INC. (2026) FC125 RIDE																					
86020000	5.750	8.254	L	1	7	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
5			3	45	42500	RIDE	5.6*	5.5*	5.4*	5.0*	5.1*	6.7	6.2	6.6	6.4	6.5	6.3	6.3	6.1		
NE 53 ST( 5.9L)																					
4461881	5.740	8.254	L	2023	0012	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5		10.0	9.5	
GENERAL ASPHALT CO., INC. (2026) FC125 RIDE																					
86028000	0.000	1.428	R	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0		
834			3	45	31000	RIDE	7.7	7.4	7.5	6.8	7.0	6.8	6.2	6.6	6.6	6.7	6.5	6.4	6.3		
CORAL SPRINGS CITY LIMIT( 0.0C)																					
4461941	0.011	1.451	R	2024	0012	CRACKING	9.0	9.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	9.5	
GENERAL ASPHALT CO., INC. (2026) FC125 RIDE																					
86028000	3.221	4.763	R	1	1	CRACKING	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0		
834			3	45	52500	RIDE	7.6	7.8	7.6	7.1	7.2	7.0	6.9	7.1	6.9	7.0	6.9	6.8	8.3		
NW 54 AVE( 3.3C)																					
4216561	3.221	4.763	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.6	8.5	
GENERAL ASPHALT CO., INC. (2013) FC95 RIDE																					
86028000	6.155	7.118	R	1	7	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0		
834			3	45	42295	RIDE			7.5	6.6	6.5	6.6	6.9	7.0	7.0	6.5	6.5	5.9	6.3		
COSTCO ENT( 6.4C)																					
4461951	6.078	7.139	R	2024	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	4.5*	4.5*	10.0	9.5	
GENERAL ASPHALT CO., INC. (2026) FC125 RIDE																					
86028000	6.155	7.118	L	1	7	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
834			3	45	42295	RIDE			8.0	7.3	7.5	7.5	7.3	7.4	7.4	7.5	7.3	7.3	7.4		
COSTCO ENT( 6.4C)																					
4461951	6.078	7.139	L	2024	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.7	10.0	9.5	
GENERAL ASPHALT CO., INC. (2026) FC125 RIDE																					
86028000	3.221	4.763	L	1	1	CRACKING	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0		
834			3	45	52500	RIDE	7.6	7.9	7.5	7.3	7.3	7.1	6.3	7.0	7.1	6.8	6.5	8.2			
NW 54 AVE( 3.3C)																					
4216561	3.221	4.763	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5	
GENERAL ASPHALT CO., INC. (2013) FC95 RIDE																					
86028000	0.000	1.428	L	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.5	7.5		
834			3	45	31000	RIDE	7.9	7.7	7.7	6.7	6.6	6.5	6.2	6.2	6.2	6.4	5.8	5.9	5.9		
CORAL SPRINGS CITY LIMIT( 0.0C)																					
4461941	0.011	1.451	L	2024	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.8	10.0	9.5	
GENERAL ASPHALT CO., INC. (2026) FC125 RIDE																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = GENERAL ASPHALT CO., INC. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	WKM-F	*****		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F																(PMRS)
ITMSEG-P	ITMSEG-F																					
86030000	0.879	2.282	R	1	1	CRACKING	6.5	6.5				6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*			10.0
ALA			3	35	26500	RIDE	4.8*	4.9*				4.2*	3.8*	4.4*	3.8*	3.8*	3.6*	4.3*	3.0*			6.3
OCEAN CREST CLUB( 1.3R)																						
4168691	1.242	2.011	R	2010	0012	CRACKING	10.0	10.0			8.5	8.5	8.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	5.5*
GENERAL ASPHALT CO., INC.				(2013)	FC95	RIDE	5.8	6.6			6.1	6.0	6.6	5.8	5.7	5.2*	5.2*	5.1*	4.8*	4.9*	4.6*	4.3*
4461991	0.905	2.288	C	2025	0012																	
-----																						
86030000	0.879	2.282	L	1	1	CRACKING	8.5	8.5				6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			10.0
ALA			3	35	26500	RIDE	7.4	6.6				5.8	5.8	5.6	5.3*	5.4*	5.8	5.1*	5.6			7.4
SEACREST PKWY( 0.9L)																						
4168691	1.242	2.011	L	2010	0012	CRACKING	10.0	10.0			9.5	9.5	8.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	5.5*
GENERAL ASPHALT CO., INC.				(2013)	FC95	RIDE	7.2	7.2			7.2	7.0	6.9	6.9	6.8	6.3	6.3	6.3	6.2	6.3	5.9	5.6
4461991	0.905	2.288	C	2025	0012																	
-----																						
86040000	13.410	13.840	R	1	1	CRACKING	9.0	9.0				9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
820			3	35	51000	RIDE	6.5	5.9			6.4	5.2*	5.8	5.1*	5.0*	4.5*	4.7*	4.7*	4.3*	4.3*	4.0*	
SW 63 TER(13.6R)																						
4270071	13.432	13.860	C	2013	0012	CRACKING	6.5	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	9.0
GENERAL ASPHALT CO., INC.				(2015)	DGFC	RIDE	4.3*	6.5													6.3	6.0
-----																						
86040000	13.410	13.840	L	1	1	CRACKING	10.0	10.0				9.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
820			3	35	51000	RIDE	6.5	7.2			7.1	6.0	6.9	5.3*	5.3*	5.7	5.5	5.5	5.6	5.2*	5.5	
NW 64 AVE(13.5L)																						
4270071	13.432	13.860	C	2013	0012	CRACKING	6.5	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8	9.1	8.0
GENERAL ASPHALT CO., INC.				(2015)	FC125	RIDE	5.2*	7.5			6.9	6.5	6.6	6.9	6.4	6.4	6.1	6.4	6.1	5.7	6.3	6.0
-----																						
86050000	4.322	5.363	R	1	1	CRACKING	7.5	7.5				7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
ALA			2	35	19300	RIDE	6.3*	6.4			6.4	6.1	6.1	5.5	5.6	5.6	5.5	5.5	5.9	10.0	10.0	10.0
ATLANTIC BLVD N( 4.5R)																						
4168721	4.310	5.365	C	2009	0012	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.8	8.8	7.5
GENERAL ASPHALT CO., INC.				(2011)	FC95M	RIDE	7.5	7.6			7.2	7.2	6.6	6.6	6.4	6.6	6.5	6.5	6.4	6.5	6.6	6.3
-----																						
86050000	4.322	5.363	L	1	1	CRACKING	9.0	9.0				9.0	9.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0
ALA			2	35	19300	RIDE	7.2	7.2			7.2	6.3	6.5	6.2	6.1	6.2	6.2	6.0	7.3	7.0	7.0	
NE 21 ST( 4.5L)																						
4168721	4.310	5.365	C	2009	0012	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	8.6	7.5
GENERAL ASPHALT CO., INC.				(2011)	FC95M	RIDE	6.9	6.7			6.6	6.7	6.6	6.4	6.3	6.1	6.2	6.1	6.0	5.9	6.0	5.7
-----																						
86065000	3.564	5.624	R	1	7	CRACKING	6.5	4.5*				4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0
845			3	45	35500	RIDE	6.2*	6.4*			6.2*	5.7*	5.6*	5.4*	5.1*	5.5	5.3*	7.9	7.7	7.7	7.4	
COMMERCIAL BLVD( 3.6C)																						
4461961	3.558	5.627	R	2024	0012	CRACKING	10.0	10.0			8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.4	10.0	9.5
GENERAL ASPHALT CO., INC.				(2026)	FC125	RIDE	7.6	7.5			7.4	7.4	7.4	7.1	6.9	7.0	6.9	6.8	7.0	6.8	7.0	6.7
-----																						
86065000	3.564	5.624	L	1	7	CRACKING	9.0	9.0				9.0	9.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0
845			3	45	35500	RIDE	6.6	6.4*			6.1*	6.0*	5.7*	5.5	5.3*	5.6	5.6	8.2	8.1	7.3	7.5	
COMMERCIAL BLVD( 3.6C)																						
4461961	3.558	5.627	L	2024	0012	CRACKING	10.0	10.0			8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5
GENERAL ASPHALT CO., INC.				(2026)	FC125	RIDE	7.3	7.7			7.7	7.6	7.6	7.4	7.4	7.4	7.3	7.2	7.0	6.9	7.0	6.7
-----																						
86100000	20.865	23.290	R	1	1	CRACKING	10.0	10.0				10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	7.0		
7 441			3	45	58500	RIDE	8.2	8.1			8.2	7.7	7.7	7.6	7.5	7.7	7.7	7.5	7.5	7.3		
CULLUM RD(21.4R)																						
4216621	20.941	23.359	C	2011	0012	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.1	8.0
GENERAL ASPHALT CO., INC.				(2014)	FC95	RIDE	8.3	8.3			8.0	8.0	8.0	7.9	7.8	7.9	7.8	7.8	7.8	7.8	7.8	7.5
-----																						
86100000	20.865	23.290	L	1	1	CRACKING	9.0	7.5				6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
7 441			3	45	58500	RIDE	8.1	8.0			8.0	7.5	7.4	7.3	7.1	7.2	7.2	7.1	6.8	6.8		
CREEKSIDE DR(21.4L)																						
4216621	20.941	23.359	C	2011	0012	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.6	8.5
GENERAL ASPHALT CO., INC.				(2014)	FC95	RIDE	8.2	8.3			7.9	7.8	7.9	7.9	7.8	7.8	7.8	7.8	7.7	7.7	7.8	7.5
-----																						
86120000	4.644	5.169	R	1	1	CRACKING	10.0	10.0				10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	
810			3	40	44000	RIDE	8.2	8.1			8.2	7.3	7.5	7.4	7.3	7.3	7.7	7.3	7.0	6.9	6.6	
GOOLSBY BLVD( 4.8R)																						
4306021	4.635	5.343	R	2016	0012	CRACKING	6.5	4.5*			4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5
GENERAL ASPHALT CO., INC.				(2020)	FC95M	RIDE	6.7	6.4			6.0	6.3			7.4	7.6	7.4	7.6		7.3	7.0	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = GENERAL ASPHALT CO., INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKMX-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	SURF_TYPE	FY-F	WKMX-F															(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW																	
86120000	6.100	6.897	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	4.5*	
810			3	35	28500	RIDE	8.2	8.1	8.2	7.3	7.5	7.4	7.3	7.4	7.2	7.2	7.0	7.1	7.1	
SW 1 TER( 6.1R) 3.6																				
4306021	5.752	6.897	R	2016	0012	CRACKING	4.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
GENERAL ASPHALT CO., INC. (2020) FC95M RIDE 7.2 7.2 7.0 7.0 6.8 6.8 6.8 6.8 6.5 6.8 6.8 6.5																				
86120000	6.383	6.897	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	6.5	4.5*	
810			3	35	28500	RIDE	8.1	8.1	7.8	7.3	7.3	7.0	6.5	7.4	7.3	7.1	7.0	6.9	6.8	
NE 3 AVE( 6.4L) 3.6																				
4306021	5.752	6.897	L	2016	0012	CRACKING	4.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0
GENERAL ASPHALT CO., INC. (2020) FC95M RIDE 6.9 6.8 6.4 6.3 7.4 7.2 7.4 7.2 7.3 7.4 7.3 7.4 7.0																				
86210000	2.350	2.698	R	1	1	CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	6.5			9.5	9.0	9.0	9.0	
736			2	40	44000	RIDE	8.1	7.8	7.5	7.4	7.3	6.9	6.7			4.9*	4.6*	4.8*	4.3*	
SEVENTEENTH AVE SW R( 2.4R) 3.4																				
4339671	2.355	2.620	C	2014	0226	CRACKING	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.4	7.5
GENERAL ASPHALT CO., INC. (2016) DGFC RIDE 4.6* 4.4* 4.7* 4.4*																				
86210000	2.350	2.698	L	1	1	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	7.0			9.0	9.0	9.0	9.0	
736			2	40	44000	RIDE	8.1	8.3	7.3	6.8	6.0	6.5	7.1			4.9*	4.7*	4.9*	4.7*	
SIXTEENTH AVE SW L( 2.4L) 3.4																				
4339671	2.355	2.620	C	2014	0226	CRACKING	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9	8.7	7.5
GENERAL ASPHALT CO., INC. (2016) DGFC RIDE 4.6* 4.6* 5.2* 4.9*																				
86220000	6.468	8.035	R	1	1	CRACKING	10.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
817			3	45	46500	RIDE	7.9	7.8	7.7	7.5	7.3	7.2	7.2	7.1	7.1	7.1	7.0	6.8	8.4	
ORANGE DR( 6.5R) 3.3																				
4216721	6.468	7.744	C	2011	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.1	6.9	5.5*
GENERAL ASPHALT CO., INC. (2013) FC125 RIDE 8.2 8.3 7.8 7.5 7.4 7.4 7.3 7.4 7.2 7.2 7.1 6.8 6.6 6.3																				
86220000	15.614	18.000	R	1	1	CRACKING	8.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
817			3	45	48500	RIDE	7.5	7.4	7.1	6.8	6.8	6.6	6.5	6.7	6.7	6.6	7.9	7.9	7.9	
NW 58 ST(15.7C) 2.5																				
4153221	13.408	18.002	C	2009	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	8.0	8.6	7.5
GENERAL ASPHALT CO., INC. (2011) FC95 RIDE 7.8 7.8 7.4 7.5 7.3 7.3 7.5 7.5 7.5 7.5 7.4 7.4 7.1																				
86220000	15.614	18.002	L	1	1	CRACKING	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
817			3	45	48500	RIDE	7.6	7.5	7.4	6.7	6.7	6.5	6.4	6.6	6.4	6.5	8.1	8.0	7.9	
NW 58 ST(15.7C) 2.5																				
4153221	13.408	18.002	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.2	8.8	7.5
GENERAL ASPHALT CO., INC. (2011) FC95 RIDE 7.9 7.9 7.5 7.5 7.4 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.1 7.2 7.2 7.5 6.9																				
86220000	6.468	8.114	L	1	1	CRACKING	9.0	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
817			3	45	46500	RIDE	7.5	7.3	7.0	6.6	6.6	6.5	6.2	6.3	6.5	6.3	6.3	6.3	8.0	
ORANGE DR( 6.5L) 3.3																				
4216721	6.468	7.744	C	2011	0012	CRACKING	10.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	7.3	7.0	6.0*
GENERAL ASPHALT CO., INC. (2013) FC125 RIDE 7.9 7.9 7.9 7.5 7.4 7.5 7.4 7.5 7.4 7.2 7.2 7.2 7.1 7.2 7.3 7.0																				
86230000	0.000	2.524	R	1	1	CRACKING	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
822			3	40	41500	RIDE	7.3	7.4	7.4	6.6	6.6	6.6	6.4	6.3	6.2	6.4	6.2	7.8	7.7	
HOLLYWOOD CITY LIMITS( 0.0C) 3.7																				
4168831	0.022	2.679	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.6	8.5
GENERAL ASPHALT CO., INC. (2012) FC95 RIDE 7.6 7.8 7.6 7.5 7.5 7.4 7.1 7.4 7.4 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.0																				
86230000	0.000	2.524	L	1	1	CRACKING	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
822			3	40	41500	RIDE	7.8	7.6	7.7	7.0	7.1	6.8	6.8	6.7	6.8	6.7	8.1	8.0		
HOLLYWOOD CITY LIMITS( 0.0C) 3.7																				
4168831	0.022	2.679	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.0	7.5
GENERAL ASPHALT CO., INC. (2012) FC95 RIDE 8.0 8.1 7.7 7.8 7.7 7.6 7.6 7.4 7.5 7.5 7.4 7.5 7.4 7.5 7.4 7.5 7.4 7.1 7.4 7.1																				
86470000	10.115	11.189	R	5	1	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0					10.0	10.0
91			4	65	159200	RIDE	8.5	8.5	8.5	7.7	7.7	7.7	7.7	7.6					7.9	8.1
13.8																				
4420611	10.099	11.175	R	2023	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0
GENERAL ASPHALT CO., INC. (2025) FC5M RIDE 8.0 8.0 8.0 8.0 8.0 8.0 7.9 7.8 8.1 8.0 8.1 8.0 8.1 8.1 8.1 8.1 8.1 8.1 8.3 8.2																				

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = GENERAL ASPHALT CO., INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P WKMX-P		=====													
CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		=====													
ITMSEG-F		ITMSEG-F		ITMSEG-F		ITMSEG-F		=====													
86470000	11.862	16.762	R	5	1	CRACKING	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0							
91	59.3	64.2	4	65	148700	RIDE	8.4	8.4	8.4	7.7	7.7	7.7	7.7	7.7							
13.8																					
4420611	11.845	15.007	R	2023	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	10.0	10.0	9.0
GENERAL ASPHALT CO., INC. (2025)		FC5M		RIDE		7.9		7.8	7.8	7.8	7.8	7.8	7.7	7.9	8.1	8.1	7.8	7.8	8.4	8.4	8.3
86470000	17.480	18.022	R	5	1	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*						
91	64.9	65.5	4	65	130700	RIDE	8.2	8.1	8.1	7.6	6.9	7.4	7.0	7.2	7.2						
13.8																					
4420611	17.499	18.001	R	2023	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	10.0	10.0	9.0
GENERAL ASPHALT CO., INC. (2025)		FC5M		RIDE		7.9		7.8	7.8	7.8	7.8	7.8	7.7	7.9	8.1	8.2	8.0	8.0	8.2	8.5	8.4
86470000	11.816	16.360	L	5	1	CRACKING	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0					10.0	10.0	
91	59.2	63.8	4	65	148700	RIDE	8.4	8.4	8.3	7.9	7.9	7.8	7.9	7.6					7.8	7.7	
13.8																					
4420611	11.845	16.321	L	2023	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	10.0	10.0	9.0
GENERAL ASPHALT CO., INC. (2025)		FC5M		RIDE		7.6		7.8	7.9	7.9	7.9	7.8	7.6	7.9	7.9	7.9	7.7	7.1	8.5	8.5	8.4
86470000	10.068	10.950	L	5	1	CRACKING	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0					10.0		
91	57.5	58.4	4	65	159200	RIDE	8.6	8.5	8.5	7.9	7.9	7.8	7.9	7.6					7.8		
13.8																					
4420611	10.099	11.023	L	2023	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	10.0	10.0	9.0
GENERAL ASPHALT CO., INC. (2025)		FC5M		RIDE		8.0		8.1	8.1	8.1	8.0	8.0	7.9	7.9	8.2	8.2	8.2	8.2	8.3	8.5	8.4
93010000	7.931	8.391	R	1	1	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1		2	45	33000	RIDE	8.0		7.7	7.0	7.1	7.1	7.2	7.4	7.3	7.0	6.9	7.0	6.7		
EVE ST( 8.0R)																					
4398411	7.930	8.420	R	2020	0012	CRACKING	9.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	
GENERAL ASPHALT CO., INC. (2022)		FC125		RIDE		6.8		6.7	6.8	6.8	6.9	6.2	6.9	6.6	7.4	7.3	7.3	7.3	7.3	7.3	
93016000	0.000	2.960	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	
882			3	45	38500	RIDE	8.4	8.3	7.9	8.2	8.3	8.2	8.2	8.0	7.9	7.9	7.8	7.8	7.6		
SR 7( 0.0C)																					
4416331	0.126	2.897	R	2021	0012	CRACKING	8.5	7.5	7.0	7.0	7.0	6.0*	5.5*	5.5*	4.0*	10.0	10.0	10.0	10.0	9.0	
GENERAL ASPHALT CO., INC. (2023)		FC95M		RIDE		7.6		7.5	7.8	7.9	7.8	7.5	7.7	7.6	7.6	7.8	7.8	7.8	7.8	7.5	
93016000	0.000	2.960	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5		
882			3	45	38500	RIDE	7.9	8.1	7.6	8.2	7.9	8.1	8.0	8.2	8.1	7.8	7.7	7.9	7.7		
SR 7( 0.0C)																					
4416331	0.126	2.897	L	2021	0012	CRACKING	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	9.0	
GENERAL ASPHALT CO., INC. (2023)		FC95M		RIDE		7.6		7.4	7.9	7.8	7.7	7.7	7.5	7.5	7.5	7.5	8.0	8.0	7.9	8.0	
93140000	5.017	12.797	C	1	1	CRACKING	10.0	10.0	9.0	8.5	7.5	7.0	6.5	6.0*	4.0*	3.5*		10.0	10.0		
700			2	55	3900	RIDE	8.8	8.3	7.9	6.8	6.7	6.2*	5.7*	5.2*	4.8*			8.8	8.5		
FIELD RD( 5.6R)																					
4463741	5.017	19.270	C	2024	0012	CRACKING	9.5	9.5	9.5	8.5	7.5	7.5	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	9.5	
GENERAL ASPHALT CO., INC. (2025)		FC95M		RIDE		8.2		7.9	7.3	6.9	6.6	6.1*	5.9*	5.3*	5.2*	4.8*	4.6*	8.3	8.3	8.0	
93140000	12.797	18.043	C	1	7	CRACKING	10.0	10.0	9.0	8.5	7.5	7.0	6.5	6.0*	4.0*	3.5*		10.0	10.0		
700			2	55	1550	RIDE	8.8	8.3	7.9	6.8	6.7	6.2*	5.7*	5.2*	5.1*	4.8*		8.8	8.5		
TRACTOR CROSSING(13.4L)																					
4463741	5.017	19.270	C	2024	0012	CRACKING	9.5	9.5	9.5	8.5	7.5	7.5	7.0	7.0	7.0			5.5*	5.0*	10.0	
GENERAL ASPHALT CO., INC. (2026)		FC95M		RIDE		8.2		7.9	7.3	6.9	6.6	6.1*	5.9*	5.3*	5.2*			5.1*	5.1*	8.3	
93140001	0.560	0.848	C	1	7	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0		10.0	10.0		
700			2	55	3900	RIDE	6.9	7.6	7.5	7.0	6.6	7.2	6.8	6.4*	6.2*	6.2*		8.8	8.6		
15.9																					
4463741	0.658	0.848	C	2024	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	10.0	
GENERAL ASPHALT CO., INC. (2026)		FC95M		RIDE		4.7*		4.5*	4.7*	4.7*	4.4*	4.2*	4.5*	4.4*					7.8	7.5	
93180000	8.671	9.859	C	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5		
802			2	25	9100	RIDE	6.9	6.4	6.9	7.0	7.0	6.7	6.4	6.6	6.0	4.9*	4.8*	4.8*	4.8*		
A ST N( 8.7L)																					
4461041	8.721	9.835	C	2024	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	10.0	9.5	
GENERAL ASPHALT CO., INC. (2026)		DGFC		RIDE		4.7*		4.5*	4.7*	4.7*	4.4*	4.2*	4.5*	4.4*					5.1*	4.8*	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = GENERAL ASPHALT CO., INC. -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	%T	=====															
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	SURF_TYPE				2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR													(PMRS)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
93180001	0.000	1.167	C	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
802			2	25	9600	RIDE	6.2*	6.3	6.1	6.9	6.5	6.2	6.2	6.3	6.1	4.9*	4.8*	4.8*	4.7*			
BR# 930103( 0.0C)																						
4461041	0.000	1.081	C	2024	0012	CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	7.5	10.0	9.5	9.5
GENERAL ASPHALT CO., INC. (2026) FC95M RIDE 4.7* 4.6* 4.6* 4.6* 4.6* 4.5* 4.5* 4.5* 4.4* 4.5* 4.6* 4.2* 4.9* 4.6*																						
93200000	1.049	2.172	R	1	1	CRACKING	9.0		7.5	7.5	7.0			10.0	10.0	10.0	10.0	9.5	9.5	9.5		
804			3	45	43500	RIDE	8.4		8.5	8.0	7.3			8.0	8.0	7.9	7.9	7.7	7.8	7.7		
ACME DAIRY BLVD( 1.6C)																						
4398441	1.041	1.768	R	2020	0012	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	9.5	9.1	8.0	
GENERAL ASPHALT CO., INC. (2022) FC125 RIDE 7.5 7.5 7.5 7.4 7.4 7.0 7.3 7.0 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.9 7.6																						
93200000	3.440	7.147	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5		
804			3	45	41000	RIDE	7.2	7.7	7.4	7.2	7.1	7.2	7.4	7.3	7.2	7.1	6.9	7.0	6.9			
JOG RD( 3.6C)																						
4323441	3.439	7.150	C	2019	0012	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	9.7	10.0	9.0		
GENERAL ASPHALT CO., INC. (2022) FC95M RIDE 6.9 6.9 7.0 7.1 7.0 6.8 6.9 8.3 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 7.9																						
93200000	3.440	7.147	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5		
804			3	45	41000	RIDE	6.7	7.9	7.6	7.4	7.4	7.3	7.4	7.4	7.3	7.2	7.1	7.1	7.1	7.0		
FOUNTAINS OF BOYNTON( 3.5L)																						
4323441	3.439	7.150	C	2019	0012	CRACKING	7.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	
GENERAL ASPHALT CO., INC. (2022) FC95M RIDE 7.1 7.0 7.1 7.1 7.0 6.8 7.0 8.2 8.2 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 8.1 7.8																						
93200000	1.049	2.172	L	1	1	CRACKING	9.0		7.5	6.5	6.0*			10.0	10.0	10.0	10.0	10.0	9.5	9.5		
804			3	45	43500	RIDE	8.4		8.1	7.6	7.0			8.0	7.9	7.9	7.9	7.8	7.7	7.7		
ACME DAIRY BLVD( 1.6C)																						
4398441	1.229	2.204	L	2020	0012	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	10.0	10.0	10.0	9.6	9.6	8.5	
GENERAL ASPHALT CO., INC. (2022) FC125 RIDE 7.6 7.6 7.3 7.4 7.1 7.2 6.9 7.2 8.0 7.8 7.9 7.8 7.9 7.8 7.7 7.7 7.4																						
93210000	8.678	13.750	R	1	1	CRACKING	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
7 441			2	55	24030	RIDE	8.5			7.4	7.5	7.4	7.5	7.5	7.5	7.4	7.4	7.4	7.4	7.4		
TIVOLI ISLES BLVD( 9.1R)																						
4378361	8.670	13.594	R	2019	0012	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	9.4	10.0	8.5		
GENERAL ASPHALT CO., INC. (2022) FC5M RIDE 7.2 7.3 7.3 7.2 7.4 7.4 7.6 8.4 8.4 8.4 8.4 8.4 8.3 8.2																						
93210000	8.678	13.750	L	1	1	CRACKING	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
7 441			2	55	24030	RIDE	8.5			7.8	7.4	7.8	7.9	7.9	7.8	7.7	7.5	7.7	7.6			
PERO FAMILY FARM( 9.7L)																						
4378361	8.670	13.593	L	2019	0012	CRACKING	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	8.8	10.0	8.5		
GENERAL ASPHALT CO., INC. (2022) FC5M RIDE 7.4 7.5 7.6 7.6 7.4 7.4 7.5 8.4 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.2																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 \*@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = GIBBS & REGISTER, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP   SIDE) %T =====																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(PMRS)
93020000	12.789	14.150	R	1	1	CRACKING	9.5	9.5	8.5	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*
5	1		2	35	25500	RIDE	4.2*	4.0*	3.7*	5.3*	4.5*	4.0*	3.9*	3.6*	3.7*	3.3*	3.4*	3.2*	2.9*		
E 12TH ST(12.8C)																					
2297443	12.796	14.144	C	2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	7.5
GIBBS & REGISTER, INC. (2015) FC95A RIDE																					
93020000	12.789	14.150	L	1	1	CRACKING	10.0	5.0*	5.0*	5.0*	5.0*	4.0*	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
5	1		2	35	25500	RIDE	7.6	7.5	7.0	6.5	6.6	6.4	6.7	6.4	6.5	6.4	6.2	6.2	5.9		
E 12TH ST(12.8C)																					
2297443	12.796	14.144	C	2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.7	7.5
GIBBS & REGISTER, INC. (2015) FC95A RIDE																					
94030000	20.358	20.740	R	1	1	CRACKING	9.5	9.0	7.5	7.5	7.5	7.5	7.5	7.5	4.5*	4.5*	10.0	4.5*	4.5*		
70			3	45	26500	RIDE	8.8	6.7	8.7	8.1	7.9	7.7	7.1	7.1	7.0	7.7	7.0	6.4			
TURNPIKE(20.5R)																					
4107171	20.358	20.939	R	2011	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.4	8.0	7.0	
GIBBS & REGISTER, INC. (2016) FC125 RIDE																					
94030000	20.358	20.939	L	1	1	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	6.5	4.5*			
70			2	45	26500	RIDE	8.7	8.4	8.8	8.2	8.0	7.9	7.4	7.4	7.2	7.1	6.1	5.9			
ROCK RD(20.4L)																					
4107171	20.358	20.939	L	2011	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.9	9.0	8.0	
GIBBS & REGISTER, INC. (2016) FC125 RIDE																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = GUETTTLER BROTHERS CONSTRUCTI -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP		SIDE)				%T	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																		(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
94030000	0.000	6.111	R	1	1	CRACKING	10.0	7.5	7.5	7.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
70			2	65	10600	RIDE	8.3	8.3	8.4	7.6	7.5	7.4	6.7	6.9	6.6	6.7	6.4*	6.3*	6.0*			
GRACEWOOD FARMS( 0.2R)																						
2302622	0.000	5.871	C	2011	0213	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8	7.0	
GUETTTLER BROTHERS	CONSTRUC	(2016)	FC5			RIDE			8.5	8.4	8.4	8.5	8.4	8.3	8.2	8.2	8.2	8.2	8.1	8.1	8.0	
-----																						
94030000	0.000	6.351	L	1	1	CRACKING	10.0	7.5	7.5	7.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
70			2	65	10600	RIDE	8.3	8.3	8.4	7.6	7.5	7.4	6.7	6.9	6.6	6.7	6.4*	6.3*	6.0*			
V-2 RANCH RD( 5.3L)																						
2302622	0.000	5.871	C	2011	0213	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.7	8.6	6.5	
GUETTTLER BROTHERS	CONSTRUC	(2016)	FC5			RIDE			8.3	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.3	8.3	8.2	8.1	8.0	
-----																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = H&R PAVING INC -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP   SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	%T	=====													
ITMSEG-P	(AGE_ONE YEAR)	SURF_TYPE					2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F															(PMRS)
ITMSEG-F																				
86050000	7.443	8.703	R	1	1	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
ALA			1	35	18000	RIDE	5.7*	5.5	5.4*	6.2	6.4	6.1	6.0	5.9	6.2	6.0	5.9	5.6	5.5	
PINE AVE( 7.5C)																				
4416281	7.461	8.678	R	2021	0012	CRACKING	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.5
H&R PAVING INC				(2025)	FC125	RIDE	5.6	5.8	5.7	5.8	5.6	5.5	5.4*	5.4*	5.1*	5.9	5.8	6.7	6.6	6.3
86050000	7.443	8.703	L	1	1	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	10.0	9.0	
ALA			1	35	18000	RIDE	5.7*	5.5	5.4*	6.2	6.4	6.1	6.0	5.9	6.5	6.0	5.9	5.6	5.5	
PINE AVE( 7.5C)																				
4416281	7.461	8.678	L	2021	0012	CRACKING	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.0	8.5
H&R PAVING INC				(2025)	FC125	RIDE	5.6	5.8	5.7	5.8	5.6	5.5	5.4*	5.4*	5.1*	5.9	6.0	6.7	7.0	6.7

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = HALLEY ENGINEERING CONTRACTO -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-F															(PMRS)	
CONTRACTOR																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
86075000	0.000	1.960	R	4	1	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0		
93 I75	5.5	7.4	4	70	208008	RIDE	8.8	8.8	8.7	8.2	8.1	7.8		7.4	7.5	7.7	7.7	7.6	7.5		
4378321	0.000	6.000	R	2019	0012	CRACKING	10.0	9.0	10.0	10.0			6.5	10.0	10.0	10.0	10.0	10.0	9.8	8.0	
HALLEY ENGINEERING CONTRAC(2021)					FC5M	RIDE	7.6	7.6	8.3	8.4			8.1	8.6	8.7	8.6	8.6	8.6	8.6	8.5	
86075000	1.960	2.437	R	4	1	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0		
93 I75	7.4	7.9	4	70	175500	RIDE	8.8	8.8	8.7	8.2	8.1	7.8		7.4	7.5	7.7	7.7	7.6	7.5		
4378321	0.000	6.000	R	2019	0012	CRACKING	10.0	9.0	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	
HALLEY ENGINEERING CONTRAC(2020)					FC5M	RIDE	7.6	7.6	7.7	7.6			8.4	8.6	8.5	8.6	8.5	8.5	8.5	8.4	
86075000	2.437	5.104	R	4	1	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0		
93 I75	7.9	10.6	4	70	174000	RIDE	8.8	8.8	8.7	8.2	8.1	7.8		7.4	7.5	7.7	7.7	7.6	7.5		
4378321	0.000	6.000	R	2019	0012	CRACKING	10.0	9.0	4.5*	4.5*			3.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
HALLEY ENGINEERING CONTRAC(2021)					FC5M	RIDE	7.6	7.6	7.7	7.6			7.2	8.9	8.9	8.8	8.9	8.8	8.8	8.7	
86075000	5.104	6.000	R	4	1	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0		
93 I75	10.6	11.5	4	70	174000	RIDE	8.8	8.8	8.7	8.2	8.1	7.8		7.4	7.5	7.7	7.7	7.6	7.5		
4378321	0.000	6.000	R	2019	0012	CRACKING	10.0	9.0	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	9.5	9.2	7.5	
HALLEY ENGINEERING CONTRAC(2020)					FC5M	RIDE	7.6	7.6	7.7	7.6			8.1	8.3	8.4	8.3	8.3	8.4	8.3	8.2	
86075000	5.656	7.366	L	4	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	3.5*				10.0	10.0	10.0	10.0		
93 I75	11.1	12.8	4	70	174000	RIDE	8.8	8.7	8.6	7.9	7.8	7.7		7.2		7.9	7.9	7.9	7.9		
4378324	5.752	7.364	L	2023	0548	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	10.0	10.0	9.0	
HALLEY ENGINEERING CONTRAC(2025)					FC5M	RIDE	7.9	7.9	8.1	8.1	8.1	8.0	7.9	8.2	8.2	8.3	8.3	8.4	8.3	8.2	
86075000	5.020	5.656	L	4	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	3.5*			10.0	10.0	10.0	10.0	10.0		
93 I75	10.5	11.1	4	70	174000	RIDE	8.8	8.7	8.6	7.9	7.8	7.7		7.3	7.4	7.4	7.3	7.3	7.3		
4378321	0.000	6.000	L	2019	0012	CRACKING	10.0	9.0	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	9.0	9.1	7.5	
HALLEY ENGINEERING CONTRAC(2020)					FC5M	RIDE	7.3	7.4	7.4	7.4			8.2	8.4	8.4	8.3	8.3	8.3	8.4	8.3	
86075000	2.954	5.020	L	4	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	3.5*			10.0	10.0	10.0	10.0	10.0		
93 I75	8.4	10.5	4	70	174000	RIDE	8.8	8.7	8.6	7.9	7.8	7.7		7.3	7.4	7.4	7.3	7.3	7.3		
4378321	0.000	6.000	L	2019	0012	CRACKING	10.0	9.0	4.5*	4.5*			3.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
HALLEY ENGINEERING CONTRAC(2021)					FC5M	RIDE	7.3	7.4	7.4	7.4			7.0	8.4	8.4	8.4	8.4	8.4	8.4	8.3	
86075000	2.188	2.954	L	4	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	3.5*			10.0	10.0	10.0	10.0	10.0		
93 I75	7.6	8.4	4	70	175500	RIDE	8.8	8.7	8.6	7.9	7.8	7.7		7.3	7.4	7.4	7.3	7.3	7.3		
4378321	0.000	6.000	L	2019	0012	CRACKING	10.0	9.0	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	9.6	9.4	7.5	
HALLEY ENGINEERING CONTRAC(2020)					FC5M	RIDE	7.3	7.4	7.4	7.4			8.1	8.4	8.4	8.4	8.3	8.3	8.3	8.2	
86075000	1.211	2.188	L	4	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	3.5*			10.0	10.0	10.0	10.0	10.0		
93 I75	6.7	7.6	4	70	175500	RIDE	8.8	8.7	8.6	7.9	7.8	7.7		7.3	7.4	7.4	7.3	7.3	7.3		
4378321	0.000	6.000	L	2019	0012	CRACKING	10.0	9.0	4.5*	4.5*			6.5	10.0	10.0	10.0	10.0	10.0	9.7	8.0	
HALLEY ENGINEERING CONTRAC(2021)					FC5M	RIDE	7.3	7.4	7.4	7.4			7.4	8.7	8.6	8.6	8.6	8.6	8.6	8.5	
86075000	0.000	1.211	L	4	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	3.5*			10.0	10.0	10.0	10.0	10.0		
93 I75	5.5	6.7	5	70	208008	RIDE	8.8	8.7	8.6	7.9	7.8	7.7		7.3	7.4	7.4	7.3	7.3	7.3		
4378321	0.000	6.000	L	2019	0012	CRACKING	10.0	9.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
HALLEY ENGINEERING CONTRAC(2020)					FC5M	RIDE	7.3	7.4	8.4	8.3			8.4	8.4	8.5	8.4	8.4	8.4	8.4	8.3	
86470000	18.022	24.048	R	5	7	CRACKING	8.5	8.5	6.5	6.5	6.5	6.5		6.5	6.5	6.5	6.5	6.5	6.5		
91	65.5	71.5	3	65	111400	RIDE	8.5	8.4	8.4	8.0	7.9	7.8		7.8	7.7	7.7	7.7	7.6	7.6		
4460241	18.427	23.811	R	2023	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0		10.0	9.0	7.5	6.5	7.0	10.0	9.0	
HALLEY ENGINEERING CONTRAC(2026)					FC5M	RIDE	8.2	8.2	8.3	8.3	8.3	8.2		8.1	8.2	8.2	8.2	8.1	8.1	8.0	7.9

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = HALLEY ENGINEERING CONTRACTO -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKMX-F															(PMRS)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
86470000	18.774	24.048	L	5	7	CRACKING	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*		
91	66.2	71.5	3	65	111400	RIDE	8.2	8.2	8.2	7.6	7.4	7.4	7.3	7.3	7.2	7.2	7.2	7.1		
4460241	18.569	23.811	L	2023	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	7.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	9.0
HALLEY ENGINEERING CONTRAC(2026)					FC5	RIDE	8.1	8.2	8.2	8.2	8.2	8.1	8.0	8.1	8.1	8.0	8.0		7.9	7.8
93140000	19.508	26.288	C	1	7	CRACKING	7.5	5.5*	3.5*	1.5*	1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	
15 98			2	55	5400	RIDE	7.9	7.6	7.3	6.2*	6.0*	5.5*	5.0*	4.7*		8.3	8.4	8.4	8.2	
CONNORS HWY(19.5R)					32.8															
4461021	19.656	26.288	C	2023	0012	CRACKING	10.0	10.0	10.0	10.0	8.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*		10.0	9.5
HALLEY ENGINEERING CONTRAC(2026)					FC125	RIDE	8.1	7.9	7.4	7.3	7.0	6.8	6.5	6.2*	6.2*	5.9*	5.9*		7.9	7.6
93220000	16.460	18.781	R	4	1	CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	9.0	9.0	9.0	9.0	
9 195	59.0	61.3	5	65	249000	RIDE	9.0	9.0	8.9	8.5			7.4	7.4	7.5	7.5	7.4	7.5	7.2	
4275162	16.427	18.781	R	2020	0012	CRACKING	7.5	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	8.8	7.5
HALLEY ENGINEERING CONTRAC(2023)					FC5M	RIDE	7.1	7.0	7.4	7.3	7.1	7.0	7.3	7.0		8.0	8.0	7.8	7.8	7.7
93220000	16.383	18.802	L	4	1	CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.0	
9 195	58.9	61.3	5	65	249000	RIDE	8.9	8.8	8.9	8.3			7.3	7.5	7.5	7.3	7.3	7.4	7.4	
4275162	16.427	18.781	L	2020	0012	CRACKING	9.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	8.5
HALLEY ENGINEERING CONTRAC(2023)					FC5M	RIDE	7.4	7.3	7.6	7.7	7.7	7.4	7.8	7.7	7.8	8.1	7.9	8.1	8.1	8.0
93230000	0.000	2.290	C	1	7	CRACKING	10.0	10.0	9.0	8.0	7.5	7.5	7.0	6.0*	5.5*	5.5*	5.5*	10.0	10.0	
729			2	45	5700	RIDE	8.4		7.6	7.2	7.4	6.6	7.2	7.1	7.1	7.0	6.5	8.5	8.4	
S LAKE AVE( 0.0C)					28.7															
4461051	0.011	2.285	C	2024	0012	CRACKING	9.0	8.5	7.5	7.5	7.0	7.0	6.0*	5.5*	3.5*	3.5*	3.0*	4.0*	10.0	9.5
HALLEY ENGINEERING CONTRAC(2026)					FC125	RIDE	8.0	7.7	7.5	7.2	6.9	6.4	6.2	5.9	5.6	5.4*	5.1*	4.8*	7.4	7.1
93270000	0.000	0.700	R	1	7	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
7			4	45	51000	RIDE	8.6	7.9	8.5	7.6	7.3	7.5	7.3	7.0	7.9	8.2	8.2	8.2	8.1	
SPUR TO EB/SR-80( 0.0R)					4.9															
4461771	0.058	0.656	R	2023	0012	CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*		10.0	9.5
HALLEY ENGINEERING CONTRAC(2026)					DGFC	RIDE	7.9	8.2	7.8	7.9	7.9	7.3	7.4	7.6	7.7	7.3	7.6		8.1	7.8
93270000	0.700	2.008	R	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	
7			3	45	43500	RIDE	8.6	8.5	8.3	8.0	7.9	7.8	7.9	7.9	7.2	7.2	7.5	7.8	7.7	
BELVEDERE RD( 0.8C)					6.5															
4461771	0.656	1.891	R	2023	0012	CRACKING	7.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	5.5*		10.0	9.5
HALLEY ENGINEERING CONTRAC(2026)					FC95M	RIDE	7.6	7.7	7.8	7.8	7.5	7.7	7.8	7.9	7.9	7.8	7.9		8.1	7.8
93270000	0.700	2.008	L	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7			3	45	43500	RIDE	8.3	8.1	8.3	7.7	8.0	7.8	8.2	8.1	7.8	7.3	7.7	7.7	8.0	
BELVEDERE RD( 0.8C)					6.5															
4461771	0.769	2.008	L	2023	0012	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	6.5	6.0*	6.0*		10.0	9.5
HALLEY ENGINEERING CONTRAC(2026)					FC95M	RIDE	7.6	7.6	7.7	7.8	7.5	7.6	7.6	7.5	7.4	7.3	7.6		7.5	7.2
93270000	0.000	0.700	L	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7			4	45	51000	RIDE	8.6	9.1	8.7	7.9	7.2	7.0	7.3	7.5	7.8	8.0	8.0	8.1	8.0	
SPUR FROM EB/SR-80( 0.0L)					4.9															
4461771	0.058	0.769	L	2023	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5		10.0	9.5
HALLEY ENGINEERING CONTRAC(2026)					DGFC	RIDE	7.7	7.8	7.8	7.9	7.3	7.1	7.5	7.7	7.6	7.4	7.6		7.8	7.5

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = HARDRIVES OF DELRAY, INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	ADT	WKM-X-P	*****														(PMRS)
CONTRACTOR	W_BMP	W_EMP	FW	FY-F	WKM-X-F															
ITMSEG-F	W_BMP	W_EMP	FW	FY-F	WKM-X-F															
86014000	8.350	8.738	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
870			3	35	38000	RIDE	7.3	7.4	7.1	6.2	6.5	6.4	7.0	6.7	7.4	7.2	7.0	7.3	6.2	
NE 19 AVE( 8.4R) 2.4																				
2279391	8.299	8.780	C	1995	0220	CRACKING	10.0	10.0	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.5	5.5*
HARDRIVES OF DELRAY, INC.				(1997)	FC125	RIDE	5.9	6.1	6.1	5.9	5.9	5.6	5.7	5.4*	5.7	5.8			5.6	5.3*
4461821	6.230	9.893	C	2024	0012															
-----																				
86014000	8.350	8.738	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
870			3	35	38000	RIDE	7.8	7.9	7.7	6.5	6.2	6.2	6.0	6.4	7.3	7.2	7.2	7.3	7.4	
NE 20 AVE( 8.5C) 2.4																				
2279391	8.299	8.780	C	1995	0220	CRACKING	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.2	7.1	5.0*
HARDRIVES OF DELRAY, INC.				(1997)	FC125	RIDE	6.5	6.7	6.6	6.5	6.4	6.0	6.3	6.4	6.0	6.4	6.2	6.2	6.1	5.8
4461821	6.230	9.893	C	2024	0012															
-----																				
89070000	15.700	16.456	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5		10.0	10.0	10.0	
710			4	35	14400	RIDE	8.1	8.1	8.0	7.5	7.7	7.1	7.3	7.4	7.3		7.8	8.1	8.0	
SW JEFFERSON AVE(15.9R) 18.3																				
4138451	15.747	16.605	R	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.8	8.7	7.5
HARDRIVES OF DELRAY, INC.				(2011)	FC95	RIDE	7.9	7.8	7.4	6.6	7.5	7.4	7.4	7.2	7.1	7.0	6.7	7.0	6.8	6.5
-----																				
89070000	15.700	16.456	L	1	1	CRACKING	10.0	9.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	
710			2	35	14400	RIDE	8.1	8.1	8.2	7.8	7.0	7.5	6.8	7.4	7.2		7.8	8.1	8.0	
SW VAN BUREN AVE(15.7L) 18.3																				
4138451	15.803	16.545	L	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.8	9.5	8.0
HARDRIVES OF DELRAY, INC.				(2011)	FC95	RIDE	7.9	7.8	7.4	6.6	7.5	7.4	7.4	7.2	7.1	7.0	6.7	7.0	7.0	6.7
-----																				
93010000	10.777	15.117	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
5			2	35	28000	RIDE	8.5	8.4	8.1	7.6	7.7	7.6	7.7	7.6	7.6	7.2	7.3	7.2	7.2	
BOND WAY(10.8R) 4.2																				
4378341	10.780	15.100	R	2019	0012	CRACKING	9.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0
HARDRIVES OF DELRAY, INC.				(2022)	FC125	RIDE	7.0	7.0	7.3	7.3	7.0	6.9	7.1	6.8	8.2	7.9	8.0	8.0	8.0	7.7
-----																				
93010000	10.777	15.117	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.0	8.0	8.0	8.0	8.0	
5			2	35	28000	RIDE	7.8	7.8	7.4	7.3	7.3	7.2	7.0	6.9	6.8	6.5	6.5	6.4	6.2	
FOURTEENTH ST NE(10.9L) 4.2																				
4378341	10.780	15.100	L	2019	0012	CRACKING	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.6	10.0	9.0
HARDRIVES OF DELRAY, INC.				(2022)	FC125	RIDE	6.1	6.1	6.5	6.7	6.4	6.3	6.5	6.2	8.1	8.0	7.9	7.9	7.9	7.6
-----																				
93060000	15.798	18.400	C	1	1	CRACKING	4.5*	4.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	9.5	
A1A			2	35	6800	RIDE	7.8	7.7	7.4	6.7	6.5	6.5	6.3	6.1	5.9	8.3	8.1	8.1	8.0	
OCEAN LN(18.1R) 3.7																				
4036101	15.698	18.274	C	2007	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	8.7	7.5
HARDRIVES OF DELRAY, INC.				(2010)	DGFC	RIDE	7.8	7.8	7.1	7.1	7.1	6.9	6.9	6.6	6.8	6.7	6.6	6.5	6.4	6.1
-----																				
93210000	6.283	8.678	R	1	1	CRACKING	1.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
7			2	55	35000	RIDE	6.0*			7.4	7.5	7.4	7.5	7.5	7.4	7.4	7.4	7.4	7.4	
CABERNET DR( 6.6R) 10.4																				
4323491	6.283	8.678	R	2017	0012	CRACKING	9.0	6.5	6.5	6.5		10.0	10.0	9.0	9.0	9.0	9.0	9.1	8.8	7.0
HARDRIVES OF DELRAY, INC.				(2019)	FC5A	RIDE	7.2	7.3	7.3	7.2		7.9	8.0	8.0	8.1	7.9	8.0	8.0	8.0	7.9
-----																				
93210000	19.931	24.250	R	1	1	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
7			4	50	54000	RIDE		8.6	8.5	8.4	8.3	8.2	8.1	8.1	8.1	8.0	8.1	8.1	8.0	
MISSING DESCRIPTION I(20.7R) 5.2																				
2291851	19.787	24.244	C	1998	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.0	7.7	6.0*
HARDRIVES OF DELRAY, INC.				(2002)	FC125	RIDE	8.1	8.0	7.9	7.9	7.8	7.6	7.7	7.8	7.8	7.7	7.8	7.8	7.9	7.6
-----																				
93210000	19.931	24.250	L	1	1	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
7			4	50	54000	RIDE		8.5	8.3	8.4	8.2	8.0	8.4	7.9	8.0	7.9	7.9	8.0	7.9	
WELLINGTON PARC DR(20.5L) 5.2																				
2291851	19.787	24.244	C	1998	0213	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	7.9	7.6	6.0*
HARDRIVES OF DELRAY, INC.				(2002)	FC125	RIDE	7.9	7.8	7.7	7.8	7.6	7.6	7.6	7.6	7.5	7.5	7.6	7.5	7.5	7.2
-----																				
93210000	6.283	8.678	L	1	1	CRACKING	1.0*			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	
7			2	55	35000	RIDE	6.0*			7.8	7.4	7.8	7.9	7.9	7.8	7.7	7.5	7.4	7.4	
EL PARAISO PL( 7.9L) 10.4																				
4323491	6.283	8.678	L	2017	0012	CRACKING	5.5*	5.5*	5.5*	5.5*	3.5*	10.0	10.0	9.0	9.0	9.0	9.0	8.9	8.9	7.5
HARDRIVES OF DELRAY, INC.				(2019)	FC5A	RIDE	7.1	7.5	7.5	7.5	7.4	7.8	7.9	7.8	7.9	7.9	7.8	7.9	7.8	7.7

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = HEAVY CIVIL INC -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP   SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
93020001	0.000	0.413	C	1	7	CRACKING	6.5	5.5*	5.5*		10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		4	30	17700	RIDE	5.0*	4.5*	3.5*		7.3		6.8	6.2	6.5	5.8	6.0	6.4	5.8			
PALM BEACH LAKES BLVD *( 0.0C) 4.8																						
4460991	0.100	0.304	C	2023	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	9.5	
HEAVY CIVIL INC (2026) FC125 RIDE							6.0	5.8	5.2*	5.2*	5.0*	4.9*	4.9*	4.8*	5.0*	4.8*	4.7*			5.2*	4.9*	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = HORIZON CONTRACTORS, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							%T	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
94010000	8.472	10.772	R	1	1	CRACKING		8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5	1			2	45	31500	RIDE	7.6	7.9	8.0	7.5	7.4	7.4	6.6	6.5	7.4	7.6	7.5	7.4	7.5	
WEATHERBEE RD( 8.7C)							4.4														
4287281	8.423	10.785	C	2018	0012	CRACKING		10.0	10.0	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	9.2	10.0	9.0
HORIZON CONTRACTORS, INC. (2021)							FC125	7.4	6.6	6.9	7.3	7.3	7.3		8.2	8.3	8.3	8.2	8.1	8.2	7.9
-----																					
94010000	8.472	10.772	L	1	1	CRACKING		3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0
5	1			2	45	31500	RIDE	7.1	7.0	7.2	6.7	7.5	7.4	6.6	6.5	7.4	7.7	7.6	7.4	7.5	
WEATHERBEE RD( 8.7C)							4.4														
4287281	8.423	10.785	C	2018	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	6.0*		10.0	10.0	10.0	10.0	8.4	8.2	7.5
HORIZON CONTRACTORS, INC. (2021)							FC125	7.4	7.2	6.9	7.2	7.2	7.2		8.3	8.2	8.3	8.2	8.2	8.2	7.9
-----																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = HORSEPOWER ELECTRIC, INC. -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP   SIDE)		%		=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																	2031
CONTRACTOR	(AGE_ONE YEAR)	SURF_TYPE																		(PMRS)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
86006000	4.938	5.384	R	1	1	CRACKING	3.5*	3.5*				10.0	10.0	10.0	10.0	7.0	7.0	6.5	6.5	6.5		
842			3	40	44500	RIDE	7.1	7.0				5.9	5.6	5.7	5.9	5.7	5.9	6.0	5.8	5.8		
AMTRAK( 5.0R)																						
4441171	4.519	5.397	R	2022	9924	CRACKING	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0	9.0	
HORSEPOWER	ELECTRIC, INC. (2025)			FC2		RIDE	4.9*	6.9	6.2	6.3	5.5	5.7	5.6	5.3*	5.7	5.5	6.0	6.6	6.5	6.4		
-----																						
86006000	4.938	5.384	L	1	1	CRACKING	3.5*	3.5*				10.0	10.0	10.0	10.0	7.0	7.0	6.5	6.5	6.5		
842			3	40	44500	RIDE	5.9*	5.8				6.2	6.0	5.9	5.6	5.8	5.8	5.3*	5.5	5.5		
NW 22 AVE( 5.0L)																						
4441171	5.107	5.397	L	2022	9924	CRACKING	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	10.0	8.8	8.0	
HORSEPOWER	ELECTRIC, INC. (2025)			FC2		RIDE	5.1*	6.5	6.1	6.3	6.2	6.6	5.9	6.2	6.0	6.3	6.6	7.6	6.9	6.8		
-----																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = HUBBARD CONSTRUCTION COMPANY -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	(PMRS)																	
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
86028000	1.428	3.221	R	1	1	CRACKING	10.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
834				3	45	47000	7.7	7.9	7.6	7.1	7.1	6.9	6.8	6.7	6.5	6.4	8.1	8.0	7.9	
BELMONTE BLVD( 1.5R)																				
4138381	1.428	3.236	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	7.5
HUBBARD	CONSTRUCTION	COMPA	(2011)	FC95		RIDE	7.9	8.0	7.8	7.7	7.7	7.6	7.6	7.6	7.6	7.4	7.5	7.3	7.5	7.2
86028000	1.428	3.221	L	1	1	CRACKING	8.5	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
834				3	45	47000	8.0	8.1	7.7	6.8	7.0	6.8	6.6	6.8	6.4	6.6	8.1	8.0	7.8	
SHOPPING CENTER ENT( 1.6L)																				
4138381	1.428	3.236	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.7	8.5	7.0
HUBBARD	CONSTRUCTION	COMPA	(2011)	FC95		RIDE	7.8	7.7	7.7	7.7	7.7	7.6	7.5	7.4	7.4	7.4	7.3	7.3	7.3	7.0
93012000	0.000	0.678	R	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
708				3	40	21500	7.1	7.3	7.2	6.6	6.3		7.7	7.1	7.5	7.4	7.4	7.5	7.4	
BEE LINE HWY( 0.0C)																				
2296481	0.235	0.901	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.2	7.5	6.0*
HUBBARD	CONSTRUCTION	COMPA	(2007)	FC125		RIDE	7.3	7.4	7.1	7.1	7.1	6.5	6.5	6.6	6.4	6.4	6.7	7.0	5.7	5.4*
93012000	0.000	0.678	L	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
708				3	40	21500	6.8	7.9	7.4	7.4	7.4		7.7	7.2	7.3	7.2	7.1	7.2	7.1	
BEE LINE HWY( 0.0C)																				
2296481	0.235	0.901	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.9	7.7	6.0*
HUBBARD	CONSTRUCTION	COMPA	(2007)	FC125		RIDE	7.1	7.1	6.8	6.8	6.5	6.3	6.6	6.6	6.5	6.4	6.5	6.6	5.9	5.6
93120000	0.228	1.632	R	1	1	CRACKING	6.0*	5.0*	5.0*	5.0*	3.5*	2.5*	2.5*			10.0	10.0	10.0	10.0	
80 98				2	55	17700	8.2	8.4	7.9	7.1	7.0	6.8	6.9			8.0	8.0	8.2	8.1	
17.6																				
4138011	0.228	8.709	R	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	8.3	6.0*
HUBBARD	CONSTRUCTION	COMPA	(2010)	FC5		RIDE	8.1	8.1	8.1	8.1	8.0	7.9	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.0
93120000	0.228	1.632	L	1	1	CRACKING	7.5	7.5	7.0	6.5	5.5*	5.5*	3.5*			10.0	10.0	10.0	10.0	
80 98				2	55	17700	8.7	8.7	8.4	7.6	7.6	7.5	7.9			8.2	8.3	8.3	8.3	
210 TER( 0.9L)																				
4138011	0.228	8.709	L	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	8.2	5.5*
HUBBARD	CONSTRUCTION	COMPA	(2010)	FC5		RIDE	8.3	8.3	8.4	8.4	8.3	8.2	8.4	8.2	8.2	8.2	8.2	8.2	8.2	8.1
93190000	12.081	12.600	R	1	8	CRACKING	7.5	7.5	7.5	7.0	6.5	5.5*	5.5*	5.5*	5.5*	8.0	8.0	10.0	10.0	
706				3	50	50000	8.3	8.6	8.5	7.3	7.6	7.7	7.6	7.3	7.5	7.7	7.8	7.9	7.8	
11.9																				
4138431	12.306	12.795	R	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5		
HUBBARD	CONSTRUCTION	COMPA	(2012)	FC5		RIDE	7.8	7.7	8.0	7.9	7.9	7.6	7.7	7.9	7.8	8.0	7.9	7.9	8.0	
4397581	12.081	13.527	C	2023	0231															
93190000	12.600	13.740	R	1	8	CRACKING	7.5	7.5	7.5	7.0	6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	
706				3	45	66500	8.3	8.6	8.5	7.3	7.6	7.7	7.6	7.3	7.5	8.2	8.0	8.2	8.1	
6.7																				
4138431	12.795	13.781	R	2008	0012	CRACKING	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.4*	
HUBBARD	CONSTRUCTION	COMPA	(2010)	DGFC		RIDE	8.1	7.9	8.1	8.0	7.9	7.6	8.0	7.8	7.9	7.5	7.9	7.7		
4397581	12.081	13.527	C	2023	0231															
93190000	12.371	13.740	L	1	8	CRACKING	7.5	7.5	7.5	7.0	6.5	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	
706				3	45	66500	8.7	8.5	8.4	7.7	7.6	7.6	7.5	7.4	7.5	8.1	8.0	7.9	8.0	
6.7																				
4138431	13.063	13.781	L	2008	0012	CRACKING	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5		
HUBBARD	CONSTRUCTION	COMPA	(2010)	FC5		RIDE	8.1	8.0	8.1	8.1	7.8	7.6	8.0	7.9	8.0	8.0	7.9	7.7		
4397581	12.081	13.527	C	2023	0231															
93200000	7.786	8.035	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	
804				3	40	51500	8.2	8.3	7.9	7.4	7.1	7.0	7.2		7.9	7.9	7.4	7.4	7.4	
2.6																				
4036051	7.786	8.030	R	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	6.0*
HUBBARD	CONSTRUCTION	COMPA	(2009)	DGFC		RIDE	7.3	7.4	7.4	7.4	7.3	7.3	7.2	7.2	7.3	7.5	7.4	7.2	7.2	6.9
93200000	8.035	8.478	R	1	1	CRACKING	9.0	9.0	9.0	9.0	8.0	4.0*	4.0*		10.0	10.0	10.0	10.0	10.0	
804				2	35	32000	7.7	7.5	7.2	7.0	6.9	6.0	6.4		7.5	6.9	7.5	6.9	6.8	
3.8																				
4036051	8.030	9.115	R	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.6	8.0	6.5
HUBBARD	CONSTRUCTION	COMPA	(2009)	DGFC		RIDE	6.8	6.8	6.6	6.6	6.7	6.5	6.6	6.4	6.6	6.7	6.6	6.5	7.1	6.8

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = HUBBARD CONSTRUCTION COMPANY -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)		W_BMP W_EMP		RW		FY-P WKMX-P		=====													
CONTRACTOR (AGE_ONE YEAR)		SURF_TYPE		FY-F WKMX-F																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																
93200000	8.478	9.140	R	1	8	CRACKING	9.0	9.0	9.0	9.0	8.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	
804			2	35	19800	RIDE	7.7	7.5	7.2	7.0	6.9	6.6	7.1		7.5	6.9	7.5	6.9	6.8		
NW 3 ST( 8.5R) 3.6																					
4036051	8.030	9.115	R	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.6		
HUBBARD CONSTRUCTION COMPA(2009) DGFC RIDE 6.8 6.8 6.6 6.6 6.7 6.5 6.6 6.4 6.6 6.7 6.6 6.5																					
93200000	8.495	9.140	L	1	8	CRACKING	3.0*	3.0*	3.0*	3.0*	3.0*	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	
804			2	35	19800	RIDE	6.7	6.5	6.8	6.7	6.5	6.3	6.4		7.3	6.7	7.1	6.9	6.8		
NW 3 ST( 8.5L) 3.6																					
4036051	8.168	9.115	L	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.8			
HUBBARD CONSTRUCTION COMPA(2009) DGFC RIDE 6.9 6.7 6.0 6.1 5.9 5.7 5.9 6.0 6.0 6.1 5.9 5.7																					
93200000	8.035	8.495	L	1	1	CRACKING	3.0*	3.0*	3.0*	3.0*	3.0*	4.0*	4.0*		10.0	10.0	10.0	10.0	10.0	10.0	
804			2	35	32000	RIDE	6.7	6.5	6.8	6.7	6.5	6.5	6.7		7.3	6.7	7.1	6.9	6.8		
NW 4 ST( 8.4L) 3.8																					
4036051	8.168	9.115	L	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.8	8.5	7.0	
HUBBARD CONSTRUCTION COMPA(2009) DGFC RIDE 6.9 6.7 6.0 6.1 5.9 5.7 5.9 6.0 6.0 6.1 5.9 5.7 6.7 6.4																					
93200000	7.786	8.035	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	
804			3	40	51500	RIDE	7.9	7.5	7.0	7.5	7.6	7.6	6.6		7.6	7.5	7.3	7.1	6.9		
OLD BOYNTON RD( 7.8L) 2.6																					
4036051	7.786	8.168	L	2006	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.1	7.4	6.0*
HUBBARD CONSTRUCTION COMPA(2009) DGFC RIDE 6.9 7.0 7.4 7.1 7.0 6.9 7.2 6.7 7.0 7.0 6.8 7.1 6.9 6.6																					
93220000	21.570	24.555	R	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	
9 I95	64.1	67.1	5	65	257000	RIDE	8.9	8.8	8.7	8.3	8.4				8.0	7.9	8.1	8.0	8.0	8.0	
8.0																					
2319182	21.610	23.993	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	8.2	8.1	5.0*	
HUBBARD CONSTRUCTION COMPA(2010) FC5 RIDE 8.1 8.1 7.9 8.0 7.8 7.6 7.9 8.0 7.9 7.8 7.9 7.8 7.8 7.7 7.6																					
93220000	25.373	27.213	L	4	1	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
9 I95	67.9	69.7	5	65	262000	RIDE						8.1	8.0	8.0	7.9	7.8	7.9	8.0	7.9		
8.0																					
2319193	25.328	27.979	C	2004	0234	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	4.0*	
HUBBARD CONSTRUCTION COMPA(2006) OGFC RIDE 8.0 8.0 8.1 8.2 8.0 8.0 8.2 8.2 8.2 8.1 7.8 8.2 8.1 7.8 8.1 8.0																					
93220000	23.137	24.817	L	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	
9 I95	65.7	67.4	5	65	262000	RIDE	9.0	8.5	8.9	8.4	8.3				7.6	7.7	7.6	7.8	7.7		
8.0																					
2319182	21.610	23.993	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.7	7.7	4.5*
HUBBARD CONSTRUCTION COMPA(2009) FC5 RIDE 7.7 7.8 7.7 7.7 7.6 7.4 7.7 7.8 7.7 7.7 7.4 7.7 7.4 7.7 7.7 7.6																					
93220000	22.038	23.137	L	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	
9 I95	64.6	65.7	6	65	257000	RIDE	9.0	8.5	8.9	8.4	8.3				8.1	7.8	8.1	8.1	8.1		
8.0																					
2319182	21.610	23.993	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	9.0	6.0*	
HUBBARD CONSTRUCTION COMPA(2009) FC5 RIDE 8.1 8.1 7.9 8.0 7.8 7.8 7.8 8.0 8.0 8.0 7.9 7.8 8.0 8.0 7.9 7.8 8.0 8.0 8.0 7.9																					
94010000	5.440	8.472	R	1	1	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	
5 1			3	45	32000	RIDE	7.9	7.8	7.8	6.6	6.6	6.3	6.1		8.5	8.4	7.5	7.4			
LAKE VISTA TRAIL( 5.7R) 6.8																					
2302882	5.475	8.364	R	2006	0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.1	8.9	7.5	
HUBBARD CONSTRUCTION COMPA(2010) FC125 RIDE 7.4 7.0 7.0 7.2 7.5 7.4 7.5 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.3 7.0																					
94010000	5.440	8.472	L	1	1	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	
5 1			3	45	32000	RIDE	7.7	7.2	7.6	6.8	6.6	6.7	6.4		8.4	7.9	8.3	7.4			
RIO MAR DR( 5.4L) 6.8																					
2302882	5.475	8.364	L	2006	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.7	8.7	7.5	
HUBBARD CONSTRUCTION COMPA(2010) FC125 RIDE 7.6 7.1 7.1 7.1 7.4 7.1 7.3 7.3 7.2 7.2 7.2 7.2 7.2 7.2 7.2 7.2 7.2 7.2 7.2 6.9																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = I 595 EXPRESS, LLC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP)	(SIDE)	=====																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	SURF_TYPE																				(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
86095000	0.592	5.820	R	4		1	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0			
862 I595	0.6	5.8	4	65	112000		RIDE	8.4	8.4	8.4	7.8	7.8	7.8	7.8	7.9	7.7	7.8	7.7			
SR 84 EB( 4.7R)						8.5															
4208093	0.920	5.820	R	2011	0213		CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	5.6*	3.5*
I 595 EXPRESS, LLC				(2015)	FC5M		RIDE		8.0	8.2	8.1	8.1	8.0	7.9	8.1	8.1	8.0	8.0	7.9	7.8	7.7
4208098	0.592	10.407	C	2025	0012																
86095000	5.820	6.723	R	4		1	CRACKING	9.0	7.5	7.5	7.5	7.5	6.5	6.5	10.0	10.0	9.0	9.0			
862 I595	5.8	6.7	6	65	151609		RIDE	8.5	8.5	8.4	7.8	7.7	8.0	7.5	7.3	7.5	7.6	7.6			
SR 84 EB 86080500( 6.9R)						7.2															
4208093	5.820	7.720	R	2011	0213		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.2*	5.0*	2.5*
I 595 EXPRESS, LLC				(2015)	FC5M		RIDE		8.0	8.4	8.3	8.3	8.2	8.2	8.4	8.4	8.3	8.3	8.2	7.9	7.8
4208098	0.592	10.407	C	2025	0012																
86095000	6.723	7.720	R	4		1	CRACKING	9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0			
862 I595	6.7	7.7	4	65	223500		RIDE	8.5	8.5	8.4	7.8	7.7	7.7	7.7	7.5	7.9	7.9	7.9			
SR 84 WB( 6.9L)						7.2															
4208093	5.820	7.720	R	2011	0213		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.2*	8.0	5.5*
I 595 EXPRESS, LLC				(2015)	FC5M		RIDE		8.0	8.4	8.3	8.3	8.2	8.2	8.4	8.4	8.3	8.3	8.2	8.2	8.1
4208098	0.592	10.407	C	2025	0012																
86095000	7.720	9.056	R	4		1	CRACKING	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0			
862 I595	7.7	9.1	4	65	223500		RIDE	8.3	8.2	8.2	7.1	7.5	7.5	7.2	7.4	7.9	7.8	8.0			
SR 84 WB( 6.9L)						7.2															
4208093	7.720	10.407	R	2011	0213		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	6.5	6.5	4.0*
I 595 EXPRESS, LLC				(2015)	FC5M		RIDE		8.0	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.7	7.7	7.7	7.7	7.6
4208098	0.592	10.407	C	2025	0012																
86095000	9.960	10.407	R	4		8	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	10.0	10.0			10.0
862 I595	10.0	10.4	3	65	82000		RIDE	8.5	8.5	8.2	8.0	7.6	7.6	7.5	7.3	7.5	7.3	7.3			7.9
SR 84 WB( 6.9L)						7.2															
4208093	7.720	10.407	R	2011	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
I 595 EXPRESS, LLC				(2013)	FC5M		RIDE	7.4	7.8	8.0	8.0	8.0	7.9	7.9	8.1	8.1	8.0				
4208098	0.592	10.407	C	2025	0012																
86095000	6.825	9.056	L	4		2	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
862 I595	6.8	9.1	4	65	223500		RIDE	8.4	8.3	8.2	7.6	7.2	7.5	7.6	7.6	7.8	7.9	7.9			
SR 84 WB( 6.9L)						7.2															
4208093	6.825	9.525	L	2011	0213		CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	6.6	7.0	5.0*
I 595 EXPRESS, LLC				(2016)	FC5M		RIDE			8.2	8.2	8.2	8.1	8.0	8.2	8.2	8.1	8.1	8.0	7.9	7.8
4208098	0.592	10.407	C	2025	0012																
86095000	0.592	6.825	L	4		1	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0			
862 I595	0.6	6.8	4	65	112000		RIDE	8.6	8.6	8.5	7.9	7.8	7.7	7.7	8.0	7.7	7.7	7.6			
SR 84 WB( 1.6L)						8.5															
4208093	0.592	6.825	L	2011	0213		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.8	5.5*
I 595 EXPRESS, LLC				(2015)	FC5M		RIDE		8.2	8.3	8.3	8.3	8.2	8.2	8.3	8.3	8.3	8.3	8.2	8.2	8.1
4208098	0.592	10.407	C	2025	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = J.W. CHEATHAM, LLC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	FY-F	WKM-F	WKM-F															(PMRS)
CONTRACTOR																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															
89010000	0.000	5.050	R	1	1	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	
5 1			2	55	18100	RIDE	8.9	8.6	8.8	8.3	8.3	8.1	8.1	8.0	7.6	7.9	7.9	7.8	7.7		
FRONTAGE RD( 0.2R)																					
4270231	0.000	5.050	C	2013	0012	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.3	8.9	7.0
J.W. CHEATHAM, LLC				(2016)	FC5	RIDE	7.5		8.4	8.3	8.4	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4
89010000	11.156	14.722	R	1	1	CRACKING	2.0*	2.0*				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
5 1			3	45	31000	RIDE	7.9	7.5				7.2	7.2	7.2	7.0	7.0	7.1	7.1	7.0	6.9	
HERITAGE BLVD SE(11.3C)																					
4378381	11.596	14.710	R	2019	0012	CRACKING	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.4	9.7	8.5	
J.W. CHEATHAM, LLC				(2022)	FC5M	RIDE	6.8	6.8	6.8	6.7	6.8	6.8	6.8		8.4	8.4	8.4	8.4	8.3	8.2	
89010000	11.156	14.722	L	1	1	CRACKING	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	
5 1			3	45	31000	RIDE	8.1	8.1				7.3	7.2	7.1	6.9	6.7	6.7	6.7	6.6	6.5	
HERITAGE BLVD SE(11.3C)																					
4378381	11.596	14.710	L	2019	0012	CRACKING	9.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	9.5	10.0	8.5	
J.W. CHEATHAM, LLC				(2022)	FC5M	RIDE	6.4	6.2	6.6	6.4	6.6	6.7	6.6		8.3	8.2	8.1	8.1	8.1	8.0	
89010000	0.000	5.050	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	4.5*	
5 1			2	55	18100	RIDE	8.9	8.9	8.9	8.5	8.5	8.0	8.3	8.0	7.5	8.0	8.3	8.1	6.7		
SIDE ROAD( 0.9C)																					
4270231	0.000	5.050	C	2013	0012	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.8	7.0
J.W. CHEATHAM, LLC				(2016)	FC5	RIDE	6.5		8.5	8.5	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.5
89060000	12.487	14.400	C	1	1	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	2.0*	10.0	10.0	10.0	10.0	10.0	
76			2	55	4500	RIDE	8.5	8.5	8.6	8.1	7.8	7.6	7.5	7.3	7.7	7.6	7.8	7.8	7.7		
11.2																					
4461121	12.487	14.400	C	2023	0012	CRACKING	10.0	10.0	9.0	9.0	8.0	7.0	7.0	7.0	6.0*	5.5*	3.5*	10.0	10.0	9.5	
J.W. CHEATHAM, LLC				(2025)	FC125	RIDE	7.7	7.6	7.7	7.7	7.8	7.8	7.8	7.8	7.8	7.6	7.7	8.3	8.2	7.9	
89070000	0.000	2.000	C	1	1	CRACKING	8.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0	
710			2	60	8400	RIDE	8.9	8.8	8.8	8.1	8.0	7.8	7.6	7.1	6.9	8.4	8.4	8.4	8.4		
CR 714( 0.0L)																					
4138441	0.154	14.648	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.2	7.5	6.0*	
J.W. CHEATHAM, LLC				(2010)	FC95	RIDE	8.4	7.9	7.7	8.1	8.1	8.0	8.0	8.0	8.0	8.0	7.8	8.0	8.0	7.7	
4533332	0.000	9.771	C	2031	0213																
89070000	12.446	14.648	C	1	1	CRACKING	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	10.0	
710			2	55	8400	RIDE	8.8	8.7	8.6	8.0	7.8	7.6	7.4	6.9	6.4*	8.4	8.4	8.4	8.4		
SIDE ROAD(12.5L)																					
4138441	0.154	14.648	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.7	8.6	7.0
J.W. CHEATHAM, LLC				(2010)	FC95	RIDE	8.4	7.9	7.7	7.7	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	7.9
4533331	9.771	14.872	C	2031	0213																
89095000	7.849	11.490	L	3	4	1	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	10.0	10.0	
9 195	96.4	100.0	3	70	115500	RIDE	8.8	8.5	8.6	8.0	8.0	8.0	8.0	7.9	7.9	7.8	7.9	7.4	7.7	7.8	
10.8																					
4153951	7.849	11.490	L	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.3*	3.8*	1.0*
J.W. CHEATHAM, LLC				(2012)	FC5	RIDE	7.8	7.7	8.3	8.3	8.3	8.4	8.5	8.5	8.5	8.4	8.3	8.3	8.2	8.1	
4491591	7.815	11.490	C	2025	0012																
93016000	2.960	3.342	R	1	1	CRACKING	7.5	6.0*	6.0*	5.5*	5.5*	5.5*	6.0*	7.0	7.0	7.0	10.0	10.0	10.0	10.0	
882			3	45	41000	RIDE	6.8	6.7	7.3	6.8	6.7	6.7	7.3	7.1	7.2	6.7	7.8	7.7	7.6		
RIVER BRIDGE( 3.2R)																					
2298171	2.902	3.425	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5
J.W. CHEATHAM, LLC				(2011)	FC125	RIDE	7.5	7.4	7.7	7.7	7.4	7.7	7.3	7.6	7.1	7.6	7.6	7.7	7.5	7.2	
93016000	3.794	5.124	R	1	1	CRACKING	7.5	6.0*	6.0*	5.5*	5.5*	5.5*	6.0*	7.0	7.0	10.0	10.0	10.0	10.0	10.0	
882			3	45	35000	RIDE	6.8	6.7	7.3	6.8	6.7	6.7	7.3	7.1	7.2	8.4	8.3	8.0	8.0		
FOREST HILL VILLAS( 4.1C)																					
2298171	3.800	5.124	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.5	7.0
J.W. CHEATHAM, LLC				(2010)	FC125	RIDE	7.9	8.0	7.9	7.9	7.9	7.6	7.8	7.6	7.7	7.7	7.8	7.7	7.7	7.4	
93016000	5.124	8.161	R	1	1	CRACKING	7.5	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	
882			3	45	44000	RIDE	6.8	6.7	7.3	6.8	6.7	6.7	6.7	6.5	6.5	6.5	6.4	7.8	7.6	7.6	
HAVERHILL RD( 5.1C)																					
2298172	5.124	8.161	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	7.5
J.W. CHEATHAM, LLC				(2011)	FC125	RIDE	7.5	7.5	7.6	7.5	7.1	7.1	7.1	7.2	7.2	7.1	7.2	7.1	7.1	7.1	6.8

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = J.W. CHEATHAM, LLC -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	WKM	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM	WKM	*****														(PMRS)	
ITMSEG-P	ITMSEG-F																					
93016000	5.124	8.161	L	1	1	CRACKING	7.5	6.0*	6.0*	5.5*	5.5*	3.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0		
882			3	45	44000	RIDE	6.9	6.8	6.4*	7.0	6.7	7.0	6.8	6.6	6.2	6.1	8.1	7.9	7.9			
HAVERHILL RD( 5.1C)																						
2298172	5.124	8.161	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.2	8.0	
J.W. CHEATHAM, LLC				(2011)	FC125	RIDE	7.9	7.7	7.8	7.8	7.7	7.4	7.6	7.6	7.7	7.5	7.6	7.6	7.6	7.6	7.3	
-----																						
93016000	3.794	5.124	L	1	1	CRACKING	7.5	6.0*	6.0*	5.5*	5.5*	3.5*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0		
882			3	45	35000	RIDE	6.9	6.8	6.4*	7.0	6.7	7.0	7.6	7.6	7.6	8.5	8.2	7.9	8.1			
FOREST HILL VILLAS( 4.1C)																						
2298171	3.800	5.124	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.8	7.5	
J.W. CHEATHAM, LLC				(2010)	FC125	RIDE	8.0	7.9	7.9	7.9	7.7	7.7	7.8	7.7	7.8	7.7	7.8	7.7	7.7	7.7	7.4	
-----																						
93016000	2.960	3.342	L	1	1	CRACKING	7.5	6.0*	6.0*	5.5*	5.5*	3.5*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0		
882			3	45	41000	RIDE	6.9	6.8	6.4*	7.0	6.7	7.0	7.6	7.6	7.6	7.4	8.4	8.0	8.1			
FAIRWAY ISLES( 3.2L)																						
2298171	2.902	3.425	C	2009	0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	8.9	7.5	
J.W. CHEATHAM, LLC				(2011)	FC125	RIDE	8.0	7.8	8.1	8.3	8.2	8.0	8.0	8.1	8.1	8.1	8.1	8.1	8.1	8.2	8.1	7.8
-----																						
93020000	0.773	2.071	C	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			2	25	9400	RIDE	7.2	7.1	6.7	6.4	6.5	6.2	6.3	6.4	6.2	5.6	5.5	5.9	5.8			
TENTH AVE S( 0.8L)																						
4461731	0.773	1.619	C	2024	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.4	10.0	9.5	
J.W. CHEATHAM, LLC				(2026)	DGFC	RIDE	5.3*	5.5	5.2*	5.0*	5.1*	4.7*	4.9*	4.9*	4.9*	4.7*	4.8*	4.9*	6.2	6.2	5.9	
-----																						
93020100	0.540	0.960	C	1	1	CRACKING						10.0								5.5*	3.5*	
5			2	30	12900	RIDE						4.8*								4.8*	4.2*	
CLEMATIS ST( 0.5C)																						
4323501	0.741	0.960	L	2016	0012	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.4	8.7	7.5		
J.W. CHEATHAM, LLC				(2017)	FC125	RIDE	4.3*	5.0*	3.9*										5.6	5.3*		
-----																						
93040000	10.527	11.127	R	1	8	CRACKING	9.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
5			2	45	20200	RIDE	8.1	8.4	7.9	6.8	7.7	7.5	7.7	7.7	7.8	7.5	7.5	7.3	7.2			
CR 1A(10.5R)																						
4246521	10.565	11.047	R	2012	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
J.W. CHEATHAM, LLC				(2015)	DGFC	RIDE	7.4	7.6														
-----																						
93040000	11.127	12.396	R	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
5			3	45	29000	RIDE	8.7	8.4	8.3	8.1	8.1	8.0	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	7.9	
COVE RD(11.4R)																						
4287181	11.049	12.134	R	2018	0012	CRACKING	7.0	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
J.W. CHEATHAM, LLC				(2020)	FC125	RIDE	7.9	8.0	8.1	8.1	7.9	7.8	8.4	8.4	8.4	8.3	8.3	8.4	8.3	8.4	8.3	8.0
-----																						
93040000	11.127	12.396	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	
5			3	45	29000	RIDE	8.6	8.7	8.5	8.1	8.0	7.8	8.0	8.2	8.1	7.9	8.2	8.2	8.2	8.0		
EYEBALL AVE(11.3L)																						
4287181	11.126	12.411	L	2018	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
J.W. CHEATHAM, LLC				(2020)	FC125	RIDE	8.0	8.1	8.3	8.2	8.0	8.1	8.5	8.4	8.5	8.5	8.4	8.5	8.4	8.5	8.4	
-----																						
93150000	7.043	7.451	R	1	7	CRACKING	9.0	9.0	9.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
809			3	45	31000	RIDE	7.6	7.6	7.4				6.5	6.3	6.3	6.3	6.4	6.1	6.1			
DEVONS RD( 7.1R)																						
4461031	6.882	7.451	C	2023	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	9.5	
J.W. CHEATHAM, LLC				(2026)	FC125	RIDE	6.0	6.3	5.7	5.9	5.6	5.2*	5.5	5.5	4.8*	5.4*	5.5		7.0	6.7		
-----																						
93150000	7.043	7.451	L	1	7	CRACKING	8.0	8.0	8.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
809			3	45	31000	RIDE	7.6	7.6	7.3				7.1	7.0	7.0	6.9	6.3	6.6	6.6			
SPUR TO SR 710( 7.1L)																						
4461031	6.882	7.451	C	2023	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	9.5		
J.W. CHEATHAM, LLC				(2026)	FC125	RIDE	6.9	6.3	6.6	6.1	6.0	5.7	6.0	5.8	6.2	6.0	6.0		7.1	6.8		
-----																						
93190000	16.047	16.859	R	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	
706			3	45	39500	RIDE	7.8	7.2	7.2	6.2*	6.2*	6.5	6.6	6.7	7.1	6.9	7.0	7.0	7.0	7.0	6.9	
ALT 1A(16.1C)																						
4246601	16.047	16.661	R	2012	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.4	7.5	
J.W. CHEATHAM, LLC				(2015)	FC95	RIDE	7.0	7.5	7.5	7.0	6.9								6.2	5.9		

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = J.W. CHEATHAM, LLC -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	WKM-F	*****															(PMRS)
ITMSEG-P	CONTRACTOR (AGE_ONE YEAR)	CONTRACTOR (AGE_ONE YEAR)	RW	WKM-F	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	*****															(PMRS)
93190000	16.047	16.859	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	
706			3	45	39500	RIDE	7.3	6.7	6.9	6.1*	6.2*	6.3	6.9	6.6	6.4	6.1	6.8	7.0	6.9			
ALT A1A(16.1C)					5.5																	
4246601	16.047	16.859	L	2012	0012	CRACKING	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	8.8	7.5	
J.W. CHEATHAM, LLC				(2015)	FC95	RIDE	7.3	7.5	7.0	6.9	6.8									6.8	6.5	
93310000	5.631	6.900	R	1	1	CRACKING	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
710			2	60	8752	RIDE	6.9	6.8	6.2*	4.9*	7.8	7.8	7.9	7.9	8.0	7.9	7.8	7.7	7.7			
INNOVATION DR( 6.4R)					23.5																	
4460971	5.597	6.888	C	2023	0012	CRACKING	9.0	8.0	8.0		4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	
J.W. CHEATHAM, LLC				(2024)	FC5M	RIDE	7.6	7.6	7.7		7.7	7.6	7.9	7.7	7.6	7.6	8.3	8.2	8.2	8.2	8.1	
93310000	22.832	23.605	R	1	1	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
710			2	35	8700	RIDE	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7	7.5	7.3	7.5	7.4	7.4			
AVE N(22.9C)					14.5																	
2298961	22.836	23.655	C	2016	0213	CRACKING		6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
J.W. CHEATHAM, LLC				(2020)	FC95M	RIDE		7.0	6.6	6.5			8.0	7.3	8.0	7.9	7.9	7.9	7.6	7.6	7.3	
93310000	22.010	23.605	L	1	1	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
710			2	35	21000	RIDE	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.7	7.5	7.3	7.5	7.4	7.4			
AVE U(22.2L)					12.4																	
2298961	22.836	23.655	C	2016	0213	CRACKING		10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	9.3	10.0	9.0	
J.W. CHEATHAM, LLC				(2020)	FC125	RIDE		7.9	7.5	7.1			7.4	7.1	7.2	7.0	7.0	7.0	6.9	6.9	6.6	
93310000	5.631	6.900	L	1	1	CRACKING	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
710			2	60	8752	RIDE	7.3	7.2	6.8	7.2	7.8	7.7	7.9	7.8	7.8	7.7	7.7	7.6	7.7			
ENTRANCE RD N( 6.4L)					23.5																	
4460971	5.597	6.888	C	2023	0012	CRACKING	9.0	8.0	8.0		6.5	6.5	6.5	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	
J.W. CHEATHAM, LLC				(2024)	FC5M	RIDE	7.7	7.5	7.7		7.4	7.4	7.6	7.6	7.6	7.8	8.2	8.1	8.1	8.1	8.0	
94001000	0.000	0.739	R	4	1	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0			
9 I95	113.4	114.1	3	70	103500	RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	7.0	7.9	8.0			
					10.6																	
4197152	0.000	0.739	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	5.7*	6.5	4.0*		
J.W. CHEATHAM, LLC				(2012)	FC5M	RIDE	8.0	8.0	8.4	8.2	8.4	8.4	8.5	8.3	8.3	8.3	8.1	8.2	8.2	8.1		
94001000	0.000	0.739	L	4	1	CRACKING	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0			
9 I95	113.4	114.1	3	70	103500	RIDE	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	7.2	7.9	8.1			
					10.6																	
4197152	0.000	0.739	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	4.7*	4.5*	2.0*		
J.W. CHEATHAM, LLC				(2012)	FC5M	RIDE	8.1	8.0	8.4	8.3	8.5	8.5	8.6	8.6	8.6	8.5	8.5	8.5	8.3	8.2	8.1	
94030000	6.111	10.216	R	1	1	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0		
70			2	65	10600	RIDE	8.9	8.1	8.7	8.3	8.2	8.3	7.1	7.1	8.1	7.9	8.0	7.8	8.2			
SUMMERLIN RD( 9.7R)					17.1																	
2302623	5.860	10.216	C	2009	0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	6.5	7.6	4.5*	2.5*		
J.W. CHEATHAM, LLC				(2013)	FC5	RIDE	8.0	7.7	8.1	8.1	8.2	8.2	8.2	8.0	8.0	8.0	8.0	8.0	8.0	7.9		
4476532	6.351	12.500	C	2030	0012																	
94030000	6.351	10.216	L	1	1	CRACKING	9.5	9.5	8.0	8.0	7.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	1.0*	10.0			
70			2	65	10600	RIDE	8.9	8.5	8.6	8.0	7.8	7.6	6.9	7.0	7.0	6.8	6.8	6.6	8.2			
ARCCO ST(10.1C)					17.1																	
2302623	5.860	10.216	C	2009	0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	7.6	5.5*	
J.W. CHEATHAM, LLC				(2013)	FC5	RIDE	8.1	8.0	8.4	8.3	8.4	8.5	8.4	8.4	8.4	8.4	8.4	8.4	8.3	8.3	8.2	
4476532	6.351	12.500	C	2030	0012																	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = JOHNSON BROS. CORPORATION, A -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-P	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2026	2031	(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F																
ITMSEG-P	ITMSEG-F																					
93100000	0.000	11.657	R	1	1	CRACKING	7.5	6.5	6.5	4.5*	4.5*	2.0*	2.0*	2.0*	2.0*			10.0	10.0	10.0		
25 27				2	65	18600	8.3	8.2	7.9	7.2	6.9	6.4*	6.4*	6.3*	5.6*			8.0	8.1	8.0		
CORKSCREW RD( 2.1R)																						
4416311	0.000	12.325	R	2022	0012	CRACKING	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*			10.0	10.0	9.0	
JOHNSON BROS. CORPORATION, (2025)						FC5M	8.0	7.9	8.1	8.0	7.7	7.6	7.9	7.6	7.6	7.4			7.9	8.0	7.9	
-----																						
93100000	11.657	12.599	R	1	1	CRACKING	8.0	8.0	8.0	4.5*	4.5*	4.5*	4.5*	2.0*	1.0*	1.0*	10.0	10.0	10.0			
25 27				2	35	19600	8.3	8.1	7.8	6.7	6.3	6.1	5.7	5.4*	5.5	5.3*	8.0	8.1	8.0			
CORKSCREW BLVD(11.7R)																						
4416311	0.000	12.325	R	2022	0012	CRACKING	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0	10.0	9.5	
JOHNSON BROS. CORPORATION, (2025)						FC125	8.0	7.9	8.1	8.0	7.7	7.6	7.9	7.6	7.6	7.4	6.6	7.1	7.1	7.1	6.8	
-----																						
93100000	11.657	12.599	L	1	1	CRACKING	8.0	7.5	7.5	6.5	6.0*	4.5*	2.0*	2.0*	2.0*	1.0*	1.0*	10.0	10.0	10.0		
25 27				2	35	19600	7.9	8.1	7.8	6.8	6.5	6.4	6.2	6.0	6.0	5.9	8.0	8.1	8.0			
ROCK RD(11.7L)																						
4416311	0.000	12.325	L	2022	0012	CRACKING	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0	10.0	9.5	
JOHNSON BROS. CORPORATION, (2025)						FC125	7.9	7.7	8.0	7.9	7.8	7.5	7.7	7.4	7.3	6.9	7.0	7.1	7.1	6.9	6.6	
-----																						
93100000	0.000	11.657	L	1	1	CRACKING	7.5	6.5	6.5	4.5*	4.5*	2.0*	2.0*	1.0*	0.0*			10.0	10.0	10.0		
25 27				2	65	18600	8.6	8.5	8.1	7.1	6.9	6.2*	6.1*	5.8*	5.6*			8.0	8.1	8.0		
LEVEE RD(11.0L)																						
4416311	0.000	12.325	L	2022	0012	CRACKING	9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0	10.0	9.0	
JOHNSON BROS. CORPORATION, (2025)						FC5M	7.9	7.7	8.0	7.9	7.8	7.5	7.7	7.4	7.3	6.9	7.0	8.1	8.1	8.1	8.0	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = LANZO CONSTRUCTION CO FLORID -----																							
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS																
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM--P		CONTRACTOR		(AGE_ONE YEAR)		SURF_TYPE						2031	
																						(PMRS)	
86065000	11.424	11.941	R	1	1	CRACKING	9.0	9.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
845			3	45	45000	RIDE	6.4*	6.0*					7.5	7.5	7.3	7.5	7.4	7.4	7.0	7.1	7.0		
AMERICAN WAY(11.6R)																							
2279001	9.612	11.848	C	2001	0213	CRACKING	10.0	9.0	9.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	7.9	8.4	7.0
LANZO CONSTRUCTION CO FLOR(2005) FC125 RIDE																							
86065000	11.424	11.941	L	1	1	CRACKING	9.0	9.0					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
845			3	45	45000	RIDE	6.4*	6.1*					7.5	7.8	7.4	7.7	7.6	7.5	7.5	7.4	7.4		
AMERICAN WAY(11.5L)																							
2279001	9.612	11.848	C	2001	0213	CRACKING	9.0	9.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.0*	6.0*	6.0*	8.2	7.8	6.0*	
LANZO CONSTRUCTION CO FLOR(2005) FC125 RIDE																							
93020000	10.270	11.445	R	1	1	CRACKING	0.0*					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1		2	35	17300	RIDE	4.2*					7.6	7.6	7.4	7.3	7.5	7.2	6.5	6.3	6.7	6.3		
28TH ST(10.5C)																							
2293391	9.952	12.200	C	2000	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.6	8.5	7.0	
LANZO CONSTRUCTION CO FLOR(2004) FC125 RIDE																							
93020000	10.270	11.445	L	1	1	CRACKING	0.0*					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1		2	35	17300	RIDE	4.3*					7.1	7.3	6.9	6.8	6.9	6.9	5.9	5.8	5.9	5.7		
BROADWAY AVE(10.3L)																							
2293391	9.952	12.200	C	2000	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.0	
LANZO CONSTRUCTION CO FLOR(2004) FC125 RIDE																							

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = LYNCH PAVING & CONSTRUCTION -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	=====																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR (AGE_ONE YEAR)	SURF_TYPE						2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(PMRS)	
89060000	0.000	1.843	C	1	1	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.0	7.0	6.0*		
76			2	55	2500	RIDE	7.4	8.5	8.5	7.8	7.6	7.6	7.4	7.4	7.0	7.1	7.1	7.1	7.1	7.0		
CONNERS HWY( 0.0C)																						
4342751	0.000	1.843	C	2017	0012	CRACKING	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.9	8.0	
LYNCH PAVING & CONSTRUCTIO(2018) FC125 RIDE																						
							7.0	6.8	5.9*	6.0*	8.0	7.7	7.7	7.6	7.5	7.4	7.4	7.4	7.4	7.3	7.0	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = MCM CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP   SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	%T	=====														
ITMSEG-P	(AGE_ONE YEAR)	SURF_TYPE					2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(PMRS)
ITMSEG-F																					
86006000	5.384	7.166	R	1	1	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.5	6.5	6.5		
842			3	35	74000	RIDE	6.1*	4.6*		6.1	5.9	5.6	5.7	5.9	5.7	5.9	6.0	5.8	5.8		
SW 18 AVE(	5.4R)				4.2																
4287241	5.664	7.032	C	2016	0012	CRACKING	6.5	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.5	8.5
MCM CORP.				(2020)	FC125	RIDE	4.9*	4.9*	5.2*	5.0*	4.7*		6.0	5.6	5.7	5.7	5.5	5.5	5.5	5.5	5.2*
-----																					
86006000	5.384	7.166	L	1	1	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.5	6.5	6.5		
842			3	35	74000	RIDE	5.9*	5.4*		6.0	6.2	6.0	5.9	5.6	5.8	5.8	5.3*	5.5	5.5		
NW 18 AVE(	5.4L)				4.2																
4287241	5.664	7.032	C	2016	0012	CRACKING	6.5	10.0	8.5	8.5			10.0	10.0	10.0	10.0	10.0	9.0	9.5	8.5	
MCM CORP.				(2020)	FC125	RIDE	5.1*	4.9*	4.9*	5.0*			5.3*	5.1*	5.3*	5.1*	5.3*	5.0*	5.1*	4.8*	
-----																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = OHLA USA, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT	AT	(MP	SIDE)			*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	ADT	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR	(AGE_ONE	YEAR)		YEAR)	WKM-F	ADT														(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT															
86075000	6.000	8.120	R	4	1	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0		
93 I75	11.5	13.6	4	70	174000	RIDE	8.8	8.8	8.7	8.2	8.1	7.8	7.9		8.1	7.8	7.8	7.7	7.8		
4378322	5.966	9.451	R	2021	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	9.0	10.0	10.0	9.7	9.7	8.5	
OHLA USA, INC.				(2023)	FC5M	RIDE	7.8	7.8	8.2	8.2	8.1	8.1	8.1	8.4	8.3	8.7	8.6	8.6	8.6	8.5	
86075000	8.120	10.700	R	4	1	CRACKING	9.0	9.0	8.0	8.0	7.0	7.0	7.0			10.0	10.0	10.0	10.0		
93 I75	13.6	16.2	4	70	172000	RIDE	8.8	8.8	8.7	8.2	8.1	7.8	7.9		7.8	7.9	7.8	7.8	7.8		
4378322	5.966	9.451	R	2021	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	9.7	10.0	8.5	
OHLA USA, INC.				(2023)	FC5M	RIDE	7.8	7.8	8.0	8.1	8.1	8.0	8.0	8.2	8.2	8.9	8.8	8.7	8.6	8.5	
86075000	11.610	12.650	R	4	1	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0		
93 I75	17.1	18.1	3	70	72000	RIDE	8.7	8.7	8.6	7.8	7.8	7.6	7.9	8.0	8.1	8.1	8.1	8.0	8.0		
4416681	11.605	17.199	R	2021	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5		10.0	10.0	10.0	8.5	
OHLA USA, INC.				(2024)	FC5M	RIDE	8.0	8.0	8.0	8.0	8.0	8.0	7.9	8.1	8.1		8.9	8.7	8.8	8.7	
86075000	12.650	13.800	R	4	1	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0		
93 I75	18.1	19.3	5	70	72000	RIDE	8.7	8.7	8.6	7.8	7.8	7.6	7.9	8.0	8.1	8.1	8.1	8.0	8.0		
4416681	11.605	17.199	R	2021	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5		10.0	10.0	10.0	8.5	
OHLA USA, INC.				(2024)	FC5M	RIDE	8.0	8.0	8.0	8.0	8.0	8.0	7.9	8.1	8.1		8.7	8.7	8.6	8.5	
86075000	13.800	17.500	R	4	1	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0		
93 I75	19.3	23.0	3	70	43500	RIDE	8.7	8.7	8.6	7.8	7.8	7.6	7.9	8.0	8.1	8.1	8.1	8.0	8.0		
4416681	11.605	17.199	R	2021	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5		10.0	10.0	10.0	8.5	
OHLA USA, INC.				(2024)	FC5M	RIDE	8.0	8.0	8.0	8.0	8.0	8.0	7.9	8.1	8.1		8.6	8.6	8.6	8.5	
86075000	17.500	18.900	R	4	1	CRACKING	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
93 I75	23.0	24.4	2	70	35044	RIDE	8.7	8.7	8.6	7.7	7.8	7.5	7.8	8.0	8.1	8.1	8.0	8.0	8.1		
4416681	17.199	18.932	R	2021	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	8.5	
OHLA USA, INC.				(2024)	FC5M	RIDE	8.0	8.1	8.1	8.1	8.1	8.0	8.0	8.2	8.2		8.5	8.4	8.4	8.3	
86075000	31.297	45.367	R	4	7	CRACKING	9.0	9.0	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0		
93 I75	36.8	50.8	2	70	35044	RIDE	8.7	8.5	8.5	7.8	7.7	7.5	7.0	7.2		8.0	8.0	7.9	7.9		
4441224	31.261	45.341	R	2024	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0		7.5	6.5	6.5	9.0	
OHLA USA, INC.				(2026)	FC5M	RIDE	7.8	7.9	8.2	8.2	8.2	8.1	8.0	8.4	8.3		8.3	8.3	8.2	8.3	8.2
86075000	31.293	45.367	L	4	7	CRACKING	9.0	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0		
93 I75	36.7	50.8	2	70	35044	RIDE	8.6	8.6	8.8	7.8	7.6	7.5	7.2	7.2		7.9	7.9	7.8	7.7		
4441224	31.261	45.341	L	2024	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5		7.5	7.5	7.5	10.0	9.0
OHLA USA, INC.				(2026)	FC5M	RIDE	7.6	7.7	7.9	7.9	7.9	7.8	7.8	8.0	8.0		8.0	8.0	7.9	8.3	8.2
86075000	17.680	18.870	L	4	1	CRACKING	9.0	7.5	7.5	7.5	6.5	4.5*	10.0	10.0	9.5	9.5	8.0	8.0	8.0		
93 I75	23.1	24.3	2	70	35044	RIDE	8.6	8.6	8.5	7.8	7.7	7.6	7.7	7.9	7.9	7.9	7.9	7.8	7.9		
4416681	17.690	18.932	L	2021	0012	CRACKING	8.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	7.5			10.0	10.0	9.0	
OHLA USA, INC.				(2025)	FC5M	RIDE	7.8	7.9	8.0	8.0	8.0	7.9	7.9	8.1	8.1			8.8	8.8	8.7	
86075000	11.540	17.680	L	4	1	CRACKING	9.0	7.5	7.5	7.5	6.5	4.5*	10.0	10.0	9.5	9.5	8.0	8.0	8.0		
93 I75	17.0	23.1	3	70	72000	RIDE	8.6	8.6	8.5	7.8	7.7	7.6	7.7	7.9	7.9	7.9	7.9	7.8	7.9		
4416681	11.459	17.690	L	2021	0012	CRACKING	8.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	7.5			10.0	10.0	9.0	
OHLA USA, INC.				(2025)	FC5M	RIDE	7.8	7.9	8.0	8.0	8.0	7.9	7.9	8.1	8.1			8.8	8.6	8.5	
86075000	10.784	11.540	L	4	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
93 I75	16.2	17.0	6	70	172500	RIDE	9.0	8.9	8.9	8.3	8.3	8.1	7.8	7.8	8.1	7.8	7.7	7.7	7.8		
RAMP 86075047(11.3L)					11.1																
4378322	10.342	11.340	L	2021	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	9.0	
OHLA USA, INC.				(2025)	FC5M	RIDE	7.8	7.9	8.0	8.0	8.0	7.9	7.9	8.1	8.1			8.3	8.1	8.0	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = OHLA USA, INC. -----																																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE															
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
INTERSECT	AT	(MP		SIDE)			*****																												
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																													
CONTRACTOR	(AGE_ONE	YEAR)																																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																													
89010000	18.040	19.558	R	1	7	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5			
5	1		3	40	42000	RIDE	7.3	6.3	7.1	6.6	6.4			8.0	7.5	7.4	7.4	7.5	7.4	7.5	7.4	7.2													
DIXIE CUT OFF RD(18.3R)																																			
4461101	18.018	19.545	C	2023	0012	CRACKING	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5												
OHLA USA, INC. (2026) FC95M RIDE 7.3 7.2 6.8 6.5 6.9 6.9 6.8 6.6 6.4 6.5 6.5																																			
89010000	20.880	22.224	R	1	2	CRACKING	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0													
5	1		3	45	52500	RIDE	8.0	7.9	7.9	6.4*	6.2*	6.0	5.8	7.7	8.3	8.2	8.3	8.1	8.1	8.1	8.1	8.1	8.1												
FORK RD(20.9R)																																			
4461101	20.890	22.224	R	2023	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5												
OHLA USA, INC. (2026) FC95M RIDE 8.2 8.0 7.9 8.0 8.0 7.9 7.9 7.8 7.8 7.8 7.7 8.1 7.8																																			
89010000	22.224	22.540	R	1	2	CRACKING	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0													
5	1		4	45	52500	RIDE	8.0	7.9	7.9	6.4*	6.2*	6.0	5.8	7.7	8.3	8.2	8.3	8.1	8.1	8.1	8.1	8.1	8.1												
BRITT RD(22.4C)																																			
4461101	22.224	22.547	R	2023	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5												
OHLA USA, INC. (2026) FC95M RIDE 8.2 8.0 7.9 8.0 8.0 7.9 7.9 7.8 7.8 7.8 7.7 8.1 7.8																																			
89010000	22.540	23.060	R	1	1	CRACKING	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0													
5	1		4	45	57000	RIDE	8.0	7.9	7.9	6.4*	6.2*	6.0	5.8	7.7	8.3	8.2	8.3	8.1	8.1	8.1	8.1	8.1	8.1												
CR 707A(23.0R)																																			
4461101	22.547	22.810	R	2023	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5												
OHLA USA, INC. (2026) UNKW RIDE 8.2 8.0 7.9 8.0 8.0 7.9 7.9 7.8 7.8 7.8 7.7 7.9 7.6																																			
89010000	23.060	24.476	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0													
5	1		4	45	57000	RIDE	8.1	8.9	9.0	8.5	8.5	8.5	8.5	7.5	7.7	6.5	7.6	6.5	7.2	8.0	8.0	8.0	8.0												
JACK WILLIAMS NW(23.1R)																																			
4439921	23.050	24.476	R	2022	0012	CRACKING	8.0	8.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	9.5	10.0	9.0										
OHLA USA, INC. (2024) FC125 RIDE 7.0 6.9 6.9 6.9 6.9 6.9 6.8 7.0 6.9 6.8 7.0 6.9 6.8 6.7 7.8 7.6 7.5 7.2																																			
89010000	23.060	24.476	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5												
5	1		4	45	57000	RIDE	8.1	8.0	8.7	8.1	7.9	8.0	7.4	7.8	7.7	7.9	7.5	7.7	7.6	7.6	7.6	7.6	7.6												
HOME DEPOT(23.2L)																																			
4439921	23.258	24.476	L	2022	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.7	10.0	9.7	10.0	9.0												
OHLA USA, INC. (2024) FC125 RIDE 7.5 7.2 6.5 6.3 7.0 7.0 7.0 6.9 7.0 7.2 7.9 7.8 7.6 7.3																																			
89010000	20.880	23.060	L	1	7	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0													
5	1		3	45	52500	RIDE	8.0	8.0	7.9	6.9	6.8	6.6	6.5	8.3	8.1	8.2	8.1	8.0	8.0	8.0	8.0	8.0	8.0												
NW FORK RD(20.9L)																																			
4461101	20.890	23.013	L	2023	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.5												
OHLA USA, INC. (2026) FC95M RIDE 8.0 7.5 7.3 7.7 7.8 7.7 7.7 7.7 7.5 7.4 7.3 8.1 7.8																																			
89010000	18.040	19.558	L	1	7	CRACKING	6.5	6.5	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5												
5	1		3	40	42000	RIDE	7.0	7.0	6.6	6.2	6.3			8.1	7.2	7.2	7.3	7.2	7.2	7.2	7.2	7.1	7.1												
SE TRESSLER DR(18.3L)																																			
4461101	18.018	19.545	C	2023	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	9.5													
OHLA USA, INC. (2026) FC95M RIDE 7.0 6.7 6.2 6.6 6.7 6.7 6.5 6.3 6.2 6.0 6.1 6.9 6.6																																			
89060000	30.060	31.448	R	1	1	CRACKING	4.5*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5													
76			3	40	42500	RIDE	7.0	7.1	6.3	6.4	6.2	6.1	8.0	8.1	7.7	7.5	7.3	7.3	7.8	7.3	7.8	7.3													
COLORADO AVE(30.4C)																																			
4439951	30.039	31.289	R	2022	0012	CRACKING	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	10.0	10.0	9.5												
OHLA USA, INC. (2025) FC125 RIDE 7.5 7.2 6.7 6.6 7.0 7.1 6.9 7.1 6.8 7.0 7.8 7.7 7.4																																			
89060000	30.060	31.448	L	1	1	CRACKING	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5													
76			3	40	42500	RIDE	7.1	7.4	6.6	6.0	5.3*	5.9	7.7	7.5	7.3	7.5	7.3	7.5	7.3	7.1	7.2	7.1	7.2												
DE LA BAHIA(30.2L)																																			
4439951	30.442	31.337	L	2022	0012	CRACKING	9.5	9.5	8.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	9.5												
OHLA USA, INC. (2025) FC125 RIDE 7.1 6.9 5.9 5.6 5.9 5.9 6.0 5.8 5.4* 5.3* 7.0 6.8 6.5																																			
93001000	6.117	7.020	R	1	7	CRACKING	3.5*	1.0*	1.0*	1.0*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0												
786			4	45	47500	RIDE	6.8	6.7	6.3*	6.3*				7.1	7.1	7.2	7.4	7.2	7.1	7.0	7.0	7.2													
RCA BLVD( 6.3R)																																			
4461741	6.114	6.603	R	2024	0012	CRACKING	10.0	10.0	10.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	9.5													
OHLA USA, INC. (2026) FC125 RIDE 7.2 7.1 7.4 7.4 7.5 7.3 7.3 7.2 6.9 7.1 7.4 7.2 8.2 7.9																																			

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEF

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = OHLA USA, INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	ADT	WKM-F	*****														(PMRS)
CONTRACTOR	W_BMP	W_EMP	FW	FY-F	WKM-F															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
93001000	6.117	7.020	L	1	7	CRACKING	3.5*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
786			3	45	47500	RIDE	6.6	6.6	6.1*	7.2		7.6	7.7	7.6	7.7	7.5	7.5	7.4	7.1	
LAKE VICTORIA GARDEN( 6.7L)																				
4461741	6.114	7.036	L	2024	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.2	10.0	9.5
OHLA USA, INC.			(2026)		FC125	RIDE	7.1	7.2	7.4	7.4	7.4	7.1	7.3	7.3	7.4	7.3	7.2	7.2	8.4	8.1
93110000	0.000	2.450	R	1	7	CRACKING	8.0	7.5	5.5*	4.0*	4.0*	4.0*	4.0*	1.5*	1.0*		10.0	10.0	10.0	
80			2	45	21500	RIDE	8.0	8.0	7.5	6.9	6.7	6.1	6.3	5.9	5.6		7.8	7.8	7.9	
PALM BEACH RD E( 0.0C)																				
4461001	0.094	1.812	R	2023	0012	CRACKING	10.0	8.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	1.0*		10.0	9.5
OHLA USA, INC.			(2026)		FC125	RIDE	7.8	7.8	7.9	7.8	7.5	7.4	7.7	7.5	7.5	7.2	7.0		7.8	7.5
93110000	0.000	2.450	L	1	7	CRACKING	9.0	7.5	5.5*	4.0*	4.0*	4.0*	4.0*	4.0*	3.5*		10.0	10.0	10.0	
80			2	45	21500	RIDE	7.8	8.3	7.9	7.3	7.1	6.9	6.8	6.7	6.5		8.0	8.0	8.0	
PALM BEACH RD E( 0.0C)																				
4461001	0.094	1.812	L	2023	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0		10.0	9.5
OHLA USA, INC.			(2026)		FC125	RIDE	8.0	8.0	8.1	8.1	8.1	7.9	8.1	8.0	8.0	8.0	8.0		8.0	7.7
93130000	6.447	8.918	C	1	1	CRACKING	5.5*	5.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	9.5	8.0	
15 441			2	45	9300	RIDE	5.7*	5.4*	4.8*	4.6*	4.6*			8.3	8.1	7.9	7.7	7.5	7.2	
TRACTOR CROSSING( 6.6R)																				
4398431	6.582	8.898	C	2020	0012	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0
OHLA USA, INC.			(2021)		FC125	RIDE	7.1	6.8	5.9	5.6	5.4*	4.9*	4.7*	7.8	7.8	7.6	7.5	7.3	7.1	6.8
93160000	0.000	12.550	R	1	1	CRACKING	10.0	10.0	10.0	8.5	7.5	7.0	3.5*		10.0	10.0	10.0	10.0	9.0	
25 27			2	65	9100	RIDE	8.8	8.9	8.5	8.1	8.0	7.8	6.1*		7.8	7.8	7.8	7.7	7.5	
PUMP STATION S7( 0.1R)																				
4398421	0.000	7.846	R	2020	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	9.0
OHLA USA, INC.			(2023)		FC5M	RIDE	7.6	7.5	7.8	7.8	7.7	7.6	7.9		8.5	8.5	8.4	8.4	8.3	8.3
93160000	21.839	22.922	R	1	1	CRACKING	4.5*	4.5*	3.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	10.0	10.0	
25 27			2	65	12600	RIDE	8.3	8.4	7.9	7.2	7.1	7.7	7.2	7.1	7.3	7.1	7.0	8.1	8.2	
CR 827(22.3R)																				
4399301	19.853	22.926	C	2021	0234	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	10.0	10.0	9.0
OHLA USA, INC.			(2025)		FC5M	RIDE	8.2	8.1	8.3	8.2	8.2	8.1	8.3	8.3	8.2	8.2	8.1	7.8	8.1	8.0
93160000	21.839	22.922	L	1	1	CRACKING	10.0	10.0	9.5	8.5	8.5	7.0	7.0	6.5	6.5	4.5*	3.5*	10.0	10.0	
25 27			2	65	12600	RIDE	8.4	8.4	8.3	7.7	7.7	7.7	7.8	7.6	7.4	7.3	7.4	8.2	8.2	
JOHN L EVANS LN(22.3L)																				
4399301	19.853	22.926	C	2021	0234	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	10.0	10.0	9.0
OHLA USA, INC.			(2025)		FC5M	RIDE	8.2	8.2	8.3	8.4	8.3	8.2	8.4	8.3	8.3	8.3	8.2	8.1	8.2	8.1
93160000	2.120	4.230	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	5.5*	10.0	
25 27			2	65	9100	RIDE	8.9	9.1	8.8	8.3	8.2	8.2	8.2	8.1	8.1	7.7	7.7	7.6	8.0	
SERVICE RD( 3.1L)																				
4398421	0.000	3.669	L	2020	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	9.0	8.0
OHLA USA, INC.			(2023)		FC5M	RIDE	8.1	8.0	8.2	8.1	8.0	8.0	8.1		8.5	8.5	8.4	8.3	8.2	8.2
93160000	0.850	2.120	L	1	2	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.0	6.5	6.5	6.5	6.5	5.5*	10.0	
25 27			3	65	9100	RIDE	8.9	9.1	8.8	8.3	8.2	8.2	8.2	8.1	8.1	7.7	7.7	7.6	8.0	
PUMP STATION S8( 0.2L)																				
4398421	0.000	3.669	L	2020	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	9.0	8.0
OHLA USA, INC.			(2023)		FC5M	RIDE	8.1	8.0	8.2	8.1	8.0	8.0	8.1		8.6	8.6	8.6	8.5	8.4	8.3
93470000	39.000	44.561	R	5	1	CRACKING	8.5	8.5	7.5	7.0	6.0*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	
91	112.3	117.9	2	70	56906	RIDE	8.9	8.9	8.7	8.2	8.2	8.1	8.1	7.9	8.2	8.2	8.2	8.0	8.1	
PUMP STATION S8( 0.2L)																				
4426241	39.020	44.560	C	2022	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	10.0	10.0	10.0	8.5
OHLA USA, INC.			(2024)		FC5M	RIDE	8.1	8.0	8.3	8.2	8.2	8.1	8.4	8.3	8.3	8.2	8.8	8.7	8.7	8.6
4157484	36.804	43.163	C	2029	0213															

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = OHLA USA, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR			FUTURE											
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT	AT	(MP	SIDE)				*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
93470000	39.000	44.561	L	5		1	CRACKING	9.0	8.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.5	9.5	9.5	
91	112.3	117.9	2	70	56906		RIDE	8.8	8.9	8.7	8.0	7.7	7.5	7.5	7.3	8.2	8.1	8.0	8.0	7.9	
4426241	39.020	44.560	C	2022		0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	10.0	10.0	10.0	8.5
OHLA USA, INC.	(2024)			FC5M			RIDE	7.9	7.9	8.1	8.1	8.1	8.0	8.3	8.3	8.3	8.2	8.7	8.6	8.6	
4157484	36.804	43.163	C	2029		0213															
94001000	4.595	4.907	R	4		1	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
9	195	118.0	3	70	103500		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	8.1	8.2	
4438471	4.630	7.225	R	2023		0216	CRACKING	10.0	9.0	9.0	9.0		9.0	9.0	7.5	7.5	7.5	7.5	10.0	10.0	9.0
OHLA USA, INC.	(2025)			FC5M			RIDE	8.1	8.0	8.5	8.4		8.8	8.9	8.8	8.8	8.8	8.7	8.4	8.1	8.0
94001000	4.907	5.438	R	4		1	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
9	195	118.3	3	70	103500		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	8.1	8.2	
4438471	4.630	7.225	R	2023		0216	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	10.0	7.3	6.0*
OHLA USA, INC.	(2025)			FC5M			RIDE	8.1	8.0	8.5	8.4	8.6	8.8	8.9	8.8	8.8	8.8	8.7	8.4	8.7	8.6
94001000	5.438	5.889	R	4		1	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
9	195	118.8	3	70	103500		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	8.1	8.2	
4438471	4.630	7.225	R	2023		0216	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	10.0	7.3	6.0*
OHLA USA, INC.	(2025)			FC5M			RIDE	8.1	8.0	8.5	8.4	8.6	8.8	8.9	8.8	8.8	8.8	8.7	8.4	8.5	8.4
94001000	5.889	6.290	R	4		1	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
9	195	119.3	3	70	103500		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	7.7	7.8	
4438471	4.630	7.225	R	2023		0216	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	10.0	7.0	6.0*
OHLA USA, INC.	(2025)			FC5M			RIDE	7.9	7.9	8.4	8.3	8.4	8.4	8.5	8.5	8.5	8.4	8.4	8.4	8.2	8.1
94001000	6.290	7.251	R	4		1	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	
9	195	119.7	3	70	103500		RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	7.2	7.7	7.8	
4438471	4.630	7.225	R	2023		0216	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	10.0	9.0	8.2
OHLA USA, INC.	(2025)			FC5M			RIDE	7.9	7.9	8.4	8.3	8.4	8.4	8.5	8.5	8.5	8.4	8.4	8.4	8.3	8.2
94001000	7.504	7.853	L	4		1	CRACKING	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
9	195	120.9	3	70	103500		RIDE	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	8.1	8.1	8.1	
4438471	4.687	7.828	L	2023		0216	CRACKING	10.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	10.0	9.0	8.4
OHLA USA, INC.	(2025)			FC5M			RIDE	8.0	8.0	8.3	8.3	8.5	8.6	8.6	8.6	8.6	8.6	8.5	8.4	8.5	8.5
94001000	6.093	7.504	L	4		1	CRACKING	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
9	195	119.5	3	70	103500		RIDE	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	7.7	7.6	7.8	
4438471	4.687	7.828	L	2023		0216	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	10.0	7.0	6.0*
OHLA USA, INC.	(2025)			FC5M			RIDE	7.8	7.7	8.2	8.2	8.4	8.4	8.4	8.5	8.6	8.4	8.5	8.4	8.4	8.3
94001000	4.595	6.093	L	4		1	CRACKING	9.5	9.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
9	195	118.0	3	70	103500		RIDE	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	8.2	8.2	8.2	
4438471	4.687	7.828	L	2023		0216	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	10.0	10.0	9.0
OHLA USA, INC.	(2025)			FC5M			RIDE	8.1	8.0	8.5	8.4	8.5	8.7	8.7	8.7	8.6	8.7	8.6	8.4	8.3	8.2
94005000	3.809	4.991	R	1		1	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	
615			2	40	13600		RIDE		8.0	7.9	7.6	7.5	7.4	7.0	6.5	7.4	7.6	7.7	7.4	7.6	
ROSARITA(	4.0R)				6.5																
4439971	3.761	5.016	R	2022		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	10.0	10.0	9.5
OHLA USA, INC.	(2025)			FC95M			RIDE	7.2	6.4	6.8	7.1	7.0	7.3	7.2	7.1	7.1	7.2	6.8	7.9	7.9	7.6
94005000	3.809	4.991	L	1		1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	
615			2	40	13600		RIDE		7.9	8.1	7.7	7.5	7.8	6.9	6.5	7.6	7.7	7.7	7.6	7.6	
AVE R(	3.8L)				6.5																
4439971	3.761	5.016	L	2022		0012	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	10.0	10.0	9.5
OHLA USA, INC.	(2025)			FC95M			RIDE	7.4	7.5	7.3	6.7	6.9	7.0	7.1	7.0	7.0	7.0	6.7	8.0	8.0	7.7

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = OHLA USA, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							%T	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)							SURF_TYPE														(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
94009000	0.300	2.525	C	1	7	CRACKING		4.5*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
607			2	50	6700	RIDE		7.3	7.2	7.2	6.2*	8.0	7.8	6.9	7.7	7.6	7.5	7.5	7.4	7.4	
WATERSTONE BLVD( 0.5R) 14.1																					
4476511	0.718	2.525	C	2025	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0	7.1	10.0	9.5
OHLA USA, INC. (2026) FC95M RIDE 7.2 6.9 6.5 6.3* 6.8 7.1 7.1 7.1 7.0 7.0 7.0 6.9 8.3 8.0																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = PAN AMERICAN CONSTRUCTION CO -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP   SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(PMRS)	
86014000	8.738	9.586	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	
870			3	35	41500	RIDE	6.7	6.9	6.6	6.3	6.0	6.0	6.0	6.4	6.0	7.5	7.0	7.5	7.1	6.9		
SR 5( 8.8C)																						
2277771	8.780	9.586	C	1996	0220	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.4	5.5*	
PAN AMERICAN CONSTRUCTION (1998)							FC3	RIDE	7.0	7.1	6.7	6.6	6.4	6.4	6.3	6.5	6.1	5.7	5.6	6.0	5.7	
4461821	6.230	9.893	C	2024	0012																	
-----																						
86014000	8.738	9.586	L	1	2	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
870			3	35	41500	RIDE	6.5	6.6	6.6	6.1	6.2	5.7	5.3*	5.6	6.8	7.3	6.6	6.5	6.8			
SR 5( 8.8C)																						
2277771	8.780	9.586	C	1996	0220	CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.0	8.0	8.0	8.0	8.0	8.0	8.1	8.1	6.0*	
PAN AMERICAN CONSTRUCTION (1998)							FC3	RIDE	6.8	6.7	6.7	6.4	6.7	6.4	6.4	6.3	6.4	6.1	6.0	5.6	6.1	5.8
4461821	6.230	9.893	C	2024	0012																	
-----																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

```

----- DISTRICT = 4          CONTRACTOR = PAN AMERICAN CONSTRUCTION L -----
RDWYID      BMP      EMP RW SYSTEM TYPE DISTRESS SURVEYED YEAR          FUTURE
SR  US  G_BMP  G_EMP LN SPEED  AADT RATINGS  2001  2002  2003  2004  2005  2006  2007  2008  2009  2010  2011  2012  2013
INTERSECT AT (MP|SIDE) %T =====
ITMSEG-P  W_BMP  W_EMP RW  FY-P  WKMX-P
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE          2014  2015  2016  2017  2018  2019  2020  2021  2022  2023  2024  2025  2026  2031
ITMSEG-F  W_BMP  W_EMP RW  FY-F  WKMX-F          (PMRS)

86065000  2.920  3.273  R    1      1 CRACKING 10.0  10.0  10.0  10.0  10.0  10.0  10.0  10.0  10.0  10.0  10.0  10.0  10.0  10.0
845      2    40  29000 RIDE    7.3  6.0  7.1  6.9  6.8  6.8  6.7  7.1  6.5  6.6  6.6  6.3  6.5
PROSPECT RD( 3.1C)          6.4
2281091  3.008  4.329  C 1998  0012 CRACKING 10.0  10.0  9.5  9.5  9.5  9.5  9.5  9.5  8.5  8.0  8.0  9.1  10.0  8.0
PAN AMERICAN CONSTRUCTION (2000) FC95M RIDE    6.6  6.7  5.5  5.6  5.5  5.3* 5.6  5.9  5.3* 6.8  6.3  6.3  6.5  6.2
-----

```

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = PAVEX CORPORATION -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	X-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	X-F															
86016000	2.786	6.726	R	1	8	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	
848			3	45	40000	RIDE	6.6	6.4*	6.3*	6.0*	5.9*	6.0	5.6	5.8	7.9	7.5	7.4	7.3	7.2		
N 58 AVE( 2.9R)																					
4114381	2.727	6.650	R	2006	0012	CRACKING	10.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0		
PAVEX CORPORATION	(2009)			FC95		RIDE	7.0	7.0	6.9	6.9	6.9	6.8	6.9	6.6	6.4	6.4	6.3	6.1	6.3		
-----																					
86016000	5.363	6.726	L	1	8	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.5
848			3	45	23500	RIDE	6.3*	6.6	6.1*	5.7*	4.8*	6.0	5.5	5.8	7.8	7.6	7.5	7.4	7.3		
SW 19 CT( 5.4L)																					
4114381	2.727	6.693	L	2006	0012	CRACKING	9.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0		
PAVEX CORPORATION	(2009)			FC95		RIDE	7.3	7.2	7.0	6.1	5.9	5.6	5.5	5.3*	5.4*	5.3*	5.1*	5.3*			
4463701	2.767	6.726	L	2024	0012																
-----																					
86016000	4.498	5.363	L	1	8	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.5
848			3	45	46000	RIDE	6.3*	6.6	6.1*	5.7*	4.8*	6.0	5.5	5.8	7.8	7.6	7.5	7.4	7.3		
LAKE SHORE DR( 4.5L)																					
4114381	2.727	6.693	L	2006	0012	CRACKING	9.5	8.5	8.5		6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		
PAVEX CORPORATION	(2009)			FC95		RIDE	7.3	7.2	7.0		5.6	6.9	6.8	6.5	6.5	6.3	6.3	6.3	6.6		
4463701	2.767	6.726	L	2024	0012																
-----																					
86016000	2.786	4.498	L	1	8	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.5
848			3	45	40000	RIDE	6.3*	6.6	6.1*	5.7*	4.8*	6.0	5.5	5.8	7.8	7.6	7.5	7.4	7.3		
SW 40 AVE( 3.2L)																					
4114381	2.727	6.693	L	2006	0012	CRACKING	9.5	8.5	8.5	8.5	8.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		
PAVEX CORPORATION	(2009)			FC95		RIDE	7.3	7.2	7.0	7.4	6.8	7.2	7.2	7.1	7.1	7.0	6.7	6.7			
4463701	2.767	6.726	L	2024	0012																
-----																					
86018000	0.000	0.285	R	1	1	CRACKING	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
824			3	45	47500	RIDE	6.9	6.7	6.9	6.6			7.8	7.4	7.3	7.3	7.3	6.8	7.1	7.3	
MIRAMAR CITY LIMITS( 0.0C)																					
4062781	0.000	0.257	C	2003	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	8.5	7.0
PAVEX CORPORATION	(2006)			FC125		RIDE	7.0	7.1	7.3	7.3	7.1	6.8	6.9	7.0	6.9	6.4	6.5	6.6	6.5	6.5	6.2
-----																					
86018000	0.000	0.285	L	1	1	CRACKING	9.0	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
824			3	45	47500	RIDE	6.5	6.7	6.4*	6.2*			7.7	7.4	7.4	6.9	7.0	6.6	6.9	6.9	
MIRAMAR CITY LIMITS( 0.0C)																					
4062781	0.000	0.257	C	2003	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	7.4	6.0*
PAVEX CORPORATION	(2006)			FC125		RIDE	6.7	6.7	6.6	6.5	6.2	5.8	5.7	5.6	6.4	5.7	5.7	6.3	6.4	6.1	
-----																					
86065000	5.624	6.043	R	1	8	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0
845			3	45	45500	RIDE	6.2*	6.4*	6.2*	5.7*	5.6*	5.4*	5.1*	5.5	5.3*	7.9	7.7	7.7	7.7	7.4	
PALMAIRE DR L( 6.0R)																					
2280751	4.527	6.519	C	2008	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.4	
PAVEX CORPORATION	(2010)			FC95M		RIDE	7.6	7.5	7.4	7.4	7.4	7.1	6.9	7.0	6.9	6.8	7.0	6.8	6.8		
4461962	5.627	6.519	C	2028	0012																
-----																					
86065000	6.043	6.519	R	1	1	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0
845			3	45	45500	RIDE	6.2*	6.4*	6.2*	5.7*	5.6*	5.4*	5.1*	5.5	5.3*	7.9	7.7	7.7	7.7	7.4	
POMPANO PARK PL( 6.2R)																					
2280751	4.527	6.519	C	2008	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.4	8.0
PAVEX CORPORATION	(2010)			FC95		RIDE	7.6	7.5	7.4	7.4	7.4	7.1	6.9	7.0	6.9	6.8	7.0	6.8	6.8	6.5	6.5
4461962	5.627	6.519	C	2028	0012																
-----																					
86065000	6.519	9.142	R	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
845			3	45	33000	RIDE	6.4*	6.3*	6.4*	5.6*	5.7*			7.4	7.6	7.7	7.5	7.6	7.5	7.5	
NW 2 ST/REV E GRAHAM( 6.7R)																					
2281101	6.519	9.424	C	2004	0012	CRACKING	9.0	8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.6	7.3	6.0*
PAVEX CORPORATION	(2007)			FC125		RIDE	7.4	7.5	7.1	7.0	7.1	6.8	6.9	6.8	6.6	6.6	6.6	6.6	6.7	6.6	6.3
4484061	6.519	9.142	C	2028	0012																
-----																					
86065000	6.519	9.142	L	1	1	CRACKING	9.0	7.5	7.5	7.5	7.0			10.0	10.0	10.0	9.0	9.0	9.0	8.5	
845			3	45	33000	RIDE	6.4*	6.3*	6.2*	5.6*	5.6*			7.1	6.9	6.7	6.8	6.5	6.5	6.5	
NW 2 ST( 6.7L)																					
2281101	6.519	9.424	C	2004	0012	CRACKING	8.5	8.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.4	7.2	5.5*
PAVEX CORPORATION	(2007)			FC125		RIDE	6.4	6.3	6.4	6.2	6.3	6.1	6.0	5.9	5.8	5.7	5.8	5.7	5.7	5.7	5.4*
4484061	6.519	9.142	C	2028	0012																
-----																					
86065000	5.624	6.519	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0
845			3	45	45500	RIDE	6.6	6.4*	6.1*	6.0*	5.7*	5.5	5.3*	5.6	5.6	8.2	8.1	7.3	7.5		
COURSE DR S( 5.9L)																					
2280751	4.527	6.519	C	2008	0012	CRACKING	10.0	10.0	8.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	8.2	7.0
PAVEX CORPORATION	(2010)			FC95		RIDE	7.3	7.7	7.7	7.6	7.6	7.4	7.4	7.4	7.4	7.3	7.2	7.0	6.9	7.0	6.7
4461962	5.627	6.519	C	2028	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = PAVEX CORPORATION -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR			2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	WKM-F	WKM-F	WKM-F															(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
86070000	6.432	7.100	R	4	8	CRACKING	6.5	4.5*	4.5*	4.5*	6.5	6.5			10.0	10.0	10.0	10.0	10.0	
9 I95	23.6	24.3	5	65	224000	RIDE	8.3	8.2	8.3	7.6	7.2	7.3			7.8	7.8	7.7	7.7	7.6	
2317321	6.569	6.932	R	2005	0012	CRACKING				7.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			
PAVEX CORPORATION				(2009)	FC5	RIDE				7.8	7.8	7.5	7.6	7.8	7.9	7.8	7.7			
86070000	7.100	7.700	R	4	8	CRACKING	6.5	4.5*	4.5*	4.5*	6.5	6.5			10.0	10.0	10.0	10.0	10.0	
9 I95	24.3	24.9	5	65	224000	RIDE	8.3	8.2	8.3	7.6	7.2	7.3			7.8	7.8	7.7	7.7	7.6	
2317321	6.932	7.614	R	2005	0012	CRACKING				7.5	6.5	3.5*	3.5*	3.5*	3.5*					
PAVEX CORPORATION				(2009)	FC5	RIDE				7.8	7.8	7.5	7.6	7.8	7.9					
86070000	7.700	8.382	R	4	8	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	
9 I95	24.9	25.6	4	65	194500	RIDE	8.4	8.3	8.2	7.6	7.2	7.3			7.8	7.8	7.7	7.7	7.6	
2317321	7.614	8.382	R	2005	0012	CRACKING	9.0	9.0	7.5	7.5	6.5	3.5*	3.5*							
PAVEX CORPORATION				(2009)	FC5	RIDE	7.5	7.4	7.8	7.7	7.6	7.6	7.4							
86070000	7.700	8.382	L	4	8	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	
9 I95	24.9	25.6	4	65	194500	RIDE	8.5	8.4	8.4	7.5	7.4	7.5			8.1	8.1	8.1	8.0	8.0	
2317321	7.614	8.382	L	2005	0012	CRACKING	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*					
PAVEX CORPORATION				(2009)	FC5	RIDE	7.8	7.9	8.1	8.1	8.1	8.0	7.9	8.2	8.2					
86070000	6.444	7.700	L	4	8	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	
9 I95	23.6	24.9	5	65	224000	RIDE	8.5	8.4	8.3	7.4	7.5	7.4			8.1	8.1	8.1	8.0	8.0	
2317321	6.932	7.614	L	2005	0012	CRACKING				7.5	7.5	4.5*	4.5*	4.5*	4.5*					
PAVEX CORPORATION				(2009)	FC5	RIDE				8.0	7.9	7.9	7.8	8.1	8.0					
86095000	10.407	11.156	R	4	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	
862 I595	10.4	11.2	3	65	82000	RIDE	8.5	8.5	8.2	8.0	7.6	7.6	7.5	7.3	7.5	7.3	7.3	7.2	7.3	
4202321	10.735	11.166	R	2009	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.6	6.9	4.0*
PAVEX CORPORATION				(2010)	FC5M	RIDE	7.3	7.3	7.9	7.4	7.8	7.7	7.3	7.5	7.5	7.5	7.5	7.5	7.6	7.5
86100000	10.461	12.986	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441			3	40	51500	RIDE	5.6*	7.0	6.9	6.3	6.5	6.1	5.9	8.2	8.1	7.8	7.9	7.1	7.1	
HOSPITAL DR N(10.6R)					5.2															
2281881	10.461	12.986	C	2006	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.3	8.1	6.5
PAVEX CORPORATION				(2008)	FC95	RIDE	6.8	6.9	7.1	7.0	6.9	6.9	6.4	6.5	6.3	6.3	6.2	6.3	6.4	6.1
4484101	10.461	12.986	C	2031	0012															
86100000	10.461	12.986	L	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	8.5	
7 441			3	40	51500	RIDE	7.3	7.1	7.3	6.8	6.7	6.5	6.2	7.6	7.4	7.3	6.9	7.3	7.2	
HOSPITAL DR S(10.6L)					5.2															
2281881	10.461	12.986	C	2006	0012	CRACKING	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
PAVEX CORPORATION				(2008)	FC95	RIDE	7.2	7.2	7.3	7.3	7.2	7.1	7.1	7.1	6.9	7.0	6.9	6.8	6.9	6.6
4484101	10.461	12.986	C	2031	0012															
86120000	3.080	4.644	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5
810			3	45	43000	RIDE	8.1	8.2	8.1	7.6	7.6	7.5	7.3	7.5	7.4	7.6	7.4	7.4	7.4	
POWERLINE RD( 3.1C)					3.1															
2280771	3.108	4.614	C	1998	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	7.0	8.0	8.3	6.5
PAVEX CORPORATION				(2001)	FC3	RIDE	7.4	7.4	7.4	7.6	7.5	7.7	7.5	7.2	7.3	7.3	7.4	7.4	7.4	7.1
4498231	3.079	4.631	C	2029	0012															
86120000	3.080	4.218	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	
810			3	45	43000	RIDE	8.0	8.1	8.0	7.5	7.6	7.6	7.5	7.3	7.3	7.6	7.4	7.4	7.3	
POWERLINE RD( 3.1C)					3.1															
2280771	3.108	4.614	C	1998	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*
PAVEX CORPORATION				(2001)	FC3	RIDE	7.4	7.4	7.4	7.4	7.4	7.3	7.3	7.2	7.1	7.0	7.0	7.1	7.2	6.9
4498231	3.079	4.631	C	2029	0012															
86220000	1.600	2.432	R	1	1	CRACKING	9.0	9.0	9.0	9.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
817			3	45	52500	RIDE	6.9	7.0	6.8	6.6	6.5	8.1	7.6	7.8	7.7	7.7	7.6	7.6	7.5	
MISSING DESCRIPTION I( 2.1R)					3.2															
4062781	1.347	2.572	C	2003	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.1	7.3	6.0*
PAVEX CORPORATION				(2006)	FC125	RIDE	7.5	7.6	7.2	7.2	7.1	7.1	6.9	6.9	7.0	6.8	6.9	6.9	6.8	6.5

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = PAVEX CORPORATION -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X	P	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-X	F	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	SURF_TYPE																			(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	F															
86220000	18.000	21.003	R	1	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0		
817			3	45	38500	RIDE	7.7	7.6	7.5	6.7	6.4*	6.3	5.8	6.0	6.2	8.0	7.8	7.8	7.7		
SW 1 CT(18.1R)																					
4137971	18.000	21.003	C	2008	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.8	8.8	7.5	
PAVEX CORPORATION	(2010)																			6.8	
86220000	18.002	21.003	L	1	1	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0		
817			3	45	38500	RIDE	6.5	6.3*	6.8	6.1*	6.0*	5.7	5.1*	5.6	5.2*	7.8	7.7	7.5	7.5		
FIRST CT SW(18.1L)																					
4137971	18.000	21.003	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	8.7	7.5	
PAVEX CORPORATION	(2010)																			6.5	
86220000	1.600	2.432	L	1	2	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
817			3	45	52500	RIDE	6.2*	6.2*	6.4*	5.9*	5.6*	8.0	7.6	7.7	7.7	7.7	7.7	7.5	7.5		
HOWARD FOREMAN( 2.1L)																					
4062781	1.347	2.572	C	2003	0012	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.5	7.2	5.5*	
PAVEX CORPORATION	(2006)																			6.5	
86230000	4.057	5.707	R	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
822			2	45	17000	RIDE	7.9	7.4	7.8	7.0	7.2		7.0	7.1	7.1	6.9	7.1	7.0	6.8		
HOLLYWOOD LINCOLN MERCUR( 4.2R)																					
2279381	4.057	5.639	C	2004	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.7	7.9	6.5	
PAVEX CORPORATION	(2007)																			5.4*	
86230000	4.057	5.707	L	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
822			2	45	17000	RIDE	7.9	7.4	7.8	7.0	7.2		7.3	7.4	7.5	7.3	7.3	7.3	7.1		
SE 2 AVE( 4.2L)																					
2279381	4.057	5.639	C	2004	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	8.4	7.0	
PAVEX CORPORATION	(2007)																			6.2	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = PCL CIVIL CONSTRUCTORS, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP   SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
93220000	34.326	36.539	R	4	1	CRACKING		8.5	8.5	7.5		10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0
9 I95	76.9	79.1	5	65	180000	RIDE		8.8	8.8	8.5		8.0			7.8	7.6	7.7	7.6	7.7	7.6	7.6
2319211	34.152	36.733	C	2002	0213	CRACKING		10.0	9.0	8.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	5.8*	4.7*	1.5*
PCL CIVIL CONSTRUCTORS, IN(2008)					FC5	RIDE		7.5	7.6	7.4	7.7	7.5	7.4	7.6	7.6	7.6	7.4	7.6	7.6	7.0	6.9
4358031	33.898	36.539	R	2026	0236																
93220000	34.934	36.032	L	4	1	CRACKING		10.0	9.0	9.0		10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0
9 I95	77.5	78.6	6	65	180000	RIDE		8.8	8.8	8.6		7.5			7.9	8.0	7.9	7.8	7.8	7.8	7.6
2319211	34.152	36.733	C	2002	0213	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	7.2	7.0	4.0*
PCL CIVIL CONSTRUCTORS, IN(2008)					FC5	RIDE		7.8	7.8	7.6	7.7	7.6	7.8	7.6	7.7	7.7	7.6	7.8	7.8	8.0	7.9

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = POSEN CONSTRUCTION -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS															
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM	-P	*****															
ITMSEG-P	(AGE_ONE	YEAR)	SURF_TYPE					2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
93220000	36.539	43.975	R	4	1	CRACKING	4.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0				10.0
9 I95	79.1	86.5	6	70	144500	RIDE	8.3	8.3	8.1				7.9	8.0	8.3	8.2	8.2	8.2				8.1
4068702	39.642	44.029	C	2008	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	9.0	8.1	5.5*
POSEN CONSTRUCTION				(2013)	FC5M	RIDE	7.8	8.3	8.4	8.4	8.4	8.4	8.3	8.4	8.5	8.5	8.4	8.5	8.5	8.5	8.3	8.2
93220000	37.024	43.975	L	4	1	CRACKING	4.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0				10.0
9 I95	79.6	86.5	6	70	144500	RIDE	8.1	8.1	7.7				7.9	8.1	8.2	8.1	8.1	8.0				8.0
4068702	39.642	44.029	C	2008	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	8.0	7.8	5.0*
POSEN CONSTRUCTION				(2013)	FC5M	RIDE	8.0	8.2	8.2	8.3	8.2	8.2	8.1	8.3	8.3	8.3	8.3	8.2	8.2	8.3	8.3	8.2

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = PREFERRED MATERIALS, INC. -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	RATINGS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)		%		=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)		SURF_TYPE																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																(PMRS)
86090000	0.000	0.910	R	1	1	CRACKING		3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0		
816			3	45	39000	RIDE		7.4	7.3	7.3	6.4*	6.3*	6.2	6.4	7.1	7.3	7.3	7.1	7.0	7.1		
SR 817( 0.0C)																						
2281571	0.000	2.332	R	2005	0012	CRACKING		10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.2	8.4	7.0	
PREFERRED MATERIALS, INC. (2008)		FC125		RIDE																		
86090000	0.910	2.102	R	1	1	CRACKING		3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0		
816			3	45	46000	RIDE		7.4	7.3	7.3	6.4*	6.3*	6.2	6.4	6.9	6.8	6.6	6.5	6.4	6.2		
DENTISTRY( 1.0R)																						
2281571	0.000	2.332	R	2005	0012	CRACKING		9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	8.4	8.1	6.5	
PREFERRED MATERIALS, INC. (2008)		FC125		RIDE																		
86090000	0.910	2.102	L	1	1	CRACKING		6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0		
816			3	45	46000	RIDE		7.1	6.9	7.0	6.1*	6.1*	6.0	5.9	6.9	7.0	6.6	6.9	6.9	6.9		
LANDINGS DR( 1.1C)																						
2281571	0.000	2.332	L	2005	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	8.2	7.0	
PREFERRED MATERIALS, INC. (2008)		FC125		RIDE																		
86090000	0.000	0.910	L	1	1	CRACKING		6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0		
816			3	45	39000	RIDE		7.1	6.9	7.0	6.1*	6.1*	6.0	5.9	6.9	6.9	6.9	6.7	6.8	6.8		
SR 817( 0.0C)																						
2281571	0.000	2.332	L	2005	0012	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	8.7	7.5	
PREFERRED MATERIALS, INC. (2008)		FC125		RIDE																		

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	WKM-F	WKM-F															(PMRS)
CONTRACTOR																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
86039000	0.000	2.482	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.0*	4.5*	4.5*	4.5*	
814			3	45	53000	RIDE	6.9	6.7	6.5	6.2*	6.1*	6.1	5.8	6.1	6.0	6.0	5.7	5.9	5.7	
MARGATE CITY LIMITS( 0.0C) 3.3																				
4230021	0.484	1.786	R	2011	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.1	8.0
RANGER CONSTRUCTION INDUST(2014) FC125 RIDE 8.0 8.1 7.7 7.6 7.7 7.6 7.8 7.4 7.4 7.4 7.3 7.3 7.4 7.1																				
86039000	0.000	2.482	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
814			3	45	53000	RIDE	6.9	7.0	6.8	6.3*	6.5	6.4	6.2	7.3	7.2	7.3	7.1	7.2	6.9	
MARGATE CITY LIMITS( 0.0C) 3.3																				
4230021	0.484	1.786	L	2011	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	8.9	7.5
RANGER CONSTRUCTION INDUST(2014) FC125 RIDE 7.9 8.0 7.7 7.7 7.8 7.7 7.4 7.5 7.6 7.4 7.4 7.3 7.3 7.4 7.1																				
86060000	0.000	7.190	R	1	1	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0	
25 27			2	60	19600	RIDE	8.1	8.0	7.9	8.0	8.0	7.9	7.9	7.8	7.8	7.7	7.7	7.7	7.6	
MIRAMAR CITY LIMITS( 2.5R) 23.3																				
4306031	0.000	7.190	R	2017	0012	CRACKING	7.0	7.0	6.5	6.5	3.5*		10.0	10.0	10.0	10.0	10.0	9.1	8.3	7.0
RANGER CONSTRUCTION INDUST(2020) FC5M RIDE 7.5 7.5 7.7 7.6 7.6 8.5 8.6 8.6 8.6 8.5 8.6 8.5 8.6 8.5																				
86060000	0.000	7.190	L	1	1	CRACKING	10.0	10.0	7.5	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0	
25 27			2	60	19600	RIDE	8.7	8.7	8.6	8.1	8.1	8.1	8.0	8.0	7.9	7.9	7.7	7.6	7.6	
JOHNSON ST( 4.0C) 23.3																				
4306031	0.000	7.190	L	2017	0012	CRACKING	7.0	6.5	6.5	6.5	3.5*		10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.0
RANGER CONSTRUCTION INDUST(2020) FC5M RIDE 7.5 7.5 7.8 7.7 7.7 8.3 8.5 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4																				
86100000	17.900	20.865	R	1	1	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	10.0	
7 441			3	45	53500	RIDE	7.4	7.5	7.4	7.0	7.0	6.9	6.8	6.8	6.7	6.7	6.5	5.8	8.3	
MARGATE CT(18.0R) 3.4																				
4168781	17.900	20.865	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.2	7.0
RANGER CONSTRUCTION INDUST(2013) FC95 RIDE 8.1 8.3 7.9 7.9 7.7 7.7 7.6 7.3 7.3 7.2 7.1 7.0 7.0 7.0 6.7																				
86100000	17.900	20.865	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5		10.0	
7 441			3	45	53500	RIDE	8.2	8.1	8.0	7.6	7.5	7.4	7.2	7.4	7.3	7.1	7.0		8.4	
NW 3RD ST(18.0L) 3.4																				
4168781	17.900	20.865	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.3	7.9	6.5
RANGER CONSTRUCTION INDUST(2013) FC95 RIDE 8.4 8.2 8.0 8.0 7.9 7.9 7.6 7.4 7.4 7.3 7.2 7.3 7.3 7.3 7.0																				
86130000	3.228	3.591	R	1	1	CRACKING	10.0	10.0	10.0	8.5	8.5	7.0	3.5*	3.5*	7.0	6.0*	6.0*	6.0*	6.0*	
814			3	45	51000	RIDE	7.2	7.1	6.8	6.4*	6.3*	6.2	6.2	5.9	6.8	7.2	6.7	6.5	6.3	
5.4																				
4230021	3.228	3.525	R	2011	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.8	7.5
RANGER CONSTRUCTION INDUST(2014) FC125 RIDE 7.7 7.5 7.8 7.8 7.6 7.6 7.4 7.5 7.5 7.3 7.3 7.2 7.1 7.0 7.0 6.7																				
86130000	3.228	3.591	L	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	
814			3	45	51000	RIDE	6.9	6.6	6.7	6.1*	5.9*	6.1	5.7	5.1*	6.8	6.9	6.4	6.0	5.7	
NW 30 AVE( 3.4L) 5.4																				
4230021	3.228	3.525	L	2011	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.5	9.1	8.0
RANGER CONSTRUCTION INDUST(2014) FC125 RIDE 7.9 8.1 7.5 7.5 7.5 7.7 7.6 7.4 6.8 6.5 6.9 7.1 7.0 7.0 6.7																				
86230000	2.524	3.021	R	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
822			3	35	45500	RIDE	8.1	8.0	8.1	7.1	7.2	7.1	6.7	7.2	7.2	7.2	6.7	6.5	6.4	
N 29 AVE( 2.7C) 3.3																				
4246741	2.524	3.015	C	2013	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.5	8.5
RANGER CONSTRUCTION INDUST(2016) FC125 RIDE 6.0 6.3 6.7 6.2 6.3 6.1 6.0 6.4 6.0 6.4 6.2 6.5 6.4 6.1																				
86230000	2.524	3.021	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	4.5*	4.5*	4.5*	
822			3	35	45500	RIDE	8.1	5.6	8.0	7.1	7.0	7.1	6.4	6.9	7.1	7.0	6.9	6.6	6.2	
N 29 AVE( 2.7C) 3.3																				
4246741	2.524	3.015	C	2013	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.2	8.0
RANGER CONSTRUCTION INDUST(2016) FC125 RIDE 6.4 6.1 7.5 7.3 7.0 7.2 7.1 7.2 7.1 7.0 6.7 7.1 7.0 6.7 7.1 7.0 6.7																				
86470000	0.000	0.576	R	5	1	CRACKING	7.5	7.5	7.5	6.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	
91			3	65	150916	RIDE	8.7	8.6	8.6	7.9	7.9	7.6	7.6	7.6	7.5	7.3	7.2	7.8	7.9	7.8
HEFT( 0.4R) 10.1																				
4379901	0.000	0.465	R	2022	0012	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	8.5
RANGER CONSTRUCTION INDUST(2024) FC5M RIDE 7.8 8.1 8.2 8.2 8.1 8.0 8.1 8.2 8.2 8.4 8.3 8.2 8.1																				

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
INTERSECT AT (MP SIDE)		%		%		%		%		%		%		%		%		%		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	P	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	F														
88060000	26.184	27.151	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5
60				3	45	33500	RIDE	8.7	8.1	8.3	8.1	8.0	8.0	8.2	8.3	8.0	7.7	7.4	7.4	7.5
63 CT(26.5L)																				
4246381	26.184	27.111	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.5	9.5	8.3	8.0	7.0
RANGER CONSTRUCTION INDUST(2014)						FC95R	RIDE	8.6	8.2	8.4	8.2	8.4	8.4	8.3	8.4	8.3	8.3	8.3	8.3	8.3
88060000	15.023	22.426	L	1	7	CRACKING	5.5*	5.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0	
60				2	65	7100	RIDE	9.0	8.0	8.7	8.1			8.2	8.2	8.0	8.0	8.0	8.0	7.9
CR 512(15.1L)																				
4476471	15.056	22.395	L	2024	0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	6.0*	10.0	9.0
RANGER CONSTRUCTION INDUST(2026)						FC5M	RIDE	7.8	7.7	8.0	7.9	7.9	7.8	8.0	7.9	7.9	7.9	7.9	7.8	8.7
88070000	0.000	5.474	C	1	1	CRACKING	10.0	10.0	10.0	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	3.5*		10.0
A1A				2	45	7000	RIDE	8.9	8.4	8.5	8.0	7.9	7.8	7.9	7.8	7.6	7.5	7.4		8.6
OCEAN TRAIL LN( 0.1R)																				
4216951	0.000	5.474	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*
RANGER CONSTRUCTION INDUST(2013)						DGFC	RIDE	8.5	8.5	8.3	8.2	8.2	8.2	8.1	8.0	7.9	7.9	7.8	7.8	7.7
4498181	0.000	5.459	C	2027	0012															7.4
88070000	7.280	8.658	C	1	1	CRACKING	4.0*	4.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
A1A				2	35	14100	RIDE	8.1	7.7		7.4	7.3	7.2	7.4	7.4	7.3	7.3	7.2	7.1	7.1
CYPRESS RD( 7.3C)																				
2286041	7.135	10.330	C	2001	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.9	8.7	7.0
RANGER CONSTRUCTION INDUST(2004)						FC125	RIDE	7.2	7.1	6.8	6.6	6.6	6.4	6.4	6.2	6.4	6.3	6.3	6.3	6.3
88470000	0.000	5.200	R	5	7	CRACKING	10.0	9.5	9.5	9.5	9.5	7.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	
91				2	70	38200	RIDE	8.9	8.3	8.5	7.6	7.2	6.7	6.8	7.4	7.3	8.4	8.4	8.4	8.4
16.0																				
4444031	0.000	5.287	C	2024	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	4.9*	10.0	9.0
RANGER CONSTRUCTION INDUST(2026)						FC5HP	RIDE	8.3	8.3	8.6	8.5	8.5	8.5	8.7	8.6	8.5	8.5	8.4	8.2	8.9
88470000	15.464	17.452	R	5	1	CRACKING	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
91				2	70	38200	RIDE	9.0	7.5	8.9	8.1	7.7	7.7	7.9	7.9	7.9	7.7	7.8	7.8	7.6
16.0																				
4351681	15.464	17.444	C	2017	0012	CRACKING	10.0	9.5	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	9.7	8.0
RANGER CONSTRUCTION INDUST(2020)						FC5M	RIDE	7.7	7.5	7.7	7.4	7.7		8.9	8.9	8.8	8.9	8.9	8.9	8.8
88470000	15.464	17.452	L	5	1	CRACKING	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
91				2	70	38200	RIDE	8.9	7.6	8.5	7.6	7.2	7.1	7.5	7.6	7.5	7.4	7.4	7.1	7.2
16.0																				
4351681	15.464	17.444	C	2017	0012	CRACKING	9.5	8.0	8.0	7.5	7.5		10.0	10.0	10.0	10.0	10.0	9.1	9.0	7.5
RANGER CONSTRUCTION INDUST(2020)						FC5M	RIDE	7.2	7.2	7.1	7.0	7.2		9.0	8.9	8.9	8.9	8.9	8.9	8.8
88470000	0.000	5.200	L	5	7	CRACKING	10.0	10.0	10.0	9.5	9.5	9.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0
91				2	70	38200	RIDE	8.9	8.3	8.6	7.8	7.6	7.2	7.4	7.2	7.0	6.5	8.4	8.5	8.5
16.0																				
4444031	0.000	5.287	C	2024	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	6.5	4.5*	10.0	9.0
RANGER CONSTRUCTION INDUST(2026)						FC5HP	RIDE	8.5	8.4	8.6	8.5	8.5	8.4	8.6	8.6	8.5	8.4	8.4	8.0	8.8
89020000	0.552	6.124	R	1	4	CRACKING	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	6.5	6.5	
710				2	60	8700	RIDE	7.7	8.1	8.3	7.8	7.9	7.8	7.7	7.6	7.3	7.6	7.5	7.3	
13.9																				
4327051	0.552	6.124	C	2017	0213	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		9.4	9.9	9.4	9.4	9.4	9.4	9.4	9.0
RANGER CONSTRUCTION INDUST(2020)						LDG	RIDE	7.1	7.0	7.1	7.2	7.2		9.2	9.1	8.9	9.1	9.0	8.7	8.6
89020000	0.552	6.124	L	1	4	CRACKING	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	6.5	6.5	
710				2	60	8700	RIDE	7.7	8.1	8.3	7.8	7.9	7.8	7.7	7.6	7.3	7.6	7.5	7.3	
13.9																				
4327051	0.552	6.124	C	2017	0213	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	9.5	9.5	9.4	9.4	9.4	9.4	9.0
RANGER CONSTRUCTION INDUST(2021)						LDG	RIDE	7.1	7.0	7.1	7.2	7.2		9.1	9.2	9.1	9.2	8.8	9.0	8.9
89050000	0.000	1.718	C	1	7	CRACKING	6.0*	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*		10.0	10.0	10.0	9.5	9.0	
15 98				2	55	4800	RIDE	7.8	7.6	7.5	7.0	6.6	6.3*	6.2*		8.4	8.3	8.3	8.2	8.0
KANNER HWY( 1.4R)																				
4461711	0.000	1.184	C	2023	0012	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*		10.0	9.5
RANGER CONSTRUCTION INDUST(2026)						FC125	RIDE	7.9	7.5	7.3	7.3	7.1	6.9	6.7	6.3*	6.2*	6.0*	6.0*	8.2	7.9

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	ADT	*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKMX-F	ADT	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKMX-F	ADT	*****															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F	ADT	*****															
89060000	24.600	25.162	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	10.0	10.0		
76			2	50	21000	RIDE	8.9	8.8	8.7	8.4	8.4	8.4	8.2	8.2	8.1	8.0	8.1	8.0	7.9	7.8		
KANSAS AVE SW(24.8L)																						
4226412	24.699	25.159	L	2018	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	9.6	10.0	8.5	
RANGER CONSTRUCTION INDUST(2022)					FC5M	RIDE	7.8	7.7	8.1	8.0	8.0	8.1	8.1	7.2	8.3	8.2	8.1	8.2	8.1	8.0	8.0	
89060000	23.381	24.600	L	1	1	CRACKING	3.0*	3.0*	2.0*	2.0*	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
76			2	50	21000	RIDE	6.9	7.3	7.5	6.8	6.5	6.6	6.6	7.7	7.5	7.3	7.9	8.1	8.0	8.0	8.0	
CR 711(23.6L)																						
4226412	23.948	24.699	L	2018	0213	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	9.0	10.0	10.0	10.0	10.0	10.0	8.5	
RANGER CONSTRUCTION INDUST(2022)					FC5M	RIDE	7.9	7.6	7.8	7.3	7.7	7.8	7.7	7.8	8.7	8.6	8.6	8.6	8.6	8.5	8.4	
89092000	0.000	1.314	R	1	1	CRACKING	7.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
714			2	40	37500	RIDE	6.6	6.9	6.4	6.2	6.2	6.2	5.9	5.7	6.5	6.3	6.2	6.1	6.5	6.1	6.1	
CR 714( 0.0C)																						
2288621	0.000	1.800	C	2006	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.9	6.5
RANGER CONSTRUCTION INDUST(2008)					DGFC	RIDE	5.9	5.8	5.8	5.7	5.9	5.7	5.7	5.7	5.6	5.9	5.9	5.5	5.5	5.7	5.4*	
4498291	0.000	1.310	C	2028	0012																	
89092000	1.314	1.633	R	1	1	CRACKING	7.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
714			2	40	27000	RIDE	6.6	6.9	6.4	6.2	6.2	5.9	5.7	6.5	6.3	6.2	6.1	6.5	6.1	6.1	6.1	
CR 1A( 1.6C)																						
2288621	0.000	1.800	C	2006	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.9	9.5	8.0
RANGER CONSTRUCTION INDUST(2008)					DGFC	RIDE	5.9	5.8	5.8	5.7	5.9	5.7	5.7	5.7	5.6	5.7	5.7	5.6	5.6	4.9*	4.6*	
89092000	1.314	1.633	L	1	1	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
714			2	40	27000	RIDE	6.3*	6.2	6.1	5.9	5.9	5.9	5.4*	5.6	6.8	6.0	6.5	6.8	6.8	6.8	6.8	
SPUR( 1.3L)																						
2288621	0.000	1.800	C	2006	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.9	8.7	7.5
RANGER CONSTRUCTION INDUST(2008)					DGFC	RIDE	6.7	6.2	5.9	6.0	6.1	5.9	5.9	6.0	5.7	6.0	5.7	6.0	5.7	4.0*	3.7*	
89092000	0.000	1.314	L	1	1	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
714			2	40	37500	RIDE	6.3*	6.2	6.1	5.9	5.9	5.4*	5.6	6.8	6.0	6.5	6.8	6.8	6.8	6.8	6.8	
SW PALM CITY RD( 0.0L)																						
2288621	0.000	1.800	C	2006	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.8	8.6	7.0
RANGER CONSTRUCTION INDUST(2008)					DGFC	RIDE	6.7	6.2	5.9	6.0	6.1	5.9	5.9	6.0	5.7	6.2	6.3	6.2	6.3	6.3	6.0	
4498291	0.000	1.310	C	2028	0012																	
93010000	1.434	2.691	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	
5			2	35	24000	RIDE	8.2	8.3	7.5	7.0	7.1	7.0	7.2	7.1	7.0	6.8	6.8	6.8	6.9	6.8	6.8	
SE 3 ST( 1.5C)																						
4246461	1.434	2.287	R	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.8	7.5
RANGER CONSTRUCTION INDUST(2014)					FC125	RIDE	8.2	8.3	8.0	8.1	7.5	7.9	7.5	7.6	7.6	7.6	7.6	7.6	7.6	7.8	7.6	7.3
93010000	2.691	4.857	R	1	1	CRACKING	8.0	8.0	8.0	8.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	
5			2	45	32000	RIDE	7.8	7.8	7.5	6.7	6.7	6.5	6.6	6.4	6.3	6.0	5.9	5.9	5.9	8.7	8.7	
ATRIUM FINANCIAL CENTER( 2.9R)																						
4229101	2.691	4.857	C	2011	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.1	6.6	5.5*	
RANGER CONSTRUCTION INDUST(2013)					FC95	RIDE	8.7	8.5	8.3	8.2	8.0	8.0	8.0	7.8	7.7	7.6	7.5	7.3	7.1	6.8	6.8	
93010000	2.691	4.857	L	1	1	CRACKING	8.0	8.0	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0		
5			2	45	32000	RIDE	7.5	7.4	7.1	6.6	6.9	6.6	6.6	6.5	6.5	6.2	6.5	6.3	8.6	8.6	8.6	
FOURTEENTH ST NE( 2.7L)																						
4229101	2.691	4.857	C	2011	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	8.3	7.9	6.5	6.5	
RANGER CONSTRUCTION INDUST(2013)					FC95	RIDE	8.5	8.5	8.2	8.2	7.9	8.0	8.0	7.9	7.9	7.8	7.9	7.9	7.9	7.8	7.5	
93010000	1.434	2.691	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
5			2	35	24000	RIDE	8.5	8.5	8.1	7.7	7.7	7.6	7.7	7.7	7.8	7.6	7.5	7.5	7.5	7.4	7.4	
SE 4 ST( 1.5L)																						
4246461	1.434	2.419	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.0	8.0	
RANGER CONSTRUCTION INDUST(2014)					FC125	RIDE	8.4	7.8	8.0	8.0	7.9	7.6	7.9	7.8	8.0	7.7	7.8	7.9	7.8	7.8	7.5	
93012000	2.003	2.905	R	1	1	CRACKING	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	
708			3	40	37500	RIDE	5.5*	6.2	6.4	6.0	6.0	6.0	6.2	6.2	6.1	6.0	8.3	8.1	8.0	7.7	7.7	
ACREHOME BLVD( 2.0C)																						
4114311	1.962	2.767	R	2007	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.6	7.8	6.5	6.5	
RANGER CONSTRUCTION INDUST(2010)					FC95	RIDE	7.5	7.6	7.8	7.8	7.7	7.2	7.7	7.6	7.5	7.5	7.6	7.4	7.4	7.4	7.1	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	=====																				
ITMSEG-P	W_BMP	W_EMP	YEAR	FY-P	WKM-F	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	F															(PMRS)
93012000	2.003	2.905	L	1	1	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	10.0	10.0	10.0	10.0	
708			3	40	37500	RIDE	6.4*	7.1	7.0	6.6	6.2	6.0	6.3	6.2	5.5	8.3	8.1	8.2	8.0		
ACREHOME BLVD( 2.0C)																					
4114311	1.962	2.873	L	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.1	8.2	7.0
RANGER CONSTRUCTION INDUST(2010) FC95 RIDE 7.5 8.0 8.0 7.9 8.0 7.6 7.8 7.7 7.4 7.8 7.4 7.8 7.7 7.4 7.8 7.7 7.4 7.1																					
93016000	8.516	9.218	L	1	1	CRACKING	8.5	8.5	7.5	7.5	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	
882			2	35	22500	RIDE	5.7*	6.2	5.9	5.7	5.3*	5.7	7.6	6.5	4.5*	4.4*	4.1*	4.3*	7.8	7.3	
FOREST CT( 8.5L)																					
2297821	8.516	9.216	L	2011	0226	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.4	7.1	6.0*	
RANGER CONSTRUCTION INDUST(2012) FC95M RIDE 7.1 6.9 5.9 6.0 5.9 5.7 5.6 5.7 5.7 5.4* 5.5 5.3* 4.9* 4.6*																					
4463731	8.156	9.233	C	2027	0012																
93020000	14.150	14.558	R	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.5	8.5	
5			2	35	25500	RIDE	3.7*	3.4*	3.4*	3.6*	4.7*	5.9	6.3	6.1	6.3	5.7	6.3	6.3	6.3	5.9	
SILVER BEACH RD(14.2C)																					
2297471	14.184	14.539	C	2002	0012	CRACKING	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.6	6.6	5.0*
RANGER CONSTRUCTION INDUST(2006) FC125 RIDE 6.5 6.3 5.8 5.7 5.6 5.4* 5.3* 5.5 5.7 5.7 5.1* 4.2* 4.6* 4.3*																					
93020000	14.150	14.558	L	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
5			2	35	25500	RIDE	3.3*	6.8	6.3	6.4	7.1	7.1	7.4	7.5	7.5	6.9	6.9	6.9	6.9	6.7	
SILVER BEACH RD(14.2C)																					
2297471	14.184	14.539	C	2002	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.8	7.5	6.0*
RANGER CONSTRUCTION INDUST(2006) FC125 RIDE 6.9 7.0 6.7 6.6 6.2 6.6 6.4 6.3 6.4 6.3 5.4* 5.3* 5.0*																					
93030000	0.261	0.768	C	1	1	CRACKING	4.5*	3.5*	1.0*	1.0*	1.0*	8.5	4.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
806			2	45	20300	RIDE	8.2	8.1	7.5	7.0	6.8	6.7	6.7	6.7	8.2	7.7	7.7	7.7	7.7	7.3	
HALF MILE RD( 0.5R)																					
2297861	0.300	0.775	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	6.6	6.5	5.0*	
RANGER CONSTRUCTION INDUST(2009) FC95M RIDE 7.4 7.2 7.0 7.0 7.0 6.9 7.0 7.0 7.0 6.9 6.8 6.8 6.7 6.3 6.0																					
2296584	0.000	1.252	C	2024	0213																
93040000	0.000	0.637	R	1	1	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
5			2	35	24000	RIDE	3.5*	4.0*	3.8*		7.9	7.2	7.0	7.2	6.9	6.8	6.1	6.2	6.5		
END 93020( 0.0C)																					
2297471	0.001	0.657	R	2002	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	5.0*	
RANGER CONSTRUCTION INDUST(2005) FC125 RIDE 6.2 6.2 6.2 5.8 5.6 5.7 5.9 5.6 5.7 5.5 5.3* 5.4* 5.2* 4.9*																					
93040000	0.637	2.290	R	1	1	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			3	35	21000	RIDE	7.2	7.6	7.4	6.9	8.3	8.1	7.8	7.8	7.7	7.3	7.3	7.4	7.3		
ANCHORAGE DR( 0.8R)																					
2297471	0.657	2.125	R	2002	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.2	7.1	5.5*	
RANGER CONSTRUCTION INDUST(2005) FC125 RIDE 7.3 7.2 7.4 7.4 7.3 7.2 7.3 7.3 7.3 7.4 7.1 7.3 7.3 7.1 7.3 7.3 7.1 7.3 7.3 6.9 6.6																					
93040000	0.637	2.290	L	1	1	CRACKING	8.0	8.0	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			3	35	21000	RIDE	7.3	7.3	7.1	6.6	8.3	8.3	8.2	8.0	8.2	7.8	7.7	7.8	7.6		
S ANCHORAGE DR( 0.8L)																					
2297471	0.657	2.200	L	2002	0012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.1	6.8	5.0*	
RANGER CONSTRUCTION INDUST(2005) FC125 RIDE 7.7 7.6 7.8 7.7 7.7 7.4 7.5 7.6 7.7 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.2																					
93040000	0.000	0.637	L	1	1	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
5			2	35	24000	RIDE	6.9	7.3	7.0		7.8	7.5	7.6	7.6	7.5	7.5	7.1	7.2	7.3		
PARK AVE( 0.0L)																					
2297471	0.001	0.657	L	2002	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.2	7.1	5.5*	
RANGER CONSTRUCTION INDUST(2005) FC125 RIDE 7.1 7.3 6.9 6.8 6.5 6.4 6.6 6.6 6.9 6.8 6.5 6.4 6.4 6.1																					
93060000	8.242	9.836	C	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0	8.5		
Ala			2	35	9100	RIDE	7.1	7.3	6.9	6.0	6.1	6.0	6.0	6.0		8.2	7.5	7.3	7.2		
CR 872( 8.3L)																					
4036031	8.209	9.836	C	2007	0012	CRACKING	8.5	8.5	8.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	5.4*	5.2*	4.0*	
RANGER CONSTRUCTION INDUST(2010) DGFC RIDE 7.3 7.1 7.7 7.8 7.6 7.5 7.4 7.1 7.2 7.1 6.9 7.0 6.9 6.6																					
4476621	8.245	9.802	C	2025	0012																
93060000	9.836	10.750	C	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	8.5		
Ala			2	30	8100	RIDE	7.1	7.3	6.9	6.0	6.1	6.0	6.0	6.0	6.0	6.1	8.4	8.3	8.1	8.1	
THOMAS ST(10.1L)																					
2297481	9.836	10.708	C	2007	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.5	6.0*	5.6*	5.2*	4.0*	
RANGER CONSTRUCTION INDUST(2010) DGFC RIDE 8.2 8.0 8.0 7.9 7.8 7.7 7.8 7.3 7.3 7.1 7.2 7.1 7.2 7.1 7.2 7.1 7.1 7.1 7.1 7.1 6.8																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR			2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKMX-F															(PMRS)
ITMSEG-P																				
ITMSEG-F																				
93060000	25.531	26.795	C	1	1	CRACKING	7.0	7.0	7.0	5.5*	3.5*	8.5	8.0	6.5	10.0	10.0	9.0	8.0	8.0	
ALA			2	30	14500	RIDE	6.4*	6.4	5.9	4.4*	5.3*	6.2	5.7	5.8	7.1	6.7	6.8	6.6	6.6	
VIA VIZCAYA(25.6R)																				
2297491	24.890	26.711	C	2007	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.1*	3.5*
RANGER CONSTRUCTION INDUST(2009)					FC95M	RIDE	6.6	6.6	6.3	6.1	6.1	5.9	6.0	5.8	5.0*	4.9*	4.9*	4.6*	4.7*	4.4*
4461751	24.796	27.091	C	2025	0012															
93060000	27.044	27.914	C	1	1	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
ALA			4	30	10500	RIDE	6.4*	7.8	7.1	6.7	7.1	6.6	6.6	6.3	6.6	6.9	6.9	6.7	6.7	
ROYAL PALM WAY(27.1C)																				
2297531	27.044	27.914	C	1999	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.1	7.9	6.0*
RANGER CONSTRUCTION INDUST(2002)					FC95M	RIDE	6.6	6.6	6.8	6.9	6.5	6.1	6.4	6.3	6.5	6.3	6.3	6.4	6.2	5.9
93070000	20.401	24.491	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	
809			3	40	44000	RIDE	8.3	8.2	8.2	7.9	8.0	7.8	7.9	7.9	7.1	6.9	7.4	6.8	6.8	
LAKE WORTH RD(20.4C)																				
4287191	20.359	24.290	C	2017	0012	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
RANGER CONSTRUCTION INDUST(2020)					FC125	RIDE	6.6	6.6	7.0	7.4	7.4	7.2	8.2	8.2	8.2	8.1	8.1	8.1	8.0	7.7
93070000	20.401	24.491	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	
809			3	40	44000	RIDE	8.6	8.5	8.4	8.0	8.0	7.4	7.9	7.8	7.7	7.6	7.5	7.5	7.6	
LAKE WORTH RD(20.4C)																				
4287191	20.359	24.290	C	2017	0012	CRACKING	8.5	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
RANGER CONSTRUCTION INDUST(2020)					FC125	RIDE	7.3	7.5	7.5	7.5	7.3	7.2	8.3	8.3	8.3	8.3	8.3	8.3	8.2	7.9
93090000	1.245	1.950	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.5	6.5	6.5	10.0	
811			2	45	24500	RIDE	7.8	7.4	7.2	7.3	7.5	7.0	7.0	7.1	6.9	7.2	6.9	6.8	7.4	
PARK RD( 1.3R)																				
4153141	1.247	3.571	R	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.6	9.0	8.0	
RANGER CONSTRUCTION INDUST(2013)					FC125	RIDE	7.0	7.1	8.0	7.9	7.9	7.7	7.7	7.6	7.7	7.6	7.6	7.5	7.4	7.1
93090000	1.950	3.571	R	1	1	CRACKING	9.0	8.5	8.5	8.5	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	10.0	
811			2	45	24500	RIDE	8.6	8.8	8.3	8.2	8.2	8.0	8.2	8.2	8.1	8.1	8.1	8.1	8.4	
LIGHTHOUSE DR( 2.1C)																				
4153141	1.247	3.571	R	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.2	9.0	8.0	
RANGER CONSTRUCTION INDUST(2013)					FC125	RIDE	8.0	8.2	8.1	8.1	8.0	8.0	7.9	7.9	8.0	8.1	8.0	8.0	8.0	7.7
93090000	1.950	3.571	L	1	1	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0	
811			2	45	24500	RIDE	8.8	8.9	8.6	8.3	8.1	8.1	8.2	8.2	8.1	8.0	7.8	8.0	8.3	
LIGHTHOUSE DR( 2.1C)																				
4153141	1.247	3.571	L	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.6	9.2	8.0	
RANGER CONSTRUCTION INDUST(2013)					FC125	RIDE	8.3	8.3	8.0	8.1	8.0	8.0	7.9	7.8	7.9	7.9	7.7	7.8	7.8	7.5
93090000	1.245	1.950	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	10.0		
811			2	45	24500	RIDE	8.6	8.7	8.5	8.0	7.9	7.9	7.8	7.9	7.8	7.5	7.0	7.7	8.3	
RICHARD RD( 1.6C)																				
4153141	1.247	3.571	L	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.6	8.5
RANGER CONSTRUCTION INDUST(2013)					FC125	RIDE	8.0	8.3	8.1	8.0	8.0	7.9	7.9	8.0	7.9	7.9	7.9	7.9	7.7	7.4
93110001	0.000	3.439	R	1	1	CRACKING	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.5	6.5	
80 98			2	65	14000	RIDE	8.4	8.3	7.8		7.8	7.8	8.1	8.2	8.1	8.0	7.9	7.8	7.7	
SR-15 / SR-80( 0.0R)																				
4287201	0.024	3.439	R	2014	0012	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.6	6.7	5.0*
RANGER CONSTRUCTION INDUST(2017)					FC5A	RIDE	7.4	7.3		8.6	8.5	8.4	8.5	8.5	8.5	8.4	8.4	8.4	8.3	8.2
93110001	3.439	18.181	L	1	1	CRACKING	7.5	6.0*	6.0*		10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.0	6.5	
80 98			2	65	14000	RIDE	8.9	8.9	8.6		8.1	8.0	8.1	8.1	8.1	8.0	7.9	7.9	7.9	
TRACTOR CROSSING( 6.5C)																				
4344271	3.439	18.246	L	2018	0012	CRACKING	5.5*	5.5*		3.5*	3.5*	3.5*	10.0	10.0	10.0	9.0	9.0	9.4	8.8	7.5
RANGER CONSTRUCTION INDUST(2020)					FC5M	RIDE	7.8	7.4		7.9	7.6	7.5	8.7	8.7	8.7	8.7	8.7	8.6	8.6	8.5
93110001	0.000	3.439	L	1	1	CRACKING	6.0*	5.5*	3.5*		10.0	10.0	10.0	10.0	8.0	6.5	6.5	6.5	4.5*	
80 98			2	65	14000	RIDE	8.5	8.6	8.1		7.9	7.8	8.1	8.1	7.8	7.6	7.3	7.0	7.1	
US-441 / SR-15( 0.0L)																				
4287201	0.063	3.439	L	2014	0012	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.5	6.7	5.0*
RANGER CONSTRUCTION INDUST(2017)					FC5A	RIDE	6.6	6.2*		8.6	8.4	8.4	8.6	8.6	8.6	8.5	8.5	8.4	8.4	8.3

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	LN	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR		RY	WKM-F															(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F															
ITMSEG-F																				
93130000	0.260	2.994	R	1	1	CRACKING	9.0	8.5	7.5	7.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	
15			2	45	17800	RIDE	8.4	8.6	8.3	8.1	7.7	7.6	7.5	7.4	7.1	6.7	8.7	8.6	8.6	
E CANAL ST N( 0.3R)																				
4153161	0.260	2.993	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.0*
RANGER CONSTRUCTION INDUST(2011)					FC95M	RIDE	8.6	8.6	8.2	8.2	8.1	7.9	8.0	7.9	8.0	7.9	7.9	7.8	7.8	7.5
93130000	2.994	3.290	R	1	1	CRACKING	9.0	8.5	7.5	7.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
15 441			2	45	7400	RIDE	8.4	8.6	8.3	8.1	7.7	7.6	7.5	7.4	7.1	6.7	7.5	7.4	7.4	
US-441 / SR 80( 3.0R)																				
4246551	3.010	3.237	R	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	8.3	6.0*
RANGER CONSTRUCTION INDUST(2014)					FC5	RIDE	7.7	7.9	7.8	7.5	7.8	7.7	7.8	7.3	7.1	7.5	7.8	7.7	7.6	7.5
93130000	3.290	3.978	C	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5	6.5	6.5	4.5*	3.5*	
15 441			2	45	7400	RIDE	8.1	8.2	8.1	7.9	7.4			6.8	7.7	7.7	7.5	7.2	7.2	
LIVESTOCK MARKET RD( 3.3L)																				
4246551	3.326	3.959	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.3	6.8	4.5*
RANGER CONSTRUCTION INDUST(2014)					FC5	RIDE	7.8	7.6	7.8	7.9	7.8	7.6	7.7	7.3	7.4	7.6	7.5	7.4	7.5	7.4
93130000	0.260	3.290	L	1	1	CRACKING	8.5	8.5	7.0	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	
15 441			2	45	17800	RIDE	8.3	8.5	8.4	7.9	7.7	7.4	7.6	7.3	7.2	7.0	8.6	8.6	8.6	
CANAL ST( 0.3L)																				
4153161	0.260	2.993	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.8	7.7	6.5
RANGER CONSTRUCTION INDUST(2011)					FC95M	RIDE	8.5	8.4	8.2	8.1	8.0	7.9	8.0	7.8	7.8	7.9	8.0	7.8	7.9	7.6
93140000	18.043	19.508	C	1	8	CRACKING	10.0	10.0	9.0	8.5	7.5	7.0	6.5	6.0*	4.0*	3.5*		10.0	10.0	
700 98			2	30	1550	RIDE	8.8	8.3	7.9	6.8	6.7	6.2	5.7	5.2*	5.1*	4.8*		8.8	8.5	
CHURCH ST(18.3L)																				
4153171	5.137	19.652	C	2009	0012	CRACKING	9.5	9.5	9.5	8.5	7.5	7.5	7.0	7.0	7.0		5.5*	5.0*		
RANGER CONSTRUCTION INDUST(2012)					FC95M	RIDE	8.2	7.9	7.3	6.9	6.6	6.1	5.9	5.3*	5.2*		5.1*	5.1*		
4463741	5.017	19.655	C	2024	0012															
93150000	0.288	2.025	R	1	1	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	10.0	10.0	
809			3	40	39500	RIDE	7.9	8.0	8.7	8.0	7.9	7.7	7.2	7.2	6.8	6.7	6.2	8.1	7.9	
COUNTRY CLUB RD( 0.5R)																				
4169111	0.288	2.025	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	9.5	10.0	8.5
RANGER CONSTRUCTION INDUST(2012)					FC95	RIDE	7.5	7.2	7.5	7.4	7.4	7.9	7.3	7.0	7.3	7.1	6.9	8.0	7.9	7.6
93150000	0.288	2.025	L	1	1	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	10.0	10.0	
809			3	40	39500	RIDE	6.6	6.9	6.4	8.3	7.0	7.7	7.3	7.2	7.1	7.0	6.8	8.2	8.0	
CAMBRIDGE( 0.3L)																				
4169111	0.288	2.025	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	9.6	8.5
RANGER CONSTRUCTION INDUST(2012)					FC95	RIDE	8.0	8.3	7.8	8.3	8.0	8.0	8.0	8.0	8.0	7.3	7.3	8.0	8.0	7.7
93180000	2.139	3.602	R	1	1	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
802			3	45	41000	RIDE	7.7	7.6	7.2	6.5	6.6	6.4	6.7	8.0	8.1	8.0	8.0	8.0	8.0	
OHIO RD( 2.5R)																				
2297501	2.139	3.602	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.6	8.6	7.0
RANGER CONSTRUCTION INDUST(2008)					DGFC	RIDE	8.0	8.0	8.0	7.9	7.7	7.4	7.7	7.8	7.7	7.7	7.7	7.8	7.7	7.4
93180000	3.602	5.497	R	1	1	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
802			3	45	44500	RIDE	7.7	7.6	7.2	6.5	6.6	6.4	6.7	8.2	8.2	8.1	8.1	8.1	7.9	
JOG RD( 3.6C)																				
2297511	3.690	5.660	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	8.1	8.1	6.5
RANGER CONSTRUCTION INDUST(2008)					DGFC	RIDE	8.0	8.1	7.9	7.9	7.8	7.5	7.7	7.8	7.7	7.8	7.8	7.7	7.8	7.5
93180000	7.950	8.380	L	1	1	CRACKING	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	
802			2	40	31500	RIDE	7.7	7.9	7.4	7.3	7.0	7.0	7.2	7.0	6.9	6.8	6.5	6.5	6.6	
BOUTWELL RD( 8.1L)																				
2293101	7.164	8.680	C	1988	0215	CRACKING	8.5	8.5	8.5	8.5	8.0	8.0	8.0	7.0	6.5	6.5	6.5	7.4	7.0	5.0*
RANGER CONSTRUCTION INDUST(1990)					FC95	RIDE	6.6	6.4	6.3	6.1	5.6	5.9	6.0	6.0	6.2	6.3	5.9	6.1	6.4	6.1
4498101	7.888	8.370	C	2027	0012															
93180000	3.602	5.497	L	1	1	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	
802			3	45	44500	RIDE	6.9	6.9	6.5	6.3*	6.1*	6.1	6.0	8.0	7.8	7.8	7.7	7.9	7.8	
JOG RD( 3.6C)																				
2297511	3.690	5.660	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.6	7.0
RANGER CONSTRUCTION INDUST(2008)					DGFC	RIDE	7.8	7.8	7.9	7.9	7.5	7.3	7.6	7.7	7.6	7.5	7.7	7.7	7.6	7.3

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F															(PMRS)
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F															
93180000	2.139	3.602	L	1	1	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0
802				3	45	41000	6.9	6.9	6.5	6.3*	6.1*	6.1	6.0	7.9	7.8	7.8	7.7	7.7	7.7	
HADJES DR( 2.2L)																				
2297501	2.139	3.602	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.3	8.1	6.5
RANGER CONSTRUCTION INDUST(2008)						DGFC	7.8	7.7	7.8	7.8	7.3	7.3	7.6	7.7	7.5	7.7	7.7	7.7	7.6	7.3
93220000	8.120	11.476	L	4	1	CRACKING	10.0					10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	
9 195	50.7	54.0	5	65	218316	RIDE	8.6					7.3	7.4	7.4	7.3	7.3	7.2	8.3	8.3	
4268431	8.200	11.476	L	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	8.3	8.3	5.5*
RANGER CONSTRUCTION INDUST(2012)						FC5M	8.4	8.1	8.6	8.7	8.6	8.5	8.7	8.8	8.8	8.6	8.4	8.7	8.6	8.5
93280000	3.940	5.559	R	1	1	CRACKING	8.5	8.5	8.5	7.5	7.0	6.5	6.5	4.5*	4.5*	3.5*	3.5*	1.0*	10.0	
704				4	45	67000	8.8	8.7	8.4	7.8	7.8	7.6	7.8	7.6	7.3	7.3	7.0	7.1	8.8	
DREXEL RD( 4.0R)																				
4216941	3.848	5.535	R	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	8.8	8.7	7.5
RANGER CONSTRUCTION INDUST(2013)						FC95M	8.8	8.7	8.7	8.7	8.4	8.6	8.6	8.6	8.6	8.5	8.5	8.5	8.5	8.2
93280000	5.559	7.552	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.5	6.5	6.5	6.5	4.5*	4.5*	
704				4	45	45000	8.5	8.3	8.3	7.8	7.6	7.4	7.4	7.4	7.3	7.2	7.1	7.3	7.2	
ZIP CODE PL( 5.7L)																				
4270201	6.242	7.550	L	2013	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.6	9.2	8.0
RANGER CONSTRUCTION INDUST(2015)						FC95R		8.5	8.7	8.6	8.4	8.0	8.4	8.4	8.4	8.3	8.4	8.3	8.3	8.0
93280000	3.848	5.559	L	1	1	CRACKING	10.0	10.0	8.5	7.5	7.5	7.5	6.0*	4.0*	4.0*	2.0*	2.0*	2.0*	10.0	
704				4	45	67000	8.8	8.3	8.3	7.7	7.5	7.2	7.5	7.3	7.2	7.0	6.9	6.9	8.8	
WEST DR( 4.2L)																				
4216941	4.115	5.535	L	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5
RANGER CONSTRUCTION INDUST(2013)						FC95M	8.7	8.7	8.6	8.6	8.5	8.4	8.5	8.5	8.6	8.2	8.4	8.4	8.4	8.1
93310000	7.912	11.800	R	1	1	CRACKING	7.0	7.0	7.0	7.0	5.0*	5.0*	5.0*		10.0	10.0	10.0	10.0	10.0	
710				2	60	17500	8.8	8.9	8.6	7.9	7.8	7.6	7.8		8.3	8.3	8.3	8.3	8.2	
HALPATIOKEE RD( 9.9R)																				
4137981	7.228	11.800	C	2006	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.5	8.3	5.5*
RANGER CONSTRUCTION INDUST(2009)						FC5M	8.2	8.3	8.3	8.2	8.1	8.0	8.3	8.4	8.4	8.4	8.4	8.4	8.3	8.2
4484391	6.900	11.800	C	2028	0012															
93310000	16.500	20.416	R	1	1	CRACKING	6.5	6.5	6.5	6.5	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
710				2	55	30000	8.3	8.3	8.1	7.3	7.1	7.0	7.1	8.1	8.2	7.9	8.1	8.1	8.1	
CR 809A(17.0C)																				
2298151	16.861	20.474	C	2006	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.6	8.3	5.5*
RANGER CONSTRUCTION INDUST(2008)						FC5M	8.1	8.0	8.0	8.0	7.8	7.6	7.9	8.0	8.0	8.0	8.0	8.0	8.1	8.0
4192511	17.006	20.148	C	2023	0213															
93310000	20.416	22.010	R	1	1	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.5	10.0			10.0	10.0	10.0	
710				2	45	19500	8.3	8.2	8.1	7.7	7.8	7.6	7.5	7.1			8.4	8.4	8.5	
MILITARY TR(20.5C)																				
2298971	20.631	21.994	C	2007	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	8.0
RANGER CONSTRUCTION INDUST(2011)						FC95	7.9	8.4	8.0	8.0	7.8	7.5	7.8	7.7	7.9	7.8	7.8	7.7	7.6	7.3
93310000	20.416	22.010	L	1	1	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	7.5	10.0			10.0	10.0	10.0	
710				2	45	19500	8.3	8.2	8.1	7.7	7.8	7.6	7.5	6.8			8.3	8.3	8.1	
MILITARY TR(20.5C)																				
2298971	20.631	21.994	C	2007	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.2	8.0
RANGER CONSTRUCTION INDUST(2011)						FC95	7.6	8.0	8.0	7.9	7.9	7.7	7.7	7.7	7.8	7.8	7.7	7.7	7.6	7.3
93310000	16.705	20.416	L	1	8	CRACKING	5.5*	3.5*	2.5*	2.5*	2.5*	2.5*	2.5*	10.0	10.0	10.0	10.0	10.0	10.0	
710				2	55	30000	8.0	7.9	7.7	6.8	6.6	6.6	6.5	8.1	8.1	8.1	8.1	8.1	8.1	
CR 809A(17.0C)																				
2298151	16.861	20.474	C	2006	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	
RANGER CONSTRUCTION INDUST(2008)						FC5M	8.1	8.1	8.0	8.0	8.0	7.9	8.0	8.0	8.0	7.9	8.0	8.0		
4192511	17.006	20.148	C	2023	0213															
93310000	7.912	11.700	L	1	1	CRACKING	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	
710				2	60	17500	8.8	8.7	8.5	8.0	7.9	7.8	7.6		8.3	8.2	8.2	8.3	8.2	
CALOOSA BLVD W( 8.2L)																				
4137981	7.228	11.800	C	2006	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.7	6.5	4.0*
RANGER CONSTRUCTION INDUST(2009)						FC5M	8.1	8.2	8.3	8.2	8.2	8.1	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.0
4484391	6.900	11.800	C	2028	0012															

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR			2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P WKMX-P		=====													
ITMSEG-P		(AGE_ONE YEAR)		SURF_TYPE		FY-F WKMX-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR		W_BMP		W_EMP		RW		(PMRS)													
ITMSEG-F		W_BMP		W_EMP		RW		(PMRS)													
93470000	0.000	2.996	R	5	1	CRACKING	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
91	73.3	76.3	3	65	118700	RIDE	8.4	8.3	8.4	7.8	7.7	7.8	7.8	7.8	8.0	8.0	8.0	8.0	8.0	7.9	
13.8																					
4170241	0.000	3.000	C	2007	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4	9.0	6.5	
RANGER CONSTRUCTION INDUST(2009)						FC5M		8.0	7.9	8.0	8.0	7.9	7.9	8.1	8.1	8.1	8.1	8.0	8.0	7.9	
4182145 0.000 3.406 C 2025 0548																					
93470000	8.152	13.075	R	5	1	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.0*		10.0	10.0	10.0	10.0	10.0	10.0		
91	81.5	86.4	3	65	100572	RIDE	7.5	8.6	8.4	7.7	7.6	7.3		8.2	8.1	7.9	7.9	7.9	7.9		
13.8																					
4379911	8.181	14.071	R	2019	0012	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.4	9.7	8.0	
RANGER CONSTRUCTION INDUST(2021)						FC5M		7.8		8.5	8.5	8.6	8.5	8.6	8.7	8.7	8.7	8.7	8.7	8.6	
93470000 13.075 13.608 R 5 8 CRACKING 10.0 10.0 10.0 8.5 8.5 7.5 7.5 10.0 10.0 10.0 10.0 10.0 10.0																					
91	86.4	87.0	3	65	100572	RIDE	8.5	8.6	8.5	7.6	7.6	7.5	7.6	8.2	8.1	7.9	7.9	7.9	7.9		
13.8																					
4379911	8.181	14.071	R	2019	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	9.0	9.0	9.4			
RANGER CONSTRUCTION INDUST(2021)						FC5M		7.8	7.1	7.8	7.8	7.8	7.7	7.9	8.7	8.7	8.7	8.7	8.7		
4371694 11.754 13.769 C 2031 0213																					
93470000	30.499	39.000	L	5	1	CRACKING	9.0	8.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.5	9.5	9.5		
91	103.8	112.3	2	70	56906	RIDE	8.8	8.9	8.7	8.0	7.7	7.5	7.5	7.3	8.2	8.1	8.0	8.0	7.9		
19.6																					
4365211	32.881	38.993	L	2018	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5		10.0	10.0	10.0	10.0	9.4	10.0		
RANGER CONSTRUCTION INDUST(2021)						FC5M		7.9	7.9	8.1	8.1	8.1	8.0		8.8	8.7	8.7	8.7	8.6	8.5	
93470000 8.152 13.935 L 5 1 CRACKING 5.5* 5.5* 5.5* 3.5* 3.5* 3.5*																					
91	81.5	87.3	3	65	100572	RIDE	8.4	8.4	8.4	7.5	7.5	7.5		8.0	8.0	8.0	8.0	7.9	7.9		
13.8																					
4379911	8.726	14.071	L	2019	0012	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	10.0		
RANGER CONSTRUCTION INDUST(2021)						FC5M		7.8		8.5	8.7	8.5	8.6	9.0	8.6	8.7	8.6	8.6	8.6	8.5	
93470000 0.000 2.996 L 5 1 CRACKING 8.5 7.5 7.5 7.5 7.0 6.5 6.5 6.5 10.0 10.0 10.0 10.0 10.0																					
91	73.3	76.3	3	65	118700	RIDE	8.4	8.3	8.4	7.6	7.6	7.2	7.6	7.6	8.2	8.2	8.2	8.3	8.2		
13.8																					
4170241	0.000	3.000	C	2007	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	7.7	7.0		
RANGER CONSTRUCTION INDUST(2009)						FC5M		8.2	8.1	8.0	8.3	8.0	8.2	8.2	8.4	8.2	8.1	8.1	8.1	8.0	
4182145 0.000 3.406 C 2025 0548																					
94001000	0.739	3.925	R	4	1	CRACKING	9.5	9.5	9.5	9.5	7.5	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0		
9	195	114.1	3	70	103500	RIDE	8.6	8.5	8.7	8.1	8.0	7.7	7.2	7.4	7.3	7.3	8.1	8.1	8.2		
10.6																					
4197151	0.739	6.018	C	2009	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.4	7.1		
RANGER CONSTRUCTION INDUST(2011)						FC5M		8.1	8.0	8.5	8.4	8.5	8.7	8.7	8.7	8.7	8.6	8.7	8.6	8.5	
94001000 0.739 3.917 L 4 1 CRACKING 9.5 9.5 7.5 7.5 7.5 7.5 7.5 6.5 6.5 4.5* 4.5* 10.0 10.0 10.0																					
9	195	114.1	3	70	103500	RIDE	8.6	8.3	8.5	7.9	7.8	7.7	7.3	7.3	7.3	7.3	8.2	8.2	8.2		
10.6																					
4197151	0.739	6.018	C	2009	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.4	6.9		
RANGER CONSTRUCTION INDUST(2011)						FC5M		8.1	8.0	8.5	8.4	8.5	8.6	8.7	8.7	8.6	8.6	8.6	8.5	8.4	
94003000 9.517 10.198 C 1 2 CRACKING 6.5 6.5 4.5* 4.5* 4.5* 2.0* 2.0* 2.0* 2.0* 2.0* 2.0* 10.0 10.0																					
713			2	50	13500	RIDE	8.0	7.7	6.8	7.7	7.0	7.4	6.4*	6.2*	6.3*	7.0	7.0	8.0	7.9		
KINGS HWY SB( 9.7L) 6.9																					
4152931	9.853	10.198	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	9.3		
RANGER CONSTRUCTION INDUST(2012)						FC95		7.9	8.0	7.3	7.5	7.2	7.6	7.2	7.0	7.2	7.4	7.2	7.2	6.8	
94005000 0.000 1.024 R 1 7 CRACKING 10.0 10.0 10.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 8.0																					
615			2	40	25500	RIDE	6.9	7.8	8.2	8.0	7.3	7.5	7.1	7.3	7.8	8.0	8.1	8.1	7.6		
CR 611( 0.0C) 6.7																					
4461701	0.104	1.024	R	2024	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.2*	10.0		
RANGER CONSTRUCTION INDUST(2026)						FC125		7.8	7.6	6.9	7.0	7.4	7.4	7.4	7.3	7.3	7.3	7.3	7.6		
94005000 1.024 2.488 R 1 1 CRACKING 4.5* 4.5* 4.5* 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0 8.0 8.0 8.0																					
615			2	40	24000	RIDE	6.3*	6.8	5.4*	6.6	6.6	6.7	6.1	5.8	6.5	6.2	6.5	6.2	6.1		
RHODE ISLAND AV( 1.3R) 6.6																					
4247621	1.024	2.488	C	2013	0012	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.1	6.9		
RANGER CONSTRUCTION INDUST(2015)						FC125			7.7	6.5	7.1	7.0	7.0	7.0	6.7	6.6	6.6	6.6	6.6		
2031 FORECASTED BY PAVEMARS (PMRS).																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)		W_BMP W_EMP		FW	FY-P	WKM-F	*****														2031
CONTRACTOR (AGE_ONE YEAR)		W_BMP W_EMP		RW	FY-F	WKM-F	*****														(PMRS)
ITMSEG-P		W_BMP W_EMP		RW	FY-F	WKM-F	*****														(PMRS)
ITMSEG-F		W_BMP W_EMP		RW	FY-F	WKM-F	*****														(PMRS)
94005000	2.488	3.809	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	
615			2	35	21000	RIDE	7.7	8.2	8.2	7.8	7.4	6.5	7.0	6.6	6.8	7.8	7.8	7.6	7.6		
ORANGE AVE( 2.5C)																					
4138461	2.514	3.809	R	2008	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.9	7.9	6.5	
RANGER CONSTRUCTION		INDUST(2010)			FC125	RIDE	7.3	6.7	6.5	6.3	6.7	7.0	6.6	6.6	6.3	6.6	6.4	6.4	6.3	6.0	
94005000	4.991	6.168	R	1	1	CRACKING				10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.0*	
615			2	40	9400	RIDE				7.6	7.7	7.3	6.7	6.3	7.2	7.1	7.1	6.7	6.7		
SR 608/ST LUCIE BLVD( 5.0R)																					
4323261	4.991	6.160	R	2017	0012	CRACKING	6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.9	8.0	
RANGER CONSTRUCTION		INDUST(2019)			FC95M	RIDE	6.4	5.9	6.4	6.6		8.5	8.5	8.5	8.1	8.4	8.3	8.2	8.3	8.0	
94005000	4.991	6.168	L	1	1	CRACKING				10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	7.0	6.0*		
615			2	40	9400	RIDE				7.8	7.6	7.5	6.5	6.4	6.9	7.2	7.4	7.0	7.0		
CR-608/ST LUCIE BLVD( 5.0L)																					
4323261	4.991	6.160	L	2017	0012	CRACKING	6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.6	8.5	
RANGER CONSTRUCTION		INDUST(2019)			FC3	RIDE	6.5	6.9	7.1	6.4		8.4	8.3	8.4	8.1	8.2	8.4	8.2	8.2	7.9	
94005000	2.488	3.809	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	10.0	10.0	10.0	
615			2	35	21000	RIDE	6.5	6.7	7.4	7.0	6.4	7.0	6.2	6.2	6.8	7.4	7.4	7.1	7.3		
ORANGE AVE( 2.5C)																					
4138461	2.514	3.809	L	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.6	8.6	7.0	
RANGER CONSTRUCTION		INDUST(2010)			FC125	RIDE	7.0	6.6	6.0	6.0	6.4	6.7	6.6	6.6	6.5	6.6	6.4	6.7	6.7	6.4	
94005000	1.024	2.488	L	1	1	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0		
615			2	40	24000	RIDE	6.6	6.4	6.3	7.0	6.6	6.8	6.1	5.8	6.5	6.4	6.3	6.3	6.3		
TENNESSE AVE( 1.1L)																					
4247621	1.024	2.488	C	2013	0012	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.4	7.2	6.0*	
RANGER CONSTRUCTION		INDUST(2015)			FC125	RIDE		7.6	6.6	6.0	6.6	6.8	6.7	6.4	6.4	6.5	6.4	6.5	6.4	6.1	
94005000	0.000	1.024	L	1	7	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5		
615			2	40	25500	RIDE	8.1	8.0	7.9	7.4	7.6	7.3	6.8	6.5	7.0	6.9	7.2	7.0	6.9		
CR 611( 0.0C)																					
4461701	0.104	1.024	L	2024	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	6.0*	6.0*	5.6*	10.0	9.5	
RANGER CONSTRUCTION		INDUST(2026)			FC125	RIDE	6.9	6.1	6.5	5.9	6.3	6.6	6.6	6.4	6.3	6.5	6.5	6.5	7.5	7.2	
94010000	10.772	11.866	R	1	1	CRACKING	9.5	8.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0		
5			2	40	30000	RIDE	8.4	8.3	8.5	7.6	8.0	7.6	7.3	7.1	7.6		8.0	7.9	7.7		
CORAL SQUARE SHOPPES(10.9R)																					
4138471	10.772	14.580	R	2008	0012	CRACKING	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	7.3	7.8	6.5	
RANGER CONSTRUCTION		INDUST(2011)			FC95	RIDE	7.7	7.0	7.2	7.3	7.2	7.3	7.2	7.0	6.9	6.8	6.8	6.9	6.8	6.5	
4417141	10.752	11.876	C	2027	9915																
94010000	10.772	11.866	L	1	1	CRACKING	9.0	9.0	9.0	7.0	6.5	6.5	6.5	6.5	6.5		10.0	10.0	9.5		
5			2	40	30000	RIDE	7.8	8.1	8.1	7.4	7.6	7.4	7.0	7.2	7.3		8.2	8.2	8.1		
HOWIE DR(10.8L)																					
4138471	10.772	14.580	L	2008	0012	CRACKING	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	8.0	6.5	
RANGER CONSTRUCTION		INDUST(2011)			FC95	RIDE	7.9	7.9	7.4	7.2	7.6	7.7	7.6	7.4	7.3	7.4	7.1	7.2	7.7	7.4	
4417141	10.752	11.876	C	2027	9915																
94060000	2.525	7.126	C	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5		
ALA			2	45	5600	RIDE	8.9	8.5	8.8	8.1	8.1	7.9	7.4	7.3	7.1	7.1	7.0	6.7	6.8		
ATLANTIC BEACH BLVD( 2.5R)																					
4230341	2.525	7.709	C	2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.2	8.0	7.0	
RANGER CONSTRUCTION		INDUST(2015)			FC95R	RIDE		8.0	7.4	7.9	7.8	7.8	7.9	7.9	7.9	7.9	7.8	7.9	7.8	7.5	
94060000	7.126	7.728	C	1	1	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5		
ALA			2	45	5600	RIDE	8.9	8.5	8.8	8.1	8.1	7.9	7.4	7.3	7.2	6.9	7.7	7.2	7.5		
MISSING DESCRIPTION I( 7.3R)																					
4230341	2.525	7.709	C	2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.4	7.5	
RANGER CONSTRUCTION		INDUST(2015)			DGFC	RIDE		7.6	6.6	7.0	7.0	7.0	6.9	6.8	6.7	6.8	6.6	6.5	6.6	6.3	
94120000	7.728	9.271	R	1	1	CRACKING	8.0	8.0		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
716			3	45	38500	RIDE	6.1*	6.0*		7.3	6.9	7.0	6.6	6.3	5.7	6.7	6.7	6.6	6.6		
SE SHIPPING RD( 8.0C)																					
4463761	7.728	9.069	R	2025	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	8.6	8.5	8.0	
RANGER CONSTRUCTION		INDUST(2025)			FC125	RIDE	6.2	5.9	5.8	5.8	5.7	5.7	5.8	5.7	5.5	5.6	5.7	5.7	5.6	5.3*	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)		%		=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
94120000	7.728	9.271	L	1	1	CRACKING	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
716				3	45	38500	RIDE	6.2*	5.8*		7.4	7.1	6.7	6.4	7.0	6.7	7.0	7.1	6.7	6.9	
SE SHELTER DR( 7.8L)																					
4463761	7.728	9.069	L	2025	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	8.6	8.5	8.0	8.0
RANGER CONSTRUCTION INDUST(2025) FC125 RIDE 6.9 7.0 6.1 5.6 5.7 5.8 5.7 5.6 5.5 5.6 5.7 5.7 5.7 5.7 5.4*																					
-----																					
94470000	31.200	34.959	R	5	7	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.5	6.5	6.5	4.5*	10.0	10.0	10.0	
91	169.4	173.1	2	70	38200	RIDE	8.9	8.1	8.8	8.1	7.9	7.7	7.5	6.8	6.7	6.7	8.1	8.5	8.5		
INDIAN RIVER CO LINE(35.0C)																					
4444021	31.259	34.959	C	2024	0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	9.0
RANGER CONSTRUCTION INDUST(2026) FC5M RIDE 8.4 8.3 8.6 8.5 8.7 8.9 8.9 8.9 8.9 8.9 8.8 8.7 8.7 8.8 8.7																					
-----																					
94470000	31.200	34.959	L	5	7	CRACKING	10.0	10.0	9.5	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
91	169.4	173.1	2	70	38200	RIDE	8.7	8.4	8.6	7.8	7.7	7.4	7.1	6.8	6.5	6.6	8.1	8.4	8.4		
INDIAN RIVER CO LINE(35.0C)																					
4444021	31.259	34.959	C	2024	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.0	8.0	8.0	6.5	6.5	4.5*	4.5*	10.0	9.0	9.0
RANGER CONSTRUCTION INDUST(2026) FC5M RIDE 8.4 8.2 8.5 8.5 8.6 8.7 8.7 8.5 8.3 8.1 8.2 7.9 8.8 8.7																					
-----																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP   SIDE)		%		=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X	P															
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X	F	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
(PMRS)																					
93030000	1.910	3.400	R	1	1	CRACKING	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
806			2	45	45000	RIDE	7.2	7.2	8.3	7.8	7.8	7.2	7.9	7.8	7.9	7.7	7.8	7.8	7.8	7.8	
LEXINGTON CLUB BLVD( 2.2R)																					
2296001	1.814	3.367	C	2000	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	8.0	7.9	6.5
RANGER CONSTRUCTION INDUST(2003)						FC125	RIDE	7.7	7.7	7.7	7.6	7.7	7.4	7.3	7.3	7.4	7.6	7.6	7.6	7.7	7.4
4405754	1.653	3.078	C	2029	0213																
-----																					
93030000	1.910	3.400	L	1	1	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
806			2	45	45000	RIDE	7.9	7.6	8.1	7.7	7.4	7.7	7.7	7.8	7.8	7.3	7.5	7.5	7.5	7.5	
STONE QUARRY BLVD( 2.2L)																					
2296001	1.814	3.367	C	2000	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	7.9	6.5
RANGER CONSTRUCTION INDUST(2003)						FC125	RIDE	7.5	7.2	7.4	7.4	7.3	7.1	7.4	7.6	7.3	7.5	7.4	7.5	7.6	7.3
4405754	1.653	3.078	C	2029	0213																
-----																					
94006000	0.000	0.569	C	1	1	CRACKING	2.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
608			2	35	5300	RIDE	6.7		7.3	7.4	7.2	6.9	6.4	6.1	6.6	7.1	6.7	6.6	6.5	6.5	
M L KING BLVD( 0.0C)																					
2303461	0.000	0.569	C	2000	0012	CRACKING	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.7	8.6	7.0
RANGER CONSTRUCTION INDUST(2003)						FC125	RIDE	6.5	6.5	5.9	5.8	6.0	5.9	6.0	5.9	5.6	5.8	5.5	5.6	5.7	5.4*
4484491	0.023	0.546	C	2031	0012																
-----																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RUSSELL ENGINEERING INC -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP   SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
93020000	0.000	0.773	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
5			2	35	9400	RIDE	7.8	7.6	7.6	7.1	7.0	6.8	7.0	6.9	6.8	6.6	6.1	6.1	5.9			
SR-805/DIXIE HWY( 0.0L)																						
2296291	0.000	2.029	C	1997	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
RUSSELL ENGINEERING INC	(2000)				DGFC	RIDE	6.0	5.9	6.1	5.8	5.3*	5.5	5.7	5.8	5.6	5.5	5.7	5.3*	5.4*	5.1*		
4498321	0.000	0.773	C	2027	0012																	
-----																						
93050000	1.921	3.700	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
805 1			4	35	21000	RIDE	8.3	8.0	7.9	7.5	7.7	7.7	7.8	7.8	7.8	7.8	7.6	7.6	7.7	7.5		
3 AVE N( 1.9C)																						
2290041	2.680	3.800	C	1998	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.4	8.0	6.5	
RUSSELL ENGINEERING INC	(2001)				FC3	RIDE	7.3	7.2	7.2	7.3	7.3	6.9	7.1	6.8	6.9	6.6	6.5	6.4	6.5	6.2		

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = RUSSELL ENGINEERING, INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR			2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	*****															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	*****															
86015000	2.497	3.924	R	1	1	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
818			3	45	29000	RIDE	7.8	7.7	7.6	7.8	7.7	7.6	7.6	7.7	7.7	7.7	7.6	7.6	7.6	7.6	
SW 90 AVE( 2.6R)																					
2278821	2.424	3.906	C	2001	0213	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
RUSSELL ENGINEERING, INC				(2004)	FC125	RIDE	7.5	7.6	6.8	6.6	6.6	6.5	6.5	6.5	6.5	6.4	6.2	6.4	6.4	6.4	6.1
4483991	2.491	3.958	C	2031	0012																
86015000	2.497	3.924	L	1	2	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
818			3	45	29000	RIDE	7.8	7.7	7.6	7.9	7.9	7.8	7.7	7.7	7.8	7.8	7.7	7.6	7.6	7.6	
ACCESS RD TO ORANGE( 3.0L)																					
2278821	2.424	3.906	C	2001	0213	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
RUSSELL ENGINEERING, INC				(2004)	FC125	RIDE	7.5	7.5	6.9	6.8	6.8	6.6	6.7	6.5	6.4	6.5	6.4	6.4	6.4	6.3	6.0
4483991	2.491	3.958	C	2031	0012																
86050000	3.334	4.322	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
A1A			1	30	22000	RIDE	7.8	7.8	7.8	7.1	6.9	7.0	6.7	6.9	6.6	6.4	6.6	6.2	5.9		
PED CROSSWALK( 3.5C)																					
4336884	3.334	4.322	C	2014	0005	CRACKING		8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.0
RUSSELL ENGINEERING, INC				(2017)	FC125	RIDE		6.4			5.6	5.6								5.6	5.3*
86050000	3.334	4.322	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
A1A			1	30	22000	RIDE	7.8	7.8	7.8	7.1	6.9	7.0	6.7	6.9	6.6	6.4	6.6	6.2	5.9		
SR 838( 3.3L)																					
4336884	3.334	4.322	C	2014	0005	CRACKING		8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.9	8.0	
RUSSELL ENGINEERING, INC				(2017)	FC125	RIDE		6.4			5.9	5.9								5.4*	5.1*
86100000	0.000	0.900	R	1	1	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*					10.0	10.0	
7 441			3	40	52500	RIDE	6.8	6.8	6.7	6.5	6.8	6.4	6.3	6.3					7.2	7.5	
NW 215 ST/COUNTY LIN( 0.0R)																					
2277731	0.000	1.050	C	2007	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.4	8.5	7.0		
RUSSELL ENGINEERING, INC				(2012)	FC125	RIDE	7.4	7.5	6.8	6.7	6.5	6.3	6.8	6.8	6.8	6.6	6.7	6.7	6.6	6.3	
86100000	0.000	0.900	L	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*					10.0	10.0	
7 441			3	40	52500	RIDE	7.6	7.6	7.4	6.4	6.7	6.4	6.1	6.2					7.5	7.4	
COUNTY LINE RD( 0.0C)																					
2277731	0.000	1.050	C	2007	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.8	8.9	7.5		
RUSSELL ENGINEERING, INC				(2012)	FC125	RIDE	6.7	7.5	6.7	6.8	6.7	6.5	6.9	6.7	6.8	6.6	6.6	6.7	6.6	6.3	
93020000	2.071	3.209	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
5			2	35	7700	RIDE	7.8	7.7	7.6	7.3	7.3	7.2	7.8	7.8	7.8	7.7	7.5	7.6	7.6		
SIXTH AVE N( 2.1C)																					
2297061	2.029	3.651	C	1998	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.6	7.1	5.5*	
RUSSELL ENGINEERING, INC				(2000)	FC125	RIDE	7.4	7.6	7.3	7.0	7.1	7.2	7.3	7.3	7.2	6.9	7.1	7.0	7.0	6.7	
4476601	2.071	3.661	C	2025	0012																
93020000	3.209	3.651	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	
5			2	35	7700	RIDE	7.9	7.9	7.6	7.5	7.4	7.3	6.9	6.9	6.9	6.8	6.7	6.6	6.7		
AUBURN DR( 3.3R)																					
2297061	2.029	3.651	C	1998	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.3	6.8	5.0*	
RUSSELL ENGINEERING, INC				(2000)	FC125	RIDE	6.7	6.7	6.3	6.2	6.2	6.1	6.2	6.3	6.2	6.1	6.0	6.0	6.0	5.7	
4476601	2.071	3.661	C	2025	0012																
93120000	9.218	9.758	R	1	1	CRACKING	7.5	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
80 98			3	50	75000	RIDE	8.3	8.2	7.6	7.0			7.3	7.2	7.1	7.0	7.4	7.5	7.2		
2294971	8.935	10.951	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9	8.5	7.0		
RUSSELL ENGINEERING, INC				(2007)	FC125	RIDE	7.2	7.2	6.7	6.8	6.3*	6.5	6.4*	7.9	7.1	6.9	6.8	6.9	6.9	6.6	
93120000	9.758	11.164	R	1	1	CRACKING	7.5	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
80 98			4	50	80900	RIDE	8.3	8.2	7.6	7.0			7.2	7.2	7.2	7.1	7.2	7.0	7.0		
LITTLE RANCHES TR(10.0R)																					
2294971	8.935	10.951	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	7.7	7.8	6.5	
RUSSELL ENGINEERING, INC				(2007)	FC125	RIDE	7.1	7.2	7.1	7.1	6.9	6.7	7.0	6.9	7.0	6.8	7.0	7.1	7.0	6.7	
93120000	10.016	11.300	L	1	1	CRACKING	7.5	7.0	7.0	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
80 98			4	50	80900	RIDE	7.2	7.3	7.0	6.4*			8.1	8.0	7.9	8.0	8.1	8.1	8.0		
LAMSTEIN LN(10.6L)																					
2294971	8.935	10.951	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.3	8.4	7.0	
RUSSELL ENGINEERING, INC				(2007)	FC125	RIDE	8.1	8.0	7.8	7.7	7.6	7.5	7.6	7.7	7.6	7.5	7.6	7.6	7.5	7.2	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = SHELTRA & SON CONST. CO. INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP   SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
88010000	3.550	4.058	R	1	1	CRACKING	10.0	9.5	9.5	9.5	9.5				10.0	10.0	10.0	10.0	10.0	10.0	
5	1			3	45	22000	RIDE	8.4	8.1	8.0	7.5	7.6			8.3	8.2	8.3	8.2	8.1	8.1	
VISTA GARDENS( 3.6R)																					
						4.6															
2285833	3.432	4.071	C	2005	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.0	7.9	6.5
SHELTRA & SON CONST. CO.	I(2008)	FC95	RIDE				7.9	8.0	7.9	7.6	7.6	7.7	7.7	7.3	7.6	7.7	7.6	7.5	7.7	7.4	
88010000	1.615	4.058	L	1	1	CRACKING	8.0	7.0	6.0*	4.0*	4.0*	4.0*	4.0*	4.0*	1.0*	0.0*			10.0	10.0	
5	1			3	45	35500	RIDE	8.7	8.2	8.5	7.7	7.6	7.4	7.6	7.5	7.5			8.7	8.5	
CR 606( 2.1C)																					
						4.5															
2285835	1.829	3.533	C	2008	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	9.4	9.5	8.0
SHELTRA & SON CONST. CO.	I(2012)	FC95	RIDE				8.5	8.5	8.4	8.4	8.3	8.3	8.1	8.1	8.1	8.1	8.0	7.9	8.1	7.9	7.6

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = SMITH & COMPANY -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP   SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
93210000	13.750	19.931	R	1	1	CRACKING	6.0*				10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
7	441		3	50	32500	RIDE	8.5				8.3	8.2	8.3	8.4	8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.0
BOYNTON BCH BLVD(13.8R)																						
2291841	14.135	19.500	C	2000	0213	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.9	7.7	6.0*	
SMITH & COMPANY (2004) FC125 RIDE																						
4484381	13.775	19.704	C	2031	0012		7.9	8.0	7.7	7.7	7.7	7.7	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.3
-----																						
93210000	13.750	19.931	L	1	1	CRACKING	6.0*				10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
7	441		3	50	32500	RIDE	8.5				8.5	7.9	8.5	8.6	8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.0
BOYNTON BEACH BLVD(13.8L)																						
2291841	14.135	19.500	C	2000	0213	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.3	8.1	6.5
SMITH & COMPANY (2004) FC125 RIDE																						
4484381	13.775	19.704	C	2031	0012		7.8	7.9	7.6	7.6	7.4	7.3	7.4	7.3	7.5	7.3	7.4	7.3	7.3	7.3	7.3	7.0
-----																						

"\*\*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 "\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = THE DE MOYA GROUP INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP)	(SIDE)					*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE)	YEAR)		SURF_TYPE																(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															
86010000	8.814	9.749	R	1	2	CRACKING	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*
5 1				3	40	47500	7.7	7.4	7.3	6.9	6.7	6.5	6.4	6.5	6.2	6.4	6.2	6.7	6.7	
SE 16 CT( 8.9R)																				
4216541	8.820	9.292	R	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.7	9.5	8.5
THE DE MOYA GROUP INC.				(2014)	FC125	RIDE	7.5	7.6	7.4	7.2	7.5	7.6	7.0	7.2	7.5	6.9	6.9	6.6	7.7	7.4
-----																				
86010000	8.814	9.749	L	1	2	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*
5 1				3	40	47500	7.3	7.4	7.3	6.4	6.5	6.5	6.0	6.1	6.4	6.3	6.2	6.7	6.3	
SE 16 CT( 8.9L)																				
4216541	8.820	9.292	L	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.5
THE DE MOYA GROUP INC.				(2014)	FC125	RIDE	7.3	7.4	7.4	7.1	7.3	7.1	7.1	7.0	7.1	6.7	6.6	6.6	7.3	7.0
-----																				
86015000	6.519	10.738	R	1	1	CRACKING	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	
818				3	45	34000	7.3	7.3	7.2	6.6	6.7	6.5	6.3	6.4		8.3	7.9	7.8	7.7	
DAVIE CITY LIMITS( 6.7C)																				
4138321	6.691	10.587	R	2008	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.9	8.8	7.5
THE DE MOYA GROUP INC.				(2010)	FC95	RIDE	7.8	7.8	7.6	7.6	7.4	7.3	7.3	7.1	7.0	7.0	6.9	6.8	6.9	6.6
-----																				
86015000	6.519	10.738	L	1	1	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	
818				3	45	34000	6.7	6.6	6.6	5.9*	6.0*	5.9	5.8	5.8		8.3	8.2	7.9	8.1	
SW 46 TERR( 6.6L)																				
4138321	6.691	10.729	L	2008	0012	CRACKING	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.8	8.7	7.5
THE DE MOYA GROUP INC.				(2010)	FC95	RIDE	7.8	7.8	7.6	7.3	7.3	7.2	7.2	6.9	7.0	6.8	6.8	6.8	6.8	6.5
-----																				
86018000	2.335	4.910	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
824				3	40	55000	7.8	7.7	7.5	7.2	7.1	7.0	6.9	6.9	7.2	7.1	7.0	7.0	7.0	6.9
SW 60 TER( 2.5R)																				
2274531	2.282	4.898	C	1994	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.6	8.6	6.5
THE DE MOYA GROUP INC.				(1998)	FC3	RIDE	6.6	5.9	6.5	6.6	6.9	6.0	6.3	6.3	6.2	6.2	6.2	6.2	6.4	6.1
4484001	2.455	4.856	C	2029	0012															
-----																				
86018000	2.335	4.910	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
824				3	40	55000	8.3	8.2	8.2	7.7	7.6	7.4	7.2	7.4	7.5	7.4	7.4	7.2	6.5	
S 61 AVE( 2.4L)																				
2274531	2.282	4.898	C	1994	0213	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	7.5	8.4	8.3	6.5
THE DE MOYA GROUP INC.				(1998)	FC3	RIDE	7.0	7.0	7.0	6.9	6.7	6.6	6.7	6.7	6.6	6.5	6.6	6.6	6.6	6.3
4484001	2.455	4.856	C	2029	0012															
-----																				
86472000	2.187	7.317	R	5	1	CRACKING	10.0	10.0	10.0			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
869	2.2	7.3		3	65	105156	8.6	8.6	8.5			7.9	7.9	7.9	8.0	8.1	7.9	7.9	7.9	
6.7																				
4310893	2.852	8.174	C	2013	0012	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.0	5.0*
THE DE MOYA GROUP INC.				(2015)	FC5M	RIDE	7.8	8.4	8.1	8.1	8.0	8.0	8.0	8.2	8.2	8.2	8.2	8.1	8.1	8.0
4371556	4.100	7.500@	C	2026	0213															
-----																				
86472000	2.224	7.383	L	5	1	CRACKING	6.5	4.5*	3.5*			10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
869	2.2	7.4		3	65	105156	8.1	8.1	8.0			7.6	7.6	7.6	7.6	7.6	7.6	7.5	7.4	
6.7																				
4310893	2.852	8.174	C	2013	0012	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	7.4	6.9	5.0*
THE DE MOYA GROUP INC.				(2016)	FC5M	RIDE	7.4		7.9	8.0	8.0	7.9	7.9	8.0	8.0	8.0	8.0	7.5	8.1	8.0
4371556	4.100	7.500@	C	2026	0213															
-----																				
93120000	18.668	19.396	R	1	1	CRACKING	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
80 98				4	45	79500	7.1			8.1	8.2	8.2	8.3	8.2	8.3	8.2	8.2	8.2	8.2	8.2
CONGRESS AVE(18.9R)																				
2289871	18.200	20.393	C	1999	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5
THE DE MOYA GROUP INC.				(2004)	FC125	RIDE	8.1	8.1	8.0	8.0	8.0	7.9	8.0	8.0	7.9	7.9	8.0	8.0	7.9	7.6
-----																				
93120000	18.668	19.551	L	1	1	CRACKING	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
80 98				4	45	79500	6.7			8.3	8.0	8.1	8.3	8.3	8.3	8.2	8.1	8.1	8.1	8.1
GEM LAKE DR(19.5C)																				
2289871	18.200	20.393	C	1999	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.5
THE DE MOYA GROUP INC.				(2004)	FC125	RIDE	8.1	8.2	7.9	7.9	7.9	7.7	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = TIMOTHY ROSE CONTRACTING, IN -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013		
INTERSECT AT (MP   SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
88010000	4.779	5.845	R	1	7	CRACKING	8.0	8.0	8.0	7.0	6.0*		10.0	10.0	10.0	10.0	10.0	8.5	8.5			
5	1			2	35	22240	RIDE	8.1	7.3	7.5	6.9	7.0		7.7	7.6	7.5	7.2	7.4	7.3	7.3		
TWELFTH ST( 4.8C)																						
4476481	4.779	5.845	R	2025	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.4	10.0	9.5		
TIMOTHY ROSE CONTRACTING, (2026) FC95M							7.4	7.3	6.7	6.8	6.7	6.6	6.5	6.6	6.2	6.4	6.4	6.6	8.0	7.7		
-----																						
88010000	4.779	5.845	L	1	7	CRACKING	5.5*	5.5*	5.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0			
5	1			2	35	22240	RIDE	8.0	7.1	7.7	6.9	6.9		7.7	7.5	7.5	7.4	7.4	7.3	7.3		
TWELFTH ST( 4.8C)																						
4476481	4.779	5.845	L	2025	0012	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	10.0	9.5		
TIMOTHY ROSE CONTRACTING, (2026) FC95M							7.3	7.3	6.8	6.6	6.7	6.6	6.5	6.6	6.6	6.7	6.3	6.8	7.9	7.6		
-----																						

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = TRIPLE R PAVING INC -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR		2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	YEAR	FY-P	WKM-F	ADT	=====													2031
ITMSEG-P	(AGE_ONE	YEAR)	YEAR)	YEAR)	YEAR)	YEAR)	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT														
86015000	3.924	6.124	L	1	1	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
818			3	45	28561	RIDE			8.8	8.2	8.2	8.0	8.3	8.2	8.0	7.9	7.9	8.0	7.8	
ACCESS RD TO ORANGE( 4.7L)																				
2277061	3.877	6.525	C	1998	0213	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	8.4	7.0
TRIPLE R PAVING INC				(2003)	FC3	RIDE	7.8	7.8	7.8	7.6	7.9	7.8	7.8	7.7	7.7	7.7	7.6	7.6	7.6	7.3
4498161	3.924	6.124	C	2029	0012															
-----																				
86100000	8.349	10.461	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441			3	45	47500	RIDE		8.0	7.9	7.3	7.1	6.9	6.5	7.0	7.1	6.6	6.4	6.0	6.4	
RIVERLAND RD( 8.5R)																				
2277041	8.500	10.300	C	1998	0213	CRACKING	10.0	10.0	8.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.7	6.0*
TRIPLE R PAVING INC				(2003)	FC3	RIDE	6.3	6.4	6.5	6.6	6.3	6.3	6.6	6.3	6.3	6.2	6.1	6.2	6.2	5.9
4476771	8.349	10.461	C	2025	0012															
-----																				
86100000	9.065	10.461	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441			3	45	47500	RIDE		8.0	8.0	7.7	7.7	7.6	7.1	7.1	7.5	7.0	7.3	7.0	7.2	
DAVIE BLVD( 9.1L)																				
2277041	8.500	10.300	C	1998	0213	CRACKING	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	5.5*
TRIPLE R PAVING INC				(2002)	FC3	RIDE	6.4	6.8	6.8	6.5	6.8	6.9	6.9	6.8	6.8	6.9	6.7	6.8	6.5	
4476771	8.349	10.461	C	2025	0012															
-----																				
86100000	8.370	9.065	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
7 441			3	45	59000	RIDE	8.6	8.5	8.6	7.8	7.9	7.4	7.4	7.7	7.8	7.2	7.3	7.5	7.6	
SW 21 ST( 8.4L)																				
2277041	8.500	10.300	C	1998	0213	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	6.5
TRIPLE R PAVING INC				(2001)	FC3	RIDE	7.6	6.2	7.1	7.1	6.9	6.9	6.8	6.9	6.9	6.9	6.9	6.8	7.2	6.9
4476771	8.349	10.461	C	2025	0012															
-----																				
86170000	10.021	12.100	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
811			2	40	22000	RIDE	8.3	8.3	8.2	8.0	8.0	7.9	7.7	7.7	7.7	7.6	7.5	7.3	7.4	
SAMPLE RD(10.0C)																				
2281001	8.971	13.011	C	1995	0213	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.8	8.6	7.0
TRIPLE R PAVING INC				(1999)	FC3	RIDE	7.2	7.1	7.1	7.4	7.2	7.2	7.1	7.3	7.3	7.3	7.2	7.3	7.2	6.9
4481742	10.057	12.112	R	2028	9924															
-----																				
86170000	12.100	13.120	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
811			2	40	15200	RIDE	8.5	8.3	8.3	7.8	7.9	7.2	7.6	7.8	7.2	7.8	7.4	7.0	7.3	
SW 10 ST(12.1C)																				
2281001	8.971	13.011	C	1995	0213	CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	9.0	8.7	7.0
TRIPLE R PAVING INC				(2000)	FC3	RIDE	7.4	7.1	7.4	7.1	6.9	7.1	7.0	7.2	7.2	7.0	6.9	6.6	6.7	6.4
-----																				
86170000	12.100	13.120	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
811			2	40	15200	RIDE	7.9	6.9	7.7	7.3	7.3	7.1	6.8	7.0	6.6	7.8	7.4	7.0	7.3	
SW 10 ST(12.1C)																				
2281001	8.971	13.011	C	1995	0213	CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	5.0*
TRIPLE R PAVING INC				(2000)	FC3	RIDE	7.4	7.1	7.4	7.1	6.9	7.1	7.0	7.2	6.3	6.1	6.4	5.9	6.2	5.9
-----																				
86170000	10.021	12.100	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	
811			2	40	22000	RIDE	8.4	8.3	8.2	7.7	7.5	7.7	7.1	7.4	7.0	7.6	7.5	7.3	7.4	
SAMPLE RD(10.0C)																				
2281001	8.971	13.011	C	1995	0213	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	5.0*
TRIPLE R PAVING INC				(1999)	FC3	RIDE	7.2	7.1	7.1	7.4	7.2	7.2	7.1	7.3	6.9	6.9	7.1	6.9	7.0	6.7
-----																				

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = VEZINA, LAWRENCE & PISCITELL -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP   SIDE)		%		%		%		=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	P		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																(PMRS)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
88060000	11.628	14.634	R	1	1	CRACKING	5.5*	5.5*	3.5*	3.5*					10.0	10.0	10.0	10.0	10.0	10.0	
60			2	65	8313	RIDE	9.0	8.0	8.7	8.1					8.2	8.2	8.0	8.0	8.0	8.0	
SIDE ROAD(14.5R)																					
2285971	11.628	14.634	C	2002	0213	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	6.5	6.5	6.5	6.5	4.3*	3.7*	1.0*
VEZINA, LAWRENCE & PISCITE(2008)					FC5M	RIDE	7.9	7.8	8.0	7.9	7.8	7.6	7.8	7.7	7.7	7.6	7.6	7.6	7.6	7.4	7.3
4484441	7.916	15.056	C	2030	0012																
88060000	14.634	15.052	R	1	1	CRACKING	5.5*	5.5*	3.5*	3.5*					10.0	10.0	10.0	10.0	10.0	10.0	
60			2	65	8313	RIDE	9.0	8.0	8.7	8.1					8.3	8.4	8.2	8.1	8.1	8.1	
SIDE ROAD(14.5R)																					
2285961	14.634	19.000	C	2002	0213	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	6.5	4.3*	1.5*
VEZINA, LAWRENCE & PISCITE(2008)					FC5M	RIDE	8.0	7.9	8.3	8.3	8.3	8.1	8.5	8.5	8.5	8.5	8.5	8.5	8.4	8.1	8.0
4484441	7.916	15.056	C	2030	0012																
88060000	14.634	15.023	L	1	1	CRACKING	5.5*	5.5*	3.5*	3.5*					10.0	10.0	10.0	10.0	10.0	10.0	
60			2	65	8313	RIDE	9.0	8.0	8.7	8.1					8.2	8.2	8.0	8.0	8.0	7.9	
SIDE ROAD(14.5R)																					
2285961	14.634	19.000	C	2002	0213	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	6.0*	5.5*	3.0*
VEZINA, LAWRENCE & PISCITE(2008)					FC5M	RIDE	7.8	7.7	8.0	7.9	7.9	7.8	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.5	7.4
4484441	7.916	15.056	C	2030	0012																
88060000	11.628	14.634	L	1	1	CRACKING	5.5*	5.5*	3.5*	3.5*					10.0	10.0	10.0	10.0	10.0	10.0	
60			2	65	8313	RIDE	9.0	8.0	8.7	8.1					8.2	8.2	8.0	8.1	8.0	7.9	
SIDE ROAD(14.5R)																					
2285971	11.628	14.634	C	2002	0213	CRACKING	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	6.5	6.5	6.5	6.5	5.9*	5.4*	2.5*
VEZINA, LAWRENCE & PISCITE(2008)					FC5M	RIDE	7.9	7.8	7.7	7.8	7.7	7.5	7.6	7.5	7.5	7.5	7.4	7.4	7.3	7.2	7.1
4484441	7.916	15.056	C	2030	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WALSH GROUP ARCHER-WESTERN -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
INTERSECT AT (MP SIDE)							=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P														
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(PMRS)
86100000	16.500	17.900	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
7	441		3	45	50000	RIDE	8.6	8.4	8.6	8.2	8.1	7.8	7.6	8.1	8.1	8.0	7.9	8.0	8.1	
KIMBERLY BLVD(16.8L)																				
					2.7															
2277721	16.374	17.850	C	1995	0213	CRACKING	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	8.1	7.8	6.0*
WALSH GROUP	ARCHER-WESTER	(1999)		DGFC		RIDE	7.9	7.8	8.0	7.9	7.9	7.7	7.5	7.6	7.6	7.5	7.3	7.4	7.4	7.1

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P		W_BMP	W_EMP	RW	FY-P	WKM	X-P														
CONTRACTOR		(AGE_ONE	YEAR)	SURF_TYPE																	
ITMSEG-F		W_BMP	W_EMP	RW	FY-F	WKM	X-F	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
-----																					
86050000	10.443	11.498	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	
ALA			1	35	12011	RIDE	7.4	7.3	7.1	6.8	6.7	6.3	6.5	6.3	6.2	6.3	6.4	6.2	6.2		
NE 10 ST(10.9C)																					
2281151	10.429	12.109	C	1999	0012	CRACKING	7.5	7.5	7.5	7.5	7.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	5.5*	6.9	5.0*
WEEKLEY ASPHALT PAVING INC(2001)					FC125	RIDE	6.0	6.2	5.8	5.7	5.6	5.2*	5.2*	5.2*	5.2*	5.1*	5.0*	5.0*	5.3*	5.0*	
4476551	10.430	12.047	C	2024	0012																
-----																					
86050000	11.498	12.108	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	
ALA			1	35	6600	RIDE	7.4	7.3	7.1	6.8	6.7	6.3	6.5	6.3	6.2	6.3	6.4	6.2	6.2		
DOW ST(11.5R)																					
2281151	10.429	12.109	C	1999	0012	CRACKING	7.5	7.5	7.5	7.5	7.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	7.2	5.5*
WEEKLEY ASPHALT PAVING INC(2001)					FC125	RIDE	6.0	6.2	5.8	5.7	5.6	5.2*	5.2*	5.2*	5.2*	5.1*	4.3*	4.1*	4.5*	4.2*	
4476551	10.430	12.047	C	2024	0012																
-----																					
86050000	10.443	11.498	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	
ALA			1	35	12011	RIDE	7.4	7.3	7.1	6.8	6.7	6.3	6.5	6.3	6.2	6.3	6.4	6.2	6.2		
FIFTH ST NE(10.5L)																					
2281151	10.429	12.109	C	1999	0012	CRACKING	7.5	7.5	7.5	7.5	7.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	6.8	5.0*
WEEKLEY ASPHALT PAVING INC(2001)					FC125	RIDE	6.0	6.2	5.8	5.7	5.6	5.2*	5.2*	5.2*	5.2*	5.1*	4.3*	4.1*	4.1*	3.8*	
4476551	10.430	12.047	C	2024	0012																
-----																					

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE				
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	WKM-F	*****		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F																(PMRS)	
ITMSEG-P	ITMSEG-F																						
86006000	0.000	2.090	R	1	1	CRACKING	9.0		9.0	9.0	9.0	9.0	9.0		10.0		10.0	10.0	10.0	10.0	10.0	10.0	
842			3	45	45000	RIDE	7.1		7.1	6.6	6.6	6.6	6.6		6.8		7.5	7.3	7.1	7.1	7.1	7.1	
PLANTATION CITY LIMITS( 0.0C) 2.3																							
4442651	0.025	2.098	R	2022	0012	CRACKING	10.0		8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	9.5	
WEEKLEY ASPHALT PAVING, IN(2025)					FC125	RIDE	7.0		7.0	6.5	6.5	6.4	6.3	6.2	6.3	6.1	6.1		6.9	6.7	6.4	6.4	
-----																							
86006000	0.000	2.090	L	1	1	CRACKING	9.0		9.0	9.0	9.0	9.0	9.0		9.0		10.0	10.0	10.0	10.0	10.0	10.0	
842			3	45	45000	RIDE	6.0*		5.8*	6.2*	5.7*	5.8*	5.3*	5.2*			7.2	6.8	6.8	6.6	6.6	6.7	
PLANTATION CITY LIMITS( 0.0C) 2.3																							
4442651	0.143	2.098	L	2022	0012	CRACKING	10.0		9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	9.5	
WEEKLEY ASPHALT PAVING, IN(2025)					FC125	RIDE	6.4		6.7	6.9	6.9	6.6	6.4	6.3	6.4	6.3	6.3		6.6	6.7	6.4	6.4	
-----																							
86010000	4.117	5.948	R	1	1	CRACKING	7.5		6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
5			2	35	33000	RIDE	7.5		7.5	7.3	6.7	6.3	6.5	6.0	6.1	6.6	6.6	7.5	7.2	7.3	7.0	7.0	
SHERIDAN ST( 4.1C) 4.7																							
4138291	4.094	5.806	R	2008	0012	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	8.1	6.5
WEEKLEY ASPHALT PAVING, IN(2010)					DGFC	RIDE	7.3		7.1	7.2	7.1	7.0	6.9	6.7	6.7	6.7	6.6	6.4	6.6	6.5	6.5	6.2	
4498151	4.117	5.917	C	2028	0012																		
-----																							
86010000	4.117	5.948	L	1	1	CRACKING	7.5		6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
5			2	35	33000	RIDE	6.2*		6.8	6.5	5.8	5.9	6.1	5.7	5.8	5.6	7.3	7.1	6.9	6.8	6.8	6.8	
SHERIDAN ST( 4.1C) 4.7																							
4138291	4.094	5.806	L	2008	0012	CRACKING	8.5		8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.5	7.5	6.0*
WEEKLEY ASPHALT PAVING, IN(2010)					DGFC	RIDE	6.7		6.7	6.2	6.4	6.1	6.1	5.9	6.0	6.2	6.0	5.9	6.1	5.9	5.9	5.6	
4498151	4.117	5.917	C	2028	0012																		
-----																							
86014000	0.000	0.803	R	1	1	CRACKING	10.0		9.0	9.0	9.0	9.0	9.0	8.5	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
870			3	45	53500	RIDE	7.9		8.0	7.9	7.2	7.3	7.3	7.2	7.2	6.8	6.8	6.9	7.1	6.7	6.5	6.5	
SR 817( 0.0C) 3.4																							
4246661	0.017	0.814	C	2012	0012	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.6	8.5	
WEEKLEY ASPHALT PAVING, IN(2014)					FC95	RIDE	7.9		8.1	7.5	7.7	7.6	7.4	7.5	7.3	7.5	7.6	7.2	7.1	7.2	7.2	6.9	
-----																							
86014000	0.000	0.803	L	1	1	CRACKING	10.0		10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
870			3	45	53500	RIDE	8.1		8.0	7.8	6.9	6.5	6.6	6.1	6.5	6.0	5.9	5.8	6.2	6.2	6.2	6.2	
SR 817( 0.0C) 3.4																							
4246661	0.017	0.814	C	2012	0012	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.1	9.1	8.0	
WEEKLEY ASPHALT PAVING, IN(2014)					FC95	RIDE	8.0		8.0	7.8	7.9	7.9	7.3	7.7	7.6	7.6	7.6	7.4	7.4	7.6	7.6	7.3	
-----																							
86015000	0.000	2.497	R	1	7	CRACKING	6.5		6.5	6.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
818			3	45	32000	RIDE	7.8		7.7	7.6	7.1				7.9	7.7	7.6	7.6	7.4	7.5	7.5	7.5	
COOPER CITY LIMITS( 0.0C) 5.4																							
4463711	0.000	2.507	C	2024	0012	CRACKING	10.0		8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5		10.0	9.5	
WEEKLEY ASPHALT PAVING, IN(2026)					FC125	RIDE	7.4		7.4	7.0	6.9	6.9	6.7	6.9	6.6	6.7	6.6	6.6	6.6		7.0	6.7	
-----																							
86015000	0.000	2.497	L	1	7	CRACKING	6.5		6.5	6.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
818			3	45	32000	RIDE	7.8		7.7	7.6	7.1				7.9	7.5	7.6	7.5	7.3	7.2	7.3	7.3	
COOPER CITY LIMITS( 0.0C) 5.4																							
4463711	0.000	2.507	C	2024	0012	CRACKING	10.0		8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5		10.0	9.5	
WEEKLEY ASPHALT PAVING, IN(2026)					FC125	RIDE	7.2		7.2	6.5	6.5	6.4	6.2	6.3	5.9	6.0	6.0	6.0	6.0		7.0	6.7	
-----																							
86016000	0.000	2.786	R	1	1	CRACKING	9.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	
848			3	45	32500	RIDE	7.4		7.2	7.3	6.7	6.6	6.7	6.6	6.6	6.6	6.6	6.6	6.6	6.7	6.4	6.5	
CARRIAGE HILLS DR( 0.0C) 2.7																							
4287251	0.018	2.786	C	2017	0012	CRACKING	8.0		6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.7	9.1	8.0
WEEKLEY ASPHALT PAVING, IN(2019)					FC95M	RIDE	6.5		5.7	5.7	5.5	5.5	5.5	7.0	6.9	6.9	6.9	6.9	7.0	6.9	6.9	6.9	
-----																							
86016000	0.000	2.786	L	1	1	CRACKING	9.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	
848			3	45	32500	RIDE	6.7		6.7	6.7	6.3*	6.1*	6.3	5.9	6.0	6.0	6.1	6.0	6.0	6.0	6.0	6.0	
CARRIAGE HILLS DR( 0.0C) 2.7																							
4287251	0.018	2.786	C	2017	0012	CRACKING	6.5		6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.6	8.5
WEEKLEY ASPHALT PAVING, IN(2019)					FC95M	RIDE	5.7		5.8	5.3*	5.3*	5.2*	7.0	6.9	6.8	6.9	6.9	6.8	6.8	6.8	6.8	6.9	
-----																							
86020000	1.813	4.200	R	1	7	CRACKING	9.0		9.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	9.0	
5			3	45	53000	RIDE	6.4*		6.4*	6.4*	6.0*	6.0*	6.0*	5.8	5.7	5.4*	7.9	7.8	7.7	7.8	7.8	7.6	
VICTORIA PK RD( 1.9R) 2.8																							
4461851	2.045	4.307	R	2023	0012	CRACKING	9.0		8.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5	
WEEKLEY ASPHALT PAVING, IN(2026)					FC125	RIDE	7.6		7.7	7.1	7.1	7.1	7.1	6.9	6.9	6.9	6.8	6.6	6.6	6.5	6.4	6.1	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	YEAR	WKM-F	WKM-F	WKM-F	*****													(PMRS)	
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															
86020000	8.254	8.756	R	1	1	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	10.0	
5 1			3	45	38500	RIDE	6.7	6.7	6.6	6.6	6.6	6.3*	6.4	6.2	6.3	6.3	6.2	6.2	6.2	7.4	
SE 7 ST( 8.3R) 4.0																					
4229981	8.274	8.769	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.6	9.1	8.0
WEEKLEY ASPHALT PAVING, IN(2013)					FC95	RIDE	7.4	7.5	7.0	7.2	7.0	6.9	6.8	6.7	6.9	6.7	6.6	6.7	6.7	6.7	
-----																					
86020000	8.254	8.756	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	
5 1			3	45	38500	RIDE	7.4	7.4	7.3	6.6	6.6	6.5	6.5	6.7	6.8	6.9	6.5	6.5	6.5	8.4	
FIFTH CT SE( 8.5L) 4.0																					
4229981	8.274	8.769	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.6	8.5
WEEKLEY ASPHALT PAVING, IN(2013)					FC95	RIDE	8.2	8.0	7.8	7.8	7.7	7.6	7.6	7.6	7.6	7.6	7.5	7.2	7.5	7.5	
-----																					
86020000	1.813	4.200	L	1	7	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.0		
5 1			3	45	53000	RIDE	6.4*	6.6	6.4*	5.9*	6.1*	5.8	5.9	5.8	7.5	7.5	7.5	7.4	7.3		
VICTORIA PARK RD( 1.9L) 2.8																					
4461851	2.045	4.307	L	2023	0012	CRACKING	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2026)					FC125	RIDE	7.3	7.3	6.9	6.9	6.7	6.4	6.7	6.6	6.6	6.4	6.4	6.3	6.6	6.3	
-----																					
86030000	0.000	0.879	R	1	1	CRACKING				9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	
Ala			3	35	30000	RIDE				5.8	6.0	5.3*	4.9*	5.7	4.4*	3.7*	3.1*	4.1*	4.0*		
OCEAN DR( 0.2R) 1.6																					
4287271	0.000	0.583	R	2014	0012	CRACKING	6.5	4.5*		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.5	7.5	
WEEKLEY ASPHALT PAVING, IN(2017)					FC95A	RIDE	3.8*	4.8*		6.9	6.2	6.4	6.3	6.3	6.1	5.9	6.0	6.0	5.5	5.2*	
-----																					
86030000	6.750	7.449	R	1	7	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0		
Ala			3	40	21100	RIDE	5.5*	6.0	5.5	4.7*	5.2*	4.8*	5.2*	5.2*		7.2	6.7	7.1	7.1		
NE 2 CT( 7.3R) 2.5																					
4461981	6.683	7.355	R	2024	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.4	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2026)					FC95	RIDE	7.1	7.2	7.1	6.9	7.1	7.0	6.8	6.7	6.7	6.7	6.4	6.4	6.4	6.1	
-----																					
86030000	6.750	7.449	L	1	7	CRACKING	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0		
Ala			3	40	21100	RIDE	4.8*	4.9*	5.0*	4.3*	4.5*	4.5*	4.4*	4.8*		6.9	6.7	7.2	6.9		
FIFTH AVE SE L( 6.9L) 2.5																					
4461981	6.883	7.449	L	2024	0012	CRACKING	10.0	9.0	8.5	8.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2026)					FC95	RIDE	6.7	6.7	6.6	6.6	6.6	6.0	6.4	6.4	6.6	6.4	6.1	5.9	7.0	6.7	
-----																					
86030000	0.000	0.879	L	1	1	CRACKING				9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5		
Ala			3	35	30000	RIDE				6.4	6.8	6.6	6.1	6.4	6.9	6.7	6.3	5.5	5.9		
HEMISPHERES( 0.3C) 1.6																					
4287271	0.124	0.774	L	2014	0012	CRACKING	6.5	4.5*		10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	8.5	8.3	8.4	7.5
WEEKLEY ASPHALT PAVING, IN(2017)					FC95A	RIDE	6.1	5.4*		7.4	7.3	7.2	7.1	7.0	6.8	6.7	6.8	6.8	6.3	6.6	
-----																					
86040000	0.000	1.365	R	1	1	CRACKING	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
820			2	45	10300	RIDE	7.7	7.5	7.8	7.2	7.3	6.8	7.2	7.4	7.2	7.1	7.0	7.0	7.0	8.0	
PEMBROKE PINES CITY LIM( 0.0C) 5.3																					
4216571	0.009	1.365	R	2011	0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.2	7.0	6.0*	
WEEKLEY ASPHALT PAVING, IN(2013)					DGFC	RIDE	7.9	7.9	7.8	7.7	7.6	7.7	7.3	7.6	7.5	7.4	7.4	7.5	7.0	6.7	
-----																					
86040000	1.365	1.667	R	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	10.0		
820			3	45	28500	RIDE	8.2	8.1	8.0	7.5	7.5	7.4	7.3	7.5	7.3	7.3	7.3	7.2	8.2		
SW 196 AVE( 1.5R) 4.6																					
4216571	1.365	1.660	R	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.4	8.8	7.5	
WEEKLEY ASPHALT PAVING, IN(2013)					DGFC	RIDE	7.9	8.0	7.8	7.8	7.8	7.6	7.5	7.3	7.0	7.1	6.9	6.9	6.9		
-----																					
86040000	6.187	7.905	R	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
820			4	45	62500	RIDE	8.0	7.5	7.9	7.3	7.3	7.0	7.8	7.8	7.9	7.7	7.8	7.7	7.6		
NW 145 AVE( 6.2R) 2.1																					
4462001	6.170	7.870	R	2024	0012	CRACKING	9.0	8.5	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	9.5	
WEEKLEY ASPHALT PAVING, IN(2026)					FC95M	RIDE	7.5	7.5	7.7	7.7	7.9	7.8	7.7	7.6	7.6	7.7	7.6	7.6	7.7		
-----																					
86040000	18.394	19.659	R	1	7	CRACKING	7.0	6.0*	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*		10.0	10.0		
820			2	35	15380	RIDE	7.1	7.7	7.7	6.9	6.8	6.3	6.2	6.4	6.1	5.7		7.4	6.9		
S 16 AVE(18.5R) 2.3																					
4476541	18.394	19.618	R	2024	0012	CRACKING	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.3	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2026)					FC95M	RIDE	7.1	7.3	6.8	6.7	6.6	6.5	6.7	6.5	6.3	6.0	5.9	5.8	7.2	6.9	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).



# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															(PMRS)
86050100	0.000	0.926	C	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	
A1A			2	30	13500	RIDE	6.6	6.3	6.2	5.6	5.3*	5.1*	5.8	5.5	5.6	5.5	5.5	5.5	5.4*	5.2*	
SEVILLE ST( 0.0R)					2.9																
4306011	0.000	0.926	C	2016	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.4	7.5
WEEKLEY ASPHALT PAVING, IN(2018)					FC95A	RIDE	5.4*	5.1*	5.1*	5.2*	6.9	6.7	6.4	5.9	6.1	5.6	5.8	5.5	5.5	5.5	5.2*
86065000	2.025	2.920	R	1	1	CRACKING	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	
845			2	40	28500	RIDE	8.4	8.3	8.3	7.7	7.7	7.5	7.4	6.4	6.8	7.1	7.1	7.0	7.0	6.2	
OAKLAND PARK BLVD( 2.0C)					6.8																
4168731	2.065	2.890	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.6	9.5	8.0	
WEEKLEY ASPHALT PAVING, IN(2011)					FC95M	RIDE	6.5	6.0	6.8	6.7	6.7	7.0	6.5	6.6	6.3	7.4	7.3	7.4	7.4	7.4	7.1
86065000	9.142	11.424	R	1	1	CRACKING	9.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
845			3	45	42000	RIDE	5.7*	5.5*			7.5	7.5	7.3	7.5	7.4	7.4	7.0	7.1	7.0		
NW 30 PL( 9.2R)					8.4																
4460961	9.142	11.412	C	2023	0012	CRACKING	10.0	9.0	9.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	9.5	
WEEKLEY ASPHALT PAVING, IN(2025)					FC125	RIDE	7.0	7.0	6.7	6.6	6.6	6.5	6.5	6.5	6.3	6.2	6.1	6.8	6.7	6.4	
86065000	11.941	13.295	R	1	1	CRACKING	10.0	10.0			9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	
845			2	45	38000	RIDE	7.2	7.2			6.2*	6.0	5.7	6.0	5.9	5.9	6.0	5.7	5.4*		
NEST DR(12.0C)					1.8																
4306051	11.941	13.301	R	2015	0012	CRACKING	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.2	9.0	8.0	
WEEKLEY ASPHALT PAVING, IN(2017)					FC95A	RIDE	5.6	5.6		7.5	7.5	7.3	7.4	7.3	7.3	7.3	7.3	7.3	7.4	7.1	
86065000	9.142	11.424	L	1	1	CRACKING	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
845			3	45	42000	RIDE	7.4	7.0			7.5	7.8	7.4	7.7	7.6	7.5	7.5	7.4	7.4	7.4	
NW 30 PL( 9.2L)					8.4																
4460961	9.142	11.412	C	2023	0012	CRACKING	9.0	9.0	8.0	7.0	7.0	7.0	7.0	6.5	6.0*	6.0*	6.0*	10.0	10.0	9.5	
WEEKLEY ASPHALT PAVING, IN(2025)					FC125	RIDE	7.2	7.3	6.7	6.6	6.5	6.4	6.2	6.3	6.0	6.0	6.0	6.3	6.3	6.0	
86065000	2.025	2.920	L	1	1	CRACKING	10.0	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0		
845			2	40	28500	RIDE	8.0	7.3	7.4	7.1	7.1	6.9	6.5	5.2*	5.7	5.9	7.3	7.0	7.1		
OAKLAND PARK BLVD( 2.0C)					6.8																
4168731	2.065	2.890	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.5	10.0	8.5	
WEEKLEY ASPHALT PAVING, IN(2011)					FC95M	RIDE	7.4	7.2	7.3	6.8	7.2	7.3	6.9	6.9	7.0	6.5	6.7	6.5	6.5	6.2	
86070000	8.750	9.677	L	4	8	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5		10.0	10.0		
9 195	25.9	26.9	4	65	194500	RIDE	8.4	8.4	8.3	7.5	7.5	7.3	7.2	7.1	7.2	7.2		7.6	7.7		
2317331	8.763	9.801	L	2010	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5							
WEEKLEY ASPHALT PAVING, IN(2012)					FC5	RIDE	7.7	7.6	7.6	7.6	7.6	7.6	7.6	7.6							
86080000	17.980	19.776	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5		10.0	10.0	10.0	10.0		
84			3	40	62000	RIDE	5.9*	6.6	6.6	5.9	5.8	5.8	5.9	5.6		7.4	7.1	7.1	7.0		
ACCESS RD 86080002(18.0R)					10.6																
2282431	18.698	19.570	C	2007	0012	CRACKING	10.0	10.0	9.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	8.0	7.9	6.5	
WEEKLEY ASPHALT PAVING, IN(2010)					FC95	RIDE	7.0	7.0	6.6	6.6	6.3	6.5	6.3	6.3	6.1	5.7	5.6	5.6	5.8	5.5	
86080000	17.980	19.776	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5		10.0	10.0	10.0	10.0		
84			4	40	62000	RIDE	6.5	6.6	6.5	5.9	5.9	5.5	5.2*	5.6		7.4	7.3	7.1	7.1		
ACCESS RD(18.0L)					10.6																
2282431	18.698	19.570	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.0	
WEEKLEY ASPHALT PAVING, IN(2010)					FC95	RIDE	7.1	7.0	6.7	6.5	6.7	6.7	6.6	6.6	6.3	5.9	5.7	5.9	6.1	5.8	
86090000	9.201	9.720	R	1	1	CRACKING	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	
816			2	35	25500	RIDE	5.8*	5.8	6.0	5.2*	6.5	6.4	6.4	5.3*	6.5	6.5	5.1*	6.2	5.7		
ACCESS ROAD( 9.3R)					6.1																
2281561	9.239	9.720	C	2003	0012	CRACKING	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	7.0	6.6	5.0*	
WEEKLEY ASPHALT PAVING, IN(2005)					FC125	RIDE	5.8	5.5	5.4*	5.2*	5.1*	5.1*							4.7*	4.4*	
4484091	6.230	9.720	C	2028	0012																
86090000	9.201	9.720	L	1	1	CRACKING	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
816			2	35	25500	RIDE	5.7*	5.5	6.1	5.6	6.8	6.4	6.3	5.0*	6.6	5.8	5.4*	5.6	5.4*		
ACCESS ROAD( 9.3L)					6.1																
2281561	9.239	9.720	C	2003	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	7.0	7.8	6.0*	
WEEKLEY ASPHALT PAVING, IN(2005)					FC125	RIDE	6.1	5.9	4.8*	5.1*	4.3*	4.5*	4.4*	4.5*	4.5*	4.4*	4.2*	4.2*	4.5*	4.2*	
4484091	6.230	9.720	C	2028	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM	XT	=====														
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	ADT	TYPE	TYPE		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR															(PMRS)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	F															
86100000	14.791	15.796	R	1	1	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
7 441			3	45	46500	RIDE	7.4	7.4	6.8	7.2	7.0	7.0	6.7	6.3	6.7	6.8	6.8	6.9	6.6		
COMMERCIAL BLVD(14.8C)																					
4438451	14.791	15.796	R	2022	0012	CRACKING	10.0	9.5	9.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	10.0	10.0	10.0	9.5
WEEKLEY ASPHALT PAVING, INC			IN(2025)	FC125	RIDE		6.7	6.5	6.3	6.4	6.1	6.3	6.1	6.0	5.9	6.1	5.8	6.6	6.6	6.6	6.3
-----																					
86100000	14.791	15.796	L	1	1	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
7 441			3	45	46500	RIDE	6.8	7.1	7.1	7.2	7.2	7.2	7.0	7.1	7.0	7.0	7.2	7.1	7.0		
COMMERCIAL BLVD(14.8C)																					
4438451	14.791	15.796	L	2022	0012	CRACKING	9.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	9.5
WEEKLEY ASPHALT PAVING, INC			IN(2025)	FC125	RIDE		7.1	7.0	6.6	6.7	6.5	6.5	6.5	6.5	6.3	6.3	6.3	6.1	6.7	6.8	6.5
-----																					
86110000	4.443	6.190	R	1	1	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
838			3	45	52500	RIDE	5.5*	7.7	7.7	7.1	6.9	6.7	6.7	6.7	6.8	6.8	6.5	6.8	6.7		
M L KING AVE( 5.0C)																					
2280761	4.238	6.159	C	2000	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.7	7.8	6.0*	
WEEKLEY ASPHALT PAVING, INC			IN(2002)	FC3	RIDE		6.6	6.7	6.5	6.3	6.3	6.3	6.3	6.6	6.3	6.1	6.0	6.2	6.0	6.1	5.8
4498211	3.371	5.977	C	2028	0012																
-----																					
86110000	4.443	6.190	L	1	1	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
838			3	45	52500	RIDE	6.2*	8.0	7.7	7.1	7.2	7.0	6.9	6.7	6.8	6.6	6.5	6.3	6.3		
M L KING AVE( 5.0C)																					
2280761	4.238	6.159	C	2000	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.4	7.2	5.5*	
WEEKLEY ASPHALT PAVING, INC			IN(2002)	FC3	RIDE		6.5	6.5	6.4	6.3	6.3	6.3	6.3	6.3	6.3	6.2	6.1	6.2	6.2	5.9	
4498211	3.371	5.977	C	2028	0012																
-----																					
86120000	0.000	3.080	R	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
810			3	45	40000	RIDE	7.9	8.0	8.0	7.4	7.6	7.3	7.3	7.5	7.3	7.4	7.3	7.4	7.3		
COCONUT CREEK CITY LIMIT( 0.0C)																					
4476791	0.000	3.038	R	2024	0012	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	7.5	7.5	7.0	7.0	7.0	7.0	7.0	10.0	9.5
WEEKLEY ASPHALT PAVING, INC			IN(2026)	FC125	RIDE		7.1	7.3	6.9	7.1	7.1	6.9	6.9	6.9	6.8	6.8	6.6	6.7	7.5	7.2	
-----																					
86120000	0.000	3.080	L	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
810			3	45	40000	RIDE	8.3	8.2	8.0	7.6	7.6	7.6	7.5	7.6	7.5	7.5	7.5	7.6	7.5	7.5	
COCONUT CREEK CITY LIMIT( 0.0C)																					
4476791	0.000	3.038	L	2024	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	9.5	
WEEKLEY ASPHALT PAVING, INC			IN(2026)	FC125	RIDE		7.5	7.5	7.3	7.3	7.1	7.1	7.1	6.9	6.9	7.1	6.9	6.9	7.6	7.3	
-----																					
86130000	2.271	3.228	R	1	1	CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.0*	6.0*	6.0*	6.0*	10.0		
849			2	40	12700	RIDE	8.3	8.3	8.2	7.5	7.6	7.3	7.0	7.3	7.4	7.6	7.4	7.2	7.8		
MISSING DESCRIPTION I( 2.9R)																					
4230061	2.278	3.175	R	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.9	8.9	7.5	
WEEKLEY ASPHALT PAVING, INC			IN(2013)	FC95	RIDE		7.8	7.9	7.1	6.8	6.6	6.5	6.2	6.6	6.3	6.1	6.3	6.1	6.3	6.0	
-----																					
86130000	2.271	3.228	L	1	1	CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.0*	6.0*	6.0*	6.0*	10.0		
849			2	40	12700	RIDE	7.9	7.9	7.7	7.3	7.3	7.5	7.3	7.3	7.4	7.3	7.3	7.4	7.8		
CR 912( 2.3L)																					
4230061	2.278	3.175	L	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.3	7.0	
WEEKLEY ASPHALT PAVING, INC			IN(2013)	FC95	RIDE		7.6	7.8	7.4	7.3	7.4	7.1	7.1	7.3	6.7	7.1	7.0	6.7	6.9	6.6	
-----																					
86180000	0.336	0.754	R	1	1	CRACKING	9.5	9.5	9.5	8.5	7.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		
A1A			3	35	44500	RIDE	7.2	6.9	6.6	6.1	6.6	6.1	6.0	6.0	6.1	6.1	6.1	5.8	6.0		
HARBOR SHOPS( 0.4R)																					
4230071	0.330	0.678	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.5	7.5
WEEKLEY ASPHALT PAVING, INC			IN(2014)	FC95	RIDE		7.5	7.4	7.1	6.9	7.3	6.7	6.7	6.5	6.6	6.5	6.2	6.4	6.5	6.2	
4498251	0.000	1.636	C	2031	0012																
-----																					
86180000	1.535	2.535	R	1	1	CRACKING	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5		
A1A			2	30	35000	RIDE	5.6*	6.7	6.8	6.2	6.1	4.1*	5.4*	5.2*	5.3*	5.4*	5.4*	5.1*	5.1*		
SPUR( 1.6R)																					
4306011	1.501	2.360	R	2016	0012	CRACKING	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	9.5	8.5
WEEKLEY ASPHALT PAVING, INC			IN(2018)	FC95A	RIDE		5.1*	5.1*	4.4*	4.6*	7.1	7.0	6.7	6.8	6.7	6.7	6.5	6.5	6.3	6.0	
-----																					
86180000	2.535	2.964	C	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	9.0	9.0	9.0		
A1A			2	30	16000	RIDE	6.4*	6.5	5.9	5.8	5.5	4.7*	6.0	6.3	6.1	5.7	5.4*	5.5	5.6		
BAHIA MAR( 2.5L)																					
4306011	2.535	2.960	C	2016	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	8.5	
WEEKLEY ASPHALT PAVING, INC			IN(2018)	FC2	RIDE		5.5	5.5	5.7	5.5	6.9	6.3	6.2	6.3	6.7	6.2	6.6	6.6	6.0	5.9	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR)	RW	SURF_TYPE																(PMRS)
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															
86180000	1.535	2.535	L	1	1	CRACKING	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	
ALA			2	30	35000	RIDE	6.0*	7.2	7.1	6.5	6.5	6.3	6.4	6.1	6.2	6.2	6.0	6.0	5.8	
HASKINS AVE( 1.6L)																				
4306011	1.501	2.360	L	2016	0012	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	9.5	8.5
WEEKLEY ASPHALT PAVING, IN(2018)					FC95A	RIDE	6.1	5.8	5.4*	5.2*	7.4	7.1	6.9	6.9	6.4	6.5	6.6	6.1	6.1	5.8
86180000	0.336	0.754	L	1	1	CRACKING	9.5	9.5	9.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
ALA			3	35	44500	RIDE	7.5	6.6	7.0	6.6	6.6	6.4	6.0	6.3	6.3	7.0	5.8	6.0	5.2*	
CORDOVA RD( 0.4L)																				
4230071	0.330	0.678	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	7.5	7.5	7.5	7.5	6.5
WEEKLEY ASPHALT PAVING, IN(2014)					FC95	RIDE	7.3	6.5	6.5	6.7	6.0	5.9	5.8	5.8	5.7	5.7	5.6	5.7	5.7	5.4*
4498251	0.000	1.636	C	2031	0012															
86190000	2.384	3.700	R	1	7	CRACKING	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	
823			3	45	52500	RIDE	8.2	8.2	8.1	7.3	7.4	7.1	7.3	7.4	7.2	7.7	7.7	7.7	7.7	
MIRAMAR CITY LIMITS( 2.5C)																				
4476801	2.626	3.502	R	2025	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	9.0	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2026)					FC125	RIDE	7.6	7.7	7.4	7.5	7.5	7.4	7.3	7.3	7.2	7.3	7.3	7.1	7.4	7.1
86190000	3.700	7.599	R	1	1	CRACKING	9.0	9.0	9.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*		10.0	
823			3	45	40500	RIDE	8.5	8.4	8.3	7.7	7.7	7.6	7.5	7.5	7.5	7.5	7.4		8.1	
TAFT ST( 4.5C)																				
4216701	3.700	7.599	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.1	8.0
WEEKLEY ASPHALT PAVING, IN(2013)					FC95	RIDE	8.1	8.2	8.0	7.9	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.8	7.9	7.6
86190000	3.700	7.599	L	1	1	CRACKING	9.0	9.0	9.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*		10.0	
823			3	45	40500	RIDE	8.5	8.4	8.4	7.7	7.7	7.6	7.5	7.5	7.4	7.4	7.3		8.0	
TAFT ST( 4.5C)																				
4216701	3.700	7.599	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.1	8.0
WEEKLEY ASPHALT PAVING, IN(2013)					FC95	RIDE	8.0	8.1	7.9	7.9	7.9	7.9	7.9	7.8	7.9	7.9	7.8	7.8	7.9	7.6
86190000	2.384	3.700	L	1	7	CRACKING	10.0	7.5	6.5	6.5	6.5	6.5	7.0	6.5	6.5	10.0	10.0	10.0	10.0	
823			3	45	52500	RIDE	8.1	8.1	8.0	7.3	7.5	7.1	7.1	7.2	7.2	7.5	7.5	7.5	7.5	
MIRAMAR CITY LIMITS( 2.5C)																				
4476801	2.625	3.502	L	2025	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0	9.5
WEEKLEY ASPHALT PAVING, IN(2026)					FC125	RIDE	7.4	7.5	7.4	7.3	7.4	7.4	7.3	7.3	7.3	7.3	7.2	7.4	7.7	7.4
86200000	2.166	3.707	R	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0
858			3	40	57390	RIDE	6.1*	6.3	6.0	5.4*	5.2*	5.3*	4.9*	5.6	5.4*	7.0	6.9	6.5	6.7	
HOLIDAY PARK( 2.2C)																				
4137911	2.407	3.707	R	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.7	8.4	7.0
WEEKLEY ASPHALT PAVING, IN(2010)					FC95	RIDE	6.5	6.7	6.3	6.2	6.2	6.1	6.0	5.9	5.7	5.7	5.4*	5.7	5.8	5.5
86200000	2.166	3.707	L	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	9.0	
858			3	40	57390	RIDE	6.0*	6.2	5.9	5.2*	5.4*	5.1*	5.1*	5.6	5.6	7.4	6.8	6.6	6.5	
HOLIDAY PARK( 2.2C)																				
4137911	2.407	3.707	L	2008	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.9	8.7	7.5
WEEKLEY ASPHALT PAVING, IN(2010)					FC95	RIDE	6.6	6.5	6.6	6.4	6.5	6.0	6.2	6.3	6.3	6.2	6.0	6.3	6.4	6.1
86210000	2.698	4.033	R	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	
736			2	35	35500	RIDE	6.4*	6.3	5.8	5.3*	5.3*	5.2*	4.8*		6.9	6.5	6.6	6.6	6.1	
NINTH AVE SW( 3.0C)																				
2281801	2.698	4.033	C	2007	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.2	7.8	6.5
WEEKLEY ASPHALT PAVING, IN(2009)					FC95	RIDE	6.5	6.6	5.9	5.7	5.5	5.2*	5.3*	5.3*	5.4*	5.2*	5.1*	5.2*	5.0*	4.7*
86210000	2.698	4.033	L	1	1	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	9.5	
736			2	35	35500	RIDE	6.3*	6.1	6.3	5.6	4.8*	5.3*	5.5		6.6	6.6	6.4	6.3	6.3	
NINTH AVE SW( 3.0C)																				
2281801	2.698	4.033	C	2007	0012	CRACKING	9.5	9.5	8.5	8.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.5	7.7	6.5
WEEKLEY ASPHALT PAVING, IN(2009)					FC95	RIDE	6.3	6.3	5.6	5.6	5.4*	5.0*	5.3*	5.2*	5.0*	5.1*	5.2*	5.1*	4.9*	4.6*
86230000	3.500	4.057	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	
822			2	40	31000	RIDE	8.2	8.8	7.1	7.2	6.5	7.2	7.5	7.0	6.7	7.2	6.7	6.6	6.9	
N 22 AVE( 3.5R)																				
4416291	3.547	4.050	R	2021	0012	CRACKING	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.0
WEEKLEY ASPHALT PAVING, IN(2023)					FC125	RIDE	6.7	7.0	6.5	6.3	6.4	6.2	5.8	5.8	5.9	6.2	5.7	6.0	5.9	5.6

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026 - 2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKM-F	WKM-F	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE	YEAR)	(PMRS)																		
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F	CONTRACTOR														
86230000	3.555	4.057	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
822			2	40	31000	RIDE	7.6	7.6	6.1	7.0	6.9	6.5	7.1	7.4	7.2	7.0	6.9	6.4	7.0		
CR 5A( 3.6C)					5.0																
4416291	3.547	4.050	L	2021	0012	CRACKING	9.5	9.0	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0
WEEKLEY ASPHALT PAVING, INC(2023)					FC125	RIDE	6.9	6.7	6.8	6.4	6.0	6.4	6.5	6.3	6.4	6.3	5.7	5.7	6.0	6.0	5.7
86230000	3.021	3.555	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
822			3	40	43500	RIDE	8.1	8.0	7.9	7.3	7.4	7.0	7.1	7.2	7.5	7.6	7.3	7.5	7.5		
OAKWOOD BLVD( 3.0L)					3.8																
2279471	3.067	4.084	C	1995	0220	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	8.5	6.5
WEEKLEY ASPHALT PAVING, INC(1997)					DGFC	RIDE	7.4	7.5	7.4	7.5	7.3	7.1	7.1	6.9	7.1	7.1	6.8	7.0	7.1	7.1	6.8
93002000	0.000	0.574	R	1	1	CRACKING	8.0	8.0	8.0	8.0	6.5	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	
800			2	35	17800	RIDE	7.4	7.0	6.6	6.7	6.3	5.7	6.5	6.4	6.0	5.5	5.8	5.3*	7.6		
FEDERAL HWY( 0.0C)					2.6																
4216831	0.023	0.568	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.6	8.4	7.0	
WEEKLEY ASPHALT PAVING, INC(2013)					FC95	RIDE	7.2	7.2	7.0	7.1	7.1	6.4	6.9	6.9	6.9	6.5	6.6	6.2	5.9	5.6	
93002000	0.000	0.574	L	1	1	CRACKING	8.0	8.0	8.0	8.0	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	10.0		
800			2	35	17800	RIDE	7.7	7.2	7.8	6.6	6.2	5.8	6.8	6.4	6.7	6.4	6.3	6.0	7.6		
FEDERAL HWY( 0.0C)					2.6																
4216831	0.023	0.568	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.0	8.0	8.5	8.1	7.0	
WEEKLEY ASPHALT PAVING, INC(2013)					FC95	RIDE	7.4	7.5	7.4	7.4	6.6	6.5	6.9	6.7	6.9	6.6	6.9	6.6	6.8	6.5	
93004000	6.106	7.615	R	1	1	CRACKING	9.0	9.0	9.0	9.0	7.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	
808			3	45	25000	RIDE	6.4*	6.5	6.0*	5.2*	7.4	7.3	7.3	7.2	8.0	8.0	8.0	8.0	7.9		
NW 7 AVE( 6.4R)					4.7																
2297811	6.500	7.238	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.3	8.1	6.5	
WEEKLEY ASPHALT PAVING, INC(2009)					FC125	RIDE	8.0	7.9	7.7	7.7	7.9	7.7	7.8	7.9	7.9	7.8	7.4	7.2	7.3	7.0	
93004000	6.106	7.615	L	1	1	CRACKING	9.0	9.0	9.0	9.0	8.0	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	
808			3	45	25000	RIDE	4.3*	6.4*	6.4*	5.8*	7.3	7.4	7.5	6.9	8.0	7.9	8.0	8.0	8.0		
SPUR( 6.6L)					4.7																
2297811	6.500	7.238	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	8.4	8.3	7.0	
WEEKLEY ASPHALT PAVING, INC(2009)					FC125	RIDE	8.0	7.9	7.8	7.8	7.8	7.8	8.0	7.9	8.0	7.9	7.3	7.3	7.2	6.9	
93004000	0.000	2.500	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.0	7.0	7.0	7.0	5.5*	5.5*		
808			3	45	36500	RIDE	8.6	8.5	8.3	7.7	7.7	7.5	7.7	7.4	7.4	7.2	7.1	6.4	6.3		
SR 7( 0.0C)					11.5																
4270141	0.042	1.195	C	2013	0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	9.6	8.5	
WEEKLEY ASPHALT PAVING, INC(2016)					FC95	RIDE	6.4	8.1	7.7	7.6	7.8	7.4	7.6	7.7	7.3	7.4	7.5	7.5	7.4	7.1	
93010000	0.000	1.434	R	1	1	CRACKING	10.0	9.0	9.0	7.5	7.0	7.0	7.0	6.5	5.5*	5.5*	5.5*	5.5*	10.0		
5			3	45	30000	RIDE	8.6	8.6	8.4	8.0	8.0	7.6	7.9	7.9	7.9	8.0	7.8	7.8	8.2		
SPUR( 0.3R)					3.8																
4153101	0.000	1.288	R	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.7	8.6	7.5	
WEEKLEY ASPHALT PAVING, INC(2013)					FC95	RIDE	8.2	8.1	8.0	8.0	7.9	7.8	7.8	7.8	7.9	7.8	7.8	7.7	7.7	7.4	
93010000	4.857	6.801	R	1	1	CRACKING	10.0	8.5	7.5	7.0	6.5	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0		
5			2	45	26522	RIDE	8.7	8.7	8.3	7.6	7.5	7.4	7.4	7.2	7.1	7.0	6.7	7.9	7.8		
SANCTUARY CENTER( 4.9R)					2.7																
4168971	4.857	6.801	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	6.6	6.5	5.0*	
WEEKLEY ASPHALT PAVING, INC(2012)					FC95	RIDE	7.8	7.6	7.4	7.3	7.3	7.0	7.1	7.0	6.9	6.6	6.7	6.6	6.5	6.2	
4498301	4.857	6.801	C	2030	0012																
93010000	6.801	7.931	R	1	8	CRACKING	6.5	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0		
5			2	45	30500	RIDE	8.0	8.1	7.5	6.6	6.2*	6.1	6.3	6.1	6.0	7.7	7.6	7.7	7.7		
TROPIC ISLE DR( 7.0R)					4.0																
4138391	6.813	7.940	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.3			
WEEKLEY ASPHALT PAVING, INC(2010)					FC95M	RIDE	7.6	7.7	7.3	7.3	7.3	7.2	7.2	7.1	7.2	7.0	7.1	7.1			
4476581	6.794	7.931	C	2025	0012																
93010000	6.801	7.931	L	1	8	CRACKING	7.0	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	10.0	10.0	10.0	10.0		
5			2	45	30500	RIDE	7.8	7.8	7.4	6.5	6.6	6.0	6.0	6.4	5.9	6.2	7.5	7.5	7.5	7.4	
TROPIC ISLE DR( 7.0L)					4.0																
4138391	6.813	7.940	C	2008	0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	6.8			
WEEKLEY ASPHALT PAVING, INC(2010)					FC95M	RIDE	7.4	7.3	6.9	6.9	6.9	6.7	6.8	6.6	6.6	6.6	6.5	6.5			
4476581	6.794	7.931	C	2025	0012																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	ADT	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	WKM-F	WKM-F	ADT	*****														(PMRS)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT	*****														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	ADT	*****														
93010000	4.857	6.801	L	1	1	CRACKING	9.0	9.0	8.0	7.0	6.5	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0		
5 1			2	45	26522	RIDE	8.6	8.6	8.2	7.6	7.6	7.4	7.4	7.2	7.1	6.9	6.6	8.0	8.0		
NE 49 ST( 4.9L)																					
4168971	4.857	6.801	C	2010	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	8.5	8.5	7.5	7.0	7.0	7.0	6.5	6.5	5.0*	
WEEKLEY ASPHALT PAVING, INC(2012)			IN	FC95	RIDE		7.9	7.9	7.6	7.6	7.4	7.2	7.3	7.2	7.3	7.1	7.1	7.1	7.1	7.1	6.8
4498301	4.857	6.801	C	2030	0012																
93010000	0.000	1.434	L	1	1	CRACKING	8.0	7.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	
5 1			3	45	30000	RIDE	8.4	8.5	8.2	7.7	7.8	7.6	8.1	7.6	7.6	7.4	7.2	7.2	8.3		
ROYAL PALM WAY( 0.3L)																					
4153101	0.000	1.352	L	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.2	8.1	7.0
WEEKLEY ASPHALT PAVING, INC(2013)			IN	FC95	RIDE		8.2	8.2	8.1	8.1	8.0	7.4	7.9	7.8	7.8	7.8	7.8	7.7	7.6	7.7	7.4
93030000	3.400	4.275	R	1	1	CRACKING	9.0	9.0	9.0	8.5	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	
806			3	45	41500	RIDE	8.5	8.5	8.2	7.7	7.5	7.7	7.7	7.6	6.8	6.7	6.8	6.5	6.5	6.5	
CARTER RD( 3.6C)																					
4246511	3.390	4.275	R	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.7	8.6	7.5	
WEEKLEY ASPHALT PAVING, INC(2014)			IN	FC95	RIDE		8.2	7.8	7.9	7.9	7.3	7.1	7.1	7.6	7.8	7.7	7.1	7.6	7.6	7.3	
4405755	3.078	4.112	C	2029	0213																
93030000	4.275	6.798	R	1	1	CRACKING	9.0	7.5	7.5	7.0	7.0	6.5	6.5	4.5*	3.5*	10.0	10.0	10.0	10.0		
806			3	45	41500	RIDE	8.4	8.4	8.3	7.7	7.6	7.6	7.7	7.7	7.5	7.7	7.4	7.5	7.5		
VIA FLORA( 4.3R)																					
4138412	4.275	7.097	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.7	8.1	6.5	
WEEKLEY ASPHALT PAVING, INC(2010)			IN	FC95	RIDE		7.7	7.5	7.3	7.9	7.1	7.5	7.0	7.7	7.7	7.7	6.9	7.7	7.1	6.8	
93030000	7.502	8.270	R	1	1	CRACKING	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.0*	5.0*	10.0	10.0	10.0		
806			2	35	30000	RIDE	7.0	7.1	6.0	6.0	5.7	6.6	6.8	6.5	6.4	5.4*	6.6	6.6	6.6		
W 12 AVE( 7.5C)																					
4138401	7.513	8.270	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.9	8.7	7.5
WEEKLEY ASPHALT PAVING, INC(2011)			IN	FC125	RIDE		6.7	6.7	6.6	6.6	6.4	6.3	6.3	6.6	6.4	6.4	6.5	6.4	6.2	5.9	
93030000	7.502	8.270	L	1	1	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.0*	5.5*	5.5*	10.0	10.0	10.0		
806			2	35	30000	RIDE	7.3	7.5	6.8	6.7	6.0	6.8	7.0	6.8	6.8	5.5	7.0	6.7	6.8		
W 12 AVE( 7.5C)																					
4138401	7.513	8.270	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.7	8.9	7.5
WEEKLEY ASPHALT PAVING, INC(2011)			IN	FC125	RIDE		6.4	6.9	6.2	6.6	6.2	6.4	6.5	6.6	6.5	6.3	6.5	6.4	6.3	6.0	
93030000	4.275	6.798	L	1	1	CRACKING	9.0	7.5	7.5	7.0	7.0	5.5*	5.5*	4.0*	3.5*	10.0	10.0	10.0	10.0		
806			3	45	41500	RIDE	8.4	8.1	7.7	7.4	6.8	7.3	7.4	7.3	7.2	8.1	7.9	7.9	7.9		
VIA FLORA( 4.3L)																					
4138412	4.275	7.097	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	8.6	7.0	
WEEKLEY ASPHALT PAVING, INC(2010)			IN	FC95	RIDE		7.9	7.9	7.9	7.9	7.6	7.5	7.8	7.8	7.8	7.7	7.7	7.8	7.7	7.4	
93030000	3.400	4.275	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0		
806			3	45	41500	RIDE	8.7	8.7	8.3	7.9	6.7	7.9	8.0	7.9	7.9	7.6	7.5	7.4	7.2		
CARTER RD( 3.6C)																					
4246511	3.683	4.275	L	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.1	8.0
WEEKLEY ASPHALT PAVING, INC(2014)			IN	FC95	RIDE		8.2	8.1	8.0	7.9	7.5	7.6	7.8	7.6	7.7	7.7	7.6	7.4	7.5	7.2	
4405755	3.078	4.112	C	2029	0213																
93050000	5.860	6.844	C	1	1	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	
805 1			4	35	21500	RIDE	6.6	6.6	6.7	5.9	5.8	5.9	5.8	5.5	5.8	5.6	5.7	7.6	7.5		
CONNISTON RD( 5.9R)																					
4153121	5.859	6.367	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.5	7.0	7.0	6.2*	6.1*	5.0*	
WEEKLEY ASPHALT PAVING, INC(2012)			IN	FC95	RIDE		7.4	7.3	6.8	6.7	6.5	6.5	6.3	6.4	6.3	6.2	6.2	5.9	6.2	5.9	
93060000	4.883	8.242	C	1	8	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0		
ALA			2	35	12600	RIDE	7.5	7.4	7.1	6.4	7.3	7.3	7.5	7.3	7.4	7.3	7.1	7.2	7.2		
GRAND CT( 5.0L)																					
2297851	4.545	8.187	C	2003	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.1*			
WEEKLEY ASPHALT PAVING, INC(2005)			IN	FC125	RIDE		7.2	7.2	6.8	6.8	6.8	6.7	6.7	6.6	6.7	6.5	6.5	6.5	6.5		
4444771	4.883	8.232	C	2024	0012																
93060000	10.750	15.798	C	1	1	CRACKING	4.5*	4.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	9.0		
ALA			2	35	8000	RIDE	7.8	7.7	7.4	6.7	6.5	6.5	6.3	6.1	7.5	7.4	7.3	7.4	7.3		
DELRAY BEACH CITY LIMITS(10.8L)																					
4036061	12.670	15.698	C	2007	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	8.1	6.5
WEEKLEY ASPHALT PAVING, INC(2009)			IN	DGFC	RIDE		7.4	7.4	6.9	6.8	6.8	6.8	6.8	6.7	6.7	6.7	6.6	6.6	6.4	6.1	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

### PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	FUTURE		
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2031	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKMX-P	*****	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2031	
ITMSEG-P	(AGE_ONE YEAR)	YEAR	SURF_TYPE	RY-F	WKMX-F															(PMRS)	
CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	CONTRACTOR	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																
93060000	20.307	22.313	C	1	1	CRACKING	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
A1A			2	35	14200	RIDE	5.3*	5.2*	4.9*	4.2*	4.4*	4.3*	7.7	7.5	7.6	7.4	7.4	7.4	7.4	7.3	
LAKE WORTH CASINO(20.6R)																					
2298581	20.616	22.754	C	2005	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	7.6	7.8	6.5
WEEKLEY ASPHALT PAVING, INC(2007)			IN		FC95	RIDE	7.3	7.3	6.8	6.8	6.7	6.6	6.6	6.4	6.6	6.4	6.3	6.5	6.5	6.2	
4476631	20.307	22.381	C	2025	0012																
93110000	2.450	3.992	R	1	1	CRACKING	10.0	8.0	8.0	7.5	7.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*			
80			2	45	21000	RIDE	8.1	8.2	7.9	7.5	7.4	7.3	7.7	7.4	7.2	7.0	6.8	6.6			
CR 827A( 2.9R)																					
4229861	2.620	3.921	R	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	9.0	8.0	
WEEKLEY ASPHALT PAVING, INC(2014)			IN		FC95	RIDE	8.4	8.4	8.2	8.1	8.2	8.0	8.0	8.1	8.1	8.1	8.1	8.1	8.1	8.2	7.9
93110000	3.992	4.473	C	1	1	CRACKING	10.0	8.0	8.0	7.5	7.5	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*			
880			4	35	7600	RIDE	8.1	7.8	7.6	7.5	7.4	7.3	6.1	5.8	5.5	5.3*	5.0*	4.9*			
AVE E SE( 4.0L)																					
4229861	4.030	4.469	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	8.1	7.6	6.5	
WEEKLEY ASPHALT PAVING, INC(2014)			IN		FC95	RIDE	8.0	6.8	7.5	7.1	6.8	6.7	6.9	6.2	6.2	6.6	6.4	6.4	6.3	6.0	
93110000	2.450	3.992	L	1	1	CRACKING	10.0	8.0	8.0	7.5	7.5	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*			
80			2	45	21000	RIDE	7.9	7.8	7.6	7.2	7.0	6.9	6.9	7.2	7.1	7.0	6.6	6.5			
AVE J SE( 3.3L)																					
4229861	2.620	3.921	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.1	8.7	7.5	
WEEKLEY ASPHALT PAVING, INC(2014)			IN		FC95	RIDE	8.2	8.3	8.1	8.2	8.2	8.1	8.0	8.0	8.2	8.2	8.1	8.1	8.1	8.1	7.8
93170000	0.580	1.350	C	1	1	CRACKING	8.0	8.0	8.0	8.0	8.0	7.5	7.5	6.0*	5.0*	5.0*	5.0*	5.0*			
717			4	35	3900	RIDE	6.2*	6.5	6.0	5.5	5.7	5.5	5.2*	5.5	5.7	5.7	5.3*	5.5			
BELLE GRADE CITY LIMITS( 0.6R)																					
4229891	0.590	1.276	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.4	8.3	7.0	
WEEKLEY ASPHALT PAVING, INC(2014)			IN		FC95	RIDE	7.5	7.5	7.2	7.2	6.9	6.4	6.7	6.3	6.6	6.5	6.3	5.9	5.9	5.6	
93170000	1.350	1.727	C	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.0	5.5*	3.5*	3.5*	3.5*	3.5*			
717			2	35	3900	RIDE	8.1	7.8	7.8	7.0	6.9	7.1	7.5	7.3	6.8	6.6	7.1	6.5			
NW 12 ST( 1.4R)																					
4229891	1.276	1.704	C	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.6	7.5	6.5	
WEEKLEY ASPHALT PAVING, INC(2014)			IN		FC95	RIDE	7.8	7.8	6.6	6.2	6.4	6.6	6.9	6.8	6.9	6.6	6.1	5.6	6.0	5.7	
93180000	0.000	0.477	R	1	1	CRACKING	8.5	8.5	8.5	7.5	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	10.0		
802			3	45	38000	RIDE	8.5	8.4	8.1	7.3	7.3	7.6	7.3	7.1	7.1	7.5	7.4	7.3	7.8		
LAKEWORTH RD( 0.0C)																					
4216911	0.014	1.565	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	7.0	7.0	7.0	6.6	6.6	5.5*
WEEKLEY ASPHALT PAVING, INC(2013)			IN		FC125	RIDE	7.3	7.5	7.0	7.1	7.2	6.9	7.0	7.3	7.0	7.0	7.2	6.8	6.8	6.5	
93180000	0.477	1.565	R	1	1	CRACKING	8.5	8.5	8.5	7.5	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	10.0		
802			3	50	44000	RIDE	8.5	8.4	8.1	7.3	7.3	7.6	7.3	7.1	7.1	7.5	7.4	7.3	7.3		
HUNTING TRAIL( 0.6R)																					
4216911	0.014	1.565	C	2011	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	7.2	6.6	4.5*	
WEEKLEY ASPHALT PAVING, INC(2013)			IN		FC5M	RIDE	7.3	7.2	7.4	7.4	7.3	7.3	7.4	7.4	7.4	7.1	7.1	7.3	7.2	7.1	
4484361	0.477	1.565	C	2027	0012																
93180000	7.375	7.950	R	1	1	CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	10.0		
802			2	40	31500	RIDE	8.7	8.7	8.3	7.8	7.9	7.8	7.6	7.5	7.5	7.4	7.3	7.4	7.9		
JOHN PRINCE PARK( 7.7R)																					
4229901	7.233	8.010	R	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	9.0	
WEEKLEY ASPHALT PAVING, INC(2013)			IN		FC95	RIDE	7.3	7.3	7.2	7.2	6.8	7.1	7.2	7.1	7.2	7.1	7.1	7.1	7.4	7.1	
93180000	10.156	10.313	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
802			4	35	14500	RIDE	5.6*	5.9	6.1	5.7	5.9	5.3*	7.7	7.7	7.7	6.3	7.5	6.9			
LAKE WORTH CITY LIMITS(10.3C)																					
2298641	10.156	10.313	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.1	8.8	7.5	
WEEKLEY ASPHALT PAVING, INC(2007)			IN		DGFC	RIDE														6.0	5.7
93180000	7.343	7.950	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	10.0		
802			2	40	31500	RIDE	7.7	7.9	7.4	7.3	7.4	7.4	7.5	7.5	7.4	7.1	7.1	7.0	7.8		
CLUB MANGER ASSOC OF AME( 7.5L)																					
4229901	7.233	8.010	L	2012	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.6	8.5	
WEEKLEY ASPHALT PAVING, INC(2013)			IN		FC95	RIDE	7.9	7.6	7.4	7.3	7.2	7.1	7.3	7.3	7.3	7.2	7.3	7.3	7.2	6.9	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).

# FLORIDA DEPARTMENT OF TRANSPORTATION

## ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2026-2031, EXTRACTED ON 01/30/2026

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	RATINGS	SURVEYED YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F	*****														2031
ITMSEG-P	(AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	(PMRS)
CONTRACTOR																					
ITMSEG-F																					
93180000	0.477	1.565	L	1	1	CRACKING	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
802			3	50	44000	RIDE	8.4	8.2	7.7	7.8	7.7	7.7	7.8	7.8	7.7	7.4	7.4	7.3	7.6		
CYPRESS EDGE DR( 0.6L)																					
4216911	0.014	1.565	C	2011	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.8	6.5	4.5*	
WEEKLEY ASPHALT PAVING, INC(2013)					FC5M	RIDE	7.5	7.4	7.6	7.5	7.3	7.4	7.5	7.4	7.4	7.2	7.4	7.4	7.4	7.3	
4484361	0.477	1.565	C	2027	0012																
93180000	0.000	0.477	L	1	1	CRACKING	9.0	9.0	9.0	8.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
802			3	45	38000	RIDE	8.4	8.2	7.7	7.8	7.7	7.7	7.8	7.8	7.7	7.4	7.4	7.3	7.7		
LAKEWORTH RD( 0.0C)																					
4216911	0.014	1.565	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.1	6.8	5.5*
WEEKLEY ASPHALT PAVING, INC(2013)					FC125	RIDE	7.7	7.6	7.4	7.4	7.3									6.9	6.6
93200000	2.740	3.440	R	1	1	CRACKING	9.0		8.5	8.5	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
804			3	45	54000	RIDE	8.4		8.3	7.8	7.7	7.6	7.7	7.6	7.5	7.2	6.9	6.9	8.2		
MIZNER FALLS WAY( 2.9R)																					
4229911	2.739	3.439	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.2	8.0	7.0	
WEEKLEY ASPHALT PAVING, INC(2013)					FC125	RIDE	8.1	8.2	8.0	8.0	7.6	7.5	7.9	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.7
93200000	7.147	7.786	R	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	
804			3	40	36000	RIDE	7.9	8.7	8.5	8.0	8.3	8.1	8.2	8.2	8.3	8.1	8.3	8.3	8.1		
CROSS CREEK CENTER( 7.4R)																					
4476671	7.116	7.800	R	2025	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.7	10.0	9.5	
WEEKLEY ASPHALT PAVING, INC(2026)					FC125	RIDE	8.0	8.0	8.1	8.1	8.0	7.9	7.7	7.9	7.9	8.0	7.9	7.9	8.0	8.0	7.7
93200000	7.147	7.786	L	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
804			3	40	36000	RIDE	8.8	8.6	8.3	8.2	8.2	8.2	8.4	8.2	8.2	8.0	8.1	7.9	7.9		
CROSS CREEK CENTRE( 7.4L)																					
4476671	7.116	7.800	L	2025	0012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	6.0*	10.0	9.5
WEEKLEY ASPHALT PAVING, INC(2026)					FC125	RIDE	7.9	7.8	7.8	8.1	8.0	7.6	7.4	7.7	7.8	7.9	8.0	7.9	7.9	7.9	7.6
93200000	2.740	3.440	L	1	1	CRACKING	9.0		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	10.0	
804			3	45	54000	RIDE	8.4		8.6	7.9	7.7	7.8	7.9	7.7	7.6	7.3	7.0	7.3	8.2		
MIZNER FALLS( 2.9L)																					
4229911	2.739	3.439	C	2011	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.8	8.7	7.5
WEEKLEY ASPHALT PAVING, INC(2013)					FC125	RIDE	8.2	8.3	7.9	8.0	7.9	7.5	7.8	8.0	7.7	7.9	7.9	7.8	7.9	7.8	7.6

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2031 FORECASTED BY PAVEMARS (PMRS).