

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = AGI DE MOYA JOINT VENTURE -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR											FUTURE				
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE) %T =====																						
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)	
87471000	38.580	39.500	R	5	1	CRACKING		9.0	8.0	8.0				10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
821				3	60	97000	RIDE	8.9	8.7	8.8				7.7	7.7	7.8	7.8	7.9	7.9	7.4	7.6	
						5.8																
4355421	38.764	39.438	R	2020	0213	CRACKING		9.5	9.0	9.0	9.0	9.0				10.0	10.0	10.0	10.0	10.0	10.0	
AGI DE MOYA JOINT VENTURE (2020)					FC5M	RIDE		7.6	7.4	7.4	7.3	7.7				8.2	7.9	8.1	8.1	8.1	8.1	
87471000	38.524	39.326	L	5	2	CRACKING		9.5	9.5	9.5				10.0	10.0	10.0	10.0	10.0	9.5	8.0	6.5	
821				3	60	97000	RIDE	9.0	8.8	8.9				7.6	7.6	7.6	7.7	7.8	7.8	7.6	8.0	
						5.8																
4355421	33.273	39.095	L	2020	0213	CRACKING		10.0	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	
AGI DE MOYA JOINT VENTURE (2020)					OGFC	RIDE		8.3	8.3	8.3	8.3	8.5				8.2	8.1	8.0	8.1	7.7	7.3	

"*" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 "**" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = AMERICAN ENGINEERING & DEVEL -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)	
87030000	12.067	13.605	R	1	1	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5			
5	1			2	30	47500	RIDE	6.5	6.3*	6.4*	6.0	6.2	5.3*	5.2*	5.2*	4.2*	5.4*	5.2*	5.0*		
HILTON MIAMI DOWNTOW(12.1R)																					
4146241	12.067	13.482	C	2009	0005	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5
AMERICAN ENGINEERING & DEV(2013)					FC95	RIDE		7.8	7.4	7.3	6.1	6.2	6.0	6.1	5.9	6.1	5.7	5.8	5.3*	4.3	

87030000	12.067	13.605	L	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.5	6.5	6.5	6.5			
5	1			2	30	47500	RIDE	6.4*	6.5	6.4*	6.2	6.0	5.2*	5.0*	4.6*	4.3*	4.7*	4.8*	4.3*		
NE 16 ST(12.1L)																					
4146241	12.067	13.482	C	2009	0005	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.7	
AMERICAN ENGINEERING & DEV(2013)					FC95	RIDE		7.2	6.7	6.3	6.3	5.9	5.6	5.8	5.9	5.5	5.4*	5.2*	5.4*	4.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = AMERICAN LIGHTING & -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	%T	=====														
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
87008000	7.614	8.150	R	1	8	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0		
916			2	30	45500	RIDE	7.9	7.7	7.6	7.6	7.4	6.9	7.1	6.6	6.6	6.6	6.3	6.3	6.5		
NW 2 AVE(7.6C)																					
2498841	7.596	10.253	C	1996	0012	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.5	6.0*	5.5*	5.5*			
AMERICAN LIGHTING &				(1998)	DGFC	RIDE	6.6	6.4	6.2	6.2	6.0	6.0	5.9	6.2	5.9	5.9	5.8	5.7			
4293461	7.245	10.253	C	2020	0012																
87008000	8.150	10.253	R	1	2	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0		
916			2	40	23000	RIDE	7.9	7.7	7.6	7.6	7.4	6.9	7.1	6.6	6.6	6.6	6.3	6.3	6.5		
MEMORIAL HIGHWAY(8.2C)																					
2498841	7.596	10.253	C	1996	0012	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.5	6.0*	5.5*	5.5*	5.5*	5.3	
AMERICAN LIGHTING &				(1998)	DGFC	RIDE	6.6	6.4	6.2	6.2	6.0	6.0	5.9	6.2	5.9	5.9	5.8	5.7	5.1*	4.9	
4293461	7.245	10.253	C	2020	0012																
87008000	8.150	10.253	L	1	2	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0		
916			2	40	23000	RIDE	8.0	7.6	7.6	7.6	6.8	6.4	6.3	6.1	6.3	6.1	6.3	5.8	6.1		
MEMORIAL HIGHWAY(8.2C)																					
2498841	7.596	10.253	C	1996	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	3.5*	3.5*	3.5	
AMERICAN LIGHTING &				(1998)	DGFC	RIDE	6.3	6.0	5.8	5.9	5.9	5.9	6.2	6.4	5.9	5.6	5.9	5.8	5.1*	4.9	
4293461	7.245	10.253	C	2020	0012																
87008000	7.614	8.150	L	1	8	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0		
916			2	30	45500	RIDE	8.0	7.6	7.6	7.6	6.8	6.4	6.3	6.1	6.3	6.1	6.3	5.8	6.1		
BEGIN 87008001 *(7.6L)																					
2498841	7.596	10.253	C	1996	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	3.5*			
AMERICAN LIGHTING &				(1998)	DGFC	RIDE	6.3	6.0	5.8	5.9	5.9	5.9	5.0*	5.4*	5.9	5.6	5.9	5.8			
4293461	7.245	10.253	C	2020	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = APAC-FLORIDA INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)																					
ITMSEG-P W_BMP W_EMP RW FY-P WKM-X-P																					
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE																					
ITMSEG-F W_BMP W_EMP RW FY-F WKM-X-F															(REG)						
87030000	1.628	4.347	R	1	1	CRACKING	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	
5	1		3	40	79000	RIDE	6.8	6.8	6.5	6.5	8.1	7.6	7.6	7.6	7.6	7.6	7.8	7.7	7.3	7.5	
SOUTH MIAMI CITY LIMITS(1.6R) 4.1																					
2501881	1.713	4.347	C	2000	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	4.2	
APAC-FLORIDA INC (2003) FC5 RIDE																					
4439161	1.651	4.387	C	2022	0012		7.5	7.4	7.5	7.3	7.6	7.7	7.6	7.7	7.6	7.7	7.7	7.6	7.7	7.6	

87030000	1.635	4.376	L	1	1	CRACKING	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5	1		3	45	79000	RIDE	7.5	7.5	7.4	7.5	8.0	7.4	7.4	7.3	7.4	7.5	7.3	7.5	7.5		
SW 62 AV/PAUL TEVIS(2.1C) 4.1																					
2501881	1.713	4.347	C	2000	0012	CRACKING	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	
APAC-FLORIDA INC (2003) FC5 RIDE																					
4439161	1.651	4.387	C	2022	0012		7.3	7.4	7.4	7.2	7.5	7.5	7.4	7.4	7.4	7.3	7.3	7.4	7.1	7.0	7.0

87160000	8.041	8.745	R	1	1	CRACKING	9.0	7.5	7.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
9336			2	30	27500	RIDE	5.9*	7.7	7.7	7.2	6.7	6.3	7.2	7.5	7.0	6.8	6.8	7.2	7.1		
CAVES AVE(8.1C) 7.5																					
4056591	8.041	8.735	R	2003	0012	CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
APAC-FLORIDA INC (2005) FC125 RIDE																					
4459921	7.057	8.705	C	2023	0012		6.9	7.1	7.0	6.6	6.7	6.6	7.0	6.7	6.4	6.8	6.3	6.8	6.3	6.3	6.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = ASPHALT GROUP, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE		
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-P	W_BMP	W_EMP	RW	AGE	ONE	YEAR	ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F								(REG)	
87004000	2.545	4.921	L	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	10.0		
112 I195					3	55	121000	8.3	8.5	8.4	8.4	8.3	7.9	7.8	7.7	7.8	7.9	7.8	7.8	7.9	
SIDE ROAD(4.6C)																					
4446221	1.898	4.796	L	2022	9924	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	9.0		
ASPHALT GROUP, INC.				(2024)	FC5	RIDE	8.1	8.2	8.1	8.1	8.3	8.3	8.0	8.3	8.3	8.4	8.4	8.3	8.1		
87070000	14.030	14.275	R	1	8	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	7.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*		
997				2	40	16200	8.5	8.3	8.4	8.2	8.2	7.5	7.4	6.9	7.3	7.2	6.8	6.9	7.1		
OKEECHOBEE RD(14.3C)																					
2496159	1.141	14.150	C	2012	0226	CRACKING	3.5*	3.5*		10.0	10.0	10.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*			
ASPHALT GROUP, INC.				(2015)	OGFC	RIDE	6.7	6.5		6.8											
87070000	14.030	14.275	L	1	8	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.5		
997				2	45	16200	7.7	7.9	7.8	8.0	7.6	7.0	7.3	6.7	6.2	6.9	6.7	6.8	6.6		
OKEECHOBEE RD(14.3C)																					
2496159	1.141	14.150	C	2012	0226	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
ASPHALT GROUP, INC.				(2015)	OGFC	RIDE	6.9	6.8		7.6											
87140000	12.147	14.453	R	1	1	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5		
7 441				3	45	56500	8.2	8.0	8.1	8.1	7.9	7.2	7.3	7.2	7.1	7.0	6.4	6.7	6.5		
FRONTAGE DR(12.2R)																					
4180941	12.147	14.453	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
ASPHALT GROUP, INC.				(2013)	FC95	RIDE		8.3	8.3	7.7	7.7	7.7	8.0	7.8	7.9	7.7	7.6	7.7	7.7	7.4	
87140000	12.147	14.453	L	1	1	CRACKING	9.0	9.0	9.0	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		
7 441				3	45	56500	7.8	7.8	7.5	7.8	7.6	6.8	6.8	6.8	6.7	6.8	6.6	6.7	6.6		
NW 181 ST(12.5L)																					
4180941	12.147	14.453	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	6.4	
ASPHALT GROUP, INC.				(2013)	FC95	RIDE		8.3	8.2	7.3	7.7	6.9	7.6	7.6	7.5	7.4	7.4	7.4	7.3	6.9	
87240000	2.985	4.894	R	1	1	CRACKING	10.0	10.0	9.0	9.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*		
9				3	35	35500	8.4	8.3	8.1	8.0	7.7	7.2	7.2	6.7	6.5	6.5	6.4	6.3	6.3		
NW 14 ST(3.2C)																					
4226121	2.985	4.894	C	2011	0012	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ASPHALT GROUP, INC.				(2014)	FC125	RIDE	6.2	6.0	8.0	7.9	7.8	7.6	7.5	7.4	7.1	7.2	7.1	6.9	6.9	6.2	
87240000	2.985	4.894	L	1	2	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*		
9				3	35	35500	8.2	8.2	7.7	7.7	7.9	6.8	6.6	6.6	6.4	6.0	5.5	5.2*	6.0		
NW 14 ST(3.2C)																					
4226121	2.985	4.894	C	2011	0012	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.2	
ASPHALT GROUP, INC.				(2014)	FC125	RIDE	6.1	6.0	7.9	7.7	7.7	7.6	7.6	7.5	7.1	7.0	7.1	6.9	6.4	6.0	
90030000	0.000	0.415	C	1	6	CRACKING	7.5	7.5	7.0	4.5*	4.5*	4.5*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*		
5 1				2	45	13700	8.3	8.0	8.4	8.5	7.5	6.5	6.9	7.0	6.6	6.2	6.1	5.7	5.9		
INDUSTRIAL RD(0.0R)																					
4056122	0.000	0.440	C	2010	0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	5.5	
ASPHALT GROUP, INC.				(2012)	OGFC	RIDE	7.4	7.3	7.3	7.3	7.0	7.0	6.8								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = ASTALDI CONSTRUCTION CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							%T	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
87002000	0.000	0.889	R	1	1	CRACKING		6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
823				2	45	32000	RIDE	7.4	7.1	7.2	7.1	7.2	6.4*	6.5	6.3	6.0	6.2	6.0	5.9		
OKEECHOBEE RD(0.0C)							5.9														
2499413	0.000	0.628	C	2009	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2
ASTALDI CONSTRUCTION CORP.(2013)							FC125	6.7	7.0	6.5	5.9	5.9	5.7	5.4*	5.6	5.6	5.5	5.3*	5.4*	4.4	

87002000	0.000	0.889	L	1	1	CRACKING		4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
823				3	45	32000	RIDE	7.4	7.3	7.2	7.2	7.2	6.4*	6.3*	6.1	5.9	6.0	6.0	6.1		
OKEECHOBEE RD(0.0C)							5.9														
2499413	0.000	0.628	C	2009	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ASTALDI CONSTRUCTION CORP.(2013)							FC125	7.3	7.2	6.8	6.3	6.4	6.4	6.3	6.1	5.9	5.9	5.9	5.8	5.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = ATLANTIC CIVIL INC -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS															
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKMX-P		SURF_TYPE										2029
		(AGE_ONE YEAR)						CONTRACTOR														(REG)
						FY-F		WKMX-F														
87020000	3.277	5.278	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	7.0	
5	1			2	45	28500	RIDE	8.1	8.1	8.1	8.1	5.8*	7.4	7.2	7.2	7.3	7.3	7.1	7.0	7.2		
SW 308 ST/NE 11 ST(3.4C)																						
4106251	3.620	5.278	C	2011	0005	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2
ATLANTIC CIVIL INC (2014) FC5 RIDE 8.0 7.9 8.0 8.0 8.0 7.8 7.9 7.9 7.8 7.7 7.5 7.5 7.5																						
87020000	3.277	5.278	L	1	1	CRACKING	7.0	6.5	6.0*	6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	4.0*	4.0*	3.5*	3.5*	3.5*		
5	1			2	45	28500	RIDE	8.5	8.5	8.5	8.3	8.1	7.4	7.2	7.2	7.0	7.0	6.9	6.8	6.6		
SW 308 ST/NE 11 ST(3.4C)																						
4106251	3.620	5.278	C	2011	0005	CRACKING				10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.6	
ATLANTIC CIVIL INC (2014) FC5 RIDE 8.0 7.9 8.0 7.9 7.8 7.5 7.8 7.7 7.6 7.6 7.3 7.2																						
87026005	0.312	0.767	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
860				2	35	47500	RIDE	7.2	6.7	6.9	6.7	6.4	6.3	6.0	7.8	7.4	7.4	7.5	7.4	7.5		
NW 87 AVE(0.6C)																						
4165901	0.307	0.799	C	2005	0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0
ATLANTIC CIVIL INC (2006) DGFC RIDE 7.5 7.4 7.4 7.2 7.3 7.0 7.1 7.1 7.2 6.8 6.8 7.1 6.9 6.7																						
4388642	0.439	1.316	C	2025	0218																	
87026005	0.312	0.767	L	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
860				3	40	47500	RIDE	6.8	6.8	6.6	6.5	6.4	6.0	6.1	8.3	7.9	7.0	8.1	8.2	8.1		
NW 87 AVE(0.6C)																						
4165901	0.307	0.799	C	2005	0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0
ATLANTIC CIVIL INC (2006) DGFC RIDE 7.9 7.8 7.9 7.7 7.9 7.8 7.7 7.8 7.7 7.8 7.7 7.6 7.7 7.8 7.4 7.4																						
4388642	0.439	1.316	C	2025	0218																	
87240000	10.823	11.113	R	1	6	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
9				3	45	49500	RIDE	7.8	8.0	7.5	7.7	7.5	7.3		7.3	6.9	7.4	7.5	7.6	7.0		
OPA LOCKA CITY LIMITS(10.9C)																						
4068041	10.859	13.690	C	2003	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7
ATLANTIC CIVIL INC (2006) FC95 RIDE 6.5 6.6 5.7 6.1 6.3 6.3																						
4439141	10.941	11.239	C	2023	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = BERGERON LAND DEVELOPMENT, I -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
87037000	0.000	0.183	R	1	6	CRACKING	6.5	6.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*	
907			2	30	26000	RIDE	5.3*	5.3*	5.2*	4.5*	5.2*	4.4*	4.2*	4.2*	4.2*	4.2*	4.2*	3.9*	4.4*	3.9*	
SR A1A(0.0C)																					
2499111	0.028	0.183	R	2013	0005	CRACKING	9.5	9.5	9.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5
BERGERON LAND DEVELOPMENT, (2017)						FC95M															
87037000	0.000	0.183	L	1	6	CRACKING	10.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*	
907			2	30	26000	RIDE	6.4*	5.8*	5.6*	5.0*	4.4*	4.2*	3.6*	3.6*	4.0*	3.9*	4.2*	4.4*	3.8*		
SR A1A(0.0C)																					
2499111	0.028	0.402	L	2013	0005	CRACKING	9.5	9.5	9.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
BERGERON LAND DEVELOPMENT, (2017)						FC95M															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = BREWER CO OF FLORIDA INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							%T	=====													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
87060000	12.627	14.047	R	1	1	CRACKING	3.0*	3.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	
ALA			2	40	44500	RIDE	6.2*	6.1*		8.2	7.8	7.2	7.3	7.3	7.3	7.3	7.6	7.5	7.5	7.4	
					3.9																
2501851	12.659	14.073	C	2000	0012	CRACKING	8.5	8.5	8.5	8.5	7.5	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	3.0*	3.0*	2.9	
BREWER CO OF FLORIDA INC				(2002)	FC125	RIDE	7.3	7.2	7.2	7.3	7.1	6.9	6.8	6.8	6.6	6.4	6.3	6.2	6.1	6.0	
4309492	12.631	14.024	C	2022	0012																
87060000	12.627	14.047	L	1	1	CRACKING	3.0*	3.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	
ALA			2	40	44500	RIDE	6.4*	6.4*		8.1	7.6	7.0	7.2	6.8	7.0	7.1	7.4	7.5	7.4		
					3.9																
2501851	12.659	14.073	C	2000	0012	CRACKING	8.5	8.5	8.5	8.5	7.5	6.0*	6.0*	6.0*	5.5*	3.5*	1.0*	0.0*	0.0*	0.0	
BREWER CO OF FLORIDA INC				(2002)	FC125	RIDE	7.3	7.1	7.0	6.8	6.7	6.4	6.6	6.2	6.3	6.1	6.3	6.2	5.9	5.7	
4309492	12.631	14.024	C	2022	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = BUDGET CONSTRUCTION CO., INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)	
87066000	2.926	3.741	R	1	1	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5			10.0	
922			2	30	24500	RIDE	6.7	4.4*	5.1*	5.3*	4.8*	4.2*	4.1*	4.3*	5.5	4.7*	4.8*			6.3	
BISCAYNE BLVD(3.0C)																					
4180711	2.920	3.684	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	6.6	
BUDGET CONSTRUCTION CO.,	I(2011)	FC95	RIDE				6.3	6.0	6.4	5.7	4.7*	4.5*	4.4*	4.2*	4.0*	4.0*	4.0*	3.9*	3.9*	2.3	
4439351	3.201	3.741	C	2024	0015																

87066000	2.926	3.741	L	1	1	CRACKING	10.0	10.0	9.5	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5			10.0	
922			2	30	24500	RIDE	7.2	7.3	6.7	7.1	7.0	6.2	5.9	5.9	5.5	5.4*	5.2*			6.3	
BISCAYNE BLVD(3.0C)																					
4180711	2.920	3.684	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	6.6	
BUDGET CONSTRUCTION CO.,	I(2011)	FC95	RIDE				6.3	6.0	6.4	5.7	4.7*	4.5*	4.4*	4.2*	4.0*	5.2*	5.1*	5.0*	4.8*	3.7	
4439351	3.201	3.741	C	2024	0015																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = CENTRAL FLORIDA EQUIPMENT -----																							
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011			
INTERSECT AT (MP SIDE)							%T	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(REG)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																	
87030000	13.605	15.048	R	1	1	CRACKING		3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*					10.0	10.0	10.0	
5	1			2	35	36500	RIDE	5.9*	5.7*	5.5*	5.6	4.9*	4.4*	4.2*	4.3*					7.2	6.9	7.0	
BAY POINT ENT(14.0R)																							
2502241	13.635	15.405	C	2005	0005	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	
CENTRAL FLORIDA EQUIPMENT (2009)							DGFC		6.8	6.6	6.7	6.7	6.9	6.9	6.7	6.6	6.6	6.5	6.3	6.3	6.0	6.0	
4478301	13.588	15.048	C	2026	0012																		
87030000	13.605	15.048	L	1	1	CRACKING		3.5*	3.5*	3.5*	3.5*	7.0	1.0*	1.0*	1.0*					10.0	10.0	10.0	
5	1			2	35	36500	RIDE	8.1	8.2	8.3	7.9	5.6	6.8	6.5	6.3					7.2	7.1	7.0	
NE 39 ST(13.7L)																							
2502241	13.635	15.405	C	2005	0005	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	7.6	
CENTRAL FLORIDA EQUIPMENT (2009)							DGFC		7.0	6.7	6.8	6.6	7.0	6.8	6.6	6.4	6.5	6.2	6.5	6.4	6.2	5.9	
4478301	13.588	15.048	C	2026	0012																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = CENTRAL FLORIDA EQUIPMENT RE -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE																	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
																			=====																	
INTERSECT AT (MP SIDE)																			%																	
ITMSEG-P																			W_BMP																	
CONTRACTOR (AGE_ONE YEAR)																			SURF_TYPE																	
ITMSEG-F																			W_BMP																	
																			W_EMP																	
																			RW																	
																			FY-F																	
																			WKMX-F																	
87060002		0.000	0.198	R	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5																	
A1A				2	35	41000	RIDE	7.5	7.1	7.5	7.0	7.6	5.4*	5.4*	5.2*	4.9*	5.4*	5.8	5.7																	
COLLINS AV AT 44 ST(0.0C)																			3.4																	
4275051		0.007	0.154	C	2014	0012	CRACKING		7.5	7.5	7.5		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.9															
CENTRAL FLORIDA EQUIPMENT (2017)																			DGFC																	
4439311																			RIDE																	
0.000																			0.215																	
C																			2024																	
0012																																				
-----																			-----																	
87060002		0.000	0.198	L	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5																	
A1A				2	35	41000	RIDE	7.4	7.8	7.5	6.3	6.3	7.2	6.4	5.9	6.5	5.9	5.7	5.5																	
SR A1A(0.0L)																			3.4																	
4275051		0.007	0.154	C	2014	0012	CRACKING		7.5	7.5	7.5		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.9															
CENTRAL FLORIDA EQUIPMENT (2017)																			DGFC																	
4439311																			RIDE																	
0.000																			0.215																	
C																			2024																	
0012																																				
-----																			-----																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)											=====											
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																	
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F															(REG)		
87001000	0.000	1.125	R	1	1	CRACKING	10.0	9.0	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0		
94			2	50	20300	RIDE	8.1	7.9	8.0	7.9	7.7	6.6	6.6	6.5	7.9	7.9	7.9	7.5	7.6			
KROME AVE/SW 177 AVE(0.0C) 6.6																						
4124681	0.010	1.397	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.8		
COMMUNITY ASPHALT	CORP.			(2007)	FC5	RIDE	7.7	7.5	7.6	7.6	7.9	7.7	7.5	7.8	7.9	7.8	7.8	7.7	7.7	7.7		

87001000	0.000	1.125	L	1	1	CRACKING	10.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0		
94			2	50	20300	RIDE	8.1	8.1	8.1	8.1	7.7	6.9	6.9	6.8	8.0	7.9	7.8	7.8	7.7	7.7		
KROME AVE/SW 177 AVE(0.0C) 6.6																						
4124681	0.010	1.397	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0		
COMMUNITY ASPHALT	CORP.			(2007)	FC5	RIDE	7.6	7.6	7.6	7.6	7.8	7.8	7.3	7.6	7.7	7.8	7.9	7.7	7.7	7.7		

87004000	1.805	2.137	R	4	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	10.0		
112 I195			3	55	121000	RIDE	8.1	7.8	7.7	7.9	7.4	6.9	6.6	7.0	6.7	7.1	7.1	7.1	7.1	7.9		
3.0																						
4055784	1.805	4.910	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.4		
COMMUNITY ASPHALT	CORP.			(2011)	FC5	RIDE	7.9	7.9	7.9	7.9	8.1	8.1	7.4	7.3	7.4	7.7	7.8	7.7	7.7	7.4		
4446221	1.898	4.904	C	2022	9924																	

87004000	2.545	4.387	R	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	10.0			
112 I195			3	55	121000	RIDE	8.4	8.5	8.5	8.3	8.3	7.7	7.8	7.6	7.8	8.1	7.7	7.7	7.9			
3.0																						
4055784	1.805	4.910	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
COMMUNITY ASPHALT	CORP.			(2011)	FC5	RIDE	7.9	7.9	7.9	7.9	8.1	8.1	8.2	8.2	8.3	8.3	8.2	8.2	8.3	8.3		
4446221	1.898	4.904	C	2022	9924																	

87004000	4.387	4.921	R	4	1	CRACKING	9.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	10.0			
112 I195			2	45	121000	RIDE	8.5	8.4	8.6	8.4	8.2	7.4	7.7	7.3	7.6	7.4	6.6	6.5	8.0			
SIDE ROAD(4.6C) 3.0																						
4055784	1.805	4.910	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	9.0	8.8		
COMMUNITY ASPHALT	CORP.			(2011)	FC5	RIDE	7.4	7.0	7.4	7.1	7.5	7.8	7.7	8.0	7.2	7.1	7.8	7.5	7.9	7.7		
4446221	1.898	4.904	C	2022	9924																	

87004000	1.805	2.137	L	4	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.5	7.5	6.5	6.5	4.5*	4.5*	10.0			
112 I195			3	55	121000	RIDE	8.6	8.6	8.6	8.5	8.4	7.9	7.8	7.6	7.4	7.7	7.6	7.6	7.9			
3.0																						
4055784	1.805	4.910	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.4		
COMMUNITY ASPHALT	CORP.			(2011)	FC5	RIDE	8.1	8.2	8.1	8.1	8.3	8.3	8.3	8.3	8.3	8.5	8.4	8.3	8.3	8.3		
4446221	1.898	4.904	C	2022	9924																	

87008000	3.114	4.888	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	10.0		
916			2	40	19000	RIDE	7.3	7.1	7.0	6.5	6.2	5.6	5.7	5.6	5.9	5.7	5.7	5.5	7.2			
NW 47 AVE(3.1R) 5.3																						
4198561	3.288	4.979	C	2009	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0		
COMMUNITY ASPHALT	CORP.			(2011)	FC125	RIDE	6.8	6.0	6.6	6.6	6.4	6.1	6.1	6.2	5.8	6.0	5.9	5.6	5.7	5.1		
4499471	3.114	4.826	R	2026	0012																	

87008000	3.114	4.888	L	1	1	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	10.0			
916			2	40	19000	RIDE	7.5	7.3	7.2	7.1	6.7	6.3	6.1	6.0	6.1	6.6	6.4	6.4	5.9	7.2		
NW 42 AVE/LEJEUNE RD(3.6L) 5.3																						
4198561	3.288	4.979	C	2009	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0		
COMMUNITY ASPHALT	CORP.			(2011)	FC125	RIDE	6.8	6.0	6.6	6.6	6.4	6.1	6.1	6.2	5.8	6.3	6.4	6.2	6.0	5.7		

87008001	0.000	0.301	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0			
916			3	30	11500	RIDE	8.2	8.3	7.9	8.0	8.1	7.7	7.6	7.0	8.0	7.7	7.7	7.5	7.0			
LEG 001(0.0C) 4.0																						
4311721	0.043	0.301	C	2016	0012	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
COMMUNITY ASPHALT	CORP.			(2018)	DGFC	RIDE	7.2	6.5	7.6	7.6	7.9	7.8	8.2	7.8	7.8	7.7	7.7	7.7	7.7	7.3		

87018000	0.775	2.534	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0			
852			2	45	30000	RIDE	8.3	8.1	8.0	7.8	8.1	7.5	7.8	7.3	7.8	7.8	8.1	7.5	7.5			
NW 1700 BLK(0.8C) 3.1																						
4083012	0.759	2.534	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.7		
COMMUNITY ASPHALT	CORP.			(2007)	FC125	RIDE	7.8	7.9	7.9	7.8	7.7	7.7	7.8	7.8	7.6	7.6	7.6	7.5	7.5	7.5		
4478261	0.759	2.526	C	2026	0012																	

87018000	0.775	2.534	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0			
852			2	45	30000	RIDE	8.0	7.9	7.9	7.9	8.0	7.5	7.1	7.0	7.7	7.8	8.1	7.7	7.3			
NW 1700 BLK(0.8C) 3.1																						
4083012	0.759	2.534	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.7		
COMMUNITY ASPHALT	CORP.			(2007)	FC125	RIDE	7.7	7.7	7.7	7.6	7.6	7.5	7.6	7.6	7.5	7.6	7.6	7.6	7.7	7.5		
4478261	0.759	2.526	C	2026	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

RDWYID		BMP		EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)		W_BMP	W_EMP	FW	FY-P	WKMX-P	*****		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-P		W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)
CONTRACTOR (AGE_ONE YEAR)		W_BMP	W_EMP	RW	FY-F	WKMX-F																
87026000		2.829	5.529	R	1	1	CRACKING		6.0*	5.5*	5.5*	5.0*	5.0*	5.0*	3.5*		10.0	10.0	10.0	10.0	10.0	
860				3	40	35500	RIDE		6.9	6.6	6.7	6.6	6.4	5.3*	4.8*		7.3	7.4	7.3	7.3	7.0	
SR 817(3.0C) 2498871 1.110 4.424 C 2001 0218 CRACKING 10.0 10.0 10.0 10.0 8.5 8.5 7.5 7.5 7.5 7.5 7.5 7.5 7.0 7.0 7.0 7.0 7.0 7.0 7.0 5.8																						
COMMUNITY ASPHALT CORP. (2007) FC95 RIDE 6.8 7.1 6.9 7.0 6.6 6.5 6.5 6.3 6.3 6.3 6.3 6.2 6.3 6.2 6.3 5.7																						
4478001		2.828	5.505	C	2025	0012																
87026000		2.829	5.529	L	1	1	CRACKING		7.0	6.0*	6.0*	6.0*	6.0*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	
860				3	40	35500	RIDE		7.3	7.1	7.1	7.1	6.8	4.8*	4.3*		7.6	7.7	7.7	7.7	7.4	
NW 28 PL(2.8L) 2498871 1.110 4.424 C 2001 0218 CRACKING 10.0 10.0 10.0 10.0 9.0 9.0 9.0 8.5 7.5 7.0 7.0 7.0 7.0 7.0 7.0 7.0 6.0																						
COMMUNITY ASPHALT CORP. (2007) FC95 RIDE 7.1 7.2 7.2 7.0 7.1 7.0 6.9 6.9 6.9 6.8 6.5 6.5 6.5 6.6 6.1																						
4478001		2.828	5.505	C	2025	0012																
87026005		0.000	0.312	R	1	6	CRACKING		9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
860				2	35	47500	RIDE		8.2	8.1	8.7	8.2	7.8	6.6	6.8	6.7	7.1	7.3	6.6	6.6	6.7	
ON RAMP 87075617(0.0R) 4274511 0.000 0.187 R 2013 0226 CRACKING 4.5* 4.5* 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0																						
COMMUNITY ASPHALT CORP. (2014) DGFC RIDE 6.7 6.4 7.7 7.6																						
87026005		0.000	0.312	L	1	6	CRACKING		9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
860				2	40	47500	RIDE		8.4	8.4	8.2	8.1	8.2	7.2	7.2	7.0	7.0	7.4	6.9	7.3	6.9	
OFF RAMP 87075626(0.0L) 4274511 0.000 0.187 L 2013 0226 CRACKING 4.5* 4.5* 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0																						
COMMUNITY ASPHALT CORP. (2014) DGFC RIDE 6.9 6.8 8.1 7.5																						
87030000		10.834	11.368	R	1	1	CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	6.5	10.0	10.0	
5	1			4	30	29000	RIDE		6.9	6.9	7.1	7.3	6.9	6.5	6.3	5.8	6.3	6.9	6.4	6.5	5.9	8.2
SIDE ROAD(11.0C) 4146231 10.816 11.283 C 2008 0012 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.5 9.5 9.5																						
COMMUNITY ASPHALT CORP. (2011) FC95 RIDE 7.9 7.7 7.8 7.9 6.1 6.5 6.8 6.9 6.6 6.5 6.0 6.4 6.0 5.1																						
87030000		11.368	11.789	R	1	6	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		10.0	10.0	10.0		
5	1			3	30	33000	RIDE		6.9	6.9	7.9	5.4*	6.1	5.7	5.2*	5.1*		6.9	6.6	6.0		
NE 8 ST(11.5C) 2498352 11.280 11.856 C 2005 0005 CRACKING 10.0 10.0 10.0 10.0 9.5 9.5 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 6.8																						
COMMUNITY ASPHALT CORP. (2009) DGFC RIDE 6.0 5.8 5.6 5.4* 5.9 5.4* 5.3* 5.1* 5.2* 5.4* 5.5																						
4439111		11.283	11.713	C	2024	0012																
87030000		11.368	11.789	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		10.0	10.0	10.0	
5	1			3	30	33000	RIDE		7.3	7.2	7.6	7.3	6.6	5.3*	5.7	5.3*	4.7*		6.2	5.6	5.9	
NE 7 ST(11.4L) 2498352 11.280 11.856 C 2005 0005 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0 9.0																						
COMMUNITY ASPHALT CORP. (2009) DGFC RIDE 6.3 6.0 5.8 5.6 4.5* 4.6* 4.0* 4.3* 3.9* 4.0* 3.9* 3.9* 3.8* 3.8* 2.5																						
4439111		11.283	11.713	C	2024	0012																
87030000		10.834	11.368	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		6.5	6.5	10.0	
5	1			4	30	29000	RIDE		7.3	7.2	7.3	6.6	6.5	5.5	5.7	5.7	5.0*		5.5	4.8*	7.2	
SE 1 ST(10.9L) 4146231 10.816 11.283 C 2008 0012 CRACKING 10.0 10.0 10.0 10.0 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.5 9.0 9.0 8.7																						
COMMUNITY ASPHALT CORP. (2011) FC95 RIDE 7.1 7.0 5.6 6.7 6.0 5.7 5.9 6.1 5.9 5.5 5.1* 5.2* 5.1* 4.3																						
87038000		0.000	1.178	R	1	1	CRACKING		7.5	7.5	7.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
932				2	40	16000	RIDE		7.7	6.8	7.2	6.8	8.0	6.8	6.8	6.7	6.8	7.0	6.8	6.7	6.6	
OKEECHOBEE RD(0.0C) 4075771 0.000 3.421 C 2002 0012 CRACKING 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 8.4																						
COMMUNITY ASPHALT CORP. (2005) FC125 RIDE 5.8 6.0 6.0 6.2 5.6 5.8 5.6 5.6 5.3* 5.7 5.6 5.9 5.6 5.0																						
4459931		0.579	2.942	R	2024	0012																
87038000		1.178	1.341	R	1	6	CRACKING		10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
932				3	40	48500	RIDE		8.2	8.1	7.9	7.9		7.4	7.0	7.0	7.1	7.3	7.2	7.1	7.2	
W 19 CT(1.2R) 4075771 0.000 3.421 C 2002 0012 CRACKING 10.0 10.0 10.0 10.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 8.5 8.5 8.5 8.1																						
COMMUNITY ASPHALT CORP. (2004) FC125 RIDE 7.1 7.1 7.1 6.7 6.6																						
4459931		0.579	2.942	R	2024	0012																
87038000		9.209	9.700	C	1	1	CRACKING		6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	
932				2	30	11300	RIDE		5.7*	5.3*	5.5*	5.7	5.1*	4.7*	4.6*		7.1	6.4	6.8	6.6	7.0	
NE 2 AVE(9.2C) 4083031 8.843 9.700 C 2004 0005 CRACKING 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 9.0 9.0 9.0 9.0																						
COMMUNITY ASPHALT CORP. (2007) FC125 RIDE 6.5 6.6 6.6 6.6 5.7 5.9 5.7 5.6 6.0 5.4* 5.4* 5.4* 5.3* 4.8																						
4478181		9.219	9.683	C	2025	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024- 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 CONTRACTOR = COMMUNITY ASPHALT CORP.

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR	US	G_BMP	G_EMP	LN	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP)	(SIDE)					*****														(REG)
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE YEAR)			WKM-F																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
87038000	1.341	3.381	L	1	1	CRACKING	10.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
932			3	40	48500	RIDE	7.8	6.5	7.6	7.7	7.2	7.1	7.8	7.1	7.6	6.8	7.2	7.1	7.1	
W 16 AVE(1.6C)																				
4075771	0.000	3.421	C	2002	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.8
COMMUNITY ASPHALT CORP.				(2005)	FC125	RIDE	7.0	6.6	6.9	7.1	7.1	7.2	7.2	6.9	6.4	7.2	6.9	7.1	7.1	6.8
4459931	1.017	2.942	L	2024	0012															
87038000	1.178	1.341	L	1	1	CRACKING	10.0	9.0	9.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
932			3	40	48500	RIDE	7.8	6.5	7.6	7.7		7.5	7.7	7.1	7.8	7.8	7.8	7.8	7.6	7.8
TN LN TO W 20 AVE(1.3L)																				
4075771	0.000	3.421	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2004)	FC125	RIDE	7.4	7.4	7.6	7.4	7.4	7.5	7.4	7.3	6.8	7.1	6.6	7.0	7.3	6.9
4459931	1.017	2.942	L	2024	0012															
87038000	0.000	1.178	L	1	2	CRACKING	10.0	10.0	10.0	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
932			2	40	16000	RIDE	7.3	6.0*	6.5	7.2	7.4	6.3	6.8	6.4	5.8	6.6	6.7	6.4	6.5	
OKEECHOBEE RD(0.0C)																				
4075771	0.000	3.421	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7
COMMUNITY ASPHALT CORP.				(2005)	FC125	RIDE	6.1	6.0	5.8	5.9	6.2	6.0	5.7	5.7	5.3*	6.0	5.9	6.0	5.5	5.4

87044000	3.265	6.218	R	1	1	CRACKING	9.0	7.5	7.5	7.5	7.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0
976			3	40	50000	RIDE	7.2	7.1	6.7	7.1	6.8	5.6		6.7	7.4	6.5	7.4	7.3	7.1	
SW 84 AVE(3.4C)																				
4056481	3.182	6.218	C	2002	0012	CRACKING	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	6.5
COMMUNITY ASPHALT CORP.				(2006)	FC125	RIDE	7.1	7.2	7.3	7.0	7.0	6.6	7.1	7.1	7.2	7.0	7.1	6.9	6.9	6.9
4459911	4.341	6.064@	C	2024	0012															
87044000	3.265	6.218	L	1	1	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0
976			3	40	50000	RIDE	6.9	7.1	6.8	7.1	5.0*	5.8		6.2	6.8	6.2	6.7	6.7	6.4	
SW 84 AVE(3.4C)																				
4056481	3.182	6.218	C	2002	0012	CRACKING	10.0	10.0	9.5	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.1
COMMUNITY ASPHALT CORP.				(2006)	FC125	RIDE	6.4	6.8	6.6	6.7	6.4	6.5	6.8	6.8	6.7	6.8	6.7	6.8	6.7	6.7
4459911	4.341	6.064@	C	2024	0012															
87046000	0.445	1.292	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0
990			2	45	15000	RIDE	7.5	7.5	7.3	7.2	7.0	6.6	6.7	6.8	6.9	6.6	6.7	6.6	6.7	
KENDALE BLVD (S)(0.5C)																				
4363431	0.445	1.232	R	2018	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2020)	FC125	RIDE	6.6	6.5	6.3	6.2	6.7	6.3	6.6	6.3	7.8	7.8	7.7	7.7	7.7	7.5

87046000	1.292	2.970	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0
990			2	35	14600	RIDE	8.5	8.5	8.5	8.1	8.2	7.7	7.1	7.2	7.4	7.2	7.3	7.4	7.4	
SW 95 CT(1.4R)																				
4363421	1.258	2.196	C	2018	0012	CRACKING	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2020)	FC125	RIDE	7.2	7.0	7.0	7.1	7.3	7.4	7.2	7.2	7.5	7.6	7.8	7.7	7.8	7.8

87046000	0.445	1.292	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0
990			2	45	15000	RIDE	7.3	7.3	7.2	7.2	6.7	7.1	6.7	6.5	6.4	6.4	6.4	6.4	6.4	6.2
KENDALE BLVD (S)(0.5C)																				
4363431	0.476	1.232	L	2018	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2020)	FC125	RIDE	6.5	6.4	6.5	6.4	6.9	6.8	6.4	6.2	7.7	7.6	7.6	7.6	7.7	7.6

87047000	8.128	8.678	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0
973			2	40	36500	RIDE	7.9	7.5	7.7	7.6	7.2	6.9	6.4	5.9	6.8	6.8	6.8	6.7	6.6	
POINCIANA CONDO(8.2R)																				
4198521	8.128	8.472	C	2011	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.3
COMMUNITY ASPHALT CORP.				(2013)	FC125	RIDE		7.9	7.8	7.6	6.9	7.0	6.8	6.8	6.5	6.6	6.4	6.6	6.4	5.5

87047000	8.678	9.505	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	10.0	10.0
973			3	40	40000	RIDE	7.5	7.3	7.3	7.3	7.0	6.5	6.5	6.5	6.6	6.6	6.7	6.5	8.4	
PARK BLVD(8.8C)																				
4180901	8.665	9.482	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2011)	FC95	RIDE	8.0	8.0	8.2	7.8	8.2	8.0	8.0	8.0	7.5	7.9	7.8	7.9	7.9	7.9

87047000	8.678	9.505	L	1	1	CRACKING	9.5	9.5	8.0	8.0	7.0	6.0*	6.5	5.0*	5.0*	5.0*	5.0*	5.0*	5.0*	10.0
973			3	40	40000	RIDE	6.8	7.2	7.4	7.3	6.7	6.5	6.7	6.1	6.6	6.5	6.1	6.4	8.2	
PARK BLVD(8.8C)																				
4180901	8.665	9.482	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2011)	FC95	RIDE	8.2	8.1	8.1	8.1	8.0	8.0	7.6	7.8	7.5	7.9	7.9	7.9	7.8	7.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = COMMUNITY ASPHALT CORP. -----

RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYSTEM	TYPE	DISTRESS	ADT	RATINGS	SURVEYED YEAR																	FUTURE								
													1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015		2016	2017	2018	2019	2020	2021	2022	2023
INTERSECT AT (MP SIDE)											=====																											
ITMSEG-P											W_BMP	W_EMP	W_YEAR	W_RW	W_LN	W_SYSTEM	W_TYPE	W_DISTRESS	W_ADT	W_RATINGS																		
CONTRACTOR											(AGE_ONE	YEAR)	(SURF_TYPE																									
ITMSEG-F											W_BMP	W_EMP	W_YEAR	W_RW	W_LN	W_SYSTEM	W_TYPE	W_DISTRESS	W_ADT	W_RATINGS																		(REG)
87047000			8.128		8.678	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5									
973						2	40	36500	RIDE	7.6	7.2	7.5	7.6	7.3	6.6	6.2	6.8	5.8	6.4	6.4	6.3	6.0																
SW 4 ST(8.3C)											2.3																											
4198521			8.128		8.472	C	2011	0012	CRACKING	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3									
COMMUNITY ASPHALT CORP.											(2013)	FC125	RIDE	5.7	7.8	7.6	7.7	7.6	6.8	7.3	7.0	7.1	7.3	7.0	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	6.6					
87052000			1.999		3.112	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5										
924						2	30	20300	RIDE	7.8	8.0	7.6	7.4	7.7	7.3	7.1	7.1	7.1	7.2	6.6	6.5	6.6	6.6	6.7														
SR 7(2.0C)											3.8																											
4308091			2.084		3.112	C	2015	0012	CRACKING	6.5	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.9									
COMMUNITY ASPHALT CORP.											(2017)	FC95A	RIDE	6.6	6.5	6.2	6.2	6.1	7.4	6.9	7.0	6.9	6.8	6.8	6.5	6.4	6.4	6.4	6.4	6.4	6.4	6.4	5.9					
87052000			1.999		3.112	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5										
924						2	30	20300	RIDE	7.1	7.1	7.5	7.1	7.5	7.2	6.6	6.7	6.6	6.2	6.1	6.8	6.7	6.6	6.7														
SR 7(2.0C)											3.8																											
4308091			2.084		3.112	C	2015	0012	CRACKING	6.5	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5										
COMMUNITY ASPHALT CORP.											(2017)	FC95A	RIDE	6.6	6.4	6.2	6.2	6.2	7.2	6.6	6.9	6.5	6.8	6.7	6.3	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	5.9				
87054000			0.508		3.019	R	1	1	CRACKING	7.0	6.5	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5										
972						2	35	32500	RIDE	6.1*	6.0*	5.9*	5.4*		5.6	5.4*	5.2*	5.0*	5.4*	5.3*	5.1*	5.0*																
SW 36 AVE(0.7C)											2.2																											
4275131			0.500		2.954	R	2013	0012	CRACKING	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5										
COMMUNITY ASPHALT CORP.											(2016)	FC95	RIDE	5.0*	4.8*	4.7*	4.6*	6.4	6.0	6.1	5.9	5.9	5.7	5.7	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	4.9				
87054000			1.021		3.019	L	1	1	CRACKING	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	6.5										
972						2		32500	RIDE	5.7*	5.9*	5.9*	5.8*		5.7*	5.6*	5.3*	5.6*	5.6*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	6.5										
SW 32 AVE(1.0C)											2.2																											
4275131			1.086		2.943	L	2013	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	9.5	9.5	9.0	9.0	9.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	1.2										
COMMUNITY ASPHALT CORP.											(2016)	FC95	RIDE	4.6*	4.1*	4.7*	4.6*	6.3*	6.1*	5.5*	5.9*	5.6*	5.7*	5.5*	5.4*	5.1*	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6				
87060000			1.082		2.715	R	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0											
A1A 41						3	45	78000	RIDE	8.7	8.7	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.9	7.8	7.7	7.8																
SIDE ROAD(1.4C)											5.3																											
4146351			1.082		2.717	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.9										
COMMUNITY ASPHALT CORP.											(2011)	FC2	RIDE	7.8	7.8	7.9	7.8	8.1	8.1	7.9	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1				
87060000			3.670		4.663	C	1	6	CRACKING	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5										
A1A						2	30	14600	RIDE	4.9*	5.2*	4.9*	4.7*	5.2*	4.5*	4.4*	4.0*	3.9*	4.1*	4.2*	4.1*	4.2*	4.1*	4.2*	4.1*	4.2*	4.5*											
6 ST(3.7C)											4.5																											
2502361			3.673		4.550	C	2013	0012	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0											
COMMUNITY ASPHALT CORP.											(2016)	DGFC	RIDE	4.3*	4.3*	3.9*																						
87060000			1.082		2.715	L	1	1	CRACKING	9.5	9.5	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5											
A1A 41						3	45	78000	RIDE	8.5	8.3	8.4	8.6	8.2	7.5	7.4	7.3	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	8.0											
SIDE ROAD(1.4C)											5.3																											
4146351			1.082		2.717	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0											
COMMUNITY ASPHALT CORP.											(2011)	FC2	RIDE	7.9	8.0	8.1	8.1	8.4	8.3	8.3	8.3	8.3	8.3	8.2	8.2	8.2	8.2	8.2	7.8	7.8								
87066000			0.000		1.650	C	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5		10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5											
922						4	35	32000	RIDE	7.2	6.3*	6.8	7.2	6.2	5.7	6.0				6.9	6.8	6.7	6.5	6.6														
NW 7 AVE(0.0C)											11.8																											
4075911			0.133		1.886	C	2004	0012	CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	5.9											
COMMUNITY ASPHALT CORP.											(2007)	DGFC	RIDE	6.7	6.4	6.4	6.4	6.4	5.4*	5.2*	5.1*	5.2*	4.8*	5.1*	5.4*	5.1*	5.4*	5.1*	4.9*	4.1								
87072000			1.117		3.084	C	1	1	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0											
985						4	40	22500	RIDE	6.7	6.0*	6.7	6.8	6.4	6.3	6.4	6.3	6.4	6.3	6.4	6.9	6.3	6.8	7.0														
SW 86 ST(1.2C)											3.3																											
4076061			0.000		3.004	C	2003	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.7											
COMMUNITY ASPHALT CORP.											(2005)	FC125	RIDE	6.5	6.8	6.7	6.6	6.3	6.3	6.1	5.8	6.2	6.1	5.9	5.7	5.8	5.8	5.7	5.7	5.7	5.7	5.7						
4499481			1.109		3.084	R	2027	0012																														
87080000			2.678		3.718	C	1	1	CRACKING	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0											
934						3	35	17000	RIDE	8.4	8.4	8.0	7.6	7.4	6.9	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5												
BAY DR W(2.7L)											6.8																											
4226171			2.678		3.718	C	2010	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.1												
COMMUNITY ASPHALT CORP.											(2013)	DGFC	RIDE	6.0	8.1	7.4	7.3	7.6	7.6	7.3	7.2	7.3	6.9	7.1	7.1	7.1	6.9	6.5	6.5	6.5								

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6												CONTRACTOR = COMMUNITY ASPHALT CORP.											
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011			
INTERSECT AT	(MP	SIDE)					*****																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																	
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)		
87080000	3.718	4.175	C	1	6	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0		
934			2	35	9600	RIDE		7.6	6.5	5.6	5.8	5.5	4.5*	3.9*	4.4*	4.1*	4.6*	4.4*	3.7*				
BAY DR E(3.7C)					6.8																		
4198251	3.718	4.175	C	2010	0012	CRACKING		9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5		
COMMUNITY ASPHALT CORP.				(2013)	FC95	RIDE		3.7*	7.2	6.4	6.7	5.1*	4.9*	4.7*	4.4*	4.2*							
4439261	3.718	4.175	C	2026	0012																		
87080347	0.000	1.042	C	1	1	CRACKING		10.0	10.0	10.0	10.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	5.5*	5.5*		
934			3	35	24000	RIDE		7.4	7.2	6.6	6.6	6.8	6.4	6.1	6.0	6.2	6.5	6.5	6.3	5.5*	5.2*		
BAY DR E(0.0C)					6.8																		
4226161	0.312	1.042	C	2010	0012	CRACKING		5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.7		
COMMUNITY ASPHALT CORP.				(2013)	DGFC	RIDE		5.7	7.0	6.8	6.5	6.8	6.3	6.2	6.0	5.9	5.7	5.6	5.8	5.5	4.8		
4525571	0.123	1.042	C	2027	0012																		
87085000	3.014	3.603	R	1	1	CRACKING		7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
933			2	35	20300	RIDE		4.2*	4.0*	4.6*	4.1*	4.0*	3.5*	3.8*	6.0	6.0	5.6	5.6	5.2*	5.0*			
NW 20 ST(3.0C)					6.8																		
4077381	3.078	3.591	C	2004	0012	CRACKING		9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	5.2		
COMMUNITY ASPHALT CORP.				(2006)	DGFC	RIDE		5.6	5.5	5.7	5.3*	4.9*	4.5*	3.8*	4.5*	4.6*	3.9*	4.4*	4.0*	4.0*	3.3		
4327484	2.994	3.603	C	2022	0015																		
87085000	3.014	3.603	L	1	1	CRACKING		9.0	9.0	9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
933			2	35	20300	RIDE		5.3*	4.0*	4.8*	4.2*	3.8*	3.7*	3.5*	7.1	6.6	6.4	6.3	5.8	6.2			
NW 20 ST(3.0C)					6.8																		
4077381	3.078	3.591	C	2004	0012	CRACKING		9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	5.2		
COMMUNITY ASPHALT CORP.				(2006)	DGFC	RIDE		5.9	5.8	5.8	6.2	4.7*	5.0*	4.8*	4.7*	4.8*	4.3*	4.8*	4.6*	4.6*	3.6		
4327484	2.994	3.603	C	2022	0015																		
87090000	5.280	7.300	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5			
25 27			3	50	32442	RIDE		8.9	8.7	8.8	8.7	8.3	8.2	8.1	8.1	8.2	8.0	8.0	8.1	8.0	8.0		
NW 138 ST(5.7C)					16.9																		
2497581	5.166	10.187	C	1998	0012	CRACKING		8.5	8.5	8.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.0		
COMMUNITY ASPHALT CORP.				(2000)	FC2	RIDE		8.0	7.9	7.8	7.9	8.1	8.0	8.0	8.1	8.0	7.9	7.9	7.9	7.8	7.6		
4232515	6.346	8.114	C	2022	0218																		
87090000	7.300	7.800	R	1	8	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5			
25 27			3	50	32442	RIDE		8.9	8.7	8.8	8.7	8.3	8.2	8.1	8.1	8.2	8.0	8.1	8.0	8.1	8.0		
NW 116 WAY(7.5R)					16.9																		
2497581	5.166	10.187	C	1998	0012	CRACKING		8.5	8.5	8.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			
COMMUNITY ASPHALT CORP.				(2000)	FC2	RIDE		8.0	7.9	7.8	7.9	8.1	8.0	8.0	8.1	8.0	7.9	7.9	7.9	7.9			
4232515	6.346	8.114	C	2022	0218																		
87090000	9.037	10.027	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5			
25 27			3	45	41500	RIDE		8.9	8.7	8.8	8.7	8.3	8.2	8.1	8.1	8.2	8.0	8.1	8.0	8.1	8.0		
NW 116 WAY(7.5R)					15.0																		
2497581	5.166	10.187	C	1998	0012	CRACKING		8.5	8.5	8.5	8.0	6.5	6.5	6.5	6.5	7.0	7.0	7.0	6.5	6.5	5.2		
COMMUNITY ASPHALT CORP.				(2000)	FC5	RIDE		8.0	7.9	7.8	7.9	8.1	8.0	8.0	8.1	7.9	8.1	8.2	7.9	7.8	7.6		
4232513	9.502	10.169	C	2024	0213																		
87090000	9.037	10.027	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5			
25 27			3	45	41500	RIDE		8.9	8.7	8.8	8.7	8.3	8.2	8.1	8.0	8.1	8.0	8.1	7.7	7.8	7.9		
JOHN HILL RD(9.6L)					15.0																		
2497581	5.166	10.187	C	1998	0012	CRACKING		9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.1		
COMMUNITY ASPHALT CORP.				(2000)	FC5	RIDE		7.9	7.8	7.8	7.7	7.7	7.5	7.7	7.8	7.9	7.9	8.0	8.0	8.0	7.4		
4232513	9.502	10.169	C	2024	0213																		
87090000	8.072	8.572	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5			
25 27			3	50	32442	RIDE		8.9	8.7	8.8	8.7	8.3	8.2	8.1	8.0	8.1	7.7	7.8	7.9				
NW 138 ST(5.7C)					16.9																		
2497581	5.166	10.187	C	1998	0012	CRACKING		9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	4.5*	4.5*	3.5*	3.5*	3.5		
COMMUNITY ASPHALT CORP.				(2000)	FC5M	RIDE		7.9	7.8	7.8	7.7	8.2	8.1	8.0	8.1	8.2	8.2	8.1	8.1	8.0	7.7		
4232514	8.114	9.502	C	2026	0218																		
87090000	7.054	8.072	L	1	8	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5			
25 27			3	50	32442	RIDE		8.9	8.7	8.8	8.7	8.3	8.2	8.1	8.0	8.1	7.7	7.8	7.9				
HIALEAH GDNS BLVD(7.5L)					16.9																		
2497581	5.166	10.187	C	1998	0012	CRACKING		9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	4.5*	4.5*	3.5*				
COMMUNITY ASPHALT CORP.				(2000)	FC2	RIDE		7.9	7.8	7.8	7.7	8.2	8.1	8.0	8.1	8.2	8.2	8.1	8.1				
4232515	6.346	8.114	C	2022	0218																		
87090000	4.540	7.054	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5			
25 27			2	55	29000	RIDE		8.9	8.7	8.8	8.7	8.3	8.2	8.1	8.0	8.1	7.						

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 CONTRACTOR = COMMUNITY ASPHALT CORP.

Table with columns: RDWYID, SR US, G_BMP, EMP RW, SYSTEM TYPE, DISTRESS RATINGS, SURVEYED YEAR (1999-2021), and FUTURE (2022-2029). Rows list various pavement projects with their details and forecasted condition ratings.

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	WKM-F	*****														
ITMSEG-P	(AGE_ONE YEAR)	YEAR	RW	SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																
ITMSEG-F																					
87210000	0.000	1.704	L	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*
856			3	45	41000	RIDE	7.9	7.7	7.8	7.8	7.5	7.1	7.3	7.3	7.2	7.1	6.8	7.4	7.3		
BISCAYNE BLVD(0.0C)																					
4284861	0.000	1.125	C	2013	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2015)	FC5	RIDE	6.8	6.9	6.8	8.1	7.7	8.1	8.0	8.1	8.0	7.9	7.8	7.7	7.8	7.8	7.7
87240000	11.345	13.110	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	6.5	6.5
9			2	50	28322	RIDE	8.5	8.4	8.5	8.5	8.3	7.8	7.8	7.7	7.7	7.7	7.8	7.7	7.8	7.2	7.5
NW 22 AVE(11.8C)																					
4291841	11.237	13.318	C	2014	0012	CRACKING	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
COMMUNITY ASPHALT CORP.				(2016)	FC5A	RIDE	7.4	7.4	7.1	7.2	8.1	8.1	8.1	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
87240000	13.110	13.690	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.0*	5.5*	5.5*	
9			2	50	30000	RIDE	8.5	8.4	8.5	8.5	8.3	7.8	7.8	7.7	7.7	6.9	6.7	7.0	6.7		
SR 7 / US 441 SB(13.7R)																					
4284762	13.281	13.690	C	2012	0012	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.6
COMMUNITY ASPHALT CORP.				(2014)	OGFC	RIDE	6.4*	6.7	8.1	8.2	8.2	8.2	8.2	8.1	8.0	7.8	7.7	7.6	7.6	7.6	7.3
87240000	13.110	13.690	L	1	1	CRACKING	9.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	
9			2	50	30000	RIDE	6.8	8.2	8.0	7.9	8.2	7.6	7.6	7.1	7.4	7.4	7.3	7.6	7.3		
4284762 13.281 13.690																					
COMMUNITY ASPHALT CORP.				(2014)	OGFC	RIDE	7.3	7.3	8.0	8.5	8.3	8.3	8.3	8.3	8.3	8.3	8.1	8.3	7.5	7.5	6.9
87240000	11.345	13.110	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	
9			2	50	28322	RIDE	8.7	8.2	8.0	7.9	8.2	7.6	7.6	7.1	7.4	7.4	7.3	7.6	7.3		
NW 22 AVE(11.8C)																					
4291841	11.237	13.318	C	2014	0012	CRACKING	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.2
COMMUNITY ASPHALT CORP.				(2016)	FC5A	RIDE	7.3	7.3	7.2	7.2	8.2	8.1	8.2	8.1	8.0	8.1	8.1	8.0	8.0	8.0	7.9
87260000	16.379	19.053	R	1	1	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	7.0	7.0	
826			3	55	129000	RIDE	8.4	8.3		8.2	8.5	8.1	7.9	8.0	8.0	8.0	8.0	8.0	7.8	7.9	
DIRECTION CHANGES AT THI(16.9C)																					
4291351	16.417	19.063	C	2014	0012	CRACKING	7.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	6.4	
COMMUNITY ASPHALT CORP.				(2017)	FC5M	RIDE	7.7	7.8	7.7	7.7		8.2	8.2	8.2	8.2	8.2	8.3	8.2	8.1	8.1	
4471651	8.355	17.950	C	2022	0213																
87260000	19.053	22.273	R	1	1	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	
826			3	55	115500	RIDE	8.4	8.3	8.3	8.9	8.7	8.0	7.3	7.9	8.1	8.2	8.2	8.0	8.0		
4327432 19.053 21.623																					
COMMUNITY ASPHALT CORP.				(2018)	FC5M	RIDE	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	7.7	
87260000	22.273	23.014	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
826			4	55	149000	RIDE	8.5	8.3	8.3	8.8	8.6	8.2	8.1	8.0	7.6	8.2	8.1	7.8	8.0		
4327433 22.220 23.046																					
COMMUNITY ASPHALT CORP.				(2018)	FC5M	RIDE	7.7	8.0	8.0	7.9	8.2	8.1	8.4	8.4	8.5	8.5	8.5	8.5	8.5	8.5	8.5
87260000	22.273	23.046	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0	
826			4	55	149000	RIDE	8.5	8.5	8.3	8.9	8.3	8.1	8.2	8.1	7.8	8.2	8.1	8.0	7.8		
4327433 22.220 23.046																					
COMMUNITY ASPHALT CORP.				(2018)	FC5M	RIDE	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.9	
87260000	19.053	22.273	L	1	1	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0		
826			3	55	115500	RIDE	8.2	8.3	8.3	8.8	8.7	8.0	8.2	8.1	7.7	8.2	8.2	8.0	7.9		
4327432 19.053 21.623																					
COMMUNITY ASPHALT CORP.				(2018)	FC5M	RIDE	7.8	7.7	7.7	7.6	7.9	7.8	8.6	8.5	8.7	8.6	8.6	8.6	8.7	8.6	8.6
87260000	16.379	19.053	L	1	1	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	6.5		
826			3	55	129000	RIDE	8.2	8.3		8.2	8.1	7.6	7.7	7.6	7.0	7.8	7.8	7.7	7.5		
DIRECTION CHANGES AT THI(16.9C)																					
4291351	16.417	19.063	C	2014	0012	CRACKING	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.9	
COMMUNITY ASPHALT CORP.				(2017)	FC5M	RIDE	7.5	7.5	7.4	7.3		8.5	8.4	8.5	8.6	8.5	8.6	8.5	8.5	8.5	
4471651	8.355	17.950	C	2022	0213																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 CONTRACTOR = COMMUNITY ASPHALT CORP.

Table with columns: RDWYID, SR US, BMP, G_BMP, EMP, W_BMP, RW, LN, SYSTEM, TYPE, DISTRESS, ADT, RATINGS, SURVEYED YEAR (1999-2021), and FUTURE (2022-2029). Rows list various road segments with their respective pavement condition forecasts.

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = COMMUNITY ASPHALT CORP. -----																																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE																	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011																
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKM-M		P		CONTRACTOR		(AGE_ONE YEAR)		SURF_TYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029			
ITMSEG-P		W_BMP		W_EMP		RW		FY-F		WKM-M		P		CONTRACTOR		(AGE_ONE YEAR)		SURF_TYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029			
ITMSEG-F		W_BMP		W_EMP		RW		FY-F		WKM-M		P		CONTRACTOR		(AGE_ONE YEAR)		SURF_TYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029			
90060000	5	1	25.728	26.207	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*															
SPUR(25.7L)									8.9	8.9	8.9	8.9	8.7	8.2	8.0	8.0	8.0	7.7	7.3	7.2	6.8															
4198531	5	1	25.728	25.951	L	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	5.0														
COMMUNITY ASPHALT CORP.							(2012)	OGFC	8.4	8.4	8.4	7.6	8.2	8.1	8.0	8.0	7.9	8.0	8.0	7.9	7.8	7.6														
4439211	5	1	23.203	26.177	C	2023	0012	RIDE																												
90060000	5	1	16.313	17.105	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*															
ROYAL POINCIANA(16.3L)									8.3	8.1	8.2	8.0	7.8	6.9	7.0	6.7	6.8	6.9	6.7	6.7	6.4															
4255991	5	1	16.465	17.105	C	2012	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
COMMUNITY ASPHALT CORP.							(2014)	FC95	6.6	6.4	8.0	7.4	7.3	7.5	7.3	7.2	7.2	7.1	7.2	7.1	7.2	7.0	6.6													
90060001	5	1	0.000	2.494	C	1	1	CRACKING	10.0	9.0	9.0	9.0	8.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*															
N OCEAN BAY DR(0.0R)									8.2	8.3	8.1	8.1	7.6	6.7	6.6	7.4	7.4	7.1	6.7	6.4	6.3															
4198531	5	1	0.000	2.494	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.6														
COMMUNITY ASPHALT CORP.							(2012)	OGFC	8.1	8.1	8.1	8.1	8.2	8.3	8.1	8.0	8.1	8.1	8.1	8.1	8.0	8.0	8.0													
90060002	5	1	0.000	0.772	C	1	1	CRACKING	9.0	8.5	8.5	8.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*															
US-1/SR-5/ID90060000(0.0C)									8.1	7.9	8.4	7.9	7.5	6.7	6.3*	6.4	6.2	5.6	5.0*	5.5	5.2*															
4198491	5	1	0.000	0.772	R	2010	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5													
COMMUNITY ASPHALT CORP.							(2012)	DGFC	8.4	8.4	8.4	8.1	7.9	8.1	7.7	7.8	7.8	7.6	7.6	7.7	7.7	7.2														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = FERREIRA CONSTRUCTION CO., I -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		%		=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)	
87085000	3.603	4.245	R	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.5	6.5	6.5	
933				2	35	20300	RIDE	7.1	7.2	7.5	7.3	7.1	6.3	6.5	5.8	6.1	6.3	6.0	6.0	5.8	
MISSING DESCRIPTION I(3.7R) 6.8																					
4308161	3.603	4.245	C	2015	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	
FERREIRA CONSTRUCTION CO., (2016) FC125 RIDE 5.8 5.6 5.8 5.7 6.4 5.6 6.0 5.9 5.4* 5.9 5.9 6.0 5.7																					
87085000	3.603	4.245	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	
933				2	35	20300	RIDE	7.2	7.2	7.4	7.1	6.9	6.2	6.3	5.8	6.4	6.3	6.4	5.7	6.2	
NW 29 TER(3.7L) 6.8																					
4308161	3.603	4.245	C	2015	0012	CRACKING	7.5	7.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	
FERREIRA CONSTRUCTION CO., (2016) FC125 RIDE 5.7 5.7 4.9* 5.4* 5.6 5.5 5.5 5.6 5.3* 5.4* 5.2* 5.5 5.2																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = FLORIDA ENGINEERING & DEVELO -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	%T	=====														
ITMSEG-P	(AGE_ONE_YEAR)	SURF_TYPE					2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
87060000	5.750	6.686	C	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	
ALA			3	30	10000	RIDE	6.7	7.0	6.7	6.3	5.6	5.6	5.4*	5.1*	5.2*	5.2*	5.0*	4.8*	4.4*		
28 ST(5.8L)																					
4439021	5.657	6.644	C	2023	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			10.0	
FLORIDA ENGINEERING & DEVE(2024)					FC95	RIDE		7.7	7.3	6.6	5.3*	5.4*	4.9*	4.6*	4.0*	2.8*				3.7*	
87060000	8.406	8.658	C	1	7	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	
ALA			3	30	19000	RIDE		7.1	6.7	7.0	6.7	5.8	5.5	5.0*	7.5	6.7	6.0	6.0	5.6		
TRN LN FR INDIAN CRK(8.4L)																					
4308132	8.411	8.643	C	2022	0015	CRACKING	10.0	10.0	9.0	9.0	8.5	8.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	10.0		
FLORIDA ENGINEERING & DEVE(2024)					FC95	RIDE		5.5	5.6	4.9*	5.0*	4.8*	4.6*	4.3*	4.3*	4.6*	4.2*	4.4*	3.6*		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = GENERAL ASPHALT CO -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE YEAR)			SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)	
87075000	0.000	0.490	R	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
93 I75				2	70	144500	RIDE	9.1	9.1	8.7	8.5	7.9	7.3	7.8	7.7	7.7	7.9	8.0	8.1	8.1	
E END OF BR OVR 826(0.0C)																					
2516301	0.000	5.458	C	1991	0210	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
GENERAL ASPHALT CO				(1992)	FC5M	RIDE	8.0	8.2	8.0	8.0	8.2	8.2	8.1	8.1	7.9	8.2	8.3	8.2	8.1	7.9	
4459881	0.000	0.490	C	2024	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = GENERAL ASPHALT CO., INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		W_BMP W_EMP		FW	FY-P	WKM	*****														
ITMSEG-P		W_BMP W_EMP		RW	FY-F	WKM	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR (AGE_ONE YEAR)		W_BMP W_EMP		RW	FY-F	WKM															
ITMSEG-F		W_BMP W_EMP		RW	FY-F	WKM															
87001000	4.846	5.488	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.0	8.0	8.0	
94				4	45	54000	8.6	8.4	8.2	8.5	8.0	7.5	7.4	7.5	7.6	7.7	7.6	7.6	7.3		
SW 127 AV(5.0C) 4.8																					
4332642	4.855	5.419	R	2020	0012	CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC. (2021) FC95M RIDE 7.4 7.4 7.3 7.2 7.6 7.1 7.5 7.0 7.3 8.2 8.2 8.4 8.4																					
87001000	7.630	10.700	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	7.5	
94				3	45	42000	8.7	8.4	8.4	8.5	8.2	7.5	7.1	7.3	7.4	7.3	7.2	7.2	7.3	7.5	
SW 97 AVE(8.1C) 4.0																					
4311701	8.154	9.876	C	2018	0012	CRACKING	7.5	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC. (2021) FC125 RIDE 7.5 7.2 7.3 7.1 7.8 7.7 7.7 7.5 7.7 7.4 7.5 7.6 7.5 7.6 7.5 7.5																					
87001000	7.630	10.700	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	7.5	
94				4	45	42000	8.6	8.4	8.4	8.4	8.1	7.5	7.4	7.5	7.6	7.6	7.5	7.2	7.3		
SW 102 AVE(7.6L) 4.0																					
4311701	8.154	9.876	C	2018	0012	CRACKING	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC. (2021) FC125 RIDE 7.3 7.1 7.1 7.1 7.5 7.4 7.1 6.9 7.4 7.4 7.4 7.4 7.4 7.4 7.4																					
87001000	4.716	5.488	L	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5		
94				4	45	54000	7.9	7.5	7.4	7.8	7.7	6.7	6.6	6.0	6.7	6.8	6.7	6.1	5.9		
SIDE ROAD(4.8C) 4.8																					
4332642	4.967	5.419	L	2020	0012	CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC. (2021) FC95M RIDE 6.6 6.5 6.5 6.4 6.8 6.8 6.8 6.0 6.8 8.2 7.9 8.1 8.0 7.8																					
87008000	2.045	3.114	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	
916				2	45	28000	8.6	8.6	8.3	8.3	7.9	7.5	7.0	7.5	7.5	7.2	7.5	7.1	7.2	7.1	
RED RD(2.0C) 4.0																					
4311711	2.090	3.133	C	2015	0226	CRACKING	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	
GENERAL ASPHALT CO., INC. (2016) FC125 RIDE 7.5 7.1 7.1 7.1 7.9 7.6 7.7 7.7 7.3 7.6 7.7 7.7 7.5 7.4																					
87008000	2.045	3.114	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	7.0		
916				2	45	28000	8.7	8.7	8.1	8.7	8.4	7.4	7.2	7.1	7.3	7.4	7.4	7.0	7.1		
RED RD(2.0C) 4.0																					
4311711	2.090	3.133	C	2015	0226	CRACKING	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	
GENERAL ASPHALT CO., INC. (2016) FC125 RIDE 7.5 7.2 7.1 7.1 7.8 7.6 7.6 7.7 7.6 7.7 7.7 7.4 7.3 7.2																					
87015000	2.051	3.032	C	1	1	CRACKING	10.0	10.0	10.0	10.0	7.5	7.0	8.0	6.5	6.5	5.5*	3.5*	10.0	10.0		
989				4	35	35500	7.5	7.1	7.4	7.5	6.4	6.4	6.3	5.7	5.9	5.2*	5.8	7.7	7.5		
TRN LN TO OLD CUTLER(2.1R) 2.0																					
4146211	2.051	3.032	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8	
GENERAL ASPHALT CO., INC. (2010) FC5 RIDE 7.5 7.2 7.2 6.8 7.2 7.0 7.0 6.7 6.8 6.2 6.1 6.0 6.2 6.2 8.5																					
87016000	0.000	0.814	C	1	1	CRACKING	9.5	10.0	10.0	9.0	9.5	9.0	9.0	8.0	8.0	7.0	6.5	7.0	7.0		
112				4	30	41000	5.2*	5.4*	5.4*	5.9	5.5	5.0*	4.4*	4.1*	4.0*	4.1*	4.0*	4.1*	4.1*		
ALTON RD(0.0C) 3.4																					
4198241	0.000	0.677	C	2012	0012	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	8.0	6.6	
GENERAL ASPHALT CO., INC. (2014) DGFC RIDE 3.8* 3.7* 6.5 5.7 4.3*																					
87020000	12.014	14.123	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0		
5				3	45	51500		8.7	8.7	8.5	8.4	8.1	7.9	7.9	8.1	8.1	8.0	8.0	7.9		
ALLPATH(12.0R) 6.4																					
4291881	12.014	14.123	C	2014	0012	CRACKING	8.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC. (2016) FC95A RIDE 7.7 7.7 7.6 7.3 8.4 8.4 8.2 8.1 8.1 8.2 8.1 8.1 8.2 8.1 8.0 8.0 7.7																					
87020000	14.123	15.240	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	6.5	6.5	6.5		
5				3	45	28500		8.7	8.7	8.5	8.2	8.1	8.1	8.1	8.2	8.3	8.2	8.1	8.0		
SW 183 ST(14.1R) 5.3																					
4284872	14.139	15.151	C	2018	0012	CRACKING	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC. (2020) FC2 RIDE 7.5 7.0 7.1 7.0 7.5 7.1 7.1 7.4 7.4 7.5 7.5 7.2 7.2 6.9																					
87020000	17.386	19.709	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5		
5				3	45	64500	8.7	8.6	8.6	8.6	8.4	7.9	7.8	7.7	7.8	7.9	7.8	7.7	7.6		
HOWARD DR(17.4C) 3.5																					
4255131	17.386	19.550	C	2012	0012	CRACKING	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC. (2015) FC125 RIDE 7.5 7.3 7.2 8.4 8.3 8.1 8.1 8.1 8.1 8.1 8.1 8.0 8.0 8.0 8.0 7.8																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 CONTRACTOR = GENERAL ASPHALT CO., INC.

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P		*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKM-X-F			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
87020000	17.386	19.709	L	1	1	CRACKING	10.0	9.0	8.5	8.5	7.5	7.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*		
5 1			3	45	64500	RIDE	8.7	8.7	8.6	8.3	8.3	7.8	7.7	7.6	7.6	7.7	7.6	7.5	7.3		
HOWARD DR(17.4C)																					
4255131	17.386	19.550	C	2012	0012	CRACKING	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.4
GENERAL ASPHALT CO., INC.			(2015)	FC125		RIDE	7.0	6.9	6.6	8.2	8.3	8.1	8.0	7.8	8.0	7.9	7.9	7.9	7.9	7.9	7.6

87020000	12.014	14.123	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	6.5	
5 1			3	45	51500	RIDE		8.6	8.5	8.5	8.2	7.7	7.7	7.5	7.6	7.7	7.6	7.4	7.4		
SW 208 DR(12.0L)																					
4291881	12.014	14.123	C	2014	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC.			(2016)	FC95A		RIDE	7.3	7.4	7.1	7.0	8.3	8.2	8.1	7.7	8.0	8.0	7.8	8.0	7.8	8.0	7.6

87026000	0.000	2.829	R	1	1	CRACKING	9.0	7.5	7.5	7.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
860			3	45	29000	RIDE	6.7	6.4*	6.5	6.1*		7.0	6.8	6.5	6.3	5.5	5.4*	5.3*	5.2*		
RED RD(0.0C)																					
4275182	1.185	2.829	C	2021	0012	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	
GENERAL ASPHALT CO., INC.			(2023)	FC95M		RIDE	5.0*	5.1*	4.8*	5.2*	4.6*	4.5*	4.5*	4.3*	4.2*	4.1*	4.1*	6.6	6.4		

87026000	0.000	2.829	L	1	1	CRACKING	9.0	9.0	9.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
860			3	45	29000	RIDE	5.8*	5.6*	5.6*	5.0*		6.9	6.9	6.6	6.5	6.7	6.7	6.8	6.7		
RED RD(0.0C)																					
4275182	1.185	2.829	C	2021	0012	CRACKING	10.0	10.0	10.0	9.0	8.5	8.5	7.5	7.0	6.5	6.5	6.5	6.5	10.0	10.0	
GENERAL ASPHALT CO., INC.			(2023)	FC95M		RIDE	6.6	6.5	6.6	6.5	6.0	6.1	6.0	5.9	5.8	5.6	5.5	5.5	7.7	7.6	

87027000	1.183	2.491	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	6.5	6.5	6.5	4.5*	10.0	10.0	
969			3	45	26500	RIDE	7.8	6.8	6.5	7.6	7.3	7.0	6.8	6.2	6.7	6.7	6.7	6.6	7.6	7.5	
MILITARY RD R(1.9R)																					
4146221	1.225	2.361	C	2008	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	
GENERAL ASPHALT CO., INC.			(2010)	FC5		RIDE	7.1	7.4	7.2	7.4	7.2	7.3	6.9	7.4	7.2	7.0	7.3	6.9	6.9	6.8	
4525681	1.212	2.491	C	2027	0012																

87027000	2.491	5.406	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.5	7.0	7.0	7.0	7.0	
969			3	45	33500	RIDE	8.2	7.8	7.1	6.9	6.7	6.7	6.5	6.0	5.8	6.2	6.3	6.3	6.2		
NW 30 ST(2.7R)																					
4293451	2.491	4.303	C	2016	0012	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3
GENERAL ASPHALT CO., INC.			(2018)	FC95M		RIDE	5.7	5.7	5.9	5.9	6.8	6.8	7.8	7.7	7.7	7.6	7.5	7.5	7.3	7.0	

87027000	2.491	5.406	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	
969			3	45	33500	RIDE	7.9	7.7	7.8	7.5	7.2	6.7	6.1*	6.7	6.7	6.8	6.6	6.6	6.3		
NW 31 ST(2.8L)																					
4293451	2.491	4.303	C	2016	0012	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.7
GENERAL ASPHALT CO., INC.			(2018)	FC95M		RIDE	6.2	6.6	6.4	6.3	6.9	6.9	7.6	7.4	7.4	7.4	7.3	7.4	7.2	7.1	6.8

87027000	1.183	2.491	L	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	10.0	10.0	
969			3	45	26500	RIDE	7.5	7.8	7.6	7.3	6.8	6.5	6.4*	5.8	6.0	6.5	6.5	6.4	7.7	7.3	
TRN LN TO NW 12 ST(1.2L)																					
4146221	1.225	2.361	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.4	
GENERAL ASPHALT CO., INC.			(2010)	FC5		RIDE	7.5	7.4	7.3	7.4	7.5	7.1	7.3	7.4	7.4	7.2	7.4	7.1	7.4	7.2	
4525681	1.212	2.491	C	2027	0012																

87030000	0.840	1.628	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	
5 1			3	45	52500	RIDE	7.8	7.8	8.0	8.0	7.8	7.2	7.2	7.0	7.2	7.2	7.2	7.1	7.1		
SW 68 CT(1.1R)																					
4274191	0.840	1.442	C	2012	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.1	
GENERAL ASPHALT CO., INC.			(2015)	DGFC		RIDE	6.9	6.8	6.2	8.3	8.0	8.0	7.8	8.0	7.9	8.0	8.0	8.0	7.8	7.7	

87030000	19.267	21.350	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.5	
5 1			3	35	42000	RIDE	7.1	7.4	7.3	7.3	7.0	6.5	6.7	5.8	6.3	5.9	6.4	5.8	5.4*		
MIAMI BLVD N(19.3C)																					
4291901	19.553	21.225	C	2014	0012	CRACKING	7.5	7.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.9	
GENERAL ASPHALT CO., INC.			(2017)	FC95M		RIDE	6.2	6.0	5.8	5.6	6.4	8.0	7.9	7.8	7.4	7.4	7.1	7.1	6.9	6.1	

87030000	19.370	21.350	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.5	
5 1			3	35	42000	RIDE	7.7	7.8	8.4	7.7	7.2	6.8	6.6	6.3	6.1	6.4	6.2	6.2	6.2	6.3	
NE 124 ST(19.4L)																					
4291901	19.553	21.225	C	2014	0012	CRACKING	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.9	
GENERAL ASPHALT CO., INC.			(2017)	FC95M		RIDE	6.3	6.0	6.0	5.9	6.1	7.0	7.2	7.2	6.8	6.6	7.7	6.6	6.3	6.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = GENERAL ASPHALT CO., INC. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	RATINGS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	*****	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
INTERSECT AT (MP SIDE)		W_BMP W_EMP		FW	WKM	P	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)		SURF_TYPE		FY	WKM	P	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F		W_BMP W_EMP		FY-F	WKM	P	*****														(REG)
87030000	0.840	1.635	L	1	1	CRACKING	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*
5	1			3	45	52500	RIDE	8.1	8.0	8.1	7.9	7.9	7.3	7.2	7.2	7.3	7.4	7.3	7.2	7.1	
KENDALL DR (0.8L)																					
4274191	0.840	1.442	C	2012	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.2
GENERAL ASPHALT CO., INC. (2015) DGFC RIDE 6.9 6.9 6.9 8.3 8.2 8.0 7.7 7.9 8.0 9.0 8.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0																					
87044000	8.098	8.466	C	1	1	CRACKING	7.0	9.5	7.5	9.5	5.5*	9.0	5.5*	7.5	7.5	6.5	9.0	9.0	9.0	9.0	
976				2	35	37500	RIDE	7.0	5.5*	7.1	5.9	7.4	5.7	5.2*	6.2	6.2	5.4*	5.1*	5.1*	4.7*	
SW 38 AVE(8.1C)																					
4284792	8.100	8.432	C	2018	0015	CRACKING	9.0	9.0	9.5	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2020) FC125 RIDE 4.9* 4.8* 5.3* 5.1* 3.7* 4.1* 9.0 10.0 6.1 5.3* 5.1* 5.1* 3.3																					
87052000	0.132	1.999	R	1	7	CRACKING	6.0*	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
924				3	40	35000	RIDE	7.3	7.1	7.0	7.3	7.1	7.9	7.4	7.2	7.3	7.6	7.3	7.4	7.3	
NW 24 AVE(0.3C)																					
4399811	0.395	1.999	C	2022	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2024) FC95M RIDE 7.4 7.1 7.2 7.3 7.5 7.4 7.3 7.3 7.0 7.1 7.1 8.2																					
87052000	0.000	1.999	L	1	7	CRACKING	10.0	7.0	7.0	7.0	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
924				2	40	35000	RIDE	7.0	6.6	6.6	6.6	6.5	7.7	7.5	7.0	7.0	6.8	6.7	6.9	6.9	
NW 27 AVE(0.0C)																					
4399811	0.395	1.999	C	2022	0012	CRACKING	9.0	9.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2024) FC95M RIDE 6.8 6.9 6.7 6.8 7.1 7.1 6.6 6.8 6.8 6.8 6.6 8.0																					
87053000	1.183	1.572	R	1	6	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0
968				3	40	48500	RIDE	7.6	7.4	7.7	7.4	7.2	7.5	7.1	7.1	7.1	7.5	7.3	7.4	7.2	
FLORIDA BLVD(1.3R)																					
4291941	1.183	1.498	C	2017	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2019) DGFC RIDE 6.5 6.1 6.9 6.2 6.9 6.3 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0																					
87053000	1.572	1.774	R	1	6	CRACKING	9.0	9.5	9.5	8.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0
968				2	40	42000	RIDE	5.9*	5.9*	6.0*	5.7	5.6	6.6	5.5	5.3*	4.8*	5.5	7.2	7.1	6.3	
SW 71 AVE(1.6R)																					
4146291	1.577	1.782	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0
GENERAL ASPHALT CO., INC. (2009) DGFC RIDE																					
87053000	1.774	5.900	R	1	1	CRACKING	9.0	9.5	9.5	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0
968				2	40	35000	RIDE	5.9*	5.9*	6.0*	5.7	7.1	6.7	7.0	6.8	6.9	6.8	6.9	6.6	6.3	
CR 962(1.8C)																					
4252713	1.774	4.534	C	2017	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	9.0	9.0	9.0	7.6
GENERAL ASPHALT CO., INC. (2019) FC95M RIDE 6.3 6.2 6.2 5.9 6.3 5.9 6.4 6.9 6.7 6.6 6.7 6.6 6.7 6.6 6.7 6.6 6.7 6.6 6.6 6.5 6.5 7.6 6.2																					
87053000	1.774	5.900	L	1	1	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0
968				2	40	35000	RIDE	5.2*	4.9*	5.3*	4.9*	7.1	6.7	6.5	6.2	6.2	6.4	5.9	5.5		
CR 962(1.8C)																					
4252713	1.774	4.534	C	2017	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.6
GENERAL ASPHALT CO., INC. (2019) FC95M RIDE 5.6 5.5 5.6 5.6 5.6 5.6 5.6 5.6 6.6 6.7 6.6 6.7 6.6 6.7 6.6 6.7 6.4 6.3 6.1																					
87053000	1.572	1.774	L	1	6	CRACKING	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0
968				2	40	42000	RIDE	7.3	7.6	7.3	4.9*	4.2*	4.7*	5.0*	4.3*	5.2*	5.3*	6.7	7.1	6.9	
SHOPPING CENTER ENT(1.6L)																					
4146291	1.577	1.782	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5
GENERAL ASPHALT CO., INC. (2009) DGFC RIDE																					
87053000	1.183	1.572	L	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	7.0
968				3	40	48500	RIDE	7.3	7.6	7.3	7.6	7.4	7.1	6.7	6.5	6.8	6.2	6.2	6.7	5.6	
NW 75 AVE(1.2L)																					
4291941	1.183	1.498	C	2017	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2019) DGFC RIDE 6.2 6.6 5.9 5.7 6.0 5.8 10.0 10.0 10.0 10.0 10.0 10.0 10.0																					
87054000	3.019	4.190	R	1	1	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0
972				2	40	21700	RIDE	7.9	7.9	7.8	7.7	7.4	6.6	6.5	6.2	6.5	6.2	6.3	6.0	7.9	
MISSING DESCRIPTION I(3.0R)																					
4124751	2.943	4.591	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.3
GENERAL ASPHALT CO., INC. (2011) FC95 RIDE 7.8 7.7 7.5 7.7 7.2 7.0 6.8 6.8 6.8 6.6 6.7 6.4 6.3 5.6																					
4459981	2.953	4.672	C	2025	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = GENERAL ASPHALT CO., INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)																					
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																					
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE															2012						
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F															2013						
															2014						
															2015						
															2016						
															2017						
															2018						
															2019						
															2020						
															2021						
															2022						
															2023						
															2024						
															2025						
															2026						
															2027						
															2028						
															2029						
															(REG)						
87054000	4.190	4.672	C	1	6	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	10.0	
972			4	35	17900	RIDE	7.1	7.2	4.5*	4.4*	4.3*	2.8*	3.7*	3.6*	3.7*	4.5*	3.9*	3.6*	7.4		
SW 15 RD/BROADWAY(4.2C)																					
4124751	2.943	4.591	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.6	
GENERAL ASPHALT CO., INC. (2011) DGFC RIDE																					
4459981	2.953	4.672	C	2025	0012																

87055000	1.689	3.978	R	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	
986			2	40	41500	RIDE	7.9	7.5	7.2	7.5	7.3	7.1	6.5	6.0	6.4	5.9	6.0	6.1	5.9		
SW 109 PL(1.7C)																					
4276511	1.697	4.018	R	2013	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	6.6
GENERAL ASPHALT CO., INC. (2015) FC125 RIDE																					
87055000	3.978	5.800	R	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	
986			2	40	39000	RIDE	7.9	7.5	7.2	7.5	7.3	7.1	7.2	6.6	7.1	7.3	7.0	7.0	7.0		
SR 973(4.0C)																					
4226141	4.179	5.812	C	2011	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2014) FC95 RIDE																					

87055000	3.978	5.800	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	
986			2	40	39000	RIDE	7.7	7.3	6.9	7.2	7.3	6.5	6.6	6.0	6.4	6.4	6.0	6.2	6.2		
SR 973(4.0C)																					
4226141	4.179	5.812	C	2011	0012	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2014) FC95 RIDE																					

87055000	1.689	3.978	L	1	1	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	6.5	6.5	3.5*	3.5*	3.5*	
986			2	40	41500	RIDE	7.6	7.5	7.5	7.4	7.2	6.6	6.6	6.3	6.4	6.1	6.2	6.1	6.0		
SW 109 PL(1.7C)																					
4276511	1.697	3.838	L	2013	0012	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0
GENERAL ASPHALT CO., INC. (2015) FC125 RIDE																					

87060000	4.814	5.490	C	1	1	CRACKING	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
A1A			4	30	19500	RIDE	3.6*	5.5*	4.5*		5.8	6.4	5.1*	5.0*	3.9*	5.3*	5.5	5.2*	5.5		
17 ST(4.9C)																					
4255041	4.814	5.649	C	2012	0012	CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.2
GENERAL ASPHALT CO., INC. (2014) FC95 RIDE																					

87060000	5.490	5.750	C	1	8	CRACKING	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
A1A			4	30	19500	RIDE	6.3*	6.5	6.1*	5.9		6.3	5.8	5.8	5.6	5.0*	5.0*	4.9*	4.6*		
25 ST(5.6R)																					
4255041	4.814	5.649	C	2012	0012	CRACKING	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2014) FC95 RIDE																					

87060000	8.658	9.775	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5		
A1A			3	30	19000	RIDE		7.1	6.7	7.0	6.7	5.8	5.5	5.0*	4.6*	5.1*	5.5	5.3*	5.2*		
65 ST(8.9L)																					
4245791	8.658	9.579	R	2010	0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	6.5	6.5	6.5	5.4	
GENERAL ASPHALT CO., INC. (2012) FC95 RIDE																					
4499441	8.640	9.782	C	2027	0012																

87060000	14.047	16.052	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	6.5	
A1A			3	30	56500	RIDE	8.4	8.3	8.0	7.5	6.6	6.1	6.8	6.4	6.3	6.3	6.0	6.0	5.8		
SUNNY ISLES/SR 826(14.6R)																					
4309491	14.046	16.052	R	2017	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2020) FC95M RIDE																					

87060000	14.047	16.191	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	6.5	6.5	
A1A			3	35	56500	RIDE	8.5	8.3	8.2	7.5	7.2	7.5	7.6	7.4	7.4	7.5	7.4	7.3	7.2		
BAYVIEW DR/158 ST(14.1L)																					
4309491	14.046	16.275	L	2017	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	9.5	9.5	8.8
GENERAL ASPHALT CO., INC. (2020) FC95M RIDE																					

87066000	1.650	2.926	R	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5		7.5	6.5	6.5	6.5	6.5	
922			2	35	30500	RIDE	7.2	6.9	6.7	6.7	6.2	5.5	5.7		5.5	4.7*	4.8*	4.7*	5.1*		
NE 7 CT(1.7R)																					
4291371	1.650	2.926	C	2015	0012	CRACKING	6.5	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	7.5	
GENERAL ASPHALT CO., INC. (2017) FC95A RIDE																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = GENERAL ASPHALT CO., INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKMX-P		=====											
CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		CONTRACTOR (AGE_ONE YEAR)		=====											
ITMSEG-P	W_BMP	W_EMP	RW	FY-F	WKMX-F	ADT	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F	ADT													(REG)		
87066000	1.650	2.926	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5		6.5	6.5	6.5	6.5	6.5		
922			2	35	30500	RIDE	6.8	6.5	6.7	6.7	6.2	5.7	6.0		5.5	5.4*	5.2*	5.1*	5.1*		
NE 8 AVE(1.8C)																					
4291371	1.650	2.926	C	2015	0012	CRACKING	6.5	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.2
GENERAL ASPHALT CO., INC. (2017) FC95A RIDE 5.1* 4.7* 4.8* 4.8* 4.6* 7.0 7.1 7.2 6.8 6.6 6.4 5.9 5.6 4.7																					
87070000	8.151	10.733	R	1	1	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*		
997			2	55	19600	RIDE	7.8	7.8	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1	7.1	7.2	6.7		
SIDE ROAD(10.2C)																					
2496158	8.151	10.935	C	2015	0213	CRACKING	6.0*	6.0*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.9	
GENERAL ASPHALT CO., INC. (2018) FC5M RIDE 6.5 6.5 8.8 8.2 8.2 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4																					
87070000	8.151	10.733	L	1	1	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*		
997			2	55	19600	RIDE	7.8	7.8	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1	7.1	7.2	6.7		
SIDE ROAD(10.2C)																					
2496158	8.151	10.935	C	2015	0213	CRACKING	6.0*	6.0*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC. (2018) FC5M RIDE 6.5 6.5 8.8 8.2 8.2 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.4 8.3 8.3																					
87072000	0.000	0.736	C	1	1	CRACKING	9.0	10.0	10.0	9.0	10.0	9.0	9.0	7.5	4.5*	4.5*	4.5*	4.5*	4.5*		
985			4	35	24000	RIDE	7.1	6.3*	7.0	7.1	6.1	5.7	4.9*	5.7	5.8	5.6	5.8	6.3	6.4		
KILLIAN PKWY(0.0C)																					
4259131	0.163	0.940	C	2013	0012	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC. (2015) DGFC RIDE 6.1 6.1 6.1 7.9 7.7 7.5 7.4 7.1 7.4 7.3 7.0 7.2 7.0 7.2 6.9 6.5																					
87080001	0.000	0.761	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	
934			2	35	18500	RIDE	7.9	7.8	7.6	7.6	7.3	6.3	6.5	6.3	6.6	6.6	6.9	6.3	6.3		
SR 934(0.0L)																					
4106463	0.000	0.680	C	2011	0012	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	
GENERAL ASPHALT CO., INC. (2013) FC95 RIDE 5.9 8.3 8.1 7.4 7.5 7.1 7.0 7.0 6.8 6.7 6.4 6.5 6.8 5.6																					
87080900	36.311	37.987	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5	6.5	6.5		
934			3	40	34000	RIDE	8.0	7.8	7.5	7.6	7.4	7.1	7.1	7.0	7.0	7.1	7.1	6.9	7.2		
SR 9(36.4C)																					
4291471	36.330	37.754	C	2014	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.0	8.0	8.0	6.5	
GENERAL ASPHALT CO., INC. (2017) FC95A RIDE 7.2 7.1 6.8 6.9 7.2 8.2 8.2 8.1 8.1 8.1 8.0 7.9 7.9 7.7																					
87080900	36.311	37.987	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0		
934			3	40	34000	RIDE	8.1	8.1	8.1	8.0	7.7	7.2	7.2	7.2	7.2	7.4	7.4	7.3	7.1		
SR 9(36.4C)																					
4291471	36.330	37.754	C	2014	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC. (2017) FC95A RIDE 6.9 7.0 6.8 6.7 6.7 7.9 8.1 8.0 7.9 7.9 8.0 7.9 7.9 8.0 7.9 7.7 7.7																					
87090000	17.514	18.527	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5		
25 27			2	35	17900	RIDE	7.8	7.3	7.8	7.8	7.5	7.0	6.7	6.4	6.2	6.1	5.7	6.1	6.0		
NW 17 AVE(17.5C)																					
4291591	17.594	18.527	C	2013	0012	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.9	
GENERAL ASPHALT CO., INC. (2016) FC95 RIDE 5.5 5.2* 5.9 7.7 7.4 7.2 7.3 7.0 6.8 6.8 6.2 6.3 5.4																					
87150000	13.799	17.492	R	1	4	CRACKING	10.0	10.0	8.5	8.5	7.5	10.0	7.0	6.0*	6.0*	6.0*	4.0*	3.5*	3.5*		
997			2	50	31000	RIDE	8.1	7.7	7.3	7.5	7.2	6.6	6.5	6.7	6.7	6.6	6.4*	6.0*	6.5		
HOWARD DR(13.9R)																					
2496147	13.789	17.310	C	2016	0213	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0		9.4	9.9	9.4	9.5	9.4	9.2		
GENERAL ASPHALT CO., INC. (2020) LGD RIDE 6.3* 6.1* 6.0* 8.8 8.4 8.3 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5																					
87150000	13.799	17.492	L	1	4	CRACKING	10.0	10.0	8.5	8.5	7.5	10.0	7.0	6.0*	6.0*	6.0*	4.0*	3.5*	3.5*		
997			2	50	31000	RIDE	8.1	7.7	7.3	7.5	7.2	6.6	6.5	6.7	6.7	6.6	6.4*	6.0*	6.5		
HOWARD DR(13.9L)																					
2496147	13.789	17.310	C	2016	0213	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0		9.4	10.0	9.4	9.4	9.4	9.1		
GENERAL ASPHALT CO., INC. (2020) LGD RIDE 6.3* 6.1* 6.0* 8.8 8.4 8.3 8.3 8.4 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3 8.3																					
87160000	0.000	5.068	C	1	1	CRACKING	3.5*	3.5*	1.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
9336			2	45	2600	RIDE	7.5	7.5	7.2	7.2	6.5	5.4*	7.5	7.6	7.8	7.8	7.6	7.6	7.5		
DIRT RD(1.4C)																					
4056582	0.000	7.066	C	2003	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.1	
GENERAL ASPHALT CO., INC. (2005) FC5 RIDE 7.4 7.4 7.3 7.2 7.5 7.5 7.5 7.5 7.5 7.7 7.6 7.7 7.3 7.5 7.5 7.4																					
4459871	0.000	5.068	C	2023	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = GENERAL ASPHALT CO., INC. -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR			2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029	
INTERSECT AT (MP SIDE)										=====												
ITMSEG-P	W_BMP	W_EMP	FW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)	
87160000	5.068	6.103	C	1	1	CRACKING	3.5*	3.5*	1.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
9336			2	45	2600	RIDE	7.5	7.5	7.2	7.2	6.5	5.4*	7.5	7.6	7.8	7.8	7.6	7.6	7.5			
SW 372 ST(5.3R)																						
4056582	0.000	7.066	C	2003	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.3	
GENERAL ASPHALT CO., INC. (2005) FC5							6.7	7.1	7.0	7.1	7.8	7.8	7.7	7.9	7.9	7.8	7.6	7.7	7.7	7.7	7.7	
4459891 5.068 7.057 C 2023 0012																						
87160000	7.066	8.041	C	1	1	CRACKING	9.0	4.5*	4.5*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
9336			2	45	27500	RIDE	7.6	7.9	7.5	7.7	7.2	6.0*	8.0	8.1	8.1	8.1	8.1	8.0	8.0	8.0	8.0	
FLORIDA CITY CITY LIMITS(7.1L)																						
4106402	7.066	8.013	C	2003	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.0	
GENERAL ASPHALT CO., INC. (2005) DGFC							7.9	7.9	7.9	7.7	7.6	7.7	7.4	7.4	7.6	7.7	7.4	7.5	7.3	7.2	7.2	
4459921 7.057 8.705 C 2023 0012																						
87240000	7.227	8.834	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	
9			2	40	33500	RIDE	8.0	7.9	7.9	7.8	7.4	7.2	6.9	6.8	6.6	6.7	6.7	6.8	6.7			
SR 934(7.3C)																						
4291851	7.227	8.741	R	2014	0012	CRACKING	6.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.9	
GENERAL ASPHALT CO., INC. (2017) FC95A							6.6	6.6	6.6	6.6		7.9	7.9	7.8	7.7	6.9	6.8	6.8	6.6	5.4		
87240000	8.834	9.648	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
9			3	45	35000	RIDE	8.2	8.2	8.2	8.2	7.9	7.6	7.5	7.2	7.1	7.3	7.1	6.9	7.1			
SR 932(8.9C)																						
4256591	8.873	9.687	C	2012	0226	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.9	
GENERAL ASPHALT CO., INC. (2014) FC95							6.8	6.7	8.1	8.0	7.9	7.9	7.7	7.8	7.7	7.6	7.6	7.6	7.6	7.5	7.5	7.2
87240000	8.834	9.648	L	1	1	CRACKING	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	
9			2	45	35000	RIDE	8.3	8.3	8.2	8.2	8.1	7.3	7.1	7.1	6.9	7.2	7.1	6.9	7.2			
SR 932(8.9C)																						
4256591	8.873	9.687	C	2012	0226	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	7.4	
GENERAL ASPHALT CO., INC. (2014) FC95							7.0	7.0	8.1	8.0	7.7	7.8	7.7	7.8	7.6	7.5	7.4	7.4	7.3	6.9		
87240000	7.227	8.834	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	
9			2	40	33500	RIDE	7.6	7.6	7.7	7.6	7.7	7.1	7.1	7.1	6.8	7.0	6.9	6.9	7.2			
SR 934(7.3C)																						
4291851	7.701	8.834	L	2014	0012	CRACKING	6.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.9	
GENERAL ASPHALT CO., INC. (2017) FC95A							7.0	7.0	6.7	6.9		8.0	7.8	7.9	7.8	7.4	7.1	7.0	6.8	5.9		
87250000	0.691	1.192	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
944			2	40	24500	RIDE	7.9	7.7	7.8	7.5	7.0	6.5	6.5	6.4	6.3	6.4	6.3	6.1	6.1			
SE 7 AVE(0.8R)																						
4182391	0.436	1.192	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	5.2	
GENERAL ASPHALT CO., INC. (2013) DGFC							8.2	7.9	8.0	7.8	7.5	7.4	7.7	6.9	7.0	6.5	6.5	6.3	5.5			
87250000	0.691	1.192	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
944			2	40	24500	RIDE	7.8	7.6	7.5	7.2	7.0	6.3	6.3	6.2	6.1	6.2	6.1	5.7	5.8			
E 7 AVE(0.8L)																						
4182391	0.436	1.192	C	2010	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	
GENERAL ASPHALT CO., INC. (2013) DGFC							7.8	7.2	6.9	7.8	7.4	7.6	7.5	7.3	7.4	7.1	6.7	6.7	6.6			
87471000	33.142	34.689	L	5	8	CRACKING	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	
821			3	60	104400	RIDE	9.0	8.8	8.9			7.6	7.6	7.6	7.7	7.8	7.8	7.6	7.6			
GENERAL ASPHALT CO., INC. (2018) FC2																						
4311001	33.263	35.400	L	2016	0012	CRACKING	8.0	8.0	8.0	6.5	6.5		9.0	9.0	9.0	7.5						
GENERAL ASPHALT CO., INC. (2018) FC2							7.6	7.5	7.5	7.5	7.7		7.7	7.8	8.0	7.8						
4355421 33.273 39.438 C 2020 0213																						
90010000	0.401	1.335	C	1	8	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			2	25	10200	RIDE	6.5	6.7	6.1*	6.5	6.0	5.7	5.7	5.5	5.2*	5.4*	5.2*	4.8*	4.8*			
TRUMAN AVE(0.4R)																						
4306701	0.401	1.337	C	2015	0015	CRACKING	10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
GENERAL ASPHALT CO., INC. (2017) UNKW							4.9*	4.8*	4.6*	4.1*												
90020000	0.000	0.942	R	1	1	CRACKING	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	7.0	7.0	4.5*	
5			2	45	27500	RIDE	8.1	8.1	7.8	8.0	7.6	7.0	7.0	6.9	7.0	7.1	7.0	7.0	6.6	6.4	6.4	
S OF MCDONALD AVE(0.0C)																						
4291401	0.000	4.484	R	2014	0012	CRACKING	4.5*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC. (2018) FC125							6.1	5.9	5.8	5.4*	5.8		8.0	7.9	7.9	7.9	7.8	7.9	7.9	7.9	7.8	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = GENERAL ASPHALT CO., INC. -----																			
RDWYID	BMP	EMP RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR											FUTURE	
SR US	G_BMP	G_EMP LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP RW	FY-P	WKMX-P	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP RW	FY-F	WKMX-F															(REG)
90020000 5 1	0.942	1.466	R 2	55	27500	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0	7.0	4.5*	
INTERSECT AT (MP SIDE)																			
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P *****																			
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE																			
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																			
4291401 GENERAL ASPHALT CO., INC. (2018)	0.000	4.484	R 2014	0012	FC5M	4.5*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
BOAT RAMP(6.5R)																			
90020000 5 1	1.967	5.213	R 2	55	47000	9.0	9.0	8.0	6.5	5.5*	10.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	
NAVY YARD ENT(2.3R)																			
4291401 GENERAL ASPHALT CO., INC. (2018)	0.000	4.484	R 2014	0012	FC5M	6.5	6.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
BOAT RAMP(6.5R)																			
90020000 5 1	6.356	6.778	C 2	45	17600	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	5.5*	5.0*	5.0*	3.5*	3.5*	
BOAT RAMP(6.5R)																			
4231351 GENERAL ASPHALT CO., INC. (2013)	6.356	6.781	C 2011	0012	FC95	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5
BOAT RAMP(6.5R)																			
90020000 5 1	7.170	10.085	C 2	55	17600	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	
BLUE WATER DR(9.8R)																			
4284771 GENERAL ASPHALT CO., INC. (2015)	6.778	10.085	C 2013	0012	FC95	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
BOAT RAMP(6.5R)																			
90020000 5 1	10.730	11.388	C 2	55	17600	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	
BOAT RAMP(6.5R)																			
4284771 GENERAL ASPHALT CO., INC. (2015)	10.730	11.388	C 2013	0012	FC95	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
BOAT RAMP(6.5R)																			
90020000 5 1	11.388	14.899	C 2	45	17600	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	
S POINT DR(12.1R)																			
4231361 GENERAL ASPHALT CO., INC. (2013)	11.388	14.899	C 2011	0012	DGFC	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
S POINT DR(12.1R)																			
90020000 5 1	14.899	15.274	C 2	45	17600	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	
S POINT DR(12.1R)																			
4124821 GENERAL ASPHALT CO., INC. (2008)	14.899	15.274	C 2007	0012	FC2	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.5	6.5	4.5*	4.5*	3.5*	3.1
4438981 GENERAL ASPHALT CO., INC. (2023)	14.899	15.284	C 2023	0012		7.0	7.2	7.1	7.1	6.9	6.8	6.9	6.8	6.5	7.1	7.0	6.4*	6.4*	6.8
S POINT DR(12.1R)																			
90020000 5 1	21.747	22.890	C 2	45	16900	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
AMBERJACK RD(22.2R)																			
4103551 GENERAL ASPHALT CO., INC. (2006)	22.167	22.921	C 2004	0012	FC95	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	4.3
4439201 GENERAL ASPHALT CO., INC. (2023)	21.747	22.916	C 2023	0012		7.3	7.3	7.3	7.2	7.3	7.3	7.3	7.2	7.3	7.3	7.3	7.1	7.1	7.1
AMBERJACK RD(22.2R)																			
90020000 5 1	22.890	24.987	C 2	45	18000	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	
MIDDLE TORCH RD(23.3L)																			
4231371 GENERAL ASPHALT CO., INC. (2015)	22.952	24.086	L 2013	0012	FC95M	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
MIDDLE TORCH RD(23.3L)																			
90020000 5 1	1.967	5.213	L 2	55	47000	9.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	8.0	7.5	6.5	6.5	
CALLE UNO(4.9L)																			
4291401 GENERAL ASPHALT CO., INC. (2018)	0.000	4.703	L 2014	0012	FC5M	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.4
CALLE UNO(4.9L)																			
90020000 5 1	0.942	1.466	L 2	55	27500	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	4.5*	
CALLE UNO(4.9L)																			
4291401 GENERAL ASPHALT CO., INC. (2018)	0.000	4.703	L 2014	0012	FC5M	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
CALLE UNO(4.9L)																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = GENERAL ASPHALT CO., INC. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P		W_BMP	W_EMP	RW	FY-P	WKM-F	%T														
CONTRACTOR		(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F		W_BMP	W_EMP	RW	FY-F	WKM-F															
90020000		0.000	0.942	L	1	1	CRACKING	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	4.5*
5	1			2	45	27500	RIDE	8.5	8.3	8.4	8.1	7.9	7.2	7.1	7.1	7.3	7.2	7.1	6.8	6.4	
US-1/SR-5/ID90010000(0.0L)																					
4291401		0.000	4.703	L	2014	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2018) FC125 RIDE 6.1 5.7 5.4* 4.9* 5.8																					

90030000		0.415	1.545	C	1	7	CRACKING	7.5	7.5	7.0	4.5*	4.5*	4.5*	2.0*	2.0*	2.0*	2.0*		10.0	10.0	
5	1			2	45	13700	RIDE	8.3	8.0	8.4	8.5	7.5	7.4	7.5	7.7	7.0	6.5		7.5	7.4	
BEACH DR(0.6L)																					
4438971		0.414	1.545	C	2022	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	4.5*		10.0
GENERAL ASPHALT CO., INC. (2024) OGFC RIDE 7.4 7.3 7.4 7.4 7.0 7.0 7.0 6.6 6.7 6.8 6.7																					

90030000		2.724	4.209	C	1	7	CRACKING	10.0	9.0	8.0	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0
5	1			2	55	13700	RIDE	8.6	8.6	8.5	8.5	8.1	7.9	8.0	7.9	7.9	7.8	7.9		7.5	
SIDE ROAD(3.8L)																					
4438951		2.051	3.794	C	2022	0012	CRACKING	10.0	9.5	9.5	9.5	9.0	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0
GENERAL ASPHALT CO., INC. (2024) FC5 RIDE 7.6 7.5 7.5 7.5 7.6 7.5 7.5 7.4 7.5 7.5 7.4																					

90030000		15.672	16.059	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0
5	1			2	35	11300	RIDE	8.2	8.4	8.0	7.7	7.6	7.6	7.4	7.4	7.5	7.3	7.0	7.1	7.1	
16.3																					
4291873		15.725	16.060	C	2017	0012	CRACKING	8.0	8.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2020) FC95M RIDE 7.0 6.7 6.4 6.7 6.4 6.4 6.8																					

90030000		16.059	16.872	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*
5	1			2	35	11300	RIDE	9.0	8.8	9.0	8.9	8.2	8.4	7.5	7.3	7.8	7.5	7.4	7.3	7.2	
CAMP GROUNDS(16.1R)																					
4256005		16.060	16.702	C	2014	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2016) FC125 RIDE 6.5 6.6 6.2 5.6 7.6 7.6 7.5 7.5 7.3 7.4 7.3 7.3 7.1 6.9																					

90040000		6.455	9.509	C	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	
5	1			2	55	15300	RIDE	7.9	7.8	7.7	7.8	7.6	6.9	6.7	6.5	6.7	6.4*	6.3*	6.0*	5.9*	
DOLPHIN AVE(8.3R)																					
4256004		6.455	9.393	C	2014	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7
GENERAL ASPHALT CO., INC. (2016) FC125 RIDE 6.3* 6.4* 6.2* 6.0* 8.3 8.3 8.2 8.2 8.2 8.1 8.1 8.1 8.1 8.0																					

90040000		9.509	11.713	C	1	1	CRACKING	8.0	7.0	7.0	6.5	5.5*	3.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	2.5*	
5	1			2	55	15300	RIDE	8.7	8.7	8.5	8.5	8.3	7.4	7.0	7.0	7.3	7.2	6.9	6.9		
KYLE AVE(9.7L)																					
4055826		9.393	11.637	C	2008	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.6
GENERAL ASPHALT CO., INC. (2012) FC5 RIDE 8.1 8.0 7.9 8.0 8.0 8.0 8.0 7.9 7.9 8.0 8.0 7.9 7.8 7.8 7.8 7.8 7.8 7.8																					

90050000		8.527	11.137	C	1	1	CRACKING	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.0	6.5	6.5	
5	1			2	55	12700	RIDE	8.2	8.0	7.9	8.5	8.3	7.7	7.8	7.7	7.8	7.8	7.6	7.4	7.2	
SOUTH LAYTON DR(8.7R)																					
4322761		8.530	14.126	C	2014	0012	CRACKING	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2016) FC95M RIDE 6.9 6.9 6.7 6.5 8.3 8.2 8.1 8.0 8.1 8.1 8.1 8.1 8.0 8.1 8.1 8.1 8.0 8.1 8.1 7.9																					

90050000		12.000	14.072	C	1	1	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5	1			2	50	12700	RIDE	7.9	8.0	8.0	7.8	7.6	7.2	7.2	7.4	7.6	7.6	7.6	7.5	7.5	
15.0																					
4322761		8.530	14.126	C	2014	0012	CRACKING	10.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2016) FC95M RIDE 7.4 7.4 7.4 7.2 8.2 8.1 8.1 8.0 8.1 8.1 8.0 8.0 8.1 8.0 8.1 8.1 8.1 8.1 8.0																					

90060000		3.712	4.183	C	1	2	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	
5	1			2	55	15800	RIDE	7.7	7.7	7.7	7.7	7.5	7.3	7.1	6.9	7.2	6.7	6.6	6.0*	6.1*	
11.9																					
4256006		3.712	4.563	C	2016	0012	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2018) FC2 RIDE 6.5 6.1* 6.0* 5.9* 5.9* 5.9* 8.0 7.9 7.9 7.9 7.9 7.9 8.0 7.9 8.0 7.3 7.3																					

90060000		4.564	7.685	C	1	1	CRACKING	10.0	10.0	9.0	8.0	8.0	8.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	
5	1			2	45	15800	RIDE	8.9	9.0	9.0	9.0	8.7	8.3	8.3	8.3	7.9	7.7	7.6	8.1	7.9	
FRONTAGE RD(6.2L)																					
4256006		5.971	7.675	C	2016	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2018) FC95M RIDE 7.6 7.5 7.4 7.3 7.8 7.7 8.4 8.3 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.2 8.0																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = GENERAL ASPHALT CO., INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR										FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P		WKM-X		P											
		(AGE_ONE YEAR)		SURF_TYPE																	
ITMSEG-P	ITMSEG-F																				
								2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
								(REG)													
90060000	5	7.685	11.939	C	1	1	CRACKING	10.0	10.0	9.0	8.0	8.0	8.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	
PALM AVE(7.7R)				2	45	20700	RIDE	8.9	9.0	9.0	9.0	8.7	8.3	8.3	8.3	7.9	7.7	7.6	8.1	7.9	
4256003	5	7.675	10.240	C	2013	0012	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2017)						DGFC	RIDE	7.6	7.5	7.4	7.3		8.5	8.5	8.4	8.4	8.4	8.4	8.4	8.4	8.3
90060000	5	11.939	13.135	C	1	1	CRACKING	7.5	7.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0		10.0	
NB OFF WEIGH(12.2R)				2	45	20700	RIDE	8.0	7.9	8.2	7.8	7.6	6.9		6.6	6.8	6.7	6.7		7.7	
4055826	5	11.769	13.209	C	2008	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.3
GENERAL ASPHALT CO., INC. (2011)						FC5	RIDE	7.7	7.7	7.7	7.6	7.6	7.5	7.4	7.3	7.3	7.2	7.3	7.2	7.0	6.8
4497381	5	11.939	13.417	C	2026	0012															
90060000	5	17.105	18.507	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.0	7.0	7.0	
OCEAN BLVD(17.7R)				2	45	30500	RIDE	8.5	8.4	8.4	8.3	8.1	7.7	7.7	7.7	7.9	7.8	7.7	7.7	7.8	
4256008	5	17.105	18.279	C	2013	0012	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2016)						DGFC	RIDE	7.7	7.2	7.3	7.1	8.4	8.3	8.3	8.2	8.2	8.2	8.3	8.2	8.1	8.0
90060000	5	18.507	19.253	C	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	
JULEP RD(18.6C)				2	45	16000	RIDE	8.2	8.2	8.3	8.2	7.9	7.6	7.3	7.5	7.4	7.5	7.2	7.0	7.1	
4256009	5	18.507	19.232	C	2013	0012	CRACKING		9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2016)						FC2	RIDE		7.2	7.3	7.4	8.1	8.1	8.0	7.9	7.7	7.9	7.7	7.6	7.7	7.3
90060000	5	19.253	22.623	R	1	1	CRACKING	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0	
PEACE AVE(20.2R)				2	50	31000	RIDE	8.0	8.0	8.0	7.8	7.5	7.2	7.2	7.2	7.3	7.2	7.0	7.1	7.0	
4198481	5	19.298	22.682	R	2013	0012	CRACKING	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1
GENERAL ASPHALT CO., INC. (2016)						FC5	RIDE	6.7	6.3*	6.5		8.2	8.3	8.2	8.2	8.2	8.3	8.3	8.3	8.3	8.3
90060000	5	22.623	23.218	C	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
OCEAN BLVD(17.7R)				2	50	21500	RIDE	8.0	8.0	8.0	8.1	7.7	7.4	7.4	7.3	7.5	7.5	7.5	7.4	7.3	
4198481	5	22.682	23.218	C	2013	0012	CRACKING	8.5	8.5	8.5		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5
GENERAL ASPHALT CO., INC. (2016)						FC5	RIDE	7.3	7.2	7.2		7.5	7.5	7.4	7.8	7.8	7.9	7.9	7.9	7.8	7.8
90060000	5	25.728	32.450	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.0	6.5	6.5	6.5	
TRN LN TO ATLANTIC B(25.8R)				2	45	36000	RIDE	8.9	8.8	8.8	8.9	8.7	8.2	8.2	8.1	8.2	8.2	8.2	8.1	7.8	
4198461	5	29.243	32.432	C	2013	0012	CRACKING	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2016)						FC5	RIDE	7.7	7.6	7.6		8.3	8.3	8.3	8.1	8.3	8.3	8.3	8.3	8.3	8.3
90060000	5	26.207	32.459	L	1	1	CRACKING	9.0	9.0	8.5	7.5	7.5	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
SIDE ROAD(26.2L)				2	45	36000	RIDE	8.5	8.5	8.2	8.3	8.1	7.9	7.4	7.1	7.1	6.9	6.7	6.7	6.6	
4198461	5	29.243	32.432	C	2013	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5
GENERAL ASPHALT CO., INC. (2015)						FC5	RIDE	6.4	6.5	6.0	8.1	8.4	8.4	8.4	8.3	8.4	8.4	8.4	8.4	8.4	8.4
90060000	5	19.253	22.623	L	1	1	CRACKING	10.0	9.0	8.5	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	4.0*	4.0*	4.0*	
LEG 002 *(19.3L)				2	50	31000	RIDE	8.0	8.1	8.0	8.2	7.7	6.9	6.5	7.6	7.5	7.2	6.7	6.9	6.3*	
4198481	5	19.376	22.682	L	2013	0012	CRACKING	4.0*	4.0*	4.0*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.1
GENERAL ASPHALT CO., INC. (2016)						FC5	RIDE	6.1*	5.6*	5.2*		8.2	8.3	8.3	8.2	8.3	8.3	8.3	8.3	8.3	8.3
90060000	5	17.105	18.507	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	
TAVERNIER TOWNE(17.7L)				2	45	30500	RIDE	8.1	7.0	7.4	7.4	7.5	6.9	7.0	7.0	7.1	7.1	7.1	6.7	6.8	
4256008	5	17.105	18.279	C	2013	0012	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2016)						DGFC	RIDE	6.7	6.5	6.1	5.7	8.2	8.1	7.9	8.0	7.9	7.9	7.9	7.8	7.8	7.6
90060001	5	2.494	3.105	C	1	1	CRACKING	10.0	9.0	9.0	9.0	8.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	
BUTTONWOOD BAY(3.1R)				2	50	18000	RIDE	8.2	8.3	8.1	8.1	7.6	6.7	6.6	6.6	6.4*	6.4*	6.4*	6.4*	6.3*	
4198481	5	2.494	3.026	C	2013	0012	CRACKING	7.0	7.0	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.3
GENERAL ASPHALT CO., INC. (2016)						FC5	RIDE	5.8*	5.4*	5.0*		8.3	8.4	8.3	8.3	8.4	8.4	8.4	8.4	8.4	8.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

```

----- DISTRICT = 6          CONTRACTOR = GILBERT SOUTHERN CORP -----
RDWYID      BMP      EMP RW SYSTEM TYPE DISTRESS SURVEYED YEAR          FUTURE
SR  US  G_BMP  G_EMP LN SPEED  AADT RATINGS 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2029
INTERSECT AT (MP|SIDE) %T =====
ITMSEG-P    W_BMP  W_EMP RW  FY-P  WKM--P
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE          2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2029
ITMSEG-F    W_BMP  W_EMP RW  FY-F  WKM--F          (REG)

87270000    0.145  0.975  R    4      4 CRACKING  7.6  7.9  6.9  8.5  8.2  8.2  8.5  8.4  8.1  8.0  9.3  9.1  9.0
5    I95      3    45  75000 RIDE    7.2  7.2  7.6  7.4  7.4  6.7  6.7  6.3  6.4  7.0  8.0  8.2  7.9
BRICKELL AVE SB( 0.1R) 3.6
2516621    0.070 13.440  C 1999 0217 CRACKING  8.9  8.8  8.8  8.8  8.7  8.7  9.0  8.8  8.8  8.6  9.1  8.8  8.9  8.9
GILBERT SOUTHERN CORP (2002) LGD RIDE    8.2  8.3  8.3  8.3  8.5  8.4  8.4  8.3  8.5  8.4  8.5  8.4  8.4  8.4
4439421    0.000  1.547  C 2023 0227
-----

```

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = GOSALIA CONCRETE CONSTRUCTOR -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	WT	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	WT		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F	WT															(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WT																
87270000	10.170	12.167	R	4	4	CRACKING		5.9*	8.7	8.7	8.8	8.8	8.9	8.7	8.2	8.0	8.1	9.0	7.8	7.8		
9A I95				4	60	206500	RIDE	6.9	7.6	8.6	8.6	8.6	8.1	8.1	7.8	7.8	7.0	7.8	5.6*	5.7*		
						4.3																
4307902	8.823	12.091	R	2015	0227	CRACKING		7.2	5.4*	4.6*	2.7*		9.3	9.3	9.2	9.1	9.0	9.1	8.9	8.8	8.5	
GOSALIA CONCRETE CONSTRUCT(2017)					LGD	RIDE		5.8*	6.1*	6.4*	5.6*		7.9	8.1	7.9	8.3	8.2	8.2	8.0	8.0	8.0	
4370533	10.791	12.087	R	2024	0213																	
87270000	8.823	10.202	L	4	4	CRACKING		8.1	8.2	9.4	9.3	9.2	9.1	9.1	8.2	8.0	8.0	7.6	7.6	7.1		
9A I95				4	60	264000	RIDE	6.9	6.9	8.7	8.8	8.7	7.9	7.8	7.9	6.4*	6.9	7.4	7.3	6.2*		
						4.3																
4307901	8.823	10.163	L	2015	0227	CRACKING		6.6	6.0*	5.6*	5.2*	8.5	9.1	9.3	9.1	8.9	8.8	8.2	7.8	8.0	7.4	
GOSALIA CONCRETE CONSTRUCT(2016)					LGD	RIDE		6.2*	5.9*	5.8*	5.4*	8.2	8.0	8.1	7.9	8.2	8.2	8.1	8.0	7.8	7.8	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 CONTRACTOR = H & J ASPHALT, INC

Table with columns: RDWYID, SR, US, G_BMP, W_BMP, EMP, W_EMP, RW, LN, SPEED, ADT, SYSTEM, TYPE, DISTRESS, RATINGS, SURVEYED YEAR (2019-2023), and FUTURE (2024-2029). Rows include project details like 'MICHIGAN AVE(1.5R)' and 'KENDALL DR(2.9C)'.

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = H & J ASPHALT, INC -----																								
RDWYID	SR	US	BMP	G_BMP	EMP	RW	LN	SYSTEM	TYPE	DISTRESS	ADT	RATINGS	SURVEYED YEAR										FUTURE	
													1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009
INTERSECT AT (MP SIDE)											=====													
ITMSEG-P			W_BMP	W_EMP	W_YEAR	WY	WKM	W-P	WKM	W-P														
CONTRACTOR			(AGE_ONE	YEAR)	SURF	TYPE																		
ITMSEG-F			W_BMP	W_EMP	W_YEAR	WY	WKM	W-F	WKM	W-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029

87060000			3.114		3.670	L	1	1	CRACKING		10.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	6.5	6.5	3.5*	3.5*	3.5*	
A1A 41						3	35	32500	RIDE		7.1	6.8	6.6	5.9	5.6	4.8*	4.8*	4.4*	4.5*	4.5*	4.6*	4.0*	4.4*	
WEST AVE(3.1L)																								
4146361			3.175		3.670	C	2011	0012	CRACKING		3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5
H & J ASPHALT, INC											(2013) FC95 RIDE 4.4* 7.2 7.1 7.1 6.1 5.9 5.9 5.8 5.5 5.4* 5.4* 5.2* 5.3* 4.0													

87066000			4.546		5.245	R	1	1	CRACKING		9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	
922						2	30	31500	RIDE		5.7*	4.9*	4.4*	6.1	6.4	6.7	6.5	6.4	6.5	6.4	5.9	6.2	6.3	
BROADVIEW DR E(4.8C)																								
4291372			4.546		5.245	C	2014	0012	CRACKING		6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	5.3
H & J ASPHALT, INC											(2017) FC95A RIDE 6.2 6.1 6.1 5.7 4.1* 7.6 6.7 6.8 6.6 6.7 6.6 6.3 5.8 5.1													

87066000			4.546		5.245	L	1	6	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	
922						2	30	31500	RIDE		6.5	5.0*	5.8*	6.1	5.6	5.6	5.7	5.6	5.7	5.6	5.5	5.5	5.1*	
BAY VIEW DR W(4.6L)																								
4291372			4.546		5.245	C	2014	0012	CRACKING		6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.5	9.5	7.0	7.0	5.3
H & J ASPHALT, INC											(2017) FC95A RIDE 5.5 5.2* 4.9* 3.9* 4.0* 6.8 6.4 6.2 6.4													

87080900			34.211		34.448	C	1	6	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	10.0	9.5	8.0	8.0	8.0	
934						4	30	14400	RIDE		5.2*	4.5*	4.8*	4.1*	5.9	5.7	4.5*	4.6*	5.1*	4.1*	4.5*	4.2*	4.0*	
E 22 ST(34.3R)																								
4284831			34.264		34.435	C	2013	0226	CRACKING		8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.1	
H & J ASPHALT, INC											(2015) DGFC RIDE 4.0* 3.9* 4.2*													

87080900			34.448		36.311	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	
934						2	40	27500	RIDE		7.6	7.6	7.2	7.3	7.1	6.3	6.7	6.5	6.5	6.5	6.2	6.3	6.6	
E 5 AVE(34.6C)																								
4311781			34.458		36.311	C	2015	0012	CRACKING		8.0	8.0	8.0	8.0	7.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0
H & J ASPHALT, INC											(2017) FC95A RIDE 6.5 6.3 6.4 5.8 6.1 7.0 6.7 6.8 6.6 6.4 6.9 6.4 6.4 6.1													

87080900			34.448		36.311	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	
934						2	40	27500	RIDE		8.3	8.1	8.1	8.0	7.8	7.0	6.9	6.7	7.0	7.0	6.7	6.7	6.6	
E 5 AVE(34.6C)																								
4311781			34.458		36.311	C	2015	0012	CRACKING		8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.9
H & J ASPHALT, INC											(2017) FC95A RIDE 6.6 6.4 6.2 6.3 6.1 7.4 7.4 7.4 6.8 7.0 7.1 6.6 6.6 6.0													

87085000			0.000		0.659	C	1	1	CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.5	6.5	6.5	6.5	
933						2	30	7700	RIDE		7.5	7.6	7.4	7.5	7.2	6.3	6.3	6.4	6.0	6.1	6.0	5.9	5.5	
SR 972(0.0C)																								
4291451			0.138		0.659	L	2014	0012	CRACKING		6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.1
H & J ASPHALT, INC											(2016) FC125 RIDE 5.7 5.5 5.5 5.1* 6.6 6.6 6.4 6.3 6.2 6.6 6.6 6.3 6.2 6.2 6.2 6.2 7.1													

87090000			14.902		15.254	R	1	6	CRACKING		8.5	7.5	7.5	7.5	7.0	7.0	7.0	10.0	7.0	7.0	7.0	7.0	7.0	
25 27						2	40	62500	RIDE		6.6	6.4*	6.2*	6.2	6.1	5.6	5.4*	6.9	6.4	6.4	6.2	6.9	6.4	
TN LN FR LEJEUNE RD(15.0R)																								
4259792			15.031		15.193	R	2018	0012	CRACKING		7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0
H & J ASPHALT, INC											(2021) FC125 RIDE 6.9 6.1 6.3 6.3 5.7 5.6 6.2													

87090000			19.288		19.674	C	1	6	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0		10.0	10.0	10.0	10.0	
25 27						4	30	18900	RIDE		6.7	5.6*	5.7*	6.2	5.0*	4.8*	5.2*	4.3*		6.6	6.0	6.5	6.8	
MIAMI AVE N(19.3C)																								
4291592			19.317		19.653	C	2017	0015	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0		6.5	10.0	10.0	10.0	9.0	9.0	7.5
H & J ASPHALT, INC											(2020) FC125 RIDE 5.7 6.6 6.4 6.3 6.0 5.5 5.4* 5.3*													

87120000			15.195		17.501	C	1	1	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	10.0	10.0	
90 41						3	30	20000	RIDE		7.3	7.2	7.0	7.3	7.0	6.0	5.8	5.4*	5.6	5.6	5.4*	7.3	7.1	
SW 25 AV(15.2C)																								
4146461			15.195		17.501	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.6
H & J ASPHALT, INC											(2010) DGFC RIDE 6.5 6.5 6.2 5.9 5.9 5.5 5.8 5.7 5.3* 5.0* 4.9* 5.0* 4.9* 3.8													
4460001			15.157		17.475	C	2024	0015																

87120001			0.452		2.998	C	1	1	CRACKING		9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	2.0*		10.0	10.0	10.0	
90 41						3	30	15000	RIDE		6.8	6.9	6.6	6.3	6.1	4.8*	4.7*	4.6*	4.4*		6.7	6.7	6.4	
SW 3 AV(0.5C)																								
4124811			0.000		2.933	C	2006	0012	CRACKING		10.0	10.0	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	5.3
H & J ASPHALT, INC											(2009) FC95 RIDE 6.3 6.1 5.8 5.5 5.4* 5.6 5.7 5.7 5.5 5.6 5.5 5.5 5.5 4.9													
4478081			0.452		2.998	C	2026	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = H & J ASPHALT, INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ADT	*****														
ITMSEG-P	(AGE_ONE	YEAR)	SURF_TYPE					2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																
ITMSEG-F																					
87240000	0.000	1.739	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	10.0	10.0	10.0	10.0		
9			2	40	34500	RIDE	7.5	7.1	7.2	7.4	7.4	6.8	7.0	6.6	6.5	7.5	7.7	7.2	7.4		
DIXIE HWY S(0.0C)																					
4146881	0.056	1.739	C	2005	0008	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.0
H & J ASPHALT, INC				(2008)	DGFC	RIDE	6.7	6.8	6.3	6.7	6.8	6.6	6.5	6.1	6.1	6.0	6.1	6.1	6.4	6.4	5.4
87240000	10.028	10.823	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	
9			3	45	48000	RIDE	7.8	8.0	7.5	7.7	7.5	7.3	7.0	6.7	6.3	6.6	6.6	6.6	6.4	6.7	
NW 122 ST(10.0C)																					
4284761	10.006	10.818	C	2013	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2
H & J ASPHALT, INC				(2015)	FC125	RIDE	6.6	6.7	6.4	7.9	7.3	7.3	7.3	7.3	7.7	6.8	6.9	7.2	6.8	6.5	
87240000	10.028	10.823	L	1	1	CRACKING	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	4.5*	4.5*	
9			3	45	48000	RIDE	8.3	8.3	8.2	8.2	8.1	7.3	7.1	7.1	6.9	7.2	7.1	7.1	7.6	7.4	
NW 122 ST(10.0C)																					
4284761	10.006	10.818	C	2013	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9
H & J ASPHALT, INC				(2015)	FC125	RIDE	7.4	7.1	6.8	8.0	7.8	7.7	7.7	7.6	7.6	7.4	7.4	7.4	7.4	7.3	6.9
87240000	0.000	1.739	L	1	1	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	4.5*	4.5*	10.0	10.0	10.0	10.0		
9			2	40	34500	RIDE	7.9	6.9	7.7	7.5	7.7	7.1	6.8	6.3	6.5	7.5	7.5	6.8	7.3		
DIXIE HWY S(0.0C)																					
4146881	0.056	1.739	C	2005	0008	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5
H & J ASPHALT, INC				(2008)	DGFC	RIDE	7.4	6.6	7.1	7.0	7.1	6.6	6.6	6.4	6.5	6.3	6.3	6.5	6.3	6.5	5.9
87281000	0.000	0.400	R	1	1	CRACKING	9.5	9.0	9.0	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	6.5	6.5	6.5	6.5	
953			2	40	26000	RIDE	7.4	7.3	7.6	7.5	6.9	6.8	6.4	6.2	6.7	5.1*	5.6	5.6	5.3*	5.5	
DIXIE HWY S(0.0C)																					
4284821	0.213	0.397	C	2011	0012	CRACKING	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
H & J ASPHALT, INC				(2013)	FC95	RIDE	5.3*	5.9	5.8	5.5	5.4*	5.2*	5.5	5.3*	5.3*	5.1*	5.0*	5.1*	4.8*	4.5	
4460021	0.097	0.462	C	2025	0012																
87281000	5.494	5.945	R	1	6	CRACKING	9.5	9.5	9.5	9.5	9.5	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
953			3	35	43000	RIDE	6.6	6.1*	6.4*	6.1	6.7	6.6		6.7	6.9	7.0	6.9	6.9	6.8		
SR 948(5.6C)																					
4259792	5.536	5.945	R	2018	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0
H & J ASPHALT, INC				(2021)	FC125	RIDE	6.7	6.3	6.5	5.4*											
87281000	5.945	8.177	R	1	1	CRACKING	9.5	9.5	9.5	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	5.5*	5.5*	5.5*	
953			2	40	34500	RIDE	7.7	7.6	7.6	7.3	7.3	6.6	7.0	6.9	6.7	6.7	6.7	6.6	6.3	6.6	
ELEVENTH PL SE(6.0C)																					
4274201	5.945	8.177	R	2012	0226	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5
H & J ASPHALT, INC				(2015)	DGFC	RIDE	6.4	6.1		6.6	5.9	6.0	6.3	6.2	6.2	6.1	6.0	6.0	6.0	5.9	5.8
87281000	5.945	8.177	L	1	1	CRACKING	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	5.5*	4.5*	4.5*	
953			2	40	34500	RIDE	7.5	7.7	7.9	7.6	7.5	6.6	7.0	6.8	6.8	6.7	6.4	6.5	6.5	6.4	
ELEVENTH PL SE(6.0C)																					
4274201	5.945	8.177	L	2012	0226	CRACKING	4.5*	4.5*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1
H & J ASPHALT, INC				(2015)	DGFC	RIDE	5.8	6.0		6.0	6.0	5.6	6.2	6.0	5.9	5.9	5.7	5.7	5.8	5.6	
87281000	0.000	0.400	L	1	6	CRACKING	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
953			2	40	26000	RIDE	6.8	6.3*	6.1*	6.5	6.1	5.7	5.0*	5.5	4.9*	4.8*	5.8	5.1*	5.3*		
DIXIE HWY S(0.0C)																					
4284821	0.213	0.397	C	2011	0012	CRACKING	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
H & J ASPHALT, INC				(2013)	FC95	RIDE	5.6	5.8	5.9	5.2*	4.0*										
4460021	0.097	0.462	C	2025	0012																
87470000	0.000	0.202	L	5	6	CRACKING	8.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.5	9.5	
91			1	55	104900	RIDE	8.2	8.0	8.0	8.1	7.1	7.0	6.3*	6.0*	5.8*	6.1*	7.3	6.8	7.0		
BRIDGE #38(0.0C)																					
4146471	0.086	0.324	C	2008	0012	CRACKING	9.5	9.5			6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	2.0	
H & J ASPHALT, INC				(2009)	FC5M	RIDE	7.3	7.1													
4370535	0.096	1.222	C	2024	0213																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

RDWYID		BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR		2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP)		SIDE			FY-P	WKMX-P	*****														
ITMSEG-P		W_BMP	W_EMP	RW	FY-F	WKMX-F															
CONTRACTOR		(AGE_ONE YEAR)			SURF_TYPE																
ITMSEG-F		W_BMP	W_EMP	RW	FY-F	WKMX-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
							(REG)														
87002000		4.969	7.777	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.0	
823				3	45	50500	RIDE	8.3	8.3	8.0	8.2	7.7	7.6	7.5	7.5	7.1	7.3	6.9	6.9	6.7	
NW 142 ST(5.0C)		5.0C				5.4															
4308031		4.969	7.777	C	2016	0012	CRACKING	7.0	7.0	7.0	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0
H&R PAVING INC					(2019)	FC95A	RIDE	6.6	6.6	6.5	6.2	6.3	6.3		7.1	7.0	7.0	6.9	6.8	6.8	6.5
87002000		4.969	7.777	L	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	
823				3	45	50500	RIDE	8.3	8.1	8.1	8.0	7.9	7.5	7.2	6.9	6.7	6.6	6.6	6.3	6.6	
NW 142 ST(5.0C)		5.0C				5.4															
4308031		4.969	7.777	C	2016	0012	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0
H&R PAVING INC					(2019)	FC95A	RIDE	6.3	6.1	6.1	6.0	6.1	6.0		6.5	6.4	6.5	6.4	6.4	6.4	6.3
87026000		6.470	8.848	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	
860				2	40	47500	RIDE	8.5	8.4	8.2	8.2	8.2	7.8	7.6	7.6	7.6	7.6	7.6	7.7	7.5	
NORTH MIAMI BEACH CITY L(6.6R)		6.6R				5.7															
4308051		6.584	7.818	C	2014	0012	CRACKING	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.1
H&R PAVING INC					(2016)	FC95A	RIDE	7.7	7.4	7.3	7.2	7.4	7.2	7.1	7.1	7.1	7.0	6.9	7.0	7.0	6.7
87026000		8.848	9.311	R	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	
860				3	40	43000	RIDE	6.9	7.0	7.9	7.4	7.5	6.8	6.9	6.5	6.5	6.6	6.6	6.8	6.5	
NE 23 CT(8.9R)		8.9R				11.5															
4308052		8.865	9.225	R	2014	0012	CRACKING	7.0	7.0	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
H&R PAVING INC					(2017)	FC95A	RIDE	6.7	6.5	6.0	6.3										
87026000		8.848	9.311	L	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.0	6.5	
860				2	30	43000	RIDE	7.8	7.7	7.6	7.9	7.6	7.2	7.3	7.2	6.9	7.1	7.0	7.0	6.8	
NE 23 CT(8.9L)		8.9L				11.5															
4308052		8.792	9.225	L	2014	0012	CRACKING	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
H&R PAVING INC					(2017)	FC95A	RIDE	6.9	6.6	6.6	6.3										
87026000		6.470	8.848	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.0	6.5	
860				2	30	47500	RIDE	7.8	7.7	7.6	7.9	7.6	7.2	7.3	7.2	6.9	7.1	7.0	7.0	6.8	
NE 5 AV(6.5L)		6.5L				5.7															
4308051		6.584	7.818	C	2014	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.1
H&R PAVING INC					(2016)	FC95A	RIDE	6.9	6.6	6.6	6.3	7.4	7.4	7.3	7.1	7.1	7.1	7.1	7.1	7.1	6.8
87030000		6.639	8.293	R	1	1	CRACKING	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	
5				3	45	82000	RIDE	7.2	7.5	8.8	8.7	8.4	8.0	8.1	8.0	8.0	8.1	8.0	7.9	8.0	
SECOFFEE TER(6.7R)		6.7R				3.2															
4334554		7.131	8.293	C	2019	0012	CRACKING	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0
H&R PAVING INC					(2021)	FC95M	RIDE	7.9	7.5	7.2	7.4	7.5	7.6	7.3	7.4	7.5	6.9	6.8	6.9	6.9	6.9
87030000		6.646	8.293	L	1	1	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5		
5				3	45	82000	RIDE	6.1*	6.2*	8.6	8.6	8.3	7.8	8.1	7.9	8.0	8.1	8.1	7.9	7.9	
SW 24 AVE(6.8L)		6.8L				3.2															
4334554		7.131	8.293	C	2019	0012	CRACKING	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0
H&R PAVING INC					(2021)	FC95M	RIDE	7.8	7.8	7.8	7.7	7.7	7.8	7.3	7.7	7.6	7.2	7.0	7.0	6.8	6.2
87037000		2.981	3.750	R	1	1	CRACKING	6.5	6.5	6.5	4.5*	9.5	9.5	9.5	10.0	10.0	10.0	9.0	7.0	7.0	
907				2	30	37500	RIDE	6.0*	5.8*	5.5*	5.9	7.1	6.3	4.8*	6.4	6.3	5.6	5.9	5.8	5.4*	
ALTON BYPASS(3.0R)		3.0R				2.2															
4075711		2.700	5.659	C	2003	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.0*	5.0*	5.0*	5.0*	5.0*	3.6
H&R PAVING INC					(2006)	FC125	RIDE	5.9	6.0	5.9	5.6	4.8*	4.7*	4.7*	4.6*	4.5*	4.5*	4.6*	4.5*	4.4*	3.7
87037000		3.750	4.125	R	1	2	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.5	5.5*	5.5*	
907				2	30	37500	RIDE	6.0*	5.8*	5.5*	5.9	4.4*	3.9*	2.1*	6.0	4.6*	4.0*	3.7*	3.6*	3.2*	
LAKEVIEW DR(3.8R)		3.8R				2.2															
4075711		2.700	5.659	C	2003	0012	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.0*	5.0*	5.0*	5.0*	5.0*	2.7
H&R PAVING INC					(2006)	FC125	RIDE	3.3*	5.7	5.5	5.8	4.4*	4.5*	4.4*	4.1*	4.1*	4.1*	3.9*	4.0*	4.4*	4.1
87037000		4.125	5.440	R	1	1	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.5	5.5*	5.5*	
907				2	30	37500	RIDE	6.0*	5.8*	5.5*	5.9	4.4*	3.9*	2.1*	6.0	4.6*	4.0*	3.7*	3.6*	3.2*	
W 53 ST(4.2C)		4.2C				2.2															
4075711		2.700	5.659	C	2003	0012	CRACKING	5.5*	5.5*	5.5*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0
H&R PAVING INC					(2006)	FC125	RIDE	3.3*	6.3	6.3	5.3*	3.9*	3.6*	3.4*	3.1*	3.1*	3.0*	2.9*	2.6*	2.5*	2.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = H&R PAVING INC -----																									
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE				
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011					
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		RW		FY-P		WKMX-P															
		(AGE_ONE YEAR)		SURF_TYPE		FY-F		WKMX-F		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
																							(REG)		
87120000	6.372	6.840	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5					
90 41				3	45	64000	RIDE	7.5	8.2	7.9	8.3	8.3	7.5	7.6	7.1	7.7	7.6	7.6	7.6	7.7					
SIDE ROAD(6.7C)																									
4251451	6.558	7.045	C	2012	0012	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9		
H&R PAVING INC				(2015)		FC95		7.1		7.1		7.4		7.9		7.5		7.8		7.8		7.6		7.6	
87140000	11.087	11.896	C	1	1	CRACKING	8.5	8.5	8.5	7.5	7.5	7.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0					
7 441				2	40	30500	RIDE	6.8	7.0	6.9	7.0	7.1	6.2	6.2	5.9		6.0	5.6	6.2	6.1					
BEGIN SEC 87140001(11.9L)																									
4077391	11.087	12.283	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	4.8				
H&R PAVING INC				(2008)		DGFC		6.3		6.1		6.3		6.0		5.9		6.3		6.3		6.2		6.1	
87190000	2.869	3.767	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.5				
909				2	40	16500	RIDE	7.8	7.5	7.7	7.6	7.2	6.9	6.7	6.5	6.4	6.1	6.1	5.8	5.6					
NE 153 ST(3.0R)																									
4308191	2.854	3.767	C	2015	0012	CRACKING	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
H&R PAVING INC				(2017)		FC95A		5.8		5.4*		5.5		5.6				6.9		6.8		6.4		6.6	
87190000	2.869	3.767	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.5					
909				2	40	16500	RIDE	7.8	7.8	7.7	7.3	7.3	6.6	6.5	6.4	6.5	6.3	6.2	6.0	6.1					
NE 153 ST(3.0L)																									
4308191	2.854	3.767	C	2015	0012	CRACKING	6.5	6.5	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.8			
H&R PAVING INC				(2017)		FC95A		6.3		6.0		6.1		6.0		6.7		6.8		6.2		6.2		6.5	
87220000	0.000	3.352	R	1	1	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0					
948				3	40	66000	RIDE	8.5	8.5	8.5	8.5	8.2	7.5	7.7	7.6	7.7	7.8	7.6	7.6	7.5					
87260391 NB ON(0.0R)																									
4291361	1.167	3.352	C	2014	0012	CRACKING	7.0	7.0	7.0	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2			
H&R PAVING INC				(2016)		FC95A		7.5		7.3		7.1		7.1		7.7		7.6		7.4		7.4		7.2	
87260000	24.200	24.708	R	1	1	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	10.0					
826				2	40	59500	RIDE	8.5	8.1	8.3	8.0	7.7	6.8	6.6	7.0	7.0	7.3	7.1	7.1	7.1					
NW 171 ST(24.4R)																									
4180881	24.090	24.538	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.7			
H&R PAVING INC				(2011)		FC95		7.0		6.9		6.5		6.5		5.9		5.9		5.5		5.1*		6.1	
87260000	24.209	24.708	L	1	1	CRACKING	8.0	8.0	8.0	8.0	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	10.0					
826				2	40	59500	RIDE	7.8	7.0	7.6	7.6	7.9	6.1	6.0	6.6	6.6	6.6	6.4	6.3	7.1					
NW 7 AVE(24.4L)																									
4180881	24.090	24.538	C	2009	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.7			
H&R PAVING INC				(2011)		FC95		7.0		6.9		6.8		6.9		6.5		6.2		5.7		6.4		6.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = HALLEY ENGINEERING CONTRACTO -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	(REG)
INTERSECT AT (MP SIDE)				*****																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P														
CONTRACTOR	(AGE_ONE YEAR)				SURF_TYPE		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														
87030000	10.389	10.556	R	1	8	CRACKING	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.0	7.0	6.5	6.5	6.5	
90 41			3	30	30500	RIDE	7.7	7.6	7.6	6.5	6.5	5.7	5.5	6.2	6.1	6.2	5.6	5.1*	5.3*	
4124738	10.396	10.556	C	2016	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	3.5*	9.0							
HALLEY ENGINEERING CONTRAC(2018)					DGFC	RIDE	4.9*	5.2*	4.5*											
87030000	21.350	24.278	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0
5 1			4	45	62000	RIDE		8.7	8.6	8.6	8.3	7.8	7.7	7.5	7.4	7.6	7.5	7.5	7.3	7.2
NE 156 ST(21.4R)					2.0															
4308081	21.255	24.278	R	2016	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2019)					FC95A	RIDE	7.2	7.2	7.1	6.8	7.2	7.3		8.4	8.3	8.2	8.2	8.0	8.2	7.8
87030000	23.965	24.278	L	1	6	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0
5 1			3	45	80500	RIDE		7.6	7.6	7.8	7.4	6.8	6.6	6.3	6.8	6.6	6.4	6.8	6.7	
4308081	24.077	24.278	L	2016	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2019)					FC95A	RIDE	6.4	6.7	6.5	6.5	6.9	6.4		8.0	8.1	8.1	7.9	7.9		
87030000	21.350	23.965	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5	7.5	7.5	7.5	
5 1			4	45	62000	RIDE		8.6	8.5	8.4	8.1	7.6	7.3	7.4	7.5	7.5	7.4	7.0	7.2	
SR 826(21.9C)					2.0															
4308081	21.225	24.077	L	2016	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2019)					FC95A	RIDE	7.1	7.0	7.1	6.8	7.2	7.2		8.2	8.1	8.1	8.1	8.1	7.8	8.0
87030000	10.221	10.556	L	1	6	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	6.5
90 41			3	30	30500	RIDE	6.5	7.3	7.4	7.0	6.3	5.4*	4.9*	5.5	6.3	4.6*	5.3*	5.7	5.6	
SR 90 *(10.3L)					3.2															
4124738	10.396	10.556	C	2016	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	5.5*	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.9
HALLEY ENGINEERING CONTRAC(2018)					DGFC	RIDE	5.8	4.8*	4.5*	4.5*										
87039000	0.000	2.462	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	7.5	
992			2	45	32000	RIDE	7.6	7.6	7.6	7.9	7.6	7.2	7.0	7.1	7.1	7.1	7.2	7.0	7.1	
SW 113 AVE(0.2R)					6.2															
4332862	0.155	2.190	R	2017	0012	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2020)					FC95A	RIDE	6.8	6.9	7.0	6.9	7.1	6.8	7.1		7.5	7.4	7.3	7.1	6.9	6.2
87039000	0.000	2.462	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	
992			2	45	32000	RIDE	7.4	7.6	7.7	7.9	7.6	7.1	7.1	7.2	7.3	7.1	7.1	6.9	6.8	
FRONTAGE RD(0.4C)					6.2															
4332862	0.330	2.190	L	2017	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2020)					FC95A	RIDE	6.8	6.6	6.5	6.8	7.2	7.2	7.2		7.1	7.1	6.9	6.9	6.9	6.6
87044000	1.727	3.265	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	
976			3	40	47000	RIDE	8.8	8.7	8.5	8.7	8.6	8.2	8.0	7.4	8.0	7.2	7.9	7.5	7.3	
SW 100 AVE(1.8R)					5.0															
4363551	1.739	3.265	C	2018	0012	CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2020)					FC95M	RIDE	7.4	7.7	7.5	7.5	7.8	7.7	7.7	7.7	8.2	8.1	8.1	8.1	8.1	8.0
87044000	1.727	3.265	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	
976			3	40	47000	RIDE	8.7	8.6	8.6	8.7	8.6	8.0	7.9	7.2	7.7	7.8	7.8	7.7	7.6	
SW 99 CT(1.8L)					5.0															
4363551	1.739	3.265	C	2018	0012	CRACKING	8.0	7.5	7.5	7.5	6.5	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2020)					FC95M	RIDE	7.6	7.4	7.3	7.4	7.6	7.6	7.6	7.6	8.0	8.0	7.9	8.0	8.0	8.0
87070000	10.733	14.030	R	1	1	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	
997			2	55	19600	RIDE	7.8	7.8	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1	7.1	7.2	6.7	
NW 122 AVE(12.0R)					17.8															
2496155	10.935	13.841	C	2016	0213	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2018)					FC5A	RIDE	6.5	6.5	8.8	8.2	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.1	8.0	7.9
87070000	10.733	14.030	L	1	1	CRACKING	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	6.0*	6.0*	6.0*	
997			2	55	19600	RIDE	7.8	7.8	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1	7.1	7.2	6.7	
NW 130 ST/NW 122 AVE(12.0L)					17.8															
2496155	10.935	13.841	C	2016	0213	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2018)					FC5A	RIDE	6.5	6.5	8.8	8.2	8.2	8.2	8.3	8.3	8.3	8.3	8.3	8.2	8.2	8.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = HALLEY ENGINEERING CONTRACTO -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	FW	FY-P	WKM	-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)	RW	SURF_TYPE																	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
87090000	0.000	4.540	R	1	7	CRACKING	8.0	8.0	8.0	8.0	7.0	7.0	7.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*		
25 27				2	55	31000	RIDE	7.9	7.7	7.8	7.6	7.1	6.6	6.5	6.3*	6.3*	6.3*	6.2*	6.1*	5.7*	
KROME AVE(0.4R)						32.5															
4232512	0.000	4.591	C	2022	0213	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	10.0	
HALLEY ENGINEERING CONTRAC(2024)						FC5M	RIDE	5.7*	5.8*	8.3	8.4	8.5	8.5	8.4	8.5	8.5	8.5	8.5	8.4	8.0	
87090000	0.000	4.540	L	1	7	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	3.5*	3.5*	3.5*	
25 27				2	55	31000	RIDE	8.4	8.3	8.2	8.1	7.7	7.0	6.9	6.8	6.8	6.9	6.5	6.5	6.5	6.2*
NW 186 ST(1.0L)						32.5															
4232512	0.000	4.591	C	2022	0213	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	10.0	
HALLEY ENGINEERING CONTRAC(2024)						FC5M	RIDE	6.1*	6.1*	8.3	8.4	8.5	8.5	8.4	8.5	8.5	8.4	8.5	8.2	8.2	
87091000	5.000	6.811	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
994				2	40	29500	RIDE	8.4	8.3	8.3	8.4	8.1	7.6	7.6	7.4	7.4	7.4	7.5	7.3	7.2	
SW 127 AVE(5.1C)						6.7															
4293413	5.416	6.825	C	2021	0012	CRACKING	10.0	9.5	9.5	9.5	9.0	8.0	8.0	6.5	6.5	6.5	4.5*	10.0	10.0		
HALLEY ENGINEERING CONTRAC(2023)						FC95M	RIDE	7.0	6.8	7.2	7.2	7.3	7.3	7.2	7.0	7.3	7.2	7.1	7.7	7.6	
87091000	7.142	7.952	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
994				2	40	20500	RIDE	7.9	7.8	7.8	7.8	7.1	7.3	7.2	7.2	7.0	6.5	6.7	6.3	6.3	
MARLIN RD(7.5R)						3.3															
4293412	7.120	7.943	C	2021	0012	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	
HALLEY ENGINEERING CONTRAC(2023)						FC95M	RIDE	6.5	6.6	6.4	6.4	6.6	6.2	6.3	5.8	6.1	6.2	6.3	6.6	7.2	
87091000	7.142	7.952	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
994				2	40	20500	RIDE	8.4	8.3	8.3	8.0	7.4	6.6	6.2	6.4	6.4	5.9	6.4	6.0	6.1	
SW 109 AVE(7.3L)						3.3															
4293412	7.120	7.943	C	2021	0012	CRACKING	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	
HALLEY ENGINEERING CONTRAC(2023)						FC95M	RIDE	6.3	6.0	5.9	5.9	6.6	6.1	6.3	6.1	5.9	6.1	6.0	7.3	7.2	
87091000	5.000	6.811	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
994				2	40	29500	RIDE	8.4	8.3	8.2	8.2	8.0	7.2	7.2	6.9	7.1	7.1	6.9	6.8	6.6	
SW 127 AVE(5.1C)						6.7															
4293413	5.416	6.825	C	2021	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	
HALLEY ENGINEERING CONTRAC(2023)						FC95M	RIDE	6.6	6.7	6.7	6.8	7.1	6.9	6.9	6.2	6.8	6.6	6.6	7.3	7.3	
87150000	2.813	8.027	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0	7.0	7.0	7.0	7.0		
997				2	45	26500	RIDE	8.5	8.5	8.5	8.5	8.2	7.8	7.6	7.6	7.7	7.7	7.7	7.6	7.4	
NE 9 ST(2.9R)						13.3															
4273691	3.825	7.499	C	2019	0213	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0			10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2022)						FC125	RIDE	7.5	7.5	7.3	7.4	7.2	7.2	8.1	7.9	8.0		6.8	6.7	6.7	6.4
87150000	8.027	13.278	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0				10.0	10.0	
997				2	45	16900	RIDE	8.5	8.5	8.5	8.5	8.2	7.8	7.6	7.7				7.5	7.5	
HAINLINE MILL DR(8.9C)						11.1															
4273692	7.499	10.750	C	2018	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2021)						FC5M	RIDE	7.6	7.5	7.4	7.4	7.3	7.2	6.9	6.9	7.0	7.9	7.9	7.8	7.8	7.6
87150000	13.278	13.799	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.0	7.0	6.5	6.5		
997				2	45	31000	RIDE	8.5	8.5	8.5	8.5	8.2	7.8	7.9	7.9	8.0	7.9	7.8	7.7	7.4	
						14.0															
4273693	11.702	13.702	C	2018	0213	CRACKING	6.5	5.5*	5.5*	5.5*	3.5*	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2020)						FC5M	RIDE	7.5	7.3	7.2	7.2	7.3	8.4	8.5		7.8	7.8	7.7	7.8	7.9	7.9
87150000	8.027	13.799	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0	7.0	7.0	6.5	6.5		
997				2	45	31000	RIDE	8.5	8.5	8.5	8.5	8.2	7.8	7.6	7.6	7.7	7.9	7.8	7.7	7.4	
SW 224 ST(8.4L)						14.0															
4273692	7.499	10.750	C	2018	0213	CRACKING	6.5	5.5*	5.5*	5.5*	3.5*	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2021)						FC5M	RIDE	7.5	7.3	7.2	7.2	7.3	8.4	8.5		7.4	7.3	7.3	7.3	7.1	
87150000	2.813	8.027	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0	7.0	7.0	7.0	7.0		
997				2	45	26500	RIDE	8.5	8.5	8.5	8.5	8.2	7.8	7.6	7.7	7.7	7.7	7.6	7.4		
NW 9 ST(2.9L)						13.3															
4273691	3.825	7.499	C	2019	0213	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0			10.0	10.0	10.0	10.0
HALLEY ENGINEERING CONTRAC(2022)						FC125	RIDE	7.5	7.5	7.3	7.4	7.2	7.2	8.1	7.9	8.0		6.8	6.7	6.7	6.4

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = HALLEY ENGINEERING CONTRACTO											
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	X-P															
CONTRACTOR	(AGE_ONE	YEAR)						2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	X-F															(REG)
87260000	0.000	1.063	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0
826			2	45	56000	RIDE		8.5	8.4	8.3	8.4	8.0	7.7	7.5	7.6	7.7	7.5	7.6	7.6	7.7	
SOUTH DIXIE HWY(0.0C)																					
4327431	0.000	0.957	R	2016	0012	CRACKING		7.0	7.0	7.0	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.7
HALLEY ENGINEERING	CONTRAC	(2018)	FC5M	RIDE				7.2	7.4	7.5	7.5	7.5		8.0	8.2	8.2	8.1	8.1	8.0	8.0	7.9
87260000	1.063	2.271	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	
826			3	55	101000	RIDE		8.5	8.4	8.3	8.4	8.5	7.9	7.9	7.9	7.8	8.0	7.7	7.9	7.9	
3.8																					
4308212	1.343	2.271	R	2016	0012	CRACKING		7.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.7
HALLEY ENGINEERING	CONTRAC	(2018)	FC5M	RIDE				7.9	7.8	7.7	7.7	7.9		7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8
87260000	1.343	2.039	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0
826			3	55	101000	RIDE		8.3	6.3*	8.3	8.4	8.4	7.6	7.9	7.8	7.3	8.0	8.0	7.9	7.8	
3.8																					
4308212	1.343	1.879	L	2016	0012	CRACKING		6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.7
HALLEY ENGINEERING	CONTRAC	(2018)	FC5M	RIDE				7.4	7.6	7.4	7.5	7.6		8.2	8.1	8.2	8.2	8.1	8.1	8.2	8.1
87260000	0.000	1.343	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
826			2	55	56000	RIDE		8.3	6.3*	8.3	8.4	8.0	7.2	7.6	7.7	7.1	7.9	7.5	7.7	7.3	
SR 5(0.0L)																					
4327431	0.000	1.154	L	2016	0012	CRACKING		8.0	8.0	7.0	7.0	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.7
HALLEY ENGINEERING	CONTRAC	(2018)	FC5M	RIDE				7.2	7.3	7.3	7.2	7.2		8.0	7.6	7.8	7.8	7.8	7.5	7.8	7.5
87471000	0.284	0.538	C	5	1	CRACKING		9.5	8.0	8.0	9.5	7.5	6.5	8.0	6.5	7.5	7.5	7.5	7.5	7.5	
821			2	65	23900	RIDE		8.9	8.8	8.9	8.4	8.0	7.4	7.1	7.7	7.0	7.3	7.1	7.1	6.9	
5.8																					
4404231	0.284	0.538	C	2020	0012	CRACKING		10.0	10.0	10.0	9.0	10.0	10.0	6.5	3.5*	3.5*		10.0	10.0	10.0	10.0
HALLEY ENGINEERING	CONTRAC	(2022)	FC5M	RIDE				7.8	7.6	7.6	7.5			7.2	7.4	7.4		8.0	8.0	8.0	8.0
87471000	0.538	2.371	R	5	1	CRACKING		9.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
821			2	65	47800	RIDE		8.9	8.8	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9	8.0	7.7		
5.8																					
4404231	0.538	2.500	C	2020	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5		10.0	10.0	10.0	10.0
HALLEY ENGINEERING	CONTRAC	(2022)	FC5M	RIDE				7.9	7.8	7.8	7.7	8.2	8.1	8.1	8.2	8.3		8.4	8.4	8.4	8.4
87471000	3.759	5.112	R	5	1	CRACKING		9.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
821			2	65	75600	RIDE		8.9	8.8	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9	8.0	7.7		
5.8																					
4404231	3.800	5.100	C	2020	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0		9.0	7.5	10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING	CONTRAC	(2022)	FC5M	RIDE				7.9	7.8	7.8	7.7	8.2	8.1		8.1	8.2	8.5	8.4	8.4	8.4	8.4
4441111	3.289	6.824	C	2025	0213																
87471000	32.404	33.000	R	5	8	CRACKING		9.0	8.0	8.0			10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
821			3	60	109600	RIDE		8.9	8.7	8.8			7.7	7.7	7.7	7.7	7.8	7.8	7.4	7.6	
5.8																					
4276851	31.543	33.275	R	2013	0548	CRACKING		9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0				
HALLEY ENGINEERING	CONTRAC	(2016)	FC2	RIDE				7.6	7.5	7.4			8.6	8.5	8.5	8.5	8.6	8.4			
4355431	27.100	33.125	C	2019	0213																
87471000	3.485	5.120	L	5	1	CRACKING		10.0	9.5	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	
821			2	65	75600	RIDE		8.9	8.8	8.9	8.8	8.6	8.0	7.9	7.7	7.7	7.9	7.9	7.9	7.8	
5.8																					
4404231	3.800	5.100	C	2020	0012	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0		7.5		10.0	10.0	10.0	10.0	10.0
HALLEY ENGINEERING	CONTRAC	(2022)	FC5M	RIDE				8.3	8.2	8.1	8.0	8.3	8.3		8.4		8.4	8.4	8.4	8.4	8.4
4441111	3.289	6.824	C	2025	0213																
87471000	0.538	2.350	L	5	1	CRACKING		10.0	9.5	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	
821			2	65	47800	RIDE		8.9	8.8	8.9	8.8	8.6	8.0	7.9	7.7	7.7	7.9	7.9	7.9	7.8	
5.8																					
4404231	0.538	2.500	C	2020	0012	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	7.5	3.5*	3.5*		10.0	10.0	10.0	10.0
HALLEY ENGINEERING	CONTRAC	(2022)	FC5M	RIDE				8.3	8.2	8.1	8.0	8.3	8.3	8.1	8.0	8.2		8.5	8.4	8.4	8.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = HORIZON CONTRACTORS, INC. -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		

87030000	18.057	19.267	R	1	1	CRACKING	9.0	7.5	7.5	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0		
5	1			2	35	41500	RIDE	5.8*	6.4*	5.8*	7.4	7.0	6.8	6.5			7.0	7.1	6.8	6.6		
NE 107 ST(18.1R)																						
2501331	18.017	19.267	C	2004	0005	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5	
HORIZON CONTRACTORS, INC. (2008)							FC95	RIDE	6.8	6.8	6.7	6.8	5.7	5.6	5.5	5.5	5.5	5.3*	5.4*	5.2*	5.1*	4.3
4439121	18.042	19.307	C	2024	0012																	

87030000	18.057	19.370	L	1	1	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0		
5	1			2	35	41500	RIDE	7.0	7.2	6.6	7.6	7.5	6.9	6.1			7.0	7.0	6.6	6.9		
PLAZA(18.1L)																						
2501331	18.017	19.267	C	2004	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	
HORIZON CONTRACTORS, INC. (2008)							FC95	RIDE	6.8	6.8	6.9	6.7	5.9	6.1	5.9	5.7	5.3*	5.7	5.7	5.5	5.4*	4.7
4439121	18.042	19.307	C	2024	0012																	

87090000	18.527	19.288	C	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5			10.0	10.0	10.0	10.0		
25	27			2	30	18900	RIDE	7.8	7.5	7.2	7.3	7.0	6.1	5.9	5.6		7.8	7.3	7.4	7.5		
SEVENTH AVE NW(18.5C)																						
2495281	18.536	19.638	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	
HORIZON CONTRACTORS, INC. (2008)							FC95	RIDE	7.5	6.9	6.8	7.4	6.7	6.3	6.2	5.9	5.6	6.5	6.4	6.5	5.9	5.3
4439101	18.528	19.340	C	2023	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = J V A ENGINEERING CONTRACTOR -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)	
87053001	0.000	0.780	C	1	1	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	
968			3	30	22000	RIDE	7.4	7.6	7.7	7.5	7.0	6.1	6.0	5.6	7.4	7.9	7.6	7.5	7.5		
SR 968/W FLAGLER ST(0.0L) 4.0																					
4146332	0.270	0.737	C	2016	0005	CRACKING	9.0	9.0	8.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
J V A ENGINEERING	CONTRACT(2019)	FC95A	RIDE				6.8	7.2	6.6	6.4	6.3	5.9		7.3	6.2	5.9	5.8	5.9	5.7	4.2	
87053001	0.780	1.948	C	1	1	CRACKING	9.0	9.0	9.0	9.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	
968			3	30	14500	RIDE	7.1	6.2*	6.3*	6.0	6.0	6.9	6.2	5.8	5.9	5.6	5.2*	5.2*	5.0*		
SW 16 AVE(0.9C) 5.2																					
4183122	0.791	1.954	C	2017	0005	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
J V A ENGINEERING	CONTRACT(2020)	FC95M	RIDE				4.6*	4.5*	4.3*	4.1*	4.1*	4.1*		6.6	6.3	6.5	6.0	6.1	5.4		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = KIEWIT INFRASTRUCTURE SOUTH -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR											FUTURE				
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)	
87270000	0.975	1.494	R	4	4	CRACKING		7.6	7.9	9.4	8.1	8.1	7.8	8.0	7.9	7.2	7.0	9.3	8.0	8.2		
5 I95				3	55	75000	RIDE	7.2	7.2	6.4*	6.4*	6.1*	4.7*	4.7*	4.7*	4.6*	5.1*	8.2	8.1	8.4		
						3.6																
2516623	0.000	2.900	C	2007	0217	CRACKING		8.3	8.3	8.3	8.2	8.2	8.2	8.6	8.2	8.2	8.3	8.5	8.1	8.3	8.1	
KIEWIT INFRASTRUCTURE SOUT(2009)				LGD			RIDE	8.4	8.4	8.4	8.2	8.5	8.4	8.4	8.4	8.4	8.4	8.5	8.4	8.1	8.1	
4439421	0.000	1.547	C	2023	0227																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = M. VILA & ASSOCIATES, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE) %T =====																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
87030000	16.686	18.057	R	1	1	CRACKING	4.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*				10.0	10.0	10.0	10.0	
5	1			2	35	51500	RIDE	6.9	7.1	7.0	6.8	6.4	5.9	5.7			7.5	7.5	7.3	7.3	
NE 88 TER(16.7R)																					
2502221	16.620	18.057	C	2004	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	8.3
M. VILA & ASSOCIATES, INC.(2008) FC95																					
4478271	16.676	18.042	C	2026	0012	RIDE	7.1	7.1	7.1	6.9	6.7	6.5	6.6	6.4	6.2	6.3	6.2	6.4	6.4	6.4	5.7

87030000	16.686	18.057	L	1	1	CRACKING	6.5	4.5*	4.5*	3.5*	3.5*	1.0*	1.0*				10.0	10.0	10.0	10.0	
5	1			2	35	51500	RIDE	7.2	7.2	7.1	6.8	6.2	5.9	5.6			7.6	7.6	7.5	7.0	
SR 915(16.7L)																					
2502221	16.620	18.057	C	2004	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.1
M. VILA & ASSOCIATES, INC.(2008) FC95																					
4478271	16.676	18.042	C	2026	0012	RIDE	7.3	7.3	7.0	7.1	6.8	6.6	6.6	6.5	6.4	6.4	6.4	6.4	6.4	6.3	5.7

87072000	7.154	7.604	R	1	1	CRACKING	8.0	8.0	8.0	8.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
985				3	40	62000	RIDE	6.7	6.2*	6.1*	5.9	6.6		8.0	7.9	8.0	7.8	7.8	7.7	7.8	
FOUNTAIN BLEU BLVD(7.2C)																					
2497712	7.154	7.604	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
M. VILA & ASSOCIATES, INC.(2005) DGFC																					
4525601	6.827	7.604	C	2027	0012	RIDE	7.8	7.7	7.6	7.6	7.4	7.3	7.3	7.0	7.3	7.3	7.2	6.2	6.5	6.4	

87072000	7.118	7.604	L	1	1	CRACKING	10.0	10.0	10.0	9.0	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
985				3	40	62000	RIDE	7.0	5.9*	6.6	6.7	6.3		8.0	8.0	8.0	7.8	7.8	7.6	7.7	
FOUNTAIN BLEU BLVD(7.2C)																					
2497712	7.154	7.604	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.0	7.0	7.0
M. VILA & ASSOCIATES, INC.(2005) FC125																					
4525601	6.827	7.604	C	2027	0012	RIDE	7.5	7.4	7.3	7.2	6.9	6.9	6.8	6.9	6.7	6.3	6.4	6.3	6.6	6.6	5.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = MARKS BROTHERS, INC. -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)															*****							
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)	
87120000	10.370	15.195	C	1	1	CRACKING		3.0*		10.0	10.0	9.5	10.0	9.5	10.0	9.5	9.5	9.5	9.5	9.5	9.5	
90 41				2	35	45500		5.7*		7.5	7.2	6.9	6.0	6.5	6.6	6.2	6.0	5.9	5.7	5.6		
SW 73 CT(10.4L)						2.1																
4088801	10.244	15.677	C	2001	9924	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	
MARKS BROTHERS, INC.				(2001)	FC3	RIDE		5.5	5.4*	5.7	5.5	5.6	5.5	5.7	5.4*	5.6	5.5	5.3*	5.3*	5.4*	4.7	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = MASTEC CIVIL, LLC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-X-P	%T	=====														
ITMSEG-P	(AGE_ONE	YEAR)	YEAR)	SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
87120000	2.440	5.481	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
90 41				3	45	40500	RIDE	8.4	8.2	8.3	8.3	8.3		6.5	6.8	6.9	6.8	7.3	7.1		
SW 152 AV(2.5R)																					
2497042	2.152	4.022	C	2002	0213	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.2
MASTEC CIVIL, LLC (2006) DGFC RIDE 6.8 7.1 7.1 6.5 6.6 6.3 6.7 6.7 6.9 6.8 6.8 6.8 6.8 6.9 6.7																					
87120000	2.440	5.481	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	
90 41				3	45	40500	RIDE	8.6	8.3	8.5	8.2	7.8		6.3	7.2	7.3	7.3	7.4	7.4		
TN LN FR SW 137 AVE(4.0L)																					
2497042	2.152	4.022	C	2002	0213	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
MASTEC CIVIL, LLC (2006) DGFC RIDE 7.3 7.2 7.3 7.0 6.6 6.3 6.7 6.5 6.7 6.8 6.8 6.9 7.0 6.6																					
87471000	11.940	12.571	R	5	1	CRACKING	9.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
821				3	65	172000	RIDE	8.9	8.8	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9	7.7	7.5	7.8	
5.8																					
4154881	11.767	12.300	R	2013	0213	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
MASTEC CIVIL, LLC (2018) FC5M RIDE 7.9 7.8 7.8 7.9 8.0 8.2 7.9 8.2 8.0 8.1 8.1																					
87471000	12.571	14.100	R	5	1	CRACKING	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	
821				5	60	172000	RIDE	8.5	8.4	8.4	8.3	8.2	7.4	7.3	7.2	7.2	7.2	7.4	7.2	7.7	
5.8																					
4154881	12.300	14.473	R	2013	0213	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
MASTEC CIVIL, LLC (2018) FC5M RIDE 7.9 7.7 7.7 7.5 7.6 7.6 7.6 7.7 7.7 7.6 7.6																					
87471000	12.864	14.100	L	5	1	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5		10.0	
821				5	60	172000	RIDE	8.6	8.5	8.5	8.4	8.2	7.5	7.4	7.3	7.3	7.4	7.5		7.9	
5.8																					
4154881	12.571	14.473	L	2013	0213	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
MASTEC CIVIL, LLC (2018) FC5M RIDE 8.0 8.0 8.0 7.8 8.1 8.1 7.8 7.8 7.8 7.8 7.8																					
87471000	11.767	12.864	L	5	1	CRACKING	10.0	9.5	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5		10.0		
821				3	65	172000	RIDE	8.9	8.8	8.9	8.8	8.6	8.0	7.9	7.7	7.7	7.9	7.6		7.6	
5.8																					
4154881	11.767	12.571	L	2013	0213	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
MASTEC CIVIL, LLC (2018) FC5M RIDE 7.8 7.7 7.7 7.7 7.9 8.0 7.9 7.9 7.9 7.8 7.9 7.9 7.8 7.9 7.9																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = MCM CORP. -----																								
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE				
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011					
INTERSECT AT (MP	SIDE)	=====																						
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																2029			
CONTRACTOR	(AGE_ONE YEAR)	SURF_TYPE																		(REG)				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																			
87002000	0.889	2.354	R	1	1	CRACKING	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*					
823			3	45	37500	RIDE	7.4	7.1	7.2	7.1	7.2	6.4*	6.5	6.3	6.0	6.2	6.0	5.9						
W 29 ST(1.3C)					7.9																			
2499415	0.889	2.354	C	2012	0213	CRACKING			4.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
MCM CORP.				(2018)	FC125	RIDE			5.6				6.7	6.3	6.4	6.3	6.2	5.9	5.5					
87002000	0.889	2.354	L	1	1	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*					
823			3	45	37500	RIDE	7.4	7.3	7.2	7.2	7.2	6.4*	6.3*	6.1	5.9	6.0	6.0	6.1						
W 29 ST(1.3C)					7.9																			
2499415	0.889	2.354	C	2012	0213	CRACKING			4.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
MCM CORP.				(2018)	FC125	RIDE			5.3*				6.8	6.7	6.8	6.3	6.4	6.3	6.3	5.7				
87080900	31.090	33.196	R	1	1	CRACKING	8.0	8.0	8.0	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0					
934			3	45	53500	RIDE	7.2	7.0	6.7	6.9	6.2*	5.7*			7.9	7.8	8.1	7.9	7.8					
EB ENT FROM SR 826 SB L(31.1C)					6.8																			
2499851	31.281	33.248	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	7.9				
MCM CORP.				(2007)	FC95	RIDE	7.9	7.7	7.7	7.7	7.1	7.0	6.9	6.9	6.9	7.0	6.9	6.8	6.8	6.3				
4525661	31.090	33.196	C	2027	0012																			
87080900	31.090	33.196	L	1	1	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0			10.0	10.0	10.0	10.0	10.0					
934			3	45	53500	RIDE	6.5	6.3*	6.5	6.5	6.0*	5.7*			8.3	8.2	8.1	8.0	8.1					
OFF RAMP 87260399(31.1L)					6.8																			
2499851	31.281	33.248	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5				
MCM CORP.				(2007)	FC95	RIDE	8.0	7.9	7.9	7.8	7.4	7.0	7.4	6.9	6.8	6.8	7.0	6.9	6.8	6.2				
4525661	31.090	33.196	C	2027	0012																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = ODEBRECHT CONSTRUCTION, INC. -----

RDWYID	SR	US	BMP	G_BMP	EMP	G_EMP	RW	LN	SPEED	SYSTEM	TYPE	DISTRESS	ADT	RATINGS	SURVEYED YEAR										FUTURE					
															1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010	2011		
INTERSECT AT (MP SIDE) %T =====																														
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P													2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029				
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE																							(REG)							
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																														
87070000			0.000		0.780		R	1		1	CRACKING				9.5	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.5			
997							2	55	19600		RIDE				8.2	7.9	7.7	7.7	8.1		7.2	6.5	7.2	7.1	6.9	7.0	7.2			
SR 90/US-41(0.0C)																														
2496143			0.000		0.657		C	2015	0213	CRACKING					8.5	8.5	8.5	8.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0			
ODEBRECHT CONSTRUCTION, IN(2020)																														
															7.0	6.9	6.9	6.4*	6.6	6.4*										
87070000			0.000		0.780		L	1		1	CRACKING				9.5	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	8.5			
997							2	55	19600		RIDE				8.2	7.9	7.7	7.7	8.1		7.2	6.5	7.2	7.1	6.9	7.0	7.2			
SR 90/US-41(0.0C)																														
2496143			0.000		0.657		C	2015	0213	CRACKING					8.5	8.5	8.5	8.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0			
ODEBRECHT CONSTRUCTION, IN(2020)																														
															7.0	6.9	6.9	6.4*	6.6	6.4*										
87110000			25.210		25.715		C	1		1	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	6.5			
90 41							4	55	5900		RIDE				8.5	8.3	8.5	8.2	8.2		7.6	7.6	6.7	6.8	7.1	6.8	6.7	7.2		
KROME AVE(25.7C)																														
2496143			25.207		25.548		C	2015	0213	CRACKING					6.5	6.5	6.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0			
ODEBRECHT CONSTRUCTION, IN(2020)																														
															6.9	6.9	6.7	6.2*												
87120000			0.000		0.297		R	1		1	CRACKING				10.0	10.0	10.0	10.0	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0			
90 41							2	55	23500		RIDE				8.4	8.2	8.3	8.3	8.3		7.7	7.0	7.5	7.2	6.7	6.5	6.6			
KROME AVENUE(0.0C)																														
2496143			0.000		0.305		C	2015	0213	CRACKING					10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0			
ODEBRECHT CONSTRUCTION, IN(2020)																														
															7.0	6.9	7.1	7.2												
87120000			0.000		0.390		L	1		1	CRACKING				10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0			
90 41							2	55	23500		RIDE				8.6	8.3	8.5	8.2	7.8		7.4	6.4*	6.6	6.4*	6.6	6.8	6.8			
KROME AVENUE(0.0C)																														
2496143			0.000		0.305		C	2015	0213	CRACKING					10.0	10.0	10.0	10.0	10.0			10.0	10.0	9.0	9.0	9.0	7.3			
ODEBRECHT CONSTRUCTION, IN(2020)																														
															7.1	6.9	6.9	6.4*												
87150000			17.492		22.388		R	1		1	CRACKING				10.0	10.0	8.5	8.5	7.5	10.0	7.0	6.0*	6.0*	6.0*	4.0*	3.5*	3.5*			
997							2	55	27000		RIDE				8.1	7.7	7.3	7.5	7.2	6.6	6.5	6.7	6.7	6.6	6.4*	6.0*	6.5			
SR 90(22.4C)																														
2496143			17.333		22.253		C	2015	0213	CRACKING					3.5*	3.5*	3.5*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0			
ODEBRECHT CONSTRUCTION, IN(2020)																														
															6.3*	6.1*	6.0*	6.2*	5.7*	5.3*										
87150000			17.492		22.388		L	1		1	CRACKING				10.0	10.0	8.5	8.5	7.5	10.0	7.0	6.0*	6.0*	6.0*	4.0*	3.5*	3.5*			
997							2	55	27000		RIDE				8.1	7.7	7.3	7.5	7.2	6.6	6.5	6.7	6.7	6.6	6.4*	6.0*	6.5			
SW 58 ST(18.8L)																														
2496143			17.333		22.253		C	2015	0213	CRACKING					3.5*	3.5*	3.5*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0			
ODEBRECHT CONSTRUCTION, IN(2020)																														
															6.3*	6.1*	6.0*	6.2*	5.7*	5.3*										
87200000			12.823		12.936		R	4		6	CRACKING				6.8	6.8	8.3	7.8	7.9	7.3	7.5	7.2	5.4*	4.5*	3.5*	3.4*	4.3*			
836 I395							2	55	143000		RIDE				6.7	6.0*	6.0*													
2516883 12.621 13.048																														
ODEBRECHT							R	2013	0213	CONC	CRACKING				4.8*	6.8			8.9	7.0	8.2	7.6	7.5	7.4	7.6	7.0	8.4	7.2		
ODEBRECHT CONSTRUCTION, IN(2016)																														
87200000			12.936		13.048		R	4		6	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.5	6.5			
836 I395							3	55	143000		RIDE				7.1	6.1*	7.3	6.0*	6.1*											
BEG SEC 060(13.0C)																														
2516883			12.621		13.048		R	2013	0213	CRACKING					6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
ODEBRECHT CONSTRUCTION, IN(2015)																														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = OHLA USA, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)						%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)																					(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
87020000	0.000	2.696	R	1	7	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5 1				2	45	30000	RIDE	8.2	8.2	8.1	8.1	8.0	7.4	7.4	7.3	7.4	7.4	7.4	7.4	7.3	7.2
CARD SOUND RD(0.0R) 4.3																					
4418271	1.368	2.679	R	2021	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0
OHLA USA, INC. (2024) FC2 RIDE 7.3 7.3 7.3 7.3 7.1 6.8 6.7 6.5 6.7 6.7 6.6 6.6 7.2																					

87020000	1.800	2.696	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5 1				3	45	30000	RIDE	8.2	8.1	7.9	8.0	7.8	7.3	7.4	7.4	7.4	7.4	7.5	7.5	7.4	7.4
FLORIDA CITY CITY LIMITS(1.9C) 4.3																					
4418271	1.871	2.443	L	2021	0012	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	10.0	10.0
OHLA USA, INC. (2023) FC2 RIDE 7.4 7.4 7.4 7.3 7.5 7.4 7.4 7.2 7.3 7.2 7.3 7.2 7.3 7.6																					

87020000	0.000	1.800	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
5 1				2	45	30000	RIDE	8.5	8.4	8.4	8.4	8.3	7.8	7.8	7.8	7.8	7.9	7.8	7.7	7.6	
CARD SOUND RD(0.0C) 4.3																					
4418121	0.000	0.862	C	2021	0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	
OHLA USA, INC. (2023) FC2 RIDE 7.5 7.4 7.3 7.3 7.4 7.1 7.2 7.1 7.1 6.8 6.8 6.9 7.0																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = P J CONSTRUCTORS INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE) %T =====																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
87008000	7.114	7.614	C	1	8	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	6.5
916			2	30	12500	RIDE		8.4	8.5	8.3	8.4	8.1	7.8	7.6	6.3	7.3	6.8	7.1	6.4	6.3	
SR 7(7.1C)					4.0																
2495821	5.294	7.383	C	1993	0213	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*		
P J CONSTRUCTORS INC				(1998)	FC2	RIDE		6.4	6.9	6.8	6.8	7.1	7.0	6.7	7.1	6.9	6.4	5.5	5.9		
4293461	7.245	10.253	C	2020	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = PAN AMERICAN CONSTRUCTION L -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM--P	%T																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM--F																	
87090000	16.871	17.514	C	1	1	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5		
25 27			4	30	24000	RIDE			8.1	8.2	7.3	6.6	6.5	6.4	7.0	7.1	7.2	6.6	7.2			
NW 23 AV(16.9C)																						
2494891	15.236	17.473	C	1997	0005	CRACKING	8.5	8.5	8.5	8.5	8.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0		
PAN AMERICAN CONSTRUCTION (2001)							FC3	RIDE	7.0	7.5	7.2	7.2	7.1	7.6	7.4	7.6	7.4	7.2	7.3	6.8	6.8	
4525971	16.892	17.594	C	2028	0012																	
87281000	8.177	9.598	R	1	1	CRACKING	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0		
953			2	40	32000	RIDE	5.4*	5.4*	5.4*	8.5	8.4	7.7	7.5	7.6	7.5	7.7	6.7	7.4	6.8			
SIDE ROAD(8.2C)																						
2501931	8.210	9.725	C	2000	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0	6.5	6.5	6.5	5.8		
PAN AMERICAN CONSTRUCTION (2002)							FC125	RIDE	6.8	6.8	6.4	6.1	6.6	6.3	6.7	6.6	6.5	6.3	6.5	6.5	6.4	5.6
4439271	8.673	9.686	R	2023	0012																	
87281000	8.177	9.722	L	1	1	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
953			2	40	32000	RIDE	6.8	6.6	6.6	8.3	7.8	7.8	7.8	7.7	7.7	7.8	7.6	7.5	7.4			
SIDE ROAD(8.2C)																						
2501931	8.210	9.725	C	2000	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	6.7		
PAN AMERICAN CONSTRUCTION (2002)							FC125	RIDE	7.6	7.5	7.1	6.8	7.3	6.8	7.5	7.4	7.3	7.2	7.3	7.2	7.3	6.9
4439271	8.215	9.686	L	2023	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = PAVEX CORP. -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP	SIDE)	=====																				
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)		
87190000	0.597	2.869	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	
909			2	40	18900	RIDE	7.8	7.5	7.7	7.6	7.2	6.9	6.7	6.5	6.4	6.7	6.5	6.4	6.3			
SR 915(0.6C)							4.0															
2499451	0.000	3.767	C	1994	0012	CRACKING	10.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.7	
PAVEX CORP.					(1996)	DGFC	6.2	6.3	6.3	6.1	5.5	5.4*	5.5	5.4*	5.3*	5.3*	5.2*	5.2*	5.2*	5.2*	4.3	
4439361	0.866	2.858	C	2023	0012																	
87190000	0.597	2.869	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	
909			2	40	18900	RIDE	7.8	7.8	7.7	7.3	7.3	6.6	6.5	6.4	6.5	7.4	7.4	7.2	7.2			
SR 915(0.6C)							4.0															
2499451	0.000	3.767	C	1994	0012	CRACKING	10.0	9.0	9.0	9.0	8.5	8.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	
PAVEX CORP.					(1996)	DGFC	6.9	7.2	6.9	6.5	6.1	5.8	6.1	5.8	5.8	5.9	5.8	5.7	5.5	5.1		
4439361	0.866	2.858	C	2023	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = PAVEX CORPORATION -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
																					(REG)	
87240000	4.894	7.227	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0		
9			2	35	32000	RIDE	6.9	6.6	6.6	6.4	6.3	5.9	5.7	5.7	6.9	6.6	6.7	6.8	6.7			
NW 38 ST(4.9C)																						
4076501	4.956	7.311	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.4	
PAVEX CORPORATION							6.5	6.4	6.3	6.3	5.9	5.8	5.9	5.6	5.6	5.6	5.7	5.5	4.8*	4.7		
(2007) FC125																						
RIDE																						
4291852	4.950	7.233	C	2021	0012																	

87240000	4.894	7.227	L	1	1	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0		
9			2	35	32000	RIDE	6.2*	6.2*	6.2*	5.5	5.6	5.2*	4.9*	5.3*	6.8	6.8	6.8	6.8	6.8	6.8		
NW 38 ST(4.9C)																						
4076501	4.956	7.311	C	2005	0012	CRACKING	10.0	10.0	10.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.2	
PAVEX CORPORATION							6.7	6.5	6.2	6.4	5.7	5.7	5.6	5.5	5.5	5.5	5.3*	5.4*	5.3*	5.2*	4.5	
(2007) FC125																						
RIDE																						
4291852	4.950	7.233	C	2021	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = PCL CIVIL CONSTRUCTORS, INC. -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)						%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)																					(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
87270000	12.167	13.354	R	4	4	CRACKING		8.8	8.4	8.3	7.9	7.8	9.2	9.0	9.0	8.7	8.6	7.9	7.6	7.6	
9A I95				3	55	175000	RIDE	7.2	6.9	8.8	8.0	7.8	8.1	8.2	7.9	7.7	7.7	7.8	7.7	7.3	
						4.3															
4293011	12.131	13.368	R	2014	0227	CRACKING		7.4	7.1	7.0	6.3*		9.4	9.3	9.4	9.3	9.3	9.0	9.2	8.7	8.5
PCL CIVIL CONSTRUCTORS, IN(2017)					LGD	RIDE		7.9	7.3	7.1	6.8		8.3	8.4	8.4	8.6	8.5	8.3	8.5	8.3	8.3
4370534	11.300	13.360	R	2024	0213																
87270000	12.091	13.354	L	4	4	CRACKING		8.5	7.2	9.3	8.7	8.1	8.6	9.0	7.8	7.5	7.5	7.5	5.6*	5.1*	
9A I95				3	55	175000	RIDE	6.6	6.3*	8.6	8.5	8.6	7.6	7.5	7.4	7.7	7.7	7.6	7.2	6.8	
						4.3															
4293011	12.131	13.172	L	2014	0227	CRACKING		4.6*	4.6*	4.1*	2.7*	4.8*	9.2	9.3	9.2	8.9	9.1	8.3	8.3	8.8	7.9
PCL CIVIL CONSTRUCTORS, IN(2017)					LGD	RIDE		7.1	6.7	6.2*	6.2*	7.4	8.1	8.1	8.0	7.8	8.2	8.1	8.1	8.3	8.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = PETRO HYDRO, INC -----																													
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE								
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011									
INTERSECT AT (MP SIDE)															%T														
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P															=====														
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE															2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																											(REG)		
87034000	2.185	3.641	C	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.0			10.0	10.0	10.0	8.5									
915			4	30	24039	RIDE	7.4	7.3	7.4	7.2	7.7	6.6	6.6	6.3			6.5	6.4	6.3	6.2									
NE 123 ST(2.2C)															2.0														
4146871	2.369	3.641	C	2005	0008	CRACKING	8.5	8.5	8.5	8.5	8.5	7.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.7								
PETRO HYDRO, INC (2008) FC95															RIDE	6.3	6.3	5.7	6.1	5.6	5.4*	5.3*	5.1*	4.8*	4.7*	4.6*	4.5*	4.4*	3.7
4439321	2.557	3.668	C	2023	0012																								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = PREFERRED MATERIALS, INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2029
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	FW	FY-P	WKM-F	*****	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	(REG)
ITMSEG-P	(AGE_ONE YEAR)	W_EMP	RW	WKM-F	WKM-F															
CONTRACTOR																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															
87008000	4.888	5.102	C	1	6	CRACKING	9.0	9.0	7.5	7.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
916				5	40	11500	7.1	5.0*	5.4*	4.9*	6.0	5.2*	4.9*	7.8	6.8	6.3		7.1	7.1	
END 87008001 ONE-WAY(4.9L)																				
4077241	4.826	5.073	C	2004	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.1
PREFERRED MATERIALS, INC. (2006) FC95 RIDE																				
4478051	4.812	5.130	C	2024	0012															

87060000	6.686	8.080	R	1	1	CRACKING	9.5	9.5	9.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.5
ALA				3	35	34500	7.9	8.1	7.9	7.8	7.6	7.1	7.0	6.9	8.4	8.3	7.9	7.4	7.2	
FOUNTAINBLEAU HOTEL(6.7R)																				
4106451	6.713	8.692	C	2004	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	6.5	6.5	5.5*	5.5*	4.9
PREFERRED MATERIALS, INC. (2007) DGFC RIDE																				
4499461	7.149	8.406	C	2027	0012															

87060000	7.214	8.406	L	1	1	CRACKING	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	8.5	8.5
ALA				3	35	34500	7.9	6.9	6.8	7.1	6.4	5.8	5.8	5.7	8.2	7.8	8.0	7.8	7.8	
INDIAN CREEK DR(8.4L)																				
4106451	6.713	8.692	C	2004	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.3
PREFERRED MATERIALS, INC. (2007) DGFC RIDE																				
4499461	7.149	8.406	C	2027	0012															

87062000	4.072	5.064	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	9.5	9.5
959				2	40	18300	6.5	6.5	6.1*	5.8	5.6	5.3*	5.1*	5.0*	7.6	7.5	7.2	6.6	6.8	
SEVENTH ST SW(4.1C)																				
4124781	4.082	5.540	C	2004	0012	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	5.8
PREFERRED MATERIALS, INC. (2007) FC125 RIDE																				
4478041	4.092	5.397	C	2025	0012															

87062000	5.064	5.424	R	1	1	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0
959				3	40	42500	8.1	7.6	7.5	7.7	7.4	7.0	6.8	6.7	7.6	7.9	8.0	7.5	7.8	
BLUE LAGOON DR(5.3C)																				
4124781	4.082	5.540	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.4
PREFERRED MATERIALS, INC. (2007) FC125 RIDE																				
4478041	4.092	5.397	C	2025	0012															

87062000	5.064	5.424	L	1	2	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0
959				3	40	42500	7.7	7.6	8.0	7.5	7.6	5.5	5.8	5.2*	8.1	7.7	7.3	7.1	7.3	
BLUE LAGOON DR(5.3C)																				
4124781	4.082	5.540	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	5.9
PREFERRED MATERIALS, INC. (2007) FC125 RIDE																				
4478041	4.092	5.397	C	2025	0012															

87062000	4.072	5.064	L	1	1	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0
959				3	40	18300	6.5	6.6	6.2*	6.2	4.8*	5.0*	5.2*	5.0*	6.7	7.6	7.2	6.5	7.0	
SEVENTH ST SW(4.1C)																				
4124781	4.082	5.540	C	2004	0012	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	5.5*	5.5*	5.5*	5.5*	4.2
PREFERRED MATERIALS, INC. (2007) FC125 RIDE																				
4478041	4.092	5.397	C	2025	0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)						*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
87020000	19.709	20.042	R	1	1	CRACKING	10.0	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1			3	45	77500	RIDE	8.1	8.3	7.9	7.9	7.7	7.1	7.5	7.5	7.5	7.7	7.7	7.7	7.4	7.5	
FLAGLER BLVD(19.8R)																					
2500721	19.605	20.042	C	1999	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
RANGER CONSTRUCTION INDUST(2001)					FC5	RIDE	7.3	7.3	7.6	7.4	7.7	7.6	7.6	7.7	8.0	7.9	8.1	7.8	8.1	7.9	
4439081	19.807	20.042	C	2025	0012																
87020000	19.709	20.042	L	1	6	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
5 1			3	45	77500	RIDE	8.2	8.1	8.7	8.2	8.5	7.5	7.7	7.6	7.8	7.8	7.8	7.8	7.7	7.7	
PALMETTO EXP(19.9L)																					
2500721	19.605	20.042	C	1999	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	8.0	8.0	8.0	8.0
RANGER CONSTRUCTION INDUST(2001)					FC5	RIDE	7.7	7.7	7.5	7.8	7.5	7.6	7.7	7.5	7.7						
4439081	19.807	20.042	C	2025	0012																
87020001	0.000	0.543	C	1	1	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.5	7.5	7.5	7.5	7.5	
5 1			3	45	25500	RIDE		8.4	8.4	8.3	8.0	7.8	7.8	7.8	7.5	7.9	7.8	7.8	7.8	7.7	
AUTOPARTS(0.0R)																					
4284871	0.000	0.560	C	2013	0012	CRACKING	7.5	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2014)					FC125	RIDE	7.7	6.4	8.3	8.1	8.1	8.0	8.0	8.0	8.0	8.0	7.8	8.0	7.6	7.8	7.5
87030000	0.000	0.840	R	1	1	CRACKING	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
5 1			3	45	43500	RIDE	7.8	7.8	8.7	8.6	8.1	7.7	7.8	7.8	8.0	8.0	8.0	8.0	7.9	7.9	
JOHNSON DR(0.0C)																					
2499781	0.000	0.840	C	1999	0012	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	5.8
RANGER CONSTRUCTION INDUST(2001)					FC5	RIDE	7.7	8.0	7.7	6.4	7.6	7.8	7.8	7.6	7.6	7.6	7.5	7.6	7.2	7.1	
4439081	0.000	0.791	C	2025	0012																
87030000	0.000	0.840	L	1	1	CRACKING	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	
5 1			3	45	43500	RIDE	8.1	8.0	8.7	8.6	8.4	7.7	7.9	7.5	7.8	7.7	7.7	7.7	7.9	7.7	
JOHNSON DR(0.0C)																					
2499781	0.000	0.840	C	1999	0012	CRACKING	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	7.4
RANGER CONSTRUCTION INDUST(2001)					FC5	RIDE	7.6	7.6	7.6	7.6	7.8	7.8	7.4	7.6	7.5	7.6	7.7	7.4	7.0	7.0	
4439081	0.000	0.791	C	2025	0012																
87060000	16.052	17.717	R	1	1	CRACKING	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
5 1			2	30	32000	RIDE	7.7	7.7	7.7	7.6	7.6	6.8	6.7	6.4	6.8	6.8	7.0	6.7	6.4		
SIDE ROAD(16.7C)																					
4295231	16.288	17.714	R	2013	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1	
RANGER CONSTRUCTION INDUST(2015)					FC125	RIDE	6.3	6.2	5.0*	7.2	7.1	7.3	6.8	6.5	6.7	6.5	6.6	6.4	6.3	5.8	
87060000	16.191	17.717	L	1	1	CRACKING	10.0	10.0	9.5	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
5 1			2	35	32000	RIDE	7.0	7.0	7.0	7.3	7.0	6.8	6.7	6.2	6.6	6.6	6.5	6.3	6.1		
SR 856 EB(16.2L)																					
4295231	16.487	17.714	L	2013	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.1	
RANGER CONSTRUCTION INDUST(2015)					FC125	RIDE	5.9	5.9	5.7	7.2	7.3	7.3	7.1	7.0	7.0	6.6	6.6	6.2	6.3	5.7	
87062000	2.038	3.024	C	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	
5 1			2	35	13800	RIDE	7.7	7.6	7.8	7.6	7.5	7.1	7.0	6.8	7.1	7.1	7.0	6.7	6.7		
BIRD RD(2.0C)																					
4227232	2.063	2.997	C	2013	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	
RANGER CONSTRUCTION INDUST(2015)					FC95	RIDE	6.7	6.6	6.7	8.0	7.2	7.1	7.1	6.9	6.5	6.4	6.5	6.7	6.5	5.6	
87072000	5.139	5.931	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	
5 1			3	40	40000	RIDE	6.8	6.7	6.8	6.7	6.4	6.0	6.0	5.6	5.8	6.0	6.0	6.1	6.0		
SW 24 ST/CORAL WAY(5.2C)																					
4311771	5.161	5.931	C	2015	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2017)					FC125	RIDE	5.8	6.0	5.9	5.7	6.3	8.2	8.0	7.6	8.0	7.7	8.0	8.1	8.0	8.0	
87072000	5.139	5.931	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	7.0		
5 1			3	40	40000	RIDE	7.3	7.1	7.0	6.9	6.9	6.1	5.7	6.5	6.5	6.5	6.5	6.2	6.4		
SW 24 ST/CORAL WAY(5.2C)																					
4311771	5.161	5.931	C	2015	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2017)					FC125	RIDE	6.4	6.4	6.4	6.4	6.7	8.2	7.8	7.5	8.0	8.0	8.2	8.2	8.0	8.0	
87110000	3.967	13.928	C	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	6.5	
5 1			2	55	5900	RIDE	8.8	8.9	8.6	8.7	8.6	7.9	7.8	7.1	7.0	7.1	7.0	7.1	7.1	7.3	
LOOP RD(4.1R)																					
4291622	8.118	13.131	C	2016	0012	CRACKING	6.5	5.5*	5.5*	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2018)					FC95M	RIDE	7.1	7.0	6.9	6.7	7.5	7.5	8.5	8.4	8.3	8.1	8.1	8.1	8.1	7.7	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = ROADWAY CONSTRUCTION LLC -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	=====																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR (AGE_ONE YEAR)	SURF_TYPE																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F															(REG)
87044000	0.280	1.727	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0
976			3	40	49500	RIDE	8.8	8.7	8.5	8.7	8.6	8.2	8.0	7.4	8.0	7.2	7.9	7.5	7.3	
SW 112 AVE(0.6C)																				
4363552	0.282	1.727	C	2020	0012	CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	
ROADWAY CONSTRUCTION LLC	(2023) FC95M RIDE 7.4 7.7 7.5 7.5 7.8 7.7 7.7 7.7 7.7 7.8 7.6 8.5 8.5																			
87044000	0.280	1.727	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0
976			3	40	49500	RIDE	8.7	8.6	8.6	8.7	8.6	8.0	7.9	7.2	7.7	7.8	7.8	7.7	7.6	
SW 11500 BLOCK(0.3L)																				
4363552	0.282	1.727	C	2020	0012	CRACKING	8.0	7.5	7.5	7.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	
ROADWAY CONSTRUCTION LLC	(2023) FC95M RIDE 7.6 7.4 7.3 7.4 7.6 7.6 7.6 7.6 7.8 7.7 7.8 8.3 8.3																			
87060001	2.498	3.014	R	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5		10.0	10.0	10.0	
A1A			3	30	34500	RIDE	6.5	6.2*	5.9*	5.6	5.7	5.6	5.8	6.0	5.3*		6.6	6.0	6.1	
CONDO ENTRANCE(2.6R)																				
4308131	2.498	2.831	R	2019	0015	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0
ROADWAY CONSTRUCTION LLC	(2021) DGFC RIDE 5.2* 5.4* 5.3* 5.5 4.8* 4.5* 4.5* 4.6* 4.2* 6.2 6.2 6.3 6.1 6.1																			
87060001	2.498	3.014	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5		10.0	10.0	10.0	
A1A			3	30	34500	RIDE	6.6	6.5	6.5	6.4	5.8	5.5	5.4*	5.2*	5.4*		7.1	6.9	6.9	
67 ST(2.6L)																				
4308131	2.616	3.014	L	2019	0015	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0
ROADWAY CONSTRUCTION LLC	(2021) DGFC RIDE 7.0 7.3 7.0 6.9 5.7 6.6 5.9 5.3* 5.1* 5.1* 4.9*																			
87140000	6.211	8.062	R	1	1	CRACKING	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
7 441			2	35	28500	RIDE	7.2	7.0	6.8	4.8*	7.5	7.0	6.8	6.9	6.9	6.9	6.4	6.9	6.8	
SIDE ROAD(6.2C)																				
4308173	6.211	8.062	C	2020	0012	CRACKING	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.0	7.0	7.0		10.0	10.0	
ROADWAY CONSTRUCTION LLC	(2023) FC95M RIDE 6.7 6.7 6.6 6.5 5.3* 5.0* 5.3* 5.1* 5.1* 4.9*																			
87140000	8.062	10.431	R	1	1	CRACKING	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
7 441			2	35	25500	RIDE	6.3*	5.9*	5.9*	5.8	7.5	7.0	6.8	6.9	6.9	6.9	6.4	6.9	6.8	
NW 117 ST(8.1R)																				
4308174	8.062	10.431	C	2020	0012	CRACKING	9.5	9.5	9.5	9.0	9.0	9.0	7.0	7.0	6.0*			10.0	10.0	
ROADWAY CONSTRUCTION LLC	(2023) FC95M RIDE 6.7 6.7 6.6 6.5 5.7 5.6 5.7 5.6 5.6																			
87140000	8.062	10.431	L	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
7 441			2	35	25500	RIDE	6.9	6.5	6.4*	6.1	8.1	7.6	7.5	7.3	7.4	7.4	7.3	7.4	7.3	
NW 117 ST(8.1L)																				
4308174	8.062	10.431	C	2020	0012	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*			10.0	10.0	
ROADWAY CONSTRUCTION LLC	(2023) FC95M RIDE 7.2 7.2 7.3 6.9 6.1 5.7 5.9 5.7 5.7																			
87140000	6.211	8.062	L	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
7 441			2	40	28500	RIDE	5.5*	5.3*	5.2*	4.5*	6.9	6.3	6.3	6.3	6.4	6.3	6.3	6.3	6.4	
SIDE ROAD(6.2C)																				
4308173	6.211	8.062	C	2020	0012	CRACKING	9.5	8.0	8.0	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*		10.0	10.0	
ROADWAY CONSTRUCTION LLC	(2023) FC95M RIDE 6.5 6.4 6.3 5.9 5.2* 4.8* 4.9* 4.8* 4.7* 4.7*																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = RUSSELL ENGINEERING, INC -----																					
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																	(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															
87053000	5.900	6.348	R	1	1	CRACKING		7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	
968				2	40	27500	RIDE	2.8*	5.2*	5.1*	5.7	3.1*	2.5*	3.0*	2.2*	2.6*	2.9*	3.0*	2.9*	2.9*	
SW 29 AVE(5.9R)																					
4180911	6.022	6.324	C	2016	0005	CRACKING		3.5*	3.5*	3.5*	3.5*	3.5*	0.0*			10.0	10.0	10.0	9.5	9.5	8.8
RUSSELL ENGINEERING, INC				(2020)	FC95M	RIDE		2.9*	2.7*	2.6*						5.0*	4.9*	4.8*	5.1*	4.6*	4.5

87053000	5.900	6.348	L	1	6	CRACKING		7.0	7.0	7.0	7.0	8.5	8.5	8.5	8.5	8.0	6.5	3.5*	3.5*	3.5*	
968				2	40	27500	RIDE	5.2*	4.9*	5.3*	4.9*	3.5*	3.1*	2.4*	2.4*	2.8*	2.4*	2.8*	2.4*	2.2*	
NW 27 CT(6.0L)																					
4180911	6.022	6.324	C	2016	0005	CRACKING		3.5*	3.5*	3.5*	3.5*	3.5*	0.0*			10.0	10.0	10.0	10.0	10.0	10.0
RUSSELL ENGINEERING, INC				(2020)	FC95M	RIDE		2.7*	2.0*	2.0*						5.0*					

87270000	10.202	12.091	L	4	4	CRACKING		6.6	7.6	9.4	8.8	8.7	8.7	8.6	7.3	7.0	7.0	6.1*	5.9*	4.1*	
9A	I95			4	60	206500	RIDE	6.9	7.1	8.6	8.7	7.8	7.6	7.4	7.2	7.1	6.6	6.5	6.4*	5.4*	
4.3																					
4275151	10.985	11.938	L	2013	0227	CRACKING		3.7*	2.9*	3.3*	8.9	8.9	8.8	8.8	8.7	8.6	8.3	8.4	8.3	7.6	7.4
RUSSELL ENGINEERING, INC				(2015)	LGD	RIDE		5.7*	5.4*	5.2*	4.6*	7.7	7.8	7.9	7.7	8.0	7.9	7.9	7.8	7.7	7.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = SOUTHEASTERN ENGINEERING CON -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP		SIDE)				%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P															
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)
87062000	3.024	3.678	C	1		1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	
959			2	35	20200		RIDE	7.7	7.6	7.8	7.6	7.5	7.1	7.0	6.8	7.1	7.1	7.0	6.7	6.7	
SW 22 ST(3.2L)						3.1															
4227231	3.087	3.497	C	2012		0012	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
SOUTHEASTERN ENGINEERING			C(2015)		FC95		RIDE	6.7	6.6		7.0	6.3	6.3	6.4	6.1	5.9	6.2	5.9	6.1	6.1	5.5
87062000	3.678	4.072	C	1		1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	6.5	
959			3	35	20200		RIDE	6.8	7.5	6.5	6.4	6.0	5.7	6.0	6.8	5.7	5.6	6.3	6.9	5.7	
SW 14 ST(3.7L)						3.1															
4227231	3.737	4.012	C	2012		0012	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.4
SOUTHEASTERN ENGINEERING			C(2015)		FC95		RIDE	5.8			7.5	6.7	6.6	6.2	6.3	6.1	5.7	5.5	5.7	6.1	4.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = THE BREWER COMPANY OF FLORID -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)	
87091000	0.000	4.075	C	1	1	CRACKING		6.5		10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5
994			2	45	9300	RIDE		6.4*		8.4	8.2	8.1	7.5	7.2	7.3	7.5	7.3	7.3	7.3	7.3	7.2	
KROME AVE(0.0C)										15.3												
2498991	0.000	4.325	C	1999	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5			7.0	7.0	7.0
THE BREWER	COMPANY	OF FLOR(2001)		FC125	RIDE			7.0	7.0	6.8	7.0	7.2	7.2	7.3	7.3	7.3	7.3			7.2	7.1	6.8
4439071	0.111	4.048	C	2023	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = THE DE MOYA GROUP INC. -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR			FUTURE										
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE
INTERSECT AT (MP SIDE)						*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P															
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	

90030000	6.129	7.282	C	1	1	CRACKING	7.5	7.5	7.5	7.0	6.5	6.5	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	
5 1			2	55	11300	RIDE	8.3	8.2	8.6	8.3	7.7	7.5	7.4	7.5	7.1	7.0	6.8	7.5	7.5	
16.3																				
4146481	5.977	7.284	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.8
THE DE MOYA GROUP INC.				(2010)	FC5	RIDE	7.6	7.7	7.6	7.6	7.7	7.7	7.6	7.6	7.7	7.7	7.7	7.6	7.4	7.4
4478061	5.465	7.283	C	2024	0012															

90030000	5.487	6.129	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	10.0	10.0	
5 1			2	55	13700	RIDE	7.8	8.2	8.0	8.2	7.9	7.7	7.5	7.7	6.8	6.4*	6.2*	7.3	7.4	
13.3																				
4146481	5.465	5.977	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.8
THE DE MOYA GROUP INC.				(2010)	FC5	RIDE	7.4	7.5	7.4	7.4	7.3	7.2	7.1	7.2	7.3	7.3	7.3	7.3	7.3	7.2
4478061	5.465	7.283	C	2024	0012															

90050000	0.000	0.864	C	1	1	CRACKING	6.5	6.5	6.5	5.0*	4.5*	4.5*	2.0*	1.0*	1.0*	1.0*	1.0*	1.0*	3.5*	
5 1			2	55	12700	RIDE	8.5	8.4	8.1	8.4	8.2	7.0	6.8	6.8	7.1	7.2	6.7	6.7	7.0	
15.0																				
W OF TOMS HARBOR BRIDGE(0.0C)	15.0															
4256001	0.187	8.530	C	2013	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9
THE DE MOYA GROUP INC.				(2015)	FC95	RIDE	7.9	7.9	7.9	8.5	8.4	8.4	8.3	8.3	8.3	8.2	8.3	8.1	8.1	7.9

90050000	1.144	1.778	R	1	1	CRACKING	6.5	4.0*	4.0*	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	
5 1			1	55	12700	RIDE	8.1	8.0	8.0	8.6	8.4	7.9	7.8	7.8	7.9	7.9	7.8	7.7	7.6	
15.0																				
4256001	0.187	8.530	C	2013	0012	CRACKING	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
THE DE MOYA GROUP INC.				(2015)	FC95	RIDE	7.5	7.3	7.3	7.8	7.6	7.5	7.0	7.4	7.4	7.5	7.6	7.4	7.4	7.3

90050000	1.778	3.517	C	1	1	CRACKING	6.5	4.0*	4.0*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.5	7.5	
5 1			2	55	12700	RIDE	8.1	8.0	8.0	8.3	8.2	7.6	7.5	7.6	7.7	7.6	7.5	7.3	7.0	
15.0																				
CORAL KEY VILLAGE(3.2R)					15.0															
4256001	0.187	8.530	C	2013	0012	CRACKING	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.9
THE DE MOYA GROUP INC.				(2015)	FC95	RIDE	6.7	6.7	6.4*	8.5	8.1	8.1	7.9	7.7	7.9	7.9	7.9	7.8	7.8	7.4

90050000	5.784	8.527	C	1	1	CRACKING	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.0	6.5	6.5	
5 1			2	55	12700	RIDE	8.2	8.0	7.9	8.5	8.3	7.7	7.8	7.7	7.8	7.8	7.6	7.4	7.2	
15.0																				
LAYTON CITY LIMITS(8.4R)					15.0															
4256001	0.187	8.530	C	2013	0012	CRACKING	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
THE DE MOYA GROUP INC.				(2015)	FC95	RIDE	6.9	6.9	6.7	8.6	8.1	8.0	8.0	8.0	7.9	7.9	7.8	7.7	7.7	7.3

90050000	1.144	1.778	L	1	1	CRACKING	6.5	4.0*	4.0*	10.0	10.0	10.0	9.0	9.0	10.0	10.0	9.5	9.0	9.0	
5 1			1	55	12700	RIDE	8.1	8.0	8.0	8.6	8.4	7.9	7.8	7.8	8.2	8.2	7.8	7.9	8.0	
15.0																				
4256001	0.187	8.530	C	2013	0012	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
THE DE MOYA GROUP INC.				(2015)	FC95	RIDE	8.0	8.0	7.9	8.3	7.9	8.0	7.9	7.9	8.0	7.9	7.9	7.9	7.8	7.7

90060000	13.135	16.313	C	1	1	CRACKING	7.5	7.5	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0		
5 1			2	45	30500	RIDE	8.5	8.5	8.5	8.5	8.1	7.4	7.4	7.5	7.4	7.3	7.0	7.6	7.6	
11.7																				
FRONTAGE RD(13.5R)					11.7															
4146491	13.027	16.322	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	3.3
THE DE MOYA GROUP INC.				(2010)	FC5M	RIDE	7.6	7.7	7.6	7.6	7.7	7.7	7.6	7.5	7.7	7.6	7.6	7.5	7.5	7.5
4478101	13.417	16.359	C	2027	0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = THE STOUT GROUP LLC -----																				
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
INTERSECT AT (MP	W_BMP	W_EMP	RW	FY-P	WKM	-%T	=====													
ITMSEG-P	(AGE_ONE	YEAR)						2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	-F														2029
ITMSEG-F																				(REG)
87017000	0.000	0.145	C	1	6	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.0	9.5	9.5	9.0	9.0	9.5	9.5	9.0
913			4	30	20500	RIDE	6.0*	6.7	5.9*	4.3*	5.7	5.0*	4.6*	4.7*	5.1*	5.5				
SW 1 AVE(0.0C)																			
4291491	0.000	0.161	C	2015	0015	CRACKING	9.0	9.0	9.0	9.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
THE STOUT	GROUP LLC			(2017)		RIDE														9.0
4459951	0.010	0.363	C	2024	0012															
87027000	0.000	0.479	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5	6.5	10.0	10.0	
969			3	40	24200	RIDE	6.5	8.0	7.2	7.4	5.4*	5.2*	5.5	5.5	5.6	5.8	7.7	7.2		
FLAGLER ST(0.0C)																			
4293453	0.019	0.436	C	2021	0012	CRACKING	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	10.0	10.0	
THE STOUT	GROUP LLC			(2023)	FC125	RIDE	7.5	7.7	7.7	7.7	7.4	6.9	7.1	7.2	6.8	6.9	7.6	6.9	7.2	
87027000	0.000	0.479	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	7.0	10.0	10.0		
969			3	40	24200	RIDE	7.9	7.5	7.6	7.2	7.5	5.7	6.0	5.7	6.5	6.2	6.6	7.1	7.6	
FLAGLER ST(0.0C)																			
4293453	0.019	0.436	C	2021	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	5.5*	5.5*	10.0	10.0	
THE STOUT	GROUP LLC			(2023)	FC125	RIDE	7.0	7.6	7.6	7.6	7.8	7.0	7.3	7.5	7.3	7.2	7.6	7.9	7.7	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = TOPPINO'S INC. -----																															
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE										
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011											
INTERSECT AT (MP SIDE)							=====																								
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																									
CONTRACTOR	(AGE_ONE	YEAR)	SURF_TYPE															2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F															(REG)										
90010000	0.000	0.401	C	1	8	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5									
5	1		2	25	6900	RIDE	7.6	6.8	6.9	7.2	5.6	5.5	5.3*	6.6	5.1*	5.6	5.2*														
FLEMING ST(0.0C)																															
2504491	0.095	1.244	C	1994	0102	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	4.5*	3.5*												
TOPPINO'S INC.																															
(1998) UNKW RIDE																															
4438921	0.000	0.401	C	2022	0012																										

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@ " INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = TRANS FLORIDA DEVELOPMENT CO -----																						
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F														(REG)		
87020000	5.278	7.001	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5			
5	1			2	45	43000	RIDE	8.1	8.1	8.1	8.1	5.8*	7.4	7.2	7.2	7.3	7.3	7.1	7.0			
SW 284 ST(5.4R)																						
4106252	5.278	7.001	C	2010	0005	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2	
TRANS FLORIDA DEVELOPMENT (2013) FC5								7.5	7.5	7.6	7.7	7.7	7.7	7.4	7.7	7.6	7.4	7.6	7.4	7.6	7.4	7.4

87020000	5.278	7.001	L	1	1	CRACKING	7.0	6.5	6.0*	6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	4.0*	4.0*	3.5*	3.5*			
5	1			2	45	43000	RIDE	8.5	8.5	8.5	8.3	8.1	7.4	7.2	7.2	7.0	7.0	6.9	6.8			
SW 284 ST(5.4L)																						
4106252	5.278	7.001	C	2010	0005	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	
TRANS FLORIDA DEVELOPMENT (2013) FC5								7.5	7.6	7.6	7.8	7.8	7.8	7.3	7.7	7.5	7.6	7.5	7.4	7.4	7.4	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN - 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RY	FY-P	WKMX-P	*****														
ITMSEG-P	(AGE_ONE YEAR)	YEAR	W	W	W	W	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029
CONTRACTOR	W_BMP	W_EMP	FW	W	W	W														(REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															
87001000	2.716	4.846	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0
94				3	45	37500	8.6	8.5	8.5	8.5	8.3	7.8	7.7	7.6	7.9	7.8	7.6	7.5	7.5	
SW 149 AVE(2.9R)																				
4332643	2.730	4.822	R	2021	0012	CRACKING	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2023) FC95M RIDE 7.4 7.4 7.4 7.2 7.4 7.1 7.3 6.7 7.3 7.4 7.1 7.6 7.6																				
87001000	2.716	4.716	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	
94				3	45	37500	8.3	8.3	8.1	8.2	8.1	7.7	7.6	7.2	7.4	7.4	7.4	7.4	7.4	7.2
SW 149 AVE(2.9L)																				
4332643	2.730	4.828	L	2021	0012	CRACKING	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2023) FC95M RIDE 7.2 7.2 7.1 7.1 7.1 7.1 6.9 6.9 6.8 6.9 6.9 6.8 7.4 7.5																				
87002000	7.777	9.459	R	1	1	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	
823				3	45	44500	8.5	8.1	8.3	8.0	7.9	7.6	7.3	7.1	6.9	7.6	7.4	7.4	7.5	
NW 189 ST(7.9C)																				
4146171	7.781	9.699	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	7.5	7.5
WEEKLEY ASPHALT PAVING, IN(2008) FC5 RIDE 7.4 7.4 7.4 7.3 7.3 7.1 7.0 6.8 7.1 7.0 7.0 6.8 7.0 6.6																				
4525671	7.752	9.399	C	2027	0012															
87002000	7.777	9.459	L	1	1	CRACKING	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
823				3	45	44500	8.2	8.1	8.1	7.9	8.2	7.5	7.4	7.2	7.0	6.8	6.7	6.9	6.8	
NW 189 ST(7.9C)																				
4146171	7.781	9.699	C	2005	0012	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	9.0	6.5	7.5	7.5	7.1
WEEKLEY ASPHALT PAVING, IN(2008) FC5 RIDE 6.7 6.7 6.6 6.7 6.6 6.6 6.5 6.5 6.4 6.6 6.4 6.5 6.5 6.5 6.3																				
4525671	7.752	9.399	C	2027	0012															
87008000	5.102	7.114	C	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	
916				3	40	12500	8.1	7.7	7.6	7.6	7.2	6.7	6.4	6.5	6.4	6.6	6.4	6.1	6.4	
NW 26 CT(5.1R)																				
4291461	5.102	7.007	C	2014	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2016) FC95A RIDE 6.4 5.7 5.7 5.5 7.5 7.4 7.4 7.4 7.2 7.3 7.0 7.3 7.0 7.3 7.0 6.8																				
87019000	2.977	4.007	R	1	2	CRACKING	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	4.5*	
817				3	45	48000	8.5	8.3	8.3	8.4	8.2	7.7	7.6	7.4	7.4	7.4	7.6	7.6	7.4	
NW 187 ST(3.0R)																				
4291861	2.977	4.007	C	2014	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2016) FCA RIDE 7.4 7.4 7.3 7.3 8.3 8.2 8.2 8.0 8.0 8.0 8.1 8.0 8.1 8.0 7.7 7.6																				
87019000	4.007	4.866	R	1	7	CRACKING	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	
817				3	45	48000	8.5	8.3	8.3	8.4	8.2	7.7	7.6	7.4	7.4	7.4	7.1	7.3	7.0	
NW 203 ST(4.1R)																				
4291863	4.007	4.853	C	2022	0012	CRACKING	10.0	10.0	10.0	9.0	6.5	6.5	3.5*	0.0*	0.0*	0.0*	0.0*	0.0*	10.0	
WEEKLEY ASPHALT PAVING, IN(2024) FC2 RIDE 7.0 7.2 7.1 7.1 7.1 7.2 7.0 7.2 7.0 6.9 6.8 7.2 7.0																				
87019000	4.007	4.866	L	1	7	CRACKING	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.0	7.0	7.0	10.0	10.0	10.0	
817				3	45	48000	8.4	8.3	8.5	8.2	8.2	7.7	7.2	7.0	6.8	7.0	7.1	7.1	6.7	
NW 207 ST(4.4C)																				
4291863	4.007	4.853	C	2022	0012	CRACKING	10.0	10.0	10.0	9.0	6.5	6.5	3.5*	0.0*	0.0*	0.0*	0.0*	10.0		
WEEKLEY ASPHALT PAVING, IN(2024) FC95M RIDE 6.8 7.1 7.2 7.0 7.1 7.1 6.6 6.8 5.7 6.7 6.7																				
87019000	2.977	4.007	L	1	2	CRACKING	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.0	7.0	7.0	6.5	6.5	4.5*	
817				3	45	48000	8.4	8.3	8.5	8.2	8.2	7.7	7.2	7.0	6.8	7.0	7.2	7.0	7.2	
NW 191 ST(3.2C)																				
4291861	2.977	4.007	C	2014	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2016) FC95A RIDE 7.1 6.9 7.1 6.8 8.5 8.4 8.4 8.1 8.3 8.3 8.3 8.3 7.9 7.9																				
87020000	15.240	17.386	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	
5				3	45	62000	8.7	8.6	8.6	8.6	8.4	7.9	7.8	7.7	7.8	7.9	7.8	7.7	7.6	
COLONIAL DR(15.5C)																				
4253481	15.265	17.408	R	2012	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2014) FC95 RIDE 7.5 7.3 8.0 7.9 7.9 7.8 7.8 7.5 7.6 7.7 7.6 7.6 7.6 7.6 7.7 7.4																				
87020000	15.240	17.386	L	1	1	CRACKING	10.0	9.0	8.5	8.5	7.5	7.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	
5				3	45	62000	8.7	8.7	8.6	8.3	8.3	7.8	7.7	7.6	7.6	7.7	7.6	7.5	7.3	
BEG SECTION 87020001(15.3L)																				
4253481	15.265	17.408	L	2012	0012	CRACKING	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.6
WEEKLEY ASPHALT PAVING, IN(2014) FC95 RIDE 7.0 6.9 8.0 7.9 7.9 7.9 7.8 7.4 7.7 7.6 7.6 7.6 7.6 7.5 7.2																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024-2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6															CONTRACTOR = WEEKLEY ASPHALT PAVING, INC.																							
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR										FUTURE																				
SR	US	G_BMP	G_EMP	LN	SPEED	ADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029				
INTERSECT AT (MP SIDE)		W_BMP		W_EMP		FY-P	WKM-F	*****																														
		(AGE_ONE YEAR)		YEAR		WKM-F																																
87026000		5.529	6.470	R	1	1	CRACKING	10.0	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5					
860				3	40	41000	RIDE	7.6	6.3*	7.2	5.7	5.7	6.9	6.9	6.4	7.0	7.1	6.4	6.6	6.7																		
END FRONTAGE RD(5.6R)																																						
4124721		5.561	6.601	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0		
WEEKLEY ASPHALT PAVING, INC(2007) FC95 RIDE																																						
4478011		5.505	6.474	C	2025	0012																																

87026000		5.529	6.470	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
860				3	40	41000	RIDE	7.4	7.7	8.1	7.9	7.9	7.0	6.9	6.6	7.7	7.9	8.0	8.0	8.0	7.9																	
MIAMI GARDENS DR(5.6L)																																						
4124721		5.561	6.601	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5		
WEEKLEY ASPHALT PAVING, INC(2007) FC95 RIDE																																						
4478011		5.505	6.474	C	2025	0012																																

87026005		0.767	3.664	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	6.5																	
860				2	40	39000	RIDE	6.7	6.7	6.7	6.3	6.0	6.0	6.0	5.8	5.2*	5.7	5.8	5.8	5.7																		
NW 84 CT(0.8R)																																						
4077361		0.767	2.543	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.8																	
WEEKLEY ASPHALT PAVING, INC(2012) FC95 RIDE																																						

87026005		0.767	3.664	L	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*																		
860				2	40	39000	RIDE	6.8	6.8	6.6	6.5	6.4	6.0	6.1	6.0	5.7	5.9	6.0	6.0	6.0																		
IBIS VILLA S ENT(0.8L)																																						
4077361		0.767	2.543	C	2010	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	5.8																	
WEEKLEY ASPHALT PAVING, INC(2012) FC95 RIDE																																						

87030000		24.278	24.907	R	1	1	CRACKING		7.0			10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0																		
5				4	45	55500	RIDE		7.3			8.1	7.3	7.1	7.1	7.2	7.6	7.5	7.4	7.2																		
AVENTURA BLVD(24.3R)																																						
4146243		24.354	24.927	R	2015	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, INC(2018) FC95A RIDE																																						

87030000		24.907	25.402	R	1	1	CRACKING	9.0	7.0	7.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0																		
5				3	45	55500	RIDE	8.7	7.3	8.0	8.5	7.9	7.4	7.3		8.1	7.8	8.0	7.5	7.7																		
NE 209 ST(25.0C)																																						
4146243		24.927	25.464	R	2015	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
WEEKLEY ASPHALT PAVING, INC(2018) FC95A RIDE																																						

87030000		24.278	25.402	L	1	2	CRACKING	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0																	
5				3	45	55500	RIDE	8.1	8.2			7.8	7.4	7.5	7.5	7.4	7.4	7.7	7.6	7.2																		
SPUR(24.6L)																																						
4146243		24.278	25.464	L	2015	0012	CRACKING	8.0	8.0	8.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
WEEKLEY ASPHALT PAVING, INC(2018) FC95A RIDE																																						

87034000		3.641	5.867	C	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5																		
915				4	40	24000	RIDE	8.2	7.3	8.0	7.2	7.7	6.6	6.6	6.3	6.6	6.2	6.1	6.2	6.0																		
NE 147 ST(3.7L)																																						
4226201		3.641	5.867	C	2013	0012	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.1																	
WEEKLEY ASPHALT PAVING, INC(2015) FC95 RIDE																																						

87040102		0.000	0.506	C	1	1	CRACKING																															
925				4	30	15000	RIDE																															
MIAMI CITY LIMITS(0.0C)																																						
4293004		0.138	0.403	C	2020	0012	CRACKING						4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
WEEKLEY ASPHALT PAVING, INC(2022) FC95M RIDE																																						

87053000		0.000	1.183	R	1	1	CRACKING	9.0	9.0	9.0	9.0	8.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*																		
968				3	40	50000	RIDE	7.6	7.1	7.4	7.6	7.1	6.9	6.3	6.1	6.4	6.5	6.4	6.4	6.3																		
GALLOWAY RD(0.0C)																																						
4198501		0.000	1.119	C	2010	0015	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5																	
WEEKLEY ASPHALT PAVING, INC(2013) DGFC RIDE																																						

87053000		0.000	1.183	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5	4.5*	4.5*	4.5*																		
968				3	40	50000	RIDE	8.4	8.3	8.2	7.8	8.1	7.4	7.2	7.1	6.5	6.5	7.0	6.5	6.6																		
GALLOWAY RD(0.0C)																																						
4198501		0.000	1.119	C	2010	0015	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2																	
WEEKLEY ASPHALT PAVING, INC(2013) DGFC RIDE																																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----

RDWYID	SR	US	BMP	G_BMP	EMP	G_EMP	RW	LN	SPEED	ADT	SYSTEM	TYPE	DISTRESS	RATINGS	SURVEYED YEAR										FUTURE							
															1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		2009	2010	2011				
INTERSECT AT (MP SIDE)														=====																		
ITMSEG-P			W_BMP	W_EMP	W_EMP	RW	FY-P	WKM	-P																							
CONTRACTOR			(AGE_ONE	YEAR)	YEAR)	RW	FY-P	WKM	-P																							
ITMSEG-F			W_BMP	W_EMP	W_EMP	RW	FY-F	WKM	-F																							
															2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029				
															(REG)																	
87080900	934		37.987		38.617	R	1	2	40	24100	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.5		10.0				
NW 10 AVE(38.2R)															5.7*	5.7*	6.3*	6.3	5.0*	4.7*	5.4*	5.2*	5.2*	5.4*	5.7				6.4			
4274521			38.069		38.557	C	2014			0012	CRACKING	10.0	8.5	8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5				
WEEKLEY ASPHALT PAVING, IN(2017)															6.1	6.3	6.3	6.1		6.9												
87080900	934		38.617		40.027	C	1	4	35	25700	6	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			
MIDAS ENTRANCE(38.6L)															7.5	7.1	7.0	7.2	6.7	5.6	5.7	5.6	5.9	5.9	5.5	5.7	5.5					
4274521			38.557		40.027	C	2014			0012	CRACKING	3.5*	3.5*	3.5*	2.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.9				
WEEKLEY ASPHALT PAVING, IN(2017)															5.4*	5.2*	5.3*	5.4*														
87080900	934		37.987		38.617	L	1	2	40	24100	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	7.0		10.0				
ELEVENTH CT NW(38.0L)															6.3*	6.8	6.3*	6.4	6.4	4.9*	6.8	6.2	6.8	6.7	6.2					6.4		
4274521			38.069		38.557	C	2014			0012	CRACKING	10.0	8.5	8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	5.8				
WEEKLEY ASPHALT PAVING, IN(2017)															6.1	6.3	6.3	6.1		6.9												
87080900	934		33.627		34.211	L	1	2	35	26500	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5			10.0	10.0				
SIDE ROAD(33.6C)															7.2	6.7	5.9*	5.7	5.4*	4.9*	5.3*	5.0*	4.7*	5.4*						7.5	7.4	
4180661			33.196		34.211	C	2008			0012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.4				
WEEKLEY ASPHALT PAVING, IN(2010)															6.7	6.6	6.6	6.9	5.8	5.7	5.9	6.1	5.9	5.5	5.6	5.5	5.6	5.4*	5.5	4.5		
4439091			33.196		34.211	C	2024			0012																						
87080900	934		33.196		33.627	L	1	2	35	26500	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0				
W 3 AVE(33.3L)															6.5	6.9	7.2	6.8	6.7	4.5*	5.1*	4.7*	5.3*							5.8	5.9	
4180661			33.196		34.211	C	2008			0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3				
WEEKLEY ASPHALT PAVING, IN(2010)															5.1*	5.7	5.9	5.9	5.8	5.6	4.9*	5.5	4.7*	4.8*	5.3*	4.9*	5.0*	4.6				
4439091			33.196		34.211	C	2024			0012																						
87140000	7	441	5.610		6.211	R	1	3	35	30500	1	CRACKING	6.5	6.5	6.5	4.5*	4.5*		10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0				
SR 934(5.6C)															7.2	7.0	6.8	4.8*	7.3		6.9	6.4	7.1	6.4	6.2	6.4	6.2					
4308172			5.657		6.214	C	2018			0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0					10.0	10.0	10.0	10.0				
WEEKLEY ASPHALT PAVING, IN(2022)															6.1	6.1	6.1	6.1	5.0*	5.1*	5.4*	5.2*							6.7	6.4	6.3	5.3
87140000	7	441	5.610		6.211	L	1	3	35	30500	1	CRACKING	4.5*	4.5*	4.5*	4.5*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
SR 934(5.6C)															5.5*	5.3*	5.2*	4.5*	3.5*		6.3	6.1	6.1	6.1	6.0	6.0	6.0					
4308172			5.657		6.214	C	2018			0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5					10.0	10.0	10.0	10.0				
WEEKLEY ASPHALT PAVING, IN(2022)															5.8	5.8	5.4*	5.3*	5.3*	5.6	5.3*	5.1*							6.2	6.2	5.7	4.5
87170000	826		0.373		3.701	R	1	3	35	61500	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0				
TN LN TO NW 2 AVE(0.5R)															8.0	8.1	8.2	8.1	8.1	7.4	7.3	7.2	7.4	8.1								
4126372			2.015		3.557	C	2006			0012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5				
WEEKLEY ASPHALT PAVING, IN(2008)															7.7	7.5	7.4	7.1	7.1	6.8	7.0	7.0	6.8	7.0	6.9	6.8	6.7					
4525611			0.512		3.667	C	2027			0012																						
87170000	826		0.373		3.701	L	1	3	35	61500	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0				
TRN LN TO NW 2 AVE(0.5L)															7.9	8.0	8.0	7.6	8.0	7.3	7.0	7.2	7.0	7.8	7.7	7.8	7.7					
4126372			2.015		3.557	C	2006			0012	CRACKING	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.5	6.5				
WEEKLEY ASPHALT PAVING, IN(2008)															7.7	7.6	7.4	7.3	7.3	6.8	6.8	6.9	6.6	6.9	6.7	6.6	6.5					
4525611			0.512		3.667	C	2027			0012																						
87240000	9		1.739		2.985	R	1	3	40	39500	1	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0					
SEVENTH ST SW(1.8C)															8.5	8.4	8.3	8.3	8.1	7.0	6.7	6.6	6.6	6.3	6.4	7.1	6.9					
4198471			1.739		2.975	C	2009			0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5				
WEEKLEY ASPHALT PAVING, IN(2010)															6.7	6.6	6.5	6.4	6.7	6.6	6.5	6.3	6.0	6.0	5.9	6.2	5.8					
87240000	9		1.739		2.985	L	1	3	35	39500	1	CRACKING	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0				
SEVENTH ST SW(1.8C)															7.7	7.8	7.9	7.8	7.2	6.2	6.3	6.3	6.3	6.3	6.0	5.3*	5.6					
4198471			1.739		2.975	C	2009			0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	8.0	7.0					
WEEKLEY ASPHALT PAVING, IN(2010)															6.8	6.4	6.6	6.7	6.4	6.2	6.4	6.3	6.3	6.3	6.3	6.2	6.2					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 ** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2024 - 2029, EXTRACTED ON 02/06/2024

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = WEEKLEY ASPHALT PAVING, INC. -----

RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR											FUTURE				
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011		
INTERSECT AT (MP SIDE)							*****															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM	-P																
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE			2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2029	(REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM	-F																
87250000	4.526	5.822	C	1	1	CRACKING	10.0	10.0	10.0	9.0	8.0	8.0		10.0	10.0	10.0	8.5	8.5	8.5			
944			4	40	14500	RIDE	6.3*	6.1*	5.7*	6.5	5.5	5.4*		6.6	6.5	6.7	6.6	6.1	5.8			
ENT FROM SR 9A(4.6C)																						
4282782	4.517	5.761	C	2018	0012	CRACKING	8.5	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0		
WEEKLEY ASPHALT PAVING, IN(2021) FC95M							6.0	5.5	5.2*	5.1*	5.5	5.1*	5.2*	5.0*	4.6*	6.4	6.2	6.2	5.9	5.2		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2029 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).