

FDOT D4 PD&E Support Services

SR A1A

Sebastian Inlet Bridge Replacement Traffic Counts and Traffic Projections

Roadway ID: 88070-000
Bridge ID: 880005

FINAL REPORT

Indian River County, Florida

FM No: 445618-1
TWO # 20

Prepared for:
Florida Department of Transportation – District 4



Prepared by:
Trident Engineering, LLC.
10232 NW 47th Street
Sunrise, Florida 33351

March 30, 2020

Table of Contents

Introduction	1
Data Collection.....	1
Existing AADT Volumes	5
Growth Rates	5
Projected Traffic Volumes	10

List of Tables

Table 1 - 2019 AADTs.....	6
Table 2 - Growth Rates using Historical Data	8
Table 3 - Growth Rates using Historical Data + TCRPM4 2040 Data	8
Table 4 - Growth Rates using TCRPM4 2010 and 2040 Data	9
Table 5 – Selected TAZ’s Population and Employment Growths.....	9
Table 6 – Recommended Growth Rates	9
Table 7 – Projected Link AADTs	10

List of Figures

Figure 1 - Traffic Count Locations	3
Figure 2 - Existing Peak AM (PM) Hour Turning Movements.....	4
Figure 3 - TAZs Influencing the Study Area and Traffic Count Locations.....	7
Figure 4 - Projected 2045 Peak AM (PM) Hour Turning Movements	10

List of Appendices

Appendix A – Bicycle and Pedestrian Counts
Appendix B – Turning Movement Volume (TMC) Counts
Appendix C – 72-Hr. Bi-Directional Vehicle Classifications Counts
Appendix D – 72-Hr. Bi-Directional Vehicle Volume Counts
Appendix E – Seasonal and Axel Correction Factors
Appendix F – Countywide Population Growth Data
Appendix G – Regression Analysis using Traffic Analysis Tool - V3.0
Appendix H – TmTool Spreadsheets

Introduction

The Florida Department of Transportation (FDOT) has programmed a PD&E Study to replace the Sebastian Inlet Bridge in Indian River County. The Sebastian Inlet Bridge (No. 880005) is 1,542-foot long. It is located along State Road A1A (Section No. 88070: BMP. 22.364 EMP 22.656) over the Sebastian Inlet and at Indian River/Brevard county line. The Sebastian Inlet Bridge facilitates traffic flow along the barrier island between Wabasso Beach on the south and Melbourne Beach to the north. State parks are located at both ends of the bridge. The state park on the south end has campgrounds and a boat ramp, and the state park on the north end has a fishing pier. The Sebastian Bridge replacement study extends from the south entrance of the SR A1A/Wabasso Beach Parking Lot to approximately 1.9 miles to the north of the state park marina entrance.

The existing bridge was constructed in 1965 and found to need replacement by the Intracoastal Waterway Bridge Safety Study of FDOT D4. The PD&E Study will investigate the feasibility of adding sidewalks and/or bicycle paths on bridge. The replacement bridge will be along the same general alignment of the existing bridge; however, the vertical clearance is anticipated to be increased from 37 feet to 65 feet.

This report presents the existing and projected traffic data to support the PD&E Study. The tasks performed to prepare this study include:

- Collecting Pedestrians and Bicyclists counts.
- Collecting Vehicle Turning Movement Counts (TMC).
- Collecting 72-Hours of bi-directional vehicle classification counts.
- Collecting 72-Hours of volume counts.
- Performing traffic projections and traffic forecasting.

Data Collection

Four types of data were collected to prepare existing and future traffic volumes to facilitate the PD&E Study – the count locations are shown on Figure 1:

1. Pedestrian and Bicycle Data

The pedestrian and bicycle data were collected at both ends of the Sebastian Inlet Bridge in accordance with the MUTS and D4 procedures. The data was collected for 4 consecutive days, starting on December 12 (Thursday) through December 15 (Sunday), for a period of 14 hours (6 AM to 8 PM) per day. The data collection was scheduled to coincide with the *Night Sounds at Sebastian Inlet Concert* on December 14 (Saturday 6 PM – 9 PM) at the state park to represent the maximum potential impact of pedestrians and bicyclists activities. The pedestrian and bicycle data are included in Appendix A.

2. Turning Movement Count (TMC) Data

The tuning movement counts (TMC) was collected in accordance with the MUTS and D4 procedures. The TMC were collected at the entrance/exit driveways to the state parks on SR A1A at both ends of the Sebastian Inlet Bridge. Consistent with the pedestrian and

Sebastian Inlet Bridge Replacement Traffic Counts and Traffic Projections

bicyclists data, the TMCs were collected for 4 consecutive days, starting on December 12 (Thursday) through December 15 (Sunday), for a period of 10 hours (7 AM to 1 PM and 3 PM to 7 PM) per day. The TMCs are included in Appendix B. The peak hour TMCs for the four days (Thursday, Friday, Saturday, and Sunday) are shown on Figure 2.

Figure 1 – Traffic Count Locations





Figure 2 – Existing Peak AM (PM) Hour Turning Movements



3. Bi-directional - 72 Hours of Vehicle Classification Data

Bi-directional 72 Hours of vehicle classification data was collected starting November 12 (Tuesday) for three days on the Sebastian Inlet Bridge. The northbound data represented consistent vehicle classification percentages among the three days. Whereas the southbound data exhibited inconsistent vehicle classification percentages among the three days as well as compared to northbound data. Therefore, the southbound data was repeated on December 10 (Tuesday) for three days. The bi-directional, 72-hour vehicle classification data is included in Appendix C.

4. Bi-directional - Vehicle Volume Data

Bi-directional 72 Hours of vehicle volume data was collected at the following locations starting November 12 (Tuesday) for three days. The data collection was repeated on December 10 (Tuesday) for three days at some locations due to vandalism and broken hoses:

- a) SR AIA @ CR 510/Wabasso Beach Parking Lot – four approaches.
- b) SR A1A near Hammock Trail Entrance – two approaches.
- c) SR 5 (US 1) @ CR 510 – four approaches.
- d) *Melbourne Causeway/SR I92 – two approaches.
- e) *SR 192 @ SR AIA – four approaches.

* - Data was collected to supplement the OD Survey conducted by the Department and NOT used for the traffic projections

The bi-directional, 72-hour vehicle volume data is included in Appendix D.

Existing AADT Volumes

The Seasonal Factor (SF) and Axle Correction Factor were obtained from the 2018 FDOT Traffic Online and included in Appendix E. The appropriate factors were applied to three-day short-term traffic counts to establish the 2019 AADT volumes. The 2019 AADTs are presented in Table 1.

Growth Rates

Several data sources were used to evaluate the traffic conditions and historical growth pattern in the study area, including historical traffic counts, and the Treasure Coast Regional Planning Model (TCRPM) V4.0 output data. Different forecasting methodologies were utilized to develop the most reasonable growth rates for the study locations, which include the following:

- Regression analysis of up to 10 years of most recent historical AADT volumes from FDOT count stations as reported by the 2018 FDOT Traffic Online
- Regression analysis including the 2040 TCRPM4 model volumes and up to 10 years of most recent historical AADT from 2018 FDOT Traffic Online
- Growth between base year 2010 and future year 2040 TCRPM4 model volumes

Sebastian Inlet Bridge Replacement
Traffic Counts and Traffic Projections

Table 1 - 2019 AADTs


Traffic Count Location	Daily Volumes			3-Day Ave. Vol.	Correction Factors		Directional 2019 AADT	Total 2019 AADT
	Tues.	Wed.	Thurs.		Seasonal	Axle		
Sebastian Inlet Bridge - NB	1,575	1,235	1,375	1,395	1.06	N/A	1,479	2,959
Sebastian Inlet Bridge - SB	1,682	1,479	1,150	1,437	1.03	N/A	1,480	
SR A1A & CR 510 East leg - EB	810	672	398	627	1.03	0.98	633	1,260
SR A1A & CR 510 East leg - WB	799	691	372	621	1.03	0.98	627	
SR A1A & CR 510 West leg - EB	4,397	3,923	4,213	4,178	1.06	0.97	4,295	8,395
SR A1A & CR 510 West leg - WB	4,137	3,848	3,975	3,987	1.06	0.97	4,099	
SR A1A & CR 510 North leg - NB	3,597	3,048	3,261	3,302	1.06	0.98	3,430	7,011
SR A1A & CR 510 North leg - SB	3,784	3,194	3,363	3,447	1.06	0.98	3,581	
SR A1A & CR 510 South leg - NB	3,591	4,253	4,475	4,106	1.06	0.98	4,266	9,130
SR A1A & CR 510 South leg - SB	4,954	4,415	4,679	4,683	1.06	0.98	4,864	
CR510 & US-1 East leg - EB	6,344	6,058	6,419	6,274	1.06	0.97	6,451	12,151
CR510 & US-1 East leg - WB	5,451	5,456	5,725	5,544	1.06	0.97	5,700	
CR510 & US-1 North leg - NB	11,131	10,820	11,092	11,014	1.06	0.98	11,442	21,614
CR510 & US-1 North leg - SB	9,940	9,617	9,820	9,792	1.06	0.98	10,172	
CR510 & US-1 South leg - NB	18,398	18,286	14,804	17,163	1.03	0.98	17,324	29,822
CR510 & US-1 South leg - SB	12,876	12,720	11,548	12,381	1.03	0.98	12,498	
CR510 & US-1 West leg - EB	8,698	8,628	7,239	8,188	1.03	0.97	8,181	17,707
CR510 & US-1 West leg - WB	9,426	8,972	9,395	9,264	1.06	0.97	9,526	
Melbourne Causeway - EB	13,983	13,077	13,555	13,538	1.06	0.98	14,064	32,369
Melbourne Causeway - WB	18,258	17,187	17,419	17,621	1.06	0.98	18,305	
North of Hammock Trail Ent. - NB	2,361	2,121	1,166	1,883	1.03	0.98	1,900	3,640
North of Hammock Trail Ent. - SB	2,010	1,930	1,231	1,724	1.03	0.98	1,740	
SR192 & SR A1A North Leg - NB	10,573	10,478	9,684	10,245	1.03	0.98	10,341	21,116
SR192 & SR A1A North Leg - SB	11,140	10,789	10,095	10,675	1.03	0.98	10,775	
SR192 & SR A1A South Leg - NB	9,665	9,063	8,607	9,112	1.03	0.98	9,197	18,554
SR192 & SR A1A South Leg - SB	9,286	9,450	9,074	9,270	1.03	0.98	9,357	

In addition, the projected population growth for Indian River County from the *2019 FDOT Technical Memorandum - Projections of Florida Population by County, 2020-2070* were used to qualitatively assess the recommended growth rates. Indian River County has a population growth rate of 1.43% (linear), 1.19% (exponential), and 2.76% (decaying exponential). The countywide population growth data is presented in Appendix F.

Following six FDOT count stations are the closest to the data collection locations. The TCRPM4 shape files were reviewed and TAZs 1, 2, 3, 4, 53, 54, 56, 69, 70, 71, 72, 73, and 74 were identified to influence the study area. The TAZs influencing the study area and the FDOT count stations are presented in Figure 3.:

- 880009 - SR A1A, north of CR 510/Wabasso Road
- 880101 - SR 5, south of CR 510/Wabasso Road
- 880108 - CR 510/Wabasso Road, east end of ICWW bridge
- 880174 - SR A1A, south of CR 510/Wabasso Road
- 880291 - SR A1A, 0.5 miles south of Sebastian Inlet bridge
- 887035 - CR 510/85th Street, east of 58th Avenue

Figure 3 – FDOT Count Stations and TAZs



The results of regression analysis of count data using the following methods are presented in Tables 2 through 4:

- Historical AADT volumes including the observed 2019 AADT calculated from the 2019 72-hour traffic counts,
- Historical AADT combined with 2040 TCRPM4 model volumes, and
- Traffic growth between 2010 and 2040 extracted from the TCRPM4 data

The *Traffic Analysis Tool, Version 3.0*, developed by FDOT Central Office was used for the analysis. Linear, exponential, and decaying exponential trend lines were fit to the data. The regression analysis is included in Appendix G.

Table 2 – Growth Rates using Historical Data

Count Location	Count Station	Historical Growth Rates					
		Linear Growth	R-Square	Exponential Growth	R-Square	Decaying Exponential Growth	R-Square
Sebastian Inlet Bridge	880291	1.01%	38.6%	0.96%	37.9%	0.65%	17.0%
A1A & CR 510 North leg	880009	2.11%	28.8%	1.78%	27.5%	1.20%	11.1%
A1A & CR 510 South leg	880174	1.89%	29.9%	1.63%	25.91	1.30%	15.3%
A1A & CR 510 West leg	880108	2.71%	68.1%	2.47%	66.8%	2.96%	85.2%
A1A & CR 510 East leg	880108	2.71%	68.1%	2.47%	66.8%	2.96%	85.2%
CR510 & US-1 East leg	880108	2.71%	68.1%	2.47%	66.8%	2.96%	85.2%
CR510 & US-1 North leg	880101	5.17%	38.6%	4.58%	31.0%	3.68%	22.5%
CR510 & US-1 South leg	880101	5.17%	38.6%	4.58%	31.0%	3.68%	22.5%
CR510 & US-1 West leg	887035	5.30%	49.7%	4.71%	44.7%	5.32%	55.9%

Note: The Growth Rate with the best R-Square is highlighted in GREEN

Table 3 – Growth Rates using Historical Data + TCRPM4 2040 Data

Count Location	Count Station	Historical + Model (2040) Growth Rates					
		Linear Growth	R-Square	Exponential Growth	R-Square	Decaying Exponential Growth	R-Square
Sebastian Inlet Bridge	880291	8.64%	86.0%	3.49%	87.9%	10.01%	36.7%
A1A & CR 510 North leg	880009	5.19%	86.5%	2.78%	82.0%	6.38%	40.0%
A1A & CR 510 South leg	880174	1.09%	46.1%	0.93%	40.8%	2.02%	33.3%
A1A & CR 510 West leg	880108	3.55%	94.1%	2.31%	90.7%	5.92%	68.5%
A1A & CR 510 East leg	880108	3.55%	94.1%	2.31%	90.7%	5.92%	68.5%
CR510 & US-1 East leg	880108	3.55%	94.1%	2.31%	90.7%	5.92%	68.5%
CR510 & US-1 North leg	880101	2.21%	39.9%	1.97%	28.5%	4.29%	35.9%
CR510 & US-1 South leg	880101	2.21%	39.9%	1.97%	28.5%	4.29%	35.9%
CR510 & US-1 West leg	887035	NA	NA	NA	NA	NA	NA

Table 4 – Growth Rates using TCRPM4 2010 and 2040 Data

Count Location	Count Station	TCRPM4 Model Growth Rates			2019 AADTs from Counts
		2010	2040	Linear Growth	
Sebastian Inlet Bridge	880291	6,370	8,280	1.04%	2,959
A1A & CR 510 North leg	880009	10,250	13,670	0.98%	7,011
A1A & CR 510 South leg	880174	6,930	9,870	1.45%	9,130
A1A & CR 510 West leg	880108	16,830	21,540	0.93%	8,395
A1A & CR 510 East leg	880108	NA	NA	NA	1,260
CR510 & US-1 East leg	880108	16,890	21,610	0.92%	12,151
CR510 & US-1 North leg	880101	19,740	26,700	1.18%	21,614
CR510 & US-1 South leg	880101	19,610	29,920	1.76%	29,822
CR510 & US-1 West leg	887035	13,420	NA	NA	17,707

Note: Disproportionate traffic volumes between the 2019 data (actual count) and the 2010 Model data is highlighted in RED

In addition to developing growth rates from the 2010 and 2040 TCRPM data, a comparison of 2019 actual counts and the 2010 model data was performed and presented above. Five of the nine count locations exhibited significant discrepancies (2010 data higher or similar to 2019 data). These locations are highlighted to emphasize that the model-based data, hence the model-based growth rates may not be appropriate at these five locations.

Table 5 – Selected TAZ's Population and Employment Growths

Summary of TCRPM4 Population and Employment Forecasts					
Location		2010		2040	
FID	TAZ	Population	Employment	Population	Employment
484	74	7	256	7	414
504	56	45	49	47	302
507	73	132	131	133	238
508	54	54	87	87	133
547	2	678	323	874	330
548	1	260	104	309	109
549	69	235	422	268	480
550	70	2010	143	2823	148
551	3	338	180	362	217
552	72	379	249	1199	487
554	4	16	0	34	0
555	71	174	18	194	20
Total		4,328	1,962	6,337	2,878
Selected TAZ Growth Rate *	Pop.			1.55%	
	Emp.				1.56%

$$* \text{ Rate} = \frac{(Final\ year\ (2040\ Total) - Beginning\ year\ (2010\ Total)) / (\# years\ (30))}{Beginning\ year\ (2010\ Total)} \%$$

Sebastian Inlet Bridge Replacement
Traffic Counts and Traffic Projections

Further, the socio-economic data for population and employment growth generated from the 2010 and 2040 TCRPM4 data for selected TAZs within the influence area (1-mile radius) was summarized and presented in Table 5. The population and the employment model forecast show a growth rate of 1.55% and 1.56%, respectively. The socio-economic growth rates were used to qualitatively assess the recommended growth rates.

As described above, the growth rates with higher R-square while model volumes reasonably comparable to the 2019 counts, were selected to develop the recommended growth rates. A reasonable check comparing the growth rates to population growth (1.19% to 2.76%), Taz's socio-economic growth (1.55% and 1.56%) were also used as a factor in determining the appropriate growth rates. The study area is considered a non-high-density urban area. Therefore, approaches (legs) where the growth rates exceed 3.0%, a conservative growth rate was selected while taking into consideration the best R-square value, county wide population growth, and selected TAZ's socio-economic growth.

The recommended growth rates are presented in Table 6.

Table 6 – Recommended Growth Rates

Count Location	Count Station	Historical Growth Rates			Historical + Model Growth Rates			TCRPM Traffic Data (2010 to 2040) Growth Rate	Recomd. Growth Rate**
		Linear Growth	Expnl. Growth	Decaying Expnl. Growth	Linear Growth	Expnl. Growth	Decaying Expnl. Growth		
Sebastian Inlet Bridge	880291	1.01%	0.96%	0.65%	8.64%	3.49%	10.01%	1.04%	1.00%*
A1A & CR 510 North leg	880009	2.11%	1.78%	1.20%	5.19%	2.78%	6.38%	0.98%	1.70%
A1A & CR 510 South leg	880174	1.89%	1.63%	1.30%	1.09%	0.93%	2.02%	1.45%	1.37%
A1A & CR 510 West leg	880108	2.71%	2.47%	2.96%	3.55%	2.31%	5.92%	0.93%	2.71%
A1A & CR 510 East leg	880108	2.71%	2.47%	2.96%	3.55%	2.31%	5.92%	NA	2.80%
CR510 & US-1 East leg	880108	2.71%	2.47%	2.96%	3.55%	2.31%	5.92%	0.92%	2.71%
CR510 & US-1 North leg	880101	5.17%	4.58%	3.68%	2.21%	1.97%	4.29%	1.18%	1.79%
CR510 & US-1 South leg	880101	5.17%	4.58%	3.68%	2.21%	1.97%	4.29%	1.76%	1.98%
CR510 & US-1 West leg	887035	5.30%	4.71%	5.32%	NA	NA	NA	NA	2.71%***

Note: Growth rates NOT used in estimating the recommended Growth Rates are struck through.

* - The calculated Growth Rate is less than 1.0%

** - Average of accepted Growth Rates

*** - For the CR510 & US-1 intersection west leg, none of the growth rates appear to be reasonable (>3.0%). Therefore, the higher of the remaining three legs was selected.

Projected Traffic Volumes

The future AADT projections and turning movements were estimated using the TmTool V2 that was released on April 8, 2015 by FDOT District 4. The AADT projections were based on existing (2019) AADT volumes and recommended growth rates. The link AADT projections are presented in Table 7.


Table 7 – Projected Link AADTs

Location	2019 AADT	2025 AADT	2035 AADT	2045 AADT
Sebastian Inlet Bridge	2,959	3,100	3,400	3,700
A1A & CR 510 North leg	7,011	7,700	8,900	10,100
A1A & CR 510 South leg	9,130	9,900	11,100	12,400
A1A & CR 510 West leg	8,395	9,800	12,000	14,300
A1A & CR 510 East leg	1,259	1,500	1,800	2,200
CR510 & US-1 East leg	12,151	14,100	17,400	20,700
CR510 & US-1 North leg	21,614	23,900	27,800	31,700
CR510 & US-1 South leg	29,822	33,400	39,300	45,200
CR510 & US-1 West leg	17,707	20,600	25,400	30,200

Note: Data rounded to nearest hundredth.

The turning movements at the state park access driveways were estimated based on turning percentages obtained from the field counts. A standard K factor of 9.0 was used as per table 2.1 of the FDOT Project Traffic Forecasting Handbook. The Thursday count was used as the base for weekday count, and the average of Friday, Saturday, and Sunday counts were used as the base for the weekend count. The projected 2045 AM and PM peak hour turning movements are presented in Figure 4. The detailed TmToolv2 spreadsheets are included in Appendix H.

Figure 4 - Projected 2045 Peak AM (PM) Hour Turning Movements



Appendix A
Bicycle and Pedestrian Counts

TRIDENT Engineering LLC

CLIENT: FDOT D4
 JOB No:
 PROJECT: Ped/Bike Count
 COUNTY:

10232 NW 47 Street
 Sunrise, FL 33351
 TEL: 954-415-3795

File Name: Sebastian Inlet Bridge
 Site Code: -
 Count Date: 12/12/2019
 Page No: 1 of 1

North End of Sebastian Inlet Bridge

Start Time	East side of Bridge					West side of Bridge				
	NB		SB			NB		SB		
	Peds.	Bikes	Peds.	Bikes		Peds.	Bikes	Peds.	Bikes	
6:00 AM	0	0	0	0		0	0	0	0	
6:15 AM	0	0	0	0		0	0	0	0	
6:30 AM	0	0	0	0		0	0	0	0	
6:45 AM	0	0	0	0		0	0	0	0	
7:00 AM	0	0	0	0		0	0	0	0	
7:15 AM	0	0	0	0		0	0	0	0	
7:30 AM	0	0	0	0		0	0	0	0	
7:45 AM	0	0	0	0		0	0	0	0	
8:00 AM	0	0	0	0		0	0	0	0	
8:15 AM	0	0	0	0		0	0	0	0	
8:30 AM	0	0	0	0		0	0	0	0	
8:45 AM	0	0	0	0		0	0	0	0	
9:00 AM	0	0	0	0		0	0	0	0	
9:15 AM	0	0	0	0		0	0	0	0	
9:30 AM	0	0	0	0		0	0	0	0	
9:45 AM	0	0	0	0		0	0	0	0	
10:00 AM	0	0	0	0		0	0	0	0	
10:15 AM	0	0	0	0		0	0	0	0	
10:30 AM	0	0	0	0		0	0	0	0	
10:45 AM	0	0	0	0		0	0	0	0	
NOON	0	0	0	0		0	0	0	0	
12:15 PM	0	0	0	0		0	0	0	0	
12:30 PM	0	0	0	0		0	0	0	0	
12:45 PM	0	0	0	0		0	0	0	0	
1:00 PM	0	0	0	0		0	0	0	0	
1:15 PM	0	0	0	0		0	0	0	0	
1:30 PM	0	0	0	0		0	0	0	0	
1:45 PM	0	0	0	0		0	0	0	0	
2:00 PM	0	0	0	0		0	0	0	0	
2:15 PM	0	0	0	0		0	0	0	0	
2:30 PM	0	0	0	0		0	0	0	0	
2:45 PM	0	0	0	0		0	0	0	0	
3:00 PM	0	0	0	0		0	0	0	0	
3:15 PM	0	0	0	0		0	0	0	0	
3:30 PM	0	0	0	0		0	0	0	0	
3:45 PM	0	0	0	0		0	0	0	0	
4:00 PM	0	0	0	0		0	0	0	0	
4:15 PM	0	0	0	0		0	0	0	0	
4:30 PM	0	0	0	0		0	0	0	0	
4:45 PM	0	0	0	0		0	0	0	0	
5:00 PM	0	0	0	0		0	0	0	0	
5:15 PM	0	0	0	0		0	0	0	0	
5:30 PM	0	0	0	0		0	0	0	0	
5:45 PM	0	0	0	0		0	0	0	0	
6:00 PM	0	0	0	0		0	0	0	0	
6:15 PM	0	0	0	0		0	0	0	0	
6:30 PM	0	0	0	0		0	0	0	0	
6:45 PM	0	0	0	0		0	0	0	0	
7:00 PM	0	0	0	0		0	0	0	0	
7:15 PM	0	0	0	0		0	0	0	0	
7:30 PM	0	0	0	0		0	0	0	0	
7:45 PM	0	0	0	0		0	0	0	0	
Total	0	0	0	0		0	0	0	0	

TRIDENT Engineering LLC

CLIENT: FDOT D4
 JOB No:
 PROJECT: Ped/Bike Count
 COUNTY:

10232 NW 47 Street
 Sunrise, FL 33351
 TEL: 954-415-3795

File Name: Sebastian Inlet Bridge
 Site Code: -
 Count Date: 12/13/2019
 Page No: 1 of 1

North End of Sebastian Inlet Bridge

Start Time	East side of Bridge				West side of Bridge			
	NB		SB		NB		SB	
	Peds.	Bikes	Peds.	Bikes	Peds.	Bikes	Peds.	Bikes
6:00 AM	0	0	0	0	0	0	0	0
6:15 AM	0	0	0	0	0	0	0	0
6:30 AM	0	0	0	0	0	0	0	0
6:45 AM	0	0	0	0	0	0	0	0
7:00 AM	0	0	0	0	0	0	0	0
7:15 AM	0	0	0	0	0	0	0	0
7:30 AM	0	0	0	0	0	0	0	2
7:45 AM	0	0	0	0	0	0	0	0
8:00 AM	0	0	0	0	0	0	0	0
8:15 AM	0	0	0	0	0	0	0	0
8:30 AM	0	2	0	0	0	0	0	0
8:45 AM	0	0	0	0	0	0	0	1
9:00 AM	0	0	0	0	0	0	0	0
9:15 AM	0	0	0	0	0	0	0	0
9:30 AM	0	0	0	0	0	0	0	1
9:45 AM	0	0	0	0	0	0	0	0
10:00 AM	0	1	0	0	0	0	0	0
10:15 AM	0	0	0	0	0	0	0	0
10:30 AM	0	0	0	0	0	0	0	0
10:45 AM	0	0	0	0	0	0	0	0
11:00 AM	0	0	0	0	0	0	0	0
11:15 AM	0	0	0	0	0	0	0	0
11:30 AM	0	0	0	0	0	0	0	1
11:45 AM	0	1	0	0	0	0	0	0
NOON	0	0	0	0	0	0	0	0
12:15 PM	0	0	0	0	0	0	0	0
12:30 PM	0	0	0	0	0	0	0	0
12:45 PM	0	0	0	0	0	1	0	0
1:00 PM	0	0	0	0	0	0	0	0
1:15 PM	0	0	0	0	0	0	0	0
1:30 PM	0	0	0	0	0	0	0	0
1:45 PM	0	0	0	0	0	0	0	0
2:00 PM	0	0	0	0	0	0	0	0
2:15 PM	0	0	0	0	0	0	0	0
2:30 PM	0	0	0	0	0	0	0	0
2:45 PM	0	0	0	0	0	0	0	0
3:00 PM	0	1	0	0	0	0	0	0
3:15 PM	0	0	0	0	0	0	0	0
3:30 PM	0	0	0	0	0	0	0	0
3:45 PM	0	0	0	0	0	0	0	3
4:00 PM	0	1	0	0	0	0	0	0
4:15 PM	0	0	0	0	0	0	0	0
4:30 PM	0	0	0	0	0	0	0	0
4:45 PM	0	1	0	0	0	0	0	0
5:00 PM	0	0	0	0	0	0	0	0
5:15 PM	0	0	0	0	0	0	0	0
5:30 PM	0	0	0	0	0	0	0	0
5:45 PM	0	0	0	0	0	0	0	0
6:00 PM	0	0	0	0	0	0	0	0
6:15 PM	0	0	0	0	0	0	0	0
6:30 PM	0	0	0	0	0	0	0	0
6:45 PM	0	0	0	0	0	0	0	0
7:00 PM	0	0	0	0	0	0	0	0
7:15 PM	0	0	0	0	0	0	0	0
7:30 PM	0	0	0	0	0	0	0	0
7:45 PM	0	0	0	0	0	0	0	0
Total	0	7	0	0	0	1	0	8

TRIDENT Engineering LLC

CLIENT: FDOT D4
 JOB No:
 PROJECT: Ped/Bike Count
 COUNTY:

10232 NW 47 Street
 Sunrise, FL 33351
 TEL: 954-415-3795

File Name: Sebastian Inlet Bridge
 Site Code: -
 Count Date: 12/14/2019
 Page No: 1 of 1

North End of Sebastian Inlet Bridge

Start Time	East side of Bridge				West side of Bridge			
	NB		SB		NB		SB	
	Peds.	Bikes	Peds.	Bikes	Peds.	Bikes	Peds.	Bikes
6:00 AM	0	0	0	0	0	0	0	0
6:15 AM	0	0	0	0	0	0	0	0
6:30 AM	0	0	0	0	0	0	0	0
6:45 AM	0	0	0	0	0	0	0	0
7:00 AM	0	0	0	0	0	0	0	0
7:15 AM	0	0	0	0	0	0	0	0
7:30 AM	0	0	0	0	0	0	0	0
7:45 AM	0	0	0	0	0	0	0	0
8:00 AM	0	0	0	0	0	0	0	2
8:15 AM	0	2	0	0	0	0	0	0
8:30 AM	0	0	0	0	0	0	0	0
8:45 AM	0	1	0	0	0	0	0	1
9:00 AM	0	0	0	0	0	0	0	0
9:15 AM	0	1	0	0	0	0	0	0
9:30 AM	0	0	0	0	0	0	0	0
9:45 AM	0	0	0	0	0	0	0	0
10:00 AM	0	0	0	0	0	0	0	0
10:15 AM	0	0	0	0	0	0	0	0
10:30 AM	0	0	0	0	0	0	0	0
10:45 AM	0	0	0	0	0	0	0	0
11:00 AM	0	0	0	0	0	0	0	1
11:15 AM	0	2	0	0	0	0	0	0
11:30 AM	0	0	0	0	0	0	0	0
11:45 AM	0	0	0	0	0	0	0	0
NOON	0	0	0	0	0	0	0	0
12:15 PM	0	1	0	0	0	0	0	0
12:30 PM	0	0	0	0	0	0	0	1
12:45 PM	0	0	0	0	0	0	0	2
1:00 PM	0	2	0	0	0	0	0	0
1:15 PM	0	0	0	0	0	0	0	2
1:30 PM	0	0	0	0	0	2	0	1
1:45 PM	0	0	0	0	0	0	0	0
2:00 PM	0	1	0	0	0	0	0	2
2:15 PM	0	7	0	0	0	0	0	4
2:30 PM	0	1	0	0	0	0	0	0
2:45 PM	0	0	0	0	0	0	0	0
3:00 PM	0	1	0	0	0	0	0	3
3:15 PM	0	1	0	0	0	0	0	0
3:30 PM	0	0	0	0	0	0	0	0
3:45 PM	0	0	0	0	0	0	0	0
4:00 PM	0	0	0	0	0	0	0	6
4:15 PM	0	0	0	0	0	0	0	1
4:30 PM	0	0	0	0	0	0	0	0
4:45 PM	0	0	0	0	0	0	0	0
5:00 PM	0	0	0	0	0	0	0	0
5:15 PM	0	0	0	0	0	1	0	1
5:30 PM	0	0	0	0	0	0	0	1
5:45 PM	0	0	0	0	0	0	0	0
6:00 PM	0	0	0	0	0	0	0	0
6:15 PM	0	0	0	0	0	0	0	0
6:30 PM	0	0	0	0	0	0	0	0
6:45 PM	0	0	0	0	0	0	0	0
7:00 PM	0	0	0	0	0	0	0	0
7:15 PM	0	0	0	0	0	0	0	0
7:30 PM	0	0	0	0	0	0	0	0
7:45 PM	0	0	0	0	0	0	0	0
Total	0	20	0	0	0	3	0	28

TRIDENT Engineering LLC

CLIENT: FDOT D4
 JOB No:
 PROJECT: Ped/Bike Count
 COUNTY:

10232 NW 47 Street
 Sunrise, FL 33351
 TEL: 954-415-3795

File Name: Sebastian Inlet Bridge
 Site Code: -
 Count Date: 12/15/2019
 Page No: 1 of 1

North End of Sebastian Inlet Bridge

Start Time	East side of Bridge				West side of Bridge			
	NB		SB		NB		SB	
	Peds.	Bikes	Peds.	Bikes	Peds.	Bikes	Peds.	Bikes
6:00 AM	0	0	0	0	0	0	0	0
6:15 AM	0	0	0	0	0	0	0	0
6:30 AM	0	0	0	0	0	0	0	0
6:45 AM	0	0	0	0	0	0	0	0
7:00 AM	0	0	0	0	0	0	0	0
7:15 AM	0	0	0	0	0	0	0	0
7:30 AM	0	0	0	0	0	0	0	1
7:45 AM	0	2	0	0	0	0	0	4
8:00 AM	0	0	0	0	0	0	0	0
8:15 AM	0	4	0	0	0	0	0	0
8:30 AM	0	0	0	0	0	0	0	3
8:45 AM	0	1	0	0	0	0	0	3
9:00 AM	0	3	0	0	0	0	0	0
9:15 AM	0	0	0	0	0	0	0	0
9:30 AM	0	1	0	0	0	0	0	1
9:45 AM	0	2	0	0	0	0	0	1
10:00 AM	0	0	0	0	0	0	0	2
10:15 AM	0	0	0	0	0	0	0	0
10:30 AM	0	1	0	0	0	0	0	0
10:45 AM	0	3	0	0	0	0	0	4
11:00 AM	0	0	0	0	0	0	0	1
11:15 AM	0	0	0	0	0	0	0	0
11:30 AM	0	0	0	0	0	0	0	0
11:45 AM	0	1	0	0	0	0	0	1
NOON	0	0	0	0	0	0	0	0
12:15 PM	0	0	0	0	0	0	0	0
12:30 PM	0	2	0	0	0	0	0	1
12:45 PM	0	0	0	0	0	0	0	0
1:00 PM	0	0	0	0	0	0	0	1
1:15 PM	0	2	0	0	0	0	0	1
1:30 PM	0	0	0	0	0	0	0	0
1:45 PM	0	0	0	0	0	0	0	0
2:00 PM	0	0	0	0	0	0	0	1
2:15 PM	0	0	0	0	0	0	0	0
2:30 PM	0	0	0	0	0	0	0	0
2:45 PM	0	0	0	0	0	0	0	0
3:00 PM	0	0	0	0	0	0	0	0
3:15 PM	0	0	0	0	0	0	0	0
3:30 PM	0	2	0	0	0	0	0	0
3:45 PM	0	1	0	0	0	0	0	1
4:00 PM	0	0	0	0	0	0	0	1
4:15 PM	0	0	0	0	0	0	0	0
4:30 PM	0	2	0	0	0	0	0	2
4:45 PM	0	0	0	0	0	0	0	0
5:00 PM	0	0	0	0	0	0	0	0
5:15 PM	0	0	0	0	0	0	0	0
5:30 PM	0	0	0	0	0	0	0	0
5:45 PM	0	0	0	0	0	0	0	0
6:00 PM	0	0	0	0	0	0	0	0
6:15 PM	0	0	0	0	0	0	0	0
6:30 PM	0	0	0	0	0	0	0	0
6:45 PM	0	0	0	0	0	0	0	0
7:00 PM	0	0	0	0	0	0	0	0
7:15 PM	0	0	0	0	0	0	0	0
7:30 PM	0	0	0	0	0	0	0	0
7:45 PM	0	0	0	0	0	0	0	0
Total	0	27	0	0	0	0	0	29

TRIDENT Engineering LLC

CLIENT: FDOT D4
JOB No:
PROJECT: Ped/Bike Count
COUNTY:

10232 NW 47 Street
Sunrise, FL 33351
TEL: 954-415-3795

File Name: Sebastian Inlet Bridge
Site Code: -
Count Date: 12/12/2019
Page No: 1 of 1

South End of Sebastian Inlet Bridge

TRIDENT Engineering LLC

CLIENT: FDOT D4
 JOB No:
 PROJECT: Ped/Bike Count
 COUNTY:

10232 NW 47 Street
 Sunrise, FL 33351
 TEL: 954-415-3795

File Name: Sebastian Inlet Bridge
 Site Code: -
 Count Date: 12/13/2019
 Page No: 1 of 1

South End of Sebastian Inlet Bridge

Start Time	East side of Bridge				West side of Bridge			
	NB		SB		NB		SB	
	Peds.	Bikes	Peds.	Bikes	Peds.	Bikes	Peds.	Bikes
6:00 AM	0	0	0	0	0	0	0	0
6:15 AM	0	0	0	0	0	0	0	0
6:30 AM	0	0	0	0	0	0	0	0
6:45 AM	0	0	0	0	0	0	0	0
7:00 AM	0	0	0	0	0	0	0	0
7:15 AM	0	0	0	0	0	0	0	0
7:30 AM	0	0	0	0	0	0	0	2
7:45 AM	0	0	0	0	0	0	0	0
8:00 AM	0	0	0	0	0	0	0	0
8:15 AM	0	0	0	0	0	0	0	0
8:30 AM	0	2	0	0	0	0	0	0
8:45 AM	0	0	0	0	0	0	0	1
9:00 AM	0	0	0	0	0	0	0	1
9:15 AM	0	0	0	0	0	0	0	0
9:30 AM	0	0	0	0	0	0	0	0
9:45 AM	0	0	0	0	0	0	0	0
10:00 AM	0	1	0	0	0	0	0	0
10:15 AM	0	0	0	0	0	0	0	0
10:30 AM	0	0	0	0	0	0	0	0
10:45 AM	0	0	0	0	0	0	0	0
11:00 AM	0	0	0	0	0	0	0	0
11:15 AM	0	0	0	0	0	0	0	0
11:30 AM	0	0	0	0	0	0	0	1
11:45 AM	0	1	0	0	0	0	0	0
NOON	0	0	0	0	0	0	0	0
12:15 PM	0	0	0	0	0	0	0	0
12:30 PM	0	0	0	0	0	0	0	0
12:45 PM	0	0	0	0	0	1	0	0
1:00 PM	0	0	0	0	0	0	0	0
1:15 PM	0	0	0	0	0	0	0	0
1:30 PM	0	0	0	0	0	0	0	0
1:45 PM	0	0	0	0	0	0	0	0
2:00 PM	0	0	0	0	0	0	0	0
2:15 PM	0	0	0	0	0	0	0	0
2:30 PM	0	0	0	0	0	0	0	0
2:45 PM	0	0	0	0	0	0	0	0
3:00 PM	0	1	0	0	0	0	0	0
3:15 PM	0	0	0	0	0	0	0	0
3:30 PM	0	0	0	0	0	0	0	0
3:45 PM	0	0	0	0	0	0	0	1
4:00 PM	0	0	0	0	0	0	0	0
4:15 PM	0	0	0	0	0	0	0	1
4:30 PM	0	0	0	0	0	0	0	0
4:45 PM	0	1	0	0	0	0	0	0
5:00 PM	0	0	0	0	0	0	0	0
5:15 PM	0	0	0	0	0	0	0	0
5:30 PM	0	0	0	0	0	0	0	0
5:45 PM	0	0	0	0	0	0	0	0
6:00 PM	0	0	0	0	0	0	0	0
6:15 PM	0	0	0	0	0	0	0	0
6:30 PM	0	0	0	0	0	0	0	0
6:45 PM	0	0	0	0	0	0	0	0
7:00 PM	0	0	0	0	0	0	0	0
7:15 PM	0	0	0	0	0	0	0	0
7:30 PM	0	0	0	0	0	0	0	0
7:45 PM	0	0	0	0	0	0	0	0
Total	0	6	0	0	0	1	0	7

TRIDENT Engineering LLC

CLIENT: FDOT D4
 JOB No:
 PROJECT: Ped/Bike Count
 COUNTY:

10232 NW 47 Street
 Sunrise, FL 33351
 TEL: 954-415-3795

File Name: Sebastian Inlet Bridge
 Site Code: -
 Count Date: 12/14/2019
 Page No: 1 of 1

South End of Sebastian Inlet Bridge

Start Time	East side of Bridge				West side of Bridge			
	NB		SB		NB		SB	
	Peds.	Bikes	Peds.	Bikes	Peds.	Bikes	Peds.	Bikes
6:00 AM	0	0	0	0	0	0	0	0
6:15 AM	0	0	0	0	0	0	0	0
6:30 AM	0	0	0	0	0	0	0	0
6:45 AM	0	0	0	0	0	0	0	0
7:00 AM	0	0	0	0	0	0	0	0
7:15 AM	0	0	0	0	0	0	0	0
7:30 AM	0	0	0	0	0	0	0	0
7:45 AM	0	0	0	0	0	0	0	0
8:00 AM	0	0	0	0	0	0	0	3
8:15 AM	0	3	0	0	0	0	0	0
8:30 AM	0	0	0	0	0	0	0	0
8:45 AM	0	1	0	0	0	0	0	1
9:00 AM	0	0	0	0	0	0	0	0
9:15 AM	0	1	0	0	0	0	0	0
9:30 AM	0	0	0	0	0	0	0	0
9:45 AM	0	0	0	0	0	0	0	0
10:00 AM	0	0	0	0	0	0	0	0
10:15 AM	0	0	0	0	0	0	0	0
10:30 AM	0	0	0	0	0	0	0	0
10:45 AM	0	0	0	0	0	0	0	0
11:00 AM	0	0	0	0	0	0	0	1
11:15 AM	0	2	0	0	0	0	0	0
11:30 AM	0	0	0	0	0	0	0	0
11:45 AM	0	0	0	0	0	0	0	0
NOON	0	0	0	0	0	0	0	0
12:15 PM	0	1	0	0	0	0	0	0
12:30 PM	0	0	0	0	0	0	0	1
12:45 PM	0	0	0	0	0	0	0	0
1:00 PM	0	2	0	0	0	0	0	2
1:15 PM	0	0	0	0	0	0	0	0
1:30 PM	0	0	0	0	0	0	0	1
1:45 PM	0	1	0	0	0	0	0	0
2:00 PM	0	2	0	0	0	3	0	5
2:15 PM	0	4	0	0	0	0	0	1
2:30 PM	0	2	0	0	0	0	0	0
2:45 PM	0	1	0	0	0	0	0	0
3:00 PM	0	0	0	0	0	0	0	2
3:15 PM	0	1	0	0	0	0	0	1
3:30 PM	0	0	0	0	0	0	0	0
3:45 PM	0	0	0	0	0	0	0	0
4:00 PM	0	0	0	0	0	0	0	3
4:15 PM	0	0	0	0	0	0	0	1
4:30 PM	0	0	0	0	0	0	0	0
4:45 PM	0	0	0	0	0	0	0	0
5:00 PM	0	0	0	0	0	0	0	0
5:15 PM	0	0	0	0	0	0	0	0
5:30 PM	0	0	0	0	0	0	0	0
5:45 PM	0	0	0	0	0	0	0	1
6:00 PM	0	0	0	0	0	0	0	0
6:15 PM	0	0	0	0	0	0	0	0
6:30 PM	0	0	0	0	0	0	0	0
6:45 PM	0	0	0	0	0	0	0	0
7:00 PM	0	0	0	0	0	0	0	0
7:15 PM	0	0	0	0	0	0	0	0
7:30 PM	0	0	0	0	0	0	0	0
7:45 PM	0	0	0	0	0	0	0	0
Total	0	21	0	0	0	3	0	23

TRIDENT Engineering LLC

CLIENT: FDOT D4
JOB No:
PROJECT: Ped/Bike Count
COUNTY:

10232 NW 47 Street
Sunrise, FL 33351
TEL: 954-415-3795

File Name: Sebastian Inlet Bridge
Site Code: -
Count Date: 12/15/2019
Page No: 1 of 1

South End of Sebastian Inlet Bridge

Start Time	East side of Bridge					West side of Bridge				
	NB		SB			NB		SB		
	Peds.	Bikes	Peds.	Bikes		Peds.	Bikes	Peds.	Bikes	
6:00 AM	0	0	0	0		0	0	0	0	
6:15 AM	0	0	0	0		0	0	0	0	
6:30 AM	0	0	0	0		0	0	0	0	
6:45 AM	0	0	0	0		0	0	0	0	
7:00 AM	0	0	0	0		0	0	0	0	
7:15 AM	0	0	0	0		0	0	0	0	
7:30 AM	0	0	0	0		0	0	0	0	
7:45 AM	0	2	0	0		0	0	0	7	
8:00 AM	0	0	0	0		0	0	0	0	
8:15 AM	0	5	0	0		0	0	0	0	
8:30 AM	0	0	0	0		0	0	0	3	
8:45 AM	0	1	0	0		0	0	0	0	
9:00 AM	0	0	0	0		0	0	0	0	
9:15 AM	0	0	0	0		0	0	0	0	
9:30 AM	0	1	0	0		0	0	0	1	
9:45 AM	0	2	0	0		0	0	0	1	
10:00 AM	0	0	0	0		0	0	0	2	
10:15 AM	0	0	0	0		0	0	0	0	
10:30 AM	0	1	0	0		0	0	0	0	
10:45 AM	0	3	0	0		0	0	0	4	
11:00 AM	0	0	0	0		0	0	0	1	
11:15 AM	0	0	0	0		0	0	0	0	
11:30 AM	0	0	0	0		0	0	0	0	
11:45 AM	0	1	0	0		0	0	0	2	
NOON	0	0	0	0		0	0	0	0	
12:15 PM	0	2	0	0		0	0	0	0	
12:30 PM	0	0	0	0		0	0	0	1	
12:45 PM	0	0	0	0		0	0	0	0	
1:00 PM	0	0	0	0		0	0	0	0	
1:15 PM	0	2	0	0		0	0	0	2	
1:30 PM	0	0	0	0		0	0	0	0	
1:45 PM	0	0	0	0		0	0	0	0	
2:00 PM	0	0	0	0		0	0	0	1	
2:15 PM	0	0	0	0		0	0	0	0	
2:30 PM	0	0	0	0		0	0	0	0	
2:45 PM	0	0	0	0		0	0	0	0	
3:00 PM	0	0	0	0		0	0	0	0	
3:15 PM	0	1	0	0		0	0	0	0	
3:30 PM	0	1	0	0		0	0	0	0	
3:45 PM	0	1	0	0		0	0	0	1	
4:00 PM	0	0	0	0		0	0	0	0	
4:15 PM	0	0	0	0		0	0	0	1	
4:30 PM	0	1	0	0		0	0	0	1	
4:45 PM	0	0	0	0		0	0	0	0	
5:00 PM	0	0	0	0		0	0	0	0	
5:15 PM	0	0	0	0		0	0	0	0	
5:30 PM	0	0	0	0		0	0	0	0	
5:45 PM	0	0	0	0		0	0	0	0	
6:00 PM	0	0	0	0		0	0	0	0	
6:15 PM	0	0	0	0		0	0	0	0	
6:30 PM	0	0	0	0		0	0	0	0	
6:45 PM	0	0	0	0		0	0	0	0	
7:00 PM	0	0	0	0		0	0	0	0	
7:15 PM	0	0	0	0		0	0	0	0	
7:30 PM	0	0	0	0		0	0	0	0	
7:45 PM	0	0	0	0		0	0	0	0	
Total	0	24	0	0		0	0	0	28	

Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

Sebastian Inlet
Driveway Entrance

File Name : N-ENT~1
Site Code : 00000000
Start Date : 01/28/2020
Page No : 1

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns

	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Entrance Driveway Eastbound					
	Start Time	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	

*** BREAK ***

07:00 AM	4	20	0	0	24	0	0	0	0	0	0	5	6	0	11	0	0	0	0	0	35
07:15 AM	3	32	0	0	35	0	0	0	0	0	0	4	0	0	4	3	0	2	0	0	5
07:30 AM	4	23	0	0	27	0	0	0	0	0	0	11	5	0	16	5	0	0	0	0	48
07:45 AM	0	25	0	0	25	0	0	0	0	0	0	10	5	0	15	2	0	1	0	0	43
Total	11	100	0	0	111	0	0	0	0	0	0	30	16	0	46	10	0	3	0	13	170
08:00 AM	3	21	0	0	24	0	0	0	0	0	0	17	2	0	19	4	0	1	0	0	5
08:15 AM	1	35	0	0	36	0	0	0	0	0	0	16	3	0	19	2	0	1	0	0	58
08:30 AM	2	22	0	0	24	0	0	0	0	0	0	10	3	0	13	0	0	2	0	0	39
08:45 AM	2	26	0	0	28	0	0	0	0	0	0	14	9	0	23	4	0	2	0	0	57
Total	8	104	0	0	112	0	0	0	0	0	0	57	17	0	74	10	0	6	0	16	202
09:00 AM	2	16	0	0	18	0	0	0	0	0	0	16	3	0	19	2	0	2	0	0	41
09:15 AM	2	23	0	0	25	0	0	0	0	0	0	12	3	0	15	2	0	3	0	0	45
09:30 AM	3	23	0	0	26	0	0	0	0	0	0	21	1	0	22	1	0	4	0	0	53
09:45 AM	4	18	0	0	22	0	0	0	0	0	0	18	1	0	19	6	0	4	0	0	51
Total	11	80	0	0	91	0	0	0	0	0	0	67	8	0	75	11	0	13	0	0	190
10:00 AM	4	22	0	0	26	0	0	0	0	0	0	11	2	0	13	3	0	0	0	0	42
10:15 AM	1	17	0	0	18	0	0	0	0	0	0	16	2	0	18	3	0	4	0	0	43
10:30 AM	1	27	0	0	28	0	0	0	0	0	0	21	6	0	27	4	0	2	0	0	61
10:45 AM	1	33	1	0	35	0	0	0	0	0	0	14	1	0	15	2	0	0	0	0	52
Total	7	99	1	0	107	0	0	0	0	0	0	62	11	0	73	12	0	6	0	18	198
11:00 AM	2	23	0	0	25	0	0	0	0	0	0	15	1	0	16	1	0	3	0	0	45
11:15 AM	1	18	0	0	19	0	0	0	0	0	0	17	4	0	21	2	0	5	0	0	47
11:30 AM	2	12	0	0	14	0	0	0	0	0	0	26	4	0	30	6	0	3	0	0	53
11:45 AM	2	22	0	0	24	0	0	0	0	0	0	16	3	0	19	3	0	1	0	0	47
Total	7	75	0	0	82	0	0	0	0	0	0	74	12	0	86	12	0	12	0	0	192
12:00 PM	2	13	0	0	15	0	0	0	0	0	0	21	2	0	23	4	0	4	0	0	46
12:15 PM	0	14	0	0	14	0	0	0	0	0	0	24	2	0	26	2	0	1	0	0	43
12:30 PM	0	14	0	0	14	0	0	0	0	0	0	24	2	0	26	2	0	1	0	0	43
12:45 PM	0	20	0	0	20	0	0	0	0	0	0	8	3	0	11	3	0	0	0	0	34
Total	2	61	0	0	63	0	0	0	0	0	0	77	9	0	86	11	0	6	0	0	166

*** BREAK ***


03:00 PM	0	11	0	0	11	0	0	0	0	0	0	18	0	0	18	1	0	3	0	4	33
03:15 PM	3	14	0	0	17	0	0	0	0	0	0	11	4	0	15	2	0	2	0	4	36
03:30 PM	0	13	0	0	13	0	0	0	0	0	0	19	3	0	22	2	0	1	0	3	38
03:45 PM	1	21	0	0	22	0	0	0	0	0	0	21	3	0	24	2	0	2	0	4	50
Total	4	59	0	0	63	0	0	0	0	0	0	69	10	0	79	7	0	8	0	15	157
04:00 PM	0	6	0	0	6	0	0	0	0	0	0	18	3	0	21	1	0	3	0	4	31
04:15 PM	1	16	0	0	17	0	0	0	0	0	0	10	3	0	13	2	0	2	0	4	34
04:30 PM	2	17	0	0	19	0	0	0	0	0	0	19	2	0	21	0	0	0	0	0	40
04:45 PM	0	20	0	0	20	0	0	0	0	0	0	26	3	0	29	3	0	2	0	5	54
Total	3	59	0	0	62	0	0	0	0	0	0	73	11	0	84	6	0	7	0	13	159
05:00 PM	0	6	0	0	6	0	0	0	0	0	0	22	2	0	24	0	0	2	0	2	32
05:15 PM	1	10	0	0	11	0	0	0	0	0	0	24	0	0	24	2	0	1	0	3	38
05:30 PM	3	13	0	0	16	0	0	0	0	0	0	24	0	0	24	2	0	0	0	2	42
05:45 PM	0	7	0	0	7	0	0	0	0	0	0	20	0	0	20	2	0	0	0	2	29
Total	4	36	0	0	40	0	0	0	0	0	0	90	2	0	92	6	0	3	0	9	141

Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

File Name : N-ENT~1
Site Code : 00000000
Start Date : 01/28/2020
Page No : 2

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns


Start Time	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Entrance Driveway Eastbound					
	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Int. Total
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
06:00 PM	4	8	0	0	12	0	0	0	0	0	0	15	1	0	16	0	0	2	0	2	30
06:15 PM	7	10	0	0	17	0	0	0	0	0	0	9	0	0	9	1	0	0	0	1	27
06:30 PM	1	9	0	0	10	0	0	0	0	0	0	14	2	0	16	2	0	4	0	6	32
06:45 PM	9	14	0	0	23	0	0	0	0	0	0	13	1	0	14	2	0	0	0	2	39
Total	21	41	0	0	62	0	0	0	0	0	0	51	4	0	55	5	0	6	0	11	128
Grand Total	78	714	1	0	793	0	0	0	0	0	0	650	100	0	750	90	0	70	0	160	1703
Apprch %	9.8	90.	0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	86.	13.	0.0	0.0	56.	0.0	43.	0.0	0.0	
Total %	4.6	41.	9	0.1	0.0	46.6	0.0	0.0	0.0	0.0	0.0	38.	2	5.9	0.0	44.0	5.3	0.0	4.1	0.0	9.4



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351

File Name : N-ENT~1
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 3


Start Time	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Entrance Driveway Eastbound					
	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total
Peak Hour From 06:00 AM to 12:30 PM - Peak 1 of 1																					
Intersection	10:30 AM																				
Volume	5	101	1	0	107	0	0	0	0	0	0	67	12	0	79	9	0	10	0	19	205
Percent	4.7	94.	0.9	0.0		0.0	0.0	0.0	0.0		0.0	84.	15.	0.0		47.	0.0	52.	0.0		
High Int.	10:45 AM					5:45:00 AM					10:30 AM					11:15 AM					10:30
Volume	1	27	0	0	28	0	0	0	0	0	0	21	6	0	27	4	0	2	0	6	61
Peak Factor					0.76										0.73					0.67	0.84
					4										1					9	0



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351


File Name : N-ENT~1
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 4

	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Entrance Driveway Eastbound					
Start Time	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total
Peak Hour From 12:45 PM to 06:45 PM - Peak 1 of 1																					
Intersection	04:45 PM																				
Volume	4	49	0	0	53	0	0	0	0	0	0	96	5	0	101	7	0	5	0	12	166
Percent	7.5	92.	0.0	0.0	5	0.0	0.0	0.0	0.0	0.0	0.0	95.	5.0	0.0	101	58.	0.0	41.	0.0	0.0	
High Int.	04:45 PM											04:45 PM				04:45 PM					04:45
Volume	0	20	0	0	20	0	0	0	0	0	0	26	3	0	29	3	0	2	0	5	54
Peak Factor					0.66										0.87					0.60	0.76
					3										1					0	9



Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

File Name : N-ENT~1
Site Code : 00000000
Start Date : 01/28/2020
Page No : 5



Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

Sebastian Inlet State Park
Driveway Entrance/Exit

File Name : NORTHE~2
Site Code : 00000000
Start Date : 01/28/2020
Page No : 1

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns

	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Entrance Driveway Eastbound					
	Start Time	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	

*** BREAK ***

07:00 AM	1	24	0	0	25	0	0	0	0	0	0	7	2	0	9	0	0	4	0	4	38
07:15 AM	2	31	0	0	33	0	0	0	0	0	0	11	2	0	13	1	0	1	0	2	48
07:30 AM	1	21	0	0	22	0	0	0	0	0	0	13	5	0	18	1	0	0	0	1	41
07:45 AM	1	23	0	0	24	0	0	0	0	0	0	14	4	0	18	1	0	0	0	1	43
Total	5	99	0	0	104	0	0	0	0	0	0	45	13	0	58	3	0	5	0	8	170
08:00 AM	3	24	0	0	27	0	0	0	0	0	0	10	3	0	13	1	0	0	0	1	41
08:15 AM	2	23	0	0	25	0	0	0	0	0	0	19	4	0	23	2	0	1	0	3	51
08:30 AM	3	18	0	0	21	0	0	0	0	0	0	16	3	0	19	2	0	1	0	3	43
08:45 AM	4	25	0	0	29	0	0	0	0	0	0	24	5	0	29	3	0	3	0	6	64
Total	12	90	0	0	102	0	0	0	0	0	0	69	15	0	84	8	0	5	0	13	199
09:00 AM	4	28	0	0	32	0	0	0	0	0	0	19	6	0	25	2	0	2	0	4	61
09:15 AM	6	29	0	0	35	0	0	0	0	0	0	19	7	0	26	2	0	4	0	6	67
09:30 AM	5	28	0	0	33	0	0	0	0	0	0	16	2	0	18	4	0	2	0	6	57
09:45 AM	4	20	0	0	24	0	0	0	0	0	0	19	4	0	23	3	0	2	0	5	52
Total	19	105	0	0	124	0	0	0	0	0	0	73	19	0	92	11	0	10	0	21	237
10:00 AM	5	26	0	0	31	0	0	0	0	0	0	10	4	0	14	5	0	2	0	7	52
10:15 AM	8	26	0	0	34	0	0	0	0	0	0	13	6	0	19	4	0	0	0	4	57
10:30 AM	3	17	0	0	20	0	0	0	0	0	0	18	5	0	23	3	0	6	0	9	52
10:45 AM	5	17	0	0	22	0	0	0	0	0	0	17	3	0	20	2	0	2	0	4	46
Total	21	86	0	0	107	0	0	0	0	0	0	58	18	0	76	14	0	10	0	24	207
11:00 AM	4	34	1	0	39	0	0	0	0	0	0	30	11	0	41	3	0	1	0	4	84
11:15 AM	5	26	0	0	31	0	0	0	0	0	0	19	6	0	25	4	0	4	0	8	64
11:30 AM	2	27	0	0	29	0	0	0	0	0	0	21	6	0	27	3	0	1	0	4	60
11:45 AM	5	23	0	0	28	0	0	0	0	0	0	21	7	0	28	11	0	4	0	15	71
Total	16	110	1	0	127	0	0	0	0	0	0	91	30	0	121	21	0	10	0	31	279
12:00 PM	4	23	0	0	27	0	0	0	0	0	0	21	9	0	30	7	0	9	0	16	73
12:15 PM	7	23	0	0	30	0	0	0	0	0	0	29	7	0	36	6	0	3	0	9	75
12:30 PM	3	26	0	0	29	0	0	0	0	0	0	29	6	0	35	9	0	4	0	13	77
12:45 PM	6	27	0	0	33	0	0	0	0	0	0	27	3	0	30	4	0	3	0	7	70
Total	20	99	0	0	119	0	0	0	0	0	0	106	25	0	131	26	0	19	0	45	295

*** BREAK ***


03:00 PM	4	21	0	0	25	0	0	0	0	0	0	21	4	0	25	3	0	6	0	9	59
03:15 PM	12	41	0	0	53	0	0	0	0	0	0	23	6	0	29	8	0	3	0	11	93
03:30 PM	9	38	0	0	47	0	0	0	0	0	0	35	7	0	42	5	0	9	0	14	103
03:45 PM	5	25	0	0	30	0	0	0	0	0	0	46	3	0	49	5	0	6	0	11	90
Total	30	125	0	0	155	0	0	0	0	0	0	125	20	0	145	21	0	24	0	45	345
04:00 PM	7	28	0	0	35	0	0	0	0	0	0	33	10	0	43	8	0	8	0	16	94
04:15 PM	7	21	0	0	28	0	0	0	0	0	0	31	4	0	35	1	0	3	0	4	67
04:30 PM	3	32	0	0	35	0	0	0	0	0	0	35	6	0	41	8	0	7	0	15	91
04:45 PM	3	32	0	0	35	0	0	0	0	0	0	34	2	0	36	6	0	5	0	11	82
Total	20	113	0	0	133	0	0	0	0	0	0	133	22	0	155	23	0	23	0	46	334
05:00 PM	2	27	0	0	29	0	0	0	0	0	0	49	3	0	52	6	0	13	0	19	100
05:15 PM	9	27	0	0	36	0	0	0	0	0	0	32	4	0	36	5	0	10	0	15	87
05:30 PM	3	22	0	0	25	0	0	0	0	0	0	30	2	0	32	8	0	22	0	30	87
05:45 PM	7	30	0	0	37	0	0	0	0	0	0	31	3	0	34	15	1	12	0	28	99
Total	21	106	0	0	127	0	0	0	0	0	0	142	12	0	154	34	1	57	0	92	373

Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351

File Name : NORTHE~2
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 2

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns


	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Entrance Driveway Eastbound						
	Start Time	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Int. Total
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
06:00 PM	6	25	0	0		31	0	0	0	0	0	0	16	5	0	21	3	1	4	0	8	60
06:15 PM	8	10	0	0		18	0	0	0	0	0	0	23	2	0	25	3	0	2	0	5	48
06:30 PM	6	13	0	0		19	0	0	0	0	0	0	16	4	0	20	4	0	2	0	6	45
06:45 PM	6	8	0	0		14	0	0	0	0	0	0	12	2	0	14	3	0	2	0	5	33
Total	26	56	0	0		82	0	0	0	0	0	0	67	13	0	80	13	1	10	0	24	186
Grand Total	190	989	1	0		1180	0	0	0	0	0	0	909	187	0	1096	174	2	173	0	349	2625
Apprch %	16. 1	83. 8	0.1	0.0			0.0	0.0	0.0	0.0		0.0	82. 9	17. 1	0.0		49. 9	0.6	49. 6	0.0		
Total %	7.2 7	37. 0.0	0.0	0.0		45.0	0.0	0.0	0.0	0.0		0.0	34. 6	7.1	0.0	41.8	6.6	0.1	6.6	0.0	13.3	



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351

File Name : NORTHE~2
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 3


Start Time	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Entrance Driveway Eastbound					
	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total
Peak Hour From 06:00 AM to 12:30 PM - Peak 1 of 1																					
Intersection	11:45 AM																				
Volume	19	95	0	0	114	0	0	0	0	0	0	100	29	0	129	33	0	20	0	53	296
Percent	16.	83.	0.0	0.0		0.0	0.0	0.0	0.0		0.0	77.	22.	0.0		62.	0.0	37.	0.0		
High Int.	12:15 PM					5:45:00 AM					12:15 PM					12:00 PM					12:30
Volume	3	26	0	0	29	0	0	0	0	0	0	29	6	0	35	9	0	4	0	13	77
Peak Factor					0.95										0.89					0.82	0.96
					0										6					8	1



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351


File Name : NORTHE~2
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 4

	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Entrance Driveway Eastbound							
	Start Time	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total	
Peak Hour From 12:45 PM to 06:45 PM - Peak 1 of 1																							
Intersection	03:15 PM																						
Volume	33	132	0	0	165		0	0	0	0	0	0	137	26	0	163	26	0	26	0	52	380	
Percent	20.	80.	0.0	0.0			0.0	0.0	0.0	0.0		0.0	84.	16.	0.0	163	50.	0.0	50.	0.0			
High Int.	03:15 PM												03:45 PM										03:30
Volume	9	38	0	0	47		0	0	0	0	0	0	0	35	7	0	42	5	0	9	0	14	103
Peak Factor					0.77										0.83							0.81	0.92
					8											2						3	2



Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

File Name : NORTHE~2
Site Code : 00000000
Start Date : 01/28/2020
Page No : 5



Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

Sebastian Inlet State Park
Driveway Entrance/Exit

File Name : NORTHE~3
Site Code : 00000000
Start Date : 01/28/2020
Page No : 1

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns


	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Driveway Entrance Eastbound					
	Start Time	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total
*** BREAK ***																					
07:00 AM	5	17	0	0	22	0	0	0	0	0	0	13	7	0	20	2	0	0	0	2	44
07:15 AM	3	14	0	0	17	0	0	0	0	0	0	13	4	0	17	0	0	4	0	4	38
07:30 AM	6	14	0	0	20	0	0	0	0	0	0	10	2	0	12	3	0	1	0	4	36
07:45 AM	2	33	0	0	35	0	0	0	0	0	0	14	2	0	16	3	0	3	0	6	57
Total	16	78	0	0	94	0	0	0	0	0	0	50	15	0	65	8	0	8	0	16	175
*** BREAK ***																					
08:00 AM	9	18	0	0	27	0	0	0	0	0	0	6	1	0	7	0	0	4	0	4	38
08:15 AM	3	27	0	0	30	0	0	0	0	0	0	13	10	0	23	11	0	3	0	14	67
08:30 AM	5	33	0	0	38	0	0	0	0	0	0	10	2	0	12	2	0	2	0	4	54
08:45 AM	3	28	0	0	31	0	0	0	0	0	0	17	3	0	20	3	0	2	0	5	56
Total	20	106	0	0	126	0	0	0	0	0	0	46	16	0	62	16	0	11	0	27	215
*** BREAK ***																					
09:00 AM	1	32	0	0	33	0	0	0	0	0	0	17	7	0	24	1	0	3	0	4	61
09:15 AM	3	17	0	0	20	0	0	0	0	0	0	17	4	0	21	2	0	1	0	3	44
09:30 AM	1	21	0	0	22	0	0	0	0	0	0	19	2	0	21	3	0	3	0	6	49
09:45 AM	3	22	0	0	25	0	0	0	0	0	0	20	6	0	26	7	0	2	0	9	60
Total	8	92	0	0	100	0	0	0	0	0	0	73	19	0	92	13	0	9	0	22	214
*** BREAK ***																					
10:00 AM	2	19	0	0	21	0	0	0	0	0	0	12	9	0	21	5	0	6	0	11	53
10:15 AM	4	20	0	0	24	0	0	0	0	0	0	17	2	0	19	2	0	3	0	5	48
10:30 AM	5	14	0	0	19	0	0	0	0	0	0	23	4	0	27	6	0	1	0	7	53
10:45 AM	4	27	0	0	31	0	0	0	0	0	0	27	2	0	29	2	0	1	0	3	63
Total	15	80	0	0	95	0	0	0	0	0	0	79	17	0	96	15	0	11	0	26	217
*** BREAK ***																					
11:00 AM	4	25	0	0	29	0	0	0	0	0	0	24	8	0	32	0	0	3	0	3	64
11:15 AM	4	27	0	0	31	0	0	0	0	0	0	27	6	0	33	2	0	6	0	8	72
11:30 AM	6	34	0	0	40	0	0	0	0	0	0	25	5	0	30	3	0	6	0	9	79
11:45 AM	8	28	0	0	36	0	0	0	0	0	0	25	9	0	34	6	0	2	0	8	78
Total	22	114	0	0	136	0	0	0	0	0	0	101	28	0	129	11	0	17	0	28	293
*** BREAK ***																					
12:00 PM	8	28	0	0	36	0	0	0	0	0	0	29	6	0	35	7	0	2	0	9	80
12:15 PM	5	18	0	0	23	0	0	0	0	0	0	20	4	0	24	1	1	3	0	5	52
12:30 PM	8	30	0	0	38	0	0	0	0	0	0	24	6	0	30	5	0	1	0	6	74
12:45 PM	7	42	0	0	49	0	0	0	0	0	0	36	8	0	44	6	0	1	0	7	100
Total	28	118	0	0	146	0	0	0	0	0	0	109	24	0	133	19	1	7	0	27	306
*** BREAK ***																					
03:00 PM	5	32	0	0	37	0	0	0	0	0	0	40	8	0	48	8	0	7	0	15	100
03:15 PM	8	40	0	0	48	0	0	0	0	0	0	34	9	0	43	10	0	10	0	20	111
03:30 PM	7	37	0	0	44	0	0	0	0	0	0	26	6	0	32	8	0	4	0	12	88
03:45 PM	8	25	0	0	33	0	0	0	0	0	0	35	7	0	42	16	0	1	0	17	92
Total	28	134	0	0	162	0	0	0	0	0	0	135	30	0	165	42	0	22	0	64	391
*** BREAK ***																					
04:00 PM	6	33	0	0	39	0	0	0	0	0	0	27	6	0	33	8	0	7	0	15	87
04:15 PM	2	31	0	0	33	0	0	0	0	0	0	26	13	0	39	11	0	7	0	18	90
04:30 PM	3	41	0	0	44	0	0	0	0	0	0	27	5	0	32	8	0	3	0	11	87
04:45 PM	9	44	0	0	53	0	0	0	0	0	0	38	9	0	47	7	0	5	0	12	112
Total	20	149	0	0	169	0	0	0	0	0	0	118	33	0	151	34	0	22	0	56	376
*** BREAK ***																					
05:00 PM	2	33	0	0	35	0	0	0	0	0	0	36	7	0	43	6	0	5	0	11	89
05:15 PM	6	59	0	0	65	0	0	0	0	0	0	17	12	0	29	8	0	6	0	14	108
05:30 PM	14	28	0	0	42	0	0	0	0	0	0	39	7	0	46	16	0	10	0	26	114
05:45 PM	8	45	0	0	53	0	0	0	0	0	0	28	8	0	36	8	1	5	0	14	103
Total	30	165	0	0	195	0	0	0	0	0	0	120	34	0	154	38	1	26	0	65	414

Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351

File Name : NORTHE~3
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 2

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns


	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Driveway Entrance Eastbound						
	Start Time	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	85
06:00 PM	9	36	0	0		45	0	0	0	0	0	0	18	8	0	26	12	0	2	0	14	85
06:15 PM	4	22	0	0		26	0	0	0	0	0	0	13	9	0	22	10	1	6	0	17	65
06:30 PM	7	26	0	0		33	0	0	0	0	0	1	17	4	0	22	10	0	9	0	19	74
06:45 PM	8	22	0	0		30	0	0	0	0	0	0	13	3	0	16	3	0	4	0	7	53
Total	28	106	0	0		134	0	0	0	0	0	1	61	24	0	86	35	1	21	0	57	277
Grand Total	215	114	2	0	0	1357	0	0	0	0	0	1	892	240	0	1133	231	3	154	0	388	2878
Apprch %	15.	84.	8	0.0	0.0		0.0	0.0	0.0	0.0		0.1	78.	21.	0.0		59.	0.8	39.	7	0.0	
Total %	7.5	39.	7	0.0	0.0	47.2	0.0	0.0	0.0	0.0		0.0	31.	0	8.3	0.0	39.4	8.0	0.1	5.4	0.0	13.5



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351

File Name : NORTHE~3
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 3


Start Time	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Driveway Entrance Eastbound					
	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total
Peak Hour From 06:00 AM to 12:30 PM - Peak 1 of 1																					
Intersection	11:15 AM																				
Volume	26	117	0	0	143	0	0	0	0	0	0	106	26	0	132	18	0	16	0	34	309
Percent	18.	81.	0.0	0.0		0.0	0.0	0.0	0.0		0.0	80.	19.	0.0		52.	0.0	47.	0.0		
High Int.	11:30 AM					5:45:00 AM					12:00 PM					11:30 AM					12:00
Volume	8	28	0	0	36	0	0	0	0	0	0	29	6	0	35	7	0	2	0	9	80
Peak Factor					0.89										0.94					0.94	0.96
					4										3					4	6



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351


File Name : NORTHE~3
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 4

	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Driveway Entrance Eastbound							
	Start Time	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total	
Peak Hour From 12:45 PM to 06:45 PM - Peak 1 of 1																							
Intersection	04:45 PM																						
Volume	31	164	0	0	195		0	0	0	0	0	0	130	35	0	165	37	0	26	0	63	423	
Percent	15.	84.	0.0	0.0			0.0	0.0	0.0	0.0		0.0	78.	21.	0.0		58.	0.0	41.	0.0			
High Int.	05:15 PM												04:45 PM					05:30 PM					05:30
Volume	14	28	0	0	42		0	0	0	0	0	0	39	7	0	46	16	0	10	0	26	114	
Peak Factor					0.75											0.87					0.60	0.92	
					0											8					6	8	



Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

File Name : NORTHE~3
Site Code : 00000000
Start Date : 01/28/2020
Page No : 5



Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

Sebastian Inlet State Park
Driveway Entrance/Exit

File Name : NORTHE~4
Site Code : 00000000
Start Date : 01/28/2020
Page No : 1

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns

	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Driveway Entrance Eastbound					
	Start Time	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	

*** BREAK ***

07:00 AM	10	7	0	0	17	0	0	0	0	0	0	5	4	0	9	1	0	1	0	2	28
07:15 AM	2	17	0	0	19	0	0	0	0	0	0	6	4	0	10	3	0	0	0	3	32
07:30 AM	2	15	0	0	17	0	0	0	0	0	0	4	6	0	10	5	0	0	0	5	32
07:45 AM	6	10	0	0	16	0	0	0	0	0	0	11	0	0	11	1	0	2	0	3	30
Total	20	49	0	0	69	0	0	0	0	0	0	26	14	0	40	10	0	3	0	13	122
08:00 AM	5	15	0	0	20	0	0	0	0	0	0	8	4	0	12	4	0	3	0	7	39
08:15 AM	4	13	0	0	17	0	0	0	0	0	0	16	8	0	24	0	0	0	0	0	41
08:30 AM	4	12	0	0	16	0	0	0	0	0	0	13	4	0	17	4	0	3	0	7	40
08:45 AM	5	19	0	0	24	0	0	0	0	0	0	12	3	0	15	1	0	1	0	2	41
Total	18	59	0	0	77	0	0	0	0	0	0	49	19	0	68	9	0	7	0	16	161
09:00 AM	5	23	1	0	29	0	0	0	0	0	0	13	3	0	16	2	0	3	0	5	50
09:15 AM	4	29	0	0	33	0	0	0	0	0	0	17	1	0	18	4	0	2	0	6	57
09:30 AM	4	33	0	0	37	0	0	0	0	0	0	27	2	0	29	6	0	8	0	14	80
09:45 AM	5	35	0	0	40	0	0	0	0	0	0	16	3	0	19	1	0	5	0	6	65
Total	18	120	1	0	139	0	0	0	0	0	0	73	9	0	82	13	0	18	0	31	252
10:00 AM	7	31	0	0	38	0	0	0	0	0	0	34	2	0	36	5	0	2	0	7	81
10:15 AM	6	25	0	0	31	0	0	0	0	0	0	18	8	0	26	2	0	2	0	4	61
10:30 AM	7	33	0	0	40	0	0	0	0	0	0	30	12	0	42	6	0	3	0	9	91
10:45 AM	6	22	0	0	28	0	0	0	0	0	0	22	4	0	26	5	0	3	0	8	62
Total	26	111	0	0	137	0	0	0	0	0	0	104	26	0	130	18	0	10	0	28	295
11:00 AM	9	22	0	0	31	0	0	0	0	0	0	26	3	0	29	5	0	3	0	8	68
11:15 AM	6	38	0	0	44	0	0	0	0	0	0	18	8	0	26	4	0	2	0	6	76
11:30 AM	5	32	0	0	37	0	0	0	0	0	0	26	9	0	35	5	0	3	0	8	80
11:45 AM	7	41	0	0	48	0	0	0	0	0	0	36	8	0	44	6	0	2	0	8	100
Total	27	133	0	0	160	0	0	0	0	0	0	106	28	0	134	20	0	10	0	30	324
12:00 PM	11	50	0	0	61	0	0	0	0	0	0	35	13	0	48	13	0	4	0	17	126
12:15 PM	2	33	0	0	35	0	0	0	0	0	0	25	15	0	40	9	0	6	0	15	90
12:30 PM	5	30	0	0	35	0	0	0	0	0	0	44	14	0	58	7	0	5	0	12	105
12:45 PM	11	22	0	0	33	0	0	0	0	0	0	28	6	0	34	7	0	7	0	14	81
Total	29	135	0	0	164	0	0	0	0	0	0	132	48	0	180	36	0	22	0	58	402

*** BREAK ***


03:00 PM	2	35	0	0	37	0	0	0	0	0	0	33	4	0	37	5	0	7	0	12	86
03:15 PM	5	29	0	0	34	0	0	0	0	0	0	39	7	0	46	8	0	13	0	21	101
03:30 PM	6	42	0	0	48	0	0	0	0	0	0	38	8	0	46	14	0	11	0	25	119
03:45 PM	3	27	0	0	30	0	0	0	0	0	0	36	6	0	42	10	0	2	0	12	84
Total	16	133	0	0	149	0	0	0	0	0	0	146	25	0	171	37	0	33	0	70	390
04:00 PM	9	32	0	0	41	0	0	0	0	0	0	29	7	0	36	13	0	5	0	18	95
04:15 PM	5	36	0	0	41	0	0	0	0	0	0	24	6	0	30	12	0	10	0	22	93
04:30 PM	6	31	0	0	37	0	0	0	0	0	0	28	9	0	37	11	0	3	0	14	88
04:45 PM	0	16	0	0	16	0	0	0	0	0	0	27	5	0	32	7	0	7	0	14	62
Total	20	115	0	0	135	0	0	0	0	0	0	108	27	0	135	43	0	25	0	68	338
05:00 PM	3	24	0	0	27	0	0	0	0	0	0	25	1	0	26	1	0	4	0	5	58
05:15 PM	1	23	0	0	24	0	0	0	0	0	0	25	3	0	28	9	0	6	0	15	67
05:30 PM	2	23	0	0	25	0	0	0	0	0	0	14	1	0	15	6	0	8	0	14	54
05:45 PM	2	13	0	0	15	0	0	0	0	0	0	23	3	0	26	8	0	5	0	13	54
Total	8	83	0	0	91	0	0	0	0	0	0	87	8	0	95	24	0	23	0	47	233

Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

File Name : NORTHE~4
Site Code : 00000000
Start Date : 01/28/2020
Page No : 2

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns


	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Driveway Entrance Eastbound						
	Start Time	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Int. Total
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
06:00 PM	2	11	0	0		13	0	0	0	0	0	0	24	0	0	24	9	0	8	0	17	54
06:15 PM	1	6	0	0		7	0	0	0	0	0	0	15	1	0	16	6	0	5	0	11	34
06:30 PM	3	20	0	0		23	0	0	0	0	0	0	15	0	0	15	1	0	6	0	7	45
06:45 PM	1	12	0	0		13	0	0	0	0	0	0	10	2	0	12	3	0	0	0	0	28
Total	7	49	0	0		56	0	0	0	0	0	0	64	3	0	67	19	0	19	0	38	161
Grand Total	189	987	1	0		1177	0	0	0	0	0	0	895	207	0	1102	229	0	170	0	399	2678
Apprch %	16. 1	83. 9	0.1 0.1	0.0 0.0		0.0	0.0	0.0	0.0		0.0	0.0	81. 2	18. 8	0.0		57. 4	0.0	42. 6	0.0		
Total %	7.1 9	36. 9	0.0 0.0	0.0 0.0		44.0	0.0	0.0	0.0		0.0	0.0	33. 4	7.7	0.0	41.2	8.6	0.0	6.3	0.0	14.9	



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351

File Name : NORTHE~4
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 3


Start Time	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Driveway Entrance Eastbound					
	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total
Peak Hour From 06:00 AM to 12:30 PM - Peak 1 of 1																					
Intersection	11:45 AM																				
Volume	25	154	0	0	179	0	0	0	0	0	0	140	50	0	190	35	0	17	0	52	421
Percent	14.	86.	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73.	26.	0.0	0.0	67.	0.0	32.	0.0	0.0	
High Int.	12:00 PM					5:45:00 AM					12:30 PM					12:00 PM					12:00
Volume	11	50	0	0	61	0	0	0	0	0	0	35	13	0	48	13	0	4	0	17	126
Peak Factor	0.73					0.73					0.81					0.76					0.83
	4																				5



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351


File Name : NORTHE~4
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 4

	SR - A1A Southbound					Westbound					SR - A1A Northbound					North Driveway Entrance Eastbound							
	Start Time	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total	
Peak Hour From 12:45 PM to 06:45 PM - Peak 1 of 1																							
Intersection	03:15 PM																						
Volume	23	130	0	0	153		0	0	0	0	0	0	142	28	0	170	45	0	31	0	76	399	
Percent	15.	85.	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	83.	16.	0.0	170	59.	0.0	40.	0.0	0.0	0.0	
High Int.	03:30 PM												03:15 PM				03:30 PM						03:30
Volume	6	42	0	0	48		0	0	0	0	0	0	38	8	0	46	14	0	11	0	25	119	
Peak Factor					0.79											0.92					0.76	0.83	
					7											4					0	8	



Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

File Name : NORTHE~4
Site Code : 00000000
Start Date : 01/28/2020
Page No : 5



Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

Sebastian Inlet State Park
Driveway Entrance/Exit

File Name : SOUTHE~1
Site Code : 00000000
Start Date : 01/28/2020
Page No : 1

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns

	SR - A1A Southbound					South Entrance Drive Westbound					SR - A1A Northbound					South Entrance Driveway Eastbound					
	Start Time	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

*** BREAK ***

07:00 AM	4	21	0	0	25	0	0	0	0	0	0	12	1	0	13	0	0	0	0	0	38
07:15 AM	7	28	0	0	35	0	0	0	0	0	0	4	6	0	10	0	0	0	0	0	45
07:30 AM	4	25	0	0	29	0	0	0	0	0	0	12	6	0	18	0	0	2	0	2	49
07:45 AM	6	21	0	0	27	0	0	0	0	0	0	10	2	0	12	2	0	4	0	6	45
Total	21	95	0	0	116	0	0	0	0	0	0	38	15	0	53	2	0	6	0	8	177
08:00 AM	3	20	0	0	23	0	0	0	0	0	0	14	2	0	16	2	0	5	0	7	46
08:15 AM	4	35	1	0	40	0	0	0	0	0	0	15	2	0	17	1	0	5	0	6	63
08:30 AM	4	22	0	0	26	0	0	0	0	0	0	10	3	0	13	1	0	3	0	4	43
08:45 AM	4	22	1	0	27	0	0	0	0	0	0	17	1	0	18	2	0	6	0	8	53
Total	15	99	2	0	116	0	0	0	0	0	0	56	8	0	64	6	0	19	0	25	205
09:00 AM	5	15	1	0	21	0	0	0	0	0	0	15	4	0	19	3	0	2	0	5	45
09:15 AM	3	19	0	0	22	0	0	0	0	0	0	11	2	0	13	3	0	6	0	9	44
09:30 AM	3	23	0	0	26	0	0	0	0	0	0	22	0	0	22	1	0	3	0	4	52
09:45 AM	9	16	0	0	25	0	0	0	0	0	0	14	1	0	15	5	0	3	0	8	48
Total	20	73	1	0	94	0	0	0	0	0	0	62	7	0	69	12	0	14	0	26	189
10:00 AM	3	24	0	0	27	0	0	0	0	0	0	10	2	0	12	1	0	3	0	4	43
10:15 AM	1	21	0	0	22	0	0	0	0	0	0	10	2	0	12	5	0	5	0	10	44
10:30 AM	5	23	0	0	28	0	0	0	0	0	0	19	0	0	19	2	0	6	0	8	55
10:45 AM	9	25	0	0	34	0	0	0	0	0	0	9	2	0	11	5	0	6	0	11	56
Total	18	93	0	0	111	0	0	0	0	0	0	48	6	0	54	13	0	20	0	33	198
11:00 AM	0	26	0	0	26	0	0	0	0	0	0	13	0	0	13	4	0	4	0	8	47
11:15 AM	3	15	1	0	19	0	0	0	0	0	0	18	1	0	19	2	0	6	0	8	46
11:30 AM	5	13	0	0	18	0	0	0	0	0	0	20	1	0	21	1	0	4	0	5	44
11:45 AM	1	23	0	0	24	0	0	0	0	0	0	16	0	0	16	1	0	2	0	3	43
Total	9	77	1	0	87	0	0	0	0	0	0	67	2	0	69	8	0	16	0	24	180
12:00 PM	2	11	1	0	14	0	0	0	0	0	0	21	0	0	21	1	0	0	0	1	36
12:15 PM	1	18	0	0	19	0	0	0	0	0	0	24	1	0	25	0	0	2	0	2	46
12:30 PM	9	14	0	0	23	0	0	0	0	0	0	6	2	0	8	0	0	7	0	7	38
12:45 PM	1	10	1	0	12	0	0	0	0	0	0	19	0	0	19	4	0	3	0	7	38
Total	13	53	2	0	68	0	0	0	0	0	0	70	3	0	73	5	0	12	0	17	158

*** BREAK ***


03:00 PM	2	13	0	0	15	0	0	0	0	0	0	11	1	0	12	0	0	4	0	4	31
03:15 PM	0	16	0	0	16	0	0	0	0	0	0	23	1	0	24	1	0	1	0	2	42
03:30 PM	5	16	0	0	21	0	0	0	0	0	0	18	3	0	21	2	0	4	0	6	48
03:45 PM	0	9	0	0	9	0	0	0	0	0	0	19	4	0	23	2	0	1	0	3	35
Total	7	54	0	0	61	0	0	0	0	0	0	71	9	0	80	5	0	10	0	15	156
04:00 PM	0	18	0	0	18	0	0	0	0	0	0	11	2	0	13	4	0	2	0	6	37
04:15 PM	1	15	0	0	16	0	0	0	0	0	0	17	2	0	19	5	0	4	0	9	44
04:30 PM	4	18	0	0	22	0	0	0	0	0	0	30	0	0	30	5	0	2	0	7	59
04:45 PM	1	9	0	0	10	0	0	0	0	0	0	23	2	0	25	3	0	1	0	4	39
Total	6	60	0	0	66	0	0	0	0	0	0	81	6	0	87	17	0	9	0	26	179
05:00 PM	3	9	0	0	12	0	0	0	0	0	0	24	2	0	26	2	0	0	0	2	40
05:15 PM	5	11	0	0	16	0	0	0	0	0	0	22	3	0	25	1	0	1	0	2	43
05:30 PM	0	8	0	0	8	0	0	0	0	0	0	20	3	0	23	0	0	2	0	2	33
05:45 PM	2	7	0	0	9	0	0	0	0	0	0	15	0	0	15	3	0	2	0	5	29
Total	10	35	0	0	45	0	0	0	0	0	0	81	8	0	89	6	0	5	0	11	145

Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351

File Name : SOUTHE~1
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 2

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns


	SR - A1A Southbound					South Entrance Drive Westbound					SR - A1A Northbound					South Entrance Driveway Eastbound						
	Start Time	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Int. Total
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	22
06:00 PM	2	8	0	0	0	10	0	0	0	0	0	0	7	1	0	8	4	0	0	0	4	22
06:15 PM	1	9	0	0	0	10	0	0	0	0	0	0	16	1	0	17	0	0	1	0	1	28
06:30 PM	5	12	0	0	0	17	0	0	0	0	0	0	9	5	0	14	1	0	3	0	4	35
06:45 PM	3	6	0	0	0	9	0	0	0	0	0	0	12	1	0	13	0	0	2	0	2	24
Total	11	35	0	0	0	46	0	0	0	0	0	0	44	8	0	52	5	0	6	0	11	109
Grand Total	130	674	6	0	810		0	0	0	0	0	0	618	72	0	690	79	0	117	0	196	1696
Apprch %	16.0	83.2	0.7	0.0			0.0	0.0	0.0	0.0		0.0	89.6	10.4	0.0		40.3	0.0	59.7	0.0		
Total %	7.7	39.7	0.4	0.0	47.8		0.0	0.0	0.0	0.0		0.0	36.4	4.2	0.0	40.7	4.7	0.0	6.9	0.0	11.6	



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351

File Name : SOUTHE~1
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 3


Start Time	SR - A1A Southbound					South Entrance Drive Westbound					SR - A1A Northbound					South Entrance Driveway Eastbound					
	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total
Peak Hour From 06:00 AM to 12:30 PM - Peak 1 of 1																					
Intersection	08:00 AM																				
Volume	15	99	2	0	116	0	0	0	0	0	0	56	8	0	64	6	0	19	0	25	205
Percent	12.	85.	1.7	0.0		0.0	0.0	0.0	0.0		0.0	87.	12.	0.0		24.	0.0	76.	0.0		
High Int.	08:15 AM					5:45:00 AM					08:45 AM					08:45 AM					08:15
Volume	4	35	1	0	40	0	0	0	0	0	0	15	2	0	17	1	0	5	0	6	63
Peak Factor					0.72										0.88	9				0.78	0.81
					5															1	3



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351


File Name : SOUTHE~1
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 4

	SR - A1A Southbound					South Entrance Drive Westbound					SR - A1A Northbound					South Entrance Driveway Eastbound							
	Start Time	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total	
Peak Hour From 12:45 PM to 06:45 PM - Peak 1 of 1																							
Intersection	04:15 PM																						
Volume	9 15.	51 85.	0 0.0	0 0.0	60	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	94 94.	6 6.0	0 0.0	100 100	15 68.	0 0.0	7 31.	0 0.0	22 22	182	
Percent	0 0	0 0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0 0	0 0	0 0	0 0	2 2	0 0	8 8	0 0	0.00 0.00		
High Int.	04:30 PM												04:30 PM					04:15 PM					04:30
Volume	4 4	18 18	0 0	0 0	22 22	0 0	0 0	0 0	0 0	0 0	0 0	0 0	30 30	0 0	0 0	30 30	5 5	0 0	2 2	0 0	7 7	59 0.61	
Peak Factor					0.68																	0.77 1	
					2																		



Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

File Name : SOUTHE~1
Site Code : 00000000
Start Date : 01/28/2020
Page No : 5



Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

Sebastian Inlet State Park
Driveway Entrance/Exit

File Name : SOUTHE~2
Site Code : 00000000
Start Date : 01/28/2020
Page No : 1

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns

	SR - A1A Southbound					Westbound					SR - A1A Northbound					South Driveway Entrance Eastbound					
	Start Time	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

*** BREAK ***

07:00 AM	4	19	0	0	23	0	0	0	0	0	0	8	5	0	13	0	0	2	0	2	38
07:15 AM	7	21	0	0	28	0	0	0	0	0	0	8	3	0	11	2	0	5	0	7	46
07:30 AM	5	21	0	0	26	0	0	0	0	0	0	13	2	0	15	4	0	3	0	7	48
07:45 AM	1	25	0	0	26	0	0	0	0	0	0	14	1	0	15	3	0	4	0	7	48
Total	17	86	0	0	103	0	0	0	0	0	0	43	11	0	54	9	0	14	0	23	180
08:00 AM	4	16	0	0	20	0	0	0	0	0	0	8	1	0	9	0	0	5	0	5	34
08:15 AM	6	24	0	0	30	0	0	0	0	0	0	16	1	0	17	0	0	6	0	6	53
08:30 AM	4	16	0	0	20	0	0	0	0	0	0	18	3	0	21	4	0	3	0	7	48
08:45 AM	5	19	1	0	25	0	0	0	0	0	0	16	1	0	17	2	0	8	0	10	52
Total	19	75	1	0	95	0	0	0	0	0	0	58	6	0	64	6	0	22	0	28	187
09:00 AM	6	27	1	0	34	0	0	0	0	0	0	18	1	0	19	1	0	4	0	5	58
09:15 AM	2	28	0	0	30	0	0	0	0	0	0	17	2	0	19	1	0	6	0	7	56
09:30 AM	5	24	0	0	29	0	0	0	0	0	0	14	3	0	17	3	0	5	0	8	54
09:45 AM	6	20	0	0	26	0	0	0	0	0	0	17	5	0	22	4	0	4	0	8	56
Total	19	99	1	0	119	0	0	0	0	0	0	66	11	0	77	9	0	19	0	28	224
10:00 AM	6	24	1	0	31	0	0	0	0	0	0	12	4	0	16	7	0	2	0	9	56
10:15 AM	6	22	0	0	28	0	0	0	0	0	0	16	6	0	22	7	0	2	0	9	59
10:30 AM	3	16	0	0	19	0	0	0	0	0	0	17	3	0	20	2	0	6	0	8	47
10:45 AM	1	16	0	0	17	0	0	0	0	0	0	23	3	0	26	3	0	2	0	5	48
Total	16	78	1	0	95	0	0	0	0	0	0	68	16	0	84	19	0	12	0	31	210
11:00 AM	9	29	0	0	38	0	0	0	0	0	0	31	2	0	33	3	0	5	0	8	79
11:15 AM	5	25	0	0	30	0	0	0	0	0	0	21	5	0	26	5	0	6	0	11	67
11:30 AM	8	25	0	1	34	0	0	0	0	0	0	22	2	1	25	4	0	1	0	5	64
11:45 AM	9	24	0	0	33	0	0	0	0	0	0	25	4	0	29	4	0	6	0	10	72
Total	31	103	0	1	135	0	0	0	0	0	0	99	13	1	113	16	0	18	0	34	282
12:00 PM	4	25	1	0	30	0	0	0	0	0	0	30	1	0	31	6	0	6	0	12	73
12:15 PM	6	23	0	0	29	0	0	0	0	0	0	21	1	0	22	3	0	7	0	10	61
12:30 PM	10	25	0	0	35	0	0	0	0	0	0	30	4	0	34	2	0	5	0	7	76
12:45 PM	7	23	0	1	31	0	0	0	0	0	0	25	2	0	27	9	0	5	0	14	72
Total	27	96	1	1	125	0	0	0	0	0	0	106	8	0	114	20	0	23	0	43	282

*** BREAK ***


03:00 PM	5	19	0	0	24	0	0	0	0	0	0	18	5	1	24	4	0	6	0	10	58
03:15 PM	7	37	0	0	44	0	0	0	0	0	0	27	2	0	29	4	0	4	0	8	81
03:30 PM	3	40	0	0	43	0	0	0	0	0	0	31	5	0	36	6	0	9	0	15	94
03:45 PM	9	22	0	2	33	0	0	0	0	0	0	36	1	2	39	3	0	10	0	13	85
Total	24	118	0	2	144	0	0	0	0	0	0	112	13	3	128	17	0	29	0	46	318
04:00 PM	10	24	0	0	34	0	0	0	0	0	0	36	2	0	38	9	0	6	0	15	87
04:15 PM	9	18	0	0	27	0	0	0	0	0	0	30	2	0	32	4	0	6	0	10	69
04:30 PM	8	32	0	0	40	0	0	0	0	0	0	38	7	2	47	1	0	5	0	6	93
04:45 PM	10	29	0	0	39	0	0	0	0	0	0	33	2	3	38	6	0	5	0	11	88
Total	37	103	0	0	140	0	0	0	0	0	0	137	13	5	155	20	0	22	0	42	337
05:00 PM	3	29	0	0	32	0	0	0	0	0	0	49	4	0	53	2	0	6	0	8	93
05:15 PM	3	30	0	0	33	0	0	0	0	0	0	35	5	1	41	2	0	2	0	4	78
05:30 PM	4	25	0	0	29	0	0	0	0	0	0	27	4	0	31	4	0	3	0	7	67
05:45 PM	8	32	0	0	40	0	0	0	1	1	0	30	1	1	32	1	0	7	0	8	81
Total	18	116	0	0	134	0	0	0	1	1	0	141	14	2	157	9	0	18	0	27	319

Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

File Name : SOUTHE~2
Site Code : 00000000
Start Date : 01/28/2020
Page No : 2

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns


	SR - A1A Southbound					Westbound					SR - A1A Northbound					South Driveway Entrance Eastbound						
	Start Time	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Int. Total
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	55
06:00 PM	8	23	0	0		31	0	0	0	0	0	0	20	2	0	22	1	0	1	0	2	55
06:15 PM	2	11	0	0		13	0	0	0	0	0	0	22	6	0	28	2	0	3	0	5	46
06:30 PM	8	7	0	0		15	0	0	0	0	0	0	15	1	0	16	0	0	5	0	5	36
06:45 PM	5	7	0	0		12	0	0	0	0	0	0	10	5	0	15	1	0	3	0	4	31
Total	23	48	0	0		71	0	0	0	0	0	0	67	14	0	81	4	0	12	0	16	168
Grand Total	231	922	4	4		1161	0	0	0	1	1	0	897	119	11	1027	129	0	189	0	318	2507
Apprch %	19.	79.	0.3	0.3			0.0	0.0	0.0	100	.0	0.0	87.	11.	1.1		40.	0.0	59.	0.0		
	9	4	0.3	0.3									3	6			6	0.0	4	0.0		
Total %	9.2	36.	0.2	0.2		46.3	0.0	0.0	0.0	0.0	0.0	0.0	35.	4.7	0.4	41.0	5.1	0.0	7.5	0.0	12.7	
8													8									



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351

File Name : SOUTHE~2
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 3


Start Time	SR - A1A Southbound					Westbound					SR - A1A Northbound					South Driveway Entrance Eastbound					
	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total
Peak Hour From 06:00 AM to 12:30 PM - Peak 1 of 1																					
Intersection	11:00 AM																				
Volume	31	103	0	1	135	0	0	0	0	0	0	99	13	1	113	16	0	18	0	34	282
Percent	23.	76.	0	3	0.0	0.7	0.0	0.0	0.0	0.0	0.0	87.	11.	5	0.9	47.	0.0	52.	0.0		
High Int.	11:00 AM					5:45:00 AM					11:00 AM					11:15 AM					11:00
Volume	9	29	0	0	38	0	0	0	0	0	0	31	2	0	33	3	0	5	0	8	79
Peak Factor					0.88							0.85				0.77				0.89	0.89
					8							6									2



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351


File Name : SOUTHE~2
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 4

	SR - A1A Southbound					Westbound					SR - A1A Northbound					South Driveway Entrance Eastbound							
	Start Time	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total	
Peak Hour From 12:45 PM to 06:45 PM - Peak 1 of 1																							
Intersection	04:30 PM																						
Volume	24	120	0	0	144		0	0	0	0	0	0	155	18	6	179	11	0	18	0	29	352	
Percent	16.	83.	0.0	0.0			0.0	0.0	0.0	0.0		0.0	86.	10.	3.4		37.	0.0	62.	0.0			
High Int.	04:30 PM												05:00 PM					04:45 PM					04:30
Volume	3	29	0	0	32		0	0	0	0	0	0	49	4	0	53	2	0	6	0	8	93	
Peak Factor					0.90										0.84	4				0.65	0.94		
					0																9	6	



Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

File Name : SOUTHE~2
Site Code : 00000000
Start Date : 01/28/2020
Page No : 5



Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

Sebastian Inlet State Park
Driveway Entrance/Exit

File Name : SOUTHE~3
Site Code : 00000000
Start Date : 01/28/2020
Page No : 1

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns


	SR - A1A Southbound					Westbound					SR - A1A Northbound					South Entrance Driveway Eastbound					
	Start Time	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total
*** BREAK ***																					
07:00 AM	5	13	0	0	18	0	0	0	0	0	0	16	5	0	21	2	0	2	0	4	43
07:15 AM	3	13	0	0	16	0	0	0	0	0	0	13	3	0	16	1	0	4	0	5	37
07:30 AM	2	13	0	0	15	0	0	0	0	0	0	12	2	0	14	0	0	0	0	0	29
07:45 AM	12	24	2	0	38	0	0	0	0	0	0	11	1	0	12	1	0	3	0	4	54
Total	22	63	2	0	87	0	0	0	0	0	0	52	11	0	63	4	0	9	0	13	163
*** BREAK ***																					
08:00 AM	2	17	0	0	19	0	0	0	0	0	0	8	1	0	9	5	0	1	0	6	34
08:15 AM	6	28	0	0	34	0	0	0	0	0	0	18	1	0	19	5	0	2	0	7	60
08:30 AM	6	29	0	0	35	0	0	0	0	0	0	10	7	0	17	3	0	4	0	7	59
08:45 AM	6	25	0	0	31	0	0	0	0	0	0	14	4	0	18	2	0	5	0	7	56
Total	20	99	0	0	119	0	0	0	0	0	0	50	13	0	63	15	0	12	0	27	209
*** BREAK ***																					
09:00 AM	9	25	0	0	34	0	0	0	0	0	0	16	2	0	18	10	0	10	0	20	72
09:15 AM	4	18	0	0	22	0	0	0	0	0	0	14	2	0	16	5	0	5	0	10	48
09:30 AM	4	22	0	0	26	0	0	0	0	0	0	15	1	0	16	2	0	6	0	8	50
09:45 AM	3	28	0	0	31	0	0	0	0	0	0	19	3	0	23	4	0	4	0	8	62
Total	20	93	0	0	113	0	0	0	0	0	0	64	8	0	73	21	0	25	0	46	232
*** BREAK ***																					
10:00 AM	3	19	0	0	22	0	0	0	0	0	0	14	1	0	15	2	0	7	0	9	46
10:15 AM	7	17	0	0	24	0	0	0	0	0	1	17	1	0	19	2	0	2	0	4	47
10:30 AM	4	14	0	0	18	0	0	0	0	0	0	23	3	0	26	6	0	3	0	9	53
10:45 AM	8	21	0	0	29	0	0	0	0	0	0	26	4	0	30	5	0	2	0	7	66
Total	22	71	0	0	93	0	0	0	0	0	1	80	9	0	90	15	0	14	0	29	212
*** BREAK ***																					
11:00 AM	2	23	0	0	25	0	0	0	0	0	0	26	3	0	29	2	0	6	0	8	62
11:15 AM	7	24	0	0	31	0	0	0	0	0	0	25	3	0	28	3	0	10	0	13	72
11:30 AM	7	30	0	0	37	0	0	0	0	0	0	24	5	0	29	2	0	4	0	6	72
11:45 AM	9	28	0	0	37	0	0	0	0	0	0	26	5	0	31	4	0	9	0	13	81
Total	25	105	0	0	130	0	0	0	0	0	0	101	16	0	117	11	0	29	0	40	287
*** BREAK ***																					
12:00 PM	5	28	0	0	33	0	0	0	0	0	0	27	2	0	29	5	0	5	0	10	72
12:15 PM	7	16	0	0	23	0	0	0	0	0	0	21	3	0	24	2	0	4	0	6	53
12:30 PM	7	28	0	0	35	0	0	0	0	0	0	24	5	0	29	5	0	6	0	11	75
12:45 PM	16	31	0	0	47	0	0	0	0	0	0	35	3	0	38	0	0	6	0	6	91
Total	35	103	0	0	138	0	0	0	0	0	0	107	13	0	120	12	0	21	0	33	291
*** BREAK ***																					
03:00 PM	5	40	0	0	45	0	0	0	0	0	0	36	5	0	41	3	0	9	0	12	98
03:15 PM	13	31	0	0	44	0	0	0	0	0	0	35	12	0	47	4	0	7	0	11	102
03:30 PM	14	35	0	0	49	0	0	0	0	0	0	21	7	0	28	2	0	10	0	12	89
03:45 PM	10	34	0	0	44	0	0	0	0	0	0	33	2	0	35	4	0	6	0	10	89
Total	42	140	0	0	182	0	0	0	0	0	0	125	26	0	151	13	0	32	0	45	378
*** BREAK ***																					
04:00 PM	3	37	0	0	40	0	0	0	0	0	0	28	10	0	38	5	0	8	0	13	91
04:15 PM	13	30	0	0	43	0	0	0	0	0	1	26	5	0	32	2	0	9	0	11	86
04:30 PM	14	39	0	0	53	0	0	0	0	0	0	25	5	0	30	4	0	3	0	7	90
04:45 PM	17	31	0	0	48	0	0	0	0	0	2	37	5	0	44	5	0	9	0	14	106
Total	47	137	0	0	184	0	0	0	0	0	3	116	25	0	144	16	0	29	0	45	373
*** BREAK ***																					
05:00 PM	13	24	0	0	37	0	0	0	0	0	0	38	21	0	59	6	0	5	0	11	107
05:15 PM	28	35	0	0	63	0	0	0	0	0	0	26	11	0	37	10	0	7	0	17	117
05:30 PM	26	19	0	0	45	0	0	0	0	0	0	33	20	0	53	6	0	7	0	13	111
05:45 PM	32	20	0	0	52	0	0	0	0	0	0	34	17	0	51	4	1	9	0	14	117
Total	99	98	0	0	197	0	0	0	0	0	0	131	69	0	200	26	1	28	0	55	452

Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351

File Name : SOUTHE~3
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 2

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns


Start Time	SR - A1A Southbound					Westbound					SR - A1A Northbound					South Entrance Driveway Eastbound					
	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Int. Total
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
06:00 PM	23	25	0	0	48	0	0	0	0	0	0	11	11	0	22	6	1	10	0	17	87
06:15 PM	10	20	0	0	30	0	0	0	0	0	0	15	10	0	25	7	0	9	0	16	71
06:30 PM	16	18	0	0	34	0	0	0	0	0	0	16	14	0	30	6	0	9	0	15	79
06:45 PM	16	10	0	0	26	0	0	0	0	0	0	12	2	0	14	3	0	4	0	7	47
Total	65	73	0	0	138	0	0	0	0	0	0	54	37	0	91	22	1	32	0	55	284
Grand Total	397	982	2	0	1381	0	0	0	0	0	5	880	227	0	1112	155	2	231	0	388	2881
Apprch %	28.	71.	0.1	0.0		0.0	0.0	0.0	0.0		0.4	79.	20.	0.0		39.	0.5	59.	0.0		
	7	1									1	4				9		5			
Total %	13.	34.	0.1	0.0	47.9	0.0	0.0	0.0	0.0	0.0	0.2	30.	7.9	0.0	38.6	5.4	0.1	8.0	0.0	13.5	
	8	1									5										



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351

File Name : SOUTHE~3
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 3


	SR - A1A Southbound					Westbound					SR - A1A Northbound					South Entrance Driveway Eastbound					
Start Time	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total
Peak Hour From 06:00 AM to 12:30 PM - Peak 1 of 1																					
Intersection	11:15 AM																				
Volume	28	110	0	0	138	0	0	0	0	0	0	102	15	0	117	14	0	28	0	42	297
Percent	20.	79.	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	87.	12.	0.0		33.	0.0	66.	7	0.0	
High Int.	11:30 AM					5:45:00 AM					11:45 AM					11:15 AM					11:45
Volume	9	28	0	0	37	0	0	0	0	0	0	26	5	0	31	4	0	9	0	13	81
Peak Factor	0.93																				0.91
																					7



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351


File Name : SOUTHE~3
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 4

	SR - A1A Southbound					Westbound					SR - A1A Northbound					South Entrance Driveway Eastbound					
Start Time	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total
Peak Hour From 12:45 PM to 06:45 PM - Peak 1 of 1																					
Intersection	05:00 PM																				
Volume	99	98	0	0	197	0	0	0	0	0	0	131	69	0	200	26	1	28	0	55	452
Percent	50.	49.	0.0	0.0		0.0	0.0	0.0	0.0		0.0	65.	34.	0.0		47.	1.8	50.	0.0		
High Int.	05:15 PM										05:00 PM					05:15 PM					05:15
Volume	32	20	0	0	52	0	0	0	0	0	0	34	17	0	51	4	1	9	0	14	117
Peak Factor					0.78									0.84					0.80	0.96	
					2										7					9	6



Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

File Name : SOUTHE~3
Site Code : 00000000
Start Date : 01/28/2020
Page No : 5



Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

Sebastian Inlet State Park
Driveway Entrance/Exit

File Name : SOUTHE~4
Site Code : 00000000
Start Date : 01/28/2020
Page No : 1

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns

	SR - A1A Southbound					Westbound					SR - A1A Northbound					South Entrance Driveway Eastbound					
	Start Time	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

*** BREAK ***

07:00 AM	2	6	0	0	8	0	0	0	0	0	0	8	2	0	10	1	0	0	0	1	19
07:15 AM	5	13	0	0	18	0	0	0	0	0	0	5	1	0	6	3	0	3	0	6	30
07:30 AM	5	15	1	0	21	0	0	0	0	0	0	8	0	0	8	4	0	1	0	5	34
07:45 AM	1	12	0	0	13	0	0	0	0	0	0	6	6	0	12	2	0	5	0	7	32
Total	13	46	1	0	60	0	0	0	0	0	0	27	9	0	36	10	0	9	0	19	115
08:00 AM	7	8	0	0	15	0	0	0	0	0	0	9	7	0	16	2	0	2	0	4	35
08:15 AM	3	14	0	0	17	0	0	0	0	0	0	21	5	0	26	1	0	5	0	6	49
08:30 AM	3	10	0	0	13	0	0	0	0	0	0	12	5	0	17	1	0	3	0	4	34
08:45 AM	3	17	0	0	20	0	0	0	0	0	0	11	2	0	13	5	0	4	0	9	42
Total	16	49	0	0	65	0	0	0	0	0	0	53	19	0	72	9	0	14	0	23	160
09:00 AM	5	18	0	0	23	0	0	0	0	0	0	15	2	0	17	1	0	2	0	3	43
09:15 AM	7	26	0	0	33	0	0	0	0	0	0	14	3	0	17	3	0	4	0	7	57
09:30 AM	6	32	0	0	38	0	0	0	0	0	0	23	3	0	26	3	0	6	0	9	73
09:45 AM	3	32	0	0	35	0	0	0	0	0	0	17	1	0	18	3	0	2	0	5	58
Total	21	108	0	0	129	0	0	0	0	0	0	69	9	0	78	10	0	14	0	24	231
10:00 AM	7	28	0	0	35	0	0	0	0	0	0	30	0	0	30	2	0	2	0	4	69
10:15 AM	10	18	0	0	28	0	0	0	0	0	0	16	5	0	21	0	0	9	0	9	58
10:30 AM	11	28	0	0	39	0	0	0	0	0	0	32	6	0	38	10	0	8	0	18	95
10:45 AM	9	21	0	0	30	0	0	0	0	0	0	32	3	0	35	5	0	0	0	5	70
Total	37	95	0	0	132	0	0	0	0	0	0	110	14	0	124	17	0	19	0	36	292
11:00 AM	5	20	0	0	25	0	0	0	0	0	0	19	3	0	22	4	0	7	0	11	58
11:15 AM	4	38	0	0	42	0	0	0	0	0	0	21	5	0	26	3	0	5	0	8	76
11:30 AM	6	27	0	0	33	0	0	0	0	0	0	30	7	0	37	6	0	4	0	10	80
11:45 AM	6	44	0	0	50	0	0	0	0	0	0	36	7	0	43	8	0	7	0	15	108
Total	21	129	0	0	150	0	0	0	0	0	0	106	22	0	128	21	0	23	0	44	322
12:00 PM	15	45	0	0	60	0	0	0	0	0	0	29	5	0	34	3	0	20	0	23	117
12:15 PM	7	40	0	0	47	0	0	0	0	0	0	32	5	0	37	5	0	7	0	12	96
12:30 PM	6	30	0	0	36	0	0	0	0	0	0	45	4	0	49	4	0	11	0	15	100
12:45 PM	10	19	0	0	29	0	0	0	0	0	0	31	5	0	36	4	0	3	0	7	72
Total	38	134	0	0	172	0	0	0	0	0	0	137	19	0	156	16	0	41	0	57	385

*** BREAK ***


03:00 PM	3	36	0	0	39	0	0	0	0	0	0	32	2	0	34	6	0	4	0	10	83
03:15 PM	7	29	0	0	36	0	0	0	0	0	0	39	5	0	44	4	0	11	0	15	95
03:30 PM	9	48	1	0	58	0	0	0	0	0	0	32	7	0	39	8	0	8	0	16	113
03:45 PM	8	29	0	0	37	0	0	0	0	0	0	32	6	0	38	5	0	8	0	13	88
Total	27	142	1	0	170	0	0	0	0	0	0	135	20	0	155	23	0	31	0	54	379
04:00 PM	10	39	0	0	49	0	0	0	0	0	0	32	1	0	33	5	0	4	0	9	91
04:15 PM	7	41	0	0	48	0	0	0	0	0	0	28	3	0	31	5	0	4	0	9	88
04:30 PM	9	34	1	0	44	0	0	0	0	0	0	30	2	0	32	3	0	3	0	6	82
04:45 PM	3	23	0	0	26	0	0	0	0	0	0	22	2	0	24	3	0	6	0	9	59
Total	29	137	1	0	167	0	0	0	0	0	0	112	8	0	120	16	0	17	0	33	320
05:00 PM	1	22	0	0	23	0	0	0	0	0	0	23	3	0	26	5	0	4	0	9	58
05:15 PM	8	24	0	0	32	0	0	0	0	0	0	25	1	0	26	4	0	3	0	7	65
05:30 PM	3	25	0	0	28	0	0	0	0	0	0	17	3	0	20	8	0	2	0	10	58
05:45 PM	3	18	0	0	21	0	0	0	0	0	0	17	1	0	18	6	0	8	0	14	53
Total	15	89	0	0	104	0	0	0	0	0	0	82	8	0	90	23	0	17	0	40	234

Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

File Name : SOUTHE~4
Site Code : 00000000
Start Date : 01/28/2020
Page No : 2

Groups Printed Cars & Peds - Trucks & Bicycles - U-Turns


	SR - A1A Southbound					Westbound					SR - A1A Northbound					South Entrance Driveway Eastbound						
	Start Time	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Int. Total
Factor	1.0	1.0	1.0	1.0			1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	
06:00 PM	4	17	0	0		21	0	0	0	0	0	0	17	2	0	19	4	0	6	0	10	50
06:15 PM	1	10	0	0		11	0	0	0	0	0	0	11	0	0	11	1	0	5	0	6	28
06:30 PM	2	19	0	0		21	0	0	0	0	0	0	10	0	0	10	0	0	2	0	2	33
06:45 PM	5	11	0	0		16	0	0	0	0	0	0	9	1	0	10	1	0	4	0	5	31
Total	12	57	0	0		69	0	0	0	0	0	0	47	3	0	50	6	0	17	0	23	142
Grand Total	229	986	3	0		1218	0	0	0	0	0	0	878	131	0	1009	151	0	202	0	353	2580
Apprch %	18.	81.	0	0.2		0.0	0.0	0.0	0.0	0.0	0.0	0.0	87.	13.	0.0	0.0	42.	0.0	57.	2	0.0	
Total %	8.9	38.	2	0.1		47.2	0.0	0.0	0.0	0.0	0.0	0.0	34.	0	5.1	0.0	39.1	5.9	0.0	7.8	0.0	13.7



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351

File Name : SOUTHE~4
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 3


Start Time	SR - A1A Southbound					Westbound					SR - A1A Northbound					South Entrance Driveway Eastbound					
	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total
Peak Hour From 06:00 AM to 12:30 PM - Peak 1 of 1																					
Intersection	11:45 AM																				
Volume	34	159	0	0	193	0	0	0	0	0	0	142	21	0	163	20	0	45	0	65	421
Percent	17.	82.	0.0	0.0		0.0	0.0	0.0	0.0		0.0	87.	12.	0.0		30.	0.0	69.	0.0		
High Int.	12:00 PM					5:45:00 AM					12:30 PM					12:00 PM					12:00
Volume	15	45	0	0	60	0	0	0	0	0	0	29	5	0	34	3	0	20	0	23	117
Peak Factor					0.80										0.83					0.70	0.90
					4										2					7	0



Trident Engineering, LLC
 10232 NW 47th Street
 Sunrise, FL 33351


File Name : SOUTHE~4
 Site Code : 00000000
 Start Date : 01/28/2020
 Page No : 4

	SR - A1A Southbound					Westbound				SR - A1A Northbound				South Entrance Driveway Eastbound								
	Start Time	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Int. Total
Peak Hour From 12:45 PM to 06:45 PM - Peak 1 of 1																						
Intersection	03:15 PM																					
Volume	34	145	1	0	180	0	0	0	0	0	0	135	19	0	154	22	0	31	0	53	387	
Percent	18.	80.	0.6	0.0		0.0	0.0	0.0	0.0	0.0	0.0	87.	12.	0.0	0.0	41.	0.0	58.	5	0.0		
High Int.	03:30 PM											03:15 PM				03:30 PM						03:30
Volume	9	48	1	0	58	0	0	0	0	0	0	32	7	0	39	8	0	8	0	16	113	
Peak Factor					0.77										0.87					0.82	0.85	
					6										5					8	6	



Trident Engineering, LLC
10232 NW 47th Street
Sunrise, FL 33351

File Name : SOUTHE~4
Site Code : 00000000
Start Date : 01/28/2020
Page No : 5



Appendix B
Turning Movement Volume
(TMC) Counts

Appendix D
72-Hr. Bi-Directional
Vehicle Classifications Counts

TRIDENT Engineering, LLC

Page 1

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Sebastian Inlet Bridge - NB

72 Hrs. bi-directional vehicle classification counts
(11/12/2019 to 11/14/2019)

Sebastian Inlet Bridge

Northbound

Start Time	Bikes	Cars & Trailer	2 Axle Long	Buses	2 Axle 6 Tire	3 Axle Single	4 Axle Single	<5 Axl Double	5 Axle Double	>6 Axl Double	<6 Axl Multi	6 Axle Multi	>6 Axl Multi	Not Classe	Total
11/12/19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
06:00	0	8	4	0	1	0	0	0	0	0	0	0	0	0	13
06:15	0	12	8	1	0	0	0	0	0	0	0	0	0	0	21
06:30	2	8	9	0	0	0	0	0	0	0	0	0	0	0	19
06:45	0	7	3	0	1	1	0	0	0	0	0	0	0	0	12
	2	35	24	1	2	1	0	0	0	0	0	0	0	0	65
07:00	0	6	4	0	1	0	0	0	0	0	0	0	0	0	11
07:15	0	4	2	0	0	0	0	0	0	0	0	0	0	0	6
07:30	0	13	8	0	1	0	0	0	0	0	0	0	0	0	22
07:45	0	19	4	0	3	0	0	0	0	0	0	0	0	0	26
	0	42	18	0	5	0	0	0	0	0	0	0	0	0	65
08:00	0	16	9	0	2	0	0	0	0	0	0	0	0	0	27
08:15	0	6	2	0	1	0	0	0	0	0	0	0	0	0	9
08:30	0	11	8	0	0	0	0	1	0	0	0	0	0	0	20
08:45	1	16	6	0	1	0	0	0	0	0	0	0	0	0	24
	1	49	25	0	4	0	0	1	0	0	0	0	0	0	80
09:00	0	11	6	0	0	0	0	1	1	0	0	0	0	0	19
09:15	0	15	12	0	2	0	0	0	0	0	0	0	0	0	29
09:30	0	9	4	0	1	0	0	0	0	0	0	0	0	0	14
09:45	3	23	7	0	1	0	0	0	0	0	0	0	0	0	34
	3	58	29	0	4	0	0	1	1	0	0	0	0	0	96
10:00	0	16	5	0	2	0	0	0	0	0	0	0	0	0	23
10:15	1	21	6	0	1	0	0	1	0	0	0	0	0	0	30
10:30	0	16	7	0	1	0	0	1	0	0	0	0	0	0	25
10:45	0	24	7	0	2	0	0	0	0	0	0	0	0	0	33
	1	77	25	0	6	0	0	2	0	0	0	0	0	0	111
11:00	2	25	6	0	2	0	0	0	0	0	0	0	0	0	35
11:15	2	24	14	0	5	1	0	0	0	0	0	0	0	0	46
11:30	2	13	4	0	3	0	0	1	0	0	0	0	0	0	23
11:45	2	24	8	0	1	0	0	2	1	0	0	0	0	0	38
	8	86	32	0	11	1	0	3	1	0	0	0	0	0	142
Total	15	347	153	1	32	2	0	0	7	2	0	0	0	0	559
Percent	2.7%	62.1%	27.4%	0.2%	5.7%	0.4%	0.0%	1.3%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	

TRIDENT Engineering, LLC

Page 2

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Sebastian Inlet Bridge - NB

72 Hrs. bi-directional vehicle classification counts
(11/12/2019 to 11/14/2019)

Sebastian Inlet Bridge

Northbound

Start Time	Bikes	Cars & Trailer	2 Axle Long	Buses	2 Axle 6 Tire	3 Axle Single	4 Axle Single	<5 Axl Double	5 Axle Double	>6 Axl Double	<6 Axl Multi	6 Axle Multi	>6 Axl Multi	Not Classe	Total
12 PM	2	18	7	1	1	0	0	0	0	0	0	0	0	0	29
12:15	0	33	9	0	3	0	0	0	0	0	0	0	0	0	45
12:30	2	19	13	0	3	0	0	2	0	0	0	0	0	0	39
12:45	2	19	11	0	1	0	0	0	0	0	0	0	0	0	33
	6	89	40	1	8	0	0	2	0	0	0	0	0	0	146
13:00	0	14	5	1	3	0	0	0	0	0	0	0	0	0	23
13:15	2	20	9	0	2	0	0	0	0	0	0	0	0	0	33
13:30	0	24	4	0	0	0	0	0	0	0	0	0	0	0	28
13:45	1	24	5	0	2	1	0	0	0	0	0	0	0	0	33
	3	82	23	1	7	1	0	0	0	0	0	0	0	0	117
14:00	0	20	6	0	0	0	0	1	0	0	0	0	0	0	27
14:15	2	24	9	0	4	0	0	2	0	0	0	0	0	0	41
14:30	1	18	15	0	1	0	0	0	1	0	0	0	0	0	36
14:45	1	26	11	0	4	0	0	0	1	0	0	0	0	0	43
	4	88	41	0	9	0	0	3	2	0	0	0	0	0	147
15:00	0	15	5	0	0	0	0	0	0	0	0	0	0	0	20
15:15	1	24	10	0	1	0	0	1	0	0	0	0	0	0	37
15:30	0	26	5	0	2	0	0	0	0	0	0	0	0	0	33
15:45	0	27	10	0	1	0	0	1	0	0	0	0	0	0	39
	1	92	30	0	4	0	0	2	0	0	0	0	0	0	129
16:00	1	23	4	0	2	0	0	0	0	0	0	0	0	0	30
16:15	2	35	10	0	2	0	0	0	0	0	0	0	0	0	49
16:30	2	27	10	1	0	0	0	0	0	0	0	0	0	0	40
16:45	0	18	7	0	3	0	0	0	0	0	0	0	0	0	28
	5	103	31	1	7	0	0	0	0	0	0	0	0	0	147
17:00	1	27	5	0	0	0	0	0	0	0	0	0	0	0	33
17:15	1	25	6	0	1	0	0	0	0	0	0	0	0	0	33
17:30	0	28	5	0	1	0	0	0	0	0	0	0	0	0	34
17:45	0	20	4	0	0	0	0	0	0	0	0	0	0	0	24
	2	100	20	0	2	0	0	0	0	0	0	0	0	0	124
18:00	0	19	4	0	0	0	0	0	0	0	0	0	0	0	23
18:15	0	8	1	0	0	0	0	0	0	0	0	0	0	0	9
18:30	0	22	2	0	0	0	0	0	0	0	0	0	0	0	24
18:45	0	12	2	0	1	0	0	0	0	0	0	0	0	0	15
	0	61	9	0	1	0	0	0	0	0	0	0	0	0	71
19:00	1	7	2	0	0	0	0	0	0	0	0	0	0	0	10
19:15	0	4	2	0	1	0	0	0	0	0	0	0	0	0	7
19:30	0	8	1	0	0	0	0	0	0	0	0	0	0	0	9
19:45	1	10	5	0	0	0	0	0	0	0	0	0	0	0	16
	2	29	10	0	1	0	0	0	0	0	0	0	0	0	42
20:00	0	7	2	0	0	0	0	0	0	0	0	0	0	0	9
20:15	0	2	3	0	0	0	0	0	0	0	0	0	0	0	5
20:30	0	4	3	0	1	0	0	0	0	0	0	0	0	0	8
20:45	0	9	1	0	0	0	0	0	0	0	0	0	0	0	10
	0	22	9	0	1	0	0	0	0	0	0	0	0	0	32
21:00	0	2	3	0	1	0	0	0	0	0	0	0	0	0	6
21:15	1	4	2	0	0	0	0	0	0	0	0	0	0	0	7
21:30	0	2	4	0	0	0	0	0	0	0	0	0	0	0	6
21:45	0	4	1	0	0	0	0	1	0	0	0	0	0	0	6
	1	12	10	0	1	0	0	1	0	0	0	0	0	0	25
22:00	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
22:15	0	4	1	0	0	0	0	0	0	0	0	0	0	0	5
22:30	0	4	0	1	0	0	0	0	0	0	0	0	0	0	5
22:45	0	2	2	0	0	0	0	0	0	0	0	0	0	0	4
	0	12	3	0	1	0	0	0	0	0	0	0	0	0	16
23:00	0	2	1	0	1	0	0	0	0	0	0	0	0	0	4
23:15	0	3	4	0	0	0	0	0	0	0	0	0	0	0	7
23:30	0	0	3	0	0	0	0	0	0	0	0	0	0	0	3
23:45	0	4	2	0	0	0	0	0	0	0	0	0	0	0	6
	0	9	10	0	1	0	0	0	0	0	0	0	0	0	20
Total Percent	24.2%	699.68.8%	236.23.2%	3.0.3%	43.4.2%	1.0.1%	0.0.0.0%	8.0.8%	2.0.2%	0.0.0.0%	0.0.0.0%	0.0.0.0%	0.0.0.0%	0.0.0.0%	1016
Daily Total	39	1046	389	4	75	3	0	15	4	0	0	0	0	0	1575
Percent	2.5%	66.4%	24.7%	0.3%	4.8%	0.2%	0.0%	1.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Sebastian Inlet Bridge - NB
72 Hrs. bi-directional vehicle classification counts
(11/12/2019 to 11/14/2019)

Sebastian Inlet Bridge

Northbound

Start Time	Bikes	Cars & Trailer	2 Axle Long	Buses	2 Axle 6 Tire	3 Axle Single	4 Axle Single	<5 Axl Double	5 Axle Double	>6 Axl Double	<6 Axl Multi	6 Axle Multi	>6 Axl Multi	Not Classe	Total
11/13/19	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
00:15	0	1	2	0	0	0	0	0	0	0	0	0	0	0	3
00:30	0	2	4	0	0	0	0	0	0	0	0	0	0	0	6
00:45	0	3	0	0	0	0	0	0	0	0	0	0	0	0	3
	0	7	7	0	0	0	0	0	0	0	0	0	0	0	14
01:00	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
01:15	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
01:30	0	3	0	0	0	0	0	0	0	0	0	0	0	0	3
01:45	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
	0	5	3	0	0	0	0	0	0	0	0	0	0	0	8
02:00	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
02:15	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
03:00	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	1	2	0	0	0	0	0	0	0	0	0	0	0	3
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	1	3	0	0	0	0	0	0	0	0	0	0	0	4
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:15	0	3	0	0	0	0	0	0	0	0	0	0	0	0	3
04:30	0	0	3	0	0	0	0	0	0	0	0	0	0	0	3
04:45	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	0	4	3	0	0	0	0	0	0	0	0	0	0	0	7
05:00	0	4	1	0	0	0	0	0	0	0	0	0	0	0	5
05:15	0	2	3	0	0	0	0	0	0	0	0	0	0	0	5
05:30	0	1	0	0	1	0	0	0	0	0	0	0	0	0	2
05:45	0	5	3	0	0	0	0	0	0	0	0	0	0	0	8
	0	12	7	0	1	0	0	0	0	0	0	0	0	0	20
06:00	0	2	1	0	0	0	0	0	0	0	0	0	0	0	3
06:15	0	5	4	1	0	0	0	0	0	0	0	0	0	0	10
06:30	0	3	4	0	0	0	0	0	0	0	0	0	0	0	7
06:45	0	9	4	0	0	0	0	0	0	0	0	0	0	0	13
	0	19	13	1	0	0	0	0	0	0	0	0	0	0	33
07:00	0	2	2	0	1	0	0	0	0	0	0	0	0	0	5
07:15	0	5	2	0	0	0	0	0	0	0	0	0	0	0	7
07:30	0	7	3	0	1	0	0	0	0	0	0	0	0	0	11
07:45	0	8	5	0	0	1	0	0	0	0	0	0	0	0	14
	0	22	12	0	2	1	0	0	0	0	0	0	0	0	37
08:00	0	15	12	0	2	0	0	0	0	0	0	0	0	0	29
08:15	0	9	5	0	2	0	0	1	0	0	0	0	0	0	17
08:30	0	12	6	0	0	0	0	0	0	0	0	0	0	0	18
08:45	0	8	7	0	2	0	1	0	0	0	0	0	0	0	18
	0	44	30	0	6	0	1	1	0	0	0	0	0	0	82
09:00	0	6	3	0	3	0	0	1	0	0	0	0	0	0	13
09:15	0	8	5	0	1	1	0	0	1	0	0	0	0	0	16
09:30	0	11	5	0	0	0	0	2	0	0	0	0	0	0	18
09:45	1	11	6	1	3	0	0	0	0	0	0	0	0	0	22
	1	36	19	1	7	1	0	3	1	0	0	0	0	0	69
10:00	0	4	5	0	2	0	0	1	0	0	0	0	0	0	12
10:15	0	12	5	0	2	0	0	0	0	0	0	0	0	0	19
10:30	0	11	6	0	3	0	0	1	0	0	0	0	0	0	21
10:45	0	6	5	0	2	0	0	0	0	0	0	0	0	0	13
	0	33	21	0	9	0	0	2	0	0	0	0	0	0	65
11:00	0	20	6	0	3	0	0	1	0	0	0	0	0	0	30
11:15	0	8	4	1	1	0	0	0	0	0	0	0	0	0	14
11:30	0	25	7	0	1	0	0	1	0	0	0	0	0	0	34
11:45	0	9	7	1	1	0	0	1	0	0	0	0	0	0	19
	0	62	24	2	6	0	0	3	0	0	0	0	0	0	97
Total Percent	1	246	143	4	31	2	1	9	1	0	0	0	0	0	438

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Sebastian Inlet Bridge - NB
72 Hrs. bi-directional vehicle classification counts
(11/12/2019 to 11/14/2019)

Sebastian Inlet Bridge

Northbound

Start Time	Bikes	Cars & Trailer	2 Axle Long	Buses	2 Axle 6 Tire	3 Axle Single	4 Axle Single	<5 Axl Double	5 Axle Double	>6 Axl Double	<6 Axl Multi	6 Axle Multi	>6 Axl Multi	Not Classe	Total
12 PM	0	13	5	1	2	1	0	0	0	0	0	0	0	0	22
12:15	0	19	6	1	1	0	0	0	0	0	0	0	0	0	27
12:30	0	21	4	0	2	0	0	0	0	0	0	0	0	0	27
12:45	0	16	6	1	1	0	0	0	0	0	0	0	0	0	24
	0	69	21	3	6	1	0	0	0	0	0	0	0	0	100
13:00	0	9	10	0	2	0	0	1	0	0	0	0	0	0	22
13:15	0	15	4	0	1	0	0	0	0	0	0	0	0	0	20
13:30	0	10	3	0	3	0	0	0	0	0	0	0	0	0	16
13:45	0	19	3	0	1	0	0	0	0	0	0	0	0	0	23
	0	53	20	0	7	0	0	1	0	0	0	0	0	0	81
14:00	0	17	6	0	0	0	0	0	0	0	0	0	0	0	23
14:15	0	9	7	0	1	1	0	0	0	0	0	0	0	0	18
14:30	0	18	2	0	4	0	0	0	0	0	0	0	0	0	24
14:45	0	13	11	0	0	1	0	0	0	0	0	0	0	0	25
	0	57	26	0	5	2	0	0	0	0	0	0	0	0	90
15:00	0	14	6	0	1	1	0	0	0	0	0	0	0	0	22
15:15	0	15	7	1	1	0	0	0	0	0	0	0	0	0	24
15:30	0	9	2	0	2	0	0	0	0	0	0	0	0	0	13
15:45	0	18	5	0	0	0	0	0	0	0	0	0	0	0	23
	0	56	20	1	4	1	0	0	0	0	0	0	0	0	82
16:00	1	17	3	1	1	0	0	0	0	0	0	0	0	0	23
16:15	0	29	9	0	2	0	0	1	0	0	0	0	0	0	41
16:30	0	26	7	0	1	0	0	0	0	0	0	0	0	0	34
16:45	0	17	3	0	4	0	0	0	0	0	0	0	0	0	24
	1	89	22	1	8	0	0	1	0	0	0	0	0	0	122
17:00	1	21	13	0	1	0	0	0	0	0	0	0	0	0	36
17:15	0	36	2	0	0	0	0	0	0	0	0	0	0	0	38
17:30	0	29	3	0	1	0	0	0	0	0	0	0	0	0	33
17:45	0	18	5	0	2	0	0	0	0	0	0	0	0	0	25
	1	104	23	0	4	0	0	0	0	0	0	0	0	0	132
18:00	0	8	5	0	2	0	0	0	0	0	0	0	0	0	15
18:15	0	16	3	0	1	0	0	0	0	0	0	0	0	0	20
18:30	0	12	2	0	0	0	0	0	0	1	0	0	0	0	15
18:45	0	7	3	0	0	0	0	0	0	0	0	0	0	0	10
	0	43	13	0	3	0	0	0	1	0	0	0	0	0	60
19:00	0	6	0	0	2	0	0	0	0	0	0	0	0	0	8
19:15	0	9	5	0	1	0	0	0	0	0	0	0	0	0	15
19:30	0	6	2	0	1	0	0	0	0	0	0	0	0	0	9
19:45	0	5	2	0	0	0	0	0	0	0	0	0	0	0	7
	0	26	9	0	4	0	0	0	0	0	0	0	0	0	39
20:00	0	4	3	0	0	0	0	0	0	0	0	0	0	0	7
20:15	0	4	3	0	0	0	0	0	0	0	0	0	0	0	7
20:30	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
20:45	0	7	5	0	0	0	0	1	0	0	0	0	0	0	13
	0	15	13	0	0	0	0	0	1	0	0	0	0	0	29
21:00	0	7	1	0	0	0	0	0	0	0	0	0	0	0	8
21:15	0	2	1	0	1	0	0	0	1	0	0	0	0	0	5
21:30	0	4	0	0	0	0	0	0	0	0	0	0	0	0	4
21:45	0	4	2	0	0	0	0	0	0	0	0	0	0	0	6
	0	17	4	0	1	0	0	1	0	0	0	0	0	0	23
22:00	0	3	2	0	0	0	0	0	0	0	0	0	0	0	5
22:15	0	7	0	0	0	0	0	0	0	0	0	0	0	0	7
22:30	0	6	3	0	1	0	0	0	0	0	0	0	0	0	10
22:45	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
	0	17	6	0	1	0	0	0	0	0	0	0	0	0	24
23:00	0	3	1	0	0	0	0	0	0	0	0	0	0	0	4
23:15	0	5	0	0	0	0	0	0	0	0	0	0	0	0	5
23:30	0	3	0	0	0	0	0	0	0	0	0	0	0	0	3
23:45	0	2	0	0	0	0	0	0	1	0	0	0	0	0	3
	0	13	1	0	0	0	0	0	1	0	0	0	0	0	15
Total Percent	2	559	178	5	43	4	0	5	1	0	0	0	0	0	797
Daily Total	3	805	321	9	74	6	1	14	2	0	0	0	0	0	1235
Percent	0.3%	70.1%	22.3%	0.6%	5.4%	0.5%	0.0%	0.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	

TRIDENT Engineering, LLC

Page 5

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Sebastian Inlet Bridge - NB

72 Hrs. bi-directional vehicle classification counts
(11/12/2019 to 11/14/2019)

Sebastian Inlet Bridge

Northbound

Start Time	Bikes	Cars & Trailer	2 Axle Long	Buses	2 Axle 6 Tire	3 Axle Single	4 Axle Single	<5 Axl Double	5 Axle Double	>6 Axl Double	<6 Axl Multi	6 Axle Multi	>6 Axl Multi	Not Classe	Total
11/14/19	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
00:15	0	0	3	0	0	0	0	0	0	0	0	0	0	0	3
00:30	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
00:45	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	0	2	5	0	0	0	0	0	0	0	0	0	0	0	7
01:00	0	2	1	0	0	0	0	0	0	0	0	0	0	0	3
01:15	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
01:30	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
01:45	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	0	5	2	0	0	0	0	0	0	0	0	0	0	0	7
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	1	0	0	1	0	0	0	0	0	0	0	0	0	2
03:45	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	0	1	1	0	1	0	0	0	0	0	0	0	0	0	3
04:00	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
04:45	0	4	2	0	0	0	0	0	0	0	0	0	0	0	6
	0	7	2	0	0	0	0	0	0	0	0	0	0	0	9
05:00	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
05:15	0	2	4	0	0	0	0	0	0	0	0	0	0	0	6
05:30	0	2	1	0	0	0	0	1	0	0	0	0	0	0	4
05:45	0	5	5	0	0	0	0	0	0	0	0	0	0	0	10
	0	10	11	0	0	0	0	1	0	0	0	0	0	0	22
06:00	0	3	4	0	0	0	0	0	0	0	0	0	0	0	7
06:15	0	3	3	1	1	0	0	0	0	0	0	0	0	0	8
06:30	0	5	4	0	0	0	0	0	0	0	0	0	0	0	9
06:45	0	9	2	0	0	0	0	0	0	0	0	0	0	0	11
	0	20	13	1	1	0	0	0	0	0	0	0	0	0	35
07:00	0	5	6	0	1	0	0	1	0	0	0	0	0	0	13
07:15	0	6	8	0	1	0	0	1	0	0	0	0	0	0	16
07:30	0	5	3	0	1	0	0	0	0	0	0	0	0	0	9
07:45	0	14	2	0	3	0	0	0	0	0	0	0	0	0	19
	0	30	19	0	6	0	0	2	0	0	0	0	0	0	57
08:00	0	13	6	0	1	0	0	0	0	0	0	0	0	0	20
08:15	0	5	4	0	0	0	0	0	0	0	0	0	0	0	9
08:30	0	13	4	0	1	0	0	0	0	0	0	0	0	0	18
08:45	0	12	3	0	5	0	0	1	0	0	0	0	0	0	21
	0	43	17	0	7	0	0	1	0	0	0	0	0	0	68
09:00	0	2	4	0	1	0	0	1	0	0	0	0	0	0	8
09:15	0	14	4	0	1	0	0	1	0	0	0	0	0	0	20
09:30	0	8	7	1	0	0	0	0	0	0	0	0	0	0	16
09:45	0	16	8	0	2	0	0	0	0	0	0	0	0	0	26
	0	40	23	1	4	0	0	2	0	0	0	0	0	0	70
10:00	0	15	5	0	2	0	0	0	0	0	0	0	0	0	22
10:15	2	8	3	0	3	0	0	0	0	0	0	0	0	0	16
10:30	0	22	7	0	1	0	0	1	1	0	0	0	0	0	32
10:45	1	10	6	0	1	0	0	0	1	0	0	0	0	0	19
	3	55	21	0	7	0	0	1	2	0	0	0	0	0	89
11:00	0	13	2	0	1	0	0	1	0	0	0	0	0	0	17
11:15	1	16	7	0	2	0	0	1	0	0	0	0	0	0	27
11:30	0	10	2	0	1	0	0	0	0	0	0	0	0	0	13
11:45	0	21	10	1	3	0	0	0	0	0	0	0	0	0	35
	1	60	21	1	7	0	0	0	2	0	0	0	0	0	92
Total	4	273	135	3	33	0	0	0	9	2	0	0	0	0	459
Percent	0.9%	59.5%	29.4%	0.7%	7.2%	0.0%	0.0%	2.0%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	459

TRIDENT Engineering, LLC

Page 6

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Sebastian Inlet Bridge - NB

72 Hrs. bi-directional vehicle classification counts
(11/12/2019 to 11/14/2019)

Sebastian Inlet Bridge

Northbound

Start Time	Bikes	Cars & Trailer	2 Axle Long	2 Axle Buses	3 Axle 6 Tire	4 Axle Single	<5 Axl Double	5 Axle Double	>6 Axl Double	<6 Axl Multi	6 Axle Multi	>6 Axl Multi	Not Classe	Total
12 PM	2	15	10	0	2	0	0	0	0	0	0	0	0	29
12:15	0	22	5	1	0	2	0	3	0	0	0	0	0	33
12:30	0	18	11	0	0	0	0	1	0	0	0	0	0	30
12:45	0	18	8	0	1	0	0	0	0	0	0	0	0	27
	2	73	34	1	3	2	0	4	0	0	0	0	0	119
13:00	1	20	7	0	2	0	0	0	0	0	0	0	0	30
13:15	0	18	5	0	2	1	0	0	0	0	0	0	0	26
13:30	0	16	8	0	3	0	0	0	0	0	0	0	0	27
13:45	0	22	9	0	3	0	0	0	0	0	0	0	0	34
	1	76	29	0	10	1	0	0	0	0	0	0	0	117
14:00	0	18	9	1	1	0	0	0	0	0	0	0	0	29
14:15	0	13	8	0	1	0	0	0	0	0	0	0	0	22
14:30	0	16	8	0	6	0	0	0	0	0	0	0	0	30
14:45	0	11	10	0	0	0	0	1	0	0	0	0	0	22
	0	58	35	1	8	0	0	1	0	0	0	0	0	103
15:00	0	11	9	0	0	0	0	1	0	0	0	0	0	21
15:15	0	18	5	0	4	0	0	0	0	0	0	0	0	27
15:30	0	24	5	0	2	0	0	0	0	0	0	0	0	31
15:45	0	29	4	0	2	0	0	0	0	0	0	0	0	35
	0	82	23	0	8	0	0	1	0	0	0	0	0	114
16:00	1	24	7	0	2	0	0	0	0	0	0	0	0	34
16:15	0	17	8	0	1	0	0	0	0	0	0	0	0	26
16:30	0	29	7	0	1	0	0	0	0	0	0	0	0	37
16:45	0	23	6	0	1	0	0	1	0	0	0	0	0	31
	1	93	28	0	5	0	0	1	0	0	0	0	0	128
17:00	0	20	4	0	2	0	0	0	0	0	0	0	0	26
17:15	0	30	10	0	1	0	0	0	0	0	0	0	0	41
17:30	0	21	8	0	1	0	0	2	0	0	0	0	0	32
17:45	0	17	2	0	1	0	0	0	0	0	0	0	0	20
	0	88	24	0	5	0	0	2	0	0	0	0	0	119
18:00	0	18	2	0	1	0	0	0	0	0	0	0	0	21
18:15	0	14	8	0	1	0	0	0	0	0	0	0	0	23
18:30	0	6	5	0	1	0	0	0	0	0	0	0	0	12
18:45	0	8	3	0	1	0	0	0	0	0	0	0	0	12
	0	46	18	0	4	0	0	0	0	0	0	0	0	68
19:00	0	5	2	0	1	0	0	0	0	0	0	0	0	8
19:15	0	9	4	0	0	0	0	0	0	0	0	0	0	13
19:30	0	3	4	0	1	0	0	0	0	0	0	0	0	8
19:45	0	3	4	0	0	0	0	0	0	0	0	0	0	7
	0	20	14	0	2	0	0	0	0	0	0	0	0	36
20:00	0	7	2	0	0	0	0	0	0	0	0	0	0	9
20:15	0	5	3	0	0	0	0	0	0	0	0	0	0	8
20:30	0	7	2	0	0	0	0	0	0	0	0	0	0	9
20:45	0	7	2	0	0	0	0	0	0	0	0	0	0	9
	0	26	9	0	0	0	0	0	0	0	0	0	0	35
21:00	0	3	3	0	0	0	0	0	0	0	0	0	0	6
21:15	0	6	3	0	0	0	0	0	0	0	0	0	0	9
21:30	0	6	4	0	0	0	0	0	0	0	0	0	0	10
21:45	0	4	1	0	3	0	0	0	0	0	0	0	0	8
	0	19	11	0	3	0	0	0	0	0	0	0	0	33
22:00	0	5	2	0	0	0	0	0	0	0	0	0	0	7
22:15	0	8	2	0	0	0	0	0	0	0	0	0	0	10
22:30	0	2	5	0	1	0	0	0	0	0	0	0	0	8
22:45	0	5	1	0	0	0	0	0	0	0	0	0	0	6
	0	20	10	0	1	0	0	0	0	0	0	0	0	31
23:00	0	4	0	0	0	0	0	0	0	0	0	0	0	4
23:15	0	4	1	0	0	0	0	0	0	0	0	0	0	5
23:30	0	2	1	0	1	0	0	0	0	0	0	0	0	4
23:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	10	2	0	1	0	0	0	0	0	0	0	0	13
Total Percent	4.0%	611.66.7%	237.25.9%	2.0.2%	50.5.5%	3.0.3%	0.0.0%	9.1.0%	0.0.0%	0.0.0%	0.0.0%	0.0.0%	0.0.0%	916
Daily Total Percent	8.0.6%	884.64.3%	372.27.1%	5.0.4%	83.6.0%	3.0.2%	0.0.0%	18.1.3%	2.0.1%	0.0.0%	0.0.0%	0.0.0%	0.0.0%	1375
Grand Total Percent	50.1.2%	2735.65.4%	1082.25.9%	18.0.4%	232.5.5%	12.0.3%	1.0.0%	47.1.1%	8.0.2%	0.0.0%	0.0.0%	0.0.0%	0.0.0%	4185

TRIDENT Engineering, LLC

Page 1

10232 NW 47 Street
Sunrise FL, 33351
954.451.3795

Sebastian Inlet Bridge - SB

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

Sebastian Inlet Bridge

Southbound

Start Time	Bikes	Cars & Trailer	2 Axle Long	Buses	2 Axle 6 Tire	3 Axle Single	4 Axle Single	<5 Axl Double	5 Axle Double	>6 Axl Double	<6 Axl Multi	6 Axle Multi	>6 Axl Multi	Not Classe	Total
12/10/19	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
00:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:30	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
00:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	1	3	0	0	0	0	0	0	0	0	0	0	0	4
01:00	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
01:15	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
01:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:45	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	0	1	2	0	1	0	0	0	0	0	0	0	0	0	4
02:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:15	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
02:45	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
03:00	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
04:00	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
04:15	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
04:30	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
04:45	0	3	0	0	0	0	0	0	0	0	0	0	0	0	3
	0	5	1	0	0	0	0	0	0	0	0	0	0	0	6
05:00	0	2	3	0	2	0	0	0	0	0	0	0	0	0	7
05:15	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
05:30	0	8	0	0	0	0	0	0	0	0	0	0	0	0	8
05:45	0	5	5	0	0	0	0	1	0	0	0	0	0	0	11
	0	16	9	0	2	0	0	1	0	0	0	0	0	0	28
06:00	1	5	3	0	0	0	0	0	0	0	0	0	0	0	9
06:15	0	6	4	0	1	0	0	2	0	0	0	0	0	0	13
06:30	0	18	6	0	1	0	0	1	0	0	0	0	0	0	26
06:45	2	15	3	1	2	0	0	0	0	0	0	0	0	0	23
	3	44	16	1	4	0	0	3	0	0	0	0	0	0	71
07:00	0	16	6	0	0	0	0	1	0	0	0	0	0	0	23
07:15	1	20	12	0	4	0	0	2	0	0	0	0	0	0	39
07:30	0	20	10	0	1	1	0	0	0	0	0	0	0	0	32
07:45	0	27	3	0	0	0	0	0	0	0	0	0	0	0	30
	1	83	31	0	5	1	0	3	0	0	0	0	0	0	124
08:00	0	26	7	0	0	0	1	0	0	0	0	0	0	0	34
08:15	0	16	7	0	1	0	0	0	0	0	0	0	0	0	24
08:30	1	23	8	0	0	0	0	1	0	0	0	0	0	0	33
08:45	0	12	3	0	2	0	0	0	0	0	0	0	0	0	17
	1	77	25	0	3	0	1	1	0	0	0	0	0	0	108
09:00	0	16	3	1	3	2	0	1	0	0	0	0	0	0	26
09:15	0	17	5	0	3	2	0	0	1	0	0	0	0	0	28
09:30	0	15	10	0	1	0	0	0	0	0	0	0	0	0	26
09:45	0	16	5	0	2	0	0	0	0	0	0	0	0	0	23
	0	64	23	1	9	4	0	1	1	0	0	0	0	0	103
10:00	2	23	3	0	4	0	0	2	0	0	0	0	0	0	34
10:15	0	25	6	0	1	0	0	0	0	0	0	0	0	0	32
10:30	0	25	12	0	4	0	0	1	0	0	0	0	0	0	42
10:45	0	23	8	0	4	0	0	0	0	0	0	0	0	0	35
	2	96	29	0	13	0	0	3	0	0	0	0	0	0	143
11:00	0	24	10	0	2	1	0	0	0	0	0	0	0	0	37
11:15	0	28	8	1	4	1	0	0	0	0	0	0	0	0	42
11:30	1	20	11	0	2	2	0	1	0	0	0	0	0	0	37
11:45	0	20	10	0	4	0	0	0	0	0	0	0	0	0	34
	1	92	39	1	12	4	0	1	0	0	0	0	0	0	150
Total	8	481	179	3	49	9	1	13	1	0	0	0	0	0	744
Percent	1.1%	64.7%	24.1%	0.4%	6.6%	1.2%	0.1%	1.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

TRIDENT Engineering, LLC

Page 2

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Sebastian Inlet Bridge - SB

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

Sebastian Inlet Bridge

Southbound

Start Time	Bikes	Cars & Trailer	2 Axle Long	Buses	2 Axle 6 Tire	3 Axle Single	4 Axle Single	<5 Axl Double	5 Axle Double	>6 Axl Double	<6 Axl Multi	6 Axle Multi	>6 Axl Multi	Not Classe	Total
12 PM	0	16	5	0	0	0	0	1	0	0	0	0	0	0	22
12:15	0	22	11	0	2	0	0	4	0	0	0	0	0	0	39
12:30	0	11	6	0	3	0	0	1	0	0	0	0	0	0	21
12:45	5	16	8	0	2	0	0	0	0	0	0	0	0	0	31
	5	65	30	0	7	0	0	6	0	0	0	0	0	0	113
13:00	2	23	5	1	3	0	0	0	0	0	0	0	0	0	34
13:15	0	18	7	0	1	2	0	0	0	0	0	0	0	0	28
13:30	1	29	9	0	2	2	0	0	0	0	0	0	0	0	43
13:45	1	25	8	1	0	0	0	0	0	0	0	0	0	0	35
	4	95	29	2	6	4	0	0	0	0	0	0	0	0	140
14:00	0	27	10	0	3	0	0	0	0	0	0	0	0	0	40
14:15	1	14	5	0	3	0	0	0	0	0	0	0	0	0	23
14:30	3	16	11	0	1	0	0	0	0	0	0	0	0	0	31
14:45	0	18	10	0	2	0	0	0	0	0	0	0	0	0	30
	4	75	36	0	9	0	0	0	0	0	0	0	0	0	124
15:00	0	17	12	0	2	0	0	0	0	0	0	0	0	0	31
15:15	1	14	15	0	1	1	0	0	0	0	0	0	0	0	32
15:30	2	17	15	0	1	1	0	0	0	0	0	0	0	0	36
15:45	0	20	11	0	4	0	0	1	1	0	0	0	0	0	37
	3	68	53	0	8	2	0	1	1	0	0	0	0	0	136
16:00	2	14	7	0	4	0	0	0	0	0	0	0	0	0	27
16:15	0	24	8	0	1	0	0	2	0	0	0	0	0	0	35
16:30	3	20	6	0	1	1	0	0	0	0	0	0	0	0	31
16:45	0	21	11	0	0	0	0	1	0	0	0	0	0	0	33
	5	79	32	0	6	1	0	3	0	0	0	0	0	0	126
17:00	0	23	9	0	3	1	0	0	1	0	0	0	0	0	37
17:15	1	19	10	0	3	0	0	0	1	0	0	0	0	0	34
17:30	0	13	7	1	1	6	0	0	0	0	0	0	0	0	28
17:45	0	26	5	0	1	2	0	0	0	0	0	0	0	0	34
	1	81	31	1	8	9	0	0	2	0	0	0	0	0	133
18:00	0	16	2	0	2	0	0	0	0	0	0	0	0	0	20
18:15	0	10	3	0	1	0	0	1	0	0	0	0	0	0	15
18:30	0	6	5	0	0	0	0	0	0	0	0	0	0	0	11
18:45	0	9	4	0	0	0	0	0	0	0	0	0	0	0	13
	0	41	14	0	3	0	0	1	0	0	0	0	0	0	59
19:00	0	10	5	0	0	0	0	0	0	0	0	0	0	0	15
19:15	0	7	0	0	0	0	0	0	0	0	0	0	0	0	7
19:30	1	4	1	0	0	0	0	0	0	0	0	0	0	0	6
19:45	0	6	1	0	1	0	0	0	0	0	0	0	0	0	8
	1	27	7	0	1	0	0	0	0	0	0	0	0	0	36
20:00	0	2	1	0	1	0	0	0	0	0	0	0	0	0	4
20:15	0	4	2	0	0	0	0	1	0	0	0	0	0	0	7
20:30	0	5	1	0	0	0	0	0	0	0	0	0	0	0	6
20:45	0	4	1	0	1	0	0	0	0	0	0	0	0	0	6
	0	15	5	0	2	0	0	1	0	0	0	0	0	0	23
21:00	0	3	1	0	0	0	0	0	0	0	0	0	0	0	4
21:15	0	5	0	0	0	0	0	0	0	0	0	0	0	0	5
21:30	0	2	2	0	0	0	0	0	1	0	0	0	0	0	5
21:45	0	9	2	0	0	0	0	0	1	0	0	0	0	0	12
	0	19	5	0	0	0	0	2	0	0	0	0	0	0	26
22:00	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
22:15	0	2	1	0	0	0	0	0	0	0	0	0	0	0	3
22:30	0	2	2	0	0	0	0	0	0	0	0	0	0	0	4
22:45	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
	0	7	4	0	0	0	0	0	0	0	0	0	0	0	11
23:00	0	2	1	0	0	0	0	0	0	0	0	0	0	0	3
23:15	0	4	0	0	1	0	0	0	0	0	0	0	0	0	5
23:30	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
23:45	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	0	7	3	0	1	0	0	0	0	0	0	0	0	0	11
Total	23	579	249	3	51	16	0	14	3	0	0	0	0	0	938
Percent	2.5%	61.7%	26.5%	0.3%	5.4%	1.7%	0.0%	1.5%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	
Daily Total	31	1060	428	6	100	25	1	27	4	0	0	0	0	0	1682
Percent	1.8%	63.0%	25.4%	0.4%	5.9%	1.5%	0.1%	1.6%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	

TRIDENT Engineering, LLC

Page 3

10232 NW 47 Street
Sunrise FL, 33351
954.451.3795

Sebastian Inlet Bridge - SB

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

Sebastian Inlet Bridge

Southbound

Start Time	Bikes	Cars & Trailer	2 Axle Long	Buses	2 Axle 6 Tire	3 Axle Single	4 Axle Single	<5 Axl Double	5 Axle Double	>6 Axl Double	<6 Axl Multi	6 Axle Multi	>6 Axl Multi	Not Classe	Total
12/11/19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:15	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
00:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
01:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:15	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
01:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
02:00	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
02:15	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
02:30	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
02:45	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
	0	3	4	0	0	0	0	0	0	0	0	0	0	0	7
03:00	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
03:15	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
03:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
04:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
04:30	0	1	1	0	0	1	0	0	0	0	0	0	0	0	3
04:45	0	1	2	0	1	0	0	0	0	0	0	0	0	0	4
	0	2	3	0	1	1	0	0	0	0	0	0	0	0	7
05:00	0	2	0	0	1	0	0	0	0	0	0	0	0	0	3
05:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
05:30	0	4	3	0	0	0	0	0	0	0	0	0	0	0	7
05:45	0	8	2	0	0	0	0	1	0	0	0	0	0	0	11
	0	14	5	0	1	0	0	1	0	0	0	0	0	0	21
06:00	0	5	0	0	0	0	0	0	0	0	0	0	0	0	5
06:15	0	8	6	0	2	0	0	0	0	0	0	0	0	0	16
06:30	0	15	4	0	0	0	0	0	0	0	0	0	0	0	19
06:45	2	14	3	0	0	0	0	0	0	0	0	0	0	0	19
	2	42	13	0	2	0	0	0	0	0	0	0	0	0	59
07:00	0	10	4	1	0	0	0	1	0	0	0	0	0	0	16
07:15	1	18	8	0	2	0	0	0	1	0	0	0	0	0	30
07:30	0	21	8	0	0	0	0	0	0	0	0	0	0	0	29
07:45	0	24	5	0	0	0	0	1	0	0	0	0	0	0	30
	1	73	25	1	2	0	0	2	1	0	0	0	0	0	105
08:00	0	15	6	0	3	0	0	0	0	0	0	0	0	0	24
08:15	1	20	6	0	0	0	0	0	0	0	0	0	0	0	27
08:30	0	18	10	0	4	0	0	1	0	0	0	0	0	0	33
08:45	0	14	8	0	0	0	0	2	0	0	0	0	0	0	24
	1	67	30	0	7	0	0	3	0	0	0	0	0	0	108
09:00	0	12	10	0	0	0	0	0	0	0	0	0	0	0	22
09:15	0	13	8	0	0	0	0	0	0	0	0	0	0	0	21
09:30	0	12	6	0	1	0	0	0	0	0	0	0	0	0	19
09:45	0	10	11	0	0	0	0	0	0	0	0	0	0	0	21
	0	47	35	0	1	0	0	0	0	0	0	0	0	0	83
10:00	0	25	13	0	0	0	0	1	0	0	0	0	0	0	39
10:15	0	22	2	0	2	0	0	0	0	0	0	0	0	0	26
10:30	1	10	5	0	2	1	0	1	0	0	0	0	0	0	20
10:45	2	18	11	0	1	0	0	1	0	0	0	0	0	0	33
	3	75	31	0	5	1	0	3	0	0	0	0	0	0	118
11:00	0	21	10	0	1	0	0	0	0	0	0	0	0	0	32
11:15	0	20	8	0	3	0	0	2	0	0	0	0	0	0	33
11:30	0	20	6	1	3	0	0	1	0	0	0	0	0	0	31
11:45	0	16	6	0	3	0	0	0	0	0	0	0	0	0	25
	0	77	30	1	10	0	0	3	0	0	0	0	0	0	121
Total	7	403	178	2	29	2	0	12	1	0	0	0	0	0	634
Percent	1.1%	63.6%	28.1%	0.3%	4.6%	0.3%	0.0%	1.9%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

TRIDENT Engineering, LLC

Page 4

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Sebastian Inlet Bridge - SB

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

Sebastian Inlet Bridge

Southbound

Start Time	Bikes	Cars & Trailer	2 Axle Long	Buses	2 Axle 6 Tire	3 Axle Single	4 Axle Single	<5 Axl Double	5 Axle Double	>6 Axl Double	<6 Axl Multi	6 Axle Multi	>6 Axl Multi	Not Classe	Total
12 PM	0	21	5	2	3	0	0	0	0	0	0	0	0	0	31
12:15	0	17	6	0	2	0	0	0	0	0	0	0	0	0	25
12:30	0	21	10	1	4	0	0	0	1	0	0	0	0	0	37
12:45	0	13	12	0	2	0	0	0	0	0	0	0	0	0	27
	0	72	33	3	11	0	0	0	1	0	0	0	0	0	120
13:00	0	24	13	0	0	0	0	1	0	0	0	0	0	0	38
13:15	0	22	5	0	3	0	0	0	0	0	0	0	0	0	30
13:30	0	12	8	0	0	0	0	0	0	0	0	0	0	0	20
13:45	0	20	6	0	3	0	0	0	1	0	0	0	0	0	30
	0	78	32	0	6	0	0	2	0	0	0	0	0	0	118
14:00	0	26	11	0	0	1	0	0	0	0	0	0	0	0	38
14:15	0	17	4	0	1	0	0	1	0	0	0	0	0	0	23
14:30	0	22	8	0	3	0	0	0	0	0	0	0	0	0	33
14:45	0	17	5	0	0	0	0	0	0	0	0	0	0	0	22
	0	82	28	0	4	1	0	1	0	0	0	0	0	0	116
15:00	1	18	12	0	3	0	0	0	0	0	0	0	0	0	34
15:15	0	19	8	0	3	0	0	0	0	0	0	0	0	0	30
15:30	0	13	12	0	3	0	0	0	1	0	0	0	0	0	29
15:45	0	19	8	0	0	0	1	1	0	0	0	0	0	0	29
	1	69	40	0	9	0	1	1	1	0	0	0	0	0	122
16:00	0	15	6	0	1	1	0	1	0	0	0	0	0	0	24
16:15	1	11	9	0	2	0	0	0	0	0	0	0	0	0	23
16:30	0	15	7	1	2	0	0	0	0	0	0	0	0	0	25
16:45	0	17	10	0	3	0	0	0	0	0	0	0	0	0	30
	1	58	32	1	8	1	0	1	0	0	0	0	0	0	102
17:00	1	13	4	1	1	3	0	0	0	0	0	0	0	0	23
17:15	0	15	3	0	0	2	0	0	0	0	0	0	0	0	20
17:30	0	11	10	0	2	0	0	0	0	0	0	0	0	0	23
17:45	0	6	4	0	4	1	0	0	0	0	0	0	0	0	15
	1	45	21	1	7	6	0	0	0	0	0	0	0	0	81
18:00	0	13	4	0	1	0	0	0	0	0	0	0	0	0	18
18:15	0	11	2	0	3	1	0	0	0	0	0	0	0	0	17
18:30	0	10	4	0	1	0	0	0	0	0	0	0	0	0	15
18:45	0	9	1	0	0	0	0	0	0	0	0	0	0	0	10
	0	43	11	0	5	1	0	0	0	0	0	0	0	0	60
19:00	0	6	3	0	1	0	0	0	0	0	0	0	0	0	10
19:15	0	6	2	0	0	0	0	0	0	0	0	0	0	0	8
19:30	0	6	4	0	0	0	0	0	0	0	0	0	0	0	10
19:45	0	6	10	0	0	0	0	0	0	0	0	0	0	0	16
	0	24	19	0	1	0	0	0	0	0	0	0	0	0	44
20:00	0	5	2	0	0	0	0	0	0	0	0	0	0	0	7
20:15	0	5	3	0	0	0	0	0	0	0	0	0	0	0	8
20:30	0	7	3	0	0	0	0	0	0	0	0	0	0	0	10
20:45	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
	0	19	8	0	0	0	0	0	0	0	0	0	0	0	27
21:00	0	9	3	0	0	0	0	0	0	0	0	0	0	0	12
21:15	0	4	2	0	0	0	0	0	0	0	0	0	0	0	6
21:30	0	3	4	0	0	0	0	0	0	0	0	0	0	0	7
21:45	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
	0	17	10	0	0	0	0	0	0	0	0	0	0	0	27
22:00	0	5	2	0	0	0	0	0	0	0	0	0	0	0	7
22:15	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
22:30	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
22:45	0	5	1	0	0	0	0	0	0	0	0	0	0	0	6
	0	12	4	0	0	0	0	0	0	0	0	0	0	0	16
23:00	0	3	4	0	0	0	0	0	0	0	0	0	0	0	7
23:15	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
23:30	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
23:45	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	0	8	4	0	0	0	0	0	0	0	0	0	0	0	12
Total	3	527	242	5	51	9	1	5	2	0	0	0	0	0	845
Percent	0.4%	62.4%	28.6%	0.6%	6.0%	1.1%	0.1%	0.6%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	
Daily Total	10	930	420	7	80	11	1	17	3	0	0	0	0	0	1479
Percent	0.7%	62.9%	28.4%	0.5%	5.4%	0.7%	0.1%	1.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	

TRIDENT Engineering, LLC

Page 5

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Sebastian Inlet Bridge - SB

72 Hrs. bi-directional vehicle classification counts (12/10/2019 to 12/12/2019)

Sebastian Inlet Bridge

Southbound

TRIDENT Engineering, LLC

Page 6

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Sebastian Inlet Bridge - SB

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

Sebastian Inlet Bridge

Southbound

Start Time	Bikes	Cars & Trailer	2 Axle Long	Buses	2 Axle 6 Tire	3 Axle Single	4 Axle Single	<5 Axl Double	5 Axle Double	>6 Axl Double	<6 Axl Multi	6 Axle Multi	>6 Axl Multi	Not Classe	Total
12 PM	0	7	5	0	1	0	0	2	0	0	0	0	0	0	15
12:15	0	10	9	0	1	0	0	0	0	0	0	0	0	0	20
12:30	0	12	8	0	3	0	0	0	0	0	0	0	0	0	23
12:45	0	8	2	0	1	0	0	1	0	0	0	0	0	0	12
	0	37	24	0	6	0	0	3	0	0	0	0	0	0	70
13:00	0	11	5	0	3	0	0	0	0	0	0	0	0	0	19
13:15	0	14	2	0	3	1	0	0	0	0	0	0	0	0	20
13:30	0	15	2	0	0	0	0	1	0	0	0	0	0	0	18
13:45	0	9	8	0	3	1	0	1	0	0	0	0	0	0	22
	0	49	17	0	9	2	0	2	0	0	0	0	0	0	79
14:00	0	15	7	0	1	0	0	1	0	0	0	0	0	0	24
14:15	0	14	5	0	1	0	0	0	0	0	0	0	0	0	20
14:30	0	7	7	0	0	0	0	0	0	0	0	0	0	0	14
14:45	0	14	6	0	2	0	0	0	0	0	0	0	0	0	22
	0	50	25	0	4	0	0	1	0	0	0	0	0	0	80
15:00	0	6	3	0	4	0	0	1	0	0	0	0	0	0	14
15:15	0	12	3	0	1	0	0	0	0	0	0	0	0	0	16
15:30	0	13	7	0	1	0	0	0	0	0	0	0	0	0	21
15:45	0	4	3	0	1	0	0	0	0	0	0	0	0	0	8
	0	35	16	0	7	0	0	1	0	0	0	0	0	0	59
16:00	0	12	6	0	1	0	0	0	0	0	0	0	0	0	19
16:15	0	9	2	0	3	2	0	0	0	0	0	0	0	0	16
16:30	1	10	7	0	1	3	0	0	0	0	0	0	0	0	22
16:45	0	7	2	0	1	2	0	0	0	0	0	0	0	0	12
	1	38	17	0	6	7	0	0	0	0	0	0	0	0	69
17:00	0	7	3	0	2	0	0	0	0	0	0	0	0	0	12
17:15	0	10	6	0	0	0	0	0	0	0	0	0	0	0	16
17:30	0	3	3	0	2	0	0	0	0	0	0	0	0	0	8
17:45	0	5	2	0	2	0	0	0	0	0	0	0	0	0	9
	0	25	14	0	6	0	0	0	0	0	0	0	0	0	45
18:00	0	7	1	0	1	0	0	0	0	0	0	0	0	0	9
18:15	0	8	2	0	1	0	0	0	0	0	0	0	0	0	11
18:30	0	9	5	0	2	0	0	0	0	0	0	0	0	0	16
18:45	1	6	0	0	2	0	0	0	0	0	0	0	0	0	9
	1	30	8	0	6	0	0	0	0	0	0	0	0	0	45
19:00	0	3	1	0	2	0	0	0	0	0	0	0	0	0	6
19:15	0	4	1	0	1	0	0	0	0	0	0	0	0	0	6
19:30	0	2	2	0	1	0	0	0	0	0	0	0	0	0	5
19:45	1	3	2	0	1	1	0	0	0	0	0	0	0	0	8
	1	12	6	0	5	1	0	0	0	0	0	0	0	0	25
20:00	0	3	2	0	0	0	0	0	0	0	0	0	0	0	5
20:15	0	3	2	0	1	0	0	0	0	0	0	0	0	0	6
20:30	0	1	3	0	1	0	0	0	0	0	0	0	0	0	5
20:45	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	0	8	7	0	2	0	0	0	0	0	0	0	0	0	17
21:00	0	7	2	0	0	0	0	0	0	0	0	0	0	0	9
21:15	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2
21:30	0	3	0	0	0	0	0	0	0	0	0	0	0	0	3
21:45	0	2	4	0	1	0	0	0	0	0	0	0	0	0	7
	0	14	6	0	1	0	0	0	0	0	0	0	0	0	21
22:00	0	1	1	0	1	0	0	0	0	0	0	0	0	0	3
22:15	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
22:30	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2
22:45	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
	0	3	4	0	2	0	0	0	0	0	0	0	0	0	9
23:00	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
23:15	0	3	0	0	0	0	0	0	0	0	0	0	0	0	3
23:30	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
23:45	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
	0	5	2	0	0	0	0	0	0	0	0	0	0	0	7
Total	3	306	146	0	54	10	0	7	0	0	0	0	0	0	526
Percent	0.6%	58.2%	27.8%	0.0%	10.3%	1.9%	0.0%	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Daily Total	4	707	316	2	98	10	0	13	0	0	0	0	0	0	1150
Percent	0.3%	61.5%	27.5%	0.2%	8.5%	0.9%	0.0%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Grand Total	45	2697	1164	15	278	46	2	57	7	0	0	0	0	0	4311
Percent	1.0%	62.6%	27.0%	0.3%	6.4%	1.1%	0.0%	1.3%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	

Appendix D
**72-Hr. Bi-Directional Vehicle Volume
Counts**

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

A1A & CR 510 - East Leg (EB)

72 Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

A1A & CR 510
East leg

Start Time	Tue 10-Dec-19	<-----Quarter 1st	Hour-----> 3rd	4th	Hour Total	
12:00 AM		6	2	4	3	15
01:00		0	0	0	0	0
02:00		0	0	0	0	0
03:00		0	0	1	0	1
04:00		0	0	0	0	0
05:00		0	3	2	0	5
06:00		2	2	6	9	19
07:00		12	10	14	14	50
08:00		18	14	10	11	53
09:00		14	7	12	12	45
10:00		18	13	20	14	65
11:00		12	18	26	23	79
12:00 PM		47	34	24	31	136
01:00		20	28	20	23	91
02:00		24	14	12	12	62
03:00		18	20	18	15	71
04:00		16	22	13	16	67
05:00		9	4	6	6	25
06:00		5	4	5	1	15
07:00		0	1	2	3	6
08:00		2	0	0	1	3
09:00		0	0	0	0	0
10:00		0	0	1	0	1
11:00		0	1	0	0	1
Day Total					810	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

A1A & CR 510 - East Leg (EB)

72 Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

A1A & CR 510
East leg

Start Time	Wed 11-Dec-19	<-----Quarter 1st	Hour-----> 3rd	4th	Hour Total	
12:00 AM		0	0	0	0	
01:00		0	0	0	0	
02:00		0	0	0	0	
03:00		0	0	1	1	
04:00		0	0	0	0	
05:00		1	0	1	2	
06:00		4	2	6	14	
07:00		11	10	9	50	
08:00		8	9	15	50	
09:00		8	7	12	36	
10:00		14	10	10	46	
11:00		18	10	14	56	
12:00 PM		31	36	24	113	
01:00		16	28	22	90	
02:00		24	14	10	58	
03:00		14	10	16	48	
04:00		14	8	5	43	
05:00		13	12	13	40	
06:00		5	3	3	13	
07:00		5	0	1	8	
08:00		1	0	0	1	
09:00		2	0	0	0	
10:00		0	0	0	0	
11:00		0	0	0	0	
Day Total					672	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

A1A & CR 510 - East Leg (EB)

72 Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

A1A & CR 510
East leg

Start Time	Thu 12-Dec-19	<-----Quarter		Hour----->		Hour Total	
		1st	2nd	3rd	4th		
12:00 AM		0	0	0	0	0	
01:00		0	0	1	1	2	
02:00		2	0	0	0	2	
03:00		0	0	0	2	2	
04:00		2	0	0	1	3	
05:00		0	4	0	0	4	
06:00		3	2	2	4	11	
07:00		11	10	9	9	39	
08:00		11	3	10	16	40	
09:00		6	9	12	4	31	
10:00		8	12	8	9	37	
11:00		10	15	8	10	43	
12:00 PM		20	9	12	14	55	
01:00		6	8	4	6	24	
02:00		2	7	3	12	24	
03:00		6	6	6	6	24	
04:00		2	4	4	4	14	
05:00		12	6	3	2	23	
06:00		0	0	6	0	6	
07:00		0	0	1	1	2	
08:00		0	0	0	0	0	
09:00		1	1	0	0	2	
10:00		0	0	0	0	0	
11:00		0	0	0	0	0	
Day Total						388	
Grand Total						1870	

ADT

ADT 623

AADT 623

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

A1A & CR 510 - East Leg (WB)

72 Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

A1A & CR 510
East leg

Start Time	Tue 10-Dec-19	<-----Quarter		Hour----->		Hour Total	
		1st	2nd	3rd	4th		
12:00 AM		1	0	0	6	7	
01:00		0	0	0	0	0	
02:00		0	0	0	0	0	
03:00		0	0	1	0	1	
04:00		0	0	0	0	0	
05:00		0	1	1	2	4	
06:00		5	2	10	14	31	
07:00		15	10	16	14	55	
08:00		16	10	12	22	60	
09:00		11	13	14	16	54	
10:00		14	14	24	18	70	
11:00		22	15	36	38	111	
12:00 PM		49	24	28	16	117	
01:00		26	32	14	18	90	
02:00		20	14	16	10	60	
03:00		14	21	10	17	62	
04:00		8	16	12	8	44	
05:00		4	6	2	3	15	
06:00		5	2	2	2	11	
07:00		0	1	1	2	4	
08:00		1	0	0	1	2	
09:00		0	0	0	0	0	
10:00		0	0	0	0	0	
11:00		0	1	0	0	1	
Day Total						799	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

A1A & CR 510 - East Leg (WB)

72 Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

A1A & CR 510
East leg

Start Time	Wed 11-Dec-19	<-----Quarter 1st	Hour-----> 3rd	4th	Hour Total
12:00 AM		0	0	0	0
01:00		0	0	0	0
02:00		0	0	0	0
03:00		0	0	1	1
04:00		0	0	0	0
05:00		0	2	0	1
06:00		2	3	4	12
07:00		21	18	16	73
08:00		10	13	22	60
09:00		8	8	15	41
10:00		6	8	12	35
11:00		16	20	16	76
12:00 PM		30	26	26	108
01:00		20	22	18	88
02:00		15	11	14	52
03:00		4	14	10	40
04:00		20	10	6	44
05:00		10	10	8	32
06:00		4	4	2	10
07:00		1	0	1	3
08:00		1	0	0	2
09:00		1	0	0	1
10:00		0	0	0	0
11:00		0	0	0	0
Day Total					691

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

A1A & CR 510 - East Leg (WB)

72 Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

A1A & CR 510
East leg

Start Time	Thu 12-Dec-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		0	0	0	0	0	
01:00		0	1	0	2	3	
02:00		2	0	0	0	2	
03:00		0	0	0	1	1	
04:00		2	0	1	0	3	
05:00		0	0	0	1	1	
06:00		0	4	2	2	8	
07:00		18	6	7	7	38	
08:00		10	7	10	20	47	
09:00		12	10	8	6	36	
10:00		12	10	12	6	40	
11:00		6	12	8	13	39	
12:00 PM		14	8	16	4	42	
01:00		6	8	5	6	25	
02:00		3	8	10	2	23	
03:00		4	8	6	6	24	
04:00		3	3	4	8	18	
05:00		4	5	1	1	11	
06:00		0	2	2	0	4	
07:00		0	0	1	2	3	
08:00		0	0	0	2	2	
09:00		0	1	1	0	2	
10:00		0	0	0	0	0	
11:00		0	0	0	0	0	
Day Total						372	
Grand Total						1862	

ADT

ADT 621

AADT 621

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

A1A & CR 510 North Leg - NB

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

A1A & CR 510
North Leg

Start Time	Tue 12-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		4	1	2	2	9	
01:00		1	3	1	1	6	
02:00		2	3	2	0	7	
03:00		1	1	2	0	4	
04:00		0	1	5	8	14	
05:00		13	19	12	36	80	
06:00		19	22	27	32	100	
07:00		46	85	89	85	305	
08:00		86	68	76	98	328	
09:00		82	50	62	61	255	
10:00		59	56	76	86	277	
11:00		92	98	82	70	342	
12:00 PM		87	94	83	70	334	
01:00		72	74	60	64	270	
02:00		78	66	54	67	265	
03:00		61	64	72	48	245	
04:00		66	56	55	46	223	
05:00		58	56	44	46	204	
06:00		34	36	27	24	121	
07:00		24	14	25	16	79	
08:00		10	14	8	14	46	
09:00		10	14	13	8	45	
10:00		6	7	6	6	25	
11:00		2	3	6	2	13	
Day Total						3597	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

A1A & CR 510 North Leg - NB

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

A1A & CR 510
North Leg

Start Time	Wed 13-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		1	1	1	0	3	
01:00		0	1	3	2	6	
02:00		2	0	0	2	4	
03:00		0	1	1	1	3	
04:00		1	5	3	6	15	
05:00		4	8	16	28	56	
06:00		14	28	18	22	82	
07:00		42	69	74	78	263	
08:00		68	81	80	76	305	
09:00		92	60	46	58	256	
10:00		53	52	57	46	208	
11:00		54	57	66	50	227	
12:00 PM		64	52	58	62	236	
01:00		58	58	58	60	234	
02:00		56	54	48	52	210	
03:00		44	40	52	68	204	
04:00		44	64	40	54	202	
05:00		60	52	57	43	212	
06:00		45	24	20	21	110	
07:00		23	21	20	18	82	
08:00		12	16	10	11	49	
09:00		13	4	17	2	36	
10:00		12	5	6	7	30	
11:00		4	4	5	2	15	
Day Total						3048	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

A1A & CR 510 North Leg - NB

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

A1A & CR 510
North Leg

Start Time	Thu 14-Nov-19	<-----Quarter 1st	2nd	Hour ----->	3rd	4th	Hour Total	
12:00 AM		1	2	2	0	0	5	
01:00		1	1	0	0	0	2	
02:00		0	1	1	1	0	3	
03:00		0	2	1	0	0	3	
04:00		1	0	7	9	9	17	
05:00		6	8	18	37	69	69	
06:00		17	18	20	30	30	85	
07:00		35	80	66	76	257	257	
08:00		78	72	66	94	94	310	
09:00		75	67	52	78	78	272	
10:00		48	64	65	60	60	237	
11:00		70	65	75	74	74	284	
12:00 PM		60	80	66	67	67	273	
01:00		56	46	55	56	56	213	
02:00		64	54	59	50	50	227	
03:00		54	60	46	64	64	224	
04:00		61	54	48	56	56	219	
05:00		44	60	45	39	39	188	
06:00		32	24	18	25	25	99	
07:00		20	23	20	15	15	78	
08:00		11	26	17	14	14	68	
09:00		17	18	24	10	10	69	
10:00		8	14	8	6	6	36	
11:00		7	4	4	8	8	23	
Day Total							3261	
Grand Total							9906	

ADT

ADT 3,302

AADT 3,302

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

A1A & CR 510 North Leg - SB 72 Hrs. bi-directional volume counts (11/12/2019 to 11/14/2019)

A1A & CR 510
North Leg

Start Time	Tue 12-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		5	3	0	3	11	
01:00		5	2	1	1	9	
02:00		1	1	1	3	6	
03:00		1	4	2	1	8	
04:00		1	2	3	1	7	
05:00		2	3	11	12	28	
06:00		15	12	24	26	77	
07:00		28	36	66	53	183	
08:00		47	64	50	75	236	
09:00		58	38	65	54	215	
10:00		52	63	86	70	271	
11:00		70	80	73	75	298	
12:00 PM		96	80	89	74	339	
01:00		71	68	145	104	388	
02:00		78	84	104	110	376	
03:00		114	104	83	98	399	
04:00		138	75	103	76	392	
05:00		84	76	56	37	253	
06:00		38	51	24	19	132	
07:00		18	10	14	16	58	
08:00		8	8	8	8	32	
09:00		8	7	6	16	37	
10:00		7	5	4	2	18	
11:00		4	1	2	4	11	
Day Total						3784	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

A1A & CR 510 North Leg - SB 72 Hrs. bi-directional volume counts (11/12/2019 to 11/14/2019)

A1A & CR 510
North Leg

Start Time	Wed 13-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		1	3	7	4	15	
01:00		3	1	0	3	7	
02:00		2	1	0	1	4	
03:00		0	2	0	1	3	
04:00		3	1	4	2	10	
05:00		5	5	7	24	41	
06:00		13	14	12	27	66	
07:00		19	39	42	56	156	
08:00		39	45	62	49	195	
09:00		56	50	64	68	238	
10:00		60	56	54	58	228	
11:00		70	82	82	98	332	
12:00 PM		80	72	75	52	279	
01:00		64	60	58	65	247	
02:00		70	60	68	58	256	
03:00		103	83	90	82	358	
04:00		81	55	88	36	260	
05:00		80	47	52	31	210	
06:00		34	28	16	20	98	
07:00		16	7	10	5	38	
08:00		30	18	15	9	72	
09:00		9	8	12	11	40	
10:00		12	6	10	4	32	
11:00		5	2	1	1	9	
Day Total						3194	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

A1A & CR 510 North Leg - SB

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

A1A & CR 510
North Leg

Start Time	Thu 14-Nov-19	<-----Quarter		Hour----->		Hour Total	
		1st	2nd	3rd	4th		
12:00 AM		6	3	4	1	14	
01:00		1	4	5	1	11	
02:00		0	3	1	0	4	
03:00		0	1	3	0	4	
04:00		2	1	2	1	6	
05:00		1	2	8	16	27	
06:00		12	11	24	16	63	
07:00		34	29	58	49	170	
08:00		50	48	56	48	202	
09:00		42	51	62	65	220	
10:00		60	58	53	72	243	
11:00		74	63	82	92	311	
12:00 PM		99	66	84	60	309	
01:00		66	64	61	68	259	
02:00		77	60	76	92	305	
03:00		76	90	106	82	354	
04:00		104	63	102	68	337	
05:00		71	48	59	50	228	
06:00		33	30	25	22	110	
07:00		20	13	19	9	61	
08:00		13	6	18	8	45	
09:00		13	8	12	6	39	
10:00		4	0	6	8	18	
11:00		7	7	6	3	23	
Day Total						3363	
Grand Total						10341	

ADT

ADT 3,447

AADT 3,447

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

A1A & CR 510 South Leg - NB

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

A1A & CR 510
South leg

Start Time	Tue 12-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		5	2	8	4	19	
01:00		3	4	1	2	10	
02:00		4	0	1	0	5	
03:00		3	4	4	1	12	
04:00		2	4	4	11	21	
05:00		8	18	30	29	85	
06:00		20	17	17	14	68	
07:00		31	50	50	69	200	
08:00		54	78	72	67	271	
09:00		78	62	75	82	297	
10:00		72	73	70	95	310	
11:00		80	98	82	78	338	
12:00 PM		76	74	38	22	210	
01:00		32	18	37	22	109	
02:00		26	29	32	34	121	
03:00		55	72	82	106	315	
04:00		149	96	102	92	439	
05:00		106	71	68	65	310	
06:00		62	46	37	26	171	
07:00		25	17	22	20	84	
08:00		24	21	17	17	79	
09:00		10	14	17	16	57	
10:00		9	8	11	5	33	
11:00		12	6	7	2	27	
Day Total						3591	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

A1A & CR 510 South Leg - NB

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

A1A & CR 510
South leg

Start Time	Wed 13-Nov-19	<-----Quarter 1st	2nd	Hour----->	3rd	4th	Hour Total	
12:00 AM		2	0	3	1	6		
01:00		1	1	2	1	5		
02:00		1	0	0	0	1		
03:00		2	1	3	1	7		
04:00		2	8	0	4	14		
05:00		5	9	4	6	24		
06:00		10	18	15	32	75		
07:00		28	48	43	59	178		
08:00		53	72	69	62	256		
09:00		78	66	80	77	301		
10:00		83	68	96	97	344		
11:00		78	99	92	82	351		
12:00 PM		104	86	80	70	340		
01:00		86	98	76	94	354		
02:00		100	82	96	76	354		
03:00		112	88	105	129	434		
04:00		128	119	98	103	448		
05:00		91	76	77	60	304		
06:00		46	30	38	21	135		
07:00		26	25	26	21	98		
08:00		21	16	23	5	65		
09:00		18	18	29	12	77		
10:00		26	12	9	11	58		
11:00		13	5	4	2	24		
Day Total					4253			

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

A1A & CR 510 South Leg - NB

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

A1A & CR 510
South leg

Start Time	Thu 14-Nov-19	<-----Quarter		Hour----->		Hour Total	
		1st	2nd	3rd	4th		
12:00 AM		5	3	4	0	12	
01:00		1	0	0	1	2	
02:00		1	2	0	0	3	
03:00		2	1	1	1	5	
04:00		2	0	2	5	9	
05:00		6	3	4	6	19	
06:00		9	14	12	26	61	
07:00		34	48	45	66	193	
08:00		68	62	72	62	264	
09:00		78	76	101	82	337	
10:00		72	90	102	77	341	
11:00		84	89	117	112	402	
12:00 PM		95	98	82	76	351	
01:00		72	106	96	92	366	
02:00		92	95	96	98	381	
03:00		109	120	127	123	479	
04:00		122	90	94	90	396	
05:00		104	84	70	69	327	
06:00		49	39	38	26	152	
07:00		18	29	17	18	82	
08:00		25	32	19	20	96	
09:00		16	15	22	16	69	
10:00		22	21	17	6	66	
11:00		26	16	13	7	62	
Day Total					4475		
Grand Total					12319		

ADT

ADT 4,106

AADT 4,106

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

A1A & CR 510 South Leg - SB 72 Hrs. bi-directional volume counts (11/12/2019 to 11/14/2019)

A1A & CR 510
South Leg

Start Time	Tue 12-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		1	0	4	1	6	
01:00		2	3	0	0	5	
02:00		0	1	0	1	2	
03:00		2	1	2	0	5	
04:00		0	1	3	3	7	
05:00		5	8	12	15	40	
06:00		15	22	37	54	128	
07:00		64	90	121	127	402	
08:00		84	108	100	114	406	
09:00		90	74	96	81	341	
10:00		81	96	88	74	339	
11:00		84	94	86	108	372	
12:00 PM		122	124	132	115	493	
01:00		104	93	154	156	507	
02:00		140	108	108	110	466	
03:00		95	79	98	82	354	
04:00		106	75	78	90	349	
05:00		69	78	62	62	271	
06:00		56	44	45	37	182	
07:00		26	17	40	23	106	
08:00		19	22	21	15	77	
09:00		25	10	11	14	60	
10:00		6	6	7	5	24	
11:00		4	2	0	6	12	
Day Total						4954	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

A1A & CR 510 South Leg - SB 72 Hrs. bi-directional volume counts (11/12/2019 to 11/14/2019)

A1A & CR 510
South Leg

Start Time	Wed 13-Nov-19	<-----Quarter		Hour----->		Hour Total	
		1st	2nd	3rd	4th		
12:00 AM		1	0	4	1	6	
01:00		2	3	0	0	5	
02:00		0	1	0	1	2	
03:00		0	1	0	2	3	
04:00		2	2	3	7	14	
05:00		10	10	9	18	47	
06:00		20	16	31	56	123	
07:00		55	112	122	110	399	
08:00		110	100	97	140	447	
09:00		90	88	72	88	338	
10:00		84	80	78	72	314	
11:00		84	90	106	106	386	
12:00 PM		83	93	130	94	400	
01:00		82	68	83	88	321	
02:00		82	78	82	77	319	
03:00		84	107	78	77	346	
04:00		64	72	75	56	267	
05:00		60	64	58	60	242	
06:00		38	41	25	40	144	
07:00		23	33	20	19	95	
08:00		33	26	20	14	93	
09:00		17	16	10	8	51	
10:00		17	6	11	4	38	
11:00		4	4	3	4	15	
Day Total						4415	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

A1A & CR 510 South Leg - SB

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

A1A & CR 510
South Leg

Start Time	Thu 14-Nov-19	<-----Quarter		Hour----->		Hour Total	
		1st	2nd	3rd	4th		
12:00 AM		6	4	2	0	12	
01:00		1	0	3	1	5	
02:00		0	1	0	1	2	
03:00		2	1	2	0	5	
04:00		0	1	3	3	7	
05:00		5	8	17	18	48	
06:00		14	16	40	49	119	
07:00		66	94	134	137	431	
08:00		102	102	98	106	408	
09:00		87	82	102	84	355	
10:00		75	81	65	78	299	
11:00		90	89	100	114	393	
12:00 PM		135	99	94	91	419	
01:00		94	82	82	106	364	
02:00		107	82	88	106	383	
03:00		78	86	90	115	369	
04:00		97	86	77	84	344	
05:00		75	63	62	50	250	
06:00		50	32	48	39	169	
07:00		30	32	24	24	110	
08:00		21	17	39	26	103	
09:00		24	17	8	8	57	
10:00		4	2	0	6	12	
11:00		4	4	3	4	15	
Day Total					4679		
Grand Total					14048		

ADT

ADT 4,683

AADT 4,683

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

A1A & CR 510 West Leg - EB
72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

Page 1

Start Time	Tue 12-Nov-19	<-----Quarter----->		Hour----->		Hour Total	
		1st	2nd	3rd	4th		
12:00 AM		5	2	6	3	16	
01:00		1	1	2	1	5	
02:00		3	2	2	0	7	
03:00		0	1	3	1	5	
04:00		0	2	6	14	22	
05:00		15	29	23	34	101	
06:00		18	25	43	59	145	
07:00		79	97	118	113	407	
08:00		99	97	95	111	402	
09:00		92	77	83	67	319	
10:00		81	87	68	74	310	
11:00		81	85	86	88	340	
12:00 PM		108	95	98	81	382	
01:00		76	88	68	99	331	
02:00		114	88	66	76	344	
03:00		62	53	84	60	259	
04:00		59	57	51	64	231	
05:00		63	54	67	67	251	
06:00		51	39	40	39	169	
07:00		35	24	47	28	134	
08:00		21	26	21	19	87	
09:00		27	16	16	13	72	
10:00		7	10	9	11	37	
11:00		5	3	7	6	21	
Day Total						4397	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

A1A & CR 510 West Leg - EB 72 Hrs. bi-directional volume counts (11/12/2019 to 11/14/2019)

A1A & CR 510
West leg (EB)

Start Time	Wed 13-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		0	1	3	1	5	
01:00		1	2	1	1	5	
02:00		1	1	0	1	3	
03:00		1	1	0	2	4	
04:00		0	3	4	11	18	
05:00		13	14	24	29	80	
06:00		24	29	38	57	148	
07:00		68	107	111	103	389	
08:00		98	109	97	125	429	
09:00		95	85	59	79	318	
10:00		62	70	69	57	258	
11:00		62	60	80	70	272	
12:00 PM		65	70	89	82	306	
01:00		60	62	70	65	257	
02:00		72	58	71	60	261	
03:00		57	67	47	63	234	
04:00		49	61	61	55	226	
05:00		58	64	66	50	238	
06:00		42	37	31	42	152	
07:00		24	41	27	27	119	
08:00		23	25	17	21	86	
09:00		20	12	12	8	52	
10:00		16	5	13	7	41	
11:00		6	4	8	4	22	
Day Total						3923	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

A1A & CR 510 West Leg - EB

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

A1A & CR 510
West leg (EB)

Start Time	Thu 14-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		3	3	4	0	10	
01:00		1	1	2	0	4	
02:00		0	0	1	1	2	
03:00		1	1	2	0	4	
04:00		0	0	8	11	19	
05:00		8	14	25	40	87	
06:00		22	22	46	52	142	
07:00		73	94	109	126	402	
08:00		90	104	96	112	402	
09:00		90	86	76	92	344	
10:00		58	63	75	79	275	
11:00		76	68	74	83	301	
12:00 PM		85	81	74	76	316	
01:00		84	74	71	79	308	
02:00		78	64	71	71	284	
03:00		59	59	61	83	262	
04:00		70	68	55	62	255	
05:00		66	66	52	49	233	
06:00		49	36	41	38	164	
07:00		34	38	23	28	123	
08:00		18	27	38	26	109	
09:00		23	25	13	13	74	
10:00		15	22	12	9	58	
11:00		8	8	9	10	35	
Day Total						4213	
Grand Total						12533	

ADT

ADT 4,178

AADT 4,178

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

A1A & CR 510 West Leg - WB

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

A1A & CR 510
West Leg (WB)

Start Time	Tue 12-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		7	3	1	4	15	
01:00		4	3	1	2	10	
02:00		2	1	2	3	8	
03:00		0	7	1	1	9	
04:00		3	3	3	4	13	
05:00		5	3	15	15	38	
06:00		16	15	19	25	75	
07:00		41	38	54	42	175	
08:00		47	64	53	63	227	
09:00		65	59	75	75	274	
10:00		73	62	73	77	285	
11:00		82	77	86	65	310	
12:00 PM		78	75	77	68	298	
01:00		79	76	93	76	324	
02:00		75	82	103	110	370	
03:00		103	112	105	115	435	
04:00		133	100	117	89	439	
05:00		99	77	91	60	327	
06:00		74	52	39	34	199	
07:00		20	31	18	20	89	
08:00		27	20	18	14	79	
09:00		17	13	15	19	64	
10:00		12	11	12	5	40	
11:00		11	8	7	8	34	
Day Total						4137	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

A1A & CR 510 West Leg - WB

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

A1A & CR 510
West Leg (WB)

Start Time	Wed 13-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		2	3	6	6	17	
01:00		4	0	1	3	8	
02:00		2	0	0	0	2	
03:00		2	2	1	2	7	
04:00		2	3	4	3	12	
05:00		10	9	11	16	46	
06:00		17	20	22	36	95	
07:00		22	32	39	54	147	
08:00		45	51	55	37	188	
09:00		65	61	71	71	268	
10:00		77	54	80	86	297	
11:00		78	74	70	88	310	
12:00 PM		86	85	64	52	287	
01:00		66	81	73	70	290	
02:00		84	76	103	73	336	
03:00		110	98	107	99	414	
04:00		116	102	95	81	394	
05:00		101	63	66	40	270	
06:00		46	31	32	23	132	
07:00		28	11	23	20	82	
08:00		28	16	24	7	75	
09:00		21	17	25	19	82	
10:00		22	14	13	11	60	
11:00		18	3	5	3	29	
Day Total						3848	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

A1A & CR 510 West Leg - WB

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

A1A & CR 510
West Leg (WB)

Start Time	Thu 14-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		6	5	8	1	20	
01:00		0	3	3	1	7	
02:00		1	3	0	0	4	
03:00		1	1	3	2	7	
04:00		3	0	2	2	7	
05:00		6	4	6	12	28	
06:00		10	12	27	18	67	
07:00		38	35	46	37	156	
08:00		56	52	51	45	204	
09:00		70	51	80	60	261	
10:00		90	74	82	75	321	
11:00		69	68	90	99	326	
12:00 PM		70	79	78	89	316	
01:00		64	77	86	71	298	
02:00		86	74	94	88	342	
03:00		95	104	121	100	420	
04:00		112	81	110	83	386	
05:00		92	70	81	76	319	
06:00		63	50	39	20	172	
07:00		19	21	25	19	84	
08:00		27	22	18	14	81	
09:00		17	13	18	15	63	
10:00		9	11	12	6	38	
11:00		21	15	9	3	48	
Day Total						3975	
Grand Total						11960	

ADT

ADT 3,987

AADT 3,987

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

CR510 & US-1 - East Leg (EB)

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

CR510 & US-1
East leg

Start Time	Tue 12-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		1	8	2	1	12	
01:00		0	2	0	3	5	
02:00		3	1	0	0	4	
03:00		0	0	0	0	0	
04:00		2	4	5	13	24	
05:00		14	23	30	31	98	
06:00		23	30	69	71	193	
07:00		93	147	154	156	550	
08:00		159	141	160	89	549	
09:00		137	118	116	118	489	
10:00		115	106	103	103	427	
11:00		132	111	132	105	480	
12:00 PM		132	142	127	144	545	
01:00		128	102	108	107	445	
02:00		117	114	138	107	476	
03:00		110	105	125	102	442	
04:00		135	120	110	111	476	
05:00		112	116	81	105	414	
06:00		67	54	66	58	245	
07:00		46	40	56	35	177	
08:00		31	35	35	36	137	
09:00		34	16	17	19	86	
10:00		9	12	12	16	49	
11:00		4	5	7	5	21	
Day Total						6344	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

CR510 & US-1 - East Leg (EB)

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

CR510 & US-1
East leg

Start Time	Wed 13-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		1	3	6	3	13	
01:00		4	1	2	3	10	
02:00		1	3	0	2	6	
03:00		2	1	0	2	5	
04:00		0	7	5	14	26	
05:00		15	17	30	40	102	
06:00		24	40	51	64	179	
07:00		92	142	146	162	542	
08:00		155	174	151	203	683	
09:00		135	102	95	130	462	
10:00		95	100	103	123	421	
11:00		107	105	123	118	453	
12:00 PM		134	103	147	112	496	
01:00		106	76	104	115	401	
02:00		87	109	119	116	431	
03:00		101	124	117	122	464	
04:00		105	126	105	92	428	
05:00		92	86	82	65	325	
06:00		61	39	47	48	195	
07:00		32	55	37	30	154	
08:00		36	31	26	25	118	
09:00		18	24	10	15	67	
10:00		14	11	16	7	48	
11:00		9	9	7	4	29	
Day Total						6058	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

CR510 & US-1 - East Leg (EB)

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

CR510 & US-1
East leg

Start Time	Thu 14-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		5	4	2	1	12	
01:00		1	1	3	0	5	
02:00		0	3	1	1	5	
03:00		4	1	2	2	9	
04:00		1	1	11	6	19	
05:00		13	15	34	36	98	
06:00		22	23	55	60	160	
07:00		92	140	149	172	553	
08:00		143	152	183	163	641	
09:00		122	107	139	124	492	
10:00		93	102	115	93	403	
11:00		120	109	120	133	482	
12:00 PM		125	120	141	126	512	
01:00		118	111	106	139	474	
02:00		127	98	130	139	494	
03:00		108	107	139	133	487	
04:00		135	113	123	111	482	
05:00		115	99	84	73	371	
06:00		66	37	55	40	198	
07:00		43	39	47	33	162	
08:00		31	33	37	32	133	
09:00		29	33	17	22	101	
10:00		22	25	16	10	73	
11:00		19	15	9	10	53	
Day Total					6419		
Grand Total					18821		

ADT

ADT 6,274

AADT 6,274

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

CR510 & US-1 - East Leg (WB)

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

CR510 & US-1
East leg

Start Time	Tue 12-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		2	1	2	2	7	
01:00		3	1	1	1	6	
02:00		4	4	1	2	11	
03:00		2	2	0	2	6	
04:00		2	2	5	1	10	
05:00		7	11	9	20	47	
06:00		15	15	28	32	90	
07:00		46	43	66	80	235	
08:00		92	104	108	51	355	
09:00		88	101	103	75	367	
10:00		106	86	116	108	416	
11:00		100	102	97	114	413	
12:00 PM		45	90	71	110	316	
01:00		82	108	87	93	370	
02:00		89	189	123	160	561	
03:00		149	152	148	140	589	
04:00		160	147	145	154	606	
05:00		125	117	118	100	460	
06:00		101	55	47	46	249	
07:00		26	32	24	22	104	
08:00		26	30	18	18	92	
09:00		18	13	9	25	65	
10:00		11	13	11	11	46	
11:00		13	7	4	6	30	
Day Total						5451	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

CR510 & US-1 - East Leg (WB)

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

CR510 & US-1
East leg

Start Time	Wed 13-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		4	4	5	7	20	
01:00		6	1	1	4	12	
02:00		2	3	0	0	5	
03:00		1	3	1	1	6	
04:00		2	4	7	1	14	
05:00		11	13	11	15	50	
06:00		27	23	21	48	119	
07:00		38	51	91	79	259	
08:00		95	86	101	99	381	
09:00		95	95	100	103	393	
10:00		107	109	115	117	448	
11:00		123	108	121	126	478	
12:00 PM		117	121	97	103	438	
01:00		103	114	113	116	446	
02:00		103	102	116	114	435	
03:00		135	149	130	127	541	
04:00		149	111	147	111	518	
05:00		112	91	92	76	371	
06:00		61	41	40	30	172	
07:00		34	28	22	18	102	
08:00		20	18	18	15	71	
09:00		18	19	23	21	81	
10:00		19	18	10	14	61	
11:00		16	6	7	6	35	
Day Total						5456	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

CR510 & US-1 - East Leg (WB)

72 Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

CR510 & US-1
East leg

Start Time	Thu 14-Nov-19	Quarter 1st	Quarter 2nd	Hour 3rd	Hour 4th	Hour Total	
12:00 AM		4	3	8	0	15	
01:00		0	4	2	2	8	
02:00		1	3	3	1	8	
03:00		3	1	3	1	8	
04:00		2	1	6	3	12	
05:00		7	7	8	11	33	
06:00		14	14	30	41	99	
07:00		49	48	94	73	264	
08:00		100	79	96	84	359	
09:00		109	82	128	109	428	
10:00		124	96	122	107	449	
11:00		117	105	113	144	479	
12:00 PM		128	112	129	116	485	
01:00		110	117	119	107	453	
02:00		119	130	137	119	505	
03:00		141	143	157	159	600	
04:00		163	130	146	117	556	
05:00		120	106	108	76	410	
06:00		64	58	41	32	195	
07:00		25	31	21	21	98	
08:00		26	26	25	16	93	
09:00		25	23	23	16	87	
10:00		14	8	12	5	39	
11:00		17	12	8	5	42	
Day Total					5725		
Grand Total					16632		

ADT

ADT 5,544

AADT 5,544

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

CR510 & US-1 - North Leg (NB)

72Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

CR 510 and US-1
North Leg

Start Time	Tue 12-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		10	8	4	7	29	
01:00		5	3	2	3	13	
02:00		8	7	1	7	23	
03:00		5	5	4	8	22	
04:00		9	11	15	9	44	
05:00		15	19	31	46	111	
06:00		39	82	71	110	302	
07:00		117	170	166	144	597	
08:00		179	178	175	176	708	
09:00		162	158	199	155	674	
10:00		148	160	191	192	691	
11:00		175	159	206	194	734	
12:00 PM		203	206	187	213	809	
01:00		168	182	188	206	744	
02:00		209	230	219	211	869	
03:00		270	269	254	236	1029	
04:00		242	320	290	286	1138	
05:00		305	339	283	229	1156	
06:00		165	155	117	115	552	
07:00		100	94	82	72	348	
08:00		55	57	54	40	206	
09:00		37	40	44	49	170	
10:00		35	30	23	11	99	
11:00		26	18	11	8	63	
Day Total						11131	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

CR510 & US-1 - North Leg (NB)
72Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

CR 510 and US-1
North Leg

Start Time	Wed 13-Nov-19	<-----Quarter		Hour----->		Hour Total	
		1st	2nd	3rd	4th		
12:00 AM		5	7	4	2	18	
01:00		3	1	2	0	6	
02:00		9	2	1	10	22	
03:00		3	6	9	4	22	
04:00		8	6	15	21	50	
05:00		19	23	25	41	108	
06:00		49	72	110	105	336	
07:00		127	149	195	160	631	
08:00		140	168	181	187	676	
09:00		150	156	173	171	650	
10:00		146	163	186	189	684	
11:00		161	182	168	191	702	
12:00 PM		202	188	166	163	719	
01:00		173	200	191	170	734	
02:00		207	208	184	182	781	
03:00		214	252	286	277	1029	
04:00		281	276	260	280	1097	
05:00		305	349	220	188	1062	
06:00		173	138	99	115	525	
07:00		103	86	97	66	352	
08:00		71	61	72	64	268	
09:00		43	39	55	47	184	
10:00		42	25	24	18	109	
11:00		18	15	13	9	55	
Day Total						10820	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

CR510 & US-1 - North Leg (NB)

72Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

CR 510 and US-1
North Leg

Start Time	Thu 14-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		10	7	5	4	26	
01:00		5	7	2	5	19	
02:00		12	6	7	5	30	
03:00		5	4	2	9	20	
04:00		12	13	20	16	61	
05:00		15	19	29	38	101	
06:00		47	58	114	118	337	
07:00		116	146	156	163	581	
08:00		146	176	178	179	679	
09:00		153	166	184	155	658	
10:00		199	161	173	200	733	
11:00		193	171	194	196	754	
12:00 PM		209	206	204	190	809	
01:00		196	211	221	214	842	
02:00		208	211	221	211	851	
03:00		215	252	245	264	976	
04:00		282	271	273	267	1093	
05:00		305	378	245	175	1103	
06:00		149	139	122	95	505	
07:00		112	84	70	62	328	
08:00		57	61	52	51	221	
09:00		46	40	41	36	163	
10:00		37	22	23	29	111	
11:00		23	21	27	20	91	
Day Total					11092		
Grand Total					33043		

ADT

ADT 11,014

AADT 11,014

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

CR510 & US-1 - North Leg (SB) 72Hrs. bi-directional volume counts (11/12/2019 to 11/14/2019)

CR 510 and US-1
North Leg

Start Time	Tue 12-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		10	3	13	7	33	
01:00		8	4	6	1	19	
02:00		2	3	4	3	12	
03:00		2	1	5	6	14	
04:00		12	11	19	24	66	
05:00		36	37	49	45	167	
06:00		60	86	143	164	453	
07:00		211	242	288	279	1020	
08:00		180	246	241	190	857	
09:00		156	186	185	160	687	
10:00		183	171	178	186	718	
11:00		175	177	185	179	716	
12:00 PM		180	179	201	163	723	
01:00		153	165	172	150	640	
02:00		187	200	186	179	752	
03:00		204	149	191	148	692	
04:00		199	137	163	176	675	
05:00		174	168	145	142	629	
06:00		114	106	75	81	376	
07:00		64	64	73	35	236	
08:00		61	46	41	38	186	
09:00		45	29	34	32	140	
10:00		30	18	21	13	82	
11:00		14	10	8	15	47	
Day Total						9940	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

CR510 & US-1 - North Leg (SB) 72Hrs. bi-directional volume counts (11/12/2019 to 11/14/2019)

CR 510 and US-1
North Leg

Start Time	Wed 13-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		4	7	7	13	31	
01:00		4	5	2	3	14	
02:00		3	0	5	3	11	
03:00		2	2	7	5	16	
04:00		6	11	26	17	60	
05:00		37	34	55	34	160	
06:00		69	98	151	173	491	
07:00		203	287	317	307	1114	
08:00		264	238	259	204	965	
09:00		146	189	201	147	683	
10:00		172	147	188	173	680	
11:00		156	192	163	135	646	
12:00 PM		189	156	158	157	660	
01:00		158	136	186	158	638	
02:00		159	137	192	141	629	
03:00		157	164	165	146	632	
04:00		149	162	167	154	632	
05:00		164	136	178	112	590	
06:00		120	81	84	85	370	
07:00		58	51	49	56	214	
08:00		53	36	26	35	150	
09:00		30	23	22	28	103	
10:00		24	24	16	19	83	
11:00		16	13	13	3	45	
Day Total						9617	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

CR510 & US-1 - North Leg (SB) 72Hrs. bi-directional volume counts (11/12/2019 to 11/14/2019)

CR 510 and US-1
North Leg

Start Time	Thu 14-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		5	11	7	10	33	
01:00		4	4	6	0	14	
02:00		1	3	3	1	8	
03:00		7	3	8	8	26	
04:00		10	9	24	26	69	
05:00		38	36	45	45	164	
06:00		50	105	140	167	462	
07:00		225	260	306	278	1069	
08:00		245	242	235	200	922	
09:00		181	163	165	154	663	
10:00		166	177	169	164	676	
11:00		163	161	179	141	644	
12:00 PM		178	167	200	167	712	
01:00		169	188	170	166	693	
02:00		177	155	194	164	690	
03:00		176	149	180	148	653	
04:00		180	153	171	140	644	
05:00		171	163	144	125	603	
06:00		129	111	82	67	389	
07:00		64	69	57	42	232	
08:00		49	49	45	41	184	
09:00		36	42	27	27	132	
10:00		22	23	18	8	71	
11:00		14	17	30	6	67	
Day Total						9820	
Grand Total						29377	

ADT

ADT 9,792

AADT 9,792

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

CR510 & US-1 - South Leg (NB)

72Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

CR510 & US-1
South Leg

Start Time	Tue 10-Dec-19	<-----Quarter 1st	2nd	Hour----->	3rd	4th	Hour Total	
12:00 AM		22	16	15	7	60		
01:00		7	6	5	8	26		
02:00		11	14	4	2	31		
03:00		9	7	5	11	32		
04:00		8	15	23	24	70		
05:00		28	35	44	66	173		
06:00		58	87	133	178	456		
07:00		178	285	401	357	1221		
08:00		323	284	337	341	1285		
09:00		256	302	279	343	1180		
10:00		260	264	304	282	1110		
11:00		299	292	323	285	1199		
12:00 PM		275	298	336	281	1190		
01:00		286	276	320	275	1157		
02:00		345	331	321	332	1329		
03:00		371	437	393	481	1682		
04:00		398	566	474	463	1901		
05:00		503	571	449	368	1891		
06:00		231	265	176	178	850		
07:00		132	188	141	99	560		
08:00		109	119	80	107	415		
09:00		98	61	74	61	294		
10:00		50	40	43	47	180		
11:00		29	36	15	26	106		
Day Total						18398		

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

CR510 & US-1 - South Leg (NB)

72Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

CR510 & US-1
South Leg

Start Time	Wed 11-Dec-19	<-----Quarter 1st	2nd	Hour----->	3rd	4th	Hour Total	
12:00 AM		20	16	7	12	55		
01:00		9	8	6	2	25		
02:00		9	10	6	6	31		
03:00		8	3	10	12	33		
04:00		9	16	25	22	72		
05:00		23	38	48	77	186		
06:00		82	100	174	211	567		
07:00		212	286	353	423	1274		
08:00		324	356	331	319	1330		
09:00		264	261	283	275	1083		
10:00		259	277	268	246	1050		
11:00		285	313	246	280	1124		
12:00 PM		269	324	274	280	1147		
01:00		256	311	285	311	1163		
02:00		315	311	332	374	1332		
03:00		400	395	396	461	1652		
04:00		456	534	411	448	1849		
05:00		477	548	476	324	1825		
06:00		262	226	180	202	870		
07:00		125	152	144	137	558		
08:00		118	127	97	104	446		
09:00		91	86	55	69	301		
10:00		56	56	44	39	195		
11:00		24	31	30	33	118		
Day Total						18286		

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

CR510 & US-1 - South Leg (NB)

72Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

CR510 & US-1
South Leg

Start Time	Thu 12-Dec-19	<-----Quarter 1st	2nd	Hour----->	3rd	4th	Hour Total	
12:00 AM		17	21	19	13	70		
01:00		4	8	7	8	27		
02:00		15	11	3	5	34		
03:00		7	7	9	12	35		
04:00		11	14	25	24	74		
05:00		27	33	50	64	174		
06:00		67	99	164	186	516		
07:00		190	231	287	262	970		
08:00		255	300	289	268	1112		
09:00		234	255	224	248	961		
10:00		212	215	240	200	867		
11:00		228	215	207	236	886		
12:00 PM		199	243	217	200	859		
01:00		217	218	288	273	996		
02:00		214	231	265	273	983		
03:00		237	303	276	358	1174		
04:00		308	360	354	358	1380		
05:00		381	477	385	279	1522		
06:00		198	211	158	145	712		
07:00		120	134	96	111	461		
08:00		107	92	86	80	365		
09:00		86	72	65	80	303		
10:00		58	55	48	33	194		
11:00		31	46	27	25	129		
Day Total					14804			
Grand Total					51488			

ADT

ADT 17,163

AADT 17,163

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

CR510 & US-1 - South Leg (SB) 72Hrs. bi-directional volume counts (12/10/2019 to 12/12/2019)

CR510 & US-1
South Leg

Start Time	Tue 10-Dec-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		12	12	11	7	42	
01:00		5	2	4	4	15	
02:00		4	5	5	4	18	
03:00		6	6	6	13	31	
04:00		12	12	26	29	79	
05:00		45	60	58	86	249	
06:00		90	128	197	273	688	
07:00		254	313	414	366	1347	
08:00		342	299	312	276	1229	
09:00		212	223	216	244	895	
10:00		240	188	220	214	862	
11:00		205	196	218	223	842	
12:00 PM		197	220	238	219	874	
01:00		207	194	205	230	836	
02:00		234	208	233	239	914	
03:00		227	240	247	230	944	
04:00		231	215	204	215	865	
05:00		242	211	177	185	815	
06:00		171	137	101	94	503	
07:00		90	82	57	52	281	
08:00		48	53	48	60	209	
09:00		41	44	46	32	163	
10:00		37	31	17	31	116	
11:00		14	17	10	18	59	
Day Total						12876	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

CR510 & US-1 - South Leg (SB) 72Hrs. bi-directional volume counts (12/10/2019 to 12/12/2019)

CR510 & US-1
South Leg

Start Time	Wed 11-Dec-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		11	7	9	7	34	
01:00		9	3	3	6	21	
02:00		4	3	2	8	17	
03:00		2	2	4	12	20	
04:00		9	19	22	29	79	
05:00		45	46	67	82	240	
06:00		102	146	210	234	692	
07:00		234	326	336	419	1315	
08:00		321	297	306	265	1189	
09:00		241	210	255	234	940	
10:00		233	215	221	217	886	
11:00		205	207	206	197	815	
12:00 PM		217	224	206	231	878	
01:00		204	235	201	194	834	
02:00		198	219	235	226	878	
03:00		234	211	248	213	906	
04:00		234	223	197	216	870	
05:00		210	202	199	182	793	
06:00		164	127	136	90	517	
07:00		73	73	69	56	271	
08:00		51	53	49	47	200	
09:00		41	53	25	41	160	
10:00		24	33	27	20	104	
11:00		12	23	13	13	61	
Day Total						12720	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

CR510 & US-1 - South Leg (SB) 72Hrs. bi-directional volume counts (12/10/2019 to 12/12/2019)

CR510 & US-1
South Leg

Start Time	Thu 12-Dec-19	<-----Quarter 1st	Hour-----> 3rd	4th	Hour Total	
12:00 AM		7	12	13	6	38
01:00		9	5	10	2	26
02:00		10	6	3	6	25
03:00		2	6	12	8	28
04:00		12	14	29	39	94
05:00		36	63	62	78	239
06:00		81	138	193	226	638
07:00		242	282	375	378	1277
08:00		286	315	297	257	1155
09:00		205	238	246	206	895
10:00		187	205	216	191	799
11:00		174	225	186	246	831
12:00 PM		184	193	232	197	806
01:00		169	150	185	170	674
02:00		197	245	182	150	774
03:00		180	205	176	202	763
04:00		180	194	171	183	728
05:00		150	180	129	142	601
06:00		109	105	102	68	384
07:00		83	59	52	36	230
08:00		44	54	47	47	192
09:00		38	32	42	46	158
10:00		37	40	24	23	124
11:00		12	18	22	17	69
Day Total					11548	
Grand Total					37144	

ADT

ADT 12,381

AADT 12,381

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

CR510 & US-1 West Leg - EB

72Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

CR 510 & US 1
EB

Start Time	Tue 10-Dec-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		5	12	7	4	28	
01:00		3	2	6	3	14	
02:00		4	4	2	4	14	
03:00		2	6	4	6	18	
04:00		4	10	18	22	54	
05:00		24	48	53	76	201	
06:00		68	70	130	156	424	
07:00		166	205	223	184	778	
08:00		206	194	222	210	832	
09:00		209	144	180	163	696	
10:00		186	136	129	168	619	
11:00		150	148	134	153	585	
12:00 PM		156	171	142	140	609	
01:00		154	154	138	176	622	
02:00		163	118	132	138	551	
03:00		146	173	164	148	631	
04:00		130	152	144	151	577	
05:00		137	118	123	133	511	
06:00		112	108	68	76	364	
07:00		52	60	39	53	204	
08:00		32	32	39	38	141	
09:00		29	26	22	36	113	
10:00		23	21	21	12	77	
11:00		10	10	7	8	35	
Day Total						8698	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

CR510 & US-1 West Leg - EB

72Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

CR 510 & US 1
EB

Start Time	Wed 11-Dec-19	<-----Quarter 1st	Hour 2nd	3rd	4th	Hour Total	
12:00 AM		4	11	7	7	29	
01:00		2	3	3	3	11	
02:00		0	3	0	3	6	
03:00		4	2	2	5	13	
04:00		3	10	11	22	46	
05:00		26	30	52	73	181	
06:00		70	90	126	154	440	
07:00		124	204	186	228	742	
08:00		204	198	198	238	838	
09:00		152	140	142	188	622	
10:00		118	134	143	162	557	
11:00		136	146	128	162	572	
12:00 PM		137	142	167	124	570	
01:00		131	168	165	170	634	
02:00		150	152	180	162	644	
03:00		138	160	157	157	612	
04:00		142	136	136	178	592	
05:00		140	139	124	121	524	
06:00		130	93	98	69	390	
07:00		74	50	48	40	212	
08:00		43	39	44	46	172	
09:00		40	26	26	30	122	
10:00		15	21	16	10	62	
11:00		10	6	10	11	37	
Day Total						8628	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

CR510 & US-1 West Leg - EB

72Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

CR 510 & US 1
EB

Start Time	Thu 12-Dec-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		3	16	4	9	32	
01:00		6	6	1	5	18	
02:00		5	1	0	4	10	
03:00		4	3	8	8	23	
04:00		10	6	15	25	56	
05:00		26	38	54	76	194	
06:00		49	80	132	161	422	
07:00		128	146	228	181	683	
08:00		182	178	210	214	784	
09:00		151	138	146	121	556	
10:00		124	124	134	121	503	
11:00		122	110	106	136	474	
12:00 PM		130	110	106	125	471	
01:00		100	116	119	90	425	
02:00		94	126	116	104	440	
03:00		116	104	112	144	476	
04:00		122	113	108	119	462	
05:00		100	112	94	76	382	
06:00		68	76	58	68	270	
07:00		54	46	34	32	166	
08:00		29	30	26	41	126	
09:00		29	32	39	36	136	
10:00		22	30	22	14	88	
11:00		16	9	8	9	42	
Day Total						7239	
Grand Total						24565	

ADT

ADT 8,188

AADT 8,188

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

CR510 & US-1 West Leg - WB

72Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

CR510 & US-1
West leg (WB)

Start Time	Tue 12-Nov-19	<-----Quarter 1st	2nd	Hour----->	3rd	4th	Hour Total	
12:00 AM		10	12	12	9	43		
01:00		7	5	4	10	26		
02:00		2	6	4	2	14		
03:00		2	2	6	10	20		
04:00		4	13	17	19	53		
05:00		37	50	60	68	215		
06:00		68	92	106	159	425		
07:00		152	158	178	194	682		
08:00		170	176	177	226	749		
09:00		138	130	176	120	564		
10:00		134	138	140	122	534		
11:00		136	130	137	144	547		
12:00 PM		132	148	135	144	559		
01:00		146	134	158	162	600		
02:00		148	160	180	148	636		
03:00		177	182	196	186	741		
04:00		196	208	188	204	796		
05:00		206	209	186	176	777		
06:00		145	112	129	112	498		
07:00		80	90	77	71	318		
08:00		50	56	58	56	220		
09:00		46	52	46	45	189		
10:00		40	44	30	28	142		
11:00		24	26	14	14	78		
Day Total						9426		

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

CR510 & US-1 West Leg - WB

72Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

CR510 & US-1
West leg (WB)

Start Time	Wed 13-Nov-19	<-----Quarter 1st	2nd	Hour----->	3rd	4th	Hour Total	
12:00 AM		10	19	20	9	58		
01:00		6	4	6	6	22		
02:00		5	5	2	8	20		
03:00		6	9	8	4	27		
04:00		7	16	20	35	78		
05:00		36	48	68	74	226		
06:00		99	116	154	121	490		
07:00		178	208	207	184	777		
08:00		200	218	206	230	854		
09:00		170	184	158	178	690		
10:00		158	196	178	210	742		
11:00		181	156	135	138	610		
12:00 PM		122	128	148	151	549		
01:00		140	138	166	144	588		
02:00		124	131	142	146	543		
03:00		138	134	146	138	556		
04:00		136	164	126	146	572		
05:00		143	114	121	98	476		
06:00		106	92	78	66	342		
07:00		66	64	52	58	240		
08:00		63	49	50	42	204		
09:00		32	40	29	33	134		
10:00		28	24	28	18	98		
11:00		16	19	26	15	76		
Day Total						8972		

TRIDENT Engineering, LLC


10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

CR510 & US-1 West Leg - WB

72Hrs. bi-directional volume counts
(11/12/2019 to 11/14/2019)

CR510 & US-1
West leg (WB)



ADT

ADT 9,264

AADT 9,264

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

Melbourne Causeway/ SR 192 - EB

72 Hrs. bi-directional vehicle classification counts
(11/12/2019 to 11/14/2019)

Melbourne Causeway
EB

Start Time	Tue 12-Nov-19	<-----Quarter 1st	Hour-----> 3rd	4th	Hour Total	
12:00 AM		35	37	16	14	102
01:00		18	9	8	12	47
02:00		6	8	3	5	22
03:00		7	10	13	9	39
04:00		14	15	23	23	75
05:00		22	31	36	54	143
06:00		60	88	130	131	409
07:00		163	162	174	177	676
08:00		204	214	232	210	860
09:00		199	179	219	211	808
10:00		197	194	198	211	800
11:00		221	212	218	231	882
12:00 PM		245	219	248	217	929
01:00		201	215	203	224	843
02:00		224	210	213	235	882
03:00		233	235	258	336	1062
04:00		272	287	293	326	1178
05:00		345	357	325	307	1334
06:00		264	244	234	187	929
07:00		177	219	172	161	729
08:00		164	145	120	136	565
09:00		124	94	90	78	386
10:00		43	52	43	40	178
11:00		31	37	23	14	105
Day Total					13983	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

Melbourne Causeway/ SR 192 - EB

72 Hrs. bi-directional vehicle classification counts
(11/12/2019 to 11/14/2019)

Melbourne Causeway
EB

Start Time	Wed 13-Nov-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		23	19	11	26	79	
01:00		7	8	7	5	27	
02:00		5	2	6	9	22	
03:00		5	3	7	8	23	
04:00		8	10	22	17	57	
05:00		14	21	39	44	118	
06:00		65	83	106	120	374	
07:00		157	176	173	200	706	
08:00		220	199	221	228	868	
09:00		187	159	178	204	728	
10:00		189	171	177	176	713	
11:00		183	179	188	185	735	
12:00 PM		198	203	207	218	826	
01:00		181	199	184	233	797	
02:00		229	201	209	227	866	
03:00		209	231	222	317	979	
04:00		287	281	279	278	1125	
05:00		361	323	320	289	1293	
06:00		259	245	195	186	885	
07:00		190	164	150	145	649	
08:00		143	140	95	99	477	
09:00		118	114	82	96	410	
10:00		58	52	35	36	181	
11:00		44	40	32	23	139	
Day Total						13077	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

Melbourne Causeway/ SR 192 - EB

72 Hrs. bi-directional vehicle classification counts
(11/12/2019 to 11/14/2019)

Melbourne Causeway
EB

Start Time	Thu 14-Nov-19	<-----Quarter 1st	Hour-----> 3rd	4th	Hour Total	
12:00 AM		28	18	11	9	66
01:00		15	7	12	6	40
02:00		5	12	11	17	45
03:00		10	9	15	16	50
04:00		12	9	17	14	52
05:00		18	23	44	36	121
06:00		60	72	120	115	367
07:00		142	152	181	183	658
08:00		190	201	203	216	810
09:00		183	178	186	213	760
10:00		180	161	157	179	677
11:00		205	193	198	203	799
12:00 PM		218	202	220	195	835
01:00		219	218	232	214	883
02:00		229	215	218	232	894
03:00		224	250	257	333	1064
04:00		329	279	287	316	1211
05:00		335	338	319	282	1274
06:00		258	253	219	206	936
07:00		163	180	151	159	653
08:00		143	157	123	128	551
09:00		95	109	86	86	376
10:00		72	65	52	68	257
11:00		56	46	36	38	176
Day Total					13555	
Grand Total					40615	

ADT

ADT 13,538

AADT 13,538

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

Melbourne Causeway/ SR 192 - WB

72 Hrs. bi-directional vehicle classification counts
(11/12/2019 to 11/14/2019)

Melbourne Causeway
WB

Start Time	Tue 12-Nov-19	<-----Quarter 1st	2nd	Hour ----->	3rd	4th	Hour Total	
12:00 AM		28	23	18	12	81		
01:00		22	9	9	8	48		
02:00		12	6	7	5	30		
03:00		8	8	9	6	31		
04:00		10	11	23	29	73		
05:00		30	48	58	98	234		
06:00		104	126	164	253	647		
07:00		273	350	488	532	1643		
08:00		538	499	346	323	1706		
09:00		285	343	316	354	1298		
10:00		280	270	281	299	1130		
11:00		273	241	304	283	1101		
12:00 PM		289	268	264	310	1131		
01:00		316	318	256	356	1246		
02:00		260	314	310	328	1212		
03:00		304	366	396	325	1391		
04:00		322	338	346	350	1356		
05:00		354	400	344	306	1404		
06:00		286	272	226	201	985		
07:00		156	130	119	116	521		
08:00		118	102	80	74	374		
09:00		100	81	54	74	309		
10:00		50	46	38	38	172		
11:00		38	34	25	38	135		
Day Total						18258		

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

Melbourne Causeway/ SR 192 - WB

72 Hrs. bi-directional vehicle classification counts
(11/12/2019 to 11/14/2019)

Melbourne Causeway
WB

Start Time	Wed 13-Nov-19	<-----Quarter 1st	Hour 2nd	3rd	4th	Hour Total	
12:00 AM		23	18	10	12	63	
01:00		13	10	14	9	46	
02:00		11	11	6	5	33	
03:00		4	2	4	4	14	
04:00		8	13	28	47	96	
05:00		31	28	62	77	198	
06:00		89	144	194	266	693	
07:00		323	368	460	543	1694	
08:00		551	534	414	326	1825	
09:00		310	322	354	276	1262	
10:00		302	266	280	313	1161	
11:00		278	310	303	287	1178	
12:00 PM		295	280	314	313	1202	
01:00		252	268	274	246	1040	
02:00		265	232	268	254	1019	
03:00		296	314	299	266	1175	
04:00		243	288	318	318	1167	
05:00		330	327	286	276	1219	
06:00		206	190	156	164	716	
07:00		128	120	110	94	452	
08:00		93	100	71	100	364	
09:00		80	72	76	58	286	
10:00		65	49	48	26	188	
11:00		33	20	26	17	96	
Day Total						17187	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

Melbourne Causeway/ SR 192 - WB

72 Hrs. bi-directional vehicle classification counts
(11/12/2019 to 11/14/2019)

Melbourne Causeway
WB

Start Time	Thu 14-Nov-19	<-----Quarter 1st	Hour 3rd	Hour 4th	Hour Total	
12:00 AM		24	15	20	14	73
01:00		10	8	6	6	30
02:00		8	10	4	10	32
03:00		7	5	6	8	26
04:00		14	12	17	23	66
05:00		28	38	55	79	200
06:00		102	132	183	246	663
07:00		320	366	495	539	1720
08:00		538	490	382	334	1744
09:00		306	361	285	290	1242
10:00		274	288	290	262	1114
11:00		268	284	256	258	1066
12:00 PM		292	253	344	306	1195
01:00		321	285	300	328	1234
02:00		252	286	262	318	1118
03:00		284	338	324	298	1244
04:00		300	298	290	300	1188
05:00		290	306	248	268	1112
06:00		236	221	193	168	818
07:00		128	134	111	120	493
08:00		108	85	94	103	390
09:00		106	103	68	60	337
10:00		53	56	49	40	198
11:00		48	28	16	24	116
Day Total					17419	
Grand Total					52864	

ADT

ADT 17,621

AADT 17,621

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

North of Hammock Trail Entrance - NB

72Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

North of Hammock Trail Entrance

Start Time	Tue 10-Dec-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		2	4	4	1	11	
01:00		3	1	0	0	4	
02:00		1	2	3	1	7	
03:00		3	0	0	0	3	
04:00		1	0	1	6	8	
05:00		13	7	11	20	51	
06:00		23	27	44	35	129	
07:00		29	42	45	50	166	
08:00		49	44	53	34	180	
09:00		51	59	66	44	220	
10:00		56	83	57	25	221	
11:00		47	27	50	43	167	
12:00 PM		39	40	24	47	150	
01:00		42	44	55	9	150	
02:00		22	15	28	28	93	
03:00		49	48	7	15	119	
04:00		16	16	46	36	114	
05:00		54	72	63	40	229	
06:00		44	44	23	21	132	
07:00		15	17	20	15	67	
08:00		20	9	9	11	49	
09:00		16	6	2	10	34	
10:00		9	5	15	7	36	
11:00		12	1	2	6	21	
Day Total					2361		

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

North of Hammock Trail Entrance - NB

72Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

North of Hammock Trail Entrance

Start Time	Wed 11-Dec-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		11	3	3	5	22	
01:00		3	2	6	2	13	
02:00		1	0	2	1	4	
03:00		0	2	1	0	3	
04:00		4	0	5	4	13	
05:00		5	5	3	13	26	
06:00		8	21	10	33	72	
07:00		12	26	32	38	108	
08:00		33	31	30	30	124	
09:00		35	38	39	37	149	
10:00		29	22	4	5	60	
11:00		3	20	38	45	106	
12:00 PM		22	18	23	18	81	
01:00		8	2	22	44	76	
02:00		2	14	7	5	28	
03:00		25	41	42	52	160	
04:00		73	85	80	64	302	
05:00		75	92	64	65	296	
06:00		67	50	30	33	180	
07:00		30	18	21	27	96	
08:00		48	28	13	13	102	
09:00		6	8	10	11	35	
10:00		11	9	16	10	46	
11:00		8	3	4	4	19	
Day Total						2121	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

North of Hammock Trail Entrance - NB

72Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

North of Hammock Trail Entrance

Start Time	Thu 12-Dec-19	<-----Quarter		Hour----->		Hour Total	
		1st	2nd	3rd	4th		
12:00 AM		3	2	3	10	18	
01:00		10	3	2	4	19	
02:00		4	5	2	1	12	
03:00		2	4	2	0	8	
04:00		2	3	2	7	14	
05:00		2	1	1	6	10	
06:00		10	9	13	9	41	
07:00		8	7	13	10	38	
08:00		18	21	13	11	63	
09:00		19	14	28	17	78	
10:00		15	16	27	23	81	
11:00		20	20	25	20	85	
12:00 PM		23	27	15	19	84	
01:00		14	22	16	22	74	
02:00		14	20	19	18	71	
03:00		14	14	32	18	78	
04:00		15	21	31	26	93	
05:00		31	20	24	20	95	
06:00		11	18	16	13	58	
07:00		8	10	12	8	38	
08:00		28	18	8	7	61	
09:00		5	3	5	5	18	
10:00		2	2	5	3	12	
11:00		7	3	4	3	17	
Day Total						1166	
Grand Total						5648	

ADT

ADT 3,606

AADT 3,606

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

North of Hammock Trail Entrance - SB

72Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

North of Hammock Trail Entrance

Start Time	Tue 10-Dec-19	<-----Quarter		Hour----->		Hour Total	
		1st	2nd	3rd	4th		
12:00 AM		1	0	0	0	1	
01:00		2	0	0	0	2	
02:00		1	1	1	3	6	
03:00		1	0	0	0	1	
04:00		1	0	1	5	7	
05:00		7	6	9	18	40	
06:00		15	21	36	26	98	
07:00		25	38	28	40	131	
08:00		31	27	42	21	121	
09:00		31	44	35	27	137	
10:00		39	41	44	37	161	
11:00		43	52	39	27	161	
12:00 PM		33	34	37	41	145	
01:00		41	33	50	44	168	
02:00		34	46	42	45	167	
03:00		36	33	51	47	167	
04:00		40	53	39	38	170	
05:00		35	36	32	32	135	
06:00		26	23	11	17	77	
07:00		16	7	11	10	44	
08:00		7	5	4	8	24	
09:00		7	5	5	8	25	
10:00		4	4	1	5	14	
11:00		1	2	3	2	8	
Day Total						2010	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

North of Hammock Trail Entrance - SB

72Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

North of Hammock Trail Entrance

Start Time	Wed 11-Dec-19	<-----Quarter		Hour----->		Hour Total	
		1st	2nd	3rd	4th		
12:00 AM		2	1	0	0	3	
01:00		1	4	0	0	5	
02:00		1	1	0	2	4	
03:00		0	1	0	1	2	
04:00		2	1	4	4	11	
05:00		3	1	11	13	28	
06:00		14	19	21	29	83	
07:00		23	33	30	46	132	
08:00		26	25	38	32	121	
09:00		30	24	22	29	105	
10:00		47	27	25	48	147	
11:00		50	38	24	27	139	
12:00 PM		35	35	49	26	145	
01:00		45	44	46	39	174	
02:00		53	39	45	33	170	
03:00		46	41	47	36	170	
04:00		25	29	37	30	121	
05:00		26	36	27	38	127	
06:00		23	30	23	12	88	
07:00		14	9	12	15	50	
08:00		15	11	12	6	44	
09:00		10	6	10	11	37	
10:00		5	3	4	5	17	
11:00		1	0	4	2	7	
Day Total						1930	

TRIDENT Engineering, LLC


10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

North of Hammock Trail Entrance - SB

72Hrs. bi-directional volume counts
(12/10/2019 to 12/12/2019)

North of Hammock Trail Entrance



ADT

ADT 1,724

AADT 1,724

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

SR192 & A1A - North Leg (NB)

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

SR192 & A1A
North Leg

Start Time	Tue 10-Dec-19	<-----Quarter 1st	Hour-----> 2nd	3rd	4th	Hour Total	
12:00 AM		21	16	11	7	55	
01:00		10	6	7	7	30	
02:00		8	6	6	1	21	
03:00		1	2	5	3	11	
04:00		2	5	0	21	28	
05:00		22	29	26	36	113	
06:00		44	70	90	116	320	
07:00		98	147	194	198	637	
08:00		178	201	165	161	705	
09:00		199	191	180	200	770	
10:00		145	175	188	200	708	
11:00		162	173	180	184	699	
12:00 PM		170	184	181	181	716	
01:00		172	188	176	200	736	
02:00		180	156	218	178	732	
03:00		185	190	202	170	747	
04:00		213	198	184	218	813	
05:00		182	219	223	205	829	
06:00		170	181	177	143	671	
07:00		136	110	80	103	429	
08:00		87	96	100	72	355	
09:00		72	65	60	42	239	
10:00		37	32	27	25	121	
11:00		38	18	14	18	88	
Day Total						10573	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

SR192 & A1A - North Leg (NB)

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

SR192 & A1A
North Leg

Start Time	Wed 11-Dec-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		9	15	7	9	40	
01:00		10	6	6	3	25	
02:00		3	3	4	2	12	
03:00		4	4	3	2	13	
04:00		5	12	8	12	37	
05:00		30	13	24	32	99	
06:00		43	55	76	117	291	
07:00		104	136	208	188	636	
08:00		206	160	182	180	728	
09:00		192	172	174	160	698	
10:00		174	172	180	188	714	
11:00		183	172	213	198	766	
12:00 PM		190	192	160	190	732	
01:00		164	186	192	164	706	
02:00		198	196	150	207	751	
03:00		169	178	185	190	722	
04:00		206	200	180	212	798	
05:00		196	224	200	226	846	
06:00		156	184	146	110	596	
07:00		126	104	100	74	404	
08:00		85	91	82	73	331	
09:00		78	78	65	66	287	
10:00		47	41	35	36	159	
11:00		21	22	23	21	87	
Day Total						10478	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

SR192 & A1A - North Leg (NB)

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

SR192 & A1A
North Leg

Start Time	Thu 12-Dec-19	<-----Quarter		Hour----->		Hour Total	
		1st	2nd	3rd	4th		
12:00 AM		13	17	18	7	55	
01:00		8	13	5	3	29	
02:00		7	4	8	3	22	
03:00		4	3	2	11	20	
04:00		5	9	12	16	42	
05:00		20	26	22	34	102	
06:00		43	59	78	104	284	
07:00		117	140	174	164	595	
08:00		170	168	157	168	663	
09:00		200	192	133	180	705	
10:00		171	168	162	171	672	
11:00		166	198	200	185	749	
12:00 PM		169	179	168	181	697	
01:00		166	175	191	150	682	
02:00		164	178	158	180	680	
03:00		154	143	166	183	646	
04:00		176	178	152	183	689	
05:00		174	202	173	162	711	
06:00		190	126	150	111	577	
07:00		92	96	85	88	361	
08:00		80	64	69	74	287	
09:00		60	66	29	42	197	
10:00		45	40	33	27	145	
11:00		21	18	19	16	74	
Day Total						9684	
Grand Total						30735	

ADT

ADT 10,245

AADT 10,245

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

SR192 & A1A - North Leg (SB)

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

SR192 & A1A
North Leg

Start Time	Tue 10-Dec-19	<-----Quarter 1st	Hour-----> 2nd	3rd	4th	Hour Total	
12:00 AM		20	13	10	12	55	
01:00		12	11	15	9	47	
02:00		14	11	6	4	35	
03:00		1	3	5	5	14	
04:00		3	9	11	9	32	
05:00		8	32	26	44	110	
06:00		44	70	90	136	340	
07:00		126	170	232	214	742	
08:00		206	214	169	192	781	
09:00		193	184	174	180	731	
10:00		148	140	180	178	646	
11:00		185	172	178	170	705	
12:00 PM		157	173	184	191	705	
01:00		200	175	186	193	754	
02:00		204	204	203	178	789	
03:00		217	172	180	233	802	
04:00		220	232	204	217	873	
05:00		206	206	224	191	827	
06:00		210	159	170	152	691	
07:00		132	120	108	84	444	
08:00		118	100	83	83	384	
09:00		97	83	98	62	340	
10:00		69	50	37	36	192	
11:00		29	28	26	18	101	
Day Total						11140	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

SR192 & A1A - North Leg (SB)

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

SR192 & A1A
North Leg

Start Time	Wed 11-Dec-19	<-----Quarter 1st	Hour-----> 2nd	3rd	4th	Hour Total	
12:00 AM		20	8	11	5	44	
01:00		16	12	2	2	32	
02:00		10	3	2	2	17	
03:00		4	2	9	3	18	
04:00		3	9	7	5	24	
05:00		10	12	24	33	79	
06:00		56	62	97	98	313	
07:00		148	166	226	191	731	
08:00		208	202	194	162	766	
09:00		148	163	182	180	673	
10:00		176	172	197	152	697	
11:00		181	160	174	182	697	
12:00 PM		174	187	191	215	767	
01:00		162	172	192	192	718	
02:00		182	204	162	196	744	
03:00		166	196	198	202	762	
04:00		197	183	216	199	795	
05:00		202	188	173	192	755	
06:00		164	158	160	134	616	
07:00		156	122	130	118	526	
08:00		108	98	84	80	370	
09:00		74	80	73	75	302	
10:00		69	53	44	48	214	
11:00		39	52	25	13	129	
Day Total						10789	

TRIDENT Engineering, LLC

























10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

SR192 & A1A - North Leg (SB)

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

SR192 & A1A
North Leg

Start Time	Thu 12-Dec-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		17	22	20	17	76	
01:00		12	5	8	4	29	
02:00		8	7	6	2	23	
03:00		2	4	2	5	13	
04:00		4	9	14	8	35	
05:00		9	17	20	39	85	
06:00		42	68	77	106	293	
07:00		127	160	213	206	706	
08:00		212	212	175	163	762	
09:00		188	171	183	156	698	
10:00		154	154	180	134	622	
11:00		156	171	182	182	691	
12:00 PM		180	200	170	171	721	
01:00		200	168	163	177	708	
02:00		160	142	176	184	662	
03:00		158	172	164	158	652	
04:00		159	183	184	193	719	
05:00		188	184	178	160	710	
06:00		150	157	142	124	573	
07:00		146	136	116	84	482	
08:00		96	78	86	52	312	
09:00		75	73	48	51	247	
10:00		52	56	36	32	176	
11:00		34	24	23	19	100	
Day Total						10095	
Grand Total						32024	

ADT

ADT 20,920

AADT 20,920

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

SR192 & A1A - South Leg (NB)

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

SR192 & A1A
South Leg

Start Time	Tue 10-Dec-19	<-----Quarter 1st	Hour-----> 2nd	3rd	4th	Hour Total	
12:00 AM		9	8	8	5	30	
01:00		6	9	6	4	25	
02:00		5	3	4	4	16	
03:00		4	3	3	5	15	
04:00		5	11	16	22	54	
05:00		24	24	42	42	132	
06:00		48	87	105	122	362	
07:00		143	175	230	215	763	
08:00		194	215	169	179	757	
09:00		180	197	160	198	735	
10:00		168	188	165	185	706	
11:00		163	186	183	164	696	
12:00 PM		187	171	158	211	727	
01:00		165	190	167	212	734	
02:00		180	182	194	191	747	
03:00		185	182	184	169	720	
04:00		169	144	154	166	633	
05:00		144	138	148	143	573	
06:00		131	155	105	101	492	
07:00		82	59	53	61	255	
08:00		60	70	47	34	211	
09:00		38	39	39	24	140	
10:00		33	22	20	16	91	
11:00		22	15	6	8	51	
Day Total						9665	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

SR192 & A1A - South Leg (NB)

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

SR192 & A1A
South Leg

Start Time	Wed 11-Dec-19	<-----Quarter		Hour----->		Hour Total	
		1st	2nd	3rd	4th		
12:00 AM		9	5	9	7	30	
01:00		3	7	3	3	16	
02:00		5	1	3	7	16	
03:00		2	4	3	2	11	
04:00		4	12	18	26	60	
05:00		27	30	26	49	132	
06:00		51	76	91	125	343	
07:00		133	163	212	208	716	
08:00		225	224	170	195	814	
09:00		193	166	194	174	727	
10:00		163	180	189	199	731	
11:00		186	188	202	197	773	
12:00 PM		162	174	186	185	707	
01:00		172	159	161	140	632	
02:00		171	142	147	152	612	
03:00		123	147	153	145	568	
04:00		120	163	126	137	546	
05:00		140	134	132	139	545	
06:00		88	104	108	82	382	
07:00		66	49	45	37	197	
08:00		56	51	51	39	197	
09:00		47	35	34	38	154	
10:00		38	17	29	19	103	
11:00		11	14	14	12	51	
Day Total						9063	

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

SR192 & A1A - South Leg (NB)

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

SR192 & A1A
South Leg

Start Time	Thu 12-Dec-19	<-----Quarter 1st	2nd	Hour 3rd	4th	Hour Total	
12:00 AM		8	10	7	2	27	
01:00		8	10	8	5	31	
02:00		4	5	5	0	14	
03:00		6	2	3	8	19	
04:00		5	9	13	17	44	
05:00		20	26	22	36	104	
06:00		47	62	86	102	297	
07:00		117	148	159	172	596	
08:00		190	176	131	162	659	
09:00		177	177	163	160	677	
10:00		155	178	156	170	659	
11:00		160	162	169	174	665	
12:00 PM		144	189	157	169	659	
01:00		158	142	145	128	573	
02:00		160	147	167	156	630	
03:00		138	150	156	146	590	
04:00		166	162	139	139	606	
05:00		137	132	128	140	537	
06:00		96	111	103	91	401	
07:00		69	71	71	47	258	
08:00		62	58	54	42	216	
09:00		49	39	42	42	172	
10:00		39	22	31	22	114	
11:00		17	18	12	12	59	
Day Total					8607		
Grand Total					27335		

ADT

ADT 15,787

AADT 15,787

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 1

SR192 & A1A - South Leg (SB)

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

SR192 & A1A
South Leg

Start Time	Tue 10-Dec-19	<-----Quarter 1st	Hour----->	Hour Total	
		2nd	3rd	4th	
12:00 AM		13	9	8	43
01:00		14	6	7	30
02:00		4	6	4	17
03:00		3	3	6	17
04:00		2	8	6	24
05:00		13	20	17	89
06:00		45	52	80	267
07:00		64	85	108	364
08:00		123	136	138	548
09:00		136	139	155	576
10:00		136	142	151	586
11:00		152	158	166	600
12:00 PM		123	165	161	606
01:00		182	173	167	683
02:00		176	168	166	664
03:00		168	136	150	652
04:00		184	197	183	749
05:00		193	197	218	794
06:00		179	176	171	672
07:00		122	119	86	413
08:00		107	98	82	382
09:00		85	80	80	296
10:00		51	30	32	131
11:00		21	25	19	83
Day Total					9286

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 2

SR192 & A1A - South Leg (SB)

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

SR192 & A1A
South Leg

Start Time	Wed 11-Dec-19	<-----Quarter 1st	Hour----->	Hour Total	
		2nd	3rd	4th	
12:00 AM		10	5	6	29
01:00		14	7	6	29
02:00		2	7	5	16
03:00		2	2	6	15
04:00		1	9	5	22
05:00		8	14	17	66
06:00		52	55	87	276
07:00		73	79	101	358
08:00		109	137	137	499
09:00		110	140	141	546
10:00		139	149	141	579
11:00		142	149	131	598
12:00 PM		181	160	170	654
01:00		149	168	170	669
02:00		162	176	153	655
03:00		180	164	173	702
04:00		205	183	194	801
05:00		176	196	218	792
06:00		188	174	145	651
07:00		142	112	132	510
08:00		106	99	110	406
09:00		77	75	87	312
10:00		67	44	34	184
11:00		23	29	15	81
Day Total					9450

TRIDENT Engineering, LLC

10232 NW 47 Street
Sunrise FL,33351
954.451.3795

Page 3

SR192 & A1A - South Leg (SB)

72 Hrs. bi-directional vehicle classification counts
(12/10/2019 to 12/12/2019)

SR192 & A1A
South Leg

Start Time	Thu 12-Dec-19	<-----Quarter 1st	Hour-----> 3rd	4th	Hour Total	
12:00 AM		16	12	10	17	55
01:00		13	4	8	4	29
02:00		6	5	3	4	18
03:00		3	4	6	5	18
04:00		3	7	7	8	25
05:00		18	10	26	32	86
06:00		44	49	76	106	275
07:00		90	133	115	125	463
08:00		129	134	156	138	557
09:00		138	130	149	150	567
10:00		121	154	136	144	555
11:00		127	160	152	159	598
12:00 PM		166	187	156	134	643
01:00		146	147	157	149	599
02:00		147	165	155	237	704
03:00		215	174	188	187	764
04:00		184	175	162	159	680
05:00		143	137	141	130	551
06:00		148	162	130	135	575
07:00		127	118	87	103	435
08:00		81	81	102	78	342
09:00		81	89	63	60	293
10:00		52	46	30	28	156
11:00		35	21	17	13	86
Day Total					9074	
Grand Total					27810	

ADT

ADT 15,787

AADT 15,787

Appendix E
Seasonal and Axel
Correction Factors

2018 WEEKLY AXLE FACTOR CATEGORY REPORT - REPORT TYPE: DISTRICT

COUNTY: 88 - INDIAN RIVER

WEEK	DATES	8810 COUNTY ROADS-RURAL	8811 SR 656	8812 27 AVENUE/EMERSON	8813 SR5 , ST.LUCIE-65 ST
1	01/01/2018 - 01/06/2018	0.81	0.95	0.99	0.99
2	01/07/2018 - 01/13/2018	0.80	0.95	0.99	0.99
3	01/14/2018 - 01/20/2018	0.78	0.95	0.99	0.99
4	01/21/2018 - 01/27/2018	0.79	0.95	0.99	0.99
5	01/28/2018 - 02/03/2018	0.79	0.95	0.99	0.99
6	02/04/2018 - 02/10/2018	0.80	0.95	0.99	0.99
7	02/11/2018 - 02/17/2018	0.80	0.95	0.99	0.99
8	02/18/2018 - 02/24/2018	0.80	0.95	0.99	0.99
9	02/25/2018 - 03/03/2018	0.81	0.95	0.99	0.99
10	03/04/2018 - 03/10/2018	0.81	0.95	0.99	0.99
11	03/11/2018 - 03/17/2018	0.81	0.95	0.99	0.99
12	03/18/2018 - 03/24/2018	0.81	0.95	0.99	0.99
13	03/25/2018 - 03/31/2018	0.81	0.95	0.99	0.99
14	04/01/2018 - 04/07/2018	0.80	0.95	0.99	0.99
15	04/08/2018 - 04/14/2018	0.80	0.95	0.99	0.99
16	04/15/2018 - 04/21/2018	0.80	0.95	0.99	0.99
17	04/22/2018 - 04/28/2018	0.80	0.95	0.99	0.99
18	04/29/2018 - 05/05/2018	0.80	0.95	0.99	0.99
19	05/06/2018 - 05/12/2018	0.80	0.95	0.99	0.99
20	05/13/2018 - 05/19/2018	0.80	0.95	0.99	0.99
21	05/20/2018 - 05/26/2018	0.80	0.95	0.99	0.99
22	05/27/2018 - 06/02/2018	0.81	0.95	0.99	0.99
23	06/03/2018 - 06/09/2018	0.81	0.95	0.99	0.99
24	06/10/2018 - 06/16/2018	0.81	0.95	0.99	0.99
25	06/17/2018 - 06/23/2018	0.81	0.95	0.99	0.99
26	06/24/2018 - 06/30/2018	0.81	0.95	0.99	0.99
27	07/01/2018 - 07/07/2018	0.81	0.95	0.99	0.99
28	07/08/2018 - 07/14/2018	0.81	0.95	0.99	0.99
29	07/15/2018 - 07/21/2018	0.81	0.95	0.99	0.99
30	07/22/2018 - 07/28/2018	0.81	0.95	0.99	0.99
31	07/29/2018 - 08/04/2018	0.81	0.95	0.99	0.99
32	08/05/2018 - 08/11/2018	0.80	0.95	0.99	0.99
33	08/12/2018 - 08/18/2018	0.80	0.95	0.99	0.99
34	08/19/2018 - 08/25/2018	0.80	0.95	0.99	0.99
35	08/26/2018 - 09/01/2018	0.81	0.95	0.99	0.99
36	09/02/2018 - 09/08/2018	0.81	0.95	0.99	0.99
37	09/09/2018 - 09/15/2018	0.81	0.95	0.99	0.99
38	09/16/2018 - 09/22/2018	0.81	0.95	0.99	0.99
39	09/23/2018 - 09/29/2018	0.80	0.95	0.99	0.99
40	09/30/2018 - 10/06/2018	0.80	0.95	0.99	0.99
41	10/07/2018 - 10/13/2018	0.79	0.95	0.99	0.99
42	10/14/2018 - 10/20/2018	0.79	0.95	0.99	0.99
43	10/21/2018 - 10/27/2018	0.81	0.95	0.99	0.99
44	10/28/2018 - 11/03/2018	0.84	0.95	0.99	0.99
45	11/04/2018 - 11/10/2018	0.86	0.95	0.99	0.99
46	11/11/2018 - 11/17/2018	0.88	0.95	0.99	0.99
47	11/18/2018 - 11/24/2018	0.86	0.95	0.99	0.99
48	11/25/2018 - 12/01/2018	0.85	0.95	0.99	0.99
49	12/02/2018 - 12/08/2018	0.83	0.95	0.99	0.99
50	12/09/2018 - 12/15/2018	0.81	0.95	0.99	0.99
51	12/16/2018 - 12/22/2018	0.80	0.95	0.99	0.99
52	12/23/2018 - 12/29/2018	0.79	0.95	0.99	0.99
53	12/30/2018 - 12/31/2018	0.78	0.95	0.99	0.99

2018 WEEKLY AXLE FACTOR CATEGORY REPORT - REPORT TYPE: DISTRICT

COUNTY: 88 - INDIAN RIVER

WEEK	DATES	8814 SR60, 66 AVE-A1A	8815 SR 60, OSC.CO-102AVE	8816 SR60, 102 AVE - 66AVE	8817 A1A, ST LUC-WINTER BC
1	01/01/2018 - 01/06/2018	0.99	0.81	0.83	0.98
2	01/07/2018 - 01/13/2018	0.99	0.80	0.83	0.98
3	01/14/2018 - 01/20/2018	0.99	0.78	0.83	0.98
4	01/21/2018 - 01/27/2018	0.99	0.79	0.83	0.98
5	01/28/2018 - 02/03/2018	0.99	0.79	0.83	0.98
6	02/04/2018 - 02/10/2018	0.99	0.80	0.83	0.98
7	02/11/2018 - 02/17/2018	0.99	0.80	0.83	0.98
8	02/18/2018 - 02/24/2018	0.99	0.80	0.83	0.98
9	02/25/2018 - 03/03/2018	0.99	0.81	0.83	0.98
10	03/04/2018 - 03/10/2018	0.99	0.81	0.83	0.98
11	03/11/2018 - 03/17/2018	0.99	0.81	0.83	0.98
12	03/18/2018 - 03/24/2018	0.99	0.81	0.83	0.98
13	03/25/2018 - 03/31/2018	0.99	0.81	0.83	0.98
14	04/01/2018 - 04/07/2018	0.99	0.80	0.83	0.98
15	04/08/2018 - 04/14/2018	0.99	0.80	0.83	0.98
16	04/15/2018 - 04/21/2018	0.99	0.80	0.83	0.98
17	04/22/2018 - 04/28/2018	0.99	0.80	0.83	0.98
18	04/29/2018 - 05/05/2018	0.99	0.80	0.83	0.98
19	05/06/2018 - 05/12/2018	0.99	0.80	0.83	0.98
20	05/13/2018 - 05/19/2018	0.99	0.80	0.83	0.98
21	05/20/2018 - 05/26/2018	0.99	0.80	0.83	0.98
22	05/27/2018 - 06/02/2018	0.99	0.81	0.83	0.98
23	06/03/2018 - 06/09/2018	0.99	0.81	0.83	0.98
24	06/10/2018 - 06/16/2018	0.99	0.81	0.83	0.98
25	06/17/2018 - 06/23/2018	0.99	0.81	0.83	0.98
26	06/24/2018 - 06/30/2018	0.99	0.81	0.83	0.98
27	07/01/2018 - 07/07/2018	0.99	0.81	0.83	0.98
28	07/08/2018 - 07/14/2018	0.99	0.81	0.83	0.98
29	07/15/2018 - 07/21/2018	0.99	0.81	0.83	0.98
30	07/22/2018 - 07/28/2018	0.99	0.81	0.83	0.98
31	07/29/2018 - 08/04/2018	0.99	0.81	0.83	0.98
32	08/05/2018 - 08/11/2018	0.99	0.80	0.83	0.98
33	08/12/2018 - 08/18/2018	0.99	0.80	0.83	0.98
34	08/19/2018 - 08/25/2018	0.99	0.80	0.83	0.98
35	08/26/2018 - 09/01/2018	0.99	0.81	0.83	0.98
36	09/02/2018 - 09/08/2018	0.99	0.81	0.83	0.98
37	09/09/2018 - 09/15/2018	0.99	0.81	0.83	0.98
38	09/16/2018 - 09/22/2018	0.99	0.81	0.83	0.98
39	09/23/2018 - 09/29/2018	0.99	0.80	0.83	0.98
40	09/30/2018 - 10/06/2018	0.99	0.80	0.83	0.98
41	10/07/2018 - 10/13/2018	0.99	0.79	0.83	0.98
42	10/14/2018 - 10/20/2018	0.99	0.79	0.83	0.98
43	10/21/2018 - 10/27/2018	0.99	0.80	0.83	0.98
44	10/28/2018 - 11/03/2018	0.99	0.80	0.83	0.98
45	11/04/2018 - 11/10/2018	0.99	0.81	0.83	0.98
46	11/11/2018 - 11/17/2018	0.99	0.81	0.83	0.98
47	11/18/2018 - 11/24/2018	0.99	0.81	0.83	0.98
48	11/25/2018 - 12/01/2018	0.99	0.81	0.83	0.98
49	12/02/2018 - 12/08/2018	0.99	0.81	0.83	0.98
50	12/09/2018 - 12/15/2018	0.99	0.81	0.83	0.98
51	12/16/2018 - 12/22/2018	0.99	0.80	0.83	0.98
52	12/23/2018 - 12/29/2018	0.99	0.79	0.83	0.98
53	12/30/2018 - 12/31/2018	0.99	0.78	0.83	0.98

2018 WEEKLY AXLE FACTOR CATEGORY REPORT - REPORT TYPE: DISTRICT

COUNTY: 88 - INDIAN RIVER

WEEK	DATES	8819 A1A,WINTER BCH-SR510	8820 COUNTY ROADS-URBAN	8822 SR 5, 65ST-BREVARD	8823 I-95, INDIAN RIVER
1	01/01/2018 - 01/06/2018	0.98	0.99	0.98	0.88
2	01/07/2018 - 01/13/2018	0.98	0.99	0.98	0.88
3	01/14/2018 - 01/20/2018	0.98	0.99	0.98	0.87
4	01/21/2018 - 01/27/2018	0.98	0.99	0.98	0.87
5	01/28/2018 - 02/03/2018	0.98	0.99	0.98	0.88
6	02/04/2018 - 02/10/2018	0.98	0.99	0.98	0.88
7	02/11/2018 - 02/17/2018	0.98	0.99	0.98	0.88
8	02/18/2018 - 02/24/2018	0.98	0.99	0.98	0.88
9	02/25/2018 - 03/03/2018	0.98	0.99	0.98	0.88
10	03/04/2018 - 03/10/2018	0.98	0.99	0.98	0.88
11	03/11/2018 - 03/17/2018	0.98	0.99	0.98	0.88
12	03/18/2018 - 03/24/2018	0.98	0.99	0.98	0.88
13	03/25/2018 - 03/31/2018	0.98	0.99	0.98	0.88
14	04/01/2018 - 04/07/2018	0.98	0.99	0.98	0.88
15	04/08/2018 - 04/14/2018	0.98	0.99	0.98	0.88
16	04/15/2018 - 04/21/2018	0.98	0.99	0.98	0.88
17	04/22/2018 - 04/28/2018	0.98	0.99	0.98	0.88
18	04/29/2018 - 05/05/2018	0.98	0.99	0.98	0.88
19	05/06/2018 - 05/12/2018	0.98	0.99	0.98	0.87
20	05/13/2018 - 05/19/2018	0.98	0.99	0.98	0.87
21	05/20/2018 - 05/26/2018	0.98	0.99	0.98	0.87
22	05/27/2018 - 06/02/2018	0.98	0.99	0.98	0.88
23	06/03/2018 - 06/09/2018	0.98	0.99	0.98	0.88
24	06/10/2018 - 06/16/2018	0.98	0.99	0.98	0.88
25	06/17/2018 - 06/23/2018	0.98	0.99	0.98	0.88
26	06/24/2018 - 06/30/2018	0.98	0.99	0.98	0.88
27	07/01/2018 - 07/07/2018	0.98	0.99	0.98	0.88
28	07/08/2018 - 07/14/2018	0.98	0.99	0.98	0.88
29	07/15/2018 - 07/21/2018	0.98	0.99	0.98	0.88
30	07/22/2018 - 07/28/2018	0.98	0.99	0.98	0.88
31	07/29/2018 - 08/04/2018	0.98	0.99	0.98	0.88
32	08/05/2018 - 08/11/2018	0.98	0.99	0.98	0.88
33	08/12/2018 - 08/18/2018	0.98	0.99	0.98	0.88
34	08/19/2018 - 08/25/2018	0.98	0.99	0.98	0.88
35	08/26/2018 - 09/01/2018	0.98	0.99	0.98	0.89
36	09/02/2018 - 09/08/2018	0.98	0.99	0.98	0.89
37	09/09/2018 - 09/15/2018	0.98	0.99	0.98	0.89
38	09/16/2018 - 09/22/2018	0.98	0.99	0.98	0.89
39	09/23/2018 - 09/29/2018	0.98	0.99	0.98	0.88
40	09/30/2018 - 10/06/2018	0.98	0.99	0.98	0.88
41	10/07/2018 - 10/13/2018	0.98	0.99	0.98	0.87
42	10/14/2018 - 10/20/2018	0.98	0.99	0.98	0.87
43	10/21/2018 - 10/27/2018	0.98	0.99	0.98	0.87
44	10/28/2018 - 11/03/2018	0.98	0.99	0.98	0.88
45	11/04/2018 - 11/10/2018	0.98	0.99	0.98	0.88
46	11/11/2018 - 11/17/2018	0.98	0.99	0.98	0.88
47	11/18/2018 - 11/24/2018	0.98	0.99	0.98	0.88
48	11/25/2018 - 12/01/2018	0.98	0.99	0.98	0.88
49	12/02/2018 - 12/08/2018	0.98	0.99	0.98	0.88
50	12/09/2018 - 12/15/2018	0.98	0.99	0.98	0.88
51	12/16/2018 - 12/22/2018	0.98	0.99	0.98	0.88
52	12/23/2018 - 12/29/2018	0.98	0.99	0.98	0.87
53	12/30/2018 - 12/31/2018	0.98	0.99	0.98	0.87

2018 WEEKLY AXLE FACTOR CATEGORY REPORT - REPORT TYPE: DISTRICT

COUNTY: 88 - INDIAN RIVER

WEEK	DATES	SR510, ICWW	8825	8826
1	01/01/2018 - 01/06/2018		0.97	0.98
2	01/07/2018 - 01/13/2018		0.97	0.98
3	01/14/2018 - 01/20/2018		0.97	0.97
4	01/21/2018 - 01/27/2018		0.97	0.97
5	01/28/2018 - 02/03/2018		0.97	0.98
6	02/04/2018 - 02/10/2018		0.97	0.98
7	02/11/2018 - 02/17/2018		0.97	0.98
8	02/18/2018 - 02/24/2018		0.97	0.98
9	02/25/2018 - 03/03/2018		0.97	0.97
10	03/04/2018 - 03/10/2018		0.97	0.97
11	03/11/2018 - 03/17/2018		0.97	0.96
12	03/18/2018 - 03/24/2018		0.97	0.96
13	03/25/2018 - 03/31/2018		0.97	0.95
14	04/01/2018 - 04/07/2018		0.97	0.95
15	04/08/2018 - 04/14/2018		0.97	0.94
16	04/15/2018 - 04/21/2018		0.97	0.94
17	04/22/2018 - 04/28/2018		0.97	0.95
18	04/29/2018 - 05/05/2018		0.97	0.96
19	05/06/2018 - 05/12/2018		0.97	0.97
20	05/13/2018 - 05/19/2018		0.97	0.98
21	05/20/2018 - 05/26/2018		0.97	0.98
22	05/27/2018 - 06/02/2018		0.97	0.98
23	06/03/2018 - 06/09/2018		0.97	0.97
24	06/10/2018 - 06/16/2018		0.97	0.97
25	06/17/2018 - 06/23/2018		0.97	0.97
26	06/24/2018 - 06/30/2018		0.97	0.97
27	07/01/2018 - 07/07/2018		0.97	0.98
28	07/08/2018 - 07/14/2018		0.97	0.98
29	07/15/2018 - 07/21/2018		0.97	0.98
30	07/22/2018 - 07/28/2018		0.97	0.98
31	07/29/2018 - 08/04/2018		0.97	0.98
32	08/05/2018 - 08/11/2018		0.97	0.98
33	08/12/2018 - 08/18/2018		0.97	0.98
34	08/19/2018 - 08/25/2018		0.97	0.98
35	08/26/2018 - 09/01/2018		0.97	0.98
36	09/02/2018 - 09/08/2018		0.97	0.98
37	09/09/2018 - 09/15/2018		0.97	0.98
38	09/16/2018 - 09/22/2018		0.97	0.98
39	09/23/2018 - 09/29/2018		0.97	0.98
40	09/30/2018 - 10/06/2018		0.97	0.98
41	10/07/2018 - 10/13/2018		0.97	0.98
42	10/14/2018 - 10/20/2018		0.97	0.98
43	10/21/2018 - 10/27/2018		0.97	0.98
44	10/28/2018 - 11/03/2018		0.97	0.98
45	11/04/2018 - 11/10/2018		0.97	0.98
46	11/11/2018 - 11/17/2018	0.97	0.98	0.98
47	11/18/2018 - 11/24/2018	0.97	0.98	0.98
48	11/25/2018 - 12/01/2018	0.97	0.97	0.98
49	12/02/2018 - 12/08/2018	0.97	0.97	0.98
50	12/09/2018 - 12/15/2018	0.97	0.98	0.98
51	12/16/2018 - 12/22/2018	0.97	0.97	0.98
52	12/23/2018 - 12/29/2018	0.97	0.97	0.97
53	12/30/2018 - 12/31/2018	0.97	0.97	0.97

2018 PEAK SEASON FACTOR CATEGORY REPORT - REPORT TYPE: ALL
 CATEGORY: 8800 EAST-A1A TO US1

MOCF: 0.89
 PSCF

WEEK	DATES	SF	
=====			
1	01/01/2018 - 01/06/2018	1.03	1.16
2	01/07/2018 - 01/13/2018	1.01	1.13
3	01/14/2018 - 01/20/2018	0.98	1.10
4	01/21/2018 - 01/27/2018	0.95	1.07
* 5	01/28/2018 - 02/03/2018	0.92	1.03
* 6	02/04/2018 - 02/10/2018	0.89	1.00
* 7	02/11/2018 - 02/17/2018	0.86	0.97
* 8	02/18/2018 - 02/24/2018	0.86	0.97
* 9	02/25/2018 - 03/03/2018	0.86	0.97
*10	03/04/2018 - 03/10/2018	0.86	0.97
*11	03/11/2018 - 03/17/2018	0.86	0.97
*12	03/18/2018 - 03/24/2018	0.87	0.98
*13	03/25/2018 - 03/31/2018	0.88	0.99
*14	04/01/2018 - 04/07/2018	0.89	1.00
*15	04/08/2018 - 04/14/2018	0.90	1.01
*16	04/15/2018 - 04/21/2018	0.91	1.02
*17	04/22/2018 - 04/28/2018	0.95	1.07
18	04/29/2018 - 05/05/2018	0.99	1.11
19	05/06/2018 - 05/12/2018	1.03	1.16
20	05/13/2018 - 05/19/2018	1.07	1.20
21	05/20/2018 - 05/26/2018	1.06	1.19
22	05/27/2018 - 06/02/2018	1.06	1.19
23	06/03/2018 - 06/09/2018	1.05	1.18
24	06/10/2018 - 06/16/2018	1.04	1.17
25	06/17/2018 - 06/23/2018	1.04	1.17
26	06/24/2018 - 06/30/2018	1.03	1.16
27	07/01/2018 - 07/07/2018	1.03	1.16
28	07/08/2018 - 07/14/2018	1.03	1.16
29	07/15/2018 - 07/21/2018	1.03	1.16
30	07/22/2018 - 07/28/2018	1.04	1.17
31	07/29/2018 - 08/04/2018	1.06	1.19
32	08/05/2018 - 08/11/2018	1.07	1.20
33	08/12/2018 - 08/18/2018	1.09	1.22
34	08/19/2018 - 08/25/2018	1.09	1.22
35	08/26/2018 - 09/01/2018	1.08	1.21
36	09/02/2018 - 09/08/2018	1.08	1.21
37	09/09/2018 - 09/15/2018	1.08	1.21
38	09/16/2018 - 09/22/2018	1.09	1.22
39	09/23/2018 - 09/29/2018	1.10	1.24
40	09/30/2018 - 10/06/2018	1.10	1.24
41	10/07/2018 - 10/13/2018	1.11	1.25
42	10/14/2018 - 10/20/2018	1.12	1.26
43	10/21/2018 - 10/27/2018	1.11	1.25
44	10/28/2018 - 11/03/2018	1.09	1.22
45	11/04/2018 - 11/10/2018	1.07	1.20
46	11/11/2018 - 11/17/2018	1.06	1.19
47	11/18/2018 - 11/24/2018	1.05	1.18
48	11/25/2018 - 12/01/2018	1.05	1.18
49	12/02/2018 - 12/08/2018	1.04	1.17
50	12/09/2018 - 12/15/2018	1.03	1.16
51	12/16/2018 - 12/22/2018	1.02	1.15
52	12/23/2018 - 12/29/2018	1.00	1.12
53	12/30/2018 - 12/31/2018	0.98	1.10

* PEAK SEASON

25-FEB-2019 16:26:26

830UPD

4_8800_PKSEASON.TXT

2018 PEAK SEASON FACTOR CATEGORY REPORT - REPORT TYPE: ALL
 CATEGORY: 8801 CEN.-W OF US1 TO I95

MOCF: 0.95
 PSCF

WEEK	DATES	SF	
=====			
1	01/01/2018 - 01/06/2018	1.01	1.06
2	01/07/2018 - 01/13/2018	1.00	1.05
3	01/14/2018 - 01/20/2018	1.00	1.05
4	01/21/2018 - 01/27/2018	0.98	1.03
* 5	01/28/2018 - 02/03/2018	0.97	1.02
* 6	02/04/2018 - 02/10/2018	0.95	1.00
* 7	02/11/2018 - 02/17/2018	0.94	0.99
* 8	02/18/2018 - 02/24/2018	0.93	0.98
* 9	02/25/2018 - 03/03/2018	0.93	0.98
*10	03/04/2018 - 03/10/2018	0.93	0.98
*11	03/11/2018 - 03/17/2018	0.93	0.98
*12	03/18/2018 - 03/24/2018	0.94	0.99
*13	03/25/2018 - 03/31/2018	0.95	1.00
*14	04/01/2018 - 04/07/2018	0.95	1.00
*15	04/08/2018 - 04/14/2018	0.96	1.01
*16	04/15/2018 - 04/21/2018	0.97	1.02
*17	04/22/2018 - 04/28/2018	0.98	1.03
18	04/29/2018 - 05/05/2018	1.00	1.05
19	05/06/2018 - 05/12/2018	1.01	1.06
20	05/13/2018 - 05/19/2018	1.02	1.07
21	05/20/2018 - 05/26/2018	1.02	1.07
22	05/27/2018 - 06/02/2018	1.02	1.07
23	06/03/2018 - 06/09/2018	1.02	1.07
24	06/10/2018 - 06/16/2018	1.02	1.07
25	06/17/2018 - 06/23/2018	1.02	1.07
26	06/24/2018 - 06/30/2018	1.03	1.08
27	07/01/2018 - 07/07/2018	1.03	1.08
28	07/08/2018 - 07/14/2018	1.04	1.09
29	07/15/2018 - 07/21/2018	1.04	1.09
30	07/22/2018 - 07/28/2018	1.04	1.09
31	07/29/2018 - 08/04/2018	1.04	1.09
32	08/05/2018 - 08/11/2018	1.04	1.09
33	08/12/2018 - 08/18/2018	1.04	1.09
34	08/19/2018 - 08/25/2018	1.05	1.11
35	08/26/2018 - 09/01/2018	1.05	1.11
36	09/02/2018 - 09/08/2018	1.06	1.12
37	09/09/2018 - 09/15/2018	1.06	1.12
38	09/16/2018 - 09/22/2018	1.05	1.11
39	09/23/2018 - 09/29/2018	1.04	1.09
40	09/30/2018 - 10/06/2018	1.03	1.08
41	10/07/2018 - 10/13/2018	1.02	1.07
42	10/14/2018 - 10/20/2018	1.02	1.07
43	10/21/2018 - 10/27/2018	1.02	1.07
44	10/28/2018 - 11/03/2018	1.02	1.07
45	11/04/2018 - 11/10/2018	1.02	1.07
46	11/11/2018 - 11/17/2018	1.02	1.07
47	11/18/2018 - 11/24/2018	1.01	1.06
48	11/25/2018 - 12/01/2018	1.01	1.06
49	12/02/2018 - 12/08/2018	1.01	1.06
50	12/09/2018 - 12/15/2018	1.01	1.06
51	12/16/2018 - 12/22/2018	1.00	1.05
52	12/23/2018 - 12/29/2018	1.00	1.05
53	12/30/2018 - 12/31/2018	1.00	1.05

* PEAK SEASON

25-FEB-2019 16:26:26

830UPD

4_8801_PKSEASON.TXT

2018 PEAK SEASON FACTOR CATEGORY REPORT - REPORT TYPE: ALL
 CATEGORY: 8802 WEST- W OF I95

MOCF: 0.91
 PSCF

WEEK	DATES	SF	
=====			
1	01/01/2018 - 01/06/2018	1.00	1.10
2	01/07/2018 - 01/13/2018	0.98	1.08
3	01/14/2018 - 01/20/2018	0.96	1.05
* 4	01/21/2018 - 01/27/2018	0.94	1.03
* 5	01/28/2018 - 02/03/2018	0.93	1.02
* 6	02/04/2018 - 02/10/2018	0.91	1.00
* 7	02/11/2018 - 02/17/2018	0.89	0.98
* 8	02/18/2018 - 02/24/2018	0.89	0.98
* 9	02/25/2018 - 03/03/2018	0.89	0.98
*10	03/04/2018 - 03/10/2018	0.89	0.98
*11	03/11/2018 - 03/17/2018	0.89	0.98
*12	03/18/2018 - 03/24/2018	0.90	0.99
*13	03/25/2018 - 03/31/2018	0.90	0.99
*14	04/01/2018 - 04/07/2018	0.91	1.00
*15	04/08/2018 - 04/14/2018	0.91	1.00
*16	04/15/2018 - 04/21/2018	0.92	1.01
17	04/22/2018 - 04/28/2018	0.95	1.04
18	04/29/2018 - 05/05/2018	0.99	1.09
19	05/06/2018 - 05/12/2018	1.02	1.12
20	05/13/2018 - 05/19/2018	1.05	1.15
21	05/20/2018 - 05/26/2018	1.05	1.15
22	05/27/2018 - 06/02/2018	1.05	1.15
23	06/03/2018 - 06/09/2018	1.05	1.15
24	06/10/2018 - 06/16/2018	1.05	1.15
25	06/17/2018 - 06/23/2018	1.07	1.18
26	06/24/2018 - 06/30/2018	1.08	1.19
27	07/01/2018 - 07/07/2018	1.10	1.21
28	07/08/2018 - 07/14/2018	1.11	1.22
29	07/15/2018 - 07/21/2018	1.13	1.24
30	07/22/2018 - 07/28/2018	1.12	1.23
31	07/29/2018 - 08/04/2018	1.11	1.22
32	08/05/2018 - 08/11/2018	1.11	1.22
33	08/12/2018 - 08/18/2018	1.10	1.21
34	08/19/2018 - 08/25/2018	1.10	1.21
35	08/26/2018 - 09/01/2018	1.10	1.21
36	09/02/2018 - 09/08/2018	1.10	1.21
37	09/09/2018 - 09/15/2018	1.10	1.21
38	09/16/2018 - 09/22/2018	1.09	1.20
39	09/23/2018 - 09/29/2018	1.07	1.18
40	09/30/2018 - 10/06/2018	1.06	1.16
41	10/07/2018 - 10/13/2018	1.04	1.14
42	10/14/2018 - 10/20/2018	1.03	1.13
43	10/21/2018 - 10/27/2018	1.02	1.12
44	10/28/2018 - 11/03/2018	1.01	1.11
45	11/04/2018 - 11/10/2018	1.00	1.10
46	11/11/2018 - 11/17/2018	0.99	1.09
47	11/18/2018 - 11/24/2018	0.99	1.09
48	11/25/2018 - 12/01/2018	0.99	1.09
49	12/02/2018 - 12/08/2018	0.99	1.09
50	12/09/2018 - 12/15/2018	1.00	1.10
51	12/16/2018 - 12/22/2018	0.98	1.08
52	12/23/2018 - 12/29/2018	0.97	1.07
53	12/30/2018 - 12/31/2018	0.96	1.05

* PEAK SEASON

25-FEB-2019 16:26:26

830UPD

4_8802_PKSEASON.TXT

2018 PEAK SEASON FACTOR CATEGORY REPORT - REPORT TYPE: ALL
 CATEGORY: 8895 INDIAN RIVER 195

MOCF: 0.97
 PSCF

WEEK	DATES	SF	
=====			
1	01/01/2018 - 01/06/2018	0.94	0.97
2	01/07/2018 - 01/13/2018	0.99	1.02
3	01/14/2018 - 01/20/2018	1.04	1.07
4	01/21/2018 - 01/27/2018	1.03	1.06
5	01/28/2018 - 02/03/2018	1.02	1.05
* 6	02/04/2018 - 02/10/2018	1.01	1.04
* 7	02/11/2018 - 02/17/2018	1.00	1.03
* 8	02/18/2018 - 02/24/2018	0.98	1.01
* 9	02/25/2018 - 03/03/2018	0.96	0.99
*10	03/04/2018 - 03/10/2018	0.94	0.97
*11	03/11/2018 - 03/17/2018	0.92	0.95
*12	03/18/2018 - 03/24/2018	0.93	0.96
*13	03/25/2018 - 03/31/2018	0.94	0.97
*14	04/01/2018 - 04/07/2018	0.96	0.99
*15	04/08/2018 - 04/14/2018	0.97	1.00
*16	04/15/2018 - 04/21/2018	0.98	1.01
*17	04/22/2018 - 04/28/2018	1.00	1.03
*18	04/29/2018 - 05/05/2018	1.01	1.04
19	05/06/2018 - 05/12/2018	1.02	1.05
20	05/13/2018 - 05/19/2018	1.03	1.06
21	05/20/2018 - 05/26/2018	1.03	1.06
22	05/27/2018 - 06/02/2018	1.03	1.06
23	06/03/2018 - 06/09/2018	1.03	1.06
24	06/10/2018 - 06/16/2018	1.02	1.05
25	06/17/2018 - 06/23/2018	1.02	1.05
26	06/24/2018 - 06/30/2018	1.02	1.05
27	07/01/2018 - 07/07/2018	1.02	1.05
28	07/08/2018 - 07/14/2018	1.02	1.05
29	07/15/2018 - 07/21/2018	1.01	1.04
30	07/22/2018 - 07/28/2018	1.02	1.05
31	07/29/2018 - 08/04/2018	1.02	1.05
32	08/05/2018 - 08/11/2018	1.02	1.05
33	08/12/2018 - 08/18/2018	1.02	1.05
34	08/19/2018 - 08/25/2018	1.04	1.07
35	08/26/2018 - 09/01/2018	1.05	1.08
36	09/02/2018 - 09/08/2018	1.07	1.10
37	09/09/2018 - 09/15/2018	1.08	1.11
38	09/16/2018 - 09/22/2018	1.08	1.11
39	09/23/2018 - 09/29/2018	1.07	1.10
40	09/30/2018 - 10/06/2018	1.06	1.09
41	10/07/2018 - 10/13/2018	1.05	1.08
42	10/14/2018 - 10/20/2018	1.04	1.07
43	10/21/2018 - 10/27/2018	1.02	1.05
44	10/28/2018 - 11/03/2018	0.99	1.02
45	11/04/2018 - 11/10/2018	0.97	1.00
46	11/11/2018 - 11/17/2018	0.95	0.98
47	11/18/2018 - 11/24/2018	0.95	0.98
48	11/25/2018 - 12/01/2018	0.95	0.98
49	12/02/2018 - 12/08/2018	0.94	0.97
50	12/09/2018 - 12/15/2018	0.94	0.97
51	12/16/2018 - 12/22/2018	0.98	1.01
52	12/23/2018 - 12/29/2018	1.01	1.04
53	12/30/2018 - 12/31/2018	1.04	1.07

* PEAK SEASON

25-FEB-2019 16:26:26

830UPD

4_8895_PKSEASON.TXT

FLORIDA DEPARTMENT OF TRANSPORTATION
 TRANSPORTATION STATISTICS OFFICE
 2018 HISTORICAL AADT REPORT

COUNTY: 88 - INDIAN RIVER

SITE: 0009 - SR A1A - N OF CR 510/WABASSO RD

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2018	6600 C	N 3200	S 3400	9.00	52.30	7.50
2017	6900 C	N 3400	S 3500	9.00	52.00	6.50
2016	7300 F	N 3600	S 3700	9.00	52.50	6.50
2015	7100 C	N 3500	S 3600	9.00	52.70	6.50
2014	5300 F	N 2600	S 2700	9.00	52.70	16.00
2013	5300 C	N 2600	S 2700	9.00	53.40	16.00
2012	5900 C	N 2900	S 3000	9.00	53.00	6.00
2011	5600 S	N 2800	S 2800	9.00	53.20	14.70
2010	5600 F	N 2800	S 2800	11.90	53.92	14.70
2009	5800 C	N 2900	S 2900	12.99	52.42	14.70
2007	6700 C	N 3300	S 3400	10.00	52.85	6.50
2006	6500 C	N 3200	S 3300	12.59	54.46	2.80
2005	6800 C	N 3400	S 3400	12.70	51.40	6.30
2004	6500 C	N 3300	S 3200	11.70	54.20	6.30
2003	7100 C	N 3500	S 3600	11.60	53.50	4.10

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE
 S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE
 V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

FLORIDA DEPARTMENT OF TRANSPORTATION
 TRANSPORTATION STATISTICS OFFICE
 2018 HISTORICAL AADT REPORT

COUNTY: 88 - INDIAN RIVER

SITE: 0101 - SR 5 - S OF CR 510/WABASSO RD (COUNTY LINK 1385)

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2018	23500 C	N 11500	S 12000	9.00	52.30	4.40
2017	24000 C	N 12000	S 12000	9.00	52.00	4.40
2016	21600 C	N 9600	S 12000	9.00	52.50	4.10
2015	25500 C	N 12500	S 13000	9.00	52.70	4.10
2014	21000 C	N 10500	S 10500	9.00	52.70	3.10
2013	24000 C	N 10500	S 13500	9.00	53.40	3.70
2012	15400 C	N 7700	S 7700	9.00	53.00	3.70
2011	21000 C	N 10500	S 10500	9.00	53.20	5.50
2010	9600 C	N 4700	S 4900	11.90	53.92	5.50
2009	20500 C	N 10000	S 10500	12.99	52.42	5.50
2007	21500 C	N 10500	S 11000	10.00	52.85	4.90
2006	24500 C	N 12000	S 12500	12.59	54.46	3.70
2005	25500 C	N 12500	S 13000	12.70	51.40	3.70
2004	25000 C	N 12500	S 12500	11.70	54.20	3.70
2003	24500 C	N 12000	S 12500	11.60	53.50	7.00

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE
 S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE
 V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

FLORIDA DEPARTMENT OF TRANSPORTATION
 TRANSPORTATION STATISTICS OFFICE
 2018 HISTORICAL AADT REPORT

COUNTY: 88 - INDIAN RIVER

SITE: 0108 - CR 510/WABASSO RD - E END ICWW BRIDGE

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2018	13100 C	E 6500	W 6600	9.00	52.30	7.50
2017	12900 C	E 6500	W 6400	9.00	52.00	6.60
2016	13300 C	E 6700	W 6600	9.00	52.50	6.60
2015	13200 C	E 6500	W 6700	9.00	52.70	6.60
2014	11900 C	E 5900	W 6000	9.00	52.70	12.60
2013	11900 F	E 6000	W 5900	9.00	53.40	12.60
2012	11900 C	E 6000	W 5900	9.00	53.00	12.60
2011	11500 C	E 5700	W 5800	9.00	53.20	14.60
2010	11700 C	E 5800	W 5900	11.90	53.92	14.60
2009	10300 C	E 5100	W 5200	12.99	52.42	14.60
2008	9200 C	E 4800	W 4400	11.93	52.34	6.50
2007	11900 C	E 5900	W 6000	10.00	52.85	6.50
2006	12200 C	E 6100	W 6100	12.59	54.46	7.60
2005	12400 C	E 6200	W 6200	12.70	51.40	7.60
2004	10800 C	E 5900	W 4900	11.70	54.20	7.60
2003	10000 C	E 5200	W 4800	11.60	53.50	5.40

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE
 S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE
 V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

FLORIDA DEPARTMENT OF TRANSPORTATION
 TRANSPORTATION STATISTICS OFFICE
 2018 HISTORICAL AADT REPORT

COUNTY: 88 - INDIAN RIVER

SITE: 0174 - SR A1A - S OF CR 510/WABASSO RD

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2018	9100 C	N 4500	S 4600	9.00	52.30	6.60
2017	9100 C	N 4500	S 4600	9.00	52.00	4.90
2016	6500 C	N 3200	S 3300	9.00	52.50	5.10
2015	8600 F	N 4300	S 4300	9.00	52.70	5.10
2014	8400 C	N 4200	S 4200	9.00	52.70	5.10
2013	7000 C	N 3400	S 3600	9.00	53.40	5.00
2012	7400 C	N 3700	S 3700	9.00	53.00	6.20
2011	7300 F	N 3600	S 3700	9.00	53.20	9.20
2010	7300 C	N 3600	S 3700	11.90	53.92	9.20
2009	7900 C	N 3900	S 4000	12.99	52.42	9.20
2008	7800 C	N 3900	S 3900	11.93	52.34	5.90
2007	8700 C	N 4300	S 4400	10.00	52.85	5.90
2006	8200 C	N 4100	S 4100	12.59	54.46	4.10
2005	9200 C	N 4600	S 4600	12.70	51.40	4.10
2004	9900 C	N 4800	S 5100	11.70	54.20	4.10
2003	8800 C	N 4200	S 4600	11.60	53.50	7.20

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE
 S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE
 V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

FLORIDA DEPARTMENT OF TRANSPORTATION
 TRANSPORTATION STATISTICS OFFICE
 2018 HISTORICAL AADT REPORT

COUNTY: 88 - INDIAN RIVER

SITE: 0291 - SR A1A-0.5 MI S SEBASTIAN INLET BR INDIAN RIVER CO

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2018	3149 C	N 1531	S 1618	9.50	52.80	7.30
2017	3086 C	N 1497	S 1589	9.50	53.00	6.90
2016	3023 C	N 1462	S 1561	9.00	53.30	5.80
2015	2930 C	N 1415	S 1515	9.00	53.30	5.90
2014	2788 C	N 1349	S 1439	9.00	53.30	5.30
2013	2701 C	N 1319	S 1382	9.00	54.00	5.20
2012	2632 C	N 1276	S 1356	9.00	53.40	4.80
2011	2709 C	N 1314	S 1395	9.00	53.20	4.60
2010	2681 C	N 1298	S 1383	15.67	53.05	4.40
2009	2837 C	N 1376	S 1461	15.83	53.96	4.50
2008	2912 C	N 1413	S 1499	15.45	53.99	4.50
2007	3200 F	N 0	S 0	15.52	55.16	4.90
2006	3144 C	N 1547	S 1597	15.52	55.16	4.90
2005	3150 C	N 1548	S 1602	15.20	51.30	4.90
2004	3205 C	N 1569	S 1636	15.40	54.20	2.70
2003	3313 C	N 1618	S 1695	15.20	51.90	2.00

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE
 S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE
 V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

FLORIDA DEPARTMENT OF TRANSPORTATION
 TRANSPORTATION STATISTICS OFFICE
 2018 HISTORICAL AADT REPORT

COUNTY: 88 - INDIAN RIVER

SITE: 7035 - CR 510/85 ST E OF 58 AVE (COUNTY LINK: 1830)

YEAR	AADT	DIRECTION 1	DIRECTION 2	*K FACTOR	D FACTOR	T FACTOR
2018	13700 C	E 6900	W 6800	9.00	52.30	3.80
2017	13000 C	E 6500	W 6500	9.00	50.90	5.40
2016	12800 C	W 6400	E 6400	9.00	51.80	8.20
2015	12200 F	W 6000	E 6200	9.00	51.80	3.90
2014	12200 C	W 6000	E 6200	9.00	51.70	5.30
2013	11900 C	W 5800	E 6100	9.00	50.80	3.00
2012	11400 C	W 5700	E 5700	9.00	55.20	4.00
2011	12600 C	W 6400	E 6200	9.00	55.70	6.40
2010	13000 C	W 6300	E 6700	10.00	54.79	4.00
2009	12400 C	W 6100	E 6300	9.97	55.49	6.40
2008	6000 C	E 6000	0	10.08	99.99	4.70

AADT FLAGS: C = COMPUTED; E = MANUAL ESTIMATE; F = FIRST YEAR ESTIMATE
 S = SECOND YEAR ESTIMATE; T = THIRD YEAR ESTIMATE; R = FOURTH YEAR ESTIMATE
 V = FIFTH YEAR ESTIMATE; 6 = SIXTH YEAR ESTIMATE; X = UNKNOWN

*K FACTOR: STARTING WITH YEAR 2011 IS STANDARDK, PRIOR YEARS ARE K30 VALUES

Appendix F
**Countrywide Population
Growth Data**

Table 4 Projections of Florida Population by County (2020–2070 with Estimates for 2018)


County	Census	Estimate (BEBR)	Projections (BEBR)							Projections (FDOT)					
			2010	2018	2020	2025	2030	2035	2040	2045	2050	2055	2060	2065	2070
Alachua	247,336	263,291	268,300	279,300	288,600	296,500	303,500	309,800	318,700	327,700	336,800	345,900	355,000		
Baker	27,115	27,652	28,300	29,500	30,600	31,400	32,200	32,800	34,100	35,100	36,100	37,200	38,200		
Bay	168,852	181,199	178,500	189,600	198,200	205,600	211,800	216,900	218,300	224,500	230,800	237,000	243,200		
Bradford	28,520	28,057	28,600	28,800	28,900	29,000	29,100	29,200	29,400	29,600	29,800	30,000	30,100		
Brevard	543,376	583,563	598,500	630,300	656,300	678,700	698,700	716,900	738,900	768,000	798,200	829,600	862,200		
Broward	1,748,066	1,897,976	1,942,700	2,041,100	2,120,300	2,183,000	2,238,300	2,290,500	2,350,800	2,406,600	2,458,200	2,505,800	2,549,200		
Calhoun	14,625	15,093	14,900	15,500	15,900	16,300	16,700	17,000	17,400	17,500	17,600	17,700	17,700		
Charlotte	159,978	177,987	183,700	196,000	206,100	214,600	222,100	229,100	242,100	252,200	262,500	272,900	283,600		
Citrus	141,236	145,721	148,600	155,300	161,100	166,200	170,200	173,700	177,400	182,400	187,400	192,400	197,300		
Clay	190,865	212,034	220,200	239,100	255,700	269,700	281,700	292,600	302,100	316,300	330,400	344,500	358,600		
Collier	321,520	367,347	382,800	418,400	449,500	475,200	496,800	516,100	556,100	586,700	618,200	650,400	683,500		
Columbia	67,531	69,721	71,000	73,900	76,500	78,600	80,300	81,800	83,500	85,600	87,800	89,900	92,100		
DeSoto	34,862	35,520	36,000	36,900	37,700	38,400	39,000	39,500	40,000	40,700	41,400	42,100	42,900		
Dixie	16,422	16,489	16,600	16,800	16,900	17,000	17,100	17,200	17,300	17,400	17,500	17,600	17,700		
Duval	864,263	952,861	981,900	1,044,700	1,095,200	1,139,100	1,177,600	1,212,100	1,241,100	1,286,300	1,331,400	1,376,500	1,421,700		
Escambia	297,619	318,560	324,400	337,300	347,600	355,500	362,100	367,700	374,400	383,800	393,300	402,700	412,200		
Flagler	95,696	107,511	112,500	123,900	134,400	143,600	151,600	159,000	164,600	174,300	184,100	194,200	204,500		
Franklin	11,549	12,009	12,100	12,700	13,100	13,500	13,800	14,000	14,600	15,000	15,400	15,800	16,200		
Gadsden	46,389	47,828	48,100	48,400	48,500	48,600	48,700	48,800	49,000	49,200	49,400	49,500	49,700		
Gilchrist	16,939	17,424	17,800	18,700	19,400	20,000	20,600	21,100	21,600	22,300	23,100	23,900	24,700		
Glades	12,884	13,002	13,200	13,600	13,900	14,100	14,300	14,500	14,900	15,200	15,400	15,700	16,000		
Gulf	15,863	16,499	16,400	16,900	17,300	17,700	18,100	18,400	18,800	19,100	19,500	19,800	20,200		
Hamilton	14,799	14,621	14,900	15,200	15,300	15,400	15,500	15,600	15,700	15,900	16,000	16,200	16,300		
Hardee	27,731	27,296	27,300	27,300	27,400	27,400	27,400	27,400	27,400	27,500	27,500	27,500	27,500		
Hendry	39,140	39,586	40,300	41,900	43,200	44,400	45,500	46,500	47,400	48,600	49,800	51,000	52,300		
Hernando	172,778	185,604	191,700	205,800	218,300	229,200	238,400	246,900	258,200	269,500	280,900	292,300	303,600		
Highlands	98,786	102,525	104,100	107,500	110,300	112,700	114,600	116,300	118,500	121,000	123,400	125,900	128,400		
Hillsborough	1,229,226	1,408,864	1,466,800	1,598,400	1,708,600	1,800,200	1,878,700	1,950,500	2,050,200	2,152,900	2,255,700	2,358,400	2,461,100		
Holmes	19,927	20,133	20,300	20,600	20,900	21,000	21,200	21,400	21,700	21,900	22,200	22,400	22,600		
Indian River	138,028	151,825	157,200	169,300	179,400	187,700	194,700	200,900	205,100	213,400	221,800	230,100	238,400		
Jackson	49,746	50,435	50,200	50,700	51,200	51,500	51,800	52,100	52,500	52,800	53,200	53,500	53,900		
Jefferson	14,761	14,733	14,900	15,200	15,400	15,500	15,600	15,800	16,000	16,200	16,400	16,600	16,800		
Lafayette	8,870	8,501	8,700	8,900	9,200	9,400	9,500	9,600	9,900	10,100	10,300	10,600	10,800		
Lake	297,052	342,917	360,700	402,100	437,200	467,400	493,600	517,200	563,900	600,600	638,400	677,400	717,900		
Lee	618,754	713,903	747,400	824,400	892,100	949,800	999,900	1,045,200	1,104,600	1,165,800	1,227,000	1,288,100	1,349,300		
Leon	275,487	292,332	298,300	311,900	322,800	331,500	339,200	346,000	350,400	359,800	369,300	378,700	388,100		

Appendix G
Regression Analysis

Traffic Trends - V03.a

FIN#	1234
Location	0

County:	Indian River (88)
Station #:	880009
Highway:	0



Trend R-squared:	39.95%
Compounded Annual Historic Growth Rate:	6.38%
Compounded Growth Rate (2019 to Design Year):	0.79%
Printed:	2-Mar-20

Decaying Exponential Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	6700	4000
2009	5800	5100
2010	5600	5700
2011	5600	6200
2012	5900	6500
2013	5300	6800
2014	5300	7000
2015	7100	7300
2016	7300	7400
2017	6900	7600
2018	6600	7800
2019	7000	7900
2020	N/A	8000
2030	N/A	8900
2045	N/A	9700
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	0

County:	Indian River (88)
Station #:	880009
Highway:	0



Trend R-squared:	11.12%
Compounded Annual Historic Growth Rate:	1.20%
Compounded Growth Rate (2019 to Design Year):	0.23%
Printed:	2-Mar-20

Decaying Exponential Growth Option

Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	6700	5700
2009	5800	5900
2010	5600	6100
2011	5600	6200
2012	5900	6200
2013	5300	6300
2014	5300	6400
2015	7100	6400
2016	7300	6400
2017	6900	6500
2018	6600	6500
2019	7000	6500
2020	N/A	6600
2030	N/A	6700
2045	N/A	6900

2020 Opening Year Trend

2030 Mid-Year Trend

2045 Design Year Trend


TRANPLAN Forecasts/Trends

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	0

County:	Indian River (88)
Station #:	880101
Highway:	0



Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	21500	15500
2009	20500	18000
2010	9600	19500
2011	21000	20600
2012	15400	21400
2013	24000	22000
2014	21000	22600
2015	25500	23100
2016	21600	23500
2017	24000	23900
2018	23500	24300
2019	29800	24600
2020 Opening Year Trend		
2020	N/A	24900
2030 Mid-Year Trend		
2030	N/A	26900
2045 Design Year Trend		
2045	N/A	28800
TRANPLAN Forecasts/Trends		

Trend R-squared: 35.93%
 Compounded Annual Historic Growth Rate: 4.29%
 Compounded Growth Rate (2019 to Design Year): 0.61%
 Printed: 2-Mar-20


Decaying Exponential Growth Option

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	0

County:	Indian River (88)
Station #:	880101
Highway:	0



Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	21500	16200
2009	20500	18400
2010	9600	19700
2011	21000	20600
2012	15400	21300
2013	24000	21900
2014	21000	22300
2015	25500	22800
2016	21600	23100
2017	24000	23500
2018	23500	23800
2019	29800	24100
2020 Opening Year Trend		
2020	N/A	24300
2030 Mid-Year Trend		
2030	N/A	26100
2045 Design Year Trend		
2045	N/A	27700
TRANPLAN Forecasts/Trends		


Trend R-squared: 22.47%
 Compounded Annual Historic Growth Rate: 3.68%
 Compounded Growth Rate (2019 to Design Year): 0.54%
 Printed: 2-Mar-20
Decaying Exponential Growth Option

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	0

County:	Indian River (88)
Station #:	880108
Highway:	0



Trend R-squared:	68.48%
Compounded Annual Historic Growth Rate:	5.92%
Compounded Growth Rate (2019 to Design Year):	0.77%
Printed:	2-Mar-20

Decaying Exponential Growth Option


Traffic (ADT/AADT)		
Year	Count*	Trend**
2008	9200	7700
2009	10300	9600
2010	11700	10700
2011	11500	11500
2012	11900	12100
2013	11900	12600
2014	11900	13100
2015	13200	13400
2016	13300	13700
2017	12900	14000
2018	13100	14300
2019	12200	14500
2020 Opening Year Trend		
2020	N/A	14700
2030 Mid-Year Trend		
2030	N/A	16300
2045 Design Year Trend		
2045	N/A	17700
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	0

County:	Indian River (88)
Station #:	880108
Highway:	0



Trend R-squared: 85.24%
 Compounded Annual Historic Growth Rate: 2.96%
 Compounded Growth Rate (2019 to Design Year): 0.50%
 Printed: 2-Mar-20

Decaying Exponential Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	9200	9500
2009	10300	10500
2010	11700	11100
2011	11500	11500
2012	11900	11800
2013	11900	12100
2014	11900	12300
2015	13200	12500
2016	13300	12700
2017	12900	12900
2018	13100	13000
2019	12200	13100
2020	N/A	13300
2030	N/A	14100
2045	N/A	14900

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880174
Highway:	0



Trend R-squared:	33.27%
Compounded Annual Historic Growth Rate:	2.02%
Compounded Growth Rate (2019 to Design Year):	0.30%
Printed:	2-Mar-20

Decaying Exponential Growth Option

Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	7800	6900
2009	7900	7400
2010	7300	7600
2011	7300	7800
2012	7400	8000
2013	7000	8100
2014	8400	8200
2015	8600	8300
2016	6500	8400
2017	9100	8400
2018	9100	8500
2019	9100	8600
2020	N/A	8600
2030	N/A	9000
2045	N/A	9300

2020 Opening Year Trend

2030 Mid-Year Trend

2045 Design Year Trend


TRANPLAN Forecasts/Trends

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880174
Highway:	0



Trend R-squared: 15.27%
 Compounded Annual Historic Growth Rate: 1.30%
 Compounded Growth Rate (2019 to Design Year): 0.27%
 Printed: 2-Mar-20

Decaying Exponential Growth Option

Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	7800	7200
2009	7900	7500
2010	7300	7700
2011	7300	7800
2012	7400	7900
2013	7000	8000
2014	8400	8100
2015	8600	8100
2016	6500	8200
2017	9100	8300
2018	9100	8300
2019	9100	8300
2020	N/A	8400
2030	N/A	8600
2045	N/A	8900

2020 Opening Year Trend

2030 Mid-Year Trend

2045 Design Year Trend


TRANPLAN Forecasts/Trends

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	0

County:	Indian River (88)
Station #:	880291
Highway:	0



Trend R-squared:	36.72%
Compounded Annual Historic Growth Rate:	10.01%
Compounded Growth Rate (2019 to Design Year):	1.01%
Printed:	2-Mar-20

Decaying Exponential Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	2900	1400
2009	2800	2100
2010	2700	2500
2011	2700	2800
2012	2600	3100
2013	2700	3300
2014	2800	3400
2015	2900	3600
2016	3000	3700
2017	3100	3800
2018	3100	3900
2019	2900	4000
2020 Opening Year Trend		
2020	N/A	4100
2030 Mid-Year Trend		
2030	N/A	4700
2045 Design Year Trend		
2045	N/A	5200
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	0

County:	Indian River (88)
Station #:	880291
Highway:	0



Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	2900	2700
2009	2800	2800
2010	2700	2800
2011	2700	2800
2012	2600	2800
2013	2700	2900
2014	2800	2900
2015	2900	2900
2016	3000	2900
2017	3100	2900
2018	3100	2900
2019	2900	2900
2020 Opening Year Trend		
2020	N/A	2900
2030 Mid-Year Trend		
2030	N/A	3000
2045 Design Year Trend		
2045	N/A	3000
TRANPLAN Forecasts/Trends		

Trend R-squared: 17.03%
 Compounded Annual Historic Growth Rate: 0.65%
 Compounded Growth Rate (2019 to Design Year): 0.13%
 Printed: 2-Mar-20


Decaying Exponential Growth Option

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	0

County:	Indian River (88)
Station #:	887035
Highway:	0



Trend R-squared:	55.86%
Compounded Annual Historic Growth Rate:	5.32%
Compounded Growth Rate (2019 to Design Year):	0.70%
Printed:	2-Mar-20

Decaying Exponential Growth Option

Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	6000	8200
2009	12400	9900
2010	13000	11000
2011	12600	11700
2012	11400	12300
2013	11900	12700
2014	12200	13100
2015	12200	13500
2016	12800	13800
2017	13000	14000
2018	13700	14300
2019	17700	14500
2020	N/A	14700
2030	N/A	16200
2045	N/A	17400

2020 Opening Year Trend

2030 Mid-Year Trend

2045 Design Year Trend


TRANPLAN Forecasts/Trends

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	0

County:	Indian River (88)
Station #:	887035
Highway:	0



Trend R-squared:	55.86%
Compounded Annual Historic Growth Rate:	5.32%
Compounded Growth Rate (2019 to Design Year):	0.70%
Printed:	2-Mar-20

Decaying Exponential Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	6000	8200
2009	12400	9900
2010	13000	11000
2011	12600	11700
2012	11400	12300
2013	11900	12700
2014	12200	13100
2015	12200	13500
2016	12800	13800
2017	13000	14000
2018	13700	14300
2019	17700	14500
2020	N/A	14700
2030	N/A	16200
2045	N/A	17400
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	0

County:	Indian River (88)
Station #:	880009
Highway:	0



Trend R-squared:	81.97%
Compounded Annual Historic Growth Rate:	2.78%
Compounded Growth Rate (2019 to Design Year):	2.78%
Printed:	2-Mar-20

Exponential Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	6700	5400
2009	5800	5500
2010	5600	5700
2011	5600	5800
2012	5900	6000
2013	5300	6200
2014	5300	6300
2015	7100	6500
2016	7300	6700
2017	6900	6900
2018	6600	7100
2019	7000	7300
2020 Opening Year Trend		
2020	N/A	7500
2030 Mid-Year Trend		
2030	N/A	9800
2045 Design Year Trend		
2045	N/A	14900
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	3

County:	Indian River (88)
Station #:	880009
Highway:	0



Trend R-squared:	27.54%
Compounded Annual Historic Growth Rate:	1.78%
Compounded Growth Rate (2019 to Design Year):	1.80%
Printed:	2-Mar-20

Exponential Growth Option

Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	6700	5600
2009	5800	5700
2010	5600	5800
2011	5600	6000
2012	5900	6100
2013	5300	6200
2014	5300	6300
2015	7100	6400
2016	7300	6500
2017	6900	6600
2018	6600	6700
2019	7000	6800
2020	N/A	7000
2030	N/A	8300
2045	N/A	10800


TRANPLAN Forecasts/Trends

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880101
Highway:	0



Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	21500	18400
2009	20500	18800
2010	9600	19200
2011	21000	19600
2012	15400	19900
2013	24000	20300
2014	21000	20700
2015	25500	21100
2016	21600	21500
2017	24000	22000
2018	23500	22400
2019	29800	22800
2020 Opening Year Trend		
2020	N/A	23300
2030 Mid-Year Trend		
2030	N/A	28200
2045 Design Year Trend		
2045	N/A	37700
TRANPLAN Forecasts/Trends		

Trend R-squared: 28.46%

Compounded Annual Historic Growth Rate: 1.97%

Compounded Growth Rate (2019 to Design Year): 1.95%

Printed: 2-Mar-20


Exponential Growth Option

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880101
Highway:	0



Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	21500	16200
2009	20500	17000
2010	9600	17800
2011	21000	18600
2012	15400	19400
2013	24000	20300
2014	21000	21200
2015	25500	22200
2016	21600	23200
2017	24000	24300
2018	23500	25400
2019	29800	26500
2020 Opening Year Trend		
2020	N/A	27700
2030 Mid-Year Trend		
2030	N/A	43300
2045 Design Year Trend		
2045	N/A	84600
TRANPLAN Forecasts/Trends		

Trend R-squared: 30.99%
 Compounded Annual Historic Growth Rate: 4.58%
 Compounded Growth Rate (2019 to Design Year): 4.57%
 Printed: 2-Mar-20


Exponential Growth Option

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880108
Highway:	0



Trend R-squared:	90.67%
Compounded Annual Historic Growth Rate:	2.31%
Compounded Growth Rate (2019 to Design Year):	2.30%
Printed:	2-Mar-20

Exponential Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	9200	10500
2009	10300	10700
2010	11700	10900
2011	11500	11200
2012	11900	11500
2013	11900	11700
2014	11900	12000
2015	13200	12300
2016	13300	12600
2017	12900	12800
2018	13100	13100
2019	12200	13500
2020 Opening Year Trend		
2020	N/A	13800
2030 Mid-Year Trend		
2030	N/A	17300
2045 Design Year Trend		
2045	N/A	24400
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880108
Highway:	0



Trend R-squared:	66.79%
Compounded Annual Historic Growth Rate:	2.47%
Compounded Growth Rate (2019 to Design Year):	2.46%
Printed:	2-Mar-20

Exponential Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	9200	10400
2009	10300	10600
2010	11700	10900
2011	11500	11200
2012	11900	11400
2013	11900	11700
2014	11900	12000
2015	13200	12300
2016	13300	12600
2017	12900	12900
2018	13100	13200
2019	12200	13600
2020 Opening Year Trend		
2020	N/A	13900
2030 Mid-Year Trend		
2030	N/A	17800
2045 Design Year Trend		
2045	N/A	25600
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880174
Highway:	0



Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	7800	7500
2009	7900	7500
2010	7300	7600
2011	7300	7700
2012	7400	7800
2013	7000	7900
2014	8400	7900
2015	8600	8000
2016	6500	8100
2017	9100	8200
2018	9100	8200
2019	9100	8300

2020 Opening Year Trend		
2020	N/A	8400
2030 Mid-Year Trend		
2030	N/A	9300
2045 Design Year Trend		
2045	N/A	10700
TRANPLAN Forecasts/Trends		

Trend R-squared:	40.77%
Compounded Annual Historic Growth Rate:	0.93%
Compounded Growth Rate (2019 to Design Year):	0.98%
Printed:	2-Mar-20


Exponential Growth Option

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880174
Highway:	0



Trend R-squared:	25.91%
Compounded Annual Historic Growth Rate:	1.63%
Compounded Growth Rate (2019 to Design Year):	1.63%
Printed:	2-Mar-20

Exponential Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	7800	7200
2009	7900	7400
2010	7300	7500
2011	7300	7600
2012	7400	7700
2013	7000	7800
2014	8400	8000
2015	8600	8100
2016	6500	8200
2017	9100	8400
2018	9100	8500
2019	9100	8600
2020	N/A	8800
2030	N/A	10300
2045	N/A	13100
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880291
Highway:	0



Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	2900	2400
2009	2800	2500
2010	2700	2500
2011	2700	2600
2012	2600	2700
2013	2700	2800
2014	2800	2900
2015	2900	3000
2016	3000	3100
2017	3100	3300
2018	3100	3400
2019	2900	3500
2020	N/A	3600
2030	N/A	5100
2045	N/A	8600
TRANPLAN Forecasts/Trends		


Trend R-squared: 87.89%
 Compounded Annual Historic Growth Rate: 3.49%
 Compounded Growth Rate (2019 to Design Year): 3.52%
 Printed: 2-Mar-20
Exponential Growth Option

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880291
Highway:	0



Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	2900	2700
2009	2800	2700
2010	2700	2800
2011	2700	2800
2012	2600	2800
2013	2700	2800
2014	2800	2900
2015	2900	2900
2016	3000	2900
2017	3100	2900
2018	3100	3000
2019	2900	3000
2020	N/A	3000
2030	N/A	3300
2045	N/A	3900
TRANPLAN Forecasts/Trends		


Trend R-squared: 37.92%
 Compounded Annual Historic Growth Rate: 0.96%
 Compounded Growth Rate (2019 to Design Year): 1.01%
 Printed: 2-Mar-20
Exponential Growth Option

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	887035
Highway:	0



Trend R-squared:	44.69%
Compounded Annual Historic Growth Rate:	4.71%
Compounded Growth Rate (2019 to Design Year):	4.68%
Printed:	2-Mar-20

Exponential Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	6000	9400
2009	12400	9900
2010	13000	10300
2011	12600	10800
2012	11400	11300
2013	11900	11800
2014	12200	12400
2015	12200	13000
2016	12800	13600
2017	13000	14200
2018	13700	14900
2019	17700	15600
2020 Opening Year Trend		
2020	N/A	16300
2030 Mid-Year Trend		
2030	N/A	25800
2045 Design Year Trend		
2045	N/A	51300
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	887035
Highway:	0



Trend R-squared:	44.69%
Compounded Annual Historic Growth Rate:	4.71%
Compounded Growth Rate (2019 to Design Year):	4.68%
Printed:	2-Mar-20

Exponential Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	6000	9400
2009	12400	9900
2010	13000	10300
2011	12600	10800
2012	11400	11300
2013	11900	11800
2014	12200	12400
2015	12200	13000
2016	12800	13600
2017	13000	14200
2018	13700	14900
2019	17700	15600
2020 Opening Year Trend		
2020	N/A	16300
2030 Mid-Year Trend		
2030	N/A	25800
2045 Design Year Trend		
2045	N/A	51300
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	0

County:	Indian River (88)
Station #:	880009
Highway:	0



** Annual Trend Increase: 250

Trend R-squared: 86.48%

Trend Annual Historic Growth Rate: 5.19%

Trend Growth Rate (2019 to Design Year): 3.25%

Printed: 2-Mar-20

Straight Line Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	6700	4900
2009	5800	5200
2010	5600	5400
2011	5600	5700
2012	5900	5900
2013	5300	6200
2014	5300	6400
2015	7100	6700
2016	7300	6900
2017	6900	7200
2018	6600	7400
2019	7000	7700
2020	N/A	7900
2030	N/A	10400
2045	N/A	14200
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	0

County:	Indian River (88)
Station #:	880009
Highway:	0



** Annual Trend Increase: 111

Trend R-squared: 28.76%

Trend Annual Historic Growth Rate: 2.11%

Trend Growth Rate (2019 to Design Year): 1.56%

Printed: 2-Mar-20

Straight Line Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	6700	5600
2009	5800	5800
2010	5600	5900
2011	5600	6000
2012	5900	6100
2013	5300	6200
2014	5300	6300
2015	7100	6400
2016	7300	6500
2017	6900	6600
2018	6600	6800
2019	7000	6900
2020	N/A	7000
2030	N/A	8100
2045	N/A	9700
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880101
Highway:	0



Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	21500	18900
2009	20500	19400
2010	9600	19800
2011	21000	20200
2012	15400	20600
2013	24000	21000
2014	21000	21500
2015	25500	21900
2016	21600	22300
2017	24000	22700
2018	23500	23100
2019	29800	23500
2020	N/A	24000
2030	N/A	28200
2045	N/A	34400
TRANPLAN Forecasts/Trends		

** Annual Trend Increase: 419

Trend R-squared: 39.93%

Trend Annual Historic Growth Rate: 2.21%

Trend Growth Rate (2019 to Design Year): 1.78%

Printed: 2-Mar-20


Straight Line Growth Option

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880101
Highway:	0



** Annual Trend Increase:	872
Trend R-squared:	38.60%
Trend Annual Historic Growth Rate:	5.17%
Trend Growth Rate (2019 to Design Year):	3.33%
Printed:	2-Mar-20

Straight Line Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	21500	16700
2009	20500	17500
2010	9600	18400
2011	21000	19300
2012	15400	20100
2013	24000	21000
2014	21000	21900
2015	25500	22800
2016	21600	23600
2017	24000	24500
2018	23500	25400
2019	29800	26200
2020 Opening Year Trend		
2020	N/A	27100
2030 Mid-Year Trend		
2030	N/A	35800
2045 Design Year Trend		
2045	N/A	48900
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880108
Highway:	0



** Annual Trend Increase: 349

Trend R-squared: 94.09%

Trend Annual Historic Growth Rate: 3.55%

Trend Growth Rate (2019 to Design Year): 2.52%

Printed: 2-Mar-20

Straight Line Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	9200	10000
2009	10300	10400
2010	11700	10700
2011	11500	11100
2012	11900	11400
2013	11900	11800
2014	11900	12100
2015	13200	12500
2016	13300	12800
2017	12900	13200
2018	13100	13500
2019	12200	13900
2020 Opening Year Trend		
2020	N/A	14200
2030 Mid-Year Trend		
2030	N/A	17700
2045 Design Year Trend		
2045	N/A	23000
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880108
Highway:	0



** Annual Trend Increase: 278

Trend R-squared: 68.11%

Trend Annual Historic Growth Rate: 2.71%

Trend Growth Rate (2019 to Design Year): 2.05%

Printed: 2-Mar-20

Straight Line Growth Option

Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	9200	10400
2009	10300	10700
2010	11700	11000
2011	11500	11200
2012	11900	11500
2013	11900	11800
2014	11900	12100
2015	13200	12300
2016	13300	12600
2017	12900	12900
2018	13100	13200
2019	12200	13500


2020 Opening Year Trend		
2020	N/A	13700
2030 Mid-Year Trend		
2030	N/A	16500
2045 Design Year Trend		
2045	N/A	20700
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880174
Highway:	0



**** Annual Trend Increase:** 84
Trend R-squared: 46.10%
Trend Annual Historic Growth Rate: 1.09%
Trend Growth Rate (2019 to Design Year): 1.01%
Printed: 2-Mar-20

Straight Line Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	7800	7500
2009	7900	7600
2010	7300	7600
2011	7300	7700
2012	7400	7800
2013	7000	7900
2014	8400	8000
2015	8600	8100
2016	6500	8100
2017	9100	8200
2018	9100	8300
2019	9100	8400
2020 Opening Year Trend		
2020	N/A	8500
2030 Mid-Year Trend		
2030	N/A	9300
2045 Design Year Trend		
2045	N/A	10600
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880174
Highway:	0



** Annual Trend Increase: 135

Trend R-squared: 29.86%

Trend Annual Historic Growth Rate: 1.89%

Trend Growth Rate (2019 to Design Year): 1.55%

Printed: 2-Mar-20

Straight Line Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	7800	7200
2009	7900	7300
2010	7300	7500
2011	7300	7600
2012	7400	7800
2013	8500	8000
2014	8800	8200
2015	8600	8400
2016	6500	8300
2017	9100	8400
2018	9100	8600
2019	9100	8700
2020	N/A	8800
2030	N/A	10200
2045	N/A	12200
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880291
Highway:	0



Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	2900	2000
2009	2800	2100
2010	2700	2300
2011	2700	2500
2012	2600	2700
2013	2700	2800
2014	2800	3000
2015	2900	3200
2016	3000	3300
2017	3100	3500
2018	3100	3700
2019	2900	3900
2020 Opening Year Trend		
2020	N/A	4000
2030 Mid-Year Trend		
2030	N/A	5800
2045 Design Year Trend		
2045	N/A	8400
TRANPLAN Forecasts/Trends		

** Annual Trend Increase: 174

Trend R-squared: 86.01%

Trend Annual Historic Growth Rate: 8.64%

Trend Growth Rate (2019 to Design Year): 4.44%

Printed: 2-Mar-20


Straight Line Growth Option

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	880291
Highway:	0



** Annual Trend Increase: 28

Trend R-squared: 38.58%

Trend Annual Historic Growth Rate: 1.01%

Trend Growth Rate (2019 to Design Year): 0.90%

Printed: 2-Mar-20

Straight Line Growth Option

Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	2900	2700
2009	2800	2700
2010	2700	2800
2011	2700	2800
2012	2600	2800
2013	2700	2800
2014	2800	2900
2015	2900	2900
2016	3000	2900
2017	3100	2900
2018	3100	3000
2019	2900	3000
2020	N/A	3000
2021	N/A	3100
2022	N/A	3200
2023	N/A	3300
2024	N/A	3300
2025	N/A	3300
2026	N/A	3300
2027	N/A	3300
2028	N/A	3300
2029	N/A	3300
2030	N/A	3300
2031	N/A	3300
2032	N/A	3300
2033	N/A	3300
2034	N/A	3300
2035	N/A	3300
2036	N/A	3300
2037	N/A	3300
2038	N/A	3300
2039	N/A	3300
2040	N/A	3300
2041	N/A	3300
2042	N/A	3300
2043	N/A	3700


2020 Opening Year Trend		
2020	N/A	3000
2030 Mid-Year Trend		
2030	N/A	3300
2045 Design Year Trend		
2045	N/A	3700
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	887035
Highway:	0



** Annual Trend Increase: 504

Trend R-squared: 49.74%

Trend Annual Historic Growth Rate: 5.30%

Trend Growth Rate (2019 to Design Year): 3.31%

Printed: 2-Mar-20

Straight Line Growth Option


Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	6000	9600
2009	12400	10100
2010	13000	10600
2011	12600	11100
2012	11400	11700
2013	11900	12200
2014	12200	12700
2015	12200	13200
2016	12800	13700
2017	13000	14200
2018	13700	14700
2019	17700	15200
2020 Opening Year Trend		
2020	N/A	15700
2030 Mid-Year Trend		
2030	N/A	20700
2045 Design Year Trend		
2045	N/A	28300
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Traffic Trends - V03.a

FIN#	1234
Location	900030

County:	Indian River (88)
Station #:	887035
Highway:	0



** Annual Trend Increase: 504

Trend R-squared: 49.74%

Trend Annual Historic Growth Rate: 5.30%

Trend Growth Rate (2019 to Design Year): 3.31%

Printed: 2-Mar-20

Straight Line Growth Option

Year	Traffic (ADT/AADT)	
	Count*	Trend**
2008	6000	9600
2009	12400	10100
2010	13000	10600
2011	12600	11100
2012	11400	11700
2013	11900	12200
2014	12200	12700
2015	12200	13200
2016	12800	13700
2017	13000	14200
2018	13700	14700
2019	17700	15200
2020 Opening Year Trend		
2020	N/A	15700
2030 Mid-Year Trend		
2030	N/A	20700
2045 Design Year Trend		
2045	N/A	28300
TRANPLAN Forecasts/Trends		

*Axe-Adjusted

Appendix G
TmTool Spreadsheets

TMTOOL INPUT SHEET

Project Description:

SECTION NO.: 88070000	PREPARED BY:
FM NO.: 445618-1	FILE:
PROJECT LIMITS:	DATE:
DESIGN YEAR: 2045	MID-DAY PEAK HOUR:
INTERSECTION: Sebastian Inlet Bridge	T-INTERSECTION?
	MISSING Leg:

NOTES:

Historical AADTs:

	NORTH LEG		EAST LEG	SOUTH LEG	WEST LEG
	<u>YEAR</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>
	2015	3,023	-	3,023	
	2016	3,086	-	3,086	
	2017	3,149	-	3,149	
	2018	2,900	-	2,900	
Model Volume:	2045				

Growth Rates:

	NORTH LEG		EAST LEG	SOUTH LEG	WEST LEG
Historic Trend GR =					
Historic + Model Trend GR =					
Base Year Model to Future Year Model GR =					
Recommended Growth Rate:	1.00%	CGR	-	CGR	1.00%
	1.00%	CGR	-	CGR	1.00%

Choose Methodology for Calculating Growth Factor on Each Leg (Input 1, 2 or 3)

1 = Compound Growth Throughout All Years

2 = Linear Growth Throughout All Years

3 = Blend of Compound Growth First Ten Years, Linear Growth Thereafter (Based Upon the Base Year AADT)

	<u>YEAR</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>
	2019		2,959			2,959			
NO. YEARS	6	2025	1.060	3,100	-	1.060	3,100	1.060	0
NO. YEARS	16	2035	1.160	3,400	-	1.160	3,400	1.160	0
NO. YEARS	26	2045	1.260	3,700	-	1.260	3,700	1.260	0

TMTOOL "TURNS" REPORT

DESIGN HOUR TURNS CALCULATIONS

SECTION NO: 88070000

DATE: 2/11/2020

FM NO.: 445618-1

NOTES:

PROJECT LIMITS: 0

DESIGN YEAR: 2045

INTERSECTION: Sebastian Inlet Bridge

PREPARED BY:

FILE: Version 2

ESTIMATED TWO-WAY 24 HOUR AADT FOR EACH LEG OF THE INTERSECTION:

	YEAR	NORTH LEG	EAST LEG			SOUTH LEG			WEST LEG		
24 HR EST. AADT	2019	2,959	-			2,959			0		
24 HR EST. AADT	2025	3,100	-			3,100			0		
24 HR EST. AADT	2035	3,400	-			3,400			0		
24 HR EST. AADT	2045	3,700	-			3,700			0		

Percent Turns Calculated From Base Year AADTs:

JKTURNNS		FROM NORTH LEG			FROM EAST LEG			FROM SOUTH LEG			FROM WEST LEG		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2019 2-WAY ADT	2,959	-			-			2,959			0		
	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	
	0	2,959	-	-	-	-	-	2,959	0	2,959	-	2,959	
2025 2-WAY ADT	3,100	-			-			3,100			0		
	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	
	0	3,100	-	-	-	-	-	3,100	0	3,100	-	3,100	
2035 2-WAY ADT	3,400	-			-			3,400			0		
	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	
	0	3,400	-	-	-	-	-	3,400	0	3,400	-	3,400	
2045 2-WAY ADT	3,700	-			-			3,700			0		
	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	
	0	3,700	-	-	-	-	-	3,700	0	3,700	-	3,700	
	0%	97%	-	-	-	-	-	97%	0%	49%	-	49%	

TMTOOL INPUT SHEET

Project Description:

SECTION NO.: 88070000	PREPARED BY:
FM NO.: 445618-1	FILE:
PROJECT LIMITS:	DATE:
DESIGN YEAR: 2045	Version 2
INTERSECTION: SR-A1A & CR-510	2/11/2020

NOTES:

Historical AADTs:

	NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG	
	YEAR	AADT	YEAR	AADT	YEAR	AADT	YEAR	AADT
	2016	7,300				6,500	13,300	
	2017	6,900				9,100	12,900	
	2018	6,600				9,100	13,100	
	2019	7,011		1,259		9,130	8,395	
Model Volume:	2045							

Growth Rates:

	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
Historic Trend GR =				
Historic + Model Trend GR =				
Base Year Model to Future Year Model GR =				
Recommended Growth Rate: 1.70% CGR	2.80% CGR	1.37% CGR	2.71% CGR	

Choose Methodology for Calculating Growth Factor on Each Leg (Input 1, 2 or 3)

1 = Compound Growth Throughout All Years

2 **2** **2** **2**

2 = Linear Growth Throughout All Years

3 = Blend of Compound Growth First Ten Years, Linear Growth Thereafter (Based Upon the Base Year AADT)

	YEAR	FACTOR	AADT	FACTOR	AADT	FACTOR	AADT	FACTOR	AADT
NO. YEARS	2019	7,011		1,259		9,130		8,395	
NO. YEARS	2025	1.102	7,700	1.168	1,500	1.082	9,900	1.163	9,800
NO. YEARS	2035	1.272	8,900	1.448	1,800	1.219	11,100	1.434	12,000
NO. YEARS	2045	1.442	10,100	1.728	2,200	1.356	12,400	1.705	14,300

Percent Turns Calculated From Base Year TMCs:

TURN STUDY	FROM NORTH LEG (Southbound)				FROM EAST LEG (Westbound)				FROM SOUTH LEG (Northbound)				FROM WEST LEG (Eastbound)			
	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	TOTAL
A.M.	2-Way Pk Hr Vol:	0			0			0		0			0			0
7/20/2014																0
% TURNS:	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	
P.M.	2-Way Pk Hr Vol:	0			0			0		0			0			
7/20/2014																0
% TURNS:	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	

TMTOOL "TURNS" REPORT

DESIGN HOUR TURNS CALCULATIONS

SECTION NO: 88070000

DATE: 2/11/2020

FM NO.: 445618-1

NOTES:

PROJECT LIMITS: 0

DESIGN YEAR: 2045

INTERSECTION: SR-A1A & CR-510

PREPARED BY:

FILE: Version 2

ESTIMATED TWO-WAY 24 HOUR AADT FOR EACH LEG OF THE INTERSECTION:

	<u>YEAR</u>	<u>NORTH LEG</u>	<u>EAST LEG</u>	<u>SOUTH LEG</u>	<u>WEST LEG</u>
24 HR EST. AADT	2019	7,011	1,259	9,130	8,395
24 HR EST. AADT	2025	7,700	1,500	9,900	9,800
24 HR EST. AADT	2035	8,900	1,800	11,100	12,000
24 HR EST. AADT	2045	10,100	2,200	12,400	14,300

Percent Turns Calculated From Base Year AADTs:

<u>JKTURNS</u>		<u>FROM NORTH LEG</u>			<u>FROM EAST LEG</u>			<u>FROM SOUTH LEG</u>			<u>FROM WEST LEG</u>		
		<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>
2019 2-WAY ADT	7,011				1,259			9,130			8,395		
	RIGHT	THRU	LEFT		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
	8,395	9,130	1,259		7,011	8,395	9,130	1,259	7,011	8,395	9,130	1,259	7,011
2025 2-WAY ADT	45%	49%	7%		29%	34%	37%	8%	42%	50%	52%	7%	40%
	7,700				1,500			9,900			9,800		
	RIGHT	THRU	LEFT		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2035 2-WAY ADT	9,800	9,900	1,500		7,700	9,800	9,900	1,500	7,700	9,800	9,900	1,500	7,700
	46%	47%	7%		28%	36%	36%	8%	41%	52%	52%	8%	40%
	8,900				1,800			11,100			12,000		
2045 2-WAY ADT	RIGHT	THRU	LEFT		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
	12,000	11,100	1,800		8,900	12,000	11,100	1,800	8,900	12,000	11,100	1,800	8,900
	48%	45%	7%		28%	38%	35%	8%	39%	53%	51%	8%	41%
	10,100				2,200			12,400			14,300		
	RIGHT	THRU	LEFT		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
	14,300	12,400	2,200		10,100	14,300	12,400	2,200	10,100	14,300	12,400	2,200	10,100
	49%	43%	8%		27%	39%	34%	8%	38%	54%	50%	9%	41%

2-WAY		NORTH LEG			EAST LEG		SOUTH LEG			WEST LEG		
		NORTH LEG EAST LEG		SOUTH LEG WEST LEG								
2019 MIDDAY DESIGN HOUR VOLUMES	210	10	230	70								
2025 MIDDAY DESIGN HOUR VOLUMES	230	10	250	80								
2035 MIDDAY DESIGN HOUR VOLUMES	270	10	270	100								
2045 MIDDAY DESIGN HOUR VOLUMES	300	10	310	120								
DESIGN HOUR MID-DAY:		<u>NORTH LEG</u>		<u>EAST LEG</u>		<u>SOUTH LEG</u>		<u>WEST LEG</u>				
CONTROL LINK VOLUMES		<u>FROM</u>	<u>TO</u>	<u>LINK</u>	<u>FROM</u>	<u>TO</u>	<u>LINK</u>	<u>FROM</u>	<u>TO</u>	<u>LINK</u>	<u>FROM</u>	<u>TO</u>
2019 VOLUME #1	111	99	210	3	7	10	106	124	230	37	33	70
2019 VOLUME #2	111	100	211	3	3	6	106	120	226	37	34	71
2019 VOLUME #3	115	99	214	3	7	10	106	124	230	39	33	72
2019 VOLUME #4	115	99	214	3	7	10	107	124	231	38	33	71
2019 VOLUME #5	114	99	213	3	7	10	108	124	232	38	33	71
CONTROL LINK VOLUMES		<u>FROM</u>	<u>TO</u>	<u>LINK</u>	<u>FROM</u>	<u>TO</u>	<u>LINK</u>	<u>FROM</u>	<u>TO</u>	<u>LINK</u>	<u>FROM</u>	<u>TO</u>
2025 VOLUME #1	122	108	230	4	6	10	115	135	250	43	37	80
2025 VOLUME #2	125	108	233	4	5	9	115	128	243	43	45	88
2025 VOLUME #3	125	108	233	4	6	10	113	135	248	45	37	82
2025 VOLUME #4	124	108	232	4	6	10	114	135	249	43	37	80
2025 VOLUME #5	124	108	232	4	6	10	115	135	250	43	37	80
CONTROL LINK VOLUMES		<u>FROM</u>	<u>TO</u>	<u>LINK</u>	<u>FROM</u>	<u>TO</u>	<u>LINK</u>	<u>FROM</u>	<u>TO</u>	<u>LINK</u>	<u>FROM</u>	<u>TO</u>
2035 VOLUME #1	141	129	270	4	6	10	129	141	270	53	47	100
2035 VOLUME #2	133	129	262	4	6	10	133	141	274	53	47	100
2035 VOLUME #3	135	129	264	4	6	10	131	141	272	52	47	99
2035 VOLUME #4	137	129	266	4	6	10	130	141	271	52	47	99
2035 VOLUME #5	138	129	267	4	6	10	129	141	270	52	47	99
CONTROL LINK VOLUMES		<u>FROM</u>	<u>TO</u>	<u>LINK</u>	<u>FROM</u>	<u>TO</u>	<u>LINK</u>	<u>FROM</u>	<u>TO</u>	<u>LINK</u>	<u>FROM</u>	<u>TO</u>
2045 VOLUME #1	160	140	300	5	5	10	144	166	310	63	57	120
2045 VOLUME #2	160	131	291	5	9	14	144	166	310	63	66	129
2045 VOLUME #3	155	140	295	5	5	10	144	166	310	64	57	121
2045 VOLUME #4	157	140	297	5	5	10	144	166	310	62	57	119
2045 VOLUME #5	158	140	298	5	5	10	143	166	309	62	57	119
		<u>NORTH LEG</u>		<u>EAST LEG</u>		<u>SOUTH LEG</u>		<u>WEST LEG</u>				
		<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>
2019 MIDDAY TURNS 1	12	98	1	1	1	1	1	84	21	21	1	15
2019 MIDDAY TURNS 2	12	101	2	1	1	1	2	83	20	22	2	15
2019 MIDDAY TURNS 3	11	101	2	1	1	1	2	84	21	21	2	14
2019 MIDDAY TURNS 4	11	101	2	1	1	1	2	84	21	22	2	14
2019 MIDDAY TURNS 5	11	101	2	1	1	1	2	84	21	22	2	14
2025 MIDDAY TURNS 1	18	103	2	1	1	1	2	87	26	24	1	17
2025 MIDDAY TURNS 2	14	108	2	1	1	1	2	89	22	25	2	18
2025 MIDDAY TURNS 3	14	109	2	1	1	2	2	90	22	25	2	17
2025 MIDDAY TURNS 4	14	108	2	1	1	2	2	90	22	25	2	17
2025 MIDDAY TURNS 5	14	108	2	1	1	2	2	90	22	25	2	16
2035 MIDDAY TURNS 1	22	117	2	1	1	1	2	96	31	30	2	22
2035 MIDDAY TURNS 2	19	111	2	1	1	1	2	104	27	28	2	23
2035 MIDDAY TURNS 3	20	113	2	2	1	1	2	104	26	27	2	24
2035 MIDDAY TURNS 4	21	114	2	2	1	1	2	103	25	26	2	24
2035 MIDDAY TURNS 5	21	114	2	2	1	1	2	103	25	26	2	25
2045 MIDDAY TURNS 1	28	129	3	2	2	2	3	104	37	35	2	26
2045 MIDDAY TURNS 2	24	129	2	2	1	2	2	111	32	35	1	27
2045 MIDDAY TURNS 3	24	130	2	2	1	2	2	111	31	34	1	27
2045 MIDDAY TURNS 4	25	131	2	2	2	2	2	111	31	34	1	27
2045 MIDDAY TURNS 5	25	131	2	2	2	2	2	111	31	33	1	27

TMTOOL INPUT SHEET

Project Description:

SECTION NO.: 88070000	PREPARED BY:
FM NO.: 445618-1	FILE:
PROJECT LIMITS:	DATE:
DESIGN YEAR: 2045	Version 2
INTERSECTION: CR-510 & US-1	2/11/2020

NOTES:

Historical AADTs:

	<u>NORTH LEG</u>		<u>EAST LEG</u>		<u>SOUTH LEG</u>		<u>WEST LEG</u>	
	<u>YEAR</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>
	2015	25,500		13,300		25,500	12,800	
	2016	21,600		12,900		21,600	13,000	
	2017	24,000		13,100		24,000	13,700	
Model Volume:	2018	21,614		12,151		29,822	17,707	
	2045							

Growth Rates:

	<u>NORTH LEG</u>	<u>EAST LEG</u>	<u>SOUTH LEG</u>	<u>WEST LEG</u>
Historic Trend GR =				
Historic + Model Trend GR =				
Base Year Model to Future Year Model GR =				
Recommended Growth Rate:	1.79%	CGR	2.71%	CGR
	1.98%	CGR	2.71%	CGR

Choose Methodology for Calculating Growth Factor on Each Leg (Input 1, 2 or 3)

1 = Compound Growth Throughout All Years

2 **2**

2

2

2 = Linear Growth Throughout All Years

3 = Blend of Compound Growth First Ten Years, Linear Growth Thereafter (Based Upon the Base Year AADT)

	<u>YEAR</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>
NO. YEARS	2019		21,614		12,151		29,822		17,707
NO. YEARS	2025	1.107	23,900	1.163	14,100	1.119	33,400	1.163	20,600
NO. YEARS	2035	1.286	27,800	1.434	17,400	1.317	39,300	1.434	25,400
NO. YEARS	2045	1.465	31,700	1.705	20,700	1.515	45,200	1.705	30,200

Percent Turns Calculated From Base Year TMCs:

TURN STUDY	FROM <u>NORTH LEG</u> (Southbound)				FROM <u>EAST LEG</u> (Westbound)				FROM <u>SOUTH LEG</u> (Northbound)				FROM <u>WEST LEG</u> (Eastbound)			
	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	TOTAL
A.M.	2-Way Pk Hr Vol:	0			0			0		0			0			0
% TURNS:	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	
P.M.	2-Way Pk Hr Vol:	0			0			0		0			0			0
% TURNS:	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	

IMTOOL "TURNS" REPORT

DESIGN HOUR TURNS CALCULATIONS

SECTION NO: 88070000

DATE: 2/11/2020

FM NO.: 445618-1

NOTES:

PROJECT LIMITS: 0

DESIGN YEAR: 2045

INTERSECTION: CR-510 & US-1

PREPARED BY:

FILE: Version 2

ESTIMATED TWO-WAY 24 HOUR AADT FOR EACH LEG OF THE INTERSECTION:

	YEAR	NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
24 HR EST. AADT	2019	21,614			12,151			29,822			17,707		
24 HR EST. AADT	2025	23,900			14,100			33,400			20,600		
24 HR EST. AADT	2035	27,800			17,400			39,300			25,400		
24 HR EST. AADT	2045	31,700			20,700			45,200			30,200		

Percent Turns Calculated From Base Year AADTs:

JKTURN	YEAR	FROM NORTH LEG			FROM EAST LEG			FROM SOUTH LEG			FROM WEST LEG		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2019 2-WAY ADT	2019	21,614			12,151			29,822			17,707		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2025 2-WAY ADT	2025	23,900			14,100			33,400			20,600		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2035 2-WAY ADT	2035	27,800			17,400			39,300			25,400		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2045 2-WAY ADT	2045	31,700			20,700			45,200			30,200		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT

2-WAY		NORTH LEG			EAST LEG		SOUTH LEG			WEST LEG		
		NORTH LEG EAST LEG		SOUTH LEG WEST LEG								
2019 MIDDAY DESIGN HOUR VOLUMES	210	10	230	70								
2025 MIDDAY DESIGN HOUR VOLUMES	230	10	250	80								
2035 MIDDAY DESIGN HOUR VOLUMES	270	10	300	100								
2045 MIDDAY DESIGN HOUR VOLUMES	310	10	340	120								
DESIGN HOUR MID-DAY:		<u>NORTH LEG</u>		<u>EAST LEG</u>		<u>SOUTH LEG</u>		<u>WEST LEG</u>				
CONTROL LINK VOLUMES		FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO
2019 VOLUME #1	111	99	210	3	7	10	106	124	230	37	33	70
2019 VOLUME #2	111	100	211	3	3	6	106	120	226	37	34	71
2019 VOLUME #3	115	99	214	3	7	10	106	124	230	39	33	72
2019 VOLUME #4	115	99	214	3	7	10	107	124	231	38	33	71
2019 VOLUME #5	114	99	213	3	7	10	108	124	232	38	33	71
CONTROL LINK VOLUMES	123	107	230	3	7	10	119	131	250	43	37	80
2025 VOLUME #1	123	108	231	3	9	12	119	129	248	43	42	85
2025 VOLUME #2	122	107	229	3	7	10	114	131	245	43	37	80
2025 VOLUME #3	122	107	229	3	7	10	115	131	246	42	37	79
2025 VOLUME #4	121	107	228	3	7	10	116	131	247	42	37	79
2025 VOLUME #5	121	107	228	3	7	10	116	131	247	42	37	79
CONTROL LINK VOLUMES	143	127	270	4	6	10	140	160	300	53	47	100
2035 VOLUME #1	143	126	269	4	13	17	140	150	290	53	51	104
2035 VOLUME #2	147	127	274	4	6	10	135	160	295	54	47	101
2035 VOLUME #3	146	127	273	4	6	10	137	160	297	53	47	100
2035 VOLUME #4	145	127	272	4	6	10	138	160	298	53	47	100
2035 VOLUME #5	144	127	271	4	6	10	139	160	299	53	47	100
CONTROL LINK VOLUMES	163	147	310	5	5	10	161	179	340	63	57	120
2045 VOLUME #1	163	143	306	5	19	24	161	169	330	63	61	124
2045 VOLUME #2	164	147	311	5	5	10	156	179	335	63	57	120
2045 VOLUME #3	163	147	310	5	5	10	157	179	336	63	57	120
2045 VOLUME #4	163	147	310	5	5	10	158	179	337	62	57	119
2045 VOLUME #5	162	147	309	5	5	10	158	179	337	62	57	119
	<u>NORTH LEG</u>		<u>EAST LEG</u>		<u>SOUTH LEG</u>		<u>WEST LEG</u>					
	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2019 MIDDAY TURNS 1	12	98	1	1	1	1	1	84	21	21	1	15
2019 MIDDAY TURNS 2	12	101	2	1	1	1	2	83	20	22	2	15
2019 MIDDAY TURNS 3	11	101	2	1	1	1	2	84	21	21	2	14
2019 MIDDAY TURNS 4	11	101	2	1	1	1	2	84	21	22	2	14
2019 MIDDAY TURNS 5	11	101	2	1	1	1	2	84	21	22	2	14
2025 MIDDAY TURNS 1	16	104	4	1	1	1	4	90	25	24	2	17
2025 MIDDAY TURNS 2	14	106	3	1	1	1	3	89	22	24	1	17
2025 MIDDAY TURNS 3	14	106	3	1	1	1	3	90	23	24	1	16
2025 MIDDAY TURNS 4	13	105	3	1	1	1	3	90	23	24	1	16
2025 MIDDAY TURNS 5	13	105	3	1	1	1	3	90	23	25	1	16
2035 MIDDAY TURNS 1	19	119	5	1	1	1	5	104	31	29	3	21
2035 MIDDAY TURNS 2	18	127	2	1	1	1	3	105	28	31	1	21
2035 MIDDAY TURNS 3	17	127	2	1	1	2	3	105	29	32	1	20
2035 MIDDAY TURNS 4	16	126	2	1	1	2	3	106	29	32	1	20
2035 MIDDAY TURNS 5	16	126	2	1	1	2	3	106	30	32	1	20
2045 MIDDAY TURNS 1	23	133	7	2	2	2	8	117	36	35	4	25
2045 MIDDAY TURNS 2	22	140	2	2	2	2	2	120	34	37	1	25
2045 MIDDAY TURNS 3	21	140	2	2	1	2	2	121	34	37	1	25
2045 MIDDAY TURNS 4	21	140	2	2	1	2	2	121	35	37	1	24
2045 MIDDAY TURNS 5	21	140	2	2	1	2	2	121	35	37	1	24

TMTOOL INPUT SHEET

Project Description:

SECTION NO.: 88070000	PREPARED BY:
FM NO.: 445618-1	FILE:
PROJECT LIMITS:	DATE:
DESIGN YEAR: 2045	T-INTERSECTION?
INTERSECTION: Sebastian Inlet State Park -North Driveway	MISSING Leg:

NOTES:**Historical AADTs:**

	<u>NORTH LEG</u>		<u>EAST LEG</u>		<u>SOUTH LEG</u>		<u>WEST LEG</u>	
	<u>YEAR</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>
	2016		-					
	2017		-					
	2018		-					
	2019		-					
Model Volume:	2045							

Growth Rates:

	<u>NORTH LEG</u>		<u>EAST LEG</u>		<u>SOUTH LEG</u>		<u>WEST LEG</u>	
Historic Trend GR =								
Historic + Model Trend GR =								
Base Year Model to Future Year Model GR =								
Recommended Growth Rate:	1.00%	CGR	-	CGR	1.00%	CGR	1.00%	CGR

Choose Methodology for Calculating Growth Factor on Each Leg (Input 1, 2 or 3)

1 = Compound Growth Throughout All Years

2 = Linear Growth Throughout All Years

3 = Blend of Compound Growth First Ten Years, Linear Growth Thereafter (Based Upon the Base Year AADT)

	<u>YEAR</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>
	2019	2,959		-		2,959		400	
NO. YEARS	6	2025	1.060	3,100	-	1.060	3,100	1.060	400
NO. YEARS	16	2035	1.160	3,400	-	1.160	3,400	1.160	500
NO. YEARS	26	2045	1.260	3,700	-	1.260	3,700	1.260	500

Percent Turns Calculated From Base Year TMCs:

TURN STUDY	FROM <u>NORTH LEG</u> (Southbound)			FROM <u>EAST LEG</u> (Westbound)			FROM <u>SOUTH LEG</u> (Northbound)			FROM <u>WEST LEG</u> (Eastbound)		
	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
A.M.	2-Way Pk Hr Vol:	207		-		-	-	227		76		-
12/10/2019	12	103	-	-	-	-	-	75	26	21	-	15
% TURNS:	10%	89%	-	-	-	-	-	74%	25%	57%	-	41%
P.M.	2-Way Pk Hr Vol:	245		-		-	-	243		70		-
12/10/2019	19	86	-	-	-	-	-	122	16	17	-	16
% TURNS:	18%	81%	-	-	-	-	-	88%	12%	50%	-	47%

Est. % Turns Calculated From Base Year AADTs & TMCs:
SUGGESTED STARTING POINTS

A.M.	<u>NORTH LEG</u>			<u>EAST LEG</u>			<u>SOUTH LEG</u>			<u>WEST LEG</u>		
	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>
2019	10%	89%	-	-	-	-	-	74%	25%	57%	-	41%
2025	10%	89%	-	-	-	-	-	75%	24%	56%	-	41%
2035	11%	88%	-	-	-	-	-	75%	24%	56%	-	42%
2045	11%	88%	-	-	-	-	-	76%	23%	56%	-	42%

P.M.	<u>NORTH LEG</u>			<u>EAST LEG</u>			<u>SOUTH LEG</u>			<u>WEST LEG</u>		
	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>
2019	18%	81%	-	-	-	-	-	88%	12%	50%	-	47%
2025	17%	82%	-	-	-	-	-	88%	11%	50%	-	47%
2035	17%	82%	-	-	-	-	-	87%	12%	50%	-	47%
2045	17%	82%	-	-	-	-	-	87%	12%	50%	-	47%

K & D FACTORS:

K FACTOR	<u>NORTH LEG</u>			<u>EAST LEG</u>			<u>SOUTH LEG</u>			<u>WEST LEG</u>		
	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>
2019	9.0%	9.0%	-	-	9.0%	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%
2025	9.0%	9.0%	-	-	9.0%	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%
2035	9.0%	9.0%	-	-	9.0%	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%
2045	9.0%	9.0%	-	-	9.0%	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%

D FACTOR	<u>NORTH LEG</u>			<u>EAST LEG</u>			<u>SOUTH LEG</u>			<u>WEST LEG</u>		
	<u>2019</u>	<u>2025</u>	<u>2035</u>	<u>2045</u>	<u>2019</u>	<u>2025</u>	<u>2035</u>	<u>2045</u>	<u>2019</u>	<u>2025</u>	<u>2035</u>	<u>2045</u>
2019	56.0%	43.3%	-	-	44.9%	-	57.2%	48.7%	48.6%	-	-	-
2025	56.0%	43.3%	-	-	44.9%	-	57.2%	48.7%	48.6%	-	-	-
2035	56.0%	43.3%	-	-	44.9%	-	57.2%	48.7%	48.6%	-	-	-
2045	56.0%	43.3%	-	-	44.9%	-	57.2%	48.7%	48.6%	-	-	-

IMTOOL "TURNS" REPORT

DESIGN HOUR TURNS CALCULATIONS

SECTION NO: 88070000
FM NO.: 445618-1

DATE: 2/11/2020
NOTES:

PROJECT LIMITS: 0
DESIGN YEAR: 2045
INTERSECTION: Sebastian Inlet State Park -North Driveway
PREPARED BY:
FILE: Version 2

ESTIMATED TWO-WAY 24 HOUR AADT FOR EACH LEG OF THE INTERSECTION:

	YEAR	NORTH LEG	EAST LEG			SOUTH LEG			WEST LEG		
24 HR EST. AADT	2019	2,959	-			2,959			400		
24 HR EST. AADT	2025	3,100	-			3,100			400		
24 HR EST. AADT	2035	3,400	-			3,400			500		
24 HR EST. AADT	2045	3,700	-			3,700			500		

Percent Turns Calculated From Base Year AADTs:

JKTURN	YEAR	FROM NORTH LEG			FROM EAST LEG			FROM SOUTH LEG			FROM WEST LEG		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2019 2-WAY ADT	2,959	-			-			2,959			400		
	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	
	400	2,959	-	-	-	-	-	2,959	400	2,959	-	2,959	
	12%	86%	-	-	-	-	-	86%	12%	49%	-	49%	
2025 2-WAY ADT	3,100	-			-			3,100			400		
	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	
	400	3,100	-	-	-	-	-	3,100	400	3,100	-	3,100	
	11%	86%	-	-	-	-	-	86%	11%	49%	-	49%	
2035 2-WAY ADT	3,400	-			-			3,400			500		
	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	
	500	3,400	-	-	-	-	-	3,400	500	3,400	-	3,400	
	13%	85%	-	-	-	-	-	85%	13%	49%	-	49%	
2045 2-WAY ADT	3,700	-			-			3,700			500		
	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	
	500	3,700	-	-	-	-	-	3,700	500	3,700	-	3,700	
	12%	86%	-	-	-	-	-	86%	12%	49%	-	49%	

A.M. DESIGN HR. TURNS	YEAR	NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2019	EST. TURNS	8	140	-	-	-	-	-	111	13	9	-	9
2025	EST. TURNS	8	145	-	-	-	-	-	114	13	9	-	9
2035	EST. TURNS	11	161	-	-	-	-	-	126	17	11	-	11
2045	EST. TURNS	11	168	-	-	-	-	-	131	17	11	-	10

P.M. DESIGN HR. TURNS	YEAR	NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2019	EST. TURNS	12	108	-	-	-	-	-	146	11	9	-	8
2025	EST. TURNS	12	99	-	-	-	-	-	150	11	9	-	8
2035	EST. TURNS	14	122	-	-	-	-	-	166	13	12	-	10
2045	EST. TURNS	14	128	-	-	-	-	-	175	13	11	-	10

LINK VOLUME CHECK DESIGN HOUR A.M.:	FROM	TO	LINK	NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
				FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK
CONTROL LINK VOLUMES	149	121	270	-	-	-	120	150	270	18	22	40			
2019 TURN SUMMARY	151	121	272	-	-	-	127	150	277	19	22	41			
CONTROL LINK VOLUMES	156	124	280	-	-	-	125	155	280	18	22	40			
2025 TURN SUMMARY	157	124	281	-	-	-	130	155	285	18	22	40			
CONTROL LINK VOLUMES	171	139	310	-	-	-	137	173	310	22	28	50			
2035 TURN SUMMARY	175	139	314	-	-	-	146	173	319	23	28	51			
CONTROL LINK VOLUMES	187	143	330	-	-	-	150	180	330	22	28	50			
2045 TURN SUMMARY	183	143	326	-	-	-	151	180	331	22	28	50			

DESIGN HOUR P.M.:	FROM	TO	LINK	NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
				FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK
CONTROL LINK VOLUMES	115	155	270	-	-	-	152	118	270	17	23	40			
2019 TURN SUMMARY	122	155	277	-	-	-	160	118	278	18	23	41			
CONTROL LINK VOLUMES	121	159	280	-	-	-	160	120	280	17	23	40			
2025 TURN SUMMARY	113	159	272	-	-	-	164	109	273	17	23	40			
CONTROL LINK VOLUMES	132	178	310	-	-	-	175	135	310	22	28	50			
2035 TURN SUMMARY	139	178	317	-	-	-	183	135	318	23	28	51			
CONTROL LINK VOLUMES	144	186	330	-	-	-	190	140	330	22	28	50			
2045 TURN SUMMARY	145	186	331	-	-	-	191	140	331	22	28	50			

Note: Boxed number indicates manual adjustment.

2-WAY		NORTH LEG EAST LEG			SOUTH LEG WEST LEG								
		FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK
2019 AM DESIGN HOUR VOLUMES	270	10	270	40									
2025 AM DESIGN HOUR VOLUMES	280	10	280	40									
2035 AM DESIGN HOUR VOLUMES	310	10	310	50									
2045 AM DESIGN HOUR VOLUMES	330	10	330	50									
DESIGN HOUR A.M.:		NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
CONTROL LINK VOLUMES		149	121	270	3	7	10	120	150	270	18	22	40
2019 VOLUME #1	149	97	246	3	3	6	120	144	264	18	47	65	
2019 VOLUME #2	149	121	270	3	7	10	128	150	278	21	22	43	
2019 VOLUME #3	150	121	271	3	7	10	128	150	278	19	22	41	
2019 VOLUME #4	151	121	272	3	7	10	127	150	277	19	22	41	
2019 VOLUME #5	151	121	272	3	7	10	127	150	277	19	22	41	
CONTROL LINK VOLUMES		156	124	280	3	7	10	125	155	280	18	22	40
2025 VOLUME #1	156	102	258	3	4	7	125	149	274	18	47	65	
2025 VOLUME #2	154	124	278	3	7	10	131	155	286	20	22	42	
2025 VOLUME #3	156	124	280	3	7	10	131	155	286	18	22	40	
2025 VOLUME #4	156	124	280	3	7	10	130	155	285	18	22	40	
2025 VOLUME #5	157	124	281	3	7	10	130	155	285	18	22	40	
CONTROL LINK VOLUMES		171	139	310	3	7	10	137	173	310	22	28	50
2035 VOLUME #1	171	113	284	3	4	7	137	164	301	22	52	74	
2035 VOLUME #2	172	139	311	3	7	10	147	173	320	25	28	53	
2035 VOLUME #3	174	139	313	3	7	10	147	173	320	23	28	51	
2035 VOLUME #4	175	139	314	3	7	10	146	173	319	23	28	51	
2035 VOLUME #5	175	139	314	3	7	10	146	173	319	23	28	51	
CONTROL LINK VOLUMES		187	143	330	3	7	10	150	180	330	22	28	50
2045 VOLUME #1	187	124	311	3	4	7	150	178	328	22	55	77	
2045 VOLUME #2	180	143	323	3	7	10	152	180	332	24	28	52	
2045 VOLUME #3	182	143	325	3	7	10	152	180	332	22	28	50	
2045 VOLUME #4	182	143	325	3	7	10	151	180	331	22	28	50	
2045 VOLUME #5	183	143	326	3	7	10	151	180	331	22	28	50	
RIGHT		NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
2019 A.M. TURNS 1	15	132	1	1	1	1	1	88	31	10	0	7	
2019 A.M. TURNS 2	7	138	3	1	0	1	3	111	14	11	1	9	
2019 A.M. TURNS 3	8	140	3	1	1	1	3	111	14	9	1	8	
2019 A.M. TURNS 4	8	140	3	1	1	1	3	111	14	9	1	9	
2019 A.M. TURNS 5	8	140	3	2	1	1	3	111	13	9	1	9	
2025 A.M. TURNS 1	16	138	2	1	1	1	1	93	30	10	0	7	
2025 A.M. TURNS 2	8	143	3	1	0	1	3	114	14	10	1	9	
2025 A.M. TURNS 3	8	145	3	1	0	1	3	114	14	9	1	8	
2025 A.M. TURNS 4	8	145	3	1	0	1	3	114	13	9	1	9	
2025 A.M. TURNS 5	8	145	3	1	0	1	3	114	13	9	1	9	
2035 A.M. TURNS 1	18	151	2	1	1	1	2	103	33	12	1	9	
2035 A.M. TURNS 2	10	159	3	1	0	1	3	126	18	13	1	11	
2035 A.M. TURNS 3	10	160	3	1	1	1	3	127	17	11	1	11	
2035 A.M. TURNS 4	11	161	3	1	1	1	3	127	17	11	1	11	
2035 A.M. TURNS 5	11	161	3	2	1	1	3	126	17	11	1	11	
2045 A.M. TURNS 1	20	165	2	1	1	1	2	113	35	12	1	9	
2045 A.M. TURNS 2	10	167	3	1	0	1	3	131	18	12	1	11	
2045 A.M. TURNS 3	10	168	3	1	0	1	3	132	17	11	1	10	
2045 A.M. TURNS 4	11	168	3	1	0	1	3	131	17	11	1	10	
2045 A.M. TURNS 5	11	168	4	1	0	1	3	131	17	11	1	10	

2-WAY		NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG	
		NORTH LEG EAST LEG	SOUTH LEG WEST LEG						
2019 MIDDAY DESIGN HOUR VOLUMES	210	10	230	70					
2025 MIDDAY DESIGN HOUR VOLUMES	220	10	240	70					
2035 MIDDAY DESIGN HOUR VOLUMES	240	10	260	90					
2045 MIDDAY DESIGN HOUR VOLUMES	260	10	280	90					
DESIGN HOUR MID-DAY:		NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG	
CONTROL LINK VOLUMES		FROM	TO	LINK	FROM	TO	LINK	FROM	TO
2019 VOLUME #1	111	99	210	3	7	10	106	124	230
2019 VOLUME #2	111	100	211	3	3	6	106	120	226
2019 VOLUME #3	115	99	214	3	7	10	106	124	230
2019 VOLUME #4	115	99	214	3	7	10	107	124	231
2019 VOLUME #5	114	99	213	3	7	10	108	124	232
CONTROL LINK VOLUMES	116	104	220	3	7	10	111	129	240
2025 VOLUME #1	116	105	221	3	3	6	111	124	235
2025 VOLUME #2	121	104	225	3	7	10	110	129	239
2025 VOLUME #3	121	104	225	3	7	10	111	129	240
2025 VOLUME #4	120	104	224	3	7	10	112	129	241
2025 VOLUME #5	120	104	224	3	7	10	112	129	241
CONTROL LINK VOLUMES	128	112	240	3	7	10	122	138	260
2035 VOLUME #1	128	118	246	3	4	7	122	139	261
2035 VOLUME #2	130	112	242	3	7	10	122	138	260
2035 VOLUME #3	130	112	242	3	7	10	122	138	260
2035 VOLUME #4	129	112	241	3	7	10	122	138	260
2035 VOLUME #5	129	112	241	3	7	10	122	138	260
CONTROL LINK VOLUMES	139	121	260	3	7	10	133	147	280
2045 VOLUME #1	139	127	266	3	4	7	133	149	282
2045 VOLUME #2	140	121	261	3	7	10	131	147	278
2045 VOLUME #3	139	121	260	3	7	10	131	147	278
2045 VOLUME #4	139	121	260	3	7	10	131	147	278
2045 VOLUME #5	139	121	260	3	7	10	132	147	279
RIGHT		NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG	
		THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2019 MIDDAY TURNS 1	12	98	1	1	1	1	1	84	21
2019 MIDDAY TURNS 2	12	101	2	1	1	1	2	83	20
2019 MIDDAY TURNS 3	11	101	2	1	1	1	2	84	21
2019 MIDDAY TURNS 4	11	101	2	1	1	1	2	84	21
2019 MIDDAY TURNS 5	11	101	2	1	1	1	2	84	21
2025 MIDDAY TURNS 1	13	102	1	1	1	1	1	89	21
2025 MIDDAY TURNS 2	12	106	3	1	1	1	3	88	20
2025 MIDDAY TURNS 3	12	106	3	1	1	1	3	88	20
2025 MIDDAY TURNS 4	11	106	2	1	1	1	3	89	21
2025 MIDDAY TURNS 5	11	106	2	1	1	1	3	89	21
2035 MIDDAY TURNS 1	14	112	1	1	1	1	1	98	23
2035 MIDDAY TURNS 2	16	112	2	1	1	1	2	93	27
2035 MIDDAY TURNS 3	16	111	2	1	1	1	2	93	27
2035 MIDDAY TURNS 4	16	111	2	1	1	1	2	93	27
2035 MIDDAY TURNS 5	16	111	2	1	1	1	2	93	27
2045 MIDDAY TURNS 1	15	122	2	1	1	1	2	107	25
2045 MIDDAY TURNS 2	16	121	3	1	1	1	3	102	27
2045 MIDDAY TURNS 3	16	120	3	1	1	1	3	102	27
2045 MIDDAY TURNS 4	16	120	3	1	1	1	3	102	27
2045 MIDDAY TURNS 5	16	120	3	1	1	1	3	102	27

2-WAY		NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG	
		NORTH LEG EAST LEG	SOUTH LEG WEST LEG						
2019 PM DESIGN HOUR VOLUMES	270	10	270	40					
2025 PM DESIGN HOUR VOLUMES	280	10	280	40					
2035 PM DESIGN HOUR VOLUMES	310	10	310	50					
2045 PM DESIGN HOUR VOLUMES	330	10	330	50					
DESIGN HOUR P.M.:		NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG	
CONTROL LINK VOLUMES		FROM	TO	LINK	FROM	TO	LINK	FROM	TO
2019 VOLUME #1	115	155	270	3	7	10	152	118	270
2019 VOLUME #2	115	142	257	3	3	6	152	103	255
2019 VOLUME #3	122	155	277	3	7	10	158	118	276
2019 VOLUME #4	123	155	278	3	7	10	159	118	277
2019 VOLUME #5	122	155	277	3	7	10	159	118	277
CONTROL LINK VOLUMES	121	159	280	3	7	10	160	120	280
2025 VOLUME #1	121	149	270	3	3	6	160	108	268
2025 VOLUME #2	124	159	283	3	7	10	163	120	283
2025 VOLUME #3	125	159	284	3	7	10	164	120	284
2025 VOLUME #4	125	159	284	3	7	10	164	120	284
2025 VOLUME #5	125	159	284	3	7	10	164	120	284
CONTROL LINK VOLUMES	132	178	310	3	7	10	175	135	310
2035 VOLUME #1	132	164	296	3	4	7	175	120	295
2035 VOLUME #2	139	178	317	3	7	10	182	135	317
2035 VOLUME #3	139	178	317	3	7	10	182	135	317
2035 VOLUME #4	139	178	317	3	7	10	183	135	318
2035 VOLUME #5	139	178	317	3	7	10	183	135	318
CONTROL LINK VOLUMES	144	186	330	3	7	10	190	140	330
2045 VOLUME #1	144	178	322	3	4	7	190	130	320
2045 VOLUME #2	144	186	330	3	7	10	190	140	330
2045 VOLUME #3	145	186	331	3	7	10	191	140	331
2045 VOLUME #4	145	186	331	3	7	10	191	140	331
2045 VOLUME #5	145	186	331	3	7	10	191	140	331
RIGHT		NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG	
RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT
2019 P.M. TURNS 1	21	93	1	1	1	1	133	17	9
2019 P.M. TURNS 2	12	107	3	1	1	1	145	10	10
2019 P.M. TURNS 3	12	108	3	1	1	1	146	10	9
2019 P.M. TURNS 4	12	108	3	1	1	1	146	10	9
2019 P.M. TURNS 5	12	108	3	1	1	1	146	11	9
2025 P.M. TURNS 1	21	99	1	1	1	1	140	18	8
2025 P.M. TURNS 2	12	109	3	1	1	1	149	11	9
2025 P.M. TURNS 3	12	110	3	1	1	1	150	11	9
2025 P.M. TURNS 4	12	110	3	1	1	1	150	11	9
2025 P.M. TURNS 5	12	110	3	1	1	1	150	11	9
2035 P.M. TURNS 1	23	108	2	1	1	1	153	20	11
2035 P.M. TURNS 2	14	121	3	1	1	1	166	13	12
2035 P.M. TURNS 3	14	122	3	1	1	1	166	13	12
2035 P.M. TURNS 4	14	122	3	1	1	1	166	13	12
2035 P.M. TURNS 5	14	122	3	1	1	1	166	13	12
2045 P.M. TURNS 1	24	118	2	1	1	1	166	22	11
2045 P.M. TURNS 2	14	127	3	1	1	1	174	13	12
2045 P.M. TURNS 3	14	128	3	1	1	1	175	13	11
2045 P.M. TURNS 4	14	128	3	1	1	1	175	13	11
2045 P.M. TURNS 5	14	128	3	1	1	1	175	13	11

TMTOOL INPUT SHEET

Project Description:

SECTION NO.: 88070000	PREPARED BY:
FM NO.: 445618-1	FILE:
PROJECT LIMITS:	DATE:
DESIGN YEAR: 2045	T-INTERSECTION?
INTERSECTION: Sebastian Inlet State Park -North Driveway	MISSING Leg:

NOTES:**Historical AADTs:**

	<u>NORTH LEG</u>		<u>EAST LEG</u>		<u>SOUTH LEG</u>		<u>WEST LEG</u>	
	<u>YEAR</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>
	2016		-					
	2017		-					
	2018		-					
	2019		-					
Model Volume:	2045							

Growth Rates:

	<u>NORTH LEG</u>		<u>EAST LEG</u>		<u>SOUTH LEG</u>		<u>WEST LEG</u>	
Historic Trend GR =								
Historic + Model Trend GR =								
Base Year Model to Future Year Model GR =								
Recommended Growth Rate:	1.00%	CGR	-	CGR	1.00%	CGR	1.00%	CGR

Choose Methodology for Calculating Growth Factor on Each Leg (Input 1, 2 or 3)

1 = Compound Growth Throughout All Years

 2

 -

 2

 2

2 = Linear Growth Throughout All Years

3 = Blend of Compound Growth First Ten Years, Linear Growth Thereafter (Based Upon the Base Year AADT)

	<u>YEAR</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>
	2019	2,959		-		2,959		1,000	
NO. YEARS	6	2025	1.060	3,100	-	1.060	3,100	1.060	1,100
NO. YEARS	16	2035	1.160	3,400	-	1.160	3,400	1.160	1,200
NO. YEARS	26	2045	1.260	3,700	-	1.260	3,700	1.260	1,300

Percent Turns Calculated From Base Year TMCs:

TURN STUDY	FROM <u>NORTH LEG</u> (Southbound)			FROM <u>EAST LEG</u> (Westbound)			FROM <u>SOUTH LEG</u> (Northbound)			FROM <u>WEST LEG</u> (Eastbound)		
	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
A.M.	2-Way Pk Hr Vol:	305		-		-	-	327		-	110	
12/10/2019	26	139	-	-	-	-	-	121	38	27	-	17
% TURNS:	16%	84%	-	-	-	-	-	76%	24%	60%	-	38%
P.M.	2-Way Pk Hr Vol:	336		-		-	-	353		-	131	
12/10/2019	27	147	-	-	-	-	-	131	32	41	-	29
% TURNS:	15%	84%	-	-	-	-	-	80%	20%	58%	-	41%

Est. % Turns Calculated From Base Year AADTs & TMCs:
SUGGESTED STARTING POINTS

A.M.	<u>NORTH LEG</u>			<u>EAST LEG</u>			<u>SOUTH LEG</u>			<u>WEST LEG</u>		
	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>
2019	16%	84%	-	-	-	-	-	76%	24%	60%	-	38%
2025	17%	83%	-	-	-	-	-	75%	24%	59%	-	39%
2035	17%	82%	-	-	-	-	-	75%	24%	59%	-	39%
2045	17%	82%	-	-	-	-	-	75%	24%	58%	-	40%

P.M.	<u>NORTH LEG</u>			<u>EAST LEG</u>			<u>SOUTH LEG</u>			<u>WEST LEG</u>		
	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>
2019	15%	84%	-	-	-	-	-	80%	20%	58%	-	41%
2025	16%	83%	-	-	-	-	-	79%	20%	57%	-	42%
2035	17%	83%	-	-	-	-	-	79%	20%	57%	-	42%
2045	17%	82%	-	-	-	-	-	79%	21%	56%	-	42%

K & D FACTORS:

K FACTOR	<u>NORTH LEG</u>			<u>EAST LEG</u>			<u>SOUTH LEG</u>			<u>WEST LEG</u>		
	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>	<u>AM</u>	<u>PM</u>
2019	9.0%	9.0%	-	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%
2025	9.0%	9.0%	-	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%
2035	9.0%	9.0%	-	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%
2045	9.0%	9.0%	-	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%
D FACTOR												
2019	54.4%	52.1%	-	-	48.9%	46.5%	40.9%	54.2%	46.5%	40.9%	54.2%	40.9%
2025	54.4%	52.1%	-	-	48.9%	46.5%	40.9%	54.2%	46.5%	40.9%	54.2%	40.9%
2035	54.4%	52.1%	-	-	48.9%	46.5%	40.9%	54.2%	46.5%	40.9%	54.2%	40.9%
2045	54.4%	52.1%	-	-	48.9%	46.5%	40.9%	54.2%	46.5%	40.9%	54.2%	40.9%

TMTOOL "TURNS" REPORT

DESIGN HOUR TURNS CALCULATIONS

SECTION NO: 88070000

DATE: 2/11/2020

FM NO.: 445618-1

NOTES:

PROJECT LIMITS: 0

DESIGN YEAR: 2045

INTERSECTION: Sebastian Inlet State Park -North Driveway

PREPARED BY:

FILE: Version 2

ESTIMATED TWO-WAY 24 HOUR AADT FOR EACH LEG OF THE INTERSECTION:

	YEAR	NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
24 HR EST. AADT	2019	2,959			-			2,959			1,000		
24 HR EST. AADT	2025	3,100			-			3,100			1,100		
24 HR EST. AADT	2035	3,400			-			3,400			1,200		
24 HR EST. AADT	2045	3,700			-			3,700			1,300		

Percent Turns Calculated From Base Year AADTs:

JKTURNNS	2019 2-WAY ADT	FROM NORTH LEG			FROM EAST LEG			FROM SOUTH LEG			FROM WEST LEG		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2025 2-WAY ADT	1,000	2,959	-	-	-	-	-	2,959	1,000	-	2,959	-	2,959
	25%	73%	-	-	-	-	-	73%	25%	49%	-	49%	49%
2035 2-WAY ADT	1,100	3,100	-	-	-	-	-	3,100	1,100	-	3,100	-	3,100
	26%	72%	-	-	-	-	-	72%	26%	49%	-	49%	49%
2045 2-WAY ADT	1,200	3,400	-	-	-	-	-	3,400	1,200	-	3,400	-	3,400
	26%	72%	-	-	-	-	-	72%	26%	49%	-	49%	49%

A.M. DESIGN HR. TURNS	2019	NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
EST. TURNS	25	120	-	-	-	-	-	107	27	19	-	-	17
EST. TURNS	28	121	-	-	-	-	-	108	30	21	-	-	18
EST. TURNS	32	136	-	-	-	-	-	121	33	23	-	-	20
EST. TURNS	35	141	-	-	-	-	-	126	36	25	-	-	22

P.M. DESIGN HR. TURNS

2019	EST. TURNS	20	119	-	-	-	-	107	20	26	-	-	22
2025	EST. TURNS	23	120	-	-	-	-	109	22	28	-	-	25
2035	EST. TURNS	26	135	-	-	-	-	122	25	32	-	-	28
2045	EST. TURNS	29	141	-	-	-	-	127	28	33	-	-	29

LINK VOLUME CHECK DESIGN HOUR A.M.:	NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK
CONTROL LINK VOLUMES	145	125	270	-	-	-	130	140	270	37	53	90
2019 TURN SUMMARY	147	125	272	-	-	-	136	140	276	38	53	91
CONTROL LINK VOLUMES	152	128	280	-	-	-	137	143	280	41	59	100
2025 TURN SUMMARY	152	128	280	-	-	-	141	143	284	41	59	100
CONTROL LINK VOLUMES	167	143	310	-	-	-	150	160	310	44	66	110
2035 TURN SUMMARY	170	143	313	-	-	-	157	160	317	45	66	111
CONTROL LINK VOLUMES	181	149	330	-	-	-	163	167	330	48	72	120
2045 TURN SUMMARY	179	149	328	-	-	-	165	167	332	48	72	120

DESIGN HOUR P.M.:	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK
CONTROL LINK VOLUMES	139	131	270	-	-	-	124	146	270	49	41	90
2019 TURN SUMMARY	142	131	273	-	-	-	129	146	275	51	41	92
CONTROL LINK VOLUMES	145	135	280	-	-	-	130	150	280	54	46	100
2025 TURN SUMMARY	146	135	281	-	-	-	134	149	283	55	46	101
CONTROL LINK VOLUMES	159	151	310	-	-	-	142	168	310	59	51	110
2035 TURN SUMMARY	164	151	315	-	-	-	149	168	317	61	51	112
CONTROL LINK VOLUMES	173	157	330	-	-	-	155	175	330	63	57	120
2045 TURN SUMMARY	173	157	330	-	-	-	157	175	332	63	57	120

Note: Boxed number indicates manual adjustment.

2-WAY		NORTH LEG EAST LEG			SOUTH LEG WEST LEG								
CONTROL LINK VOLUMES		270	10	270	90								
2019 AM DESIGN HOUR VOLUMES		280	10	280	100								
2035 AM DESIGN HOUR VOLUMES		310	10	310	110								
2045 AM DESIGN HOUR VOLUMES		330	10	330	120								
DESIGN HOUR A.M.:		FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK
CONTROL LINK VOLUMES		145	125	270	3	7	10	130	140	270	37	53	90
2019 VOLUME #1		145	113	258	3	3	6	130	145	275	37	55	92
2019 VOLUME #2		142	125	267	3	7	10	141	140	281	39	53	92
2019 VOLUME #3		145	125	270	3	7	10	139	140	279	38	53	91
2019 VOLUME #4		146	125	271	3	7	10	137	140	277	38	53	91
2019 VOLUME #5		147	125	272	3	7	10	136	140	276	38	53	91
CONTROL LINK VOLUMES		152	128	280	3	7	10	137	143	280	41	59	100
2025 VOLUME #1		152	120	272	3	3	6	137	151	288	41	59	100
2025 VOLUME #2		147	128	275	3	7	10	145	143	288	42	59	101
2025 VOLUME #3		149	128	277	3	7	10	143	143	286	41	59	100
2025 VOLUME #4		151	128	279	3	7	10	142	143	285	41	59	100
2025 VOLUME #5		152	128	280	3	7	10	141	143	284	41	59	100
CONTROL LINK VOLUMES		167	143	310	3	7	10	150	160	310	44	66	110
2035 VOLUME #1		167	131	298	3	3	6	150	164	314	44	65	109
2035 VOLUME #2		165	143	308	3	7	10	162	160	322	46	66	112
2035 VOLUME #3		168	143	311	3	7	10	160	160	320	45	66	111
2035 VOLUME #4		169	143	312	3	7	10	158	160	318	45	66	111
2035 VOLUME #5		170	143	313	3	7	10	157	160	317	45	66	111
CONTROL LINK VOLUMES		181	149	330	3	7	10	163	167	330	48	72	120
2045 VOLUME #1		181	143	324	3	4	7	163	177	340	48	71	119
2045 VOLUME #2		174	149	323	3	7	10	170	167	337	48	72	120
2045 VOLUME #3		176	149	325	3	7	10	168	167	335	48	72	120
2045 VOLUME #4		178	149	327	3	7	10	166	167	333	48	72	120
2045 VOLUME #5		179	149	328	3	7	10	165	167	332	48	72	120
DESIGN HOUR A.M.:		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2019 A.M. TURNS 1		23	121	1	1	1	1	98	98	31	22	1	14
2019 A.M. TURNS 2		22	118	2	1	1	1	108	108	30	21	2	15
2019 A.M. TURNS 3		23	119	3	1	1	1	108	108	29	20	2	16
2019 A.M. TURNS 4		24	119	3	1	1	1	108	108	28	20	2	16
2019 A.M. TURNS 5		25	120	3	1	1	1	107	107	27	19	2	17
2025 A.M. TURNS 1		25	126	1	1	1	1	103	103	33	24	1	16
2025 A.M. TURNS 2		25	119	3	1	1	1	110	110	33	23	2	17
2025 A.M. TURNS 3		27	120	3	1	1	1	109	109	31	22	2	18
2025 A.M. TURNS 4		27	121	3	1	1	1	109	109	31	21	2	18
2025 A.M. TURNS 5		28	121	3	1	1	1	108	108	30	21	2	18
2035 A.M. TURNS 1		28	137	1	1	1	1	113	113	36	26	1	17
2035 A.M. TURNS 2		29	134	3	1	1	1	123	123	36	25	2	19
2035 A.M. TURNS 3		30	135	3	1	1	1	122	122	35	24	2	19
2035 A.M. TURNS 4		31	135	3	1	1	1	122	122	34	24	2	20
2035 A.M. TURNS 5		32	136	3	1	1	1	121	121	33	23	2	20
2045 A.M. TURNS 1		31	148	2	1	1	1	122	122	39	28	1	19
2045 A.M. TURNS 2		32	140	3	1	1	1	128	128	40	26	2	20
2045 A.M. TURNS 3		33	141	3	1	1	1	127	127	38	25	2	21
2045 A.M. TURNS 4		34	141	3	1	1	1	127	127	37	25	2	21
2045 A.M. TURNS 5		35	141	3	1	1	1	126	126	36	25	2	22

2-WAY		NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG	
		NORTH LEG EAST LEG	SOUTH LEG WEST LEG						
2019 MIDDAY DESIGN HOUR VOLUMES	210	10	230	70					
2025 MIDDAY DESIGN HOUR VOLUMES	220	10	240	80					
2035 MIDDAY DESIGN HOUR VOLUMES	240	10	260	90					
2045 MIDDAY DESIGN HOUR VOLUMES	260	10	280	90					
DESIGN HOUR MID-DAY:		NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG	
CONTROL LINK VOLUMES		FROM	TO	LINK	FROM	TO	LINK	FROM	TO
2019 VOLUME #1	111	99	210	3	7	10	106	124	230
2019 VOLUME #2	111	100	211	3	3	6	106	120	226
2019 VOLUME #3	115	99	214	3	7	10	106	124	230
2019 VOLUME #4	115	99	214	3	7	10	107	124	231
2019 VOLUME #5	114	99	213	3	7	10	108	124	232
CONTROL LINK VOLUMES	116	104	220	3	7	10	111	129	240
2025 VOLUME #1	116	105	221	3	3	6	111	125	236
2025 VOLUME #2	121	104	225	3	7	10	112	129	241
2025 VOLUME #3	121	104	225	3	7	10	113	129	242
2025 VOLUME #4	120	104	224	3	7	10	113	129	242
2025 VOLUME #5	120	104	224	3	7	10	114	129	243
CONTROL LINK VOLUMES	128	112	240	3	7	10	122	138	260
2035 VOLUME #1	128	115	243	3	4	7	122	136	258
2035 VOLUME #2	132	112	244	3	7	10	123	138	261
2035 VOLUME #3	132	112	244	3	7	10	123	138	261
2035 VOLUME #4	131	112	243	3	7	10	124	138	262
2035 VOLUME #5	131	112	243	3	7	10	124	138	262
CONTROL LINK VOLUMES	139	121	260	3	7	10	133	147	280
2045 VOLUME #1	139	125	264	3	4	7	133	147	280
2045 VOLUME #2	138	121	259	3	7	10	128	147	275
2045 VOLUME #3	138	121	259	3	7	10	129	147	276
2045 VOLUME #4	138	121	259	3	7	10	129	147	276
2045 VOLUME #5	137	121	258	3	7	10	130	147	277
RIGHT		NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG	
		THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2019 MIDDAY TURNS 1	12	98	1	1	1	1	1	84	21
2019 MIDDAY TURNS 2	12	101	2	1	1	1	2	83	20
2019 MIDDAY TURNS 3	11	101	2	1	1	1	2	84	21
2019 MIDDAY TURNS 4	11	101	2	1	1	1	2	84	21
2019 MIDDAY TURNS 5	11	101	2	1	1	1	2	84	21
2025 MIDDAY TURNS 1	14	101	1	1	1	1	1	87	23
2025 MIDDAY TURNS 2	15	104	2	1	1	1	2	86	23
2025 MIDDAY TURNS 3	14	104	2	1	1	1	2	87	24
2025 MIDDAY TURNS 4	14	104	2	1	1	1	3	87	24
2025 MIDDAY TURNS 5	14	104	2	1	1	1	3	87	24
2035 MIDDAY TURNS 1	16	110	1	1	1	1	1	96	25
2035 MIDDAY TURNS 2	18	112	2	1	1	1	2	93	27
2035 MIDDAY TURNS 3	17	112	2	1	1	1	2	93	28
2035 MIDDAY TURNS 4	17	112	2	1	1	1	3	93	28
2035 MIDDAY TURNS 5	17	112	2	1	1	1	3	94	28
2045 MIDDAY TURNS 1	18	119	1	1	1	1	1	104	28
2045 MIDDAY TURNS 2	16	119	3	1	1	1	2	100	25
2045 MIDDAY TURNS 3	16	119	2	1	1	1	3	101	25
2045 MIDDAY TURNS 4	16	119	2	1	1	1	3	101	25
2045 MIDDAY TURNS 5	16	119	2	1	1	1	3	102	25

2-WAY		NORTH LEG EAST LEG			SOUTH LEG WEST LEG								
DESIGN HOUR P.M.:		FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK
CONTROL LINK VOLUMES		139	131	270	3	7	10	124	146	270	49	41	90
2019 VOLUME #1		139	120	259	3	2	5	124	146	270	49	47	96
2019 VOLUME #2		138	131	269	3	7	10	132	146	278	52	41	93
2019 VOLUME #3		140	131	271	3	7	10	131	146	277	51	41	92
2019 VOLUME #4		141	131	272	3	7	10	130	146	276	51	41	92
2019 VOLUME #5		142	131	273	3	7	10	129	146	275	51	41	92
CONTROL LINK VOLUMES		145	135	280	3	7	10	130	150	280	54	46	100
2025 VOLUME #1		145	126	271	3	3	6	130	152	282	54	51	105
2025 VOLUME #2		143	135	278	3	7	10	136	150	286	56	46	102
2025 VOLUME #3		145	135	280	3	7	10	135	150	285	55	46	101
2025 VOLUME #4		146	135	281	3	7	10	134	150	284	55	46	101
2025 VOLUME #5		146	135	281	3	7	10	134	150	284	55	46	101
CONTROL LINK VOLUMES		159	151	310	3	7	10	142	168	310	59	51	110
2035 VOLUME #1		159	138	297	3	3	6	142	166	308	59	56	115
2035 VOLUME #2		160	151	311	3	7	10	151	168	319	63	51	114
2035 VOLUME #3		162	151	313	3	7	10	150	168	318	61	51	112
2035 VOLUME #4		163	151	314	3	7	10	149	168	317	61	51	112
2035 VOLUME #5		164	151	315	3	7	10	149	168	317	61	51	112
CONTROL LINK VOLUMES		173	157	330	3	7	10	155	175	330	63	57	120
2045 VOLUME #1		173	150	323	3	4	7	155	179	334	63	62	125
2045 VOLUME #2		169	157	326	3	7	10	160	175	335	64	57	121
2045 VOLUME #3		171	157	328	3	7	10	159	175	334	63	57	120
2045 VOLUME #4		172	157	329	3	7	10	158	175	333	63	57	120
2045 VOLUME #5		173	157	330	3	7	10	157	175	332	63	57	120
NORTH LEG		EAST LEG			SOUTH LEG			WEST LEG					
RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	RIGHT	THRU	LEFT
2019 P.M. TURNS 1	21	117	1	1	1	1	99	24	28	1	20		
2019 P.M. TURNS 2	19	117	2	1	1	1	2	108	21	28	2	22	
2019 P.M. TURNS 3	20	118	3	1	1	1	2	108	21	27	2	22	
2019 P.M. TURNS 4	20	119	3	1	1	1	2	108	20	26	2	22	
2019 P.M. TURNS 5	20	119	3	1	1	1	2	107	20	26	2	22	
2025 P.M. TURNS 1	24	120	1	1	1	1	103	26	31	1	23		
2025 P.M. TURNS 2	22	119	3	1	1	1	2	110	24	30	2	24	
2025 P.M. TURNS 3	22	120	3	1	1	1	2	110	23	29	2	24	
2025 P.M. TURNS 4	23	120	3	1	1	1	2	109	22	29	2	25	
2025 P.M. TURNS 5	23	121	3	1	1	1	2	109	22	28	2	25	
2035 P.M. TURNS 1	27	131	1	1	1	1	1	112	29	33	1	25	
2035 P.M. TURNS 2	24	133	3	1	1	1	2	123	26	34	2	27	
2035 P.M. TURNS 3	25	135	3	1	1	1	2	123	25	32	2	27	
2035 P.M. TURNS 4	25	135	3	1	1	1	2	122	25	32	2	28	
2035 P.M. TURNS 5	26	135	3	1	1	1	2	122	25	32	2	28	
2045 P.M. TURNS 1	30	142	1	1	1	1	1	122	32	35	1	27	
2045 P.M. TURNS 2	27	139	3	1	1	1	3	128	29	35	2	28	
2045 P.M. TURNS 3	28	140	3	1	1	1	2	128	28	34	2	28	
2045 P.M. TURNS 4	28	141	3	1	1	1	2	127	28	33	2	28	
2045 P.M. TURNS 5	29	141	3	1	1	1	2	127	28	33	2	29	

TMTOOL INPUT SHEET

Project Description:

SECTION NO.: 88070000	PREPARED BY:
FM NO.: 445618-1	FILE:
PROJECT LIMITS:	DATE:
DESIGN YEAR: 2045	T-INTERSECTION?
INTERSECTION: Sebastian Inlet State Park -South Driveway	MISSING Leg:

NOTES:**Historical AADTs:**

	<u>NORTH LEG</u>		<u>EAST LEG</u>		<u>SOUTH LEG</u>		<u>WEST LEG</u>	
	<u>YEAR</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>
	2016		-					
	2017		-					
	2018		-					
	2019		-					
Model Volume:	2045							

Growth Rates:

	<u>NORTH LEG</u>		<u>EAST LEG</u>		<u>SOUTH LEG</u>		<u>WEST LEG</u>	
Historic Trend GR =								
Historic + Model Trend GR =								
Base Year Model to Future Year Model GR =								
Recommended Growth Rate:	1.00%	CGR	-	CGR	1.00%	CGR	1.00%	CGR

Choose Methodology for Calculating Growth Factor on Each Leg (Input 1, 2 or 3)

1 = Compound Growth Throughout All Years

 2

 -

 2

 2

2 = Linear Growth Throughout All Years

3 = Blend of Compound Growth First Ten Years, Linear Growth Thereafter (Based Upon the Base Year AADT)

	<u>YEAR</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>
	2019	2,959		-		2,959		500	
NO. YEARS	6	2025	1.060	3,100	-	1.060	3,100	1.060	500
NO. YEARS	16	2035	1.160	3,400	-	1.160	3,400	1.160	600
NO. YEARS	26	2045	1.260	3,700	-	1.260	3,700	1.260	600

Percent Turns Calculated From Base Year TMCs:

TURN STUDY	FROM <u>NORTH LEG</u> (Southbound)			FROM <u>EAST LEG</u> (Westbound)			FROM <u>SOUTH LEG</u> (Northbound)			FROM <u>WEST LEG</u> (Eastbound)		
	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
A.M.	2-Way Pk Hr Vol:	222			-			204			66	
12/10/2019	23	101	-	-	-	-	-	78	11	12	-	18
% TURNS:	18%	81%	-	-	-	-	-	87%	12%	39%	-	58%
P.M.	2-Way Pk Hr Vol:	243			-			238			57	
12/10/2019	17	86	-	-	-	-	-	125	12	13	-	13
% TURNS:	16%	83%	-	-	-	-	-	91%	9%	48%	-	48%

Est. % Turns Calculated From Base Year AADTs & TMCs:
SUGGESTED STARTING POINTS

A.M.	<u>NORTH LEG</u>			<u>EAST LEG</u>			<u>SOUTH LEG</u>			<u>WEST LEG</u>		
	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>
2019	18%	81%	-	-	-	-	-	87%	12%	39%	-	58%
2025	18%	81%	-	-	-	-	-	86%	12%	40%	-	57%
2035	18%	81%	-	-	-	-	-	86%	13%	40%	-	57%
2045	18%	81%	-	-	-	-	-	86%	12%	40%	-	57%
P.M.												
2019	16%	83%	-	-	-	-	-	91%	9%	48%	-	48%
2025	16%	83%	-	-	-	-	-	90%	9%	48%	-	48%
2035	16%	83%	-	-	-	-	-	90%	9%	48%	-	48%
2045	16%	83%	-	-	-	-	-	89%	10%	48%	-	48%

K & D FACTORS:

K FACTOR	<u>NORTH LEG</u>			<u>EAST LEG</u>			<u>SOUTH LEG</u>			<u>WEST LEG</u>		
	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
2019	9.0%	9.0%	-	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%
2025	9.0%	9.0%	-	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%
2035	9.0%	9.0%	-	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%
2045	9.0%	9.0%	-	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%
D FACTOR												
2019	56.3%	42.8%	-	-	44.1%	58.0%	47.0%	47.0%	47.0%	47.4%		
2025	56.3%	42.8%	-	-	44.1%	58.0%	47.0%	47.0%	47.0%	47.4%		
2035	56.3%	42.8%	-	-	44.1%	58.0%	47.0%	47.0%	47.0%	47.4%		
2045	56.3%	42.8%	-	-	44.1%	58.0%	47.0%	47.0%	47.0%	47.4%		

TMTOOL "TURNS" REPORT

DESIGN HOUR TURNS CALCULATIONS

SECTION NO: 88070000
FM NO.: 445618-1

DATE: 2/11/2020
NOTES:

PROJECT LIMITS: 0

DESIGN YEAR: 2045

INTERSECTION: Sebastian Inlet State Park -South Driveway

PREPARED BY:

FILE: Version 2

ESTIMATED TWO-WAY 24 HOUR AADT FOR EACH LEG OF THE INTERSECTION:

	YEAR	NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
24 HR EST. AADT	2019	2,959			-			2,959			500		
24 HR EST. AADT	2025	3,100			-			3,100			500		
24 HR EST. AADT	2035	3,400			-			3,400			600		
24 HR EST. AADT	2045	3,700			-			3,700			600		

Percent Turns Calculated From Base Year AADTs:

JKTURNNS	2019 2-WAY ADT	FROM NORTH LEG			FROM EAST LEG			FROM SOUTH LEG			FROM WEST LEG		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2025 2-WAY ADT	RIGHT	2,959		-	RIGHT	THRU	LEFT	RIGHT	2,959		500		
	500	2,959	-	-	-	-	-	2,959	500	-	2,959	-	2,959
	14%	83%	-	-	-	-	-	83%	14%	49%	-	-	49%
2035 2-WAY ADT	RIGHT	3,100		-	RIGHT	THRU	LEFT	RIGHT	3,100		500		
	500	3,100	-	-	-	-	-	3,100	500	-	3,100	-	3,100
	14%	84%	-	-	-	-	-	84%	14%	49%	-	-	49%
2045 2-WAY ADT	RIGHT	3,400		-	RIGHT	THRU	LEFT	RIGHT	3,400		600		
	600	3,400	-	-	-	-	-	3,400	600	-	3,400	-	3,400
	15%	83%	-	-	-	-	-	83%	15%	49%	-	-	49%
	RIGHT	3,700		-	RIGHT	THRU	LEFT	RIGHT	3,700		600		
	600	3,700	-	-	-	-	-	3,700	600	-	3,700	-	3,700
	14%	84%	-	-	-	-	-	84%	14%	49%	-	-	49%

A.M. DESIGN HR. TURNS	2019	NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
EST. TURNS	17	142	-	-	-	-	-	-	108	11	10	-	11
EST. TURNS	17	146	-	-	-	-	-	-	111	11	10	-	11
EST. TURNS	15	162	-	-	-	-	-	-	124	10	12	-	13
EST. TURNS	15	170	-	-	-	-	-	-	129	10	11	-	12

P.M. DESIGN HR. TURNS	2019	NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
EST. TURNS	16	104	-	-	-	-	-	-	146	12	11	-	9
EST. TURNS	15	99	-	-	-	-	-	-	150	13	11	-	10
EST. TURNS	13	119	-	-	-	-	-	-	166	11	13	-	12
EST. TURNS	13	124	-	-	-	-	-	-	174	11	12	-	12

LINK VOLUME CHECK	DESIGN HOUR A.M.:	NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
		FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK
CONTROL LINK VOLUMES	2019	150	120	270	-	-	-	117	153	270	21	29	50
TURN SUMMARY	162	120	282	-	-	-	122	153	275	22	29	51	
CONTROL LINK VOLUMES	2025	157	123	280	-	-	-	123	157	280	21	29	50
TURN SUMMARY	166	123	289	-	-	-	125	157	282	22	29	51	
CONTROL LINK VOLUMES	2035	172	138	310	-	-	-	135	175	310	25	25	50
TURN SUMMARY	180	138	318	-	-	-	137	175	312	26	25	51	
CONTROL LINK VOLUMES	2045	188	142	330	-	-	-	147	183	330	25	25	50
TURN SUMMARY	188	142	330	-	-	-	142	183	325	25	25	50	
DESIGN HOUR P.M.:		FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK
CONTROL LINK VOLUMES	2019	114	156	270	-	-	-	154	116	270	21	29	50
TURN SUMMARY	122	156	278	-	-	-	161	116	277	22	29	51	
CONTROL LINK VOLUMES	2025	119	161	280	-	-	-	162	118	280	21	29	50
TURN SUMMARY	116	161	277	-	-	-	166	110	277	22	29	51	
CONTROL LINK VOLUMES	2035	131	179	310	-	-	-	177	133	310	26	24	50
TURN SUMMARY	134	179	313	-	-	-	179	133	312	26	24	50	
CONTROL LINK VOLUMES	2045	143	187	330	-	-	-	193	137	330	26	24	50
TURN SUMMARY	139	187	326	-	-	-	188	137	325	25	24	49	

Note: Boxed number indicates manual adjustment.

2-WAY		NORTH LEG EAST LEG			SOUTH LEG WEST LEG								
		FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK
2019 AM DESIGN HOUR VOLUMES	270	10	270	50									
2025 AM DESIGN HOUR VOLUMES	280	10	280	50									
2035 AM DESIGN HOUR VOLUMES	310	10	310	50									
2045 AM DESIGN HOUR VOLUMES	330	10	330	50									
DESIGN HOUR A.M.:		<u>NORTH LEG</u>			<u>EAST LEG</u>			<u>SOUTH LEG</u>			<u>WEST LEG</u>		
CONTROL LINK VOLUMES		150	120	270	3	7	10	117	153	270	21	29	50
2019 VOLUME #1	150	115	265	3	3	6	117	130	247	21	43	64	
2019 VOLUME #2	164	120	284	3	7	10	119	153	272	24	29	53	
2019 VOLUME #3	163	120	283	3	7	10	120	153	273	22	29	51	
2019 VOLUME #4	162	120	282	3	7	10	121	153	274	22	29	51	
2019 VOLUME #5	162	120	282	3	7	10	122	153	275	22	29	51	
CONTROL LINK VOLUMES	157	123	280	3	7	10	123	157	280	21	29	50	
2025 VOLUME #1	157	119	276	3	4	7	123	137	260	21	44	65	
2025 VOLUME #2	168	123	291	3	7	10	122	157	279	23	29	52	
2025 VOLUME #3	167	123	290	3	7	10	124	157	281	22	29	51	
2025 VOLUME #4	166	123	289	3	7	10	125	157	282	22	29	51	
2025 VOLUME #5	166	123	289	3	7	10	125	157	282	22	29	51	
CONTROL LINK VOLUMES	172	138	310	3	7	10	135	175	310	25	25	50	
2035 VOLUME #1	172	132	304	3	4	7	135	150	285	25	49	74	
2035 VOLUME #2	181	138	319	3	7	10	134	175	309	28	25	53	
2035 VOLUME #3	181	138	319	3	7	10	135	175	310	26	25	51	
2035 VOLUME #4	180	138	318	3	7	10	136	175	311	26	25	51	
2035 VOLUME #5	180	138	318	3	7	10	137	175	312	26	25	51	
CONTROL LINK VOLUMES	188	142	330	3	7	10	147	183	330	25	25	50	
2045 VOLUME #1	188	142	330	3	5	8	147	164	311	25	52	77	
2045 VOLUME #2	189	142	331	3	7	10	138	183	321	27	25	52	
2045 VOLUME #3	189	142	331	3	7	10	140	183	323	24	25	49	
2045 VOLUME #4	189	142	331	3	7	10	141	183	324	24	25	49	
2045 VOLUME #5	188	142	330	3	7	10	142	183	325	25	25	50	
RIGHT		<u>NORTH LEG</u>			<u>EAST LEG</u>			<u>SOUTH LEG</u>			<u>WEST LEG</u>		
2019 A.M. TURNS 1	28	121	1	1	1	1	1	101	14	8	1	12	
2019 A.M. TURNS 2	19	142	3	1	1	1	3	106	10	10	1	13	
2019 A.M. TURNS 3	18	142	3	1	1	1	3	107	10	9	1	12	
2019 A.M. TURNS 4	18	142	3	1	1	1	3	108	10	9	1	11	
2019 A.M. TURNS 5	17	142	2	1	1	1	3	108	11	10	1	11	
2025 A.M. TURNS 1	28	127	2	1	1	1	2	106	15	8	1	12	
2025 A.M. TURNS 2	18	146	3	1	1	1	3	110	10	10	1	12	
2025 A.M. TURNS 3	18	146	3	1	1	1	3	111	10	9	1	11	
2025 A.M. TURNS 4	18	146	3	1	1	1	3	111	11	10	1	11	
2025 A.M. TURNS 5	17	146	3	1	1	1	3	111	11	10	1	11	
2035 A.M. TURNS 1	31	139	2	1	1	1	2	116	17	10	1	14	
2035 A.M. TURNS 2	16	162	3	1	0	1	3	122	9	12	1	15	
2035 A.M. TURNS 3	15	163	3	1	1	1	3	123	9	11	1	13	
2035 A.M. TURNS 4	15	162	3	1	1	1	3	124	9	11	1	13	
2035 A.M. TURNS 5	15	162	3	1	1	1	3	124	10	12	1	13	
2045 A.M. TURNS 1	33	153	2	1	1	1	2	127	18	10	1	14	
2045 A.M. TURNS 2	16	171	3	1	0	1	3	127	9	11	1	14	
2045 A.M. TURNS 3	15	171	3	1	0	1	3	128	9	11	1	13	
2045 A.M. TURNS 4	15	171	3	1	0	1	3	128	9	11	1	12	
2045 A.M. TURNS 5	15	170	3	1	0	1	3	129	10	11	1	12	

2-WAY		NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG	
		NORTH LEG EAST LEG	SOUTH LEG WEST LEG						
2019 MIDDAY DESIGN HOUR VOLUMES	210	10	230	70					
2025 MIDDAY DESIGN HOUR VOLUMES	220	10	240	70					
2035 MIDDAY DESIGN HOUR VOLUMES	240	10	260	90					
2045 MIDDAY DESIGN HOUR VOLUMES	260	10	280	90					
DESIGN HOUR MID-DAY:		NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG	
		FROM	TO	LINK	FROM	TO	LINK	FROM	TO
CONTROL LINK VOLUMES		111	99	210	3	7	10	106	124
2019 VOLUME #1		111	100	211	3	3	6	106	120
2019 VOLUME #2		115	99	214	3	7	10	106	124
2019 VOLUME #3		115	99	214	3	7	10	107	124
2019 VOLUME #4		115	99	214	3	7	10	107	124
2019 VOLUME #5		114	99	213	3	7	10	108	124
CONTROL LINK VOLUMES		116	104	220	3	7	10	111	129
2025 VOLUME #1		116	105	221	3	3	6	111	124
2025 VOLUME #2		121	104	225	3	7	10	110	129
2025 VOLUME #3		121	104	225	3	7	10	111	129
2025 VOLUME #4		120	104	224	3	7	10	112	129
2025 VOLUME #5		120	104	224	3	7	10	112	129
CONTROL LINK VOLUMES		128	112	240	3	7	10	122	138
2035 VOLUME #1		128	117	245	3	4	7	122	138
2035 VOLUME #2		132	112	244	3	7	10	124	138
2035 VOLUME #3		131	112	243	3	7	10	124	138
2035 VOLUME #4		131	112	243	3	7	10	124	138
2035 VOLUME #5		131	112	243	3	7	10	124	138
CONTROL LINK VOLUMES		139	121	260	3	7	10	133	147
2045 VOLUME #1		139	126	265	3	4	7	133	147
2045 VOLUME #2		142	121	263	3	7	10	132	147
2045 VOLUME #3		141	121	262	3	7	10	133	147
2045 VOLUME #4		141	121	262	3	7	10	133	147
2045 VOLUME #5		140	121	261	3	7	10	133	147
RIGHT		NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG	
		THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2019 MIDDAY TURNS 1	12	98	1	1	1	1	1	84	21
2019 MIDDAY TURNS 2	12	101	2	1	1	1	2	83	20
2019 MIDDAY TURNS 3	11	101	2	1	1	1	2	84	21
2019 MIDDAY TURNS 4	11	101	2	1	1	1	2	84	21
2019 MIDDAY TURNS 5	11	101	2	1	1	1	2	84	21
2025 MIDDAY TURNS 1	13	102	1	1	1	1	1	88	21
2025 MIDDAY TURNS 2	12	106	3	1	1	1	3	88	20
2025 MIDDAY TURNS 3	12	106	2	1	1	1	3	88	20
2025 MIDDAY TURNS 4	11	106	2	1	1	1	3	89	21
2025 MIDDAY TURNS 5	11	106	2	1	1	1	3	89	21
2035 MIDDAY TURNS 1	14	112	1	1	1	1	1	97	23
2035 MIDDAY TURNS 2	17	112	3	1	1	1	2	93	28
2035 MIDDAY TURNS 3	17	112	2	1	1	1	2	93	28
2035 MIDDAY TURNS 4	17	112	2	1	1	1	2	93	28
2035 MIDDAY TURNS 5	17	112	2	1	1	1	3	93	28
2045 MIDDAY TURNS 1	16	122	2	1	1	1	2	106	25
2045 MIDDAY TURNS 2	17	122	3	1	1	1	3	102	28
2045 MIDDAY TURNS 3	17	121	3	1	1	1	3	102	28
2045 MIDDAY TURNS 4	17	121	3	1	1	1	3	102	28
2045 MIDDAY TURNS 5	17	121	3	1	1	1	3	103	28

2-WAY		NORTH LEG EAST LEG			SOUTH LEG WEST LEG								
		FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK
2019 PM DESIGN HOUR VOLUMES	270	10	270	50									
2025 PM DESIGN HOUR VOLUMES	280	10	280	50									
2035 PM DESIGN HOUR VOLUMES	310	10	310	50									
2045 PM DESIGN HOUR VOLUMES	330	10	330	50									
DESIGN HOUR P.M.:		<u>NORTH LEG</u>			<u>EAST LEG</u>			<u>SOUTH LEG</u>			<u>WEST LEG</u>		
CONTROL LINK VOLUMES		114	156	270	3	7	10	154	116	270	21	29	50
2019 VOLUME #1	114	151	265	3	3	6	154	105	259	21	33	54	
2019 VOLUME #2	123	156	279	3	7	10	159	116	275	23	29	52	
2019 VOLUME #3	123	156	279	3	7	10	160	116	276	22	29	51	
2019 VOLUME #4	122	156	278	3	7	10	160	116	276	22	29	51	
2019 VOLUME #5	122	156	278	3	7	10	161	116	277	22	29	51	
CONTROL LINK VOLUMES		119	161	280	3	7	10	162	118	280	21	29	50
2025 VOLUME #1	119	157	276	3	4	7	162	110	272	21	35	56	
2025 VOLUME #2	125	161	286	3	7	10	165	118	283	23	29	52	
2025 VOLUME #3	125	161	286	3	7	10	166	118	284	22	29	51	
2025 VOLUME #4	124	161	285	3	7	10	166	118	284	22	29	51	
2025 VOLUME #5	124	161	285	3	7	10	166	118	284	22	29	51	
CONTROL LINK VOLUMES		131	179	310	3	7	10	177	133	310	26	24	50
2035 VOLUME #1	131	172	303	3	4	7	177	122	299	26	39	65	
2035 VOLUME #2	134	179	313	3	7	10	178	133	311	28	24	52	
2035 VOLUME #3	134	179	313	3	7	10	179	133	312	27	24	51	
2035 VOLUME #4	134	179	313	3	7	10	179	133	312	26	24	50	
2035 VOLUME #5	134	179	313	3	7	10	179	133	312	26	24	50	
CONTROL LINK VOLUMES		143	187	330	3	7	10	193	137	330	26	24	50
2045 VOLUME #1	143	186	329	3	4	7	193	132	325	26	42	68	
2045 VOLUME #2	139	187	326	3	7	10	187	137	324	27	24	51	
2045 VOLUME #3	139	187	326	3	7	10	188	137	325	25	24	49	
2045 VOLUME #4	139	187	326	3	7	10	188	137	325	25	24	49	
2045 VOLUME #5	139	187	326	3	7	10	188	137	325	25	24	49	
RIGHT		<u>NORTH LEG</u>			<u>EAST LEG</u>			<u>SOUTH LEG</u>			<u>WEST LEG</u>		
2019 P.M. TURNS 1	19	94	1	1	1	1	1	139	13	10	1	1	10
2019 P.M. TURNS 2	16	104	3	1	1	1	3	144	12	11	2	10	
2019 P.M. TURNS 3	16	104	3	1	1	1	3	145	12	11	2	10	
2019 P.M. TURNS 4	16	104	3	1	1	1	3	145	12	11	2	10	
2019 P.M. TURNS 5	16	104	2	1	1	1	3	146	12	11	2	9	
2025 P.M. TURNS 1	19	99	1	1	1	1	1	146	15	10	1	1	10
2025 P.M. TURNS 2	16	106	3	1	1	1	3	150	12	11	1	10	
2025 P.M. TURNS 3	16	106	3	1	1	1	3	150	13	11	1	10	
2025 P.M. TURNS 4	16	106	3	1	1	1	3	150	13	11	1	10	
2025 P.M. TURNS 5	15	106	3	1	1	1	3	150	13	11	1	10	
2035 P.M. TURNS 1	21	108	2	1	1	1	2	159	17	13	1	13	
2035 P.M. TURNS 2	13	118	3	1	1	1	3	165	10	14	2	13	
2035 P.M. TURNS 3	13	119	3	1	1	1	3	166	10	13	1	12	
2035 P.M. TURNS 4	13	119	3	1	1	1	3	166	10	13	1	12	
2035 P.M. TURNS 5	13	119	3	1	1	1	3	166	11	13	1	12	
2045 P.M. TURNS 1	23	119	2	1	1	1	2	173	18	13	1	13	
2045 P.M. TURNS 2	13	123	3	1	0	1	3	173	11	13	1	13	
2045 P.M. TURNS 3	13	124	3	1	1	1	3	174	10	12	1	12	
2045 P.M. TURNS 4	13	124	3	1	1	1	3	174	11	12	1	12	
2045 P.M. TURNS 5	13	124	3	1	1	1	3	174	11	12	1	12	

TMTOOL INPUT SHEET

Project Description:

SECTION NO.: 88070000	PREPARED BY:
FM NO.: 445618-1	FILE:
PROJECT LIMITS:	DATE:
DESIGN YEAR: 2045	T-INTERSECTION?
INTERSECTION: Sebastian Inlet State Park - South Driveway	MISSING Leg:

NOTES:**Historical AADTs:**

	<u>NORTH LEG</u>		<u>EAST LEG</u>		<u>SOUTH LEG</u>		<u>WEST LEG</u>	
	<u>YEAR</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>	<u>AADT</u>
	2016		-					
	2017		-					
	2018		-					
	2019		-					
Model Volume:	2045							

Growth Rates:

	<u>NORTH LEG</u>		<u>EAST LEG</u>		<u>SOUTH LEG</u>		<u>WEST LEG</u>	
Historic Trend GR =	3.00%	CGR	-	CGR	3.00%	CGR	3.00%	CGR
Historic + Model Trend GR =	2.00%	CGR	-	CGR	2.00%	CGR	2.00%	CGR
Base Year Model to Future Year Model GR =	1.00%	CGR	-	CGR	1.00%	CGR	1.00%	CGR
Recommended Growth Rate:	1.00%	CGR	-	CGR	1.00%	CGR	1.00%	CGR

Choose Methodology for Calculating Growth Factor on Each Leg (Input 1, 2 or 3)

1 = Compound Growth Throughout All Years

2 = Linear Growth Throughout All Years

3 = Blend of Compound Growth First Ten Years, Linear Growth Thereafter (Based Upon the Base Year AADT)

	<u>YEAR</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>	<u>FACTOR</u>	<u>AADT</u>
	2019		2,959		-		2,959		990
NO. YEARS	6	2025	1.060	3,100	-	-	1.060	3,100	1.060
NO. YEARS	16	2035	1.160	3,400	-	-	1.160	3,400	1.160
NO. YEARS	26	2045	1.260	3,700	-	-	1.260	3,700	1.260

Percent Turns Calculated From Base Year TMCs:

TURN STUDY	FROM NORTH LEG (Southbound)			FROM EAST LEG (Westbound)			FROM SOUTH LEG (Northbound)			FROM WEST LEG (Eastbound)		
	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
A.M.	2-Way Pk Hr Vol:	327			-			294			105	
12/10/2019	31	135	-	-	-	-	122	18	17	-	37	366
% TURNS:	19%	81%	-	-	-	-	87%	13%	31%	-	67%	
P.M.	2-Way Pk Hr Vol:	354			-			325			167	
12/10/2019	67	122	-	-	-	-	133	44	24	-	30	426
% TURNS:	35%	64%	-	-	-	-	75%	25%	44%	-	55%	

Est. % Turns Calculated From Base Year AADTs & TMCs:
SUGGESTED STARTING POINTS

A.M.	<u>NORTH LEG</u>			<u>EAST LEG</u>			<u>SOUTH LEG</u>			<u>WEST LEG</u>		
	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>	<u>RIGHT</u>	<u>THRU</u>	<u>LEFT</u>
2019	19%	81%	-	-	-	-	-	87%	13%	31%	-	67%
2025	19%	80%	-	-	-	-	-	85%	14%	33%	-	65%
2035	19%	80%	-	-	-	-	-	85%	14%	33%	-	65%
2045	19%	80%	-	-	-	-	-	84%	15%	34%	-	64%
P.M.												
2019	35%	64%	-	-	-	-	-	75%	25%	44%	-	55%
2025	34%	65%	-	-	-	-	-	75%	25%	44%	-	54%
2035	34%	65%	-	-	-	-	-	75%	25%	44%	-	54%
2045	33%	66%	-	-	-	-	-	75%	25%	45%	-	54%

K & D FACTORS:

K FACTOR	<u>NORTH LEG</u>			<u>EAST LEG</u>			<u>SOUTH LEG</u>			<u>WEST LEG</u>		
	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM	AM	PM
2019	9.0%	9.0%	-	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%
2025	9.0%	9.0%	-	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%
2035	9.0%	9.0%	-	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%
2045	9.0%	9.0%	-	-	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%	9.0%
D FACTOR												
2019	51.1%	53.7%	-	-	48.0%	54.8%	52.4%	52.4%	52.4%	52.4%	32.9%	32.9%
2025	51.1%	53.7%	-	-	48.0%	54.8%	52.4%	52.4%	52.4%	52.4%	32.9%	32.9%
2035	51.1%	53.7%	-	-	48.0%	54.8%	52.4%	52.4%	52.4%	52.4%	32.9%	32.9%
2045	51.1%	53.7%	-	-	48.0%	54.8%	52.4%	52.4%	52.4%	52.4%	32.9%	32.9%

TMTOOL "TURNS" REPORT

DESIGN HOUR TURNS CALCULATIONS

SECTION NO: 88070000
FM NO.: 445618-1

DATE: 2/11/2020
NOTES:

PROJECT LIMITS: 0
DESIGN YEAR: 2045
INTERSECTION: Sebastian Inlet State Park - South Driveway
PREPARED BY:
FILE: Version 2

ESTIMATED TWO-WAY 24 HOUR AADT FOR EACH LEG OF THE INTERSECTION:

	YEAR	NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
24 HR EST. AADT	2019	2,959			-			2,959			990		
24 HR EST. AADT	2025	3,100			-			3,100			1,000		
24 HR EST. AADT	2035	3,400			-			3,400			1,100		
24 HR EST. AADT	2045	3,700			-			3,700			1,200		

Percent Turns Calculated From Base Year AADTs:

JKTURN	YEAR	FROM NORTH LEG			FROM EAST LEG			FROM SOUTH LEG			FROM WEST LEG		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2019 2-WAY ADT	2,959	-	-	-	-	-	-	2,959	-	-	990	-	-
	990	2,959	-	-	-	-	-	2,959	990	-	2,959	-	-
	24%	73%	-	-	-	-	-	73%	24%	-	49%	-	-
	3,100	-	-	-	-	-	-	3,100	1,000	-	1,000	-	-
2025 2-WAY ADT	3,100	-	-	-	-	-	-	3,100	1,000	-	3,100	-	-
	1,000	3,100	-	-	-	-	-	3,100	1,000	-	3,100	-	-
	24%	74%	-	-	-	-	-	74%	24%	-	49%	-	-
	3,400	-	-	-	-	-	-	3,400	-	-	1,100	-	-
2035 2-WAY ADT	3,400	-	-	-	-	-	-	3,400	-	-	3,400	-	-
	1,100	3,400	-	-	-	-	-	3,400	1,100	-	3,400	-	-
	24%	74%	-	-	-	-	-	74%	24%	-	49%	-	-
	3,700	-	-	-	-	-	-	3,700	-	-	1,200	-	-
2045 2-WAY ADT	3,700	-	-	-	-	-	-	3,700	1,200	-	3,700	-	-
	1,200	3,700	-	-	-	-	-	3,700	1,200	-	3,700	-	-
	24%	74%	-	-	-	-	-	74%	24%	-	49%	-	-
	2,959	-	-	-	-	-	-	2,959	-	-	990	-	-

A.M. DESIGN HR. TURNS	YEAR	NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
		RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT
2019	EST. TURNS	22	121	-	-	-	-	-	107	20	20	-	27
2025	EST. TURNS	22	125	-	-	-	-	-	111	20	20	-	26
2035	EST. TURNS	24	139	-	-	-	-	-	124	23	23	-	29
2045	EST. TURNS	27	145	-	-	-	-	-	128	25	24	-	31

P.M. DESIGN HR. TURNS

YEAR	EST. TURNS	RIGHT	THRU	LEFT									
2019	EST. TURNS	33	109	-	-	-	-	-	113	27	14	-	13
2025	EST. TURNS	32	98	-	-	-	-	-	116	27	14	-	13
2035	EST. TURNS	36	125	-	-	-	-	-	130	31	16	-	15
2045	EST. TURNS	39	130	-	-	-	-	-	134	34	17	-	16

LINK VOLUME CHECK DESIGN HOUR A.M.:	NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK
CONTROL LINK VOLUMES	136	134	270	-	-	-	128	142	270	47	43	90
2019 TURN SUMMARY	145	134	279	-	-	-	129	142	271	49	43	92
CONTROL LINK VOLUMES	142	138	280	-	-	-	134	146	280	47	43	90
2025 TURN SUMMARY	149	138	287	-	-	-	134	146	280	48	43	91
CONTROL LINK VOLUMES	156	154	310	-	-	-	147	163	310	52	48	100
2035 TURN SUMMARY	166	154	320	-	-	-	149	163	312	54	48	102
CONTROL LINK VOLUMES	170	160	330	-	-	-	160	170	330	57	53	110
2045 TURN SUMMARY	174	160	334	-	-	-	157	170	327	57	53	110

DESIGN HOUR P.M.:	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK
	CONTROL LINK VOLUMES	143	127	270	-	-	146	124	270	29	61	90
2019 TURN SUMMARY	144	127	271	-	-	-	143	124	267	29	61	90
CONTROL LINK VOLUMES	150	130	280	-	-	-	153	127	280	30	60	90
2025 TURN SUMMARY	132	130	262	-	-	-	146	113	259	29	60	89
CONTROL LINK VOLUMES	164	146	310	-	-	-	168	142	310	33	67	100
2035 TURN SUMMARY	163	146	309	-	-	-	164	142	306	32	67	99
CONTROL LINK VOLUMES	179	151	330	-	-	-	182	148	330	36	74	110
2045 TURN SUMMARY	172	151	323	-	-	-	171	148	319	34	74	108

Note: Boxed number indicates manual adjustment.

2-WAY		NORTH LEG EAST LEG			SOUTH LEG WEST LEG								
DESIGN HOUR A.M.:		NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG					
		FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK
CONTROL LINK VOLUMES		136	134	270	3	7	10	128	142	270	47	43	90
2019 VOLUME #1		136	143	279	3	3	6	128	125	253	47	43	90
2019 VOLUME #2		152	134	286	3	7	10	122	142	264	48	43	91
2019 VOLUME #3		149	134	283	3	7	10	126	142	268	48	43	91
2019 VOLUME #4		147	134	281	3	7	10	128	142	270	48	43	91
2019 VOLUME #5		145	134	279	3	7	10	129	142	271	49	43	92
CONTROL LINK VOLUMES		142	138	280	3	7	10	134	146	280	47	43	90
2025 VOLUME #1		142	146	288	3	3	6	134	130	264	47	47	94
2025 VOLUME #2		155	138	293	3	7	10	128	146	274	48	43	91
2025 VOLUME #3		152	138	290	3	7	10	131	146	277	48	43	91
2025 VOLUME #4		150	138	288	3	7	10	133	146	279	48	43	91
2025 VOLUME #5		149	138	287	3	7	10	134	146	280	48	43	91
CONTROL LINK VOLUMES		156	154	310	3	7	10	147	163	310	52	48	100
2035 VOLUME #1		156	160	316	3	3	6	147	143	290	52	52	104
2035 VOLUME #2		172	154	326	3	7	10	142	163	305	54	48	102
2035 VOLUME #3		170	154	324	3	7	10	146	163	309	53	48	101
2035 VOLUME #4		167	154	321	3	7	10	148	163	311	54	48	102
2035 VOLUME #5		166	154	320	3	7	10	149	163	312	54	48	102
CONTROL LINK VOLUMES		170	160	330	3	7	10	160	170	330	57	53	110
2045 VOLUME #1		170	173	343	3	4	7	160	156	316	57	57	114
2045 VOLUME #2		181	160	341	3	7	10	149	170	319	57	53	110
2045 VOLUME #3		178	160	338	3	7	10	153	170	323	56	53	109
2045 VOLUME #4		175	160	335	3	7	10	155	170	325	57	53	110
2045 VOLUME #5		174	160	334	3	7	10	157	170	327	57	53	110
RIGHT		NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG					
RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	RIGHT	THRU	LEFT	
2019 A.M. TURNS 1	25	110	1	1	1	1	1	111	16	15	1	32	
2019 A.M. TURNS 2	25	124	2	1	1	1	2	104	16	16	2	30	
2019 A.M. TURNS 3	24	123	2	1	1	1	3	105	18	18	2	28	
2019 A.M. TURNS 4	23	122	2	1	1	1	3	106	19	19	2	27	
2019 A.M. TURNS 5	22	121	2	1	1	1	3	107	20	20	2	27	
2025 A.M. TURNS 1	27	114	1	1	1	1	1	114	19	15	1	31	
2025 A.M. TURNS 2	25	128	2	1	1	1	3	108	17	17	2	29	
2025 A.M. TURNS 3	24	127	2	1	1	1	3	110	19	18	2	27	
2025 A.M. TURNS 4	23	126	2	1	1	1	3	110	20	19	2	27	
2025 A.M. TURNS 5	22	125	2	1	1	1	3	111	20	20	2	26	
2035 A.M. TURNS 1	30	125	1	1	1	1	1	125	21	17	1	34	
2035 A.M. TURNS 2	28	142	3	1	1	1	3	120	19	20	2	33	
2035 A.M. TURNS 3	26	141	2	1	1	1	3	122	21	21	2	31	
2035 A.M. TURNS 4	25	140	2	1	1	1	3	123	22	22	2	30	
2035 A.M. TURNS 5	24	139	2	1	1	1	3	124	23	23	2	29	
2045 A.M. TURNS 1	33	135	1	1	1	1	1	135	23	19	1	37	
2045 A.M. TURNS 2	31	148	3	1	1	1	3	125	22	21	2	34	
2045 A.M. TURNS 3	29	146	2	1	1	1	3	127	23	22	2	32	
2045 A.M. TURNS 4	28	145	2	1	1	1	3	128	24	23	2	31	
2045 A.M. TURNS 5	27	145	2	1	1	1	3	128	25	24	2	31	

2-WAY		NORTH LEG		EAST LEG		SOUTH LEG		WEST LEG	
		NORTH LEG EAST LEG	SOUTH LEG WEST LEG						
2019 MIDDAY DESIGN HOUR VOLUMES	210	10	230	70					
2025 MIDDAY DESIGN HOUR VOLUMES	220	10	240	70					
2035 MIDDAY DESIGN HOUR VOLUMES	240	10	260	80					
2045 MIDDAY DESIGN HOUR VOLUMES	260	10	280	90					
DESIGN HOUR MID-DAY:		<u>NORTH LEG</u>		<u>EAST LEG</u>		<u>SOUTH LEG</u>		<u>WEST LEG</u>	
CONTROL LINK VOLUMES		FROM	TO	LINK	FROM	TO	LINK	FROM	TO
2019 VOLUME #1	111	99	210	3	7	10	106	124	230
2019 VOLUME #2	111	100	211	3	3	6	106	120	226
2019 VOLUME #3	115	99	214	3	7	10	106	124	230
2019 VOLUME #4	115	99	214	3	7	10	107	124	231
2019 VOLUME #5	114	99	213	3	7	10	108	124	232
CONTROL LINK VOLUMES	116	104	220	3	7	10	111	129	240
2025 VOLUME #1	116	104	220	3	3	6	111	122	233
2025 VOLUME #2	121	104	225	3	7	10	110	129	239
2025 VOLUME #3	121	104	225	3	7	10	111	129	240
2025 VOLUME #4	120	104	224	3	7	10	112	129	241
2025 VOLUME #5	120	104	224	3	7	10	112	129	241
CONTROL LINK VOLUMES	128	112	240	3	7	10	122	138	260
2035 VOLUME #1	128	114	242	3	4	7	122	135	257
2035 VOLUME #2	131	112	243	3	7	10	120	138	258
2035 VOLUME #3	131	112	243	3	7	10	121	138	259
2035 VOLUME #4	130	112	242	3	7	10	122	138	260
2035 VOLUME #5	130	112	242	3	7	10	122	138	260
CONTROL LINK VOLUMES	139	121	260	3	7	10	133	147	280
2045 VOLUME #1	139	124	263	3	4	7	133	145	278
2045 VOLUME #2	141	121	262	3	7	10	131	147	278
2045 VOLUME #3	140	121	261	3	7	10	131	147	278
2045 VOLUME #4	140	121	261	3	7	10	132	147	279
2045 VOLUME #5	140	121	261	3	7	10	132	147	279
<u>NORTH LEG</u>		<u>EAST LEG</u>		<u>SOUTH LEG</u>		<u>WEST LEG</u>			
RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT
2019 MIDDAY TURNS 1	12	98	1	1	1	1	84	21	21
2019 MIDDAY TURNS 2	12	101	2	1	1	1	83	20	22
2019 MIDDAY TURNS 3	11	101	2	1	1	1	84	21	2
2019 MIDDAY TURNS 4	11	101	2	1	1	1	84	21	2
2019 MIDDAY TURNS 5	11	101	2	1	1	1	84	21	2
2025 MIDDAY TURNS 1	14	101	1	1	1	1	87	22	21
2025 MIDDAY TURNS 2	12	106	3	1	1	1	88	20	22
2025 MIDDAY TURNS 3	12	106	2	1	1	1	88	20	22
2025 MIDDAY TURNS 4	12	106	2	1	1	1	89	20	22
2025 MIDDAY TURNS 5	11	106	2	1	1	1	89	21	22
2035 MIDDAY TURNS 1	16	111	1	1	1	1	96	25	23
2035 MIDDAY TURNS 2	15	113	3	1	1	1	94	23	23
2035 MIDDAY TURNS 3	15	114	3	1	1	1	95	24	23
2035 MIDDAY TURNS 4	14	113	2	1	1	1	95	24	24
2035 MIDDAY TURNS 5	14	113	2	1	1	1	95	24	2
2045 MIDDAY TURNS 1	18	119	2	1	1	1	104	27	25
2045 MIDDAY TURNS 2	18	121	3	1	1	1	102	27	25
2045 MIDDAY TURNS 3	17	121	3	1	1	1	102	27	25
2045 MIDDAY TURNS 4	17	120	3	1	1	1	102	27	25
2045 MIDDAY TURNS 5	17	120	2	1	1	1	102	27	26

2-WAY		NORTH LEG EAST LEG			SOUTH LEG WEST LEG								
DESIGN HOUR P.M.:		FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK	FROM	TO	LINK
CONTROL LINK VOLUMES		143	127	270	3	7	10	146	124	270	29	61	90
2019 VOLUME #1	2019	143	126	269	3	2	5	146	105	251	29	88	117
2019 VOLUME #2	2019	146	127	273	3	7	10	138	124	262	33	61	94
2019 VOLUME #3	2019	146	127	273	3	7	10	141	124	265	29	61	90
2019 VOLUME #4	2019	145	127	272	3	7	10	143	124	267	29	61	90
2019 VOLUME #5	2019	144	127	271	3	7	10	143	124	267	29	61	90
CONTROL LINK VOLUMES		150	130	280	3	7	10	153	127	280	30	60	90
2025 VOLUME #1	2025	150	131	281	3	3	6	153	112	265	30	90	120
2025 VOLUME #2	2025	148	130	278	3	7	10	141	127	268	32	60	92
2025 VOLUME #3	2025	148	130	278	3	7	10	144	127	271	29	60	89
2025 VOLUME #4	2025	147	130	277	3	7	10	145	127	272	29	60	89
2025 VOLUME #5	2025	146	130	276	3	7	10	146	127	273	29	60	89
CONTROL LINK VOLUMES		164	146	310	3	7	10	168	142	310	33	67	100
2035 VOLUME #1	2035	164	144	308	3	3	6	168	123	291	33	98	131
2035 VOLUME #2	2035	165	146	311	3	7	10	158	142	300	36	67	103
2035 VOLUME #3	2035	165	146	311	3	7	10	162	142	304	33	67	100
2035 VOLUME #4	2035	164	146	310	3	7	10	163	142	305	32	67	99
2035 VOLUME #5	2035	163	146	309	3	7	10	164	142	306	32	67	99
CONTROL LINK VOLUMES		179	151	330	3	7	10	182	148	330	36	74	110
2045 VOLUME #1	2045	179	156	335	3	3	6	182	135	317	36	105	141
2045 VOLUME #2	2045	174	151	325	3	7	10	166	148	314	38	74	112
2045 VOLUME #3	2045	174	151	325	3	7	10	169	148	317	34	74	108
2045 VOLUME #4	2045	173	151	324	3	7	10	170	148	318	34	74	108
2045 VOLUME #5	2045	172	151	323	3	7	10	171	148	319	34	74	108
RIGHT		NORTH LEG			EAST LEG			SOUTH LEG			WEST LEG		
RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	LEFT	RIGHT	THRU	RIGHT	THRU	LEFT
2019 P.M. TURNS 1	50	92	1	1	1	1	1	109	36	13	1	16	
2019 P.M. TURNS 2	35	108	3	1	1	1	3	110	25	15	2	16	
2019 P.M. TURNS 3	34	109	2	1	1	1	3	112	26	14	2	14	
2019 P.M. TURNS 4	33	109	2	1	1	1	3	113	27	14	2	13	
2019 P.M. TURNS 5	33	109	2	1	1	1	3	113	27	14	2	13	
2025 P.M. TURNS 1	51	98	1	1	1	1	1	114	38	13	1	16	
2025 P.M. TURNS 2	34	111	3	1	1	1	3	113	25	15	1	16	
2025 P.M. TURNS 3	33	112	3	1	1	1	3	115	26	14	1	14	
2025 P.M. TURNS 4	33	112	3	1	1	1	3	115	27	14	1	14	
2025 P.M. TURNS 5	32	111	3	1	1	1	3	116	27	14	1	13	
2035 P.M. TURNS 1	56	107	1	1	1	1	1	125	41	15	1	18	
2035 P.M. TURNS 2	38	124	3	1	1	1	3	127	28	17	1	18	
2035 P.M. TURNS 3	37	125	3	1	1	1	3	129	29	16	1	16	
2035 P.M. TURNS 4	36	125	3	1	1	1	3	130	30	16	1	15	
2035 P.M. TURNS 5	36	125	3	1	1	1	3	130	31	16	1	15	
2045 P.M. TURNS 1	60	118	1	1	1	1	1	136	45	16	1	19	
2045 P.M. TURNS 2	42	129	3	1	1	1	3	131	31	18	1	19	
2045 P.M. TURNS 3	41	130	3	1	1	1	3	133	33	17	1	17	
2045 P.M. TURNS 4	40	130	3	1	1	1	3	134	33	17	1	16	
2045 P.M. TURNS 5	39	130	3	1	1	1	3	134	34	17	1	16	