# OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 5J-17.0

# SPECIFIC PURPOSE SURVEY VERIFIED UTILITY LOCATE SHEET

### SUMMARY OF VERIFIED UTILITIES

| Vvh #  | UTILITY DESCRIPTION<br>(Owner, type)      | SIZE      | MATERIALS          | ST AT I ONS<br>SR25 ( U | DERIVED FF<br>S27 ) (TYF | ROM BE | EXISTING<br>- GROUND<br>ELEVATION | TOP<br>ELEVATION | COMMENTS   |
|--------|---|-----------|--------------------|-------------------------|--------------------------|--------|-----------------------------------|------------------|--|
| vvii # |   | 3122      | MATERIALS          | STATION                 | OFFSET                   | LT/RT  |                                   |                  | COMMENTS   |
| 1      | CENTURY LINK/LUMEN, BURIED TELEPHONE      | 2"        | PEP                | 229+51.96               | 56.06                    | LT     | 19.6                              | 13.6             |  |
| 2      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC    | 2"        | PEP                | 234+68.08               | 90.09                    | RT     | 18.8                              | 14.7             | POSSIBLE FIBER OPTIC                               |
| 2A     | FLORIDA CITY GAS/FP&L, GAS MAIN           | 6"        | STEEL              | 234+68.60               | 74.92                    | RT     | 19.7                              | 15.1             | COATED STEEL GREEN                                 |
| 3      | SOUTH SHORE WATER ASSOCIATION, WATER MAIN | 6"        | PVC                | 237+96.81               | 98.90                    | RT     | 17.3                              | 14.1             |  |
| 4      | EXPLORATORY, NO UTILITY FOUND             | N/A       | N/A                | 258+42.18               | 62.40                    | LT     | 19.3                              | N/A              | TEST HOLE PERFORMED ON REQUESTED WM                |
|        |   |           |                    |                         |                          |        |                                   |                  | DUG TO 5' PROBED TO ±10' NO UTILITY FOUND          |
| 5      | CENTURY LINK/LUMEN, BURIED TELEPHONE      | 0.5"      | DBC                | 258+67.51               | 79.37                    | LT     | 18.2                              | 15.4             |  |
| 6      | CENTURY LINK/LUMEN, BURIED TELEPHONE      | 2" / 0.5" | CONDUIT CASING/DBC | 258+84.54               | 50.91                    | LT     | 19.4                              | 11.2             |  |
| 7      | EXPLORATORY, NO UTILITY FOUND             | N/A       | N/A                | 258+84.22               | 11.19                    | RT     | 19.4                              | N/A              | TEST HOLE PERFORMED ON EM SIGNAL TO A DEPTH        |
|        |   |           |                    |                         |                          |        |                                   |                  | OF ±10.0' NO UTILITY FOUND. EM SIGNAL READS ±15.3' |
| 8      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC    | (3)2"     | PEP                | 270+02.89               | 87.18                    | RT     | 18.9                              | 14.7             |  |
| 9      | NO UTILITY FOUND                          | N/A       | N/A                | 276+52.82               | 78.89                    | LT     | 19.0                              | 17.0             | UNCOVERED CONCRETE AT 3.5'. DID NOT BREAK.         |
|        |   |           |                    |                         |                          |        |                                   |                  | FEAR OF DAMAGE UTILITY. UNABLE TO CONFIRM UTILITY  |
| 10     | EXPLORATORY, NO UTILITY FOUND             | N/A       | N/A                | 275+87 . 49             | 82.91                    | RT     | 19.3                              | N/A              | REQUESTED GAS LINE DUG 1' x 3'x5' DEEP             |
|        |   |           |                    |                         |                          |        |                                   |                  | PROBED ±10' NO UTILITY FOUND                       |
| 11     | CENTURY LINK/LUMEN, BURIED FIBER OPTIC    | 2"        | PEP                | 276+67.67               | 85.61                    | RT     | 19.0                              | 15.3             |  |
| 12     | CENTURY LINK/LUMEN, BURIED FIBER OPTIC    | (3)2"     | PEP                | 280+00.56               | 84.95                    | RT     | 19.0                              | 14.4             |  |
| 13     | SOUTH SHORE WATER ASSOCIATION, WATER MAIN | 6"        | PVC                | 279+63.18               | 94.00                    | RT     | 18.1                              | 15.0             |  |
| 14     | CENTURY LINK/LUMEN, BURIED TELEPHONE      | 0.5"      | DBC                | 286+92.50               | 97.98                    | LT     | 17.7                              | 14.7             |  |

### SURVEYOR'S NOTES:

SUBSURFACE UTILITY ENGINEERING NOTES:

1. OWNERSHIP IS BASED UPON OBSERVING ABOVE GROUND UTILITY FEATURES, SUNSHINE 811 DIG TICKET AND PROFESSIONAL JUDGEMENT. NO RECORDS RESEARCH WAS PERFORMED BY DRMP.

### SURVEYOR'S NOTES:

- 1. SURVEY OF UTILITIES WAS PERFORMED BY DRMP.
- 2. VERTICAL INFORMATION IS RELATIVE TO NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88).
- BEARINGS AND COORDINATES ARE RELATIVE TO THE STATE PLANE COORDINATES FLORIDA EAST ZONE, NORTH AMERICAN DATUM OF 1983 (NAD 83) ADJUSTMENT 2011.
- 4. STATION AND OFFSET DERIVED FROM THE BASELINE OF SURVEY OF SR 25
  AS PROVIDED BY FDOT PROJECT NETWORK CONTROL
  (PNC) FINANCIAL PROJECT ID 448938-1-52-01.
- 5. PROJECT UNITS IN U.S SURVEY FEET
- 6. THE SPECIFIC PURPOSE OF THIS SURVEY IS TO DETERMINE THE HORIZONTAL AND VERTICAL LOCATION OF VACUUM TEST HOLES AS MARKED ON THE SURFACE BY THE SUBSURFACE UTILITY ENGINEERING DEPARTMENT OF DRMP INC.
- 7. DRMP PROJECT # 20-0146.012

# LEGEND:

TRANSITE PIPE ACP₿ BASELINE CENTERLINE CONCCONCRETE COVERED UTILTY CAST IRON CICONCRETE PIPE CPDUCTILE IRON PIPE DIPDIRECT BURIED CABLE DBCBANK OF MULTIPLE PIPES DUCT FLORIDA DEPARTMENT OF TRANSPORTATION FDOT

HDPE HIGH-DENSITY POLYETHYLENE

LT LEFT

N/A NOT APPLICABLE

PCCP PRE-STRESSED CONCRETE CYLIDER PIPE

PP PER PLANS

PSM PROFESSIONAL SURVEYOR AND MAPPER

PVC POLYVINYL CHLORIDE

RCP REINFORCED CONCRETE PIPE

RT RIGHT

SR STATE ROAD

STL STEEL PIPE

TC TRAFFIC CONTROL

TH TEST HOLE

UNK. UNKNOWN
UTV UTILITY VERIFICATION SHEET


VCP VITRIFIED CLAY PIPE
VvH VERIFIED VERTICALLY & H

VERIFIED VERTICALLY & HORIZONTALLY

LIMITS: SR 25(US 27) MP 7.704 TO MP 11.747(ALONG SR25 FROM STITT RANCH TO FLAGHOLE ROAD,

SURVEYOR'S CERTIFICATION

I HEREBY CERTIFY THIS SPECIFIC PURPOSE SURVEY WAS MADE FOR THE PURPOSE OF SURVEYING, REFERENCING, DESCRIBING AND MAPPING THE UTILITY VACUUM EXCAVATIONS, AS MARKED ON THE SURFACE FOR THE TRANSPORTATION FACILITY DEPICTED HEREON AND THAT SAID SURVEY WAS DONE UNDER MY RESPONSIBLE CHARGE AND MEETS THE STANDARDS OF PRACTICE SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN CHAPTER 5J-17 FLORIDA ADMINISTRATIVE CODE PURSUANT TO SECTION 472.027 FLORIDA STATUTES. THIS MAP CONSISTING OF SHEET 01-04 IS A TRUE, ACCURATE AND COMPLETE DEPICTION OF THE RESULTS OF A FIELD SURVEY PERFORMED UNDER MY DIRECTION AND COMPLETED OCTOBER 13,2023



SURVEYOR: JAY SCAGLIOLA PSM NUMBER: 5066

PRINTED COPIES OF THIS SHEET ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

THE ABOVE NAMED PROFESSIONAL SURVEYOR AND MAPPER SHALL BE RESPONSIBLE FOR THE FOLLOWING SHEETS IN ACCORDANCE WITH RULE 5J-17.062, F.A.C.

SHEET\_NO.

UTV1-UTV4

SHEET DESCRIPTION

VERIFIED UTILITY LOCATE SHEET

|      | REVIS       | IONS |             | PROFESSIONAL SURVEYOR and MAPPER                   |          | STATE OF FI     | LORIDA               |  |
|------|-------------|------|-------------|--|----------|-----------------|----------------------|--|
| DATE | DESCRIPTION | DATE | DESCRIPTION | JAY SCAGLIOLA, PSM<br>LICENSE NUMBER 5066          | DEP.     | ARTMENT OF TRAI | NS PORTATION         |  |
|      |             |      |             | DRMP INC.  | ROAD NO. | COUNTY          | FINANCIAL PROJECT ID |  |
|      |             |      |             | 6853 SW 18TH ST, SUITE 310<br>BOCA RATON, FL 33433 | SR 25    | HENDRY          | 448938-1-52-01       |  |

VERIFIED UTILITY LOCATE

SHEET NO.

UTV-1

# SPECIFIC PURPOSE SURVEY VERIFIED UTILITY LOCATE SHEET

## SUMMARY OF VERIFIED UTILITIES

| Vvh #           | UTILITY DESCRIPTION  | SIZE      | MATERIALS -        | ST AT I ONS<br>SR25 ( U | DERIVED FF<br>S27 ) (TYF | ROM BE   | EXISTING<br>GROUND | TOP          | COMMENTS   |
|-----------------|--|-----------|--------------------|-------------------------|--------------------------|----------|--------------------|--------------|--|
| VVII #          | (Owner, type)  | 5126      | MATERIALS          | STATION                 | OFFSET                   | LT/RT    | ELEVATION          | ELEVATION    | COMMENTS   |
| 15              | CENTURY LINK/LUMEN, BURIED TELEPHONE   | 2" / 0.5" | CONDUIT CASING/DBC | 287+20.58               | 53.02                    | LT       | 20.5               | 15.4         |  |
| 16              | CENTURY LINK/LUMEN, BURIED TELEPHONE   | 1 "       | DBC                | 287+19.05               | 12.15                    | RT       | 20.1               | 14.8         |  |
| 17              | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 286+81.95               | 87.28                    | RT       | 19.2               | N/A          | REQUESTED WATER LINE DUG 1'x2'x 5' DEEP  |
|                 |  |           |                    |                         |                          |          |                    |              | PROBED TO ±10' NO UTILITY FOUND  |
| 18              | CENTURY LINK/LUMEN, BURIED FIBER OPTIC   | (3)2"     | PEP                | 286+82.79               | 85.71                    | RT       | 19.1               | 14.9         |  |
| 19              | SOUTH SHORE WATER ASSOCIATION, WATER MAIN  | 6 "       | PVC                | 288+74.25               | 91.19                    | RT       | 18.3               | 14.9         |  |
|                 | CENTURY LINK/LUMEN, BURIED FIBER OPTIC   | 2"        | PEP                | 288+72.96               | 101.81                   | RT       | 16.4               | 13.6         |  |
|                 | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 288+72.96               | 101.81                   | RT       | 16.4               | N/A          | DUG TO 5'. PROBED TO ±10' NO UTILITY FOUND   |
|                 | CENTURY LINK/LUMEN, BURIED TELEPHONE   | 0.5"      | DBC                | 292+17 . 45             | 79.99                    | LT       | 18.2               | 16.7         |  |
|                 | CENTURY LINK/LUMEN, BURIED TELEPHONE   | 2" / 0.5" | CONDUIT CASING/DBC | 292+24.99               | 57.62                    | LT       | 19.6               | 13.9         |  |
| 24              | CENTURY LINK/LUMEN BURIED TELEPHONE  | UNK       | UNK                | 292+26 . 50             | 18.36                    | LT       | 20.8               | 11.7         | DEBRIS AT LOCATION UNABLE TO EXPOSE  |
| 2.5             | EVELORATORY NO LITTLETY FOUND  |           | 1                  | 202.27.00               | 0.4.51                   |          | 10.2               |              | OR CONFIRM UTILITY DUE TO DEPTH  |
| 25              | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 292+27 . 99             | 84.51                    | RT       | 19.2               | N/A          | REQUESTED TELEPHONE DUG 1'x2'x5' DEEP  |
| 2.0             | EVELORATORY NO UTILITY FOUND   | N/ A      | N/ (A              | 202,27.74               | 06.21                    | DT       | 10.2               | A1 / A       | PROBED TO ±10' NO UTILITY FOUND  |
| 26              | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 292+27.74               | 86.21                    | RT       | 19.2               | N/A          | REQUESTED FIBER OPTIC DUG 1'x2'x5' DEEP  |
| 27              | EXPLORATORY. NO UTILITY FOUND  | N/A       | N/A                | 297+04.98               | 97.57                    | RT       | 17.8               | N/A          | PROBED TO ±7' NO UTILITY FOUND  REQUESTED FIBER OPTIC DUG 1'x4'x5' DEEP                    |
|                 | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 297704.90               | 97.37                    |          | 17.0               | N/A          | PROBED TO ±10'NO UTILITY FOUND   |
| 28              | SOUTH SHORE WATER ASSOCIATION, WATER MAIN  | 6"        | PVC                | 298+68.97               | 93.19                    | RT       | 17.9               | 15.1         | PROBED TO ±10 NO OTILITI FOUND   |
| 29              | CENTURY LINK/LUMEN, BURIED TELEPHONE   | 1"        | DBC                | 304+07.89               | 99.91                    | RT       | 17.4               | 14.7         |  |
| 30              | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 303+68.83               | 26.47                    | RT       | 19.2               | N/A          | PERFORMED TEST HOLE 6'x6'x5' DEEP  |
|                 | EXTENSION, NO OTTENT TOOMS   | 14/71     | 10771              | 303100.03               | 20.47                    | - ~ ~    | 13.2               | 1771         | PROBED TO ±10' NO UTILITY FOUND  |
| 31              | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 303+68.83               | 26.47                    | RT       | 19.2               | N/A          | PERFORMED TEST HOLE 6'x6'x5' DEEP  |
|                 |  | ,         | ,                  |                         |                          |          |                    | ,            | PROBED TO ±10' NO UTILITY FOUND  |
| 32              | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 303+68.83               | 26.47                    | RT       | 19.2               | N/A          | PERFORMED TEST HOLE 6'x6'x5' DEEP  |
|                 |  |           |                    |                         |                          |          |                    | ·            | PROBED TO ±10' NO UTILITY FOUND  |
| 33              | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 303+68.72               | 26.41                    | RT       | 19.5               | N/A          | PERFORMED TEST HOLE 6'x6'x5' DEEP  |
|                 |  |           |                    |                         |                          |          |                    |              | PROBED TO ±10' NO UTILITY FOUND  |
| 34              | FLORIDA CITY GAS/FP&L, GAS MAIN  | 6"        | STEEL              | 312+03.79               | 76.03                    | RT       | 20.1               | 16.1         | COATED STEEL   |
| 35              | CENTURY LINK/LUMEN, BURIED FIBER OPTIC   | (4)2"     | PEP                | 312+03.06               | 79.41                    | RT       | 20.1               | 15.5         |  |
| 36              | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 317+01.64               | 81.27                    | RT       | 20.0               | N/A          | PERFORMED TEST HOLE ON REQUESTED FIBER OPTIC   |
|                 |  |           |                    |                         |                          |          |                    |              | DUG 1'x4'x6' DEEP PROBED TO ±10' NO UTILITY FOUND  |
| 37              | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 311+31.46               | 22.20                    | RT       | 18.7               | N/A          | PERFORMED TEST HOLE 1'x3'x5' DEEP  |
|                 |  |           |                    |                         |                          |          |                    |              | PROBED TO ±10' NO UTILITY FOUND  |
| 38              | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 311+44.12               | 21.47                    | RT       | 18.5               | N/A          | PERFORMED TEST HOLE 1'x3'x5' DEEP  |
| 20              | WALL 20 NOT BEREORMED  | 21/4      | 1 1/4              | A1 / A                  | A/ ( A                   | 2//2     | A1 / A             | A1 / A       | PROBED TO ±10'NO UTILITY FOUND   |
|                 | VVH 39 NOT PERFORMED   | N/A       | N/A                | N/A                     | N/A                      | N/A      | N/A                | N/A          | DID NOT PERFORM HOLE BASED ON NO GPR READING   |
| 40              | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 318+93.93               | 59.67                    | RT       | 18.8               | N/A          | PERFORMED TEST HOLE 3'x1'x5' DEEP ON REQUESTED   TELEPHONE PROBED TO ±10' NO UTILITY FOUND |
| 41              | CENTURY LINK/LUMEN, BURIED FIBER OPTIC   | (4)2"     | PEP                | 318+95.74               | 79.48                    | RT       | 20.1               | 16.0         | TELETITIONE FRODED TO 110 NO UTILITY FOUND   |
| 42              | CENTURY LINK/LUMEN, BURIED FIBER OPTIC   | (4)2"     | PEP                | 319+11.68               | 79.59                    | RT       | 20.2               | 16.0         |  |
|                 | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 328+99.10               | 81.33                    | RT       | 19.7               | N/A          | PERFORMED TEST HOLE 1'x4'x6' DEEP ON REQUESTED   |
|                 |  |           |                    |                         |                          |          |                    |              | FIBER OPTIC PROBED TO ±10' NO UTILITY FOUND  |
|                 | FLORIDA CITY GAS/FP&L, GAS MAIN  | 6"        | STEEL              | 328+98.82               | 75.04                    | RT       | 19.9               | 15.8         | COATED STEEL   |
| 45              | CENTURY LINK/LUMEN, BURIED FIBER OPTIC   | (4)2"     | PEP                | 332+32.02               | 78.34                    | RT       | 20.2               | 15.7         |  |
| <u>46</u><br>47 | CENTURY LINK/LUMEN, BURIED FIBER OPTIC   | (4)2"     | PEP                | 336+98.83<br>346+43.33  | 79.80                    | RT       | 19.8               | 15.3<br>18.8 |  |
| 47<br>48        | CENTURY LINK/LUMEN, BURIED ELECTRIC<br>  SOUTH SHORE WATER ASSOCIATION, WATER MAIN | 2"<br>6"  | PVC<br>PVC         | 346+43.33<br>347+05.47  | 17.82<br>90.08           | LT<br>RT | 20.6<br>19.5       | 18.8         |  |
| <u>46</u><br>49 | SOUTH SHORE WATER ASSOCIATION, WATER MAIN  | 6"        | PVC                | 346+76.23               | 91.62                    | RT       | 19.3               | 14.8         |  |
| 50              | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 352+60.72               | 6.01                     | LT       | 19.4               | N/A          | TEST HOLE PERFORMED 3'x3'5'DEEP  |
| -               | ,  |           | , , , ,            |                         |                          |          |                    | ,            | PROBED TO ±10'NO UTILITY FOUND   |
| 51              | EXPLORATORY, NO UTILITY FOUND  | N/A       | N/A                | 352+60.72               | 6.01                     | LT       | 19.4               | N/A          | TEST HOLE PERFORMED 3'x3'5'DEEP  |
|                 |  |           |                    | ·                       |                          |          |                    |              | PROBED TO ±10'NO UTILITY FOUND   |

/2024 9:48:51 AM bbussard

REVISIONS PROFESSIONAL SURVEYOR and MAPPER

DATE DESCRIPTION DATE DESCRIPTION

JAY SCAGLIOLA, PSM
LICENSE NUMBER 5066
DRMP INC.
6853 SW 18TH ST, SUITE 310
BOCA RATON, FL 33433

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

ROAD NO. COUNTY FINANCIAL PROJECT ID

SR 25 HENDRY 448938-1-52-01

VERIFIED UTILITY LOCATE

SHEET NO.

UTV-2

# SPECIFIC PURPOSE SURVEY VERIFIED UTILITY LOCATE SHEET

### SUMMARY OF VERIFIED UTILITIES

| Vvh #                                   | UTILITY DESCRIPTION<br>(Owner, type)                                | SIZE      | MATERIALS  | STATIONS<br>SR25(U     | DERIVED FR<br>S27 ) (TYP | OM B2    | EXISTING<br>GROUND | TOP          | COMMENTS   |
|---|---|-----------|------------|------------------------|--------------------------|----------|--------------------|--------------|--|
| • |   | 3722      |            | STATION                | OFFSET                   | LT/RT    | FIELLATION         | ELEVATION    | COMMENTS   |
| 52                                      | EXPLORATORY, NO UTILITY FOUND                                       | N/A       | N/A        | 352+60.72              | 6.01                     | LT       | 19.4               | N/A          | TEST HOLE PERFORMED 3'x3'5'DEEP                                  |
|   |   |           |            |                        |                          |          |                    |              | PROBED TO ±10'NO UTILITY FOUND                                   |
| 53                                      | EXPLORATORY, NO UTILITY FOUND                                       | N/A       | N/A        | 352+60.72              | 6.01                     | LT       | 19.4               | N/A          | TEST HOLE PERFORMED 3'x3'5'DEEP                                  |
| 54                                      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | 0.5"      | DRC        | 254,00 53              | 00.72                    | DT       | 10 5               | 16.0         | PROBED TO ±10'NO UTILITY FOUND                                   |
| 54A                                     | SOUTH SHORE WATER ASSOCIATION, WATER MAIN                           | 6"        | DBC<br>PVC | 354+00.53<br>354+09.68 | 89.72<br>89.17           | RT<br>RT | 19.5               | 16.9<br>15.9 |  |
| 55                                      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | (2)2"     | DBC        | 354+10.24              | 90.74                    | RT       | 19.5               | 16.8         |  |
| 56                                      | CENTURY LINK/LUMEN, BURIED TELEPHONE                                | 2"        | PEP        | 361+64.38              | 51.22                    | LT       | 20.2               | 16.0         | POSSIBLE FIBER OPTIC   |
| 57                                      | CENTURY LINK/LUMEN, BURIED TELEPHONE                                | 2"        | DBC        | 362+22.21              | 59.19                    | LT       | 20.6               | 17.6         |  |
| 58                                      | EXPLORATORY, NO UTILITY FOUND                                       | N/A       | N/A        | 361+63.06              | 9.59                     | RT       | 20.2               | N/A          | PERFORMED TEST HOLE ON REQUESTED TELEPHONE                       |
|   | EVELODATORY NO LITTLETY FOUND                                       | A/ / A    | 2//2       | 262.70.27              | 0.67                     | D.T.     | 20.6               |              | DUG TO ± 8.3' HIT ROCK NO UTILITY FOUND                          |
| 59                                      | EXPLORATORY, NO UTILITY FOUND                                       | N/A       | N/A        | 362+79.27              | 9.67                     | RT       | 20.6               | N/A          | PERFORMED TEST HOLE ON REQUESTED FIBER OPTIC DUG TO ±5' HIT ROCK |
| 60                                      | SOUTH SHORE WATER ASSOCIATION, WATER MAIN                           | 4"        | PVC        | 362+92.79              | 11.72                    | RT       | 20.8               | 17.4         | TIBER OFFIC DOG TO 13 THE ROCK                                   |
| 61                                      | EXPLORATORY, NO UTILITY FOUND                                       | N/A       | N/A        | 361+54.91              | 82.49                    | RT       | 19.9               | N/A          | PERFORMED TEST HOLE 1'x3'x6' DEEP, GAS REQUESTED                 |
|   | ,   | ,         | ,          |                        |                          |          |                    | ,            | PROBED TO ±10' NO UTILITY FOUND                                  |
| 62                                      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | (4)2"     | PEP        | 362+79.46              | 82.33                    | RT       | 19.8               | 15.8         |  |
| 63                                      | EXPLORATORY, NO UTILITY FOUND                                       | N/A       | N/A        | 362+83.27              | 71.96                    | LT       | 19.8               | N/A          | PERFORMED TEST HOLE ON REQUESTED                                 |
| C 4                                     | CENTURY LINK/LUMEN BURLER TELERUONE                                 | 2,1       | DDC        | 262:02.02              | 50.07                    | 1.7      | 20.1               | 17 5         | FIBER OPTIC PROBED ±10' NO UTILITY FOUND                         |
| 64<br>65                                | CENTURY LINK/LUMEN, BURIED TELEPHONE  EXPLORATORY, NO UTILITY FOUND | 2"<br>N/A | DBC<br>N/A | 362+92.03<br>365+26.24 | 58.97<br>80.45           | LT<br>RT | 20.1               | 17.5<br>N/A  | PERFORMED 3.5'x1'x5' DEED  |
| 0.5                                     | EXPLORATIONT, NO OTTETT FOUND                                       | N/A       | N/A        | 303+20.24              | 80.43                    | N/       | 20.3               | N/A          | PROBED TO ±10' NO UTILITY FOUND                                  |
| 66                                      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | 1"        | DBC        | 365+28.61              | 87.04                    | RT       | 19.9               | 16.3         | THOSES TO THE WAY OF TEXT TOOMS                                  |
| 66A                                     | SOUTH SHORE WATER ASSOCIATION, WATER MAIN                           | 6"        | PVC        | 365+24.64              | 87.99                    | RT       | 19.9               | 16.0         |  |
| 67                                      | FLORIDA CITY GAS/FP&L, GAS MAIN                                     | 6"        | STEEL      | 373+04.52              | 79.71                    | RT       | 20.7               | 13.1         | COATED STEEL   |
| 68                                      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | (4)2"     | PEP        | 373+05.83              | 86.41                    | RT       | 20.2               | 14.9         |  |
| 68A                                     | SOUTH SHORE WATER ASSOCIATION, WATER MAIN                           | 6"        | PVC        | 373+04.62              | 89.85                    | RT       | 19.7               | 15.9         |  |
| 69                                      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | (4)2"     | PEP        | 375+66.03              | 84.29                    | RT       | 19.3               | 14.9         |  |
| 70                                      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | 1"        | DBC        | 379+14.73              | 86.72                    | RT       | 20.4               | 16.9         |  |
| 71                                      | SOUTH SHORE WATER ASSOCIATION, WATER MAIN                           | 6"        | PVC        | 379+44.11              | 88.34                    | RT       | 20.2               | 16.5         |  |
| 72                                      | CENTURY LINK/LUMEN, BURIED TELEPHONE                                | 0.5"      | DBC        | 388+75.31              | 59.20                    | RT       | 22.5               | 19.3         |  |
| 73                                      | EXPLORATORY, NO UTILITY FOUND                                       | N/A       | N/A        | 388+12.79              | 76.65                    | RT       | 20.6               | N/A          | PERFORMED TEST HOLE 1'x4'x5' DEEP ON REQUESTED                   |
| 74                                      | SOUTH SHORE WATER ASSOCIATION, WATER MAIN                           | 6"        | PVC        | 200+17 40              | 00.04                    | DT       | 20.3               | 17.1         | GAS PROBED TO ±10' NO UTILITY FOUND                              |
| 75                                      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | (4)2"     | PEP        | 388+17.49<br>395+29.94 | 86.64<br>81.43           | RT<br>RT | 20.3               | 16.1         |  |
| 76                                      | SOUTH SHORE WATER ASSOCIATION, WATER MAIN                           | 6"        | PVC        | 395+25.77              | 86.93                    | RT       | 20.3               | 15.7         |  |
| 77                                      | FLORIDA CITY GAS/FP&L, GAS MAIN                                     | 6"        | STEEL      | 403+03.63              | 82.80                    | RT       | 20.5               | 12.9         | COATED STEEL   |
| 78                                      | SOUTH SHORE WATER ASSOCIATION, WATER MAIN                           | 6"        | PVC        | 403+04.12              | 85.87                    | RT       | 20.4               | 16.8         | COALED STEEL   |
| 79                                      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | (4)2"     | PEP        | 411+02.06              | 81.24                    | RT       | 20.1               | 15.5         |  |
| 80                                      | SOUTH SHORE WATER ASSOCIATION, WATER MAIN                           | 6"        | PVC        | 409+78.40              | 90.21                    | RT       | 19.7               | 16.7         |  |
| 80A                                     | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | 1"        | DBC        | 409+78.27              | 87.67                    | RT       | 20.1               | 17.1         |  |
| 81                                      | SOUTH SHORE WATER ASSOCIATION, WATER MAIN                           | 6"        | PVC        | 414+21.70              | 82.04                    | RT       | 20.5               | 16.0         |  |
| <i>82</i>                               | EXPLORATORY, NO UTILITY FOUND                                       | N/A       | N/A        | 416+00.64              | 84.98                    | RT       | 19.5               | N/A          | PERFORMED TEST HOLE 1'x3'x5' DEEP                                |
|   |   |           |            |                        |                          |          |                    |              | PROBED TO ±10' NO UTILITY FOUND                                  |
| 83                                      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | 1"        | DBC        | 416+00.44              | 90.60                    | RT       | 19.4               | 16.2         |  |
| 83A                                     | SOUTH SHORE WATER ASSOCIATION, WATER MAIN                           | 6"        | PVC        | 415+99.33              | 96.41                    | RT       | 18.9               | 15.7         |  |
| 84                                      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | 1"        | DBC        | 415+99.65              | 98.61                    | RT       | 19.0               | 17.6         |  |
| 85                                      | EXPLORATORY, NO UTILITY FOUND                                       | N/A       | N/A        | 416+05.90              | 98.95                    | RT       | 18.6               | 15.4         | FOUND FIBER OPTIC WARNING TAPE, DUG 1X3X5 TRENCH                 |
| 86                                      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | (4)2"     | PEP        | 423+56 . 45            | 82.55                    | RT       | 19.7               | 15.8         | NO UTILITY FOUND   |
| 87                                      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | (2)2"     | DBC        | 423+56.45              | 82.55<br>88.51           | RT       | 18.8               | 14.8         |  |
| 87A                                     | SOUTH SHORE WATER ASSOCIATION, WATER MAIN                           | 6"        | PVC        | 423+56.15              | 97.21                    | RT       | 18.9               | 15.7         |  |
| 88                                      | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | 1"        | DBC        | 424+01.34              | 93.98                    | RT       | 18.9               | 14.7         |  |
|   | CENTURY LINK/LUMEN, BURIED FIBER OPTIC                              | (4)2"     | PEP        | 424+05.94              | 94.64                    | RT       | 18.7               | 14.8         |  |
| 89                                      | EVELOPATORY NO LITELLITY FOUND                                      | N/A       | N/A        | 424+02.92              | 80.49                    | RT       | 19.9               | N/A          | PERFORMED TEST HOLE 1'x 6' ON REQUESTED                          |
| 90                                      | EXPLORATORY, NO UTILITY FOUND                                       | N/A       | 11,71      |                        |                          |          |                    |              |  |
| 90                                      |   | ·         | ·          |                        |                          |          |                    |              | GAS MAIN PROBED TO ±10' NO UTILITY FOUND                         |
|   | EXPLORATORY, NO UTILITY FOUND                                       | N/A       | N/A        | 432+00.83              | 80.22                    | RT       | 19.6               | N/A          |  |

/2024 9:41:47 AM bbussard orksets\FD0T20\20-0146.012\Survey\SBVHRD03.d

REVISIONS PROFESSIONAL SURVEYOR and MAPPER

DATE DESCRIPTION DATE DESCRIPTION

JAY SCAGLIOLA, PSM
LICENSE NUMBER 5066
DRMP INC.
6853 SW 18TH ST, SUITE 310
BOCA RATON, FL 33433

SR 25

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

ROAD NO. COUNTY FINANCIAL PROJECT ID

SR 25 HENDRY 448938-1-52-01

VERIFIED UTILITY LOCATE

SHEET NO.

UTV-3

# SPECIFIC PURPOSE SURVEY VERIFIED UTILITY LOCATE SHEET

# SUMMARY OF VERIFIED UTILITIES

| Vvh #  | UTILITY DESCRIPTION                    | SIZE  | MATERIALS | STATIONS<br>SR25(U | DERIVED FR<br>S27 ) (TYP | OM B<br>'.) | EXISTING<br>GROUND | TOP       | COMMENTS   |
|--------|--|-------|-----------|--------------------|--------------------------|-------------|--------------------|-----------|--|
| VVII # | (Owner, type)                          | 3126  | MATERIALS | STATION            | OFFSET                   | LT/RT       | ELEVATION          | ELEVATION | COMMENTS   |
| 93     | CENTURY LINK/LUMEN, BURIED FIBER OPTIC | 1 "   | DBC       | 432+00.90          | 90.40                    | RT          | 18.6               | 16.4      |  |
| 94     | EXPLORATORY, NO UTILITY FOUND          | N/A   | N/A       | 432+00.96          | 93.69                    | RT          | 18.5               | N/A       | PERFORMED TEST HOLE 1'x 3'x5' DEEP ON REQUESTED      |
|        |  |       |           |                    |                          |             |                    |           | FIBER OPTIC PROBED TO ±10' NO UTILITY FOUND          |
| 95     | CENTURY LINK/LUMEN, BURIED FIBER OPTIC | (2)1" | DBC       | 432+00.82          | 95.99                    | RT          | 18.7               | 15.6      |  |
| 96     | EXPLORATORY, NO UTILITY FOUND          | N/A   | N/A       | 439+98.59          | 80.85                    | RT          | 20.0               | N/A       | PERFORMED TEST HOLE 1'x 2.5'x5' DEEP ON REQUESTED    |
|        |  |       |           |                    |                          |             |                    |           | GAS MAIN PROBED TO $\pm 10^{\circ}$ NO UTILITY FOUND |
| 97     | CENTURY LINK/LUMEN, BURIED FIBER OPTIC | (2)2" | PEP       | 440+01.70          | 84.20                    | RT          | 19.4               | 15.6      |  |
| 98     | CENTURY LINK/LUMEN, BURIED FIBER OPTIC | 2"    | DBC       | 439+97.75          | 90.11                    | RT          | 19.0               | 16.2      |  |
| 99     | EXPLORATORY, NO UTILITY FOUND          | N/A   | N/A       | 439+98.02          | 94.75                    | RT          | 18.9               | N/A       | PERFORMED TEST HOLE 1'x 3'x6'DEEP ON REQUESTED       |
|        |  |       |           |                    |                          |             |                    |           | FIBER OPTIC PROBED TO ±10' NO UTILTY FOUND           |
| 100    | CENTURY LINK/LUMEN, BURIED FIBER OPTIC | (2)1" | DBC       | 439+97.90          | 95.62                    | RT          | 18.7               | 15.7      |  |
| 101    | F.D.O.T., BURIED ELECTRIC              | 2"    | PVC       | 443+43.33          | 60.26                    | RT          | 22.0               | 18.5      |  |
| 101A   | F.D.O.T., BURIED ELECTRIC              | 2"    | PVC       | 443+52.92          | 60.49                    | RT          | 21.7               | 19.0      |  |
| 102    | F.D.O.T., BURIED ELECTRIC              | 2"    | PVC       | 444+89.66          | 58.83                    | RT          | 21.7               | 18.8      | BURIED ELECTRIC FOUND IN 6'x6'5' DEEP SLOT TRENCH    |
| 103    | EXPLORATORY, NO UTILITY FOUND          | N/A   | N/A       | 444+89.66          | 58.83                    | RT          | 21.7               | N/A       | TEST HOLES 102-105 PERFORMED 6'x6'x5' DEEP           |
|        |  |       |           |                    |                          |             |                    |           | SLOT TRENCH PROBED TO ± 10'                          |
|        |  |       |           |                    |                          |             |                    |           | NO UTILITIES FOUND IN TEST HOLES 103-105             |
| 104    | EXPLORATORY, NO UTILITY FOUND          | N/A   | N/A       | 444+89.66          | 58.83                    | RT          | 21.7               | N/A       |  |
| 105    | EXPLORATORY, NO UTILITY FOUND          | N/A   | N/A       | 444+89.66          | 58.83                    | RT          | 21.7               | N/A       |  |
|        |  |       |           |                    |                          |             |                    |           |  |
|        |  |       |           |                    |                          |             |                    |           |  |

|                                   |   |          |        |   |                         | THIS         |
|-----------------------------------|---|----------|--------|---|-------------------------|--------------|
|                                   |   |          |        |   |                         | RECORD C     |
|                                   |   |          |        |   |                         | OFFICIAL     |
| REVISIONS                         | I DDOEECCIONAL CUDVEVOD MADDED  | T        |        |   |                         | THE          |
| DATE DESCRIPTION DATE DESCRIPTION | PROFESSIONAL SURVEYOR and MAPPER  JAY SCAGOLIA, PSM LICENSE NUMBER 5066 | DEPA     |        | ANSPORTATION                            |                         | SHEET<br>NO. |
|                                   | DRMP INC.<br>6853 SW 18TH ST, SUITE 310<br>BOCA RATON, FL 33433         | ROAD NO. | COUNTY | ### FINANCIAL PROJECT ID 448938-1-52-01 | VERIFIED UTILITY LOCATE | UTV-4        |

1/24/2024 10:58:36 AM bbussard