

**Summary of Clearing Grubbing and Removal Items - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Length (FT)	Width (FT)	Quantity		Total Quantity		Secondary Quantity			Location					Design Notes	Construction Remarks
					P	F	P	F	Units	P	F	Alignment	Begin Station	End Station	Side	Element ID		
0110 86	Delivery of Salvageable Material to FDOT	LS/LS			1.0		1											
...																		
...																		
...																		

**Summary of Earthwork - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location					Design Notes	Construction Remarks
			P	F	P	F	Alignment	Begin Station	End Station	Side	Element ID		
0120 1	Regular Excavation	CY	1110.86		1110.9		CL_SR60	1082+60.00	1111+80.00	LT/RT	8758		
0120 6	Embankment	CY	777.62		777.6		CL_SR60	1082+60.00	1111+80.00	LT/RT	8779		
...													
...													
...													

**Summary of Pavement - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location					Design Notes	Construction Remarks	
			P	F	P	F	Alignment	Begin Station	End Station	Location Description	Side			Element ID
0160 4	Type B Stabilization	SY	1033.8		5852		CL_SR60	1082+89.99	1089+20.71		LT/RT	2028		
			156.8				CL_SR60	1083+07.68	1083+97.59		RT	2022		
			297.8				CL_SR60	1083+36.75	1089+21.44		RT	2095		
			292.6				CL_SR60	1083+40.73	1089+22.44		RT	2082		
			699.0				CL_SR60	1092+66.48	1098+85.48		RT	2040		
			212.7				CL_SR60	1092+67.45	1097+41.69		RT	2023		
			212.4				CL_SR60	1092+68.38	1097+41.68		RT	2024		
			853.4				CL_SR60	1098+71.91	1105+03.70		RT	2048		
			196.0				CL_SR60	1100+66.45	1105+03.55		RT	2025		
			195.5				CL_SR60	1100+66.46	1105+02.61		RT	2026		
			285.6				CL_SR60	1104+68.81	1110+40.70		RT	2073		
			290.6				CL_SR60	1104+69.67	1110+44.70		RT	2054		
			978.4				CL_SR60	1104+70.51	1110+92.09		RT	2063		
			146.9				CL_SR60	1109+82.66	1110+72.58		LT	2027		
0285709	Optional Base, Base Group 09	SY	1033.8		5852		CL_SR60	1082+89.99	1089+20.71		LT/RT	1801		
			156.8				CL_SR60	1083+07.68	1083+97.59		RT	1795		
			76.3				CL_SR60	1083+36.75	1084+24.34		RT	1863		
			292.6				CL_SR60	1083+40.73	1089+22.44		RT	1873		
			221.5				CL_SR60	1084+24.36	1089+21.44		RT	1813		
			699.0				CL_SR60	1092+66.48	1098+85.48		RT	1818		
			212.7				CL_SR60	1092+67.45	1097+41.69		RT	1796		
			212.4				CL_SR60	1092+68.38	1097+41.68		RT	1797		
			853.4				CL_SR60	1098+71.91	1105+03.70		RT	1826		
			196.0				CL_SR60	1100+66.45	1105+03.55		RT	1798		
			195.5				CL_SR60	1100+66.46	1105+02.61		RT	1799		
			219.3				CL_SR60	1104+68.81	1109+61.42		RT	1835		
			218.9				CL_SR60	1104+69.67	1109+61.42		RT	1836		
			694.8				CL_SR60	1104+70.51	1110+37.81		RT	1832		
			66.3				CL_SR60	1109+61.50	1110+40.70		RT	1846		
			71.8				CL_SR60	1109+61.51	1110+44.70		RT	1837		
			283.5				CL_SR60	1109+71.65	1110+92.09		LT/RT	1855		

**Summary of Pavement - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location					Design Notes	Construction Remarks	
			P	F	P	F	Alignment	Begin Station	End Station	Location Description	Side			Element ID
			146.9				CL_SR60	1109+82.66	1110+72.58		LT	1800		
0334 1 55	Superpave Asphaltic Concrete, Traffic E, PG 76-22	TN	170.58		856.4		CL_SR60	1082+89.99	1089+20.71		LT/RT	2286		
			25.87				CL_SR60	1083+07.68	1083+97.59		RT	2284		
			8.39				CL_SR60	1083+36.75	1084+24.34		RT	2176		
			32.19				CL_SR60	1083+40.73	1089+22.44		RT	2185		
			24.36				CL_SR60	1084+24.36	1089+21.44		RT	2171		
			115.34				CL_SR60	1092+66.48	1098+85.48		RT	2298		
			23.40				CL_SR60	1092+67.45	1097+41.69		RT	2170		
			23.37				CL_SR60	1092+68.38	1097+41.68		RT	2169		
			140.81				CL_SR60	1098+71.91	1105+03.70		RT	2306		
			21.56				CL_SR60	1100+66.45	1105+03.55		RT	2196		
			21.51				CL_SR60	1100+66.46	1105+02.61		RT	2197		
			24.12				CL_SR60	1104+68.81	1109+61.42		RT	2198		
			24.08				CL_SR60	1104+69.67	1109+61.42		RT	2199		
			114.65				CL_SR60	1104+70.51	1110+37.81		RT	2312		
			7.29				CL_SR60	1109+61.50	1110+40.70		RT	2209		
			7.90				CL_SR60	1109+61.51	1110+44.70		RT	2200		
			46.78				CL_SR60	1109+71.65	1110+92.09		LT/RT	2315		
			24.23				CL_SR60	1109+82.66	1110+72.58		LT	2285		
0337 7 25	Asphalt Concrete Friction Course, Inc Bit, FC-5, PG 76-22	TN	6.29		152.5		CL_SR60	1083+07.68	1083+97.59		RT	2386		
			3.07				CL_SR60	1083+36.75	1084+24.50		RT	2405		
			0.37				CL_SR60	1084+15.56	1084+44.82		RT	2404		
			23.44				CL_SR60	1084+24.44	1089+20.71		LT/RT	2399		
			8.88				CL_SR60	1084+24.53	1089+21.44		RT	2390		
			20.99				CL_SR60	1092+66.48	1098+16.17		RT	2415		
			8.52				CL_SR60	1092+68.38	1097+41.68		RT	2387		
			27.67				CL_SR60	1099+38.33	1105+03.70		RT	2414		
			7.85				CL_SR60	1100+66.46	1105+02.61		RT	2388		
			8.78				CL_SR60	1104+69.67	1109+61.42		RT	2398		
			27.88				CL_SR60	1104+70.51	1110+37.81		RT	2395		
			2.88				CL_SR60	1109+61.51	1110+44.70		RT	2418		

**Summary of Pavement - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location					Design Notes	Construction Remarks	
			P	F	P	F	Alignment	Begin Station	End Station	Location Description	Side			Element ID
			5.89				CL_SR60	1109+82.66	1110+72.58		LT	2389		
0337 7 88	Asphalt Concrete Friction Course, Traffic E, FC-12.5, PG 76-22	TN	36.33		87.8		CL_SR60	1082+89.99	1084+24.36		LT/RT	18423		
			14.53				CL_SR60	1098+16.27	1098+85.49		RT	18432		
			13.53				CL_SR60	1098+71.91	1099+38.29		RT	18439		
			23.39				CL_SR60	1109+71.65	1110+92.09		LT/RT	18446		
...														
...														
...														

**Summary of Drainage - 449276-1-52-02**

Pay Item Number	Label	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location					Design Notes	Construction Remarks
				P	F	P	F	Alignment	Begin Station	End Station	Side	Element ID		
0425 1521	S-101	Inlets, Dt Bot, Type C,<10'	EA	1		3		CL_SR60	1088+01.48	1088+01.48	RT	10850	Traversable Inlet w/single Slot	
	S-102			1				CL_SR60	1094+97.99	1094+97.99	RT	10913	Traversable inlet w/double Slot	
	S-103			1				CL_SR60	1108+96.67	1108+96.67	RT	10967	Traversable Inlet w/double Slot	
0430175118	P-101	Pipe Culvert,Optional Material,Round, 18"S/CD	LF	7.2		22		CL_SR60	1088+01.52	1088+01.53	RT	11192	Pipe connection w/concrete Jacket	
	P-102			7.0				CL_SR60	1094+98.12	1094+98.23	RT	11242	Pipe connection w/concrete Jacket	
	P-103			8.2				CL_SR60	1108+96.73	1108+96.82	RT	11276	Pipe connection w/concrete Jacket	
...														
...														
...														

**Summary of Curbs - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location					Design Notes	Construction Remarks
			P	F	P	F	Alignment	Begin Station	End Station	Side	Element ID		
0520 1 7	Concrete Curb & Gutter, Type E	LF	80.0		369		CL_SR60	1097+91.87	1098+71.86	RT	2566		
			33.0				CL_SR60	1097+91.87	1098+24.87	RT	2573		
			69.4				CL_SR60	1098+24.90	1098+83.82	RT	2572		
			1.9				CL_SR60	1098+71.93	1098+73.44	RT	2567		
			69.4				CL_SR60	1098+73.57	1099+32.49	RT	2568		
			1.9				CL_SR60	1098+83.95	1098+85.46	RT	2571		
			80.0				CL_SR60	1098+85.53	1099+65.52	RT	2570		
			33.0				CL_SR60	1099+32.52	1099+65.52	RT	2569		
0520 5 11	Traffic Separator, Concrete, Type I, 4' Wide	LF	25.1		50		CL_SR60	1097+69.91	1097+91.83	RT	2641		
			25.1				CL_SR60	1099+65.56	1099+87.48	RT	2638		
0520 5 12	Traffic Separator, Concrete, Type I, 6' Wide	LF	83.2		222		CL_SR60	1097+41.78	1098+20.15	RT	2707		
			139.3				CL_SR60	1099+31.94	1100+66.37	RT	2710		
0520 70	Concrete Traffic Separator, Special - Variable Width	SY	203.8		204		CL_SR60	1097+91.94	1099+65.45	RT	18314		
...													
...													
...													

**Summary of Signing and Pavement Marking - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location					Design Notes	Construction Remarks
			P	F	P	F	Alignment	Begin Station	End Station	Side	Element ID		
0546 72 3	Ground-In Rumble Strips, 8" Sinusoidal	GM	0.0454		1.354		CL_SR60	1082+43.36	1084+82.89	RT	118141		
			0.0054				CL_SR60	1082+43.36	1082+71.62	RT	118138		
			0.0054				CL_SR60	1082+43.36	1082+71.62	RT	118139		
			0.0454				CL_SR60	1082+43.36	1084+82.89	LT	118140		
			0.0078				CL_SR60	1084+41.83	1084+82.89	RT	67521		
			0.1358				CL_SR60	1084+82.89	1091+95.34	RT	67520		
			0.1463				CL_SR60	1084+82.89	1092+52.06	RT	67522		
			0.2207				CL_SR60	1084+82.97	1096+50.66	LT	67523		
			0.1382				CL_SR60	1089+20.76	1096+50.67	RT	67527		
			0.0280				CL_SR60	1096+50.66	1097+98.60	LT	67524		
			0.0315				CL_SR60	1096+50.67	1098+17.21	RT	67528		
			0.0195				CL_SR60	1097+71.87	1098+74.75	RT	67530		
			0.0195				CL_SR60	1098+82.64	1099+85.52	RT	67529		
			0.1015				CL_SR60	1099+34.71	1104+70.50	RT	67526		
			0.2130				CL_SR60	1099+65.54	1110+90.08	RT	67525		
			0.0884				CL_SR60	1105+04.06	1109+71.07	RT	67531		
			0.1026				CL_SR60	1105+48.25	1110+90.08	LT	67532		
0700 1111	Single Column Ground Sign Assembly, F&I Ground Mount, Less Than 12 SF	EA	1		15		CL_SR60	1082+43.36	1082+43.36	RT	335403		
			1				CL_SR60	1095+80.50	1095+80.50	RT	118380		
			1				CL_SR60	1095+80.92	1095+80.92	RT	118376		
			1				CL_SR60	1097+80.36	1097+80.36	RT	118086		
			1				CL_SR60	1097+80.36	1097+80.36	RT	118093		
			1				CL_SR60	1098+05.82	1098+05.82	RT	231444		
			1				CL_SR60	1098+78.69	1098+78.69	RT	107607		
			1				CL_SR60	1099+57.31	1099+57.31	RT	231229		
			1				CL_SR60	1099+73.98	1099+73.98	LT	119142		
			1				CL_SR60	1099+73.98	1099+73.98	RT	119146		
			1				CL_SR60	1101+73.98	1101+73.98	LT	120872		
			1				CL_SR60	1101+73.98	1101+73.98	RT	120878		
			1				CL_SR60	1111+39.99	1111+39.99	LT	369058		
			1				CL_SR60	1111+39.99	1111+39.99	RT	369052		



**Summary of Signing and Pavement Marking - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location					Design Notes	Construction Remarks
			P	F	P	F	Alignment	Begin Station	End Station	Side	Element ID		
			1				CL_SR60	1111+42.83	1111+42.83	RT	330059		
0700 1112	Single Column Ground Sign Assembly, F&I Ground Mount, 12.0-20.0 SF	EA	1		3		CL_SR60	1089+89.47	1089+89.47	LT	240442		
			1				CL_SR60	1098+33.78	1098+33.78	LT	106296		
			1				CL_SR60	1099+26.88	1099+26.88	RT	106783		
0700 1500	Single Column Ground Sign Assembly, Relocate	EA	1		1		CL_SR60	1104+93.63	1104+93.63	RT	249290		
0700 1600	Single Column Ground Sign Assembly, Remove	EA	1		5		CL_SR60	1089+89.48	1089+89.48	LT	240324		
			1				CL_SR60	1098+03.50	1098+03.50	RT	105611		
			1				CL_SR60	1098+36.02	1098+36.02	LT	105734		
			1				CL_SR60	1099+21.37	1099+21.37	RT	105866		
			1				CL_SR60	1099+49.21	1099+49.21	RT	105110		
0700 2114	Multi-Column Ground Sign Assembly, F&I Ground Mount, 30.1-50.0 SF	EA	1		2		CL_SR60	1092+22.68	1092+22.68	RT	192517		
			1				CL_SR60	1106+73.42	1106+73.42	LT	186900		
0700 2500	Multi-Column Ground Sign Assembly, Relocate	EA	1		1		CL_SR60	1111+03.43	1111+03.44	LT	253602		
0700 2600	Multi-Column Ground Sign Assembly, Remove	EA	1		2		CL_SR60	1092+46.00	1092+46.04	RT	192579		
			1				CL_SR60	1106+81.07	1106+82.16	LT	187523		
0700 3101	Sign Panel, Furnish & Install Ground Mount, Up To 12 SF	EA	1		6		CL_SR60	1092+21.91	1092+21.94	RT	192578		
			1				CL_SR60	1092+21.94	1092+21.96	RT	192523		
			1				CL_SR60	1092+21.97	1092+22.00	RT	192524		
			1				CL_SR60	1106+74.13	1106+74.13	LT	190615		
			1				CL_SR60	1106+74.13	1106+74.13	LT	190613		
			1				CL_SR60	1106+74.13	1106+74.13	LT	190614		
0700 3501	Sign Panel, Relocate, Up To 12 SF	EA	1		2		CL_SR60	1092+22.00	1092+22.03	RT	192525		
			1				CL_SR60	1106+74.13	1106+74.13	LT	190616		
0700 13 15	Retroreflective Sign Strip, Furnish & Install 5'	EA	1		12		CL_SR60	1095+80.03	1095+82.30	RT	166204		
			1				CL_SR60	1095+81.60	1095+81.66	RT	166203		
			1				CL_SR60	1097+79.49	1097+82.50	RT	166173		
			1				CL_SR60	1097+81.02	1097+81.13	RT	166174		
			1				CL_SR60	1098+75.37	1098+82.02	RT	166189		
			1				CL_SR60	1098+75.37	1098+82.02	RT	166188		
			1				CL_SR60	1099+71.45	1099+75.36	RT	166191		

**Summary of Signing and Pavement Marking - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location					Design Notes	Construction Remarks
			P	F	P	F	Alignment	Begin Station	End Station	Side	Element ID		
			1				CL_SR60	1099+73.21	1099+73.32	LT	166190		
			1				CL_SR60	1101+71.61	1101+75.14	RT	166202		
			1				CL_SR60	1101+73.22	1101+73.32	LT	166201		
			1				CL_SR60	1111+37.46	1111+41.37	LT	369061		
			1				CL_SR60	1111+38.07	1111+40.59	RT	369055		
0704 1 2	Tubular Marker, Durable, 36 Yellow Post	EA	1		6		CL_SR60	1083+45.69	1083+45.69	RT	94710		
			1				CL_SR60	1097+75.87	1097+75.87	RT	47432		
			1				CL_SR60	1098+14.21	1098+14.21	RT	47427		
			1				CL_SR60	1099+37.88	1099+37.88	RT	47417		
			1				CL_SR60	1099+81.52	1099+81.52	RT	47422		
			1				CL_SR60	1110+35.90	1110+35.90	RT	47119		
0706 1 3	Raised Pavement Marker, Type B	EA	560		560		CL_SR60	1082+96.22	1110+91.96	RT	9440		
0710 12290	Painted Pavement Markings, Durable Paint, Yellow, Island Nose	SF	2.7		14		CL_SR60	1097+69.91	1097+71.83	RT	79706		
			4.3				CL_SR60	1098+17.28	1098+20.15	RT	79701		
			4.3				CL_SR60	1099+31.94	1099+34.81	RT	79716		
			2.7				CL_SR60	1099+85.56	1099+87.48	RT	79711		
0710 90	Painted Pavement Markings, Final Surface	LS	1		1		CL_SR60	1082+43.36	1110+90.08	RT	20477		
0711 11124	Thermoplastic, Standard, White, Solid, 18 For Diagonals And Chevrons	LF	15.1		590		CL_SR60	1082+91.78	1082+98.13	RT	10781		
			4.8				CL_SR60	1082+92.92	1082+96.30	RT	10784		
			5.6				CL_SR60	1083+07.74	1083+12.34	RT	10779		
			6.1				CL_SR60	1083+08.79	1083+12.34	RT	10780		
			3.9				CL_SR60	1096+74.11	1096+77.15	RT	9539		
			4.0				CL_SR60	1096+74.11	1096+76.56	RT	9540		
			7.7				CL_SR60	1096+93.97	1097+00.04	RT	9541		
			7.9				CL_SR60	1096+93.97	1096+98.86	RT	9542		
			11.6				CL_SR60	1097+13.83	1097+22.94	RT	9543		
			11.9				CL_SR60	1097+13.83	1097+21.16	RT	9544		
			15.6				CL_SR60	1097+33.83	1097+44.83	RT	9545		
			15.6				CL_SR60	1097+33.83	1097+44.83	RT	9546		
			15.6				CL_SR60	1097+53.83	1097+64.83	RT	9547		
			15.6				CL_SR60	1097+53.83	1097+64.83	RT	9548		

**Summary of Signing and Pavement Marking - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location					Design Notes	Construction Remarks
			P	F	P	F	Alignment	Begin Station	End Station	Side	Element ID		
			18.4				CL_SR60	1097+71.83	1097+84.83	RT	9549		
			17.0				CL_SR60	1097+92.83	1098+04.83	RT	9550		
			16.4				CL_SR60	1098+12.83	1098+22.70	RT	9989		
			16.4				CL_SR60	1098+29.66	1098+33.92	RT	9983		
			21.3				CL_SR60	1098+45.61	1098+49.75	RT	9984		
			24.4				CL_SR60	1098+63.23	1098+63.41	RT	9985		
			19.0				CL_SR60	1098+86.18	1098+86.77	RT	9981		
			15.8				CL_SR60	1099+02.50	1099+05.30	RT	9980		
			14.3				CL_SR60	1099+17.30	1099+21.64	RT	9979		
			14.1				CL_SR60	1099+30.40	1099+37.58	RT	9570		
			17.0				CL_SR60	1099+45.99	1099+57.99	RT	9569		
			18.4				CL_SR60	1099+65.99	1099+78.99	RT	9568		
			15.6				CL_SR60	1099+85.99	1099+96.99	RT	9567		
			15.6				CL_SR60	1099+85.99	1099+96.99	RT	9566		
			15.6				CL_SR60	1100+05.99	1100+16.99	RT	9565		
			15.6				CL_SR60	1100+05.99	1100+16.99	RT	9564		
			15.6				CL_SR60	1100+25.99	1100+36.99	RT	9563		
			15.6				CL_SR60	1100+25.99	1100+36.99	RT	9562		
			15.6				CL_SR60	1100+45.99	1100+56.99	RT	9561		
			15.6				CL_SR60	1100+45.99	1100+56.99	RT	9560		
			15.1				CL_SR60	1100+65.17	1100+76.99	RT	9559		
			15.3				CL_SR60	1100+67.50	1100+76.99	RT	9558		
			11.3				CL_SR60	1100+87.99	1100+96.85	RT	9557		
			11.5				CL_SR60	1100+89.74	1100+96.85	RT	9556		
			7.5				CL_SR60	1101+10.81	1101+16.72	RT	9555		
			7.7				CL_SR60	1101+11.97	1101+16.72	RT	9554		
			3.8				CL_SR60	1101+33.63	1101+36.58	RT	9553		
			3.8				CL_SR60	1101+34.21	1101+36.58	RT	9552		
			8.0				CL_SR60	1110+70.73	1110+75.39	RT	10808		
			5.8				CL_SR60	1110+70.73	1110+75.41	RT	10809		
			16.3				CL_SR60	1110+83.04	1110+88.72	RT	10812		

**Summary of Signing and Pavement Marking - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location					Design Notes	Construction Remarks
			P	F	P	F	Alignment	Begin Station	End Station	Side	Element ID		
			5.8				CL_SR60	1110+86.00	1110+90.14	RT	10810		
0711 11125	Thermoplastic, Standard, White, Solid, 24 For Stop Line And Crosswalk	LF	16.0		31		CL_SR60	1098+35.85	1098+47.74	LT	10006		
			15.0				CL_SR60	1099+12.72	1099+23.72	RT	9599		
0711 11170	Thermoplastic, Standard, White, Arrow	EA	1		29		CL_SR60	1083+75.18	1083+75.18	RT	69747		
			1				CL_SR60	1084+65.50	1084+65.50	RT	69762		
			1				CL_SR60	1085+55.80	1085+55.80	RT	69775		
			1				CL_SR60	1086+46.08	1086+46.08	RT	101071		
			1				CL_SR60	1087+36.33	1087+36.33	RT	69788		
			1				CL_SR60	1094+36.32	1094+36.32	RT	61013		
			1				CL_SR60	1095+29.86	1095+29.86	RT	62737		
			1				CL_SR60	1096+23.35	1096+23.35	RT	62724		
			1				CL_SR60	1096+65.67	1096+65.67	RT	145963		
			1				CL_SR60	1097+33.17	1097+33.17	RT	145976		
			1				CL_SR60	1097+86.21	1097+86.21	RT	74912		
			1				CL_SR60	1097+94.27	1097+94.27	RT	145989		
			1				CL_SR60	1098+06.86	1098+06.86	RT	23101		
			1				CL_SR60	1098+06.86	1098+06.86	RT	23087		
			1				CL_SR60	1099+47.48	1099+47.48	LT	23115		
			1				CL_SR60	1099+47.48	1099+47.48	LT	23129		
			1				CL_SR60	1099+61.52	1099+61.52	LT	84431		
			1				CL_SR60	1099+65.88	1099+65.88	RT	74933		
			1				CL_SR60	1100+51.20	1100+51.20	RT	74946		
			1				CL_SR60	1100+56.18	1100+56.18	LT	84444		
			1				CL_SR60	1101+50.85	1101+50.85	LT	137554		
			1				CL_SR60	1101+87.44	1101+87.44	RT	62993		
			1				CL_SR60	1102+46.35	1102+46.35	LT	84457		
			1				CL_SR60	1102+53.26	1102+53.26	RT	63006		
			1				CL_SR60	1103+19.06	1103+19.06	RT	61000		
			1				CL_SR60	1106+54.93	1106+54.93	RT	70023		
			1				CL_SR60	1107+72.05	1107+72.05	RT	70010		
			1				CL_SR60	1108+89.18	1108+89.18	RT	69997		

**Summary of Signing and Pavement Marking - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location					Design Notes	Construction Remarks
			P	F	P	F	Alignment	Begin Station	End Station	Side	Element ID		
			1				CL_SR60	1110+06.30	1110+06.30	RT	69984		
0711 11224	Thermoplastic, Standard, Yellow, Solid, 18 For Diagonal Or Chevrons	LF	7.0		121		CL_SR60	1097+82.57	1097+87.42	RT	9584		
			5.6				CL_SR60	1098+23.54	1098+27.42	RT	9585		
			13.9				CL_SR60	1098+47.43	1098+61.25	LT	10015		
			10.5				CL_SR60	1098+53.22	1098+63.45	LT	10014		
			7.0				CL_SR60	1098+57.81	1098+64.16	LT	10013		
			3.7				CL_SR60	1098+60.58	1098+63.61	LT	10012		
			0.8				CL_SR60	1098+61.88	1098+62.54	LT	10011		
			5.6				CL_SR60	1098+63.54	1098+67.42	RT	9586		
			10.2				CL_SR60	1098+92.63	1099+02.07	RT	10018		
			5.6				CL_SR60	1098+92.84	1098+96.72	RT	9589		
			5.8				CL_SR60	1098+93.20	1098+98.16	RT	10016		
			14.6				CL_SR60	1098+93.55	1099+07.82	RT	10019		
			2.2				CL_SR60	1098+94.15	1098+95.98	RT	10017		
			16.4				CL_SR60	1098+96.22	1099+12.60	RT	10020		
			5.6				CL_SR60	1099+32.84	1099+36.72	RT	9588		
			7.0				CL_SR60	1099+72.84	1099+77.68	RT	9587		
0711 11241	Thermoplastic, Standard, Yellow, 2-4 Dotted Guide Line /6-10 Dotted Extension Line, 6"	GM	0.0266		0.067		CL_SR60	1082+96.30	1084+36.50	RT	9958		
			0.0094				CL_SR60	1098+13.43	1098+63.23	RT	9299		
			0.0092				CL_SR60	1098+86.18	1099+34.71	RT	10792		
			0.0218				CL_SR60	1109+71.07	1110+86.00	RT	10805		
0711 15101	Thermoplastic, Standard - Open Graded Asphalt Surfaces, White, Solid, 6	GM	0.0454		1.360		CL_SR60	1082+43.36	1084+82.89	RT	23785		
			0.0454				CL_SR60	1082+43.36	1084+82.89	LT	23640		
			0.0287				CL_SR60	1083+31.36	1084+82.89	RT	23141		
			0.1358				CL_SR60	1084+82.89	1091+95.34	RT	23172		
			0.0507				CL_SR60	1084+82.89	1087+50.76	RT	23138		
			0.2207				CL_SR60	1084+82.97	1096+50.66	LT	23050		
			0.0516				CL_SR60	1091+95.34	1094+65.74	RT	23171		
			0.0443				CL_SR60	1094+21.38	1096+54.25	RT	23110		

**Summary of Signing and Pavement Marking - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location					Design Notes	Construction Remarks
			P	F	P	F	Alignment	Begin Station	End Station	Side	Element ID		
			0.0352				CL_SR60	1094+65.74	1096+50.50	RT	23204		
			0.0331				CL_SR60	1096+50.50	1098+25.27	RT	23170		
			0.0280				CL_SR60	1096+50.66	1097+98.60	LT	23051		
			0.0331				CL_SR60	1096+50.67	1098+25.27	RT	23057		
			0.0632				CL_SR60	1099+27.69	1102+61.35	LT	23175		
			0.0631				CL_SR60	1099+27.99	1102+61.35	LT	23111		
			0.2130				CL_SR60	1099+65.54	1110+90.08	RT	23114		
			0.0336				CL_SR60	1101+56.44	1103+34.06	RT	23112		
			0.0544				CL_SR60	1102+61.35	1105+48.25	LT	23144		
			0.1026				CL_SR60	1105+48.25	1110+90.08	LT	23113		
			0.0777				CL_SR60	1106+40.51	1110+51.00	RT	23136		
0711 15102	Thermoplastic, Standard - Open Graded Asphalt Surfaces, White, Solid, 8	GM	0.0075		0.142		CL_SR60	1082+92.01	1083+31.36	RT	10777		
			0.0174				CL_SR60	1096+54.25	1097+43.42	RT	9484		
			0.0223				CL_SR60	1096+54.25	1097+71.87	RT	9490		
			0.0127				CL_SR60	1097+43.42	1098+10.46	RT	9485		
			0.0247				CL_SR60	1099+34.18	1100+64.78	RT	9486		
			0.0324				CL_SR60	1099+85.52	1101+56.44	RT	9488		
			0.0179				CL_SR60	1100+64.78	1101+56.44	RT	9487		
			0.0074				CL_SR60	1110+51.00	1110+90.08	RT	10806		
0711 15131	Thermoplastic, Standard-Open Graded Asphalt Surfaces, White, Skip, 6",10-30 Skip Or 3-9 Lane Drop	GM	0.0436		1.076		CL_SR60	1082+52.72	1084+82.89	RT	19111		
			0.0395				CL_SR60	1082+74.16	1084+82.89	LT	19112		
			0.2225				CL_SR60	1084+81.21	1096+57.02	LT	9052		
			0.2223				CL_SR60	1084+82.89	1096+50.67	RT	9071		
			0.2758				CL_SR60	1096+50.66	1111+07.08	LT	9053		
			0.2722				CL_SR60	1096+50.67	1110+87.63	RT	9072		
0711 15201	Thermoplastic, Standard - Open Graded Asphalt Surfaces, Yellow, Solid, 6	GM	0.0100		0.983		CL_SR60	1082+43.36	1082+96.30	RT	19038		
			0.0092				CL_SR60	1082+43.36	1082+92.01	RT	19037		
			0.0111				CL_SR60	1084+24.37	1084+82.89	RT	10788		
			0.0078				CL_SR60	1084+41.83	1084+82.89	RT	9773		

**Summary of Signing and Pavement Marking - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location					Design Notes	Construction Remarks
			P	F	P	F	Alignment	Begin Station	End Station	Side	Element ID		
			0.1463				CL_SR60	1084+82.89	1092+52.06	RT	9064		
			0.0736				CL_SR60	1084+82.89	1088+71.03	RT	10787		
			0.0097				CL_SR60	1088+71.03	1089+20.76	RT	10786		
			0.0862				CL_SR60	1089+20.76	1093+75.68	RT	9878		
			0.0097				CL_SR60	1092+52.06	1093+01.52	RT	9227		
			0.0667				CL_SR60	1093+01.52	1096+52.79	RT	9747		
			0.0521				CL_SR60	1093+75.68	1096+50.67	RT	9774		
			0.0315				CL_SR60	1096+50.67	1098+17.21	RT	9059		
			0.0174				CL_SR60	1096+52.79	1097+41.96	RT	9480		
			0.0143				CL_SR60	1097+41.96	1098+17.21	RT	9481		
			0.0217				CL_SR60	1097+71.87	1098+86.18	RT	9065		
			0.0232				CL_SR60	1098+63.23	1099+85.52	RT	9489		
			0.1014				CL_SR60	1099+34.88	1104+70.51	RT	11355		
			0.0249				CL_SR60	1099+34.88	1100+66.20	RT	9482		
			0.0179				CL_SR60	1100+66.20	1101+57.86	RT	9483		
			0.0561				CL_SR60	1101+57.86	1104+54.06	RT	9039		
			0.0097				CL_SR60	1104+54.06	1105+04.06	RT	9228		
			0.0105				CL_SR60	1104+70.51	1105+24.57	RT	10793		
			0.0884				CL_SR60	1105+04.06	1109+71.07	RT	9301		
			0.0827				CL_SR60	1105+24.57	1109+61.46	RT	10794		
			0.0008				CL_SR60	1110+86.00	1110+90.08	RT	9306		
0711 16102	Thermoplastic, Standard, Other Surfaces, White, Solid, 8	GM	0.0021		0.047		CL_SR60	1082+96.30	1082+96.36	RT	10782		
			0.0104				CL_SR60	1082+96.40	1083+31.33	RT	10778		
			0.0113				CL_SR60	1098+10.54	1098+63.21	RT	9982		
			0.0105				CL_SR60	1098+86.18	1099+34.15	RT	9978		
			0.0104				CL_SR60	1110+51.09	1110+85.99	RT	10807		
			0.0021				CL_SR60	1110+86.00	1110+86.00	RT	10811		
0711 16201	Thermoplastic, Standard, Other Surfaces, Yellow, Solid, 6	GM	0.0032		0.108		CL_SR60	1098+43.12	1098+60.06	LT	10001		
			0.0107				CL_SR60	1098+43.17	1098+61.46	LT	10003		
			0.0029				CL_SR60	1098+44.34	1098+59.72	LT	10009		
			0.0091				CL_SR60	1098+44.41	1098+61.92	LT	10007		

**Summary of Signing and Pavement Marking - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location					Design Notes	Construction Remarks
			P	F	P	F	Alignment	Begin Station	End Station	Side	Element ID		
			0.0044				CL_SR60	1098+57.73	1098+60.92	LT	9601		
			0.0080				CL_SR60	1098+58.22	1098+64.03	LT	9600		
			0.0062				CL_SR60	1098+59.77	1098+64.08	LT	10008		
			0.0064				CL_SR60	1098+60.10	1098+64.58	LT	10004		
			0.0021				CL_SR60	1098+61.99	1098+63.54	LT	10010		
			0.0062				CL_SR60	1098+92.15	1098+96.69	RT	9990		
			0.0074				CL_SR60	1098+92.62	1098+97.41	RT	9602		
			0.0061				CL_SR60	1098+92.64	1098+97.03	RT	9992		
			0.0033				CL_SR60	1098+93.11	1098+95.24	RT	9991		
			0.0103				CL_SR60	1098+95.27	1099+16.21	RT	10005		
			0.0120				CL_SR60	1098+95.78	1099+17.49	RT	10000		
			0.0025				CL_SR60	1098+96.24	1098+97.90	RT	9993		
			0.0039				CL_SR60	1098+96.72	1099+17.52	RT	9976		
			0.0036				CL_SR60	1098+97.06	1099+16.24	RT	9977		
...													
...													
...													



**Summary of Lighting Items - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location				Design Notes	Construction Remarks
			P	F	P	F	Alignment	Begin Station	End Station	Side		
0630 2 11	Conduit, Furnish & Install, Open Trench	LF	230.7		1102		CL_SR60	1080+64.45	1082+95.16	RT		
			329.5				CL_SR60	1082+95.16	1086+23.52	RT		
			361.8				CL_SR60	1107+35.12	1110+96.88	LT		
			179.5				CL_SR60	1110+96.88	1112+76.39	LT		
0635 2 11	Pull & Splice Box, F&I, 13 X 24 Cover Size	EA	1		6		CL_SR60	1080+64.26	1080+64.26	RT		
			1				CL_SR60	1082+95.16	1082+95.16	RT		
			1				CL_SR60	1086+26.67	1086+26.67	RT		
			1				CL_SR60	1107+33.04	1107+33.04	LT		
			1				CL_SR60	1110+96.88	1110+96.88	LT		
			1				CL_SR60	1112+78.80	1112+78.80	LT		
0715 1 12	Lighting Conductors, F&I, Insulated, No.8 - 6	LF	230.7		3304		CL_SR60	1080+64.45	1082+95.16	RT		
			230.7				CL_SR60	1080+64.45	1082+95.16	RT		
			230.7				CL_SR60	1080+64.45	1082+95.16	RT		
			329.5				CL_SR60	1082+95.16	1086+23.52	RT		
			329.5				CL_SR60	1082+95.16	1086+23.52	RT		
			329.5				CL_SR60	1082+95.16	1086+23.52	RT		
			361.8				CL_SR60	1107+35.12	1110+96.88	LT		
			361.8				CL_SR60	1107+35.12	1110+96.88	LT		
			361.8				CL_SR60	1107+35.12	1110+96.88	LT		
			179.5				CL_SR60	1110+96.88	1112+76.39	LT		
			179.5				CL_SR60	1110+96.88	1112+76.39	LT		
			179.5				CL_SR60	1110+96.88	1112+76.39	LT		
0715 1 60	Lighting Conductors, Remove & Dispose, Contractor Owns	LF	230.7		1102		CL_SR60	1080+64.45	1082+95.16	RT		
			329.5				CL_SR60	1082+95.16	1086+23.52	RT		
			361.8				CL_SR60	1107+35.12	1110+96.88	LT		
			179.5				CL_SR60	1110+96.88	1112+76.39	LT		
0715 61442	Light Pole Complete, F&I, Standard Pole, Standard Foundation, 45' Mounting Height, 12' Arm Length	EA	1		2		CL_SR60	1082+94.82	1082+94.82	RT		
			1				CL_SR60	1110+97.42	1110+97.42	LT		
0715 69000	Light Pole Complete, Remove Pole and Foundation	EA	1		2		CL_SR60	1083+60.15	1083+60.15	RT		
			1				CL_SR60	1110+06.55	1110+06.55	LT		
0715500 1	Pole Cable Distribution System, Furnish And Install, Conventional	EA	1		6		CL_SR60	1080+64.31	1080+64.31	RT		

**Summary of Lighting Items - 449276-1-52-02**

Pay Item Number	Pay Item Description	Units of Measure	Quantity		Total Quantity		Location				Design Notes	Construction Remarks
			P	F	P	F	Alignment	Begin Station	End Station	Side		
			1				CL_SR60	1082+94.82	1082+94.82	RT		
			1				CL_SR60	1086+23.52	1086+23.52	RT		
			1				CL_SR60	1107+38.54	1107+38.54	LT		
			1				CL_SR60	1110+97.42	1110+97.42	LT		
			1				CL_SR60	1112+76.39	1112+76.39	LT		
...												
...												
...												