

GENERAL NOTES

1. THIS IS A REPORT OF LOCATING MARKS (IRON ROD AND CAP, NAIL AND DISK OR X-CUT) OF SUBSURFACE UTILITIES WITHIN THE PROJECT LIMITS DEFINED BY THE FLORIDA DEPARTMENT OF TRANSPORTATION (FDOT) TO BE USED FOR THE DESIGN IMPROVEMENTS ALONG SR 35 (US 17) FROM NORTH OF SR 64 TO BELL ST.

2. ELEVATIONS ARE RELATIVE TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88).

3. STATION AND OFFSETS SHOWN IN THE SUMMARY OF VERIFIED UTILITIES TABLE ARE RELATIVE TO THE BASELINES AND ALIGNMENT (NBSR35 AND SBSR35) IN FILE SURVRD01.DGN.

4. ALL MEASUREMENTS SHOWN HEREON ARE IN US SURVEY FEET WITH THE EXCEPTION OF UTILITY SIZE WHICH IS SHOWN IN INCHES.

5. THE LAST DATE OF FIELD WORK WAS COMPLETED ON OCTOBER 13, 2025.

6. SUBSURFACE UTILITIES WERE VISUALLY VERIFIED AT SPECIFIC LOCATIONS USING NON-INVASIVE VACUUM EXCAVATION TECHNIQUES. AN IRON ROD AND CAP, NAIL AND DISK OR X-CUT WERE SET AT THE GROUND SURFACE ABOVE THE HORIZONTAL LOCATION OF THE UTILITY. ONCE THE UTILITY WAS EXPOSED, THE DEPTH FROM THE SET POINT AT THE GROUND SURFACE TO THE TOP OF THE UTILITY WAS RECORDED. THE HORIZONTAL AND VERTICAL POSITION OF THE SET POINT WAS THEN RECORDED. THE RECORDED DEPTH OF THE SUBSURFACE UTILITY WAS SUBTRACTED FROM THE GROUND ELEVATION TO DETERMINE THE ELEVATION OF THE TOP OF THE SUBSURFACE UTILITY.

7. UTILITY SIZE AND MATERIAL WERE RECORDED IN THE FIELD AND ARE BASED OFF THE FIELD TECHNICIANS' OBSERVATIONS. THE RECORDED INFORMATION WAS REVIEWED AND CHECKED AGAINST PICTURES TAKEN WHILE THE UTILITY WAS EXPOSED. THIS INFORMATION MAY DIFFER FROM EXISTING RECORDS AND/OR AS-BUILTS.

8. UTILITY OWNERSHIP IS BASED ON OBSERVATIONS OF ABOVEGROUND UTILITY APPURTENANCES AND MAY NOT REFLECT THE CURRENT OWNER.


9. EXISTING GROUND ELEVATIONS AND DEPTH BELOW GRADE MEASUREMENTS ARE CERTIFIED AS OF THE LAST DATE OF FIELD WORK AS NOTED ABOVE.

10. SEE SHEETS UTV-2 AND UTV-3 FOR SUMMARY OF VERIFIED UTILITIES INFORMATION.

LEGEND OF ABBREVIATIONS

CI	CAST IRON	P.E.	PROFESSIONAL ENGINEER
DBC	DIRECT BURIED CABLE	PVC	POLYVINYL CHLORIDE
F.A.C.	FLORIDA ADMINISTRATIVE CODE	RD	ROAD
FOC	FIBER OPTIC CABLE	RT	RIGHT
HDPE	HIGH DENSITY POLYETHYLENE PIPE	SR	STATE ROAD
INC.	INCORPORATED	STL	STEEL
LT	LEFT	US	UNITED STATES
N/A	NOT APPLICABLE	VCP	VITRIFIED CLAY PIPE
NO.	NUMBER	Vvh	VERIFIED VERTICAL ELEVATION AND HORIZONTAL LOCATION
PE	POLYETHYLENE PIPE		

CERTIFICATION



THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY:

ON THE DATE ADJACENT TO THE SEAL

THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

ECHO UES, INC.  
4803 GEORGE ROAD, SUITE 350  
TAMPA, FLORIDA 33634  
CERTIFICATE OF AUTHORIZATION 8184  
JERALDO COMELLAS, JR., P.E. 45838

THE ABOVE NAMED PROFESSIONAL ENGINEER SHALL BE RESPONSIBLE FOR THE FOLLOWING SHEETS IN ACCORDANCE WITH RULE 61G15-23.004, F.A.C.

SHEET NO. UTV-1 THRU UTV-3 SHEET DESCRIPTION VERIFIED UTILITY LOCATE

REVISIONS				ENGINEER OF RECORD	STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID	
				JERALDO COMELLAS, JR., P.E. 45838 ECHO UES, INC. 4803 GEORGE ROAD SUITE 350 TAMPA, FLORIDA 33634	SR 35	HARDEE	446205-1-52-01	UTV-1

SUMMARY OF VERIFIED UTILITIES

V <sub>vh</sub> #	UTILITY DESCRIPTION (Owner, type)	SIZE	MATERIALS	℄ and/or ℄			EXISTING GROUND ELEVATION	TOP ELEVATION	COMMENTS
				STATION	OFFSET	LT/RT			
1-1	TECO, GAS MAIN	4"	HDPE	563+99.88	44.84'	LT	89.17'	80.71'	POSSIBLE 4" HDPE; UNABLE TO VISUALLY VERIFY DUE TO DEPTH AND CAVE-IN.
1-2	TECO, GAS MAIN	4"	HDPE	565+37.56	46.54'	LT	83.84'	70.90'	POSSIBLE 4" HDPE; UNABLE TO VISUALLY VERIFY DUE TO DEPTH AND CAVE-IN.
1-3	TECO, GAS MAIN	4"	HDPE	567+04.06	43.94'	LT	90.52'	84.16'	POSSIBLE 4" HDPE; UNABLE TO VISUALLY VERIFY DUE TO DEPTH AND CAVE-IN.
1-4	SEBRING GAS SYSTEM, GAS MAIN	4"	HDPE	602+04.74	44.55'	LT	78.20'	74.02'	POSSIBLE 4" HDPE; UNABLE TO VISUALLY VERIFY DUE TO DEPTH AND CAVE-IN.
1-5	SEBRING GAS SYSTEM, GAS MAIN	4"	HDPE	606+94.02	44.13'	LT	59.41'	49.95'	POSSIBLE 4" HDPE; UNABLE TO VISUALLY VERIFY DUE TO DEPTH AND CAVE-IN.
1-6	SEBRING GAS SYSTEM, GAS MAIN	4"	HDPE	610+99.45	43.02'	LT	59.88'	54.74'	POSSIBLE 4" HDPE; UNABLE TO VISUALLY VERIFY DUE TO DEPTH AND CAVE-IN.
1-1-1	EXPLORATORY - CLEARED TO 10'	N/A	N/A	513+28.60	10.18'	LT	N/A	N/A	
1-1-1A	CENTURYLINK, BURIED TELEPHONE	1.5"	PVC	513+28.64	11.39'	LT	58.14'	54.82'	
1-1-2	EXPLORATORY - CLEARED TO 10'	N/A	N/A	513+28.42	13.68'	LT	N/A	N/A	
1-1-2A	EXPLORATORY - CLEARED TO 10'	N/A	N/A	513+28.44	15.04'	LT	N/A	N/A	
2-1	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1099+98.21	21.02'	RT	N/A	N/A	
2-1A	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1099+98.03	22.76'	RT	N/A	N/A	
2-2	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1099+97.98	24.24'	RT	N/A	N/A	
2-2A	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1099+98.14	25.83'	RT	N/A	N/A	
18-1	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1211+59.16	31.33'	RT	N/A	N/A	
18-1A	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1211+59.15	34.01'	RT	N/A	N/A	
18-1B	CITY OF WAUCHULA, STREET LIGHT	1.5"	PVC	1211+59.19	34.85'	RT	88.81'	85.81'	
18-2	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1211+59.27	36.64'	RT	N/A	N/A	
18-2A	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1211+59.28	38.71'	RT	N/A	N/A	
19-1	EXPLORATORY - CLEARED TO 8'	N/A	N/A	1219+24.64	32.16'	RT	N/A	N/A	
19-1A	CITY OF WAUCHULA, STREET LIGHT	1.5"	PVC	1219+24.64	32.99'	RT	95.31'	92.39'	
19-1B	EXPLORATORY - CLEARED TO 8'	N/A	N/A	1219+24.64	34.44'	RT	N/A	N/A	
19-2	EXPLORATORY - CLEARED TO 8'	N/A	N/A	1219+24.45	35.91'	RT	N/A	N/A	
19-2A	EXPLORATORY - CLEARED TO 8'	N/A	N/A	1219+24.45	38.35'	RT	N/A	N/A	
24-1	CITY OF WAUCHULA, WATER MAIN	8"	PVC	1252+39.21	50.15'	RT	101.87'	94.67'	PIN SET ON EAST EDGE.
24-1A	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1252+39.15	52.24'	RT	N/A	N/A	
24-2	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1252+38.90	53.50'	RT	N/A	N/A	
24-2A	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1252+38.98	55.06'	RT	N/A	N/A	
25-1	CITY OF WAUCHULA, WATER MAIN	8"	PVC	1260+08.58	46.74'	RT	104.93'	99.98'	
25-2	CENTURYLINK, BURIED TELEPHONE	1"	DBC	1260+39.24	68.23'	RT	103.15'	100.49'	
25-2A	CENTURYLINK, BURIED TELEPHONE	2"	DBC	1260+42.03	68.19'	RT	103.20'	101.06'	
25-3	CITY OF WAUCHULA, WATER MAIN	6"	CI	1260+34.87	68.51'	RT	103.56'	100.95'	
26-1	CITY OF WAUCHULA, IRRIGATION	1.5"	PVC	1266+32.70	50.36'	RT	109.61'	108.38'	
26-1A	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1266+32.59	51.41'	RT	N/A	N/A	
26-1B	CITY OF WAUCHULA, WATER MAIN	12"	PVC	1266+32.52	53.69'	RT	109.36'	105.15'	
26-2	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1266+32.61	54.78'	RT	N/A	N/A	
26-2A	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1266+32.68	56.38'	RT	N/A	N/A	
26-3	CITY OF WAUCHULA, STREET LIGHT	2"	PVC	1269+71.64	56.91'	LT	112.02'	109.90'	
26-4	CITY OF WAUCHULA, STREET LIGHT	2"	PVC	1269+72.22	19.58'	LT	112.00'	109.94'	
26-5	CITY OF WAUCHULA, SANITARY SEWER	8"	VCP	1270+12.89	20.84'	LT	112.09'	109.01'	POSSIBLY ABANDONED SANITARY SEWER.
26-6	CITY OF WAUCHULA, STREET LIGHT	2"	PVC	1270+14.54	17.16'	LT	112.10'	110.88'	
26-6A	TECO, GAS MAIN	4"	STL	1270+21.79	21.05'	LT	111.97'	100.07'	POSSIBLE 4" STL; UNABLE TO VISUALLY VERIFY DUE TO DEPTH AND CAVE-IN.
26-7	CITY OF WAUCHULA, STREET LIGHT	2"	PVC	1269+71.58	68.14'	RT	111.00'	108.08'	
26-8	CITY OF WAUCHULA, WATER MAIN	1"	CI	1269+75.04	63.62'	RT	110.72'	107.86'	
26-9	CITY OF WAUCHULA, WATER MAIN	12"	PVC	1270+48.49	50.08'	RT	112.33'	107.73'	
26-10	CITY OF WAUCHULA, TRAFFIC SIGNAL	2"	PVC	1270+27.77	46.64'	RT	111.61'	109.41'	
26-11	CITY OF WAUCHULA, STREET LIGHT	2"	PVC	1270+14.63	55.55'	RT	110.91'	108.55'	
30-1	TECO, GAS MAIN	2.5"	PE	1293+57.94	69.82'	LT	108.47'	104.15'	
30-2	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1293+57.49	55.27'	LT	N/A	N/A	
30-3	TECO, GAS MAIN	2.5"	PE	1293+64.33	45.04'	LT	109.25'	98.34'	POSSIBLE 2.5" PE; UNABLE TO VISUALLY VERIFY DUE TO DEPTH AND CAVE-IN.
30-4	CITY OF WAUCHULA, STREET LIGHT	2"	PVC	1293+72.09	35.79'	LT	109.63'	105.71'	
30-5	CITY OF WAUCHULA, IRRIGATION	(3) 1.5"	PVC	1297+35.19	28.84'	LT	108.97'	108.05'	
30-6	COMCAST, BURIED CABLE TV	1.5"	PE	1297+94.46	27.54'	LT	110.14'	107.48'	
30-7	COMCAST, BURIED CABLE TV	1.5"	PE	1297+64.79	41.86'	LT	106.93'	105.45'	
31-1	PEACE RIVER, BURIED ELECTRIC	4"	PVC	1299+70.89	25.28'	LT	109.37'	107.17'	
31-2A	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1300+75.19	37.28'	LT	N/A	N/A	
31-2	CITY OF WAUCHULA, IRRIGATION	(2) 2"	PVC	1300+74.45	41.63'	LT	108.52'	107.22'	
31-3	EXPLORATORY - CLEARED TO 10'	N/A	N/A	1301+58.55	49.28'	LT	N/A	N/A	
31-3A	CITY OF WAUCHULA, IRRIGATION	2"	PVC	1301+60.98	49.29'	LT	108.07'	106.83'	
31-4	CITY OF WAUCHULA, IRRIGATION	1"	PVC	1301+85.56	56.98'	LT	107.77'	106.01'	
32-1	CENTURYLINK, BURIED TELEPHONE	(2) 0.5"	DBC	556+42.44	46.95'	LT	87.90'	86.78'	
32-2	TECO, GAS MAIN	4"	PE	556+42.58	44.39'	LT	87.27'	84.35'	
33-1	EXPLORATORY - CLEARED TO 10'	N/A	N/A	560+47.38	64.55'	RT	N/A	N/A	
33-2	EXPLORATORY - CLEARED TO 10'	N/A	N/A	561+87.70	9.36'	LT	N/A	N/A	
33-3	TECO, GAS MAIN	4"	PE	561+97.74	42.37'	LT	92.86'	88.46'	

REVISIONS				ENGINEER OF RECORD	STATE OF FLORIDA			SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION		DEPARTMENT OF TRANSPORTATION			
				JERALDO COMELLAS, JR., P.E. 45838 ECHO UES, INC. 4803 GEORGE ROAD SUITE 350 TAMPA, FLORIDA 33634	ROAD NO.	COUNTY	FINANCIAL PROJECT ID	VERIFIED UTILITY LOCATE  UTV-2
					SR 35	HARDEE	446205-1-52-01	

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

SUMMARY OF VERIFIED UTILITIES

V <sub>vh</sub> #	UTILITY DESCRIPTION (Owner, type)	SIZE	MATERIALS	Ø and/or Ɔ			EXISTING GROUND ELEVATION	TOP ELEVATION	COMMENTS
				STATION	OFFSET	LT/RT			
33-4	CENTURYLINK, BURIED TELEPHONE	0.5"	DBC	561+96.65	45.04'	LT	92.97'	90.57'	
34-1	EXPLORATORY - CLEARED TO 10'	N/A	N/A	564+45.75	44.55'	LT	N/A	N/A	
34-1A	EXPLORATORY - CLEARED TO 10'	N/A	N/A	564+10.99	42.39'	LT	N/A	N/A	
34-2	EXPLORATORY - CLEARED TO 8'	N/A	N/A	564+58.04	36.68'	LT	N/A	N/A	
34-3	EXPLORATORY - CLEARED TO 10'	N/A	N/A	569+53.06	45.37'	LT	N/A	N/A	
34-4	CENTURYLINK, BURIED TELEPHONE	1"	DBC	569+45.49	21.50'	LT	103.48'	99.18'	
34-4A	CENTURYLINK, BURIED TELEPHONE	(2) 0.5"	DBC	564+10.95	43.47'	LT	88.61'	85.85'	
34-4B	CENTURYLINK, BURIED TELEPHONE	0.5"	DBC	564+11.04	47.58'	LT	89.14'	88.11'	
34-5	EXPLORATORY - CLEARED TO 5'	N/A	N/A	569+17.77	27.01'	LT	N/A	N/A	UNABLE TO CLEAR PAST 5FT DUE TO HARD GROUND.
35-1	TECO, GAS MAIN	4"	PE	570+63.20	43.02'	LT	105.09'	100.95'	
36-1	TECO, GAS MAIN	4"	PE	580+90.53	44.40'	LT	113.79'	107.71'	
36-2	TECO, GAS MAIN	4"	PE	574+70.94	42.93'	LT	114.50'	108.80'	
38-1	TECO, GAS MAIN	4"	PE	595+48.98	46.82'	LT	103.13'	95.95'	POSSIBLE 4" PE; UNABLE TO VISUALLY VERIFY DUE TO WATER, DEPTH AND CAVE-IN.
38-2	TECO, GAS MAIN	4"	PE	597+61.22	45.08'	LT	96.45'	93.51'	
38-3	EXPLORATORY - CLEARED TO 10'	N/A	N/A	598+22.16	30.88'	LT	N/A	N/A	
39-1	TECO, GAS MAIN	4"	PE	599+95.78	45.91'	LT	92.42'	89.52'	
39-2	SEBRING GAS SYSTEM, GAS MAIN	4"	PE	600+23.68	32.92'	LT	92.94'	89.64'	
39-3	SEBRING GAS SYSTEM, GAS MAIN	4"	PE	605+02.24	44.81'	LT	64.47'	61.97'	POSSIBLE 4" PE; UNABLE TO VISUALLY VERIFY DUE TO WATER AND CAVE-IN.
41-1	CITY OF WAUCHULA, STREET LIGHT	2.5"	PVC	618+05.53	29.72'	RT	75.81'	72.45'	
44-1	EXPLORATORY - CLEARED TO 10'	N/A	N/A	639+60.43	37.06'	LT	N/A	N/A	
44-1A	EXPLORATORY - CLEARED TO 10'	N/A	N/A	639+60.40	38.36'	LT	N/A	N/A	
44-2	EXPLORATORY - CLEARED TO 10'	N/A	N/A	639+60.42	39.82'	LT	N/A	N/A	
44-2A	EXPLORATORY - CLEARED TO 10'	N/A	N/A	639+60.41	41.66'	LT	N/A	N/A	
54-1	EXPLORATORY - CLEARED TO 10'	N/A	N/A	709+89.78	33.93'	LT	N/A	N/A	
54-1A	EXPLORATORY - CLEARED TO 10'	N/A	N/A	709+89.65	36.96'	LT	N/A	N/A	
54-2	EXPLORATORY - CLEARED TO 10'	N/A	N/A	709+89.18	38.20'	LT	N/A	N/A	
54-2A	EXPLORATORY - CLEARED TO 10'	N/A	N/A	709+89.34	40.48'	LT	N/A	N/A	
56-1	CENTURYLINK, BURIED FOC/TELEPHONE	4" & 1"	PVC	719+73.27	30.82'	RT	107.66'	105.24'	
56-2	PEACE RIVER, BURIED ELECTRIC	1.5"	PVC	719+97.62	18.30'	RT	107.43'	103.43'	
56-3	CENTURYLINK, BURIED TELEPHONE	1.5"	DBC	720+35.14	34.55'	RT	107.70'	104.52'	
56-4	CITY OF WAUCHULA, WATER MAIN	2"	CI	720+30.41	47.13'	RT	107.94'	105.74'	

REVISIONS				ENGINEER OF RECORD		STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			VERIFIED UTILITY LOCATE	SHEET NO.
DATE	DESCRIPTION	DATE	DESCRIPTION	JERALDO COMELLAS, JR., P.E. 45838 ECHO UES, INC. 4803 GEORGE ROAD SUITE 350 TAMPA, FLORIDA 33634		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		UTV-3
						SR 35	HARDEE	446205-1-52-01		

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.