

ORINATION FORM

Proposed Revisions to the Specifications

(Please provide all information - incomplete forms will be returned)

Date:

Office:

Originator:

Specification Section:

Telephone:

Article/Subarticle:

email:

Associated Section(s) Revisions:

Will the proposed revision require changes to:

Publication	Yes	No	Office Staff Contacted
Standard Plans Index			
Traffic Engineering Manual			
FDOT Design Manual			
Construction Project Administration Manual			
Basis of Estimate/Pay Items			
Structures Design Guidelines			
Approved Product List			
Materials Manual			
Maintenance Specs			

Will this revision necessitate any of the following:

Design Bulletin

Construction Bulletin

Estimates Bulletin

Materials Bulletin

Have all references to internal and external publications in this Section been verified for accuracy?

Synopsis: Summarize the changes:

Justification: Why does the existing language need to be changed?

Do the changes affect either of the following types of specifications (Hover over type to go to site.):

Special Provisions

Developmental Specifications

List Specifications Affected: (ex. SP3270301, Dev330TL, Dev334TL etc.)

Contact the State Specifications Office for assistance in completing this form.

Daniel Strickland 850-414-4130 Daniel.Strickland@dot.state.fl.us Rebecca Arcia 850-414-4155 Rebecca.Arcia@dot.state.fl.us
Darla Hunsicker 850-414-4114 Darla.Hunsicker@dot.state.fl.us Valencia Cunningham 850-414-4101 Valencia.Cunningham@dot.state.fl.us

COATING NEW STRUCTURAL STEEL.
(REV 7-21-22)

SUBARTICLE 560-6.3 is deleted and the following substituted:

560-6.3 Quality Control (QC) Personnel Supervisor in the Shop and Field:

~~560-6.3.1 Quality Control Inspectors:~~ Personnel performing inspection of coating-QC activities in the supervisory position must visit the shop at suitable intervals throughout the coating process. Personnel performing inspection of coating activities in the supervisory position must visit the field location at suitable intervals throughout the coating process, as defined in the site specific coating plan.~~be employed by the coating contractor.~~ Submit documentation to the Engineer that all acting as supervisors personnel performing QC inspections are certified, at a minimum, to one of the following certifications as a:
~~National Association of Corrosion Engineers (NACE) International Coating Inspector Level I or a SSPC Bridge or Protective Coatings Inspector Level 1. QC inspectors must report directly to a QC Supervisor.~~

1. AMPP Bridge Coatings Inspector Level 2

2. AMPP Senior Certified Coatings Inspector

3. NACE Coatings Inspector Level 3

4. SSPC Bridge Coatings Inspector Level 2

5. SSPC Protective Coatings Inspector Level 3

~~560-6.3.2 Quality Control Supervisor:~~ Personnel performing coating activities in the supervisory position must be certified either as a NACE International Coating Inspector Level 3 or a SSPC Bridge or Protective Coatings Inspector Level 2.

560-6.4.1 Certifications: Maintain certifications for the duration of the Contract. If the certifications expire, do not perform any work until certifications are reissued. Request for lower coating specialist requirements may be waived by the State Materials Office.

Notify the Engineer of any change in certification status.

SUBARTICLE 560-6.4 is deleted.

~~560-6.4 Certifications:~~ Maintain certifications for the duration of the Contract. If the certifications expire, do not perform any work until certifications are reissued.
~~Notify the Engineer of any change in certification status.~~