ORIGINATION FORM

Proposed Revisions to the Specifications

(Please provide all information - incomplete forms will be returned)

Date:	Office:					
Originator:	Specification Section:					
Telephone:	Article/Subarticle:					
email:						
Will the proposed revision require changes to:						
Publication	Yes	No	Off	Office Staff Contacted		ed
Standard Plans Index						
Traffic Engineering Manual						
FDOT Design Manual						
Construction Project Administration Manual						
Basis of Estimate/Pay Items						
Structures Design Guidelines						
Approved Product List						
Materials Manual						
		'				
Will this revision necessitate any of the following	ng:					
Design Bulletin Construction Bulletin	Estimates Bulletin			М	aterials Bul	letin
re all references to external publications current?		Yes		No		
If not, what references need to be updated? (Please include changes in the redline document.)						
Why does the existing language need to be changed?						
,						
Construction to the second						
Summary of the changes:						
Are these changes applicable to all Department If not, what are the restrictions?	jobs?	Yes	ľ	No		

CONTRACTOR QUALITY CONTROL GENERAL REQUIREMENTS – COMPLIANCE WITH THE MATERIALS MANUAL. (REV 4-23-19)

SUBARTICLE 105-4.4 IS deleted and the following substituted:

105-4.4 Compliance with the Materials Manual.

Producers of Flexible Pipe shall meet the requirements of Section 6.1, Volume II of the Department's Materials Manual, which may be viewed at the following URL: https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section61V2.shtm.

Producers of Precast Concrete Pipe shall meet the requirements of Section 6.2, Volume II of the Department's Materials Manual, which may be viewed at the following URL: https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section62V2.shtm.

Producers of Precast Concrete Drainage Structures shall meet the requirements of Section 6.3, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section 63V2.shtm.

Producers of Precast/Prestressed Concrete Products shall meet the requirements of Sections 8.1 and 8.3 of the Department's Materials Manual, which may be viewed at the following URLs:

 $\frac{https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/default-programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/default-programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/default-programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/default-programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/default-programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/default-programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/default-programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/default-programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/default-programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/default-programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/default-programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/default-programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/default-programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/default-programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/default-programmanagement/Implemented/URLinSpecs/Section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/section81V1.shtm.}{https://fdotwww.blob.core.windows.net/sitefinity/docs/sect$

 $\underline{source/programmanagement/implemented/urlinspecs/files/section 81v2-}$

<u>041719.pdf?sfvrsn=4a6bb657_4 https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/programmanagement/urlinspecs/section81v2-041719.pdf?sfvrsn=e1dbbaff_2</u>

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section 83V1.shtm.

Producers of Precast Prestressed Concrete Products using Self Consolidating Concrete shall meet the requirements of Section 8.4, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section84V2.shtm.

Producers of Incidental Precast/Prestressed Concrete Products shall meet the requirements of Section 8.2, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section 82V2.shtm.

Producers of Portland Cement Concrete shall meet the requirements of Section 9.2, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section92V2.shtm.

Producers of Structural Steel and Miscellaneous Metal Components shall meet the requirements of Sections 11.1, 11.2, 11.3, 11.4, 11.5 and 11.6 of the Department's Materials Manual, which may be viewed at the following URLs:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section111V1.shtm.

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section112V2.shtm.

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section113V2.shtm.

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section114V2.shtm.

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section115V2.shtm.

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section116V2.shtm.

Producers of Fiber Reinforced Polymer Composites shall meet the requirements of Section 12-1, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section121V2.shtm.