

RON DESANTIS GOVERNOR 605 Suwannee Street Tallahassee, FL 32399-0450 KEVIN J. THIBAULT, P.E. SECRETARY

July 12, 2019

Khoa Nguyen Director, Office of Technical Services Federal Highway Administration 3500 Financial Plaza, Suite 400 Tallahassee, Florida 32312

Re: State Specifications Office

Section: 460

Proposed Specification: 4600100 Structural Steel and Miscellaneous Metals.

Dear Mr. Nguyen:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

The changes are proposed by Thomas Frank of the State Materials Office (SMO) to modify the language.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via email to stefanie.maxwell@dot.state.fl.us.

If you have any questions relating to this specification change, please call me at 414-4140.

Sincerely,

Signature on file

Stefanie D. Maxwell, P.E. Manager, Program Management Office

SM/dt

Attachment

cc: Florida Transportation Builders' Assoc.

State Construction Engineer

#### STRUCTURAL STEEL AND MISCELLANEOUS METALS

(REV <del>5-2-19</del>7-15-19)

ARTICLE 460-1 is deleted and the following substituted:

## 460-1 Description.

**460-1.1 General:** Prepare, fabricate, assemble, erect, and perform all nondestructive testing for structural steel or miscellaneous metal structures, or portions thereof in accordance with the Contract Documents.

Obtain Structural Steel and Miscellaneous Metals from a fabricator that is currently on the Department's Production Facility Listing. Fabricators seeking inclusion on the list shall meet the requirements of Section 105.

As used in this specification, the following terms shall apply:

Main or primary load-carrying member or component: This designation refers to the following;

1. Longitudinal or transverse rolled beams or fabricated girders

(I or box, curved or straight)

- 2. All truss members not designated as cross frames
- 3. Cross frames, diaphragms and connection plates of horizontally

curved beams or girders

- 4. Rib members of steel arches
- 5. Bracing members subjected to and specifically designed for traffic live load and/or other loads
- 6. Cross frames or diaphragms at pier and abutment supports of tub or box girders (trapezoidal members) and their connection plates
- 7. Attachments and components of the above such as splice, cover, cross frame and diaphragm connection and gusset plates, but not transverse and bearing stiffeners (unless acting as a cross frame or diaphragm)
  - 8. Cables, moment release pins and links, and hangers
  - 9. All steel substructure members except those designated as

secondary in the Contract Documents

- 10. Overhead cantilevers, trusses, spans and gantries
- 11. Other members as may be identified in the Contract Documents
- 12. Forgings and castings to be used in bridge machinery

Miscellaneous components - This designation refers to, but is not limited

to, the following:

- 1. Ladders Steel modular joints
- 2. Platforms Load plates
- 3. BearingsStay in place forms
- 4. Railings Laminated bearing pads
- 5. End Wall Grates Aluminum J-arms
- 6. Roadway Gratings, inlets, and frames
- 7. Metal Drainage Components
- 87. Steel Expansion Joint and Components Steel and aluminum

railing

# 9. Forgings and castings to be used in bridge machinery

**460-1.2 Fabrication Categories:** As a prerequisite for being on the Department's Production Facility Listing, fabricators must currently be accredited in accordance with one of the programs in Table 460-1, by fabrication category/categories of the products that they are producing.

Fabricators are required to submit their proposed fabrication Quality Control (QC) Plan for review by the Department.

Table 460-1 Fabrication Categories	
Structure Type	Accepted Accreditation Program
Advanced Bridge: Tub or trapezoidal box girders, closed boxed girders, large or non-preassembled truss bridges, arches, cable supported bridges, moveable bridges, and bridges with curved radii tighter than defined for intermediate bridge. Simple Steel Bridge: Pedestrian bridge (standard designprefabricated steel truss), bridge grid decking	AISC Advanced Bridge AISC Simple Bridge
Intermediate Bridge: A rolled beam bridge with field or shop slices, either straight or with a radius over 500 feet: a built up I shaped plate girder bridge with constant web depth (except for dapped ends), with or without splices, either straight or with a radius over 500 feet: a build up I shaped plate girder with variable web depth (e.g. haunched) either straight or with a radius over 1000 feet; a truss bridge with a length of 200 feet or less that is entirely or substantially preassembled at the certified facility and shipped in no more than three subassemblies. Steel Bridge: Vehicular bridge, Pedestrian bridge (proprietary designall others)  Simple Bridge: Unspliced rolled sections and pedestrian bridges Structural Highway Metal Components, Group I: bridge machinery, bridge bearings, modular joints, load plates, laminated bearing pads,	AISC Intermediate Bridge AISC Advanced Bridge Fracture Critical Endorsement  AISC Simple Bridge AISC Components Manufacturer
cantilever, truss/span, monotube, gantry, mast arms, steel light poles, aluminum light poles, aluminum j-arms, drainage (welded gratings, frames, inlets)	or AWS Welding Fabricator
Highway Metal Components, including Aluminum: Fence materials, guardrails, handrails, reinforcing steel (rebar), casing pipes, metal drainage items, stay in place forms, light poles, high mast poles, metal buildings, steel strain poles, bridge rail, stairs, walkways, grid decks, scuppers, expansion joints, bearings, ballast plates, complex expansion joints, high load multi-rotational bearings, bracing not designed for primary loads (diaphragms, cross frames, and lateral bracing), moveable bridge machinery and sign or signal structures erected partially or completely over the traveled roadway or mounted on bridges. Structural Highway Metal Components, Group II: bridge forgings, bridge castings, steel railing, aluminum railing, castings (manhole, grating, inlet, frame), guardrail, coated steel	AISC Highway Metal Components ISO 9001 AWS CWF ISO 9001

#### fence, elastomeric bearing pads, stay in-place forms

NOTES:

An AISC fracture critical (FC) endorsement is required for all FC work.

Other accreditations programs may be submitted to the FDOT State Materials Office for review and consideration in addition to the programs listed in the table above.

### SUBARTICLE 460-4.2.2 is deleted and the following substituted:

460-4.2.2 Match Marking of Members and Assemblies: Match mark all connecting members or parts that have been reamed or drilled while assembled. The fabricator shall submit a diagram showing all marks and clearly indicate the location of all the marks on the shop drawings.

Use painted marks, attached metal tags, other durable methods which do not degrade the finish of the piece, <u>including plasma etching</u> or low-stress type steel die stamps to identify and match mark pieces. If steel die stamps are used, they must be blunt nosed or interrupted dot dies, manufactured to produce impressions that are rounded at the bottom of the impression. Re-mark coated type markings as necessary to maintain continuity in traceability. Plasma etching using robotic equipment may be used to mark the surface of a steel plate when done at 10- amps and at 150- inches per minute. Plasma etching outside of these parameters requires Engineer approval.

Mark splice plates and girders so that upon erection, the mark on the splice plate is located opposite a matching mark on the girder. Place the mark on web splice plates, midway down the long side of the plate, on either the right or left side, to correspond with the girder to which the splice plate will be temporarily attached for shipping to the erection site. Make a matching stamp on the girder web opposite the mark on the splice plate.

Place the mark on top or bottom flange splice plates, on the right or left end of the plate, corresponding to the girder to which the plate will be attached for shipment to the erection site. Place a corresponding mark on the girder flange opposite the mark in the splice plate.

As an alternate location for tub girder bottom flange splice plates, place the mark midway down the long side of the plate, on either the right or left side, to correspond with the girder to which the splice plate will be temporarily attached for shipping to the erection site. Make a matching mark on the girder flange opposite the mark on the splice plate.

Mark girders and beams on the left end, according to the orientation shown in the shop drawings, near the top flange. Mark diaphragms in the middle upper portion of the web. Mark cross-frames in the middle of the top or bottom horizontal member.

When heat numbers and other identification marking are applied by die stamping to fracture critical members, low stress dies shall be used.

Low-stress die stamp markings applied to fracture critical members shall be placed in locations or zones shown or described in the approved shop drawings. Low-stress or compression areas are preferred.

Ensure that during fabrication, the heat number is maintained on each primary load-carrying component by paint until the component is permanently joined into a piece marked member or assembly.

# STRUCTURAL STEEL AND MISCELLANEOUS METALS (REV 7-15-19)

ARTICLE 460-1 is deleted and the following substituted:

## 460-1 Description.

**460-1.1 General:** Prepare, fabricate, assemble, erect, and perform all nondestructive testing for structural steel or miscellaneous metal structures, or portions thereof in accordance with the Contract Documents.

Obtain Structural Steel and Miscellaneous Metals from a fabricator that is currently on the Department's Production Facility Listing. Fabricators seeking inclusion on the list shall meet the requirements of Section 105.

As used in this specification, the following terms shall apply:

Main or primary load-carrying member or component: This designation refers to the following;

1. Longitudinal or transverse rolled beams or fabricated girders

(I or box, curved or straight)

- 2. All truss members not designated as cross frames
- 3. Cross frames, diaphragms and connection plates of horizontally

curved beams or girders

- 4. Rib members of steel arches
- 5. Bracing members subjected to and specifically designed for

traffic live load and/or other loads

- 6. Cross frames or diaphragms at pier and abutment supports of tub or box girders (trapezoidal members) and their connection plates
- 7. Attachments and components of the above such as splice, cover, cross frame and diaphragm connection and gusset plates, but not transverse and bearing stiffeners (unless acting as a cross frame or diaphragm)
  - 8. Cables, moment release pins and links, and hangers
- 9. All steel substructure members except those designated as secondary in the Contract Documents
  - 10. Overhead cantilevers, trusses, spans and gantries
  - 11. Other members as may be identified in the Contract Documents
  - 12. Forgings and castings to be used in bridge machinery Miscellaneous components This designation refers to, but is not limited

to, the following:

- 1. Steel modular joints
- 2. Load plates
- 3. Bearings
- 4. Laminated bearing pads
- 5. Aluminum J-arms
- 6. Roadway Gratings, inlets, and frames
- 7. Steel and aluminum railing
- **460-1.2 Fabrication Categories:** As a prerequisite for being on the Department's Production Facility Listing, fabricators must currently be accredited in accordance with one of

the programs in Table 460-1, by fabrication category/categories of the products that they are producing.

Fabricators are required to submit their proposed fabrication Quality Control (QC) Plan for review by the Department.

Table 460-1		
Fabrication Categories		
Structure Type	Accepted Accreditation Program	
Simple Steel Bridge: Pedestrian bridge (prefabricated steel truss), bridge grid decking	AISC Simple Bridge	
Steel Bridge: Vehicular bridge, Pedestrian bridge (all others)	AISC Advanced Bridge Fracture Critical Endorsement	
Structural Highway Metal Components, Group I: bridge machinery, bridge bearings, modular joints, load plates, laminated bearing pads, cantilever, truss/span, monotube, gantry, mast arms, steel light poles, aluminum light poles, aluminum j-arms, drainage (welded gratings, frames, inlets)	AISC Components Manufacturer or AWS Welding Fabricator	
Structural Highway Metal Components, Group II: bridge forgings, bridge castings, steel railing, aluminum railing, castings (manhole, grating, inlet, frame), guardrail, coated steel fence, elastomeric bearing pads, stay in-place forms	ISO 9001	

NOTES:

An AISC fracture critical (FC) endorsement is required for all FC work.

Other accreditations programs may be submitted to the FDOT State Materials Office for review and consideration in addition to the programs listed in the table above.

### SUBARTICLE 460-4.2.2 is deleted and the following substituted:

**460-4.2.2 Match Marking of Members and Assemblies:** Match mark all connecting members or parts that have been reamed or drilled while assembled. The fabricator shall submit a diagram showing all marks and clearly indicate the location of all the marks on the shop drawings.

Use painted marks, attached metal tags, other durable methods which do not degrade the finish of the piece, including plasma etching or low-stress type steel die stamps to identify and match mark pieces. If steel die stamps are used, they must be blunt nosed or interrupted dot dies, manufactured to produce impressions that are rounded at the bottom of the impression. Re-mark coated type markings as necessary to maintain continuity in traceability. Plasma etching using robotic equipment may be used to mark the surface of a steel plate when done at 10 amps and at 150 inches per minute. Plasma etching outside of these parameters requires Engineer approval.

Mark splice plates and girders so that upon erection, the mark on the splice plate is located opposite a matching mark on the girder. Place the mark on web splice plates, midway down the long side of the plate, on either the right or left side, to correspond with the

girder to which the splice plate will be temporarily attached for shipping to the erection site. Make a matching stamp on the girder web opposite the mark on the splice plate.

Place the mark on top or bottom flange splice plates, on the right or left end of the plate, corresponding to the girder to which the plate will be attached for shipment to the erection site. Place a corresponding mark on the girder flange opposite the mark in the splice plate.

As an alternate location for tub girder bottom flange splice plates, place the mark midway down the long side of the plate, on either the right or left side, to correspond with the girder to which the splice plate will be temporarily attached for shipping to the erection site. Make a matching mark on the girder flange opposite the mark on the splice plate.

Mark girders and beams on the left end, according to the orientation shown in the shop drawings, near the top flange. Mark diaphragms in the middle upper portion of the web. Mark cross-frames in the middle of the top or bottom horizontal member.

When heat numbers and other identification marking are applied by die stamping to fracture critical members, low stress dies shall be used.

Low-stress die stamp markings applied to fracture critical members shall be placed in locations or zones shown or described in the approved shop drawings. Low-stress or compression areas are preferred.

Ensure that during fabrication, the heat number is maintained on each primary load-carrying component by paint until the component is permanently joined into a piece marked member or assembly.