ORIGINATION FORM Proposed Revisions to the Specifications

(Please provide all information - incomplete forms will be returned)

Date:	Office:
Originator:	Specification Section:
Telephone:	Article/Subarticle:

email:

Will the proposed revision require changes to:

Publication	Yes	No	Office Staff Contacted
Standard Plans Index			
Traffic Engineering Manual			
FDOT Design Manual			
Construction Project Administration Manual			
Basis of Estimate/Pay Items			
Structures Design Guidelines			
Approved Product List			
Materials Manual			

Will this revision necessitate any of the following:

Design Bulletin	Construction Bulletin	Estimates Bulletin		Materials Bulletin		
Are all references to ex	ternal publications current?	Yes	No			
If not, what references need to be updated? (Please include changes in the redline document.)						

Why does the existing language need to be changed?

Summary of the changes:

Are these changes applicable to all Department jobs? If not, what are the restrictions? Yes

No



RON DESANTIS GOVERNOR 605 Suwannee Street Tallahassee, FL 32399-0450 KEVIN J. THIBAULT SECRETARY

MEMORANDUM

DATE: May 2, 2019

TO: Specification Review Distribution List

FROM: Dan Hurtado, P.E., State Specifications Engineer

SUBJECT: Proposed Specification: **SP0050901 Control of the Work – General Inspection Requirements – Cooperation by the Contractor.**

In accordance with Specification Development Procedures, we are sending you a copy of a proposed specification change.

The changes are proposed by John Westphal. The deletion of the Special Provision will be addressed in Section 5-9.1.

Please share this proposal with others within your responsibility. Review comments are due within four weeks and should be sent to Mail Station 75 or online at <u>http://www2.dot.state.fl.us/ProgramManagement/Development/IndustryReview.aspx</u>. Comments received after **May 30, 2019,** may not be considered. Your input is encouraged.

DH/rf Attachment

CONTROL OF THE WORK – GENERAL INSPECTION REQUIREMENTS – COOPERATION BY THE CONTRACTOR.

(REV <u>2-10-94</u><u>4-1-19</u>) (7-19)

SUBARTICLE 5-9.1 is expanded by the followingdeleted:

Provide and maintain throughout the life of the Contract, two utility boats meeting or exceeding the following minimum requirements:

	Utility Boat
(A) Size	
(a) Length	<u> </u>
(b) Width (Beam)	7 feet
(c) Load Capacity	2,400 pounds
(d) Cabin	-
(1) Length	None
(2) Width	None
(3) Height	None
(B) Construction	
	<u> 3/16 inch</u>
(b) Side and Cabin Plating	1/8 inch
(c) Deck and Cockpit	
	<u>1/8 inch</u>
(d) Plating Material	Marine Aluminum
(e) Seams and Joints	Welded
(C) Drive Power	
(a) Outboard	two each, 75 HP,
	total 150 HP
(b) Inboard-Outboard	None
(c) Fuel Tank	Required
(D) Equipment	
(a) Mechanical Steering Control	
Control - Systems-Located	
Forward	Required
(b) Electric Start Mechanism	
Located Forward	Required
(c) Anchor and 300 foot Rope	<u> </u>
(d) Navigation Lights	
(e) Width of Shear Line	requires
	<u> </u>
(f) Heavy Duty Seating	
	two each

Furnish fuel and docking facilities for these boats. The docking facilities' location and adequacy are subject to the approval of the Engineer.

The Engineer and their staff will be permitted to travel on any or all floating equipment and boats used in the work performed.

Include the costs of furnishing and maintaining the boats, including fuel and docking facilities, in the Contract unit prices for other items of the Contract.