

RON DESANTIS GOVERNOR 605 Suwannee Street Tallahassee, FL 32399-0450 KEVIN J. THIBAULT, P.E. SECRETARY

June 11, 2020

Khoa Nguyen Director, Office of Technical Services Federal Highway Administration 3500 Financial Plaza, Suite 400 Tallahassee, Florida 32312

Re: State Specifications Office

Section: 930

Proposed Specification: 9300701 Materials for Concrete Repair.

Dear Mr. Nguyen:

We are submitting, for your approval, two copies of the above referenced Supplemental Specification.

The changes are proposed by Jose Armenteros at the State Materials Office to remove language "...when no design mix concrete is available or a special filler is specified in the Contract Documents." The revision is also to include sampling in the Section 457 requirements.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via email to daniel.strickland@dot.state.fl.us.

If you have any questions relating to this specification change, please call me at 414-4130.

Sincerely,

Signature on file

Daniel Strickland, P.E. State Specifications Engineer

DS/dh

Attachment

cc: Florida Transportation Builders' Assoc.

State Construction Engineer

MATERIALS FOR CONCRETE REPAIR. (REV 4-13-20)

SUBARTICLE 930-7.1 is deleted and the following substituted:

930-7.1 General: This material is intended to be used as filler material and for rapid repairs to pile jacket structures and other locations specified in the Plans—when no design mix concrete is available or a special filler is specified in the Contract Documents. Meet the requirements of Section 457 for preparing the surfaces, placing, sampling, testing and curing the concrete. Mix the material in accordance with the manufacturer's recommendations.

MATERIALS FOR CONCRETE REPAIR. (REV 4-13-20)

SUBARTICLE 930-7.1 is deleted and the following substituted:

930-7.1 General: This material is intended to be used as filler material and for rapid repairs to pile jacket structures and other locations specified in the Plans. Meet the requirements of Section 457 for preparing the surfaces, placing, sampling, testing and curing the concrete. Mix the material in accordance with the manufacturer's recommendations.