

ORINATION FORM
Proposed Revisions to the Specifications

(Please provide all information - incomplete forms will be returned)

Date:

Office:

Originator:

Specification Section:

Telephone:

Article/Subarticle:

email:

****Will the proposed revision require changes to:**

Publication	Yes	No	Office Staff Contacted and date contacted
Standard Plans Index			
Traffic Engineering Manual			
FDOT Design Manual			
Construction Project Administration Manual			
Basis of Estimate/Pay Items			
Structures Design Guidelines			
Approved Product List			
Materials Manual			

**This section must be completed prior to processing proposed revisions.

Will this revision necessitate any of the following:

Design Bulletin

Construction Bulletin

Estimates Bulletin

Materials Bulletin

Are all references to external publications current?

Yes

No

If not, what references need to be updated? (Please include changes in the redline document.)

Why does the existing language need to be changed?

Summary of the changes:

Are these changes applicable to all Department jobs?

Yes

No

If not, what are the restrictions?



RON DESANTIS
GOVERNOR

KEVIN J. THIBAUT, P.E.
SECRETARY

MEMORANDUM

DATE: May 7, 2020
TO: Specification Review Distribution List
FROM: Daniel Strickland, P.E., State Specifications Engineer
SUBJECT: Proposed Specification: **9300701 MATERIALS FOR CONCRETE REPAIR**

In accordance with Specification Development Procedures, we are sending you a copy of a proposed specification change.

This change was proposed by Jose Armenteros to remove language "...when no design mix concrete is available or a special filler is specified in the Contract Documents." The revision is also to include sampling in the Section 457 requirements.

Please share this proposal with others within your responsibility. Review comments are due within four weeks and should be sent to Mail Station 75 or online at <http://fdotwp1.dot.state.fl.us/programmanagement/development/industryreview.aspx> . Comments received after **June 4, 2020**, may not be considered. Your input is encouraged.

DS/dh

Attachment

MATERIALS FOR CONCRETE REPAIR.
(REV 4-13-20)

SUBARTICLE 930-7.1 is deleted and the following substituted:

930-7.1 General: This material is intended to be used as filler material and for rapid repairs to pile jacket structures and other locations specified in the Plans ~~when no design mix concrete is available or a special filler is specified in the Contract Documents~~. Meet the requirements of Section 457 for preparing the surfaces, placing, sampling, testing and curing the concrete. Mix the material in accordance with the manufacturer's recommendations.