ORIGINATION FORM

Proposed Revisions to the Specifications

(Please provide all information - incomplete forms will be returned)

Date:	Office:				
Originator:	Specification Section:				
Telephone:	Article/Subarticle:				
email:					
Will the proposed revision require changes to:					
Publication	Yes	No	Office	Staff Contacted	
Standard Plans Index					
Traffic Engineering Manual					
FDOT Design Manual					
Construction Project Administration Manual					
Basis of Estimate/Pay Items					
Structures Design Guidelines					
Approved Product List					
Materials Manual					
Will this revision necessitate any of the following	ng:				
Design Bulletin Construction Bulletin	E	Estimates Bulletin		Materials Bulletin	
Are all references to external publications current?		Yes	No		
If not, what references need to be updated? (PI	ease inclu	ude changes	in the redline d	ocument.)	
Why does the existing language need to be changed?					
Summary of the changes:					
Summary of the changes.					
Are these changes applicable to all Department If not, what are the restrictions?	: jobs?	Yes	No		



RICK SCOTT GOVERNOR 605 Suwannee Street Tallahassee, FL 32399-0450 MIKE DEW SECRETARY

MEMORANDUM

DATE: November 8, 2018

TO: Specification Review Distribution List

FROM: Dan Hurtado, P.E., State Specifications Engineer

SUBJECT: Proposed Specification: 5230100 Patterned Pavement.

In accordance with Specification Development Procedures, we are sending you a copy of a proposed specification change.

This change was proposed by Ed Cashman of the State Roadway Design Office to modify the language.

Please share this proposal with others within your responsibility. Review comments are due within four weeks and should be sent to Mail Station 75 or online at http://www2.dot.state.fl.us/ProgramManagement/Development/IndustryReview.aspx. Comments received after December 6, 2018, may not be considered. Your input is encouraged.

DH/dt Attachment

PATTERNED PAVEMENT. (REV 10-30-18)

ARTICLE 523-1 is deleted and the following substituted:

523-1 Description.

Install patterned pavement on asphalt or concrete pavement areas at locations and with the color and pattern as specified in the Plans. Use products listed on the Approved Product List (APL), as approved for use in areas subject to vehicular traffic or non-vehicular traffic, respectively, as specified herein. Install products in accordance with manufacturer's recommendations.

For the purpose of this Specification, patterned pavements are defined as a post applied surface marking overlay to either the pavement surface or to an imprinted pavement surface. Vehicular traffic areas are defined as those subject to vehicles within the traveled way, shoulders and <u>auxiliarybicycle</u> lanes. Non-vehicular travel areas include medians, islands, curb extensions, sidewalks, borders, plazas and other areas typically subject to foot traffic only.

Install overlay products in areas subject to vehicular traffic to a thickness not exceeding 180 mils. Do not use products requiring removal of pavement or requiring blockouts or trenches below the top of pavement.

Variations within a pattern shall comply with ADA requirements.