

RON DESANTIS GOVERNOR 605 Suwannee Street Tallahassee, FL 32399-0450 KEVIN J. THIBAULT, P.E. SECRETARY

January 17, 2020

Khoa Nguyen
Director, Office of Technical Services
Federal Highway Administration
3500 Financial Plaza, Suite 400
Tallahassee, Florida 32312

Re: State Specifications Office

Section 105

Proposed Specification: 1050404MM9.3 Contractor Quality Control General

Requirements.

Dear Mr. Nguyen:

We are sending you proposed revisions, dated May 22, 2019, to the Materials Manual for Section 9.3, Volume II, Concrete Pavement Production Facilities Guide. These revisions were proposed by the State Materials Office.

Use the temporary link in the attached document to access the redlined version and provide comments.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via email to daniel.strickland@dot.state.fl.us.

If you have any questions relating to this specification change, please call me at 414-4130.

Sincerely,

Signature on file

Daniel Strickland, P.E. State Specifications Engineer

DS/rf

Attachment

cc: Florida Transportation Builders' Assoc.

State Construction Engineer

## CONTRACTOR QUALITY CONTROL GENERAL REQUIREMENTS (REV 12-103-2019)

SUBARTICLE 105-4.4 is deleted and the following substituted:

## 105-4.4 Compliance with the Materials Manual.

Producers of Flexible Pipe shall meet the requirements of Section 6.1, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section61V2.shtm Producers of Precast Concrete Pipe shall meet the requirements of Section 6.2, Volume II of the Department's Materials Manual, which may be viewed at the

 ${\color{blue} \underline{https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section 62V2.shtm}}$ 

Producers of Precast Concrete Drainage Structures shall meet the requirements of Section 6.3, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section63V2.shtm

Producers of Precast/Prestressed Concrete Products shall meet the requirements of Sections 8.1 and 8.3 of the Department's Materials Manual, which may be viewed at the following URLs:

 $\frac{https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section81V1.shtm}{https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section83V2.shtm}$ 

Producers of Precast Prestressed Concrete Products using Self Consolidating Concrete shall meet the requirements of Section 8.4, Volume II of the Department's Materials Manual, which may be viewed at the following URL: <a href="https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section84V2.shtm">https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section84V2.shtm</a>

Producers of Incidental Precast/Prestressed Concrete Products shall meet the requirements of Section 8.2, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

 $\underline{https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section82V2.shtm}$ 

Producers of Portland Cement Concrete shall meet the requirements of Section 9.2, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section92V2.shtm
Producers of Paving Concrete produced by Central Mix Plants shall meet
the requirements of Section 9.3, Volume II of the Department's Materials Manual, which
may be viewed at the following URL:

https://www.fdot.gov/programmangement/Implemented/URLinSpecs/Section93V2.shtm.

Producers of Structural Steel and Miscellaneous Metal Components shall meet the requirements of Sections 11.1, 11.2, 11.3, 11.4, 11.5 and 11.6 of the Department's Materials Manual, which may be viewed at the following URLs: <a href="https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section111V1.sht">https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section111V1.sht</a> <a href="mailto:m.">m.</a>

 $\frac{https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section112V2.sht}{m}.$ 

 $\underline{https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section 113V2.sht}\ m.$ 

 $\underline{https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section 114V2.sht}\ m.$ 

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section115V2.sht m.

 $\underline{https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section 116V2.sht}\ m.$ 

Producers of Fiber Reinforced Polymer Composites shall meet the requirements of Section 12-1, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

 $\underline{https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section 121V2.sht}\ \underline{m}.$ 

## CONTRACTOR QUALITY CONTROL GENERAL REQUIREMENTS (REV 1-10-20)

SUBARTICLE 105-4.4 is deleted and the following substituted:

## 105-4.4 Compliance with the Materials Manual.

Producers of Flexible Pipe shall meet the requirements of Section 6.1, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section61V2.shtm

Producers of Precast Concrete Pipe shall meet the requirements of Section 6.2, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section62V2.shtm

Producers of Precast Concrete Drainage Structures shall meet the requirements of Section 6.3, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section63V2.shtm

Producers of Precast/Prestressed Concrete Products shall meet the requirements of Sections 8.1 and 8.3 of the Department's Materials Manual, which may be viewed at the following URLs:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section81V1.shtm https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section83V2.shtm

Producers of Precast Prestressed Concrete Products using Self Consolidating Concrete shall meet the requirements of Section 8.4, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section84V2.shtm

Producers of Incidental Precast/Prestressed Concrete Products shall meet the requirements of Section 8.2, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section82V2.shtm

Producers of Portland Cement Concrete shall meet the requirements of Section 9.2, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section92V2.shtm

Producers of Paving Concrete produced by Central Mix Plants shall meet the requirements of Section 9.3, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

 $\underline{https://www.fdot.gov/programmangement/Implemented/URLinSpecs/Section 93V2.shtm.}$ 

Producers of Structural Steel and Miscellaneous Metal Components shall meet the requirements of Sections 11.1, 11.2, 11.3, 11.4, 11.5 and 11.6 of the Department's Materials Manual, which may be viewed at the following URLs: <a href="https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section111V1.sht">https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section111V1.sht</a> m.

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section112V2.sht m.

 $\underline{https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section 113V2.sht}\ m.$ 

 $\underline{https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section 114V2.sht}\ m.$ 

https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section115V2.sht m.

 $\underline{https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section 116V2.sht}\ m.$ 

Producers of Fiber Reinforced Polymer Composites shall meet the requirements of Section 12-1, Volume II of the Department's Materials Manual, which may be viewed at the following URL:

 $\underline{https://www.fdot.gov/programmanagement/Implemented/URLinSpecs/Section 121V2.sht}\ \underline{m}.$