### **ORIGINATION FORM**

# **Proposed Revisions to the Specifications**

(Please provide all information - incomplete forms will be returned)

Date:	Office:				
Originator:	Specification Section:				
Telephone:	Article/Subarticle:				
email:					
**Will the proposed revision require changes to	o:				
Publication	Yes	No		Staff Contacted date contacted	
Standard Plans Index					
Traffic Engineering Manual					
FDOT Design Manual					
Construction Project Administration Manual					
Basis of Estimate/Pay Items					
Structures Design Guidelines					
Approved Product List					
Materials Manual					
**This section must be completed prior to pro Will this revision necessitate any of the followir		oposed revis	ions.		
Design Bulletin Construction Bulletin	E	stimates Bull	etin	<b>Materials Bulletin</b>	
Are all references to external publications curre	ent?	Yes	No		
If not, what references need to be updated? (PI	lease inclu	ide changes i	in the redline o	document.)	
Why does the existing language need to be cha	nged?				
Are these changes applicable to all Department	: jobs?	Yes	No		



RON DESANTIS GOVERNOR 605 Suwannee Street Tallahassee, FL 32399-0450 KEVIN J. THIBAULT, P.E SECRETARY

#### MEMORANDUM

**DATE:** November 27, 2019

**TO:** Specification Review Distribution List

**FROM:** Daniel Strickland, P.E., State Specifications Engineer

SUBJECT: Proposed Specification: 2880200 Cement Treated Permeable Base.

In accordance with Specification Development Procedures, we are sending you a copy of a proposed specification change.

This change was proposed by Jose Armenteros from the State Materials Office to clarify the specification language.

Please share this proposal with others within your responsibility. Review comments are due within four weeks and should be sent to Mail Station 75 or online at <a href="http://fdotewp1.dot.state.fl.us/programmanagement/development/industryreview.aspx">http://fdotewp1.dot.state.fl.us/programmanagement/development/industryreview.aspx</a>.

Comments received after **December 25, 2019**, may not be considered. Your input is encouraged.

DS/rf

Attachment

# CEMENT TREATED PERMEABLE BASE (REV 10-16-19)

ARTICLE 288-2 is deleted and the following substituted:

### 288-2 Materials.

Meet the following requirements:

Coarse Aggregate	Section 901
Portland Cement	
Water	Section 923
Polyvinyl-Chloride Pipe	Section 948
Polyethylene Pipe	
Geotextile Fabric	

For Cement Treated Permeable Base, the concrete requirements of Section 346 are modified as follows:

Use Type I or II portland cement (no fly ash or other pozzolans supplementary cementitious materials permitted).

## Composition:

Grade of coarse aggregate (stone)	# 57 or # 67			
Maximum Water/Cement ratio*	0.40			
Minimum cement factor**	9 lb/ft <sup>3</sup>			
Maximum Slump Range				
Fine Aggregate	None			
Admixtures	None			
*The Engineer will approve the Water/Cement ratio.				
** $\pm 2 \text{ lbs/ft}^3$				

Do not use materials which contain hardened lumps, crusts, or frozen matter, or are contaminated with dissimilar material.