

ORINATION FORM

Proposed Revisions to the Specifications

(Please provide all information - incomplete forms will be returned)

Date:

Office:

Originator:

Specification Section:

Telephone:

Article/Subarticle:

email:

****Will the proposed revision require changes to:**

| Publication | Yes | No | Office Staff Contacted and date contacted |
|--|-----|----|---|
| Standard Plans Index | | | |
| Traffic Engineering Manual | | | |
| FDOT Design Manual | | | |
| Construction Project Administration Manual | | | |
| Basis of Estimate/Pay Items | | | |
| Structures Design Guidelines | | | |
| Approved Product List | | | |
| Materials Manual | | | |

**This section must be completed prior to processing proposed revisions.

Will this revision necessitate any of the following:

Design Bulletin

Construction Bulletin

Estimates Bulletin

Materials Bulletin

Are all references to external publications current?

Yes

No

If not, what references need to be updated? (Please include changes in the redline document.)

Why does the existing language need to be changed?

Summary of the changes:

Are these changes applicable to all Department jobs?

Yes

No

If not, what are the restrictions?

Contact the State Specifications Office for assistance in completing this form.

850-414-4130 Daniel.Strickland@dot.state.fl.us Debbie Toole 850-414-4114 deborah.toole@dot.state.fl.us

Rebecca Frimmel 850-414-4155 rebecca.frimmel@dot.state.fl.us



Florida Department of Transportation

RON DESANTIS
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

KEVIN J. THIBAUT, P.E.
SECRETARY

MEMORANDUM

DATE: December 5, 2019

TO: Specification Review Distribution List

FROM: Daniel Strickland, P.E., State Specifications Engineer

SUBJECT: Proposed Specification: **4600605 Structural Steel and Miscellaneous Metals.**

In accordance with Specification Development Procedures, we are sending you a copy of a proposed specification change.

This change was proposed by John Westphal from the Construction Office to include allowances for field welding when needed in the design plans.

Please share this proposal with others within your responsibility. Review comments are due within four weeks and should be sent to Mail Station 75 or online at

<http://fdotewp1.dot.state.fl.us/programmanagement/development/industryreview.aspx> .

Comments received after **January 2, 2020**, may not be considered. Your input is encouraged.

DS/VC

Attachment

STRUCTURAL STEEL AND MISCELLANEOUS METALS
(REV 11-15-19)

SUBARTICLE 460-6.5 is deleted and the following substituted:

460-6.5 Field Welding: Field weld only with the approval of the Engineer or as shown in the Plans. All field welding operations must be conducted in accordance with AWS D1.5 and in the presence of a Certified Welding Inspector.