ORIGINATION FORM

Proposed Revisions to the Specifications

(Please provide all information - incomplete forms will be returned)

Date:	Office:				
Originator:	Specification Section:				
Telephone:	Article/Subarticle:				
email:	Α	Associated Section(s) Revisions:			
Will the proposed revision require changes to:					
Publication	Yes	No	Office S	Staff Contacted	
Standard Plans Index					
Traffic Engineering Manual					
FDOT Design Manual					
Construction Project Administration Manual					
Basis of Estimate/Pay Items					
Structures Design Guidelines					
Approved Product List					
Materials Manual					
		1			
Will this revision necessitate any of the following	ng:				
Design Bulletin Construction Bulletin	E:	stimates Bulle	etin	Materials Bulletin	
Are all references to external publications current? Yes No					
If not, what references need to be updated? (Pl	ease inclu	ıde changes iı	n the redline do	ocument.)	
Why does the existing language need to be cha	ngod2				
willy does the existing language need to be tha	iigeu:				
Summary of the changes:					
Are these changes applicable to all Department If not, what are the restrictions?	jobs?	Yes	No		



RON DESANTIS GOVERNOR KEVIN J. THIBAULT, P.E. SECRETARY

MEMORANDUM

DATE: November 24, 2021

TO: Specification Review Distribution List

FROM: Daniel Strickland, P.E., State Specifications Engineer

SUBJECT: Proposed Specification: **7000413 Highway Signing.**

In accordance with Specification Development Procedures, we are sending you a copy of a proposed specification change.

The change is proposed by Derek Vollmer to add language specifying sign ventilation needs to be operational per manufacturer recommendation in the Standard Specification.

Please share this proposal with others within your responsibility. Review comments are due within four weeks and should be sent to Mail Station 75 or online at http://fdotewp1.dot.state.fl.us/programmanagement/development/industryreview.aspx. Comments received after December 23, 2021, may not be considered. Your input is encouraged.

DS/dh

Attachment

HIGHWAY SIGNING. (REV 11-10-21)

SUBARTICLE 700-4.13 is deleted and the following substituted:

700-4.13 Installation Requirements: Provide a walk-in DMS for locations over interstate travel lanes. Do not install the sign prior to the availability of electric power. Verify that any ventilation system incorporated within the sign is operational within per 72 hours after sign installation the manufacturer's recommendations.

Ensure that the location of the lifting eyebolts, left in place or removed, is sealed to prevent water entry after installation.

Load the initial message libraries on both the sign control software and the sign controller. The Engineer will furnish the messages to be placed in these libraries.