

EXPECTED IMPLEMENTATION JULY 2023

560 COATING NEW STRUCTURAL STEEL. (REV 8-10-22) (FA 9-19-22) (FY 2023-24)

SUBARTICLE 560-6.3 is deleted and the following substituted:

560-6.3 Quality Control (QC) Supervisor in the Shop and Field: Personnel performing inspection of coating activities in the supervisory position must visit the shop at suitable intervals throughout the coating process. Personnel performing inspection of coating activities in the supervisory position must visit the field location at suitable intervals throughout the coating process, as defined in the site specific coating plan. Submit documentation to the Engineer that all acting as supervisors are certified, at a minimum, to one of the following certifications:

1. AMPP Bridge Coatings Inspector Level 2
2. AMPP Senior Certified Coatings Inspector
3. NACE Coatings Inspector Level 3
4. SSPC Bridge Coatings Inspector Level 2
5. SSPC Protective Coatings Inspector Level 3

560-6.3.1 Certifications: Maintain certifications for the duration of the Contract. If the certifications expire, do not perform any work until certifications are reissued. The requirement for a Coating Application Specialist may be waived on a project when there is no media blasting involved in the operations.

Notify the Engineer of any change in certification status.

SUBARTICLE 560-6.4 is deleted.