

APPENDIX

C. OPEN CHANNEL FLOW DESIGN AIDS

TABLE OF CONTENTS

C. Open Channel Flow Design Aids.....	C-1
Example C.1 – Geometric Elements.....	C-1
Example C.2 – Geometric Elements.....	C-2
Figure C-1: Trapezoidal Channel Geometry	C-4
Figure C-2: Nomographs for the Solution of Manning’s Equation	C-5
Figure C-3: Trapezoidal Channel Capacity Chart	C-6
Figure C-4: Open Channel Geometric Relationships for Various Cross Sections..	C-7

C. OPEN CHANNEL FLOW DESIGN AIDS

The nomographs in Figures C-1 through C-3 can be used as desktop aides for open channel flow calculations. The purpose of each nomograph is:

Figure C-1 Area, Hydraulic Radius, and Top Width of Trapezoidal Channels

Figure C-2 Normal Depth Velocity for a General Cross Section


Normal Depth Velocity in a Circular Pipe

Figure C-3 Normal Depth in a Trapezoidal Channel

Figure C-1 can be used to solve Example C.1 below and the Geometry of Examples 3.1-1 through 3.1-4 in Chapter 3 of this document.

EXAMPLE C.1 – GEOMETRIC ELEMENTS

Given: Depth = 1.0 ft
Trapezoidal Cross Section shown below



Calculate: Area, Wetted Perimeter, Hydraulic Radius, Top Width, and Hydraulic Depth

Water Area

$$A = a = bd + zd^2$$

$$a = (2.9 \times 1) + 4(1)^2 = 6.9 \text{ ft}^2$$

Wetted Perimeter

$$P = b + 2d\sqrt{z^2 + 1}$$

$$P = 2.9 + (2 \times 1)\sqrt{4^2 + 1} = 11.146 = 11.1 \text{ ft}$$

Hydraulic Radius

$$R = r = \frac{bd + zd^2}{b + 2d\sqrt{z^2 + 1}}$$

$$r = \frac{(2.9 \times 1) + 4(1)^2}{2.9 + (2 \times 1)\sqrt{4^2 + 1}} = 0.619 = 0.62 \text{ ft}$$

Top Width

$$T = b + 2zd$$

$$T = 2.9 + (2 \times 4 \times 1) = 10.9 \text{ ft}$$

Hydraulic Depth

$$D = \frac{A}{T} = \frac{6.9}{10.9} = 0.63 \text{ ft}$$

This problem can also be solved using nomographs

This example is solved in the lower right hand corner of Figure C-1

EXAMPLE C.2 – GEOMETRIC ELEMENTS

Determine Normal Depth for Standard Ditch and Narrow Ditch given in Chapter 3, Example 3.1-4 using Figure C-3.

Standard Ditch:

$$\text{Solve for } \frac{Qn}{b^{8/3}S^{1/2}} = \frac{(25)(0.04)}{5^{8/3}(0.005)^{1/2}} = 0.193$$

The average value of z is $(6 + 4) / 2 = 5$

From Figure C-3, $\frac{d}{b} = 0.22$

$$d = 0.43b = 0.22(5) = 1.1 \text{ ft.}$$

Using a trial and error procedure to solve Manning's Equation, normal depth = 1.12'

Narrow Ditch:

$$\text{Solve for } \frac{Qn}{b^{8/3}S^{1/2}} = \frac{(25)(0.04)}{3.5^{8/3}(0.005)^{1/2}} = 0.501$$

The average value of z is $(6 + 4) / 2 = 5$

From Figure C-3, $\frac{d}{b} = 0.34$

$$d = 0.34b = 0.34(3.5) = 1.2 \text{ ft.}$$

Using a trial and error procedure to solve Manning's Equation, normal depth = 1.25'




Figure C-1: Trapezoidal Channel Geometry




Figure C-2: Nomographs for the Solution of Manning's Equation










Figure C-3: Trapezoidal Channel Capacity Chart

Section	Area a	Wetted Perimeter p	Hydraulic Radius r	Top Width T
 Trapezoid	$bd + zd^2$	$b + 2d\sqrt{z^2 + 1}$	$\frac{bd + zd^2}{b + 2d\sqrt{z^2 + 1}}$	$b + 2zd$
 Rectangle	bd	$b + 2d$	$\frac{bd}{b + 2d}$	b
 Triangle	zd^2	$2d\sqrt{z^2 + 1}$	$\frac{zd}{2\sqrt{z^2 + 1}}$	$2zd$
 Parabola	$\frac{2}{3}dT$	$T + \frac{8d^2}{3T}$ \perp	$\frac{2dT^2}{3T^2 + 8d^2}$ \perp	$\frac{3a}{2d}$
 Circle - $< \frac{1}{2}$ full $\perp 2$	$\frac{D^2}{8}(\frac{\pi\theta}{180} - \sin\theta)$	$\frac{\pi D\theta}{360}$	$\frac{45D}{\pi\theta}(\frac{\pi\theta}{180} - \sin\theta)$	$D \sin \frac{\theta}{2}$ or $2\sqrt{d(D-d)}$
 Circle - $> \frac{1}{2}$ full $\perp 3$	$\frac{D^2}{8}(2\pi - \frac{\pi\theta}{180} + \sin\theta)$	$\frac{\pi D(360 - \theta)}{360}$	$\frac{45D}{\pi(360 - \theta)}(2\pi - \frac{\pi\theta}{180} + \sin\theta)$	$D \sin \frac{\theta}{2}$ or $2\sqrt{d(D-d)}$
$\perp 1$ Satisfactory approximation for the interval $0 < \frac{d}{T} \leq 0.25$ When $\frac{d}{T} > 0.25$, use $p = \frac{1}{2}\sqrt{6d^2 + T^2} + \frac{T^2}{8d} \sinh^{-1} \frac{4d}{T}$ $\perp 2 \theta = 4 \sin^{-1} \sqrt{d/D}$ } Insert θ in degrees in above equations $\perp 3 \theta = 4 \cos^{-1} \sqrt{d/D}$				

Reference: USDA, SCS, NEH-5 (1956).

Figure C-4: Open Channel Geometric Relationships for Various Cross Sections