

## **Index 5214 Traffic Railing/Noise Wall L-Shaped Spread Footing (Rev. 07/13)**

### **Design Criteria**

See Instructions for [Index 5210](#) and/or [Index 5211](#).

### **Design Assumptions and Limitations**

Use this Standard with Index 5210 and/or 5211 when the Traffic Railing / Noise Wall (8'-0") and/or (14'-0") is installed on a L-Shaped spread footing.

Project specific details are required for the use of 10'-0" and 12'-0" tall Traffic Railing / Noise Walls. Base these details on Indexes 5210 and 5211.

### **Plan Content Requirements**

See Instructions for [Index 5210](#) and/or [Index 5211](#).

Include project specific details for 10'-0" and 12'-0" tall Traffic Railing / Noise Walls.

### **Payment**

<b>Item number</b>	<b>Item description</b>	<b>Unit Measure</b>
521-72-20	Shoulder Concrete Barrier Wall, F Shaped, With 8' Noise Wall	LF
521-72-21	Shoulder Concrete Barrier Wall, F Shaped, With 10' Noise Wall	LF
521-72-22	Shoulder Concrete Barrier Wall, F Shaped, With 12' Noise Wall	LF
521-72-23	Shoulder Concrete Barrier Wall, F Shaped, With 14' Noise Wall	LF

See also Instructions for [Index 5210](#) and/or [Index 5211](#).