

ROADWAY AND TRAFFIC

DESIGN STANDARDS



APPROVED BY *Jc Bull*

JANUARY 1987

This document was promulgated at an annual cost of \$ 18.67 per copy to provide standards and criteria for the design, construction and maintenance of highway transportation facilities by governmental agencies, consultants, contractors and the citizens of the State of Florida.

**REVISIONS
ROAD DESIGN STANDARDS
1987**

| INDEX NUMBER | SHEET NUMBER | DESCRIPTION |
|-----------------|------------------------------|---|
| 103 | 1 of 1 | Typographical corrections. |
| 105 | 1 of 1 | Map for seeding zones and detail for sodding pattern added. Shoulder reworking limits and shoulder build-up limits better defined. |
| 201 | 2 of 5 3 of 5 4&5 of 5 | Detail for 'Temporary Drains For Subgrade And Base' added. Flow channel subheading deleted. General Note No. 1 revised and No. 5 added. 'Temporary Drains For Subgrade And Base' detail deleted. New sheets identifying change for thin wall and slab precasting (4-grate Type H option added). |
| 205 | 4 of 4 | 'Structural Review' notations modified. |
| 217 | 1 of 1 | Bottom slab reinforcing steel realigned. Section BB labeled. |
| 218 | 1&2 of 2 | New sheets. Grate widened. Upper part of box redesigned. Bottom slab reinforcing steel realigned. |
| 220 | 1 of 1 | Bottom slab reinforcing steel realigned. |
| 230 | 1 of 1 | Spacing changed in bottom slab reinforcing steel. Wall steel realigned. |
| 231 | 1 of 1 | Bottom slab and wall reinforcing steel realigned. |
| 232 | 1 of 4 3 of 4 4 of 4 | Bottom slab and wall reinforcing steel realigned. Case I identification added. New sheet (Top conversion on existing structures 'Cases II & III'. Notes for Cases I, II & III). |
| 233 | 1 of 1 | Spacing dimensions added to bottom slab reinforcing steel; wall steel realigned in Inlet Type F. Spacing revised in bottom slab reinforcing steel; wall steel realigned in Inlet Type G. |
| 234 | 1 of 1 | Upper wall reinforcing steel modified. |
| 235 | 1 of 1 | General Note No. 5 revised. |
| 251 | 1&2 of 2 | Headwall clearance dimension added. |
| 252 | 1&2 of 2 | Headwall clearance dimension added. |

REVISIONS
ROAD DESIGN STANDARDS
1987

| INDEX NUMBER | SHEET NUMBER | DESCRIPTION |
|-----------------|-----------------|--|
| 253 | 1&2 of 2 | Headwall clearance dimension added. |
| 255 | 1 of 1 | Headwall clearance dimension added. |
| 260 | 1 of 1 | General Note No. 3 revised. |
| 261 | 1 of 3 | General Note No. 4 revised. |
| 270 | 1 of 1 | General Note No. 5 revised. |
| 272 | 1 of 6 | Notations for 5 1/2" concrete slab added. |
| | 2 of 6 | Notations for 5 1/2" concrete slab added. Joint revised to detail rerolled ends. |
| | 3 of 6 | Notations for 5 1/2" concrete slab added. Joint revised to detail rerolled ends. Quantities for 3" concrete slab partially revised. Saddle slopes revised. |
| | 4 of 6 | Notations for 5 1/2" concrete slab added. |
| | 5 of 6 | New sheet added (Tables for 5 1/2" concrete slabs). |
| | 6 of 6 | General Notes Nos. 3 and 11 revised. |
| 273 | 2&3 of 6 | Joints revised to detail rerolled ends. |
| 280 | 2 of 3 | Class I concrete notations added. Perforated steel plate added to 'Guard At Pipe Ends' detail. |
| | 3 of 3 | Railroad name change. 'Method For Setting Limits Of Variable Front Slopes At Drainage Structures' drawings improved. |
| 282 | 1 of 1 | Pay item changed for 'Shallow Ditches' detail. |
| 285 | 1 of 1 | Filter fabric envelope notations changed or added and weep hole notation added. General Notes Nos. 1 and 2 revised. |
| 286 | 1 of 2 | Filter fabric envelope notation added to Type II underdrain. General Note No. 6 expanded. |
| | 2 of 2 | New sheet (Draincrete; underdrain). |
| 290 | 1-4 of 5 | Replots with drawing improvements. Sketches 'A' and General Notes deleted. |
| | 5 of 5 | New sheet (Culvert skew; independent headwall and wingwall skew options; miscellaneous details; and, General Notes). |
| 295 | 1 of 1 | General Note No. 2 revised. |

REVISIONS
ROAD DESIGN STANDARDS
1987

| INDEX NUMBER | SHEET NUMBER | DESCRIPTION |
|-----------------|-----------------|---|
| 500 | 1 of 1 | Rural crossovers under 'Median Stabilizing Details' revised. Subheading under 'Removal of Plastic Material' details and 'Removal and Disposal of Plastic Materials' expanded. |
| 510 | 1 of 2 | "Design Superelevation Rates' table expanded and General Notes Nos. 1 and 2 deleted. |
| 511 | 2 of 2 | Notation under superelevation table revised. |
| 513 | 1 of 1 | All weak mixes deleted. All multiple listings of Type S-III deleted. Pavement thicker than 6" deleted. General Notes No. 4 added. |
| 520 | 1 of 1 | Embedment details and Note No. 2 for 'Concrete Steps' detail revised. |
| 525 | 1 of 5 | Z-length added to 'Detail A'. Mainline-ramp pavement thickness transition detail added. 'Single-lane ramps' designation added to sheet. |
| | 2 of 5 | Ramp-mainline pavement thickness transition detail added. General Notes Nos. 1, 2 and 3 revised. 'Single-lane Ramps' designation added to sheet. |
| | 3 of 5 | New sheet (Two-lane ramps). |
| | 4 of 5 | Acceleration and deceleration lane designations added. Shoulder transitions added to ramps. 'Expressway Ramp Terminals' designation added to sheet. |
| | 5 of 5 | Notations updated to 1984 AASHTO (Green). Detail grouped under identifying subheadings. |
| 560 | 1 of 8 | Note No. 3 revised. Typographical corrections made to sections for Types H & G-Mod. |
| 505 | 1 of 1 | General Note No. 3 revised. |

**REVISIONS
ROAD DESIGN STANDARDS
1987**

| INDEX NUMBER | SHEET NUMBER | DESCRIPTION |
|-----------------|--|--|
| 300 | 1 of 1 | Notation added to 'Shoulder Gutter' and dimension added to 'Concrete Bumper Guard'. |
| 302 | 1 of 1 | Keyways in lieu of dowels added to separators Types I and IV, Options II. |
| 304 | 1&2 of 4 3&4 of 4 | Comprehensive revisions for ramp locations. New sheets (Allowable and prohibited ramp locations). |
| 305 | 2 of 4 3 of 4 | Redrawn. 'Concrete-Asphalt Shoulder Joints' detail added. Wires added to 'Florida Steel Corporation' dowel assembly. |
| 306 | 1 of 1 | △ Notation added to 'Plan'. |
| 400 | 1 of 13 2 of 13 3 of 13 4 of 13 5 of 13 9 of 13 10 of 13 11 of 13 | Method for determining 'Length of Advancement' (Figure 1) revised. General Notes Nos. 13, 14 and 15 added. Typographical correction. References to General Note updated. Transverse barrier added between median wingposts on dual bridges. Transverse barriers added between median wingposts on dual bridges. Note for median deck closure added. Existing bridge anchorage details deleted. Steel back-up plate for 'Special End Shoe' bolts added. 'Special Safety Pipe Rail' notation revised. 'Special Steel Guardrail Posts' subheadings modified. |
| 401 | 1-9 of 9 | New index (schemes for connecting guardrail to existing bridges and for constructing continuous barrier across existing bridges) |
| 410 | 2 of 8 3 of 8 4&5 of 8 8 of 8 | Light pole foundation deepened. Drawing proportion improved. Data related to length of barrier, length of need, and, runout length either deleted or revised. Method for determining 'Length Of Advancements' revised. |
| 415 | 1 of 2 | 'Wall Ties And Anchorage' notation revised. |
| 451 | 1 of 1 | General Notes Nos. 5 thru 14 either renumbered, revised or added (due to redefinition of combinations of optional materials). |
| 452 | 1 of 1 | General Notes Nos. 5 thru 11 either renumbered, revised or added (due to redefinition of combinations of optional materials). Notation added to 'Barb Wire Attachment' detail. |

TABLE OF CONTENTS ROADWAY DESIGN STANDARDS

ABBREVIATIONS AND SYMBOLS

- 001 Standard Abbreviations
- 002 Standard Symbols (3 Sheets)

EROSION CONTROL AND WATER QUALITY

- 100 Temporary Slope Drain And Sod Flume
- 101 Trash Retainer And Sediment Basin
- 102 Baled Hay Or Straw Barriers And Silt Fences (3 Sheets)
- 103 Turbidity Barriers
- 104 Erosion Control For Permanent Construction
- 105 Shoulder Sodding And Reworking On Existing Facilities

DRAINAGE

- 200 Structure Bottoms — Type J And P
- 201 Supplementary Details For Manholes And Inlets (5 Sheets)
- 205 Cover Height (4 Sheets)
- 209 Curb Inlet And Gutter Inlet Selection Guide
- 210 Curb Inlet Tops — Types 1, 2, 3, And 4
- 211 Curb Inlet Tops — Types 5 And 6 (2 Sheets)
- 212 Curb Inlet — Type 7
- 213 Curb Inlet — Type 8
- 214 Curb Inlet Top — Type 9
- 215 Curb Inlet Top — Type 10
- 217 Median Barrier Inlets Types 1, 2, 3, 4 And 5
- 218 Barrier Wall Inlet (2 Sheets)
- 220 Gutter Inlet — Type S
- 221 Gutter Inlet — Type V
- 229 Ditch Bottom And Median Inlet Selection Guide
- 230 Ditch Bottom Inlet — Type A
- 231 Ditch Bottom Inlet — Type B
- 232 Ditch Bottom Inlets — Types C, D, E, And H (4 Sheets)
- 233 Ditch Bottom Inlets — Types F And G
- 234 Ditch Bottom Inlet — Type J
- 235 Ditch Bottom Inlet — Type K
- 245 Underdrain Inspection Box
- 249 Pipe End Treatment Selection Guide
- 250 Straight Concrete Endwalls — Single And Multiple Pipe (2 Sheets)
- 251 Straight Concrete Endwalls — Single And Double 60" Concrete Pipe (2 Sheets)
- 252 Straight Concrete Endwalls — Single And Double 66" Concrete Pipe (2 Sheets)
- 253 Straight Concrete Endwalls — Single And Double 72" Concrete Pipe (2 Sheets)
- 255 Straight Concrete Endwall — Single 84" Concrete Pipe
- 258 Straight Sand-Cement Endwalls
- 260 U-Type Concrete Endwalls With Grates - 15" To 30" Pipe
- 261 U-Type Concrete Endwalls Baffles And Grate Optional - 15" To 30" Pipe (3 Sheets)

DRAINAGE (CONT.)

- 264 U-Type Concrete Endwall - Energy Dissipator - 30" To 72" Pipe
- 266 Winged Concrete Endwalls - Single Round Pipe
- 268 U-Type Sand-Cement Endwalls
- 270 Flared End Section
- 272 Cross Drain Mitered End Section (6 Sheets)
- 273 Side Drain Mitered End Section (6 Sheets)
- 274 Side Drain Mitered End Section
- 280 Miscellaneous Drainage Details (3 Sheets)
- 281 Ditch Pavement And Sodding (2 Sheets)
- 282 Back Of Sidewalk Drainage
- 283 Median Opening Flume
- 284 Concrete Spillways (2 Sheets)
- 285 French Drain
- 286 Underdrain (2 Sheets)
- 290 Concrete Box Culvert - Single, Double, Triple And Quadruple Barrels (5 Sheets)
- 293 Safety Modifications For Inlets In Box Culverts
- 295 Safety Modifications For Endwalls

CURBS AND PAVEMENT JOINTS

- 300 Curb, Curb And Gutter
- 301 Median Storage Lanes
- 302 Traffic Separators
- 303 Curb Return Profiles
- 304 Curb Cut Ramps (4 Sheets)
- 305 Concrete Pavement Joints (4 Sheets)
- 306 Bridge Approach Expansion Joint - Concrete Pavement

BARRIERS AND FENCES

- 400 Guardrail (13 Sheets)
- 401 Guardrail Anchorage And Continuous Barrier For Existing Bridges (9 Sheets)
- 410 Concrete Barrier Wall (8 Sheets)
- 415 Precast Concrete Temporary Barrier Wall (2 Sheets)
- 450 Fence Location
- 451 Fence - Type A
- 452 Fence - Type B
- 453 Cantilever Slide Gate - Type B Fence
- 460 Glare Screen

GENERAL

- 500 Excavation, Embankment And Grading
- 505 Embankment Utilization
- 510 Superelevation (2 Sheets)
- 511 Superelevation - Municipal Construction (2 Sheets)
- 513 Flexible Pavement - Layer Thickness For Structural Courses
- 514 Optional Base Groups And Structural Numbers
- 515 Turnouts (2 Sheets)
- 516 Turnouts - Resurfacing Projects
- 520 Walls, Handrails And Steps
- 525 Ramp Terminals (5 Sheets)
- 530 Rest Area Equipment
- 535 Tractor Crossings
- 540 Settlement Plate
- 545 Shrubbery - Back Of Guardrail Application
- 560 Railroad Crossing (8 Sheets)

TRAFFIC CONTROL

- 600 Structure Replacement - Rural
- 630 Temporary Crossover - Traffic Control - Rural
- 631 Temporary Crossover - Construction - Rural
- 640 Converting Two-Lanes To Four-Lanes Divided - Rural (2 Shts.)
- 641 Converting Two-Lanes To Four-Lanes Divided - Urban (2 Shts.)

DESIGN CRITERIA

- 700 Design Criteria Related To Highway Safety

A
AASHO
AASHTO
ABC
ABD
AC
ACT
ADJ
ADT
AGG
AH
ALT
ALUM
APPROX
APPROX
ARTF
ASPH
ASPH CONC
OR AC
ASSEM
ASTM
ATTNUTR
AVE

AREA
AMERICAN ASSOCIATION OF STATE HIGHWAY OFFICIALS
AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS
ASPHALT BASE COURSE
ABANDONED
ACRE
ACTUATED
ADJUST
ANNUAL AVERAGE DAILY TRAFFIC
AGGREGATE
AHEAD
ALTERNATE
ALUMINUM
APPROACH
APPROXIMATE
ARTIFICIAL
ASPHALT
ASPHALTIC CONCRETE
ASPHALTIC CONCRETE
ASSEMBLY
AMERICAN SOCIETY FOR TESTING MATERIALS
ATTENUATOR
AVENUE

D
DA
DBL
D-CSE
D-POST
DCS
DELIN
DEMOB
DEPT
DET
DHW
DT
DTA
DIM
DISP
DOT
DPI
DR
DRIV
DRWAY
DS
DNG

DEGREE OF CURVATURE
DRAINAGE AREA
DOUBLE
DOUBLE COURSE
DOUBLE POST
DEGREE OF CURVATURE (SPIRAL)
DELINEATORS
DEMOLITION
DEPARTMENT
DETOUR
DESIGN HOURLY VOLUME
DITCH
DROP INLET
DIAMETER
DIMENSION
DISPOSAL
DOT
DITCH POINT INTERSECTION
DRAIN
DRIVEN
DRIVEWAY
DESIGN SPEED
DRAWING

HOML
HORIZ
HSE
HWT
HYD

HEADMALL
HANDRAIL
HORIZONTAL
HOUR
HOUSE
HIGH WATER
HIGHWAY
HYDRANT

PMVT
PC
PCC
PCE
PEDES
PEN
PG
PH
PI
PK
PL
PCC
POST
POT
PP
PRC
PRCST
PREST
PROG
PROJ
PRM
PROV
PRESSE
PSAE
PT
P-TIME
Q

PAVEMENT
POINT OF CURVATURE
POINT OF COMPOUND CURVATURE OR PLAIN CEMENT CONCRETE
PERMANENT CONSTRUCTION EASEMENT
PEDESTRIAN
PENETRATION
PROFILE GRADE
PHASE
POINT OF INTERSECTION
PER CAP
PROPERTY LINE
POINT ON CURVE
POINT ON SEMI TANGENT
POINT ON TANGENT
POWER POLE
POINT OF REVERSE CURVATURE
PRECAST
PRESTRESSED
PROGRAMMED
PROJECT
PERMANENT REFERENCE MONUMENT
PROVISIONS
PRESSURE
PLANS, SPECIFICATIONS AND ESTIMATES
POINT OF TANGENCY
PRE-TIME
PEAK DISCHARGE

T
TBM
TC
TCE
TCP
TEL
TEMP
THERMLSTC
TN
TRAF
TREAT
TS
TSC
TWP
TYP
T-CSE

TANGENT LENGTH OF CURVE
TEMPORARY BENCH MARK
TANGENT TO CURVE
TEMPORARY CONSTRUCTION EASEMENT
TERRA COTTA PIPE
TELEPHONE
TEMPERATURE
THERMOPLASTIC
TON
TRAFFIC
TREATMENT
TS
TANGENT TO SPIRAL
LENGTH OF TANGENT (SPIRAL CURVE)
TOWNSHIP
TYPICAL
TRIPLE COURSE
UNDERPASS
UNDERGROUND
UNDERDRAIN
UNDERDRAINWAY
UNLOADED
UNTREATED
US COAST AND GEODETIC SURVEY (NOW NATIONAL GEODETIC SURVEY)
US GEOLOGICAL SURVEY

B TO B
BASC
BBL
BC
BCCMP
BCPA
BCCPMP
BCCPA
BEG
BIT
BL
BLDG
BLKHD
BLVD
BM
BOT
BT
BCK
BCKWY
BTFLY
BT

BACK TO BACK
BASIS
BARREL
BOTTLE CAP
BITUMINOUS COATED CORRUGATED METAL PIPE CULVERT
BITUMINOUS COATED PIPE ARCH CULVERT
BITUMINOUS COATED AND PAVED CORRUGATED METAL PIPE CULVERT
BITUMINOUS COATED AND PAVED PIPE ARCH CULVERT
BEGIN
BITUMINOUS
BASE LINE
BUILDING
BULKHEAD
BOULEVARD
BENCH MARK
BOTTOM
BORROW PIT
BEARING
BREAKWAY
BUTTERFLY
BARBED WIRE

E
E
E TO E
EA
EB
EL OR ELEV
ELAST
ELEC
ELLIP
ENCL
ENCL
ENGR
EOS
EQ
EQUIP
ESMT
EST
ESTBLMNT
EW
EXCAV
OR EXC
EXIST
EXP
EXT

EAST
RATE OF SUPERELEVATION
END TO END
EXTERNAL DISTANCE
EACH
EASTBOUND
ELEVATION
ELASTOMERIC
ELECTRIC
ELLIPTICAL
EMBANKMENT
ENULSTED
ENCLOSURE
ENGINEER
END OF SURVEY
EQUATION OR EQUAL
EQUIPMENT
EASEMENT
ESTIMATE
ESTABLISHMENT
ENDMALL
EXCAVATION
EXCAVATION
EXISTING
EXPANSION
EXTENSION

JB
JCT
L
LA
LB
LBR
LC
LF
LGTH
LIN
LMRK
LS
LT
LT'D
L/W

JUNCTION BOX
JUNCTION
LENGTH OF CURVE
LIMITED ACCESS
POUND
LINE/ROCK BEARING RATIO
LONG CHORD
LINEAR FEET
LENGTH
LINEAR
LINE/ROCK
LENGTH OF SPIRAL
LEFT
LIGHTED
LIGHTWEIGHT

R
R-
RBAC
RBT
RCP
RCPA
RD
RD-SO
RDWY
REF
REFL
REIN
REINFORC
RELOC
REM
REPL
RES
RM
RP
RR
RSF
RT
R/W

RADIUS
RANGE
ROCK BASE ASPHALTIC CONCRETE
ROCK BASE SURFACE TREATMENT
REINFORCED CONCRETE PIPE
REINFORCED CONCRETE PIPE ARCH
ROAD
ROADSIDE
ROADWAY
REFERENCE
REFLECTIVE
REINFORCED
REINFORCEMENT
RELOCATED
REMOVAL
REPLACE
RESIDENCE
REFERENCE MONUMENT
REFERENCE POINT
RAILROAD
RESURFACE
RIGHT
RIGHT OF WAY

VAR
VC
VF
VCP
VEN
VERT
VOL
VM

VARIABLE
VERTICAL CURVE
VERTICAL FOOT
VERTIFIED CLAY PIPE
VEHICLE
VERTICAL
VOLUME
VARIABLE WIDTH
WEST
WESTBOUND
WATER MAIN
WATER TABLE OR WEIGHT

C
C & G
CAP
CB
CBC
CBS
CC
CD
CEM
CEM'D
CH
CH CH
CHGABLE
CI
CIP
CIPL
CL
CM
CMP
CO
COM
COMP
CONC
CONST
CONTR
CONTR
COORD
COR
CORR
CP
CRS
CS
CSE
CTLV
CTR
CULV
CY
CYL

CANTILEVER LENGTH
CURB AND GUTTER
CORRUGATED ALUMINUM PIPE
CATCH BASIN
CONCRETE BOX CULVERT
CONCRETE BOX STRUCTURE
CENTER TO CENTER
CROSS DRAIN
CEMENT
CEMENTED
CHANNEL
CHANNEL CHANGE
CHANGABLE
CAST IRON
CAST IRON PIPE
CAST IN PLACE
CLEARANCE OR CENTER LINE
CONCRETE MONUMENT
CORRUGATED METAL PIPE
COUNTY
COMMERCIAL
COMPOSITE
CONCRETE
CONSTRUCT
CONTROLLER
CONTINUATION
CONTRACTOR
COORDINATE
CORNER
CORRUGATED
CONCRETE PIPE
COURSE
CURVE TO SPIRAL
CURSE
CANTILEVER
CENTER
CULVERT
CULIC YARD
CYLINDRICAL

F
F & I
F TO F
FA
FAP
FE
FED
FERT
FETS
FH
FHMA
FIN
FL
FLX
FOUND
FR
FRAM
FURN
FUT

FILL
FURNISH & INSTALL
FACE TO FACE
FEDERAL AID
FEDERAL AID PROJECT
FLOOR ELEVATION
FEDERAL
FERTILIZER
FIRE HYDRANT
FEDERAL HIGHWAY ADMINISTRATION
FINISH
FLOW LINE
FLEXIBLE
FOUNDATION
FRAME
FRAMING
FEET
FURNISH
FUTURE

M
MAINT
MATL
MAX
MED
MESS
MH
MHW
MI
MIN
MISC
MHW
MOBL
MOD
MON
MPH
MSL
MT'D
MB

MIDDLE ORDNATE DISTANCE
MAINTENANCE
MATERIAL
MAXIMUM
MEDIAN
MESSAGE
MANHOLE
MEAN HIGH WATER
MILE
MINIMUM
MISCELLANEOUS
MEAN LOW WATER
MOBILIZATION
MODIFY
MONUMENT
MILE POST
MILES PER HOUR
MEAN SEA LEVEL
MODIFIED
MIDIAN BARRIER

S
SAMP
SAN
SB
SBAC
SBRM
SBST
SC
SCST
SD
SE
SECT
SED
SEP
SEQ
SF
SG
SHLDR
SPEC
SQ FT
SQ IN
SQ YD OR SY
SR
SS
SSMD
ST
STA
STAB
STD
STL
STR
SUBGR
SUPPORTS
SURF
SW
SYST
S-POST

SOUTH
SAND-ASPHALT HOT MIX
SANITARY
SOUTHBOUND
SHELL BASE ASPHALTIC CONCRETE
SAND BITUMINOUS ROAD MIX
SHELL BASE SURFACE TREATMENT
SEAL COAT
SAND-CLAY SURFACE TREATMENT
SIDE DRAIN
SOUTHEAST
SECTION
SEDIMENT
SEPARATOR
SEQUENTIAL
SHRINKAGE FACTOR
SHOULDER
SPECIFICATION
SQUARE FOOT
SQUARE INCH
SQUARE YARD
STATE ROAD
STORM SEWER
SOLID STATE MODULAR DESIGN
SURFACE TREATMENT OR STREET
STATION
STABILITY
STANDARD
STEEL
STRUCTURE
SUBGRADE
SUPPORTS
SURFACE
SOUTHWEST OR SIDEWALK
SYSTEM
SINGLE POST

X
X RD
XING
X-SEC
Y
ZL

COORDINATE DISTANCE (EAST-WEST)
CROSS ROAD
CROSSING
CROSS SECTION
COORDINATE DISTANCE (NORTH-SOUTH)
TWO LANE

UNITS OF MEASURE

| | | | |
|----------|--------------------|------|------------------|
| AC | ASSEMBLY | LU | PER LUMINAIRE |
| AS | BARRREL | MG | THOUSAND GALLONS |
| BU | BUSHEL | NH | NET MILE |
| CF | CUBIC FT. | PB | PER BUILDING |
| CO | PER CLEANOUT | PC | PER CLUSTER |
| CY | CUBIC YARD | PE | PILE |
| CM | CM | PJ | PER INTERSECTION |
| DA | DAYS | PL | PLANT |
| EA | EACH | POST | POST |
| EA (MMB) | 1000 BOARD MEASURE | PP | PER POLE |
| FT | FOOT | PW | PER WELL |
| GA | GALLON | RM | ROAD MILE |
| GM | GROSS MILE | SF | SQUARE FOOT |
| LB | POUND | SP | SPAN |
| LF | LTN. FT. | SY | SQUARE YARD |
| LS | LUMP SUM | TW | TOW |
| ED | PER EACH PER DAY | VF | VERTICAL FOOT |

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

STANDARD ABBREVIATIONS

| | | | |
|--------------|-----------|------------|------------------|
| Designed By | Drawn By | Checked By | Approved By |
| | | | <i>Joe Smith</i> |
| Revision No. | Sheet No. | Index No. | |
| 86 | 1 of 1 | 001 | |

F.H.W.A. Approved: 12/13/74

STANDARD SYMBOLS FOR KEY MAP

| | |
|--|--|
| | Highway With Full Control Of Access |
| | Highway With Frontage Roads |
| | Highway Interchange |
| | Proposed Controlled Access Highway |
| | Divided Highway |
| | Hard Surfaced Road |
| | Soil, Gravel Or Shell Surfaced Road |
| | Graded And Drained Road |
| | Unimproved Road |
| | Primitive Road |
| | Private Road |
| | Streets In Inset Or Delimited Areas |
| | Extension Of Local Roads Within Cities |
| | Federal Aid Interstate Highway |
| | Federal Aid Urban Highway |
| | Federal Aid Primary Highway |
| | Federal Aid Secondary Highway |
| | National Forest Road |
| | State Forest Road |
| | State Park Road |
| | Interstate Highway |
| | US Numbered Highway |
| | State Highway |
| | County Road |
| | Railroad |
| | Double Track Railroad |
| | Abandoned Railroad |
| | Railroad Station |
| | Grade Crossing |
| | Railroad Above |
| | Railroad Below |
| | Military Field |
| | Commercial Or Municipal Airport |
| | Landing Area Or Strip |
| | Runways |

| | |
|--|---------------------------------------|
| | Free Ferry |
| | Toll Ferry |
| | Canal Or Drainage Ditch |
| | Intracoastal Waterway |
| | Narrow Stream |
| | Wide Stream |
| | Dam |
| | Dam Or Spillway With Lock |
| | Dam With Road |
| | Flood Control Structure |
| | Lake, Reservoir Or Pond |
| | Intermittent Pond |
| | Meandered Lake |
| | Marsh Or Swamp |
| | Mangroves |
| | Levee Or Dike |
| | Levee Or Dike With Road |
| | Highway Bridge |
| | Small Bridges Closely Spaced |
| | Drawbridge |
| | Highway Grade Separation |
| | Tunnel |
| | State Boundary Line |
| | County Boundary Line |
| | Civil Township Boundary |
| | Extended Township Line |
| | Land Grant Line |
| | Land Section Line |
| | State Survey Section Line |
| | Survey By Others |
| | Location Of Inset Boundary Within Map |
| | Military Reservation Boundary |
| | College Or University Boundary |
| | Corporate Limits |
| | Delimited Area, Population Est. |
| | Reservation, Forest Or Park Boundary |
| | Wildlife Refuge Boundary |

| | |
|--|---|
| | Residential Area Under Development |
| | Lighthouse |
| | State Capital |
| | County Seat |
| | Other City Or Village |
| | Seminole Indian Village |
| | Welcome Station |
| | Wayside Park Or Small Park |
| | Park With Boat Ramp |
| | Boat Ramp |
| | Museum |
| | Recreational Area Or Historic Site |
| | Scenic Site |
| | Post Office |
| | School |
| | Church |
| | Cemetery |
| | Church And Cemetery |
| | Hospital, Health Center Or Rest Home |
| | Toll House, Port Of Entry Or Weight Station |
| | Fair Grounds, Race Course Or Rodeo Arena |
| | Mine Or Strip Mine |
| | Governmental Research Station |

| | |
|--|---------------------------------------|
| | Agricultural Inspection Station |
| | Farmers Market |
| | Game Preserve |
| | Game Checking Station |
| | Bird Sanctuary |
| | Fire Control Headquarters |
| | Lookout Tower |
| | Fire Station |
| | Patrol Or Police Station |
| | Correctional Institution Or Road Camp |
| | Department Of Transportation Facility |
| | Coast Guard Station |
| | Armory |
| | Junkyard |
| | Sanitary Fill |
| | Sewage Disposal Plant |
| | Incinerator |
| | Power Plant |
| | Power Substation |
| | Communications Facility |
| | Locked Gate Or Fence |
| | Triangulation Station |

| | | | |
|--|------|--------|---------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| STANDARD SYMBOLS | | | |
| Designed by | Name | Date | Approved By <i>J.C. Bullard</i> |
| Drawn by | | | State Design Engineer, Roadways |
| Checked by | | | Revision No. 1 of 3 |
| F.H.W.A. Approved: | 83 | 1 of 3 | 002 |

STANDARD SYMBOLS FOR PLAN SHEETS

| GENERAL SYMBOLS | |
|-----------------|---|
| | STATE LINE |
| | COUNTY LINE |
| | TOWNSHIP LINE |
| | SECTION LINE |
| | CITY LINE |
| | BASE OR SURVEY LINE |
| | RIGHT-OF-WAY LINE |
| | EASEMENT LINE |
| | LIMITED ACCESS LINE |
| | FENCE LINE |
| | NATIONAL OR STATE PARK OR FOREST |
| | GRANT LINE |
| | RAILROAD (DRAINAGE MAPS) |
| | RAILROAD (DETAIL PLANS) |
| | FENCE (LIMITED ACCESS) |
| | BOX CULVERT |
| | BRIDGE |
| | SIDE DRAIN PIPE |
| | STORM SEWER |
| | INLET |
| | MANHOLE |
| | TIED LONGITUDINAL JOINT |
| | KEYED LONGITUDINAL JOINT |
| | DOWELED TRANSVERSE EXPANSION JOINT |
| | DOWELED TRANSVERSE CONTRACTION JOINT |
| | TRANSVERSE CONTRACTION JOINT WITHOUT DOWELS |
| | TRIANGULATION STATION |
| | BENCH MARK |
| | POINT OF INTERSECTION |
| | NORTH POINT |
| | EDGES OF EXISTING PAVEMENT AND SIDEWALK |
| | BASE LINE |
| | CENTERLINE |
| | PROPERTY LINE |
| | DELTA ANGLE |
| | APPROXIMATE |
| | ROUND |
| | CURB |
| | CURB AND GUTTER |
| | WATER WELL, SPRING |
| | LEVEE |
| | RAILROAD MILE POST |
| | GATE |
| | PUMP ISLAND |
| | STORAGE TANK (SURFACE) |
| | STORAGE TANK (UNDERGROUND) |

| GENERAL SYMBOLS | |
|-----------------|--|
| | MINE OR QUARRY |
| | BORROW PIT |
| | CHURCH |
| | STORE |
| | RESIDENCE |
| | BARN |
| | SCHOOL |
| | STREAM |
| | SHORE LINE |
| | MARSH |
| | HEDGE |
| | TREES |
| | EDGE OF WOODED AREA |
| | SHRUBBERY |
| | GROVE OR ORCHARD |
| | DEFINITION OF SKEW FOR CROSS DRAINS AND BARRELS OF CONCRETE BOX CULVERTS |
| | CONCRETE |
| | WOOD |
| | RATE OF SUPERELEVATION |

| UTILITY ADJUSTMENT SYMBOLS | | |
|------------------------------|----------|----------|
| | EXISTING | PROPOSED |
| POWER POLE | | |
| OVERHEAD POWER CABLE | | |
| TELEPHONE POLE | | |
| OVERHEAD TELEPHONE CABLE | | |
| COMBINATION POLE | | |
| GUY WIRE AND ANCHOR PIN | | |
| BURIED POWER CABLE | | |
| ELECTRIC DUCT | | |
| BURIED TELEPHONE CABLE | | |
| TELEPHONE DUCT | | |
| TOWER | | |
| LIGHT POLE | | |
| GAS MAIN | | |
| WATER MAIN | | |
| SANITARY SEWER | | |
| MANHOLE | | |
| WATER METER | | |
| VALVE | | |
| FIRE HYDRANT | | |
| UNDERGROUND CABLE TELEVISION | | |
| OVERHEAD CABLE TELEVISION | | |

| | | | | |
|--|--------------|-------------|-----------|--|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
| STANDARD SYMBOLS | | | | |
| Designed by | Checked by | Approved by | | |
| CDP | GOR | 7/72 | | |
| Checked by | Revision No. | Sheet No. | Index No. | |
| GOR | 8/72 | 2 of 3 | 002 | |
| F.H.W.A. Approved: 7/7/75 | | | | |






STANDARD SYMBOLS FOR PLAN SHEETS

| TRAFFIC SIGNALS SYMBOLS | | |
|---|----------|---------------|
| | EXISTING | PROPOSED |
| TRAFFIC SIGNAL HEAD (SPAN WIRE MOUNTED) | | |
| TRAFFIC SIGNAL HEAD (PEDESTAL MOUNTED) | | |
| TRAFFIC SIGNAL HEAD (MAST ARM MOUNTED) | | |
| TRAFFIC SIGNAL POLE (CONCRETE, WOOD, METAL) | | |
| VEHICLE DETECTOR (LOOP) | | |
| SIGNAL CABLE (ON MESSENGER WIRE) | | |
| CONDUIT | | |
| VEHICLE DETECTOR (OTHERS) | | |
| PEDESTRIAN DETECTOR (PUSHBUTTON) | | |
| PEDESTRIAN SIGNAL HEAD (POLE OR PEDESTAL MOUNTED) | | |
| CONTROLLER CABINET (BASE MOUNTED) | | |
| CONTROLLER CABINET (POLE MOUNTED) | | |
| WALK - DON'T WALK FLASH | | W - DW FL. |
| SIGNAL FACE NUMBER | | 5 |
| ITEM NUMBER | | 630-43 |
| SIGNAL LENS | | |
| PROGRAMMED SIGNAL HEAD | | |
| MESSENGER WIRE | | |
| POLE TABULATION CROSS REFERENCE | | 3 |
| POLE TABULATION CROSS REFERENCE (JOINT USE POLE) | | * 3 |
| SIGNAL PHASE | | |

| LIGHTING SYMBOLS | |
|------------------|--|
| | NEW POLE & LUMINAIRE |
| | EXISTING POLE & LUMINAIRE |
| | EXISTING POLE & LUMINAIRE TO BE REMOVED |
| | FINAL POSITION OF RELOCATED OR ADJUSTED POLE & LUMINAIRE |
| | NEW HIGH MAST LIGHTING TOWER |
| | CITY OR UTILITY OWNED LUMINAIRE & POLE |
| | PVC (POLYVINYL CHLORIDE) LIGHTING CONDUIT AND CONDUCTORS |
| | RIGID GALVANIZED LIGHTING CONDUIT AND CONDUCTORS |
| | CONCRETE LIGHTING PULL-BOX |
| | WATERPROOF LIGHTING PULL-BOX |
| | LIGHTING DISTRIBUTION POINT |
| | NEW JOINT USE POLE |
| | EXISTING USE POLE |
| | UNDER DECK LIGHTING FIXTURE |

| SIGNING AND PAVEMENT MARKING SYMBOLS | |
|--------------------------------------|--|
| PAVEMENT ARROW | |
| SINGLE SOLID LINE | |
| DOUBLE SOLID LINE | |
| SKIP LINE | |
| STOP BAR | |
| TRAFFIC SIGN (POST MOUNTED) | |
| TRAFFIC SIGN (OVERHEAD) | |
| SIGN NUMBER | |
| SIGN ITEM NUMBER | |
| TRAFFIC FLOW ARROW | |


| | | | | | |
|--|---------|------|--------------|-----------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| STANDARD SYMBOLS | | | | | |
| Designed by | Revised | Date | Approved By | | |
| Drawn by | CDP | 8/72 | | | |
| Checked by | COR | 8/72 | Revision No. | Sheet No. | Index No. |
| F.H.W.A. Approved: 7/7/75 | | | 86 | 3 of 3 | 002 |




SOD FLUME (SODDING OVERLAPPED)

SLOPE DRAIN APPLICATION


| | | | |
|--|-------|-----------|----------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| TEMPORARY SLOPE DRAIN AND SOD FLUME | | | |
| Designed by | Names | Dates | Approved By |
| Drawn by | | | De. Amick |
| Checked by | | | Deputy Design Engineer, Roadways |
| Revision No. | | Sheet No. | Index No. |
| F.H.W.A. Approved: 10/7/80 | | 83 | 1 of 1 |
| | | | 100 |



PLAN VIEW



SECTION AA




SECTION BB

TYPE A


INTENDED FOR USE WHEN THE STORM SEWER OUTFALLS ADJACENT TO A SHORE LINE

GENERAL DESIGN NOTES


1. Basins should be as deep as practical with a minimum depth of 2.0 feet.
2. In Type A, when the top of endwall is below high water, fence also will be required along the top of the endwall.
3. In Type B, the weir shall be located as far from the endwall as practical. On steep ditch grades two or more weirs may be required. Intermediate weirs shall be constructed without stilling basins.
4. In Type B, the 6" PVC pipe shall be constructed unless shown otherwise in the plans.




PLAN VIEW




SECTION AA



SECTION BB



SECTION CC



SECTION DD

TYPE B

INTENDED FOR USE WHEN THE STORM SEWER OUTFALLS IN AN OPEN DITCH

GENERAL CONSTRUCTION NOTES

1. Fence materials shall be aluminum or concrete only.
2. Aluminum posts shall be 3" diameter minimum. Aluminum rail braces shall be in accordance with Index 452. Concrete posts and rail braces shall be in accordance with 451. All posts to be set in concrete.
3. Fabric shall be installed to inside of posts and rail braces, and tied to posts and braces at 6" centers.
4. For additional details on fencing, see Index Nos. 451 and 452.
5. All basin slopes to be 1:1 unless detailed otherwise in the plans.
6. Sediment basins to be constructed prior to commencement of upland construction. Maintenance and clean out to be by the Contractor until acceptance of project by the Engineer.

| | | | |
|--|-----|--------------|--------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| TRASH RETAINER AND SEDIMENT BASIN | | | |
| Designed By | WJR | Date | 5/74 |
| Drawn By | | | |
| Checked By | HLB | 6/74 | |
| F. H. W. A. Approved 10/7/80 | | Revision No. | 80 |
| | | Sheet No. | 1 of 1 |
| | | Index No. | 101 |






CHART I

RECOMMENDED SPACING FOR TYPE I AND TYPE II HAY BALE BARRIERS, TYPE III AND TYPE IV SILT FENCES AND PAVED DITCH HAY BALE BARRIERS


| | | | | |
|--|-----|------|---------------------------------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
| BALED HAY OR STRAW BARRIERS AND SILT FENCES | | | | |
| Designed By | HMS | Date | Approved By | |
| | EGR | 2/80 | [Signature] | |
| Drawn By | HSD | 9/82 | State Design Engineer, Roadways | |
| Checked By | JVG | 9/82 | Revision No. | Sheet No. |
| F.H.W.A. Approved: 9/23/82 | | | 86 | 1 of 3 |
| | | | | 102 |




PROTECTION AROUND INLETS OR SIMILAR STRUCTURES




BALES BACKED BY FENCE



DITCH INSTALLATIONS AT DRAINAGE STRUCTURES





TO BE USED AT SELECTED SITES WHERE THE NATURAL GROUND SLOPES TOWARD THE TOE OF SLOPE






TO BE USED AT SELECTED SITES WHERE THE NATURAL GROUND SLOPES AWAY FROM THE TOE OF THE SLOPE

BARRIERS FOR FILL SLOPES



Spacing: Bale barriers for paved ditches should be spaced in accordance with Chart I, Sheet 1 of 3, Index No. 102.

BARrier FOR PAVED DITCH




Anchor Top Bales To Lower Bales With 2-2" x 2" x 4" Stakes Per Bale.

TYPE II

Application and Spacing: The use of Types I & II bale barriers should be limited to the conditions outlined in Chart I, Sheet 1 of 3, Index No. 102.


TYPE I BARRIER FOR UNPAVED DITCHES




TYPE I

TYPE I

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
|--|-----|--------------|------|----------------------------------|
| BALED HAY OR STRAW BARRIERS AND SILT FENCES | | | | |
| Designed by | WJR | Date | 5/74 | Approved By |
| Drawn by | | | | Deputy Design Engineer, Roadways |
| Checked by | HLB | Revision No. | 6/74 | Sheet No. |
| F.H.W.A. Approved: 10/7/80 | 86 | 2 of 3 | 102 | Index No. |





TYPE III SILT FENCE




Note: Silt Fence to be paid for under the contract unit price for Staked Silt Fence (LF)

TYPE IV SILT FENCE




SILT FENCE APPLICATIONS

Do not deploy in a manner that silt fences will act as a dam across permanent flowing watercourses. Silt fences are to be used at upland locations and turbidity barriers used in permanent bodies of water.




Note: Spacing for Type III and Type IV Fences to be in accordance with Chart I, Sheet 1 of 3 and ditch installations at drainage structures Sheet 2 of 3.




| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
|--|---------|---------------|-------|----------------------------------|
| BALED HAY OR STRAW BARRIERS AND SILT FENCES | | | | |
| Designed by | RAA/CJM | Date | 9/85 | Approved By |
| Drawn by | LRE | Date | 9/85 | De. [Signature] |
| Checked by | RAA | Date | 10/85 | County Design Engineer, Roadways |
| F.H.W.A. Approved: | | Revision No. | 86 | Sheet No. 3 of 3 |
| | | Index No. 102 | | |



FLOATING TURBIDITY BARRIERS



STAKED TURBIDITY BARRIER



NOTES:



1. Turbidity barriers are to be used in all permanent bodies of water regardless of water depth.
2. Number and spacing of anchors dependent on current velocities.
3. Deployment of barrier around pile locations may vary to accommodate construction operations.
4. Navigation may require segmenting barrier during construction operations.
5. The above applications indicate Type I Floating Turbidity Barrier since anchors are shown, however, if conditions warrant, Type II Floating Turbidity Barrier may be used. For additional information see Standard Specifications.

Note:

Turbidity barriers for flowing streams and tidal creeks may be either floating, or staked types or any combinations of types that will suit site conditions and meet erosion control and water quality requirements. The barrier type(s) will be at the Contractors option unless otherwise specified in the plans, however payment will be under the pay item (s) established in the plans for Floating Turbidity Barrier and/or Staked Turbidity Barrier. Posts in staked turbidity barriers to be installed in vertical position unless otherwise directed by the Engineer.


TURBIDITY BARRIER APPLICATIONS

| | | | | | |
|--|---------|------|-------|----------------------------------|--------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| TURBIDITY BARRIERS | | | | | |
| Designed by | RAA/CJA | Date | 9/85 | Approved By | <i>[Signature]</i> |
| Drawn by | LRE | Date | 9/85 | County Design Engineer, Roadways | |
| Checked by | RAA | Date | 10/85 | Revision No. | Sheet No. |
| F.H.W.A. Approved: | | | | 87 | 1 of 1 |
| | | | | | 103 |



| CRITERIA FOR PAVING SHOULDER ON DIVIDED AND UNDIVIDED FACILITIES | |
|--|-----------------|
| Design Speed | Degree Of Curve |
| 30 | 7° or greater |
| 40 | 5° or greater |
| 50 | 4° or greater |
| 60 | 3° or greater |
| 65 | 3° or greater |
| 70 | 2° or greater |


Note: Paved shoulders are required on all curves meeting the criteria tabulated above. For curves not meeting the criteria, shoulders are to be paved where erosion of the shoulder is evident or anticipated.



SHOULDER AND SLOPE TREATMENT FOR SUPERELEVATED ROADWAYS





GENERAL NOTES

- Erosion control details are applicable to new construction, reconstruction and RRR projects.
- For sodding adjacent to ditches and at headwalls, see Index No. 281.
- All front slopes steeper than 3:1 are to be sodded.



SHOULDER AND SLOPE TREATMENT IN SAG VERTICAL CURVES

| | | | | | |
|--|--------|------|--------------|-----------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| EROSION CONTROL DETAILS FOR PERMANENT CONSTRUCTION | | | | | |
| Designed by | Names | Date | Approved By | | |
| Drawn by | N.L.G. | 4/75 | [Signature] | | |
| Checked by | DCB | 4/75 | Revision No. | Sheet No. | Issue No. |
| F.H.W.A. Approved: 10/7/80 | | | 85 | 1 of 1 | 104 |



COMPLETED SHOULDER


TYPE R-1

CRITERIA FOR USING TREATMENT TYPE R-1


Project ---

is resurfacing, widening and resurfacing or construction of shoulder pavement is rural or is urban without curb and gutter has good existing soil and turf with no significant shoulder erosion (isolated areas of significant erosion will require additional special treatment. Where poor soil and / or turf conditions exist shoulder reworking, Type R-2, should be applied.)


resurfacing build-up is 1 1/2" to 3"



SEEDING RATE ZONES



TRENCH OPENING



COMPLETED SHOULDER


TYPE R-3

CRITERIA FOR USING TREATMENT TYPE R-3

Project ---

is resurfacing, widening and resurfacing or construction of shldr. pavt. is rural or is urban without curb and gutter has good existing soil and turf with no significant shoulder erosion (isolated areas of significant erosion will require additional special treatment. Where poor soil and / or turf conditions exist shoulder reworking, Type R-2, should be applied.)

resurfacing build-up is 1 1/2" or less



SHOULDER REWORKING METHOD

CRITERIA FOR USING TREATMENT TYPE R-2

Project ---

is resurfacing or construction of shoulder pavement is rural or is urban without curb and gutter has good existing soil and turf resurfacing build-up is 3" or more

* Asphalt Mulch Or Latex Mulch May Be Deleted For Low Volume Roadways (ADT Less Than 1600) Or Where Shoulder Pavement Is Constructed.

A SIMILAR TREATMENT MAY BE USED FOR PROJECTS THAT REQUIRE SHOULDER WIDENING. DETAILS ARE TO BE SHOWN IN THE PLANS.

TYPE R-2

GENERAL NOTES


1. Special attention is to be directed to the construction of the required 1" drop-off at edge of pavement.
2. Fertilize entire unpaved shoulder and front slope to toe of slope or bottom of ditch.
3. Topsoil obtained from borrow pits or other sources may be used in lieu of excavated turf and topsoil when economically feasible. No additional payment will be made for substituting topsoil for excavated turf or topsoil.
4. Payment for excavation of turf and topsoil and for backfill of this material (Details R-1 and R-3) is to be included in the contract unit price for Sodding, SY.

SEEDING RATES (Lbs/Ac)

| TYPE OF SEED | ZONE I | | | | ZONE II | | | |
|------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | COASTAL | | INLAND | | COASTAL | | INLAND | |
| | Mar. to Oct. | Nov. to Mar. | Mar. to Oct. | Oct. to Mar. | Feb. to Nov. | Dec. to Feb. | Feb. to Nov. | Dec. to Feb. |
| PERMANENT GRASS | | | | | | | | |
| Unhulled Bermuda | 15 | 15 | 10 | 15 | 15 | 15 | 10 | 15 |
| Bahia Argentina Or Pensacola | | | 30 | 30 | | | 30 | 30 |
| QUICK GROWING | | | | | | | | |
| Brown Top Millet | 20 | | 20 | | 20 | | 20 | |
| Annual Rye Grass | | 20 | | 20 | | 20 | | 20 |
| TOTAL POUNDS PER ACRE | 35 | 35 | 60 | 65 | 35 | 35 | 60 | 65 |

Note: The seeding rates shown in this table apply only when seed is spread by an approved mechanical spreader meeting the requirements of Section 570 and 577 of the Standard Specifications.


| | | | |
|--|-----------------|-------------------|--|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| SHOULDER SODDING AND REWORKING ON EXISTING FACILITIES | | | |
| Designed by EGR | Drawn by HSD | Checked by EGR | Approved by <i>[Signature]</i> State Design Engineer, Roadways |
| Date 9/84 | Date 9/84 | Date 9/84 | Revision No. 1 of 1 |
| F.H.W.A. Approved: 9/21/84 | | 87 | 105 |



ALTERNATE A


TYPE J

FOR INLETS, MANHOLES AND JUNCTION BOXES



ALTERNATE B

| TOP AND FLOOR SLAB TABLE TYPE J | | | | | | |
|------------------------------------|---------------------|-------------------|---------------------------------|------|----------------------------------|--|
| ALT. A I.D. | ALT. B BOX WIDTH | SLAB THICKNESS | ALLOWABLE FILL OVER TOP SLAB | | REINFORCING TOP & FLOOR SLABS | |
| | | | MIN. | MAX. | | |
| | 3'-6" | 8" | 2' | 29' | #6 @ 6" CTRS. B.W. | |
| | 5'-0" | 8" | 2' | 25' | #6 @ 6" CTRS. B.W. | |
| | 5'-0" | 10" | 2' | 27' | #7 @ 6" CTRS. B.W. | |
| | 6'-0" | 8" | 2' | 20' | #6 @ 6" CTRS. B.W. | |
| | 6'-0" | 10" | 2' | 25' | #7 @ 6" CTRS. B.W. | |
| 7' or 8' | 8'-0" | 10" | 2' | 11' | #7 @ 6" CTRS. B.W. | |



ALTERNATE A


ALTERNATE B

TYPE P FOR INLETS, MANHOLES AND JUNCTION BOXES

GENERAL NOTES


- WALLS OF CIRCULAR STRUCTURES (ALTERNATE A) MAY BE CONSTRUCTED OF CONCRETE OR BRICK, BUT RECTANGULAR STRUCTURES (ALTERNATE B) SHALL BE CONSTRUCTED OF CONCRETE ONLY. THE CONCRETE MAY BE CAST-IN-PLACE OR PRECAST.
- WALL REINFORCEMENT AND THICKNESS ARE FOR EITHER CAST-IN-PLACE OR PRECAST CONCRETE UNITS EXCEPT THAT THE MANUFACTURER MAY FURNISH PRECAST CIRCULAR UNITS IN ACCORDANCE WITH A.S.T.M. SPECIFICATION C-478 UP TO 96" IN DIA. OR PRECAST CIRCULAR UNITS A.S.T.M. SPECIFICATION C-76, TABLE III, FOR 8" WALL CONCRETE PIPE. TOP AND FLOOR SLAB THICKNESS AND REINFORCEMENT ARE FOR ALL TYPES OF CONSTRUCTION.
- ELLIPTICAL STEEL, ASTM SPECIFICATION C-76, TABLE III, B WALL, IS MODIFIED TO USE A CIRCULAR CAGE OF STEEL AREA EQUAL TO THAT OF THE ELLIPTICAL CAGE AND PLACED IN THE CENTER ONE-THIRD OF THE WALL. THIS MODIFICATION IS FOR PRECAST CIRCULAR UNITS PRODUCED IN ACCORDANCE WITH ASTM C-76.
- TOP AND FLOOR SLABS FOR TYPE J UNITS SHALL BE OF CLASS II CONCRETE. CONCRETE AS SPECIFIED IN ASTM C-478 (4000 psi) MAY BE USED IN LIEU OF CLASS I AND CLASS II CONCRETE IN PRECAST ITEMS MANUFACTURED IN PLANTS WHICH ARE UNDER THE STANDARD OPERATING PROCEDURES FOR THE INSPECTION OF PRECAST DRAINAGE PRODUCTS.
- STRUCTURE BOTTOMS TYPES J AND P MAY BE USED IN CONJUNCTION WITH CURB INLET TOPS TYPES 1, 2, 3, 4, 5, 6, 9, AND 10, AND ANY MANHOLE OR JUNCTION BOX UNLESS OTHERWISE SHOWN IN THE PLANS OR OTHER STANDARD DRAWINGS. STRUCTURE BOTTOMS TYPE J, ALT. B MAY BE USED IN CONJUNCTION WITH CURB INLET TYPES 7 & 8, ANY DITCH BOTTOM INLET UNLESS OTHERWISE SHOWN IN THE PLANS OR OTHER STANDARD DRAWINGS.
- RECTANGULAR STRUCTURES MAY BE ROTATED AS DIRECTED BY THE ENGINEER IN ORDER TO FACILITATE CONNECTIONS BETWEEN THE STRUCTURE WALLS AND STORM SEWER PIPES.
- EMBEDMENT HOOKS IN THE TOP AND BOTTOM SLABS MAY BE REPLACED WITH STRAIGHT EMBEDMENTS IN ACCORDANCE WITH THE REINFORCEMENT DETAIL SHOWN UNDER OPTIONAL CONSTRUCTION JOINTS, INDEX NO. 201, SHEET 3 OF 3.
- ALL STEEL BARS SHALL HAVE 1/2" MINIMUM COVER UNLESS OTHERWISE SHOWN. HORIZONTAL STEEL IN RECTANGULAR STRUCTURES SHALL BE LAPPED A MINIMUM OF 24 BAR DIAMETERS AT CORNERS.
- THE CORNER FILLETS SHOWN ARE NECESSARY FOR RECTANGULAR STRUCTURES USED WITH CIRCULAR RISERS AND INLET THROATS AND USED ON SKEW WITH RECTANGULAR RISERS, INLETS AND INLET THROATS. FILLETS WILL BE REQUIRED IN THE LOWER END OF THE ALT. B RISER WHEN USED WITH THE ALT. A BOX.
- INLET THROATS, RISERS OR MANHOLE TOPS SHALL BE SECURED TO STRUCTURES AS SHOWN ON INDEX NO. 201.
- STRUCTURES WITH DEPTHS OVER 14' ARE TO BE CHECKED FOR FLOATATION BY DESIGNER OF PROJECT DRAINAGE.
- LARGER THAN SPECIFIED STANDARD UNITS MAY BE SUBSTITUTED AT THE CONTRACTOR'S OPTION WHEN THESE UNITS WILL NOT CAUSE OR INCREASE THE SEVERITY OF UTILITY CONFLICTS. SUCH LARGER UNITS SHALL BE FURNISHED AT NO ADDITIONAL COST TO THE DEPARTMENT. LARGER ALTERNATE A UNITS CANNOT REPLACE ALTERNATE B UNITS WITHOUT APPROVAL OF THE ENGINEER. THIS NOTE APPLIES TO THE INDEX ONLY.
- FOR MANHOLE AND JUNCTION BOX TOPS, FOR FRAMES AND COVERS, AND FOR SUPPLEMENTARY DETAILS SEE INDEX NO. 201.

STRUCTURE BOTTOMS TYPES J AND P




TOP VIEW

SECTION
TYPE I
For Manholes




TOP VIEW

SECTION
TYPE II
For Curb Inlets Types 1, 2, 3, & 4




TOP VIEW


SECTION
TYPE III
For Curb Inlets Types 7 & 8



TOP VIEW




BOTTOM VIEW




SECTION

COVER FOR ALL FRAMES



REINFORCEMENT PLAN



REINFORCEMENT PLAN

Reinforcing Bars @ 6" Centers Both Ways Except Middle Bars Shown @ 7" Centers. All Bars With ACI Standard Hooks Canted Approx. 45°, Or Embedded In Accordance With The Slab Reinforcement Detail Shown Under Optional Construction Joints, Sheet No. 3 of 3, Except Bars Around Manhole Opening Shall Be Hooked.


| Bar Size | Top Diameter |
|----------|--------------|
| No. 4 | 3'-6" & 4' |
| No. 5 | 6' |
| No. 6 | 7' |

NOTES (TOPS, FRAMES AND COVER):


- All steel bars shall have 1 1/4" minimum cover unless otherwise shown and shall be hooked where indicated.
- Manhole top Type 7 slabs shall be of Class II concrete. Concrete as specified in ASTM C-478 may be used for precast units; see General Note No. 2.
- Manhole top Type 7 slabs may be of cast-in-place or precast construction. The optional key is for precast tops and in lieu of dowels. Frame and slab openings are to be omitted when top is used over a junction box. Frames can be adjusted with from one to six courses of brick.
- Manhole top Type 8 may be of cast-in-place or precast concrete construction or brick construction. For concrete construction, the concrete and steel reinforcement shall be the same as the supporting wall unit. An eccentric cone may be used.
- Manhole tops shall be secured to structures by optional construction joints as shown on Sheet 3 of 3.
- All covers to be tack welded to frames at third points or grouted at third points with epoxy (total eleven (11) ounces of mixed epoxy).
- The 212 lb. cover is the replacement for all previous 1 1/4" deep frames (traffic type). The 185 lb. cover is the replacement for all previous 1" deep frames (non-traffic type).

WEIGHT OF CASTINGS


| | |
|----------|----------|
| Type I | 126 Lbs. |
| Type II | 134 Lbs. |
| Type III | 98 Lbs. |
| Cover | 212 Lbs. |



SECTION
TYPE 7-T (TRAFFIC) (H-20)



SECTION
TYPE 7-NT (NON-TRAFFIC)




SECTION
TYPE 8

MANHOLES OR JUNCTION BOXES


STRUCTURE TOPS

MANHOLES

| | | | |
|--|------------|-----------|--------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| SUPPLEMENTARY DETAILS FOR MANHOLES AND INLETS | | | |
| Designed by | Checked by | Drawn by | Approved by |
| HSD | JBW | HSD | <i>[Signature]</i> |
| 6/82 | 6/82 | 6/82 | 6/82 |
| Revision No. | Sheet No. | Total No. | |
| 07 | 1 of 5 | 201 | |
| F.H.W.A. Approved: 9/23/82 | | | |



PLAN ON PIPE



SECTION XX


Channel to be formed with either half-pipe and mortar or brick and mortar.




SECTION YY

BOTTOM CONSTRUCTION WHEN INLET SERVES AS MANHOLE


NOTE: Mortar used to seal the pipe into the walls of precast units will be of such a mix that shrinkage will not cause leakage into or out of the units.



PLAN



PLAN




SECTION

CHANNELIZATION

Channelization required at all drainage structures with two or more pipes.

Smooth flow channels composed of concrete, or brick and mortar shall be constructed in the bottoms of all structures to a depth equal to half the diameter of the largest pipe.




Note: When Alternate G grate is specified, the chain, bolt, nuts, washer and cold shuts shall be galvanized in accordance with the specifications for the grate.

Cost of eye bolt and chain to be included in the contract unit price for inlets.

EYE BOLT AND CHAIN FOR LOCKING GRATES TO INLETS

| EYE BOLT AND CHAIN REQUIREMENTS | | | | |
|---------------------------------|------------|-----------|-----------------|--|
| Index Number | Inlet Type | Eye Bolts | Length Of Chain | Handling & Remarks |
| 217 | (MB) 1 | 1 | 4'-0" | Slide & Spin |
| | (MB) 2 | 1 | 4'-0" | Slide & Spin |
| | (MB) 3 | 2 | 2@4'-0" | Slide & Spin |
| | (MB) 4 | 2 | 2@4'-0" | Slide & Spin |
| | (MB) 5 | 2 | 2@4'-0" | Slide & Spin |
| 220 | S | 1 | 4'-0" | Slide & Spin |
| 221 | V | 1 | 4'-0" | Slide & Spin |
| 230 | A | 1 | 3'-0" | Slide |
| 231 | B | 1 | 5'-0" | Slide & Spin |
| 232 | C | 1 | 2'-6" | Slide & Spin |
| | D | 1 | 2'-6" | Slide & Spin |
| | E | 2 | 2@2'-6" | Slide & Spin |
| | H | 2 | 2@2'-6" | Flip Ctr. Grate and Slide & Spin Single Free Grate |
| | | | 1@1'-6" | Ctr. Grate To One End Grate |
| 233 | F | 1 | 3'-6" | Flip Or Slide & Spin |
| | G | 1 | 6'-0" | Slide |
| | | | 2'-0" | Lifting Loop |
| 234 | J | 1 | 4'-0" | Slide & Spin |
| 218 | B W | 1 | 3'-6" | Slide Or Slide & Spin |




Galvanized Hardware Cloth
No. 4 Coarse Aggregate 2' x 2' x 2'
Filter Fabric

Note: Sump bottom appropriate for all manhole and inlet types. Cost for sump bottom to be included in the contract unit price for inlet or manhole.

SUMP BOTTOM

Jam Nut Or Spot Weld With Single Nut & Washer For Standard Structures;
Jam Nut With Single Nut & Washer For Alternate G Structures

Washer Welded To Smooth Bar Or Nut & Washer On Threaded Bar For Standard Structures;
Nut & Washer For Alternate G Structures



PICTORIAL VIEW


OPTIONAL BAR TYPES

Note: Ladder bars are required only when called for in the plans.

Other types of ladder bars appearing on the Departments "Qualified Products List" may be used. Installation shall be in accordance with the ladder bar manufacturers recommendations.

Bevel Cut Upper Stub To Match Forming For Apron Face. Capping Or Plugging Of Upper Stub Not Required (Friable base material at stub opening shall be removed to permit covering of opening with structural course material.)


Prior To Placing Base Material Remove Riprap, Cement PVC Cap On Lower Stub And Place Compacted Fill In Entrance.



Note: Cost of pipe, fittings and sandbagging to be included in the contract unit price for inlets. See Index No. 102 for bale barrier protection at inlet.

TEMPORARY DRAINS FOR SUBGRADE AND BASE


ALTERNATE LOCATION OF PIPE IN STRUCTURE WHEN PREFABRICATED FLOOR SLAB IS USED



STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

SUPPLEMENTARY DETAILS FOR MANHOLES AND INLETS

| Designed by | Checked by | Drawn by | Reviewed by | Approved by |
|-------------------|------------|-----------|-------------|-------------|
| HLB | 4/75 | | | |
| LMF | 4/75 | | | |
| Revised No. | Sheet No. | Index No. | | |
| Approved: 10/7/80 | 87 | 2 of 5 | | 201 |




- NOTE:
1. No joints allowed inside the Condition I structure.
 2. Only cast iron or steel water mains will be allowed to pass directly through structure.
 3. Only cast iron sanitary sewer will be allowed to pass directly through structure.

- NOTE:
1. Only water mains will be allowed to pass through a Condition II structure.

DESIGNERS NOTE: "Sumped" conflict manholes shall not be used unless the system is hydraulically designed to take into account the headloss generated if the sump is completely blocked. "Sumped" conflict manholes must be larger than those normally provided.

UTILITY PIPES THRU STORM SEWER STRUCTURES




1. One or more types of joints may be used in a single structure, except brick wall structure. Brick wall construction is permitted on circular units only.
2. All grouted joints are to have a maximum thickness of 1".
3. Keyways are to be a minimum of 1 1/2" deep.
4. Joint dowels are to be #4 bars, 12" long with a minimum of 6 bars per joint for circular structures approximately evenly spaced, and, 2 bars per side at approximate quarter points for rectangular structures.
5. Minimum cover on reinforcing bars is 1 1/4".
6. Rebar straight end embedment may be used in lieu of ACI standard hooks for top and bottom slabs except when hooks are specifically called for in plans or standard drawings.
7. Joints between wall segments and between wall segments and top or bottom slabs may be sealed either by preformed plastic gasket material using the procedures given in Section 430-7.3 or by grout.
8. Approved product inserts may be used in lieu of dowel embedment.


OPTIONAL CONSTRUCTION JOINTS

GENERAL NOTES

1. For square or rectangular precast drainage structures either deformed or smooth welded wire fabric may be used provided:
 - a) The smooth welded wire fabric shall comply with ASTM A-185 and deformed welded wire fabric shall comply with ASTM A-497.
 - b) Width and length of the unit is four times the spacing of the cross wires.
 - c) Wire fabric shall be continuous around the box, spliced at quarter point(s) with overlap of not less than the spacing of the cross wires plus two inches.
2. Concrete as specified in ASTM C-478, (4000 psi) may be used in lieu of Class I and Class II concrete in precast items manufactured in plants which are under the 'Standard Operating Procedures For The Inspection Of Precast Drainage Products'.
3. Welding of splices and laps is permitted. The requirements and restrictions placed on welding in AASHTO M-259 shall apply.
4. Horizontal steel in the walls of rectangular structures shall be lapped a minimum of 24 bar diameters at corners.
5. For equivalent steel areas for precast drainage structures, see Sheet 4 of 5.




TOP OR BOTTOM SEGMENTS WITH CONSTRUCTION JOINTS OTHER THAN DOWEL OPTION




TOP OR BOTTOM SEGMENT FOR DOWEL CONSTRUCTION JOINTS OR CONTINUOUS CAST SEGMENTS

COMPARATIVE SIDE VIEWS MINIMUM DIMENSIONS FOR BOX AND RISER SEGMENTS

| | | | |
|--|--------------|---|---------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| SUPPLEMENTARY DETAILS FOR MANHOLES AND INLETS | | | |
| Designed by HLB | Date 4/75 | Approved By <i>[Signature]</i> Deputy Design Engineer, Roadways | |
| Checked by LMF | Date 4/75 | Revision No. | Sheet No. 3 of 5 |
| F.H.W.A. Approved: 10/7/80 | | 87 | 201 |




DITCH BOTTOM INLET TYPE B
INDEX 231




DITCH BOTTOM INLET TYPE F
INDEX 233

GUTTER INLET TYPE J & V
INDEX 221 & 234



GUTTER INLET TYPE S
INDEX 220



MEDIAN BARRIER INLET TYPES I & 2
INDEX 217


NOTES FOR THIN-WALL PRECAST OPTIONS

- The details on Sheets 4 & 5 are optional for precast construction only, including inlets used with Bottom Type "J", Alt. "B". Cast-in-place construction must adhere to the details contained on the referenced indexes.
- Only the dimensions and reinforcement changes or other modifications are indicated. For all other dimensions and details, the referenced index drawings apply. The width of Bottom Type "J", Alt. "B" can be adjusted to reflect the appropriate precast unit dimension.
- Concrete which meets the requirements of ASTM C-478 shall be used for structures constructed to these details.
- Reinforcement can be either deformed bar reinforcement or welded wire fabric. Bar reinforcement other than 40 KSI may be used, however only two grades are recognized, Grade 40 and Grade 60. Welded wire fabric, including deformed welded wire fabric, will be recognized as having a design strength of 65 KSI. The area of reinforcement required may be reduced in accordance with the Equivalent Steel Area Table provided. For bars and spacings not given, the steel area required can be determined by the following equations:
Grade 60 Steel Area = $A_{60} = \frac{20}{65} K \times A_{40}$
Welded Wire Fabric Steel Area = $A_{WFF} = \frac{20}{65} K \times A_{40}$


In no case will, (a) reinforcement bars smaller than # 4 or spacings greater than 12", or (b) fabric with wires smaller than W 3.1 or spacings greater than 8" be permitted. Bar reinforcement shall show the minimum yield designation grade mark of either the number 60 or one (1) grade mark line to be acceptable at the higher value.

| EQUIVALENT STEEL AREA TABLE | | | | | |
|-----------------------------|------------|-------------------------------------|-----------------|---|-----------------|
| GRADE 40 REINFORCING BAR | | EQUIVALENT GRADE 60 REINFORCING BAR | | EQUIVALENT 65 KSI WELDED WIRE FABRIC | |
| Bar Size & Spacing | Steel Area | Bar Size & Spacing | Min. Steel Area | Wire Size & Spacing | Min. Steel Area |
| # 4 @ 12" CCEW | .20 | # 3 @ 9 1/2" CCEW | .1333 | 3" x 3" - W3.1/W3.1 or 4" x 4" - W4.5/W4.5 or 6" x 6" - W6.5/W6.5 | .1230 |
| # 4 @ 9" CCEW | .2267 | # 4 @ 13 1/2" CCEW or # 3 @ 7" CCEW | .1778 | 3" x 3" - W4.5/W4.5 or 4" x 4" - W5.5/W5.5 or 6" x 6" - W6.5/W6.5 | .1641 |
| # 6 @ 6" CCEW | .88 | # 5 @ 6" CCEW or # 6 @ 9" CCEW | .5867 | 4" x 4" - W20/W20 or 6" x 6" - W30/W30 | .5415 |
| # 7 @ 6" CCEW | 1.20 | # 6 @ 6 1/2" CCEW or # 7 @ 9" CCEW | .80 | 4" x 4" - W26/W26 | .7385 |


| | | | |
|--|--------------|--------------------------------|---------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| SUPPLEMENTARY DETAILS FOR MANHOLES AND INLETS | | | |
| Designed by EGR/JGW | Date 9/86 | Approved by <i>Dr. Hill</i> | State Design Engineer, Roadways |
| Drawn by WPH/dde | Date 9/86 | Checked by EGR | Date 9/86 |
| F.H.W.A. Approved 11/7/86 | | 87 | 4 of 5 |
| | | | 201 |




PARTIAL SECTION BB




PARTIAL SECTION CC




PARTIAL SECTION BB



PARTIAL SECTION CC



PARTIAL SECTION BB




PARTIAL SECTION CC

DITCH BOTTOM INLET C
INDEX 232


DITCH BOTTOM INLET D
INDEX 232

DITCH BOTTOM INLET E
INDEX 232




PARTIAL SECTION CC

DITCH BOTTOM INLET H (3-GRATE)
INDEX 232




PARTIAL SECTION BB







PARTIAL SECTION CC

DITCH BOTTOM INLET H (4-GRATE)
INDEX 232




PARTIAL SECTION BB

| | | | |
|--|---------|--------------|--------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| SUPPLEMENTARY DETAILS FOR MANHOLES AND INLETS | | | |
| Designed by | EGR/JGW | Date | 5/95 |
| Drawn by | WPM/dds | Date | 5/95 |
| Checked by | EGR | Date | 5/95 |
| F.H.W.A. Approved: 11/7/95 | | Revision No. | 87 |
| | | Sheet No. | 5 of 5 |
| | | Index No. | 201 |



| PIPE TYPE | A | B |
|------------------------|----|-----|
| Concrete | 3" | 12" |
| Corrugated Steel | 6" | 12" |
| Corrugated Aluminum | 6" | 12" |
| Corrugate Polyethylene | 6" | 12" |



Note: Extra base is required when cross culverts are located on facilities subject to high speed traffic (>45 mph) or high traffic volumes (>1600 ADT) and the cover is within the ranges specified in the notation above.

Extra base material to be paid for as equivalent square yard base, except when material is called for on cubic yard or tonnage basis.

EXTRA BASE FOR CROSS CULVERTS UNDER FLEXIBLE PAVEMENTS

GENERAL NOTES

- The tabulated values are recommended minimum dimensions to withstand anticipated highway traffic loads. Additional cover may be required to support construction equipment loads or highway traffic loads before pavement is completed.
- Less than the tabulated minimum cover may be used provided suitable method(s) are detailed in the plans. These features may include but are not limited to extra strength pipe, select bedding, select backfill, encasement and etc.
- Values shown in parentheses are for 3"x1" corrugations which must be specified to utilize the lesser cover.
- Commercial and noncommercial refers to typical vehicular utilization of unpaved roads and drives where rutting and cover displacement may occur.

RIGID PAVEMENT ①

| PIPE TYPE/SIZE & SHAPE | MINIMUM COVER |
|-------------------------------|---------------|
| CONCRETE | |
| All Round & Elliptical | 6" |
| CORRUGATED STEEL | |
| 15"-72" Round & Arch Equiv. | 9" |
| 78" & Larger Round & Arch Eq. | 15" |
| CORRUGATED ALUMINUM | |
| 15"-72" Round & Arch Equiv. | 9" |
| 78"-102" Round & Arch Equiv. | 15" |
| 108" & Larger Round | 18" |
| CORRUGATED POLYETHYLENE | |
| 15"-24" Round | 9" |

FLEXIBLE PAVEMENT ②

| PIPE TYPE/SIZE & SHAPE | MINIMUM COVER |
|-------------------------------|---------------|
| CONCRETE | |
| All Round & Elliptical | 6" |
| CORRUGATED STEEL | |
| 15"-48" Round | 12" |
| 54" & Larger Round | 18" |
| 15"-48" Arch Equivalent | 24"(12") |
| 54"-102" Arch Equivalent | 30"(18") |
| 108" & Larger Arch Equivalent | 36"(24") |
| CORRUGATED ALUMINUM | |
| 15"-48" Round | 12" |
| 54"-72" Round | 18" |
| 78"-108" Round | 24" |
| 108"-120" Round | 30" |
| 15"-30" Arch Equivalent | 24" |
| 36"-48" Arch Equivalent | 27"(15") |
| 54"-66" Arch Equivalent | 30"(18") |
| 72"-90" Arch Equivalent | 36"(24") |
| 96"-102" Arch Equivalent | 42"(30") |
| CORRUGATED POLYETHYLENE | |
| 15"-24" Round | 12" |

UNPAVED W/O SELECT BEDDING

| PIPE TYPE/SIZE & SHAPE | MINIMUM COVER | |
|---------------------------|---------------|----------|
| | COMM | NON COMM |
| CONCRETE | | |
| All Round & Elliptical | 15" | 9" |
| CORRUGATED STEEL | | |
| 15"-72" Round | 24" | 18" |
| 78"-120" Round | 30" | 24" |
| 15"-84" Arch Equivalent | 24" | 18" |
| 90"-102" Arch Equivalent | 30" | 24" |
| 108"-120" Arch Equivalent | 36" | 30" |
| CORRUGATED ALUMINUM | | |
| 15"-48" Round | 24" | 18" |
| 54"-72" Round | 30" | 24" |
| 78"-102" Round | 36" | 30" |
| 108"-120" Round | 42" | 36" |
| 15"-30" Arch Equivalent | 24" | 18" |
| 36"-48" Arch Equivalent | 27" | 21" |
| 54"-66" Arch Equivalent | 30" | 24" |
| 72"-90" Arch Equivalent | 36" | 30" |
| 96"-102" Arch Equivalent | 42" | 36" |
| CORRUGATED POLYETHYLENE | | |
| 15"-24" Round | 24" | 18" |

UNPAVED WITH SELECT BEDDING

| PIPE TYPE/SIZE & SHAPE | MINIMUM COVER | |
|---------------------------|---------------|----------|
| | COMM | NON COMM |
| CONCRETE | | |
| All Round & Elliptical | 9" | 6" |
| CORRUGATED STEEL | | |
| 15"-72" Round | 18" | 12" |
| 78"-120" Round | 24" | 18" |
| 15"-84" Arch Equivalent | 18" | 12" |
| 90"-102" Arch Equivalent | 24" | 18" |
| 108"-120" Arch Equivalent | 30" | 24" |
| CORRUGATED ALUMINUM | | |
| 15"-48" Round | 18" | 12" |
| 54"-72" Round | 24" | 18" |
| 78"-102" Round | 30" | 24" |
| 108"-120" Round | 36" | 30" |
| 15"-30" Arch Equivalent | 18" | 12" |
| 36"-48" Arch Equivalent | 21" | 15" |
| 54"-66" Arch Equivalent | 24" | 18" |
| 72"-90" Arch Equivalent | 30" | 24" |
| 96"-102" Arch Equivalent | 36" | 30" |
| CORRUGATED POLYETHYLENE | | |
| 15"-24" Round | 18" | 12" |

MINIMUM COVER FOR CONCRETE, STEEL, ALUMINUM AND POLYETHYLENE PIPE

| | | | |
|--|-----|--------|---------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| COVER HEIGHT | | | |
| Designed by | EGR | 9/84 | Approved By |
| Drawn by | DAE | 9/84 | State Design Engineer, Roadways |
| Checked by | EGR | 9/84 | Revision No. |
| F.H.W.A. Approved: 9/21/84 | 86 | 1 of 4 | 205 |

| ROUND PIPE DIMENSIONS | | | | |
|-------------------------|------------------|--|--------|--------|
| Equiv. Dia. (In.) | Area (Sq.Ft.) | Wall Thickness (In.) Classes III, IV, V | | |
| | | A Wall | B Wall | C Wall |
| 12 | 0.8 | 1 3/4 | 2 | N.A. |
| 15 | 1.2 | 1 7/8 | 2 1/4 | N.A. |
| 18 | 1.8 | 2 | 2 1/2 | N.A. |
| 24 | 2.4 | 2 1/2 | 3 | 3 3/4 |
| 30 | 4.9 | 2 3/4 | 3 1/2 | 4 1/4 |
| 36 | 7.1 | 3 | 4 | 4 3/4 |
| 42 | 9.6 | 3 1/2 | 4 1/2 | 5 1/4 |
| 48 | 12.6 | 4 | 5 | 5 3/4 |
| 54 | 15.9 | 4 1/2 | 5 1/2 | 6 1/4 |
| 60 | 19.6 | 5 | 6 | 6 3/4 |
| 66 | 23.8 | 5 1/2 | 6 1/2 | 7 1/4 |
| 72 | 28.3 | 6 | 7 | 7 3/4 |
| 78 | 33.2 | 6 1/2 | 7 1/2 | 8 1/4 |
| 84 | 38.5 | 7 | 8 | 8 3/4 |
| 90 | 44.4 | 7 1/2 | 8 1/2 | 9 1/4 |
| 96 | 50.3 | 8 | 9 | 9 3/4 |
| 102 | 56.7 | 8 1/2 | 9 1/2 | 10 1/4 |
| 108 | 63.7 | 9 | 10 | 10 3/4 |
| 114 | 70.9 | 9 1/2 | — | — |
| 120 | 78.5 | 10 | — | — |

| ROUND PIPE INSTALLATIONS (All Sizes) | | | | |
|--|------------------------------|---------------|------------------|-------------------------|
| Design | Height Of Fill (Ft.) | Pipe Class | Bedding Class | Projection Condition |
| Standard | 1-14 | III | C | Positive |
| | 15-22 | IV | C | Positive |
| | 23-26 | V | C | Positive |
| Modified Bedding | 27-32 | V | B | Positive |
| Modified Trench | 33-43 | V | B | Zero |
| | 44-70 | V | B | Negative |
| | 71+ | V | B | Imperfect |
| Pipe Class III D-Load=1350 Lbs/Ft/Ft (.01" Crack) D-Load=2000 Lbs/Ft/Ft (Ultimate) Pipe Class IV D-Load=2000 Lbs/Ft/Ft (.01" Crack) D-Load=3000 Lbs/Ft/Ft (Ultimate) Pipe Class V D-Load=3000 Lbs/Ft/Ft (.01" Crack) D-Load=3750 Lbs/Ft/Ft (Ultimate) | | | | |

| ELLIPTICAL PIPE DIMENSIONS | | | | | | |
|----------------------------|---------------|---------------|---------------|-------------------------|-------------------|--|
| Nominal Dimensions | | | | Equiv. Dia. (In.) | Area (Sq. Ft.) | Wall Thickness: (In.) |
| Horiz. | | Vert. | | | | Classes HE III, HE IV, VE III, VE IV |
| Rise (In.) | Span (In.) | Rise (In.) | Span (In.) | | | NA |
| NA | NA | NA | NA | 12 | NA | NA |
| 12 | 18 | 18 | 12 | 15 | 1.3 | 2½ |
| 14 | 23 | 23 | 14 | 18 | 1.8 | 2¾ |
| 19 | 30 | 30 | 19 | 24 | 3.3 | 3½ |
| 24 | 38 | 38 | 24 | 30 | 5.1 | 3¾ |
| 29 | 45 | 45 | 29 | 36 | 7.4 | 4½ |
| 34 | 53 | 53 | 34 | 42 | 10.2 | 5 |
| 38 | 60 | 60 | 38 | 48 | 12.9 | 5½ |
| 43 | 68 | 68 | 43 | 54 | 16.6 | 6 |
| 48 | 76 | 76 | 48 | 60 | 20.5 | 6½ |
| 53 | 83 | 83 | 53 | 66 | 24.8 | 7 |
| 58 | 91 | 91 | 58 | 72 | 29.5 | 7½ |
| 63 | 98 | 98 | 63 | 78 | 34.6 | 8 |
| 68 | 106 | 106 | 68 | 84 | 40.1 | 8½ |
| 72 | 113 | 113 | 72 | 90 | 46.1 | 9 |
| 77 | 121 | 121 | 77 | 96 | 52.4 | 9½ |
| 82 | 128 | 128 | 82 | 102 | 59.2 | 10 |
| 87 | 136 | 136 | 87 | 108 | 66.4 | 10½ |
| 92 | 143 | 143 | 92 | 114 | 74.0 | 11 |
| 97 | 151 | 151 | 97 | 120 | 82.0 | 11½ |

| ELLIPTICAL PIPE INSTALLATIONS (All Sizes) | | | |
|--|---------------------------|-------------------|------------------|
| Installation | Height Of Fill (Ft.) | Pipe Class | Bedding Class |
| Horizontal | 1-13 | HE III | C |
| | 14-21 | HE IV | C |
| | 22+ | By Special Design | Modified |
| Vertical | 1-13 | VE III | C |
| | 14-21 | VE IV | C |
| | 22+ | By Special Design | Modified |
| Pipe Class HE III D-Load=1350 Lbs/Ft/Ft (.01" Crack) D-Load=2000 Lbs/Ft/Ft (Ultimate) Pipe Class HE IV D-Load=2000 Lbs/Ft/Ft (.01" Crack) D-Load=3000 Lbs/Ft/Ft (Ultimate) Pipe Class VE III D-Load=1350 Lbs/Ft/Ft (.01" Crack) D-Load=2000 Lbs/Ft/Ft (Ultimate) Pipe Class VE IV D-Load=2000 Lbs/Ft/Ft (.01" Crack) D-Load=3000 Lbs/Ft/Ft (Ultimate) | | | |

MAXIMUM COVER FOR REINFORCED
CONCRETE PIPE ROUND AND ELLIPTICAL

| | | | | |
|--|-----|------|---------------------------------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
| COVER HEIGHT | | | | |
| Designed by | EGR | 9/85 | Approved By <i>J. P. H. L.</i> | |
| Drawn by | HSD | 9/85 | State Design Engineer, Roadways | |
| Checked by | EGR | 9/85 | Revision No. | Sheet No. |
| F.H.W.A. Approved: | | | 86 | 2 of 4 |
| | | | | 205 |

ROUND PIPE - 2 $\frac{2}{3}$ " x $\frac{1}{2}$ " CORRUGATION

| D (In.) | Area (Sq. Ft.) | Maximum Height Of Cover (Ft.) | | | | | Min. Height Of Cover (Ft.) |
|------------|-------------------|---------------------------------------|---------------|---------------|---------------|--------------|-------------------------------------|
| | | Sheet Thickness In Inches (Gage) | | | | | |
| | | 0.064 (16) | 0.079 (14) | 0.109 (12) | 0.138 (10) | 0.168 (8) | |
| 12 | .79 | 100+ | 100+ | NA | NA | NA | See Sheet 1 of 4 |
| 15 | 1.23 | 100+ | 100+ | NA | NA | NA | |
| 18 | 1.77 | 100+ | 100+ | 100+ | NA | NA | |
| 21 | 2.40 | 100+ | 100+ | 100+ | NA | NA | |
| 24 | 3.14 | 100+ | 100+ | 100+ | NA | NA | |
| 30 | 4.91 | 85 | 100+ | 100+ | NA | NA | |
| 36 | 7.1 | 71+ | 88 | 100+ | 100+ | NA | |
| 42 | 9.6 | 60+ | 76 | 100+ | 100+ | NA | |
| 48 | 12.6 | 53 | 66 | 93 | 100+ | 100+* | |
| 54 | 16.0 | NS | 59 | 82 | 100+ | 100+* | |
| 60 | 19.6 | NS | NS | 74 | 95 | 100+* | |
| 66 | 23.8 | NS | NS | NS | 87 | 100+* | |
| 72 | 28.3 | NS | NS | NS | 79 | 97* | |
| 78 | 33.2 | NS | NS | NS | NS | 90* | |
| 84 | 38.5 | NS | NS | NS | NS | 83* | |

ROUND PIPE - 3" x 1" CORRUGATION

| D (In.) | Area (Sq. Ft.) | Maximum Height Of Cover (Ft.) | | | | | Min. Height Of Cover (Ft.) |
|------------|-------------------|-------------------------------------|---------------|---------------|---------------|--------------|--|
| | | Sheet Thickness In Inches (Gage) | | | | | |
| | | 0.064 (16) | 0.079 (14) | 0.109 (12) | 0.138 (10) | 0.168 (8) | |
| 36 | 7.1 | 81 | 100+ | 100+ | NA | NA | See Sheet 1 of 4 |
| 42 | 9.6 | 70 | 87 | 100+ | NA | NA | |
| 48 | 12.6 | 61 | 76 | 100+ | 100+ | NA | |
| 54 | 16.0 | 54 | 68 | 95 | 100+ | NA | |
| 60 | 19.6 | 48 | 61 | 85 | 100+ | NA | |
| 66 | 23.8 | 44 | 55 | 78 | 100 | 100+* | |
| 72 | 28.3 | 40 | 51 | 71 | 91 | 100+* | |
| 78 | 33.2 | 37 | 47 | 66 | 84 | 100+* | |
| 84 | 38.5 | 35 | 43 | 61 | 78 | 100+* | |
| 90 | 44.2 | 32 | 40 | 57 | 73 | 90* | |
| 96 | 50.3 | NS | 38 | 53 | 68 | 84* | |
| 102 | 56.7 | NS | 36 | 50 | 64 | 79* | |
| 108 | 63.6 | NS | NS | 47 | 61 | 75* | |
| 114 | 70.9 | NS | NS | 45 | 58 | 71* | |
| 120 | 78.5 | NS | NS | 42 | 55 | 67* | |
| 132 | 95.0 | NS | NS | NS | 50 | 61* | |

ROUND PIPE - 5" x 1" CORRUGATION

| D (In) | Area (Sq. Ft.) | Maximum Height Of Cover (Ft.) | | | | | Min. Height Of Cover (Ft.) |
|-----------|-------------------|---------------------------------------|---------------|---------------|---------------|--------------|-------------------------------|
| | | Sheet Thickness In Inches (Gage) | | | | | |
| | | 0.064 (16) | 0.079 (14) | 0.109 (12) | 0.138 (10) | 0.168 (8) | |
| 36 | 7.1 | 72 | 90 | 100+ | NA | NA | See Sheet 1 of 4 |
| 42 | 9.6 | 62 | 77 | 100+ | NA | NA | |
| 48 | 12.6 | 54 | 68 | 95 | 100+ | NA | |
| 54 | 16.0 | 48 | 60 | 84 | 100+ | NA | |
| 60 | 19.6 | 43 | 54 | 76 | 98 | NA | |
| 66 | 23.8 | 39 | 49 | 69 | 89 | 100+* | |
| 72 | 28.3 | 36 | 45 | 63 | 81 | 100* | |
| 78 | 33.2 | 33 | 41 | 58 | 75 | 92* | |
| 84 | 38.5 | 31 | 38 | 54 | 70 | 85* | |
| 90 | 44.2 | 29 | 36 | 50 | 65 | 80* | |
| 96 | 50.3 | NS | 34 | 47 | 61 | 75* | |
| 102 | 56.7 | NS | 32 | 44 | 57 | 70* | |
| 108 | 63.6 | NS | NS | 42 | 54 | 66* | |
| 114 | 70.9 | NS | NS | 40 | 51 | 63* | |
| 120 | 78.5 | NS | NS | 38 | 49 | 60* | |
| 132 | 95.0 | NS | NS | NS | 44 | 54* | |

PIPE ARCH - 2 $\frac{2}{3}$ " x $\frac{1}{2}$ " CORRUGATION

| Span (In) | Rise (In) | Equiv. Round Pipe (In) | Area (Sq. Ft.) | Minimum Sheet Thickness Required (In)(Ga) | Maximum Height Of Cover (Ft.) | | Min. Height Of Cover (Ft.) |
|--------------|--------------|---------------------------------|-------------------|---|---------------------------------------|------|--|
| | | | | | Maximum Corner Pressure-Lbs/Sq.Ft. | | |
| | | | | | 4000 | 6000 | |
| 17 | 13 | 15 | 1.1 | .064(16) | 12 | 14 | See Sheet 1 of 4 |
| 21 | 15 | 18 | 1.6 | .064(16) | 10 | 14 | |
| 24 | 18 | 21 | 2.2 | .064(16) | 7 | 13 | |
| 28 | 20 | 24 | 2.9 | .064(16) | 5 | 11 | |
| 35 | 24 | 30 | 4.5 | .064(16) | NS | 7 | |
| 42 | 29 | 36 | 6.5 | .064(16) | NS | 7 | |
| 49 | 33 | 42 | 8.9 | .079(14) | NS | 6 | |
| 57 | 38 | 48 | 11.6 | .109(12) | NS | 8 | |
| 64 | 43 | 54 | 14.7 | .109(12) | NS | 9 | |
| 71 | 47 | 60 | 18.1 | .138(10) | NS | 10 | |
| 77 | 52 | 66 | 21.9 | .168(8)* | 5 | 10 | |
| 83 | 57 | 72 | 26.0 | .168(8)* | 5 | 10 | |

PIPE ARCH - 3" x 1" and 5" x 1" CORRUGATION

| Span (In) | Rise (In) | Equiv. Round Pipe (In) | Area (Sq.Ft.) | Minimum Sheet Thickness Required (In)(Ga) | Maximum Height Of Cover (Ft.) | | Min. Height Of Cover (Ft.) |
|--------------|--------------|---------------------------------|------------------|---|---------------------------------------|------|--|
| | | | | | Maximum Corner Pressure-Lbs/Sq.Ft. | | |
| | | | | | 4000 | 6000 | |
| 40 | 31 | 36 | 7.0 | .079(14) | 8 | 12 | See Sheet 1 of 4 |
| 46 | 36 | 42 | 9.4 | .079(14) | 8 | 13 | |
| 53 | 41 | 48 | 12.3 | .079(14) | 8 | 13 | |
| 60 | 46 | 54 | 15.6 | .079(14) | 8 | 13 | |
| 66 | 51 | 60 | 19.3 | .079(14) | 9 | 13 | |
| 73 | 55 | 66 | 23.2 | .079(14) | 11 | 16 | |
| 81 | 59 | 72 | 27.4 | .079(14) | 11 | 17 | |
| 87 | 63 | 78 | 32.1 | .079(14) | 10 | 16 | |
| 95 | 67 | 84 | 37.0 | .079(14) | 11 | 17 | |
| 103 | 71 | 90 | 42.4 | .109(12) | 10 | 15 | |
| 112 | 75 | 96 | 48.0 | .109(12) | 10 | 16 | |
| 117 | 79 | 102 | 54.2 | .109(12) | 10 | 15 | |
| 128 | 83 | 108 | 60.5 | .138(10) | 9 | 14 | |
| 137 | 87 | 114 | 67.4 | .138(10) | 8 | 13 | |
| 142 | 91 | 120 | 74.5 | .168(8) | 7 | 12 | |

* Recorrugated end not available. May be considered for cross drain and side drain applications only.
 NA - Not Available
 LA - Limited Availability
 NS - Not Suitable (For Highway H-20 Loadings)

MAXIMUM COVER FOR CORRUGATED STEEL PIPE ROUND AND PIPE ARCH

| | | | | | |
|--|-----|------|------|---------------------------------|----------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| COVER HEIGHT | | | | | |
| Designed by | EGR | Date | 9/85 | Approved By | <i>J. Hall</i> |
| Drawn by | HSD | Date | 9/85 | State Design Engineer, Roadways | |
| Checked by | EGR | Date | 9/85 | Revision No. | Sheet No. |
| F.H.W.A. Approved: | | | | 86 | 3 of 4 |
| | | | | | 205 |

| ROUND PIPE - 2 $\frac{3}{8}$ " x $\frac{1}{2}$ " CORRUGATION | | | | | | |
|--|-------------------|----------------------------------|---------------|---------------|---------------|--------------|
| D (In) | Area (Sq. Ft.) | Maximum Height Of Cover (Ft.) | | | | |
| | | Sheet Thickness In Inches (Gage) | | | | |
| | | 0.060 (16) | 0.075 (14) | 0.105 (12) | 0.135 (10) | 0.164 (8) |
| 12 | 0.8 | 90 | 100+ | NA | NA | NA |
| 15 | 1.2 | 72 | 90 | NA | NA | NA |
| 18 | 1.8 | 59 | 75 | 100+ | NA | NA |
| 21 | 2.4 | 52 | 65 | 92 | NA | NA |
| 24 | 3.1 | 44 | 56 | 79 | NA | NA |
| 30 | 4.9 | 35 DR | 44 | 63 | NA | NA |
| 36 | 7.1 | NS | 36 DR | 52 | 68 | NA |
| 42 | 9.6 | NS | NS | 44 DR | 58 | NA |
| 48 | 12.6 | NS | NS | 38 DR | 50 DR | 61 |
| 54 | 15.9 | NS | NS | 34 DR | 45 DR | 54 DR |
| 60 | 19.6 | NS | NS | NS | 39 DR | 49 DR |
| 66 | 23.8 | NS | NS | NS | NS | 44 DR |
| 72 | 28.3 | NS | NS | NS | NS | 40 DR |


| ROUND PIPE - 3" x 1" CORRUGATION | | | | | | |
|----------------------------------|-------------------|----------------------------------|---------------|---------------|---------------|--------------|
| D (In) | Area (Sq. Ft.) | Maximum Height Of Cover (Ft.) | | | | |
| | | Sheet Thickness In Inches (Gage) | | | | |
| | | 0.060 (16) | 0.075 (14) | 0.105 (12) | 0.135 (10) | 0.164 (8) |
| 36 | 7.1 | 33 | 42 | 60 | NA | NA |
| 42 | 9.6 | 28 | 36 | 51 | NA | NA |
| 48 | 12.6 | 24 | 31 | 45 | 58 | NA |
| 54 | 15.9 | 21 | 28 | 39 | 51 | NA |
| 60 | 19.6 | 19 | 24 | 35 | 46 | NA |
| 66 | 23.8 | 15 DR | 22 | 32 | 42 | 51 |
| 72 | 28.3 | NS | 20 DR | 29 | 38 | 47 |
| 78 | 33.2 | NS | 15 DR | 27 | 35 | 43 |
| 84 | 38.5 | NS | NS | 24 DR | 32 | 40 |
| 90 | 44.2 | NS | NS | 23 DR | 30 | 37 |
| 96 | 50.3 | NS | NS | 21 DR | 28 DR | 34 |
| 102 | 56.7 | NS | NS | NS | 26 DR | 32 |
| 108 | 63.6 | NS | NS | NS | 24 DR | 30 DR |
| 114 | 70.9 | NS | NS | NS | NS | 28 DR |
| 120 | 78.5 | NS | NS | NS | NS | 27 DR |

| PIPE ARCH - 2 $\frac{3}{8}$ " x $\frac{1}{2}$ " CORRUGATION | | | | | | |
|---|--------------|---------------------------------|-------------------|--|---------------------------------------|------|
| Span (In) | Rise (In) | Equiv. Round Pipe (In) | Area (Sq. Ft.) | Minimum Sheet Thickness Required (In) (Ga) | Maximum Height Of Cover (Ft.) | |
| | | | | | Maximum Corner Pressure-Lbs/Sq.Ft. | |
| | | | | | 4000 | 6000 |
| 17 | 13 | 15 | 1.1 | .060(16) | 12 | 15 |
| 21 | 15 | 18 | 1.6 | .060(16) | 10 | 14 |
| 24 | 18 | 21 | 2.2 | .060(16) | 7 | 13 |
| 28 | 20 | 24 | 2.9 | .075(14) | 5 | 11 |
| 35 | 24 | 30 | 4.5 | .075(14) | NS | 7 |
| 42 | 29 | 36 | 6.5 | .105(12) | NS | 7 |
| 49 | 33 | 42 | 8.9 | .105(12) | NS | 6 |
| 57 | 38 | 48 | 11.6 | .135(10) | NS | 8 |
| 64 | 43 | 54 | 14.7 | .135(10) | NS | 9 |
| 71 | 47 | 60 | 18.1 | .164(8) | NS | 10 |
| 77 | 52 | 66 | 21.9 | .164(8) | NS | 10 |
| 83 | 57 | 72 | 26.0 | .164(8) | NS | 10 |

| PIPE ARCH - 3" x 1" CORRUGATION | | | | | | |
|---------------------------------|--------------|---------------------------------|-------------------|--|---------------------------------------|------|
| Span (In) | Rise (In) | Equiv. Round Pipe (In) | Area (Sq. Ft.) | Minimum Sheet Thickness Required (In) (Ga) | Maximum Height Of Cover (Ft.) | |
| | | | | | Maximum Corner Pressure-Lbs/Sq.Ft. | |
| | | | | | 4000 | 6000 |
| 40 | 31 | 36 | 7.0 | .060(16) | 8 | 12 |
| 46 | 36 | 42 | 9.4 | .060(16) | 8 | 13 |
| 53 | 41 | 48 | 12.3 | .060(16) | 8 | 13 |
| 60 | 46 | 54 | 15.6 | .075(14) | 8 | 13 |
| 66 | 51 | 60 | 19.3 | .075(14) | 8 | 13 |
| 73 | 55 | 66 | 23.2 | .105(12) | 11 | 16 |
| 81 | 59 | 72 | 27.4 | .105(12) | 11 | 17 |
| 87 | 63 | 78 | 32.1 | .105(12) | 10 | 16 |
| 95 | 67 | 84 | 37.0 | .105(12) | 11 | 17 |
| 103 | 71 | 90 | 42.4 | .135(10) | 10 | 15 |
| 112 | 75 | 96 | 48.0 | .135(10) | 10 | 16 |
| 117 LA | 79 | 102 | 54.2 | .164(8) | 10 | 15 |

NA - Not Available
 LA - Limited Availability
 NS - Not Suitable (For Highway H-20 Loadings)
 DR - Design Review is recommended for each specific application. The review should identify any special handling, installation, backfill procedures, and construction load restrictions which may be required. See FDOT Drainage Manual, Chapter 19, Section 19.4, Vol. II, 1987. The specification of the next thicker culvert in lieu of this review is not appropriate. (The review performed by the designer does not relieve the contractor from analyzing and taking any necessary precautions required to protect partially or completely constructed pipe from the equipment used during construction.)

CORRUGATED ALUMINUM ALLOY ROUND PIPE AND PIPE ARCH

| | | | | | |
|--|------------|----------|-------------|--|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| COVER HEIGHT | | | | | |
| Designed by | Checked by | Drawn by | Reviewed by | Approved By | |
| EGR | EGR | HSD | EGR |  State Design Engineer, Training | |
| 9/85 | 9/85 | 9/85 | 9/85 | Revision No. | Sheet No. |
| 11/19/85 | 87 | 4 of 4 | 205 | | |

APPLICATION AND SELECTION GUIDE TO CURB INLETS AND GUTTER INLETS

| INDEX NO. | INLET TYPE | TYPE CURB / GUTTER | GRADE CONSIDERATION | HYDRAULIC INTAKE (CFS) ^① | BICYCLE SAFE / PEDESTRIAN SAFE | UTILITY LOCATION FROM CURB | MAXIMUM PIPE SIZE WITH STANDARD BOTTOMS ^⑤ | COMMENTS |
|-----------|------------|---------------------|---------------------------------|-------------------------------------|--------------------------------|----------------------------|--|--|
| 210 | 1 | E & F | Continuous | 4 . 1 | Yes / Limited | Inside | 30" | |
| | 2 | E & F | Sag | 9 . 0 | Yes / Limited | Inside | 30" | |
| | 3 | E & F | Continuous | 1 . 9 | Yes / Limited | Inside | 30" | |
| | 4 | E & F | Sag | 6 . 5 | Yes / Limited | Inside | 30" | |
| 211 | 5 | E & F | Continuous | 3 . 1 | Yes / Limited | Outside | 30" | |
| | 6 | E & F | Sag | 7 . 5 | Yes / Limited | Outside | 30" | |
| 212 | 7 | Separator I & II | Continuous / Sag | 4 . 4 | Yes / Limited | Inside | 24" Longitudinal 30" Transverse | |
| 213 | 8 | Separator IV & V | Continuous / Sag | 4 . 4 | Yes / Limited | Inside | 24" Longitudinal 30" Transverse | |
| 214 | 9 | F | Continuous or Sag | 0 . 5 | Yes / Yes | Outside | 30" | To be used only where flows are light to moderate and R/W does not permit the use of throated curb inlets. Vanes to be directed to major flow direction. |
| 215 | 10 | F | Continuous or Sag | 0 . 3 | Yes / Yes | Outside | 30" | To be used only where flows are light and R/W does not permit the use of throated curb inlets. |
| 217 | 1 | Median Barrier Wall | Continuous | 4 . 0 | Yes / Yes ^④ | N A | 15" Longitudinal 30" Transverse | |
| | 2 | Median Barrier Wall | Sag | 5 . 0 | Yes / Yes ^④ | N A | 15" Longitudinal 30" Transverse | |
| | 3 | Median Barrier Wall | Double Inlet Continuous | 4 . 0 | Yes / Yes ^④ | N A | 42" Longitudinal 30" Transverse | |
| | 4 | Median Barrier Wall | Double Inlet Sag | 5 . 0 | Yes / Yes ^④ | N A | 42" Longitudinal 30" Transverse | |
| | 5 | Median Barrier Wall | Double Inlet Sag and Continuous | 5 . 0 | Yes / Yes ^④ | N A | 42" Longitudinal 30" Transverse | |
| 220 | S | Shoulder | Continuous | 4 . 0 | Yes / Yes | N A | 30" Transverse | |
| 221 | V | Valley | Continuous or Sag | 5 . 0 | Yes / Yes | N A | 30" Transverse | |

① Hydraulic intake values do not represent hydraulic capacity but are shown to compare inlets based on a 0.2 % longitudinal slope, .02 cross slope and a 90% efficiency factor. For other conditions the values shown should be adjusted for bypass flow or debris blockage. Sag inlet intake value is based on flooding the outside lane or shoulder, where spread rather than hydraulic intake may dictate inlet selection or spacing. Full design data and additional information is available in "A Study of Stormwater Inlet Capacities" by U.S.F.


② Curb inlets and transitions should be located outside pedestrian cross walk areas, preferably upgrade from these locations.

③ Double throated inlets are usually not warranted unless the minor flow is in excess of 50 feet distance or 0.5 cfs.


④ Median Barrier inlets types 1,2,3,4 & 5 can be made bicycle and pedestrian safe by specifying the reticuline grate.

⑤ Pipe sizes are circular, Class III B Wall, concrete pipe. Elliptical pipe and corrugated pipe are to be checked for fit in accordance with Index No. 201; metal pipe sizes should be reviewed using 2 3/8" X 1 1/2" corrugation up to 30" and 3" X 1" corrugation for larger sizes.


| | | | |
|--|---------|--------|--------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| CURB INLET AND GUTTER INLET SELECTION GUIDE | | | |
| Designed by | EGR | 9/6/84 | Approved By |
| Drawn by | DAE | 9/6/84 | State Design Engineer Roadways |
| Checked by | EGR | 9/6/84 | Revision No. |
| F.H.W.A. Approved | 9/21/84 | 85 | Sheet No. 1 of 1 |
| | | | Index No. 209 |




3'-6" DIA. STRUCTURE BOTTOM (SECTION AA)



4'-0" DIA. STRUCTURE BOTTOM (SECTION AA)





1. The finished grade and slope of the inlet tops are to conform with the finished cross slope and grade of the proposed sidewalk and/or border.
2. When inlets are to be constructed on a curve, refer to the plans to determine the radius and, where necessary, modify the inlet details accordingly. Bend steel when necessary.
3. All steel in inlet tops shall have 1/4" minimum cover unless otherwise shown. Inlet tops shall be either cast-in-place or precast concrete.
4. The rear wall portion of inlet tops Types 1,2,3 & 4 may be constructed with brick. Dowels to top slab required.
5. Only round concrete support post will be acceptable.
6. For supplemental details see Index No. 201.
7. These inlets are to be used with Curb and Gutter Types E and F. Locate outside of pedestrian crosswalk where practical.
8. For structure bottoms see Index No. 200.




| DIMENSION | 3'-6" | 4'-0" |
|-----------|-------|--------|
| A | 1'-9" | 1'-6" |
| B | 1'-8" | 1'-5" |
| C | 1'-9" | 1'-10" |
| D | 9" | 7" |

SLAB REINFORCING INLETS 1,2,3 and 4


| | | | |
|--|--------------|---------------------|---|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| <h2 style="margin: 0;">CURB INLET TOPS</h2> <h2 style="margin: 0;">TYPES 1, 2, 3, & 4</h2> | | | |
| Designed by | Names | Dates | Approved By |
| Designed by | | |  District Design Engineer, Roadways |
| Drawn by | | | |
| Checked by | | | |
| | | Revision No. | Sheet No. |
| F. H. W. A. Approved: 5/1/75 | | 84 | 1 of 1 |
| | | 210 | |




TOP VIEW
INLET TYPE 5
(Curb Inlet Top Type 6 Symmetrical With Left Half)




SECTION BB




(All Covers Are Removable)
SKETCH SHOWING FRAME SEAT AND THROAT RECESS




(Steel Cover Shown)
SECTION AA



TOP MODIFICATION FOR TYPE E CURB



TOP VIEW
FRAME
(For Steel Cover)




HALF SECTION DD
(For Steel Cover)

SECTION EE
(For Steel Cover)


GENERAL NOTES

- The finished grade and slope of the inlet tops are to conform with the finished cross slope and grade of the proposed sidewalk and/or parkway.
- When inlets are to be constructed on a curve, refer to the plans to determine the radius and, where necessary, modify the inlet details accordingly. Bend steel when necessary.
- All reinforcing steel shall have 1/4" minimum cover unless otherwise shown. Inlet tops shall be either cast-in-place or precast concrete.
- Precasting of this inlet top will be permitted. Precast units shall conform to the dimensions shown or in accordance with approved shop drawings. Request for shop drawing approval shall be directed to the D.O.T. Engineer of Drainage.
- Concrete meeting the requirements of A.S.T.M. C 478 (4,000 P.S.I.) may be used in lieu of Class I concrete for precast units, manufactured in plants which are under the Standard Operating Procedures for the inspection of precast drainage products.
- The corner fillets shown for rectangular throats are necessary only when throats are to be used in conjunction with circular inlet bottoms or when used on skew with rectangular inlet boxes.
- For inlet bottoms see Index No. 200.
- These inlet tops are designed for use with standard curb and gutter Type E and Type F. Locate outside of pedestrian crosswalk where practical.
- See Index 201 for supplemental details.
- All steel used for frame and cover shall meet the requirements of ASTM A-36.
- Either cast iron covers or steel covers may be used. Iron covers shall be Class No. 30 castings in accordance with ASTM A-48.
- When Alternate "G" Cover is specified in plans either the cast iron cover and galvanized steel frame or the galvanized steel cover and frame must be used. Covers are to be grouted in accordance with the grouting detail shown on sheet 2 of 2, in lieu of tack welding.
- Tack weld cover to frame with back-up bars or clips.



TOP VIEW


SECTION YY



SECTION XX



STEEL COVER
(See Sheet 2 of 2 For Cast Iron Cover And Frame)

| | | | |
|---|------------|---------------|------------|
| STATE OF TEXAS DEPARTMENT OF TRANSPORTATION | | | |
| CURB INLET TOPS TYPES 5 & 6 | | | |
| Designed by | Checked by | Drawn by | Revised by |
| J. C. BULLOCK | | J. C. BULLOCK | |
| Approved | 85 | 1 of 2 | 211 |



GALVANIZED STEEL COVER AND FRAME

ANCHOR DETAIL







3'-11"


H









H

TOP VIEW

CAST IRON COVER











| | | | | | | | | | | | | | |
|--|-------|-------------|--------------|-----------|----------|--|--|------------|--|--|---|--|--|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | | | | | | | | | |
| CURB INLET TOPS TYPES 5 & 6 | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Designed by</td> <td>Names</td> <td>Date</td> </tr> <tr> <td>Drawn by</td> <td></td> <td></td> </tr> <tr> <td>Checked by</td> <td></td> <td></td> </tr> </table> | | Designed by | Names | Date | Drawn by | | | Checked by | | | Approved By  District Design Engineer, Roadways | | |
| Designed by | Names | Date | | | | | | | | | | | |
| Drawn by | | | | | | | | | | | | | |
| Checked by | | | | | | | | | | | | | |
| F.H.W.A. Approved: | | | Revision No. | Sheet No. | | | | | | | | | |
| | | | 85 | 2 of 2 | | | | | | | | | |
| | | | | 111 | | | | | | | | | |



GENERAL NOTES

1. This inlet is used in Traffic Separators Types I and II that are located in medians constructed with Curbs Types A, B and E. Use of this inlet on through traffic side of the separator is not permitted in medians with Curbs Types A and B. Locate inlet outside of pedestrian cross traffic.
2. Reinforcing-No. 4 bars @ 12" centers unless otherwise noted. Cut or bend bars out of way of pipe when necessary. Bars to clear pipe by 1/2".
3. Recommended maximum pipe sizes are 24" longitudinal and 30" transverse. For larger pipe, inlets with bottoms Type J, Alt. B, Index No. 200 are recommended.
4. For supplementary details see Index No. 201.


| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|--|-----|------|------|---------------------------|--------------------|
| CURB INLET TYPE 7 | | | | | |
| Designed by | EGR | Date | 8/81 | Approved By | <i>[Signature]</i> |
| Drawn by | HSD | Date | 8/81 | Design Engineer, Roadways | |
| Checked by | JG | Date | 8/81 | Revision No. | Sheet No. |
| F.H.W.A. Approved: 10/8/81 | | | | 84 | 1 of 1 |
| | | | | | 212 |




GENERAL NOTES

1. This inlet is to be used only in Traffic Separators Types IV and V that are located in medians constructed with Curbs Types D and F. Use of this inlet on the through traffic side of the separator should be avoided in medians constructed with Curb Type D (Curb Inlets Types 9 or 10 are recommended). Locate inlet outside of pedestrian cross traffic.
2. Reinforcing - No. 4 bars @ 12" centers unless otherwise noted. Cut or bend bars out of way of pipe when necessary. Bars to clear pipe by 1 1/2".
3. Recommended maximum pipe sizes are 24" longitudinal and 30" transverse. For larger pipe, inlets with bottoms Type J, All. B, Index No. 200 are recommended.
4. For supplemental details see Index No. 201.

| | | | | | |
|--|-----|------|--|-----------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| CURB INLET TYPE 8 | | | | | |
| Designed by | HMS | Date | Approved By | | |
| Drawn by | HSD | 7/81 | <i>De Buhl</i> Deputy Design Engineer, Roadways | | |
| Checked by | JG | 7/81 | Revision No. | Sheet No. | Index No. |
| F.H.W.A. Approved: 10/8/81 | | | 84 | 1 of 1 | 213 |





TOP VIEW




LONGITUDINAL SECTION


FRAME AND GRATE



TRANSVERSE SECTION




TOP VIEW






SECTION

GRATE DETAIL




DETAIL A

DETAIL B



SECTION AA



SECTION BB

FOR BOTTOM TYPE P & RISER TYPE J (ALTERNATES A)


FOR BOTTOM TYPE P & RISER TYPE J (ALTERNATES B)

TOP SLABS




GENERAL NOTES

1. This inlet is primarily intended for locations with light to moderate flows where right of way does not permit the use of throatless curb inlets Types 1 through 6. The typical application is on curb returns to city streets. The inlet grate is suitable for pedestrian and bicycle traffic.
2. This inlet to be located in vertical faced curbs such as Curb and Gutter Type F. Grate shall be oriented with vanes directed toward predominate flow. Inlet to be located outside pedestrian crosswalk where practical.
3. For structure bottoms see Index No. 200. For supplemental details see Index No. 201.
4. All steel in slab tops shall have $\frac{1}{4}$ " minimum cover unless otherwise shown. Tops shall be either cast-in-place or precast concrete.
5. For Alternate B applications, top slab openings shall be placed such that 2 edges of inlet frame will be located directly above bottom or riser walls.
6. For bottom Type J applications without riser use top Type 7-T Index No. 200. Form opening in top slab as detailed above.
7. Frame may be adjusted with one to six courses of brick.
8. Inlet and grate detail shown is Neenah R-3067-L. Vaned grates with approximately equal openings will be permitted that satisfy AASHTO H-20 loading. Inlet and grate shall be Class 30 castings in accordance with ASTM A 48. Grates shall be reversible, right or left.



| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
|--|---------|-------------|----------------------------------|
| CURB INLET TOP TYPE 9 | | | |
| Designed By | EGR | Approved By | <i>[Signature]</i> |
| Drawn By | HSD | 1/81 | Deputy Design Engineer, Roadways |
| Checked By | JVG | 1/81 | |
| F.H.W.A. Approved | 10/8/81 | 85 | 1 of 1 |
| | | | Index No. 214 |




TOP VIEW






FRAME AND GRATE




GRATE DETAIL



EFFICIENCY CURVE



FOR BOTTOM TYPE P & RISER TYPE J (ALTERNATES A)



FOR BOTTOM TYPE P & RISER TYPE J (ALTERNATES B)

TOP SLABS



GENERAL NOTES

1. This inlet is primarily intended for locations with light flows where right of way does not permit the use of throat Curb Inlets Types 1 through 6. The typical application is on curb returns to city streets. The inlet grate is suitable for pedestrian and bicycle traffic.
2. This inlet to be located in vertical faced curbs such as Curb and Gutter Type F. Grate shall be oriented with vanes directed toward predominate flow. Inlet to be located outside pedestrian crosswalk where practical.
3. For structure bottoms see Index No. 200. For supplemental details see Index No. 201.
4. All steel in slab tops shall have $\frac{1}{4}$ " minimum cover unless otherwise shown. Tops shall be either cast-in-place or precast concrete.
5. For Alternate B applications, top slab openings shall be placed such that 2 edges of inlet frame will be located directly above bottom or riser walls.
6. For bottom Type J applications without riser use top Type 7-T Index No. 200. Form opening in top slab as detailed above.
7. Frame may be adjusted with one to six courses of brick.
8. Inlet and grate detail shown is Neenah R-3065-L. Vaned grates with approximately equal openings will be permitted that satisfy AASHTO H-20 loading. Inlet and grate shall be Class 30 castings in accordance with ASTM A 48. Grates shall be reversible, left or right.






STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

CURB INLET TOP
TYPE 10

| Designed by | Checked by | Approved By | Revision No. | Sheet No. | Index No. |
|-------------|------------|--------------------|--------------|-----------|-----------|
| EGR | JVG | <i>[Signature]</i> | 86 | 10f1 | 215 |
| Drawn by | Checked by | Approved By | Revision No. | Sheet No. | Index No. |
| HSD | JVG | <i>[Signature]</i> | 86 | 10f1 | 215 |
| Checked by | Checked by | Approved By | Revision No. | Sheet No. | Index No. |
| JVG | JVG | <i>[Signature]</i> | 86 | 10f1 | 215 |



| GRATE SLOPE | | |
|----------------|-------------|-----------------------|
| Shoulder Slope | Grate Slope | Remarks |
| 0.03 | 6.7:1 | Std. Med. Conc. Shld. |
| 0.05 | 6:1 | Std. Med. Flex. Shld. |
| 0.06 | 5.6:1 | |
| 0.07 | 5.2:1 | |
| 0.08 | 5:1 | |
| 0.09 | 4.7:1 | |
| 0.10 | 4.5:1 | e (max) |




SECTION BB


GENERAL NOTES

- Inlet Descriptions:
 - Type 1 Single throat, one side of barrier wall.
 - Type 2 Double throats, one side of barrier wall.
 - Type 3 Two single throats, opposite sides of barrier wall.
 - Type 4 Two double throats, opposite sides of barrier wall.
 - Type 5 Double throats, one side of barrier wall, and single throat other side of barrier wall.
- For grate details see Index No. 220. The parallel bar grate shall be used unless the reticuline grate is called for in the plans. The reticuline grate shall be specified where bicycle traffic is anticipated.
- For standard concrete barrier wall dimensions, and for dimensions of concrete barrier wall incorporating light standards within the wall, see Index No. 410.
- Reinforcing steel shall have 2" minimum cover.
- All reinforcing steel #4 bars. Longitudinal steel bars extend over full length of concrete barrier wall transition. Tie bars @ 12" ctrs. Reinforcing to be paid for under the contract unit price for concrete barrier wall.
- For supplemental details see Index No. 201.
- Inlets to be paid for under the contract unit price for inlets (MB) (Type 1, 2, 3, 4, or 5), each. Barrier wall to be paid for under the contract unit price for Concrete Barrier Wall, L.F.


| | | | |
|--|---------|--------|---------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| MEDIAN BARRIER INLETS TYPES 1, 2, 3, 4, & 5 | | | |
| Designed by | HSD | 6/83 | Approved by <i>De Paul</i> |
| Drawn by | JVG/JBW | 7/83 | State Design Engineer, Roadways |
| Checked by | JVG/JBW | 7/83 | Revision No. 1 of 1 |
| F.H.W.A. Approved: 10/6/83 | 87 | 1 of 1 | 217 |



LOW SIDE SUPERELEVATION
PAVEMENT WARP FOR SHOULDERS IN SUPERELEVATION




BARRIER WALL / RETAINING WALL
SINGLE FACE ROADWAY BARRIER
INLET SECTION AT WALLS




Note: Structure Bottom Type J, All B Only. See Index No. 200.

INLET WITH BOTTOM TYPE J




SECTION AA (WITHOUT GRATE)



TOP VIEW (WITHOUT GRATE)

Cost Joint Permitted
Between These Limits
See Index No. 201 For
Min. Dimensions.

Varies (27" Min.)
See Sections CC, DD & EE
For Reinforcing Details




SECTION BB


GENERAL NOTES

1. This inlet is primarily intended for use adjacent to concrete barrier walls on paved shoulders. Use of the inlet adjacent to other wall types shall be approved by the Drainage Engineer. The inlet is suitable for bicycle and occasional pedestrian traffic. It is not intended for use in curb and gutter or other areas where throated inlets are required, nor areas subject to high debris.
2. Inlets located in embankments constructed with earth anchored retaining wall shall be designed with minimum depths to reduce adverse impact on the anchorage system. Runs of pipe parallel to and near anchored wall shall be avoided wherever practical. Special coordination must be exercised during the design and construction of storm water systems within anchored wall systems.
3. Inlet bottoms and/or tops may be either precast or cast-in-place. Whether cast as a single unit or as multiple segments, and whether precast or cast-in-place, the upper 2'-3" of the inlet shall be reinforced in accordance with Sections CC, DD and EE.
4. Exposed edges shall be chamfered $\frac{3}{8}$ ".
5. When Alternate G grate is specified in the plans, the grate is to be hot dipped galvanized after fabrication. Field installation of the filler bar called for in Inset B will not be permitted, thereby requiring tolerance adjustment during fabrication and/or casting, or, matching grate to structure prior to galvanizing.
6. For supplemental details see Index Nos. 200 and 201.


| | | | | |
|--|---------|------|--------|---------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
| BARRIER WALL INLET | | | | |
| Designed by | JVS/EBR | Date | 9/86 | Approved By |
| Drawn by | HSD | Date | 9/86 | State Design Engineer, Roadways |
| Checked by | JVS | Date | 9/86 | Revision No. |
| F.H.W.A. Approved: 11/7/86 | | 87 | 1 of 2 | Index No. |
| | | | | 218 |




SECTION CC




SECTION DD



SECTION EE




TOP VIEW




TOP VIEW OF INLET
WITHOUT GRATE


TOP VIEW OF
METAL PLATE



TRANSVERSE SECTION
WITH GRATE & PLATE




BACK VIEW
WITHOUT BACK PLATE



CROSS BAR OPTIONS


STEEL GRATE



OPTION FOR
GROUT STUD


OPTION FOR
IMBEDDED ANCHOR

TRANSVERSE SECTIONS
THRU BACKWALL PLATE




INSET A

Note: All bars No 4





PICTORIAL VIEW





INSET B

Field Installation (See General Note):
When clearance (c) exceeds 1/8" a one-piece
round bar shall be added to the end of the
cross bars and end band angles to reduce
the clearance (c) to 1/8" or less. After welding
bar in place, clean bar and damaged grate
coating and coat with a coat for pitch varnish.

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
|--|-------------|-----------|--------|
| BARRIER WALL INLET | | | |
| Designed by | JVB/EBR | Date | 9/86 |
| Drawn by | HSD | Date | 9/86 |
| Checked by | JVB | Date | 9/86 |
| Approved by | [Signature] | | |
| Revision No. | 87 | Sheet No. | 2 of 2 |
| F.H.W.A. Approved: 11/7/86 | | Index No. | 218 |



(For Pipes 24" Dia. And Under)




Note: Structure Bottom Type J, Alt. B Only. See Index No. 200.

INLET WITH BOTTOM TYPE J (For Pipes 30" Dia. And Larger)

GENERAL NOTES

1. This inlet is designed for village swales, ditches, or other areas subject to heavy wheel loads, minimum debris and subject to pedestrian and/or bicycle traffic.
2. When alternate "G" grate is specified in plans, the grate is to be hot dipped galvanized after fabrication.
3. Reinforcing - No. 4 bars @ 12" ctrs. both ways. Cut or bend bars out of way of pipe to clear pipe 1 1/2".
4. All exposed edges and corners shall be tooled to 1/4" radius.
5. For supplementary details see Index No. 201.



TWO REQUIRED PER INLET

5" Steel Grate Main Bars 5" x 1/2"
Intermediate Bars 1/2" x 5" Reticuline Bars 1/2" x 3/16"


STEEL GRATE : MANUFACTURED BY BORDEN, FLORIDA STEEL, U.S. FOUNDRY
IRVING, RELIANCE, GREULICH (OR EQUAL).


| | | | | | |
|--|-------|-------|----------------------------------|-----------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| GUTTER INLET TYPE V | | | | | |
| Designed by | Notes | Dates | Approved By <i>[Signature]</i> | | |
| Drawn by <i>MMW</i> | | 4/57 | Deputy Design Engineer, Roadways | | |
| Checked by <i>MMW</i> | | 4/57 | Revision No. | Sheet No. | Index No. |
| F.H.W.A. Approved: 5/1/75 | | | 84 | 1 of 1 | 221 |

| APPLICATION AND SELECTION GUIDE FOR DITCH BOTTOM AND MEDIAN INLETS | | | | | | | | | | | | |
|--|------|---------------------------|----------------|-----------------------------|------------------------------|--------------------|------------|---------|------------------|----------------------|---------------------|---|
| INDEX NO. | TYPE | LOCATION | CAPACITY (CFS) | | | SAFETY | | | DEBRIS TOLERANCE | PIPE SIZE LIMITATION | | OTHER DESIGN CONSIDERATIONS |
| | | | GRATE ONLY | GRATE WITH SINGLE STD. SLOT | GRATE WITH SINGLE TRAV. SLOT | TRAFFIC | PEDESTRIAN | BICYCLE | | INLET INSIDE WIDTH | MAXIMUM PIPE SIZE | |
| 230 | A | Limited Access Facilities | 5 | — | — | Heavy Wheel Loads | No | No | Good | 2'-0" 3'-1" | 18" 24" | |
| 231 | B | Limited Access Facilities | 16 | — | — | Heavy Wheel Loads | No | No | Excellent | 3'-8" 4'-2" | 30" 36" | |
| 232 | C | Outside CZ | 6 | ** 15 | ** 10 | Infrequent Traffic | Yes | Yes | * Poor | 2'-0" 3'-1" | 18" 24" | * See Note 4. ** See Note 8. |
| | D | Outside CZ | 12 | ** 31 | ** 20 | Infrequent Traffic | Yes | Yes | * Poor | 3'-1" 4'-1" | 24" 36" | * See Note 4. ** See Note 8. |
| | E | Outside CZ | 13 | ** 27 | ** 19 | Infrequent Traffic | Yes | Yes | * Poor | 3'-0" 4'-6" | 24" 42" | * See Note 4. ** See Note 8. |
| | H | Outside CZ | 19 | ** 33 | — | Infrequent Traffic | Yes | Yes | * Poor | 3'-0" 7'-8" | 24" 66" Or 2-30" | * See Note 4. ** See Note 8. |
| 233 | F | Inside CZ | ** 8 | — | — | Heavy Wheel Loads | Yes | Yes | Poor | 2'-0" 4'-0" | 18" 36" | ** See Note 8. |
| | G | Inside CZ | 21 | — | — | Heavy Wheel Loads | Yes | Yes | Poor | 4'-4" 5'-0" | 36" 42" | |
| 234 | J | Inside CZ | 10 | — | — | Heavy Wheel Loads | Yes | No | Fair | 2'-11" 4'-0" | 24" 36" | |
| 235 | K | Outside CZ | — | — | — | NA | NA | NA | Good | 3'-8" See Index | 36" | Debris buildup may occur on Type B fencing. |

GENERAL NOTES


- All inlets must be selected to satisfy hydraulic suitability, with proper consideration given to safety and economics.
- CZ denotes clear zone, formerly CRA denoting clear recovery area.
- Alternate G grates should be specified when in salt water environment.
- Inlets C, D and E capacity and debris tolerance may be increased by the addition of a slot. Slotted inlets located within roadway clear zones and in areas accessible to pedestrians shall have traversable slots. Traversable slots are not adaptable to Inlet Type H.
- Special ditch blocks require plan details.
- Pipe size limitations are based on circular Class III, B Wall, Concrete Pipe. Elliptical pipe and corrugated pipe are to be checked for fit in accordance with Index No. 201; metal pipe sizes should be reviewed using $2\frac{2}{3}'' \times \frac{1}{2}''$ corrugation up through 30" and 3" x 1" corrugation for larger sizes.
- The figures shown for capacity are approximate, and are intended as a guide to assist in describing relative performance:
 - Inlets with grates only are considered to be 50% blocked with 3" of ponding.
 - Standard 12" slots and traversable slots are calculated assuming a 25% blockage and 3" of ponding above the grate.
- The capacity values assume inlet control. The designer must verify the outlet conditions and design assumptions before accepting the capacity values shown; outlet constraints are likely to control with minimum pipe sizes.

| | | | | | |
|--|-----|--------|--------------|---|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| DITCH BOTTOM AND MEDIAN INLET SELECTION GUIDE | | | | | |
| Designed by | EGR | 9/6/84 | Approved By |  | |
| Drawn by | HSD | 9/6/84 | Revision No. | Sheet No. | Index No. |
| Checked by | EGR | 9/6/84 | 86 | 1 of 1 | 229 |
| F.H.W.A. Approved: 9/21/84 | | | | | |





SECTION DD

→ D




SECTION CC



PLAN


→ Predominate Flow




SECTION AA

| RECOMMENDED MAXIMUM PIPE SIZES | |
|--------------------------------|-----------|
| INLET INSIDE WIDTH | PIPE SIZE |
| 2'-0" | 18" |
| 3'-1" | 24" |


Note: Recommended sizes are for concrete pipe. Sizes for other types of pipe must be verified for fit in accordance with Index No. 201. For larger pipe see bottom Type J detail right and Index No. 200.



SECTION EE



SECTION BB




Note: Structure Bottom Type J, Alt. B only. See Index No. 200.

INLET WITH BOTTOM TYPE J


GENERAL NOTES

1. This inlet is designed for ditches, medians, or other areas subject to heavy wheel loads on limited access facilities where debris may be a problem and flow through this grate is less than 7 cfs. NOTICE: This inlet is not for use in areas subject to pedestrian and/or bicycle traffic.
2. Reinforcing - 2" clearance to inside face. Cut or bend bars out of way of pipe to clear pipe by 1/2".
3. Chamfer exposed edges (3/4" Chamfer).
4. When alternate "G" grate is specified in plans, the grate is to be hot dipped galvanized after fabrication.
5. Cost of ditch paving to be included in cost of inlet. Sodding to be paid for under contract unit price for Sodding, SY.
6. For supplemental details see Index No. 201.


| | | | |
|--|------|------|--|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| DITCH BOTTOM INLET TYPE A | | | |
| Designed by | Name | Date | Approved By |
| Drawn by | | | <i>[Signature]</i> Senior Design Engineer, Roadways |
| Checked by | | | Revision No. |
| F.H.W.A. Approved: 7/18/75 | | 87 | 1 of 1 |
| | | | 230 |




PLAN
(Grate Not Shown)




SECTION EE



SECTION FF



SODDING, PAVEMENT AND DITCH BLOCK



INLET WITH BOTTOM TYPE J


| RECOMMENDED MAXIMUM PIPE SIZES | |
|--------------------------------|-----------|
| INLET INSIDE WIDTH | PIPE SIZE |
| 3'-8" | 30" |
| 4'-2" | 36" |

Note: Recommended sizes are for concrete pipe. Sizes for other types of pipe must be verified for fit in accordance with Index No. 201. For larger pipe see bottom Type J detail above and Index No. 200.


GENERAL NOTES

- NOTICE: Inlet intended for use only on that portion of limited access facilities not subject to pedestrian and/or bicycle traffic.
- Inlet designed for ditches, medians or other areas subject to heavy wheel loads, where debris may be a problem, and inlet intake is 7 cfs or more.
- Reinforcing steel all No. 4 bars at 12" centers both ways with 2" clearance to inside of walls and bottom. Bars to be cut or bent for 1 1/2" minimum clearance around pipe.
- When alternate G grates are specified in the plans, the grates are to be hot dipped galvanized after fabrication.
- Ditch paving to be included in cost of Inlet. Sodding to be paid for under the contract unit price for Sodding SY.
- For supplementary details see Index No. 201.


Predominate Flow(s) →




SECTION AA



SECTION BB



PLAN




SECTION CC




SECTION DD

STEEL GRATE

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
|--|---------------------|-----------|--------|
| DITCH BOTTOM INLET TYPE B | | | |
| Designed by | HAB | Date | 4/67 |
| Drawn by | RWR | Date | 5/62 |
| Checked by | JVG | Date | 5/62 |
| F.H.W.A. Approved | 7/18/75 | 9/23/62 | |
| Approved By | <i>Dr. H. H. H.</i> | | |
| Revised No. | 87 | Sheet No. | 1 of 1 |
| Index No. | 231 | | |



PLAN




SECTION


TYPE C

Recommended Maximum Pipe Size:

2'-0" Wall - 18" Pipe
3'-1" Wall - 24" Pipe



PLAN




SECTION


TYPE D

Recommended Maximum Pipe Size:

3'-1" Wall - 24" Pipe
4'-1" Wall - 36" Pipe



PLAN




SECTION


TYPE E

Recommended Maximum Pipe Size:

3'-0" Wall - 24" Pipe
4'-6" Wall - 42" Pipe



PLAN




SECTION

TYPE H

Recommended Maximum Pipe Size:

3'-0" Wall - 24" Pipe
7'-8" Wall - 1-66" Pipe
2-30" Pipe




Note: Structure Bottom Type J, Alt. B Only: See Index No. 200.

STRUCTURE BOTTOM TYPE J FOR INLETS TYPES C, D & E

GENERAL NOTES


- These inlets are suitable for bicycle and pedestrian areas and are to be used in ditches, medians and other areas subject to infrequent traffic loadings but are not to be placed in areas subject to any heavy wheel loads.
- Inlets subject to minimal debris should be constructed without slots. Where debris is a problem inlets should be constructed with slots. Slotted inlets located within roadway clear zones and in areas accessible to pedestrians shall have traversable slots. The traversable slot modification is not adaptable to Inlet Type H. Slots may be constructed at either or both ends as shown on plans.
- Either cast iron or steel grates may be used on inlets without slots and on inlets with non-traversable slots. Steel grates are required on inlets with traversable slots and on inlets where bicycle traffic is anticipated. When Alternate G grate is specified in the plans, either the steel grate, hot dipped galvanized after fabrication, or the cast iron grate may be used, unless the plans stipulate the particular type.
- Recommended maximum pipe sizes shown are for concrete pipe. Pipe sizes larger than those recommended must be checked for fit.
- All exposed corners and edges of concrete are to be chamfered $\frac{3}{4}$ ".
- Pavement to be used on inlets without slots and inlets with non-traversable slots only when called for in the plans; but required on all traversable slot inlets. Cost to be included in contract unit price for inlets. Quantities shown are for information only.
- Traversable slots constructed in existing inlets shall be paid for as inlets partial, and shall include the cost for slot openings, paving and any required replacement grates.
- Sodding to be used on all inlets not located in paved areas and paid for under contract unit price for Sodding SY.
- For supplementary details see Index No. 201.




TYPE C

Approx. Weight 235 Lbs.

Note:
Type D Inlet to be used only when slots are required in wide side of Inlet. Cast Iron Grate not permitted.




HALF SECTION CAST IRON GRATES



TYPE E


Approx. Weight 465 Lbs.

CAST IRON GRATES




TYPE H

Approx. Weight 725 Lbs.




TYPE C

Straight Bars 2" x $\frac{3}{16}$ "
Reinforcing Bars 1/4" x $\frac{3}{16}$ "
Bands 1 1/4" x 1/4"
Approx. Weight 100 Lbs.




TYPE D

Straight Bars 2" x $\frac{3}{16}$ "
Reinforcing Bars 1/4" x $\frac{3}{16}$ "
Bands 1 1/4" x 1/4"
Approx. Weight 180 Lbs.



TYPE E

Straight Bars 2" x $\frac{3}{16}$ "
Reinforcing Bars 1/4" x $\frac{3}{16}$ "
Bands 1 1/4" x 1/4"
Approx. Weight 215 Lbs.





TYPE H


Straight Bars 2" x $\frac{3}{16}$ "
Reinforcing Bars 1/4" x $\frac{3}{16}$ "
Bands 1 1/4" x 1/4"
Approx. Weight 315 Lbs.

STEEL GRATES


| | | | |
|--|-------------------|------|--------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| DITCH BOTTOM INLETS TYPES C, D, E & H | | | |
| Designed by | Name | Date | Approved By |
| Drawn by | | | |
| Checked by | EGR/JG | 7/81 | Revision No. |
| F. H. W. A. | Approved: 10/7/80 | 87 | 1 of 4 |
| | | | 232 |



SECTION AA



SECTION BB





SECTION CC



| PAVEMENT AND SODDING QUANTITIES FOR TRAVERSABLE SLOTS | | | | | | |
|---|-------------|------|-------------|------|-------------|-------------|
| Inlet | Pavement | | | | Sod | |
| | Single Slot | | Double Slot | | Single Slot | Double Slot |
| | SY | CY | SY | CY | SY | SY |
| C | 4.87 | 0.77 | 6.16 | 0.93 | 12 | 16 |
| D | 5.99 | 0.91 | 7.70 | 1.10 | 14 | 19 |
| E | 5.88 | 0.91 | 7.37 | 1.08 | 14 | 18 |

TRAVERSABLE SLOTS



| | | | | | |
|--|-----|--------|----------------------------------|-------------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| DITCH BOTTOM INLETS TYPES C,D,E,&H | | | | | |
| Designed by | EGR | 2/80 | Approved by | P. C. B. B. | |
| Drawn by | JM | 2/80 | Deputy Design Engineer, Roadways | | |
| Checked by | JVC | 2/80 | Revised No. | Sheet No. | Index No. |
| F.H.W.A. Approved: 10/7/80 | 87 | 2 of 4 | 232 | | |





NON-TRAVERSABLE SLOTS



Note: See General Notes Nos. 6 and 7.
**SODDING AND PAVEMENT
 FOR INLETS WITHOUT
 SLOTS AND INLETS WITH
 NON-TRAVERSABLE SLOTS**





| PAVEMENT AND SODDING QUANTITIES FOR TRAVERSABLE SLOTS (EXISTING INLETS) | | | | | | |
|---|----------|------|--------|------|--------|--------|
| Inlet | Pavement | | | | Sod | |
| | Single | Slot | Double | Slot | Single | Double |
| | SY | CY | SY | CY | SY | SY |
| C | 4.87 | 0.83 | 6.16 | 1.05 | 12 | 16 |
| D | 5.99 | 1.01 | 7.70 | 1.30 | 14 | 19 |
| E | 5.88 | 0.99 | 7.37 | 1.24 | 14 | 18 |



Note: For plan view and additional details see Sheet 2 of 3.
 For payment see General Note Nos. 6 and 7.

TRAVERSABLE SLOT INLETS (PARTIAL) FOR EXISTING INLETS

| | | | | | |
|--|---------|------|------|---------------------------------|--------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| DITCH BOTTOM INLETS TYPES C, D, E & H | | | | | |
| Designed by | EGR | Date | 7/84 | Approved By | |
| Drawn by | DAE | Date | 7/84 | Stern Design Engineer, Roadways | |
| Checked by | JBW/JVG | Date | 7/84 | Revision No. | |
| F.H.W.A. Approved: 9/21/84 | | | | 87 | 3 of 4 |
| | | | | | 232 |



TRAVERSABLE SLOT INLETS (PARTIAL) FOR EXISTING INLETS





DESIGN NOTES:

- The general purpose of these conversions is to remove the hazard of the protruding inlet top, while not creating a hazard by depressing the top too deeply.
- The corrective procedure depends on the approach ditch grade and hydraulic requirements of the site. The selection of the appropriate case depends on the relationship between inlet top and ditch elevation, and, on the vertical clearance between the top of the uppermost pipe(s) and the grate. The purpose for the Case 1 conversion is to add the traversable slot to an existing inlet where top removal, change in grate elevation and ditch transitions are not required. Case 2 will normally be applicable to ditches with flatter grades adjoining the inlet. Case 3 will normally be applicable to ditches with steeper grades adjoining the inlet where buildup of the existing ditch is acceptable.
- The designer shall stipulate in the plans which case is to be constructed at each individual inlet location.
Where the existing inlet top is above the existing ditch (Case 2) but borrow material will be required to adjust the ditch (Case 3), and vertical clearance or other conditions do not prevent removal of the inlet top, the designer should call for Case 2. The designer shall determine if ditch reconstruction is required more than 35 feet beyond any traversable slot side and shall include separate pay items in the plans to cover the cost for that portion of required ditch reconstruction exceeding the 35 foot limit. The designer shall also determine whether ditch pavement is required for ditch restoration within the 35 foot limit and include that pavement under a pay item separate from the inlets partial.
When the detention ditch concept is to be used with Case 3, the designer shall stipulate 'Case 3 (Detention)' in the plans.
The designer shall determine whether tight soil or other conditions at each individual inlet indicates the need for underdrain in Case 3 conversions and shall call for Underdrain, Type 1 in the plans.



METHOD OF PAYMENT

- Existing inlets converted to traversable slot tops under Cases 1, 2 and 3 shall be paid for as inlets partial, each. Case shall not be included in the pay item description.
- All ditch reconstruction work within 35 feet of each traversable slot conversion, whether required by these details or as a direct result of the conversion, shall be included as a part of the inlet partial cost. Reconstruction work shall include excavation and removal of surplus materials or borrow materials in place, grading, compaction, shaping and seeding and mulching. Sodding, ditch pavement and underdrain are not included as part of the inlet partial cost and are to be paid for separately.
- Inlet pavement and sodding shall be in accordance with the sections on this detail and with the Plan on Sheet 2 of 4 and Sections AA, BB and CC (as Case 1) and tabular quantities on Sheet 3 of 4.
- Unit price and payment shall constitute full compensation for inlet conversion, replacement grates where called for in the plans, ditch reconstruction seeding and mulching, and shall be paid for under the contract unit price for Inlets (DT Bot) (Type) (Partial), Each.
Sodding shall be paid for under the contract unit price for Sodding, SY.
Ditch pavement shall be paid for separate from the inlet by pavement type(s) and unit(s) as called for in the plans.
Underdrain called for in the plans for Case 3 conversions shall be paid for as Underdrain, Type 1, LF.



| | | | |
|--|---------|--------------|---------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| DITCH BOTTOM INLETS TYPES C,D,E & H | | | |
| Designed by | JVG/EGR | Date | 3/10/86 |
| Drawn by | HSD/dda | Date | 5/20/86 |
| Checked by | JVG/EGR | Date | 5/22/86 |
| F.H.W.A. Approved: 11/7/86 | | Revision No. | 87 |
| | | Sheet No. | 4 of 4 |
| | | Index No. | 232 |





TYPE F



STEEL GRATE
5" Steel Decking, Weight 630 Lbs. Main Bars 5" x $\frac{1}{4}$ "
Intermediate Bars 1 $\frac{1}{2}$ " x $\frac{1}{2}$ ", Reticuline Bars 1 $\frac{1}{2}$ " x $\frac{3}{16}$ "



TYPE G




| INLET | PAVT. CY ¹⁰ | SOC SY |
|-------|---------------------------|-----------|
| G | 0.43 | 10 |
| F | 0.34 | 9 |



| | |
|-------|-----|
| INLET | SOO |
| | SY |
| 6 | 7 |
| F | 6 |

Notes: 1. Pavement and/or sod to be used only where called for in the plans.
2. Cost of paving to be included in cost of inlet.

GENERAL NOTES





- ### GENERAL NOTES
1. The inlets are designed for use in ditches, medians, pavement areas, or other areas subject to heavy wheel loads where debris is minimal and is subject to pedestrian and/or bicycle traffic.
 2. When alternate G grate is specified in plans, the grate is to be hot dipped galvanized after fabrication.
 3. These inlets may be used with structure bottoms Type J, Alt. B; the Inlet and bottom combinations are to be paid for under the contract unit price for Inlets (DT Bot) (Type F (or G)) (J Bot, Depth), Ea.

| | | | |
|---|-------------|--|------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| <h1 style="margin: 0;">DITCH BOTTOM INLETS</h1> <h2 style="margin: 0;">TYPES F & G</h2> | | | |
| James | Date | Approved By | |
| Designed by TWJ | 1/50 |  Deputy Design Engineer Roadways | |
| Drawn by MEF | 1/50 | | |
| Checked by WMH | 1/50 | | |
| F.N.W.A. Approved: 5/11/75 | | | |
| | | Revision No. | Sheet No. |
| | | 87 | 1 of 1 |
| | | 233 | |





| RECOMMENDED MAXIMUM PIPE SIZES | | |
|--------------------------------|--------------|-----------|
| INLET | INSIDE WIDTH | PIPE SIZE |
| | 2'-11" | 24" |
| | 4'-0" | 36" |


Note: Recommended sizes are for concrete pipe. Sizes for other types of pipe must be verified for fit in accordance with Index No. 201. For larger pipe see bottom Type J detail right and Index No. 200.




- GENERAL NOTES**
1. This inlet is designed for ditches, medians or other areas subject to heavy wheel loads, where only light debris is expected and pedestrian traffic is anticipated. NOTICE: Inlet not for use in areas subject to bicycle traffic.
 2. Reinforcing — No. 4 bars at 12" centers both ways with 2" clearance to inside face. Cut or bend bars out of way of pipe when necessary; Bars to clear pipe by 1 1/2".
 3. When alternate G grate is specified in plans, the grate is to be hot dipped galvanized after fabrication.
 4. For supplemental details, see Index 201.
 5. Cost of ditch paving to be included in cost of inlet. Sodding to be paid for under contract unit price for Sodding, S.Y.




| | | | |
|--|-------------|--------------------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| DITCH BOTTOM INLET TYPE J | | | |
| Designed by | Checked by | Approved by | Index No. |
| L.M.F. | S.R.L. | <i>[Signature]</i> | 234 |
| Drawn by | Reviewed by | Sheet No. | |
| | | 87 | 1 of 1 |
| F.H.W.A. Approved: 9/3/76 | | | |




(Grate Not Shown)
PLAN




(Grate Not Shown)
SECTION AA




STEEL GRATE




SECTION C C




ISOMETRIC
Of
INLET FENCE ENCLOSURE



(Grate Not Shown)
SECTION BB



GRATE SEAT AND ANCHOR HOLE PLAN



(With Bar B And Anchor Bolt)
SECTION FF

| GRATE QUANTITIES | | | | | | |
|------------------|--------|---------------|-------|--------------|-------------------|-----------------------|
| PIPE SIZE | L | BILL OF STEEL | | STEEL WEIGHT | | FLAT 2" x 1/2" (3.4*) |
| | | BAR No. | REQ'D | LENGTH | CHANNEL 4" x 5.4* | |
| 30" x 36" | 4'-9" | A | 3 | 4'-4" | 70 | 30 |
| | | B | 2 | 4'-4" | | 52 |
| | | C | 3 | 5'-1" | | |
| 42" x 48" | 6'-0" | A | 4 | 4'-4" | 94 | 30 |
| | | B | 2 | 4'-4" | | 65 |
| | | C | 3 | 6'-4" | | |
| 54" x 60" | 7'-3" | A | 5 | 4'-4" | 117 | 30 |
| | | B | 2 | 4'-4" | | 77 |
| | | C | 3 | 7'-7" | | |
| 66" x 72" | 8'-6" | A | 6 | 4'-4" | 140 | 30 |
| | | B | 2 | 4'-4" | | 90 |
| | | C | 3 | 8'-10" | | |
| SPECIAL | 9'-9" | A | 7 | 4'-4" | 164 | 30 |
| | | B | 2 | 4'-4" | | 103 |
| | | C | 3 | 10'-1" | | |
| SPECIAL | 11'-0" | A | 8 | 4'-4" | 187 | 30 |
| | | B | 2 | 4'-4" | | 116 |
| | | C | 3 | 11'-4" | | |
| SPECIAL | 12'-3" | A | 9 | 4'-4" | 211 | 30 |
| | | B | 2 | 4'-4" | | 128 |
| | | C | 3 | 12'-7" | | |
| SPECIAL | 13'-6" | A | 10 | 4'-4" | 234 | 30 |
| | | B | 2 | 4'-4" | | 141 |
| | | C | 3 | 13'-10" | | |
| SPECIAL | 14'-9" | A | 11 | 4'-4" | 257 | 30 |
| | | B | 2 | 4'-4" | | 154 |
| | | C | 3 | 15'-1" | | |
| SPECIAL | 16'-0" | A | 12 | 4'-4" | 281 | 30 |
| | | B | 2 | 4'-4" | | 167 |
| | | C | 3 | 16'-4" | | |
| SPECIAL | 17'-3" | A | 13 | 4'-4" | 304 | 30 |
| | | B | 2 | 4'-4" | | 179 |
| | | C | 3 | 17'-7" | | |
| SPECIAL | 18'-6" | A | 14 | 4'-4" | 328 | 30 |
| | | B | 2 | 4'-4" | | 192 |
| | | C | 3 | 18'-10" | | |


GENERAL NOTES

- Cost of ditch paving, anti-vortex wall, grate, concrete, reinforcing steel and fence enclosure to be included in the cost of inlet.
- Inlet and anti-vortex wall to be Class I Concrete.
- Reinforcing - No. 4 bars at 12" centers both ways, 1 1/2" clearance to inside face and bottom of inlet. Bend top and corner bars to clear anchor holes.
- Channel section C 3 x 6 may be used as an alternate for the C 4 x 5.4 channel.
- Channels and bars to be ASTM A 588 or A 242, Grade 50, weathering steel, except grates exposed to salt water shall be ASTM A 242, A 441, A 572 or A 588, Grade 50 steel, and galvanized in accordance with Section 962-7 of the Standard Specifications, and shall be designated in the plans as Alternate G.
- Fence enclosure shall be Fence Type B (Index No. 452). All posts to be set in concrete. A minimum of 10 posts required. Corner and approach side posts to be 3" nominal.
- Inlet length (L) shall be set by the designer for the greater of either culvert requirement or inlet pool not to exceed 12" depth. Structures over 6' in depth are to be checked for flotation by the designer of project drainage.
- This inlet is to be used at locations having high flow rates, usually where an endwall could not be utilized without hazardous intake.
- This inlet is not intended for use with structure bottoms Type J, Alternate B.


STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

DITCH BOTTOM INLET TYPE K


| Designed by | Checked by | Date | Approved by | Signature | Initials |
|-------------|------------|------|--------------|-----------|-----------|
| F.H.W.A. | J.G. | 6/79 | | | |
| Drawn by | Checked by | Date | Revision No. | Sheet No. | Total No. |
| S.M. | J.G. | 6/79 | | 1 of 1 | 235 |



TOP VIEW




PERMISSIBLE TOP ADJUSTMENT




SECTION


TYPICAL INSTALLATION ON SLOPES




TYPICAL TOP AND APRON




TOP VIEW




BACK VIEW



COVER REMOVAL



SECTION CC




SECTION BB

HINGE DETAIL

GENERAL NOTES

1. Cast iron cover and frame to be Neenah Foundry Company, R-6660-JH or U.S. Foundry and Manufacturing Corporation No. A-632 or equal. Neenah R-6660-JH detailed this index.
2. Box to be Class I Concrete, reinforced with No.3 bars on 8" centers both ways, sides and bottom.
3. Concrete apron to be included in the contract unit price for Underdrain Inspection Box.
4. All covers shall be furnished with pick holes. Fitted lifts or handles are not permitted.
5. Manhole Type P Alternate A, Index 200, with Type I Frame and Cover, Index 201, may be used in lieu of the box detailed on this sheet, and is recommended when high ADT increases chance of repeated vehicle loadings.



SECTION AA

BOX AND TOP


| | | | |
|---|-----|------|--|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
| ROAD DESIGN | | | |
| UNDERDRAIN INSPECTION BOX | | | |
| Designed by | W/S | 5/81 | Approved By <i>D.C. Bullock</i> Deputy Design Engineer, Highway |
| Drawn by | J/M | 5/81 | |
| Checked by | J/G | 5/81 | |
| F.H.W.A. Approved: 10/8/81 | | 82 | Revision No. <u>1</u> of <u>1</u> 245 |

APPLICATION AND SELECTION GUIDE FOR PIPE END TREATMENTS


| INDEX NO. | DESCRIPTION | | APPLICATION | | | INLET END | | | OUTLET END | | SAFETY | | ECONOMIC RATING | |
|-----------|---------------------------------|----------------------------------|-------------|-----------|---------|------------|-----------------------|-------------------------------------|------------|------------------|--------------------------|------------------------------|-----------------|---|
| | TYPE | PIPE SIZE | CROSSDRAIN | SIDEDRAIN | MEDIAN | APPLICABLE | HYDRAULIC PERFORMANCE | K _e | APPLICABLE | EROSION TOLERANT | PERMITTED LOCATION | TRAFFIC-SAFE GRATE AVAILABLE | | |
| 250 | Straight Concrete | Single and Multiple 15" Thru 54" | Yes | No | Limited | Yes | Excellent | 0.2 | Limited | Good | Outside CZ | No | Fair | |
| 251 | Straight Concrete | Single and Double 60" | Yes | No | Limited | Yes | Excellent | 0.2 | Limited | Good | Outside CZ | No | Fair | |
| 252 | Straight Concrete | Single and Double 66" | Yes | No | Limited | Yes | Excellent | 0.2 | Limited | Good | Outside CZ | No | Fair | |
| 253 | Straight Concrete | Single and Double 72" | Yes | No | Limited | Yes | Excellent | 0.2 | Limited | Good | Outside CZ | No | Fair | |
| 255 | Straight Concrete | Single 84" | Yes | No | Limited | Yes | Excellent | 0.2 | Limited | Good | Outside CZ | No | Fair | |
| 258 | Straight Sand Cement | Single & Multiple 18" Thru 84" | Limited | No | Limited | Yes | Very good | 0.3 | Yes | Good | Outside CZ | No | Good | * For temporary construction or use on a minor facility. |
| 260 | U Type With Grate Concrete | Single 15" Thru 30" | Limited | No | Yes | Yes | Fair | 0.7 | Yes | Very Good | Inside CZ | Required | Good | |
| 261 | U Type Concrete | Single 15" Thru 30" | Limited | No | Yes | Limited | Good | 0.5-0.7 | Yes | Good | Grate Required Inside CZ | Yes | Fair | |
| 264 | Concrete Energy Dissipator | Single 30" Thru 72" | Limited | No | No | No | N A | N A | Yes | Excellent | Outside CZ | No | N A | |
| 266 | Winged Concrete | Single 12" Thru 48" | Yes | No | Yes | Yes | Very Good | 0.3 | Yes | Good | Outside CZ | No | Good | |
| 268 | U Type Sand Cement | Single & Multiple 15" Thru 60" | Limited | No | Limited | Yes | Good | 0.5 | Yes | Very Good | Outside CZ | No | Good | * For temporary construction or use on a minor facility. |
| 270 | Flared End Section Concrete | Single 12" Thru 72" | Yes | No | Yes | Yes | Good | 0.5 | Yes | Very Good | Outside CZ | No | Very Good | * Construction of optional toewall and concrete jacket may be necessary. Flared end sections sizes 12" and 15" may be located as close as 8' beyond the outside edge of the shoulder. |
| 272 | Cross Drain Mitered End Section | Single & Multiple 15" Thru 72" | Yes | No | Yes | Yes | Fair | 0.7 | Yes | Good | Outside CZ | No | Very Good | * Mitered end sections sizes 15", 18" and 24" may be located as close as 8' beyond the outside edge of the shoulder. |
| 273 | Side Drain Mitered End Section | Single & Multiple 15" Thru 60" | No | Yes | No | Yes | Fair | 0.7 (w/o grate) 1.0 (with grate) | Yes | Good | Inside CZ | Yes | Good | * Mitered end section size 30" and larger require use of grate. Grate may be deleted if pipe is located outside CZ and is offset from approach ditch alignment. |
| 274 | Side Drain Mitered End Section | Single 15" Thru 24" | No | Yes | No | Yes | Fair | 0.7 | Yes | Good | Inside CZ | No | Good | * For sidedrain installations constructed by FDOT maintenance forces or constructed under FDOT maintenance permit only. |

1. All end treatments must be selected to satisfy hydraulic suitabilities with proper consideration given to safety and economics.
2. CZ denotes clear zone, formerly CRA denoting clear recovery area.
3. Grates should not be placed on outlet ends unless positive debris protection is provided at inlet end.
4. Additional notes concerning application restrictions may be shown on individual indexes.
5. Economic ratings are based on statewide average costs.
6. End treatments with a K_e of 0.5 or greater should be used only in areas of low design velocities and negligible debris.
7. Pipe sizes are circular, Class III B Wall, concrete pipe. Elliptical pipe and corrugated pipe are to be checked for fit in accordance with Index No. 201; metal pipe sizes should be reviewed using 2 3/8" X 1/2" corrugation up to 30" and 3" X 1" corrugation for larger sizes.


| | | | | |
|--|-------|--------------|--------|------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
| PIPE END TREATMENT SELECTION GUIDE | | | | |
| Designed by | EGR | Date | 9/6/84 | |
| Drawn by | D A E | Date | 9/6/84 | |
| Checked by | EGR | Date | 9/6/84 | |
| F H W A. Approved: 9/21/84 | | Revision No. | 85 | Sheet No. 1 of 1 |
| | | Index No. | 249 | |




FRONT VIEW



TOP VIEW




END VIEW (ENLARGED)




END VIEW

STANDARD LOCATION CONTROL

ENDWALL DIMENSIONS (EXCLUSIVE OF MULTIPLE PIPE SPACING)




FRONT VIEW




TOP VIEW

NORMAL PIPE



FRONT VIEW



TOP VIEW

SKEWED PIPE

LEGEND

- α Pipe Skew
- S Center To Center Pipe Spacing
- X Centerline To Centerline Dimension At Face Of Headwall

GENERAL NOTES

1. Endwall dimensions, locations and positions are for round and elliptical concrete pipe and for round and pipe-arch corrugated metal pipe. Round concrete pipe shown.
2. Front slope and ditch transitions shall be in accordance with Index No. 280.
3. Endwalls may be cast in place or precast concrete. Reinforcing steel shall be Grades 40 or 60. Additional reinforcement necessary for handling precast units shall be determined by the Contractor or the supplier. Cost of reinforcement shall be included in the contract unit price for concrete (roadway).
4. Concrete meeting the requirements of ASTM C-478 (4000 psi) may be used in lieu of Class I concrete in precast items manufactured in plants which are under the Standard Operating Procedures for the inspection of precast drainage products.
5. On outfall ditches with side slopes flatter than $1\frac{1}{2}:1$, provide 20' transitions from the endwall to the flatter side slopes, right of way permitting.
6. For sodding around endwalls see Index No. 281.
7. Payment for concrete quantities for endwalls skewed to the pipe shall be made on the following basis:




| Endwall Skew To Pipe | Use Tabulated Value |
|----------------------|---------------------|
| 0° to 5° | 0° |
| 6° to 15° | 15° |
| 16° to 30° | 30° |
| 31° or over | 45° |
8. Pipe length plan quantities shall be based on the pipe end locations shown in the standard location control end view, or, lengths based on special endwall locations called for in the plans.
9. Payment for pipe in pipe culverts shall be based on plan quantities, adjusted for endwall locations subsequently established by the Engineer.

ENDWALL POSITIONS FOR SINGLE AND MULTIPLE PIPE AND SPACING FOR MULTIPLE PIPE

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
|--|---------|--------------|--------|--------------------------------|
| STRAIGHT CONCRETE ENDWALLS SINGLE AND MULTIPLE PIPE | | | | |
| Designed by | HAB/EGR | Date | 7/3/83 | Approved By |
| Drawn by | RWR/HSD | 83 | | State Design Engineer, Roadway |
| Checked by | JBW/JVG | 83 | | |
| F.H.W.A. Approved: 10/6/83 | | Revision No. | 86 | Sheet No. 1 of 2 |
| | | | | Index No. 250 |


DATA AND ESTIMATED QUANTITIES FOR ONE ENDWALL

| ROUND CONCRETE AND CORRUGATED METAL PIPE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------------|-------|-------|-------|------------|--------|--------|--------|----------|-------|--------|--------|--------|--------|---------|-------|----------|-------|-------|-------|--|-------|-------|-------|----------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-----------|-----|--|-----|---|
| D | Opening Area (SF) | | | | Dimensions | | | | | | | | | | | | | | | | Class I Concrete (CY) | | | | | | | | | | | | | | | | | | | | | | | | D |
| | | | | | | | | | | | | | | | | | | | | | Number And Type Of Pipe And Skew Angle Of Pipe | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | Single | | | | Double | | | | | | | | Triple | | | | | | | | Quadruple | | | | |
| | Concrete | | | | CM | | | | Concrete | | | | CM | | | | Concrete | | | | CM | | | | Concrete | | | | CM | | | | | | | | | | | | | | | | |
| | 1 | 2 | 3 | 4 | A | B | C | E | F | G | S | X | 0° | 15° | 30° | 45° | 0° | 0° | 0° | 15° | 30° | 45° | 0° | 0° | 15° | 30° | 45° | 0° | 0° | 15° | 30° | 45° | 0° | 0° | 15° | 30° | 45° | 0° | 0° | 15° | 30° | 45° | | | |
| 15" | 1.23 | 2.46 | 3.69 | 4.92 | 1'-11" | 1'-6" | 4'-0" | 1'-10" | 1'-2" | 0'-6" | 2'-7" | 2'-7" | 2'-8" | 3'-0" | 3'-8" | 1.23 | 1.24 | 1.59 | 1.60 | 1.65 | 1.74 | 1.62 | 1.63 | 1.68 | 1.78 | 1.94 | 1.96 | 2.05 | 2.23 | 1.99 | 2.02 | 2.11 | 2.30 | 2.30 | 2.34 | 2.47 | 2.74 | 2.37 | 2.41 | 2.75 | 2.84 | 15" | | | |
| 18" | 1.77 | 3.54 | 5.31 | 7.08 | 2'-2" | 1'-3" | 4'-6" | 1'-11" | 1'-3" | 1'-0" | 2'-10" | 2'-10" | 2'-11" | 3'-3" | 4'-0" | 1.56 | 1.59 | 1.99 | 2.01 | 2.06 | 2.17 | 2.04 | 2.06 | 2.11 | 2.23 | 2.43 | 2.46 | 2.56 | 2.79 | 2.51 | 2.54 | 2.65 | 2.89 | 2.86 | 2.91 | 3.06 | 3.40 | 2.96 | 3.01 | 3.17 | 3.53 | 18" | | | |
| 21" | 2.41 | 4.82 | 7.23 | 9.64 | 2'-5" | 1'-4" | 5'-0" | 2'-0" | 1'-4" | 1'-6" | 3'-2" | 3'-2" | 3'-3" | 3'-8" | 4'-6" | 1.97 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 21" | |
| 24" | 3.14 | 6.28 | 9.42 | 12.56 | 2'-8" | 1'-4" | 5'-6" | 2'-0" | 1'-4" | 2'-0" | 3'-5" | 3'-5" | 3'-6" | 3'-11" | 4'-10" | 2.24 | 2.29 | 2.82 | 2.84 | 2.91 | 3.06 | 2.91 | 2.93 | 3.01 | 3.17 | 3.39 | 3.43 | 3.57 | 3.87 | 3.52 | 3.56 | 3.71 | 4.03 | 3.97 | 4.03 | 4.24 | 4.69 | 4.14 | 4.20 | 4.43 | 4.91 | 24" | | | |
| 27" | 3.98 | 7.96 | 11.94 | 15.92 | 2'-11" | 1'-5" | 6'-0" | 2'-1" | 1'-5" | 2'-6" | 3'-10" | 3'-10" | 4'-0" | 4'-5" | 5'-5" | 2.73 | | | | | | | | | | | | | | | | | | | | | | | | | | | | 27" | |
| 30" | 4.91 | 9.82 | 14.73 | 19.64 | 3'-2" | 1'-6" | 6'-6" | 2'-2" | 1'-6" | 3'-0" | 4'-3" | 4'-3" | 4'-5" | 4'-11" | 6'-0" | 3.26 | 3.34 | 4.13 | 4.16 | 4.26 | 4.49 | 4.28 | 4.31 | 4.43 | 4.67 | 4.98 | 5.04 | 5.25 | 5.69 | 5.20 | 5.27 | 5.49 | 5.97 | 5.84 | 5.93 | 6.24 | 6.91 | 6.13 | 6.23 | 6.56 | 7.29 | 30" | | | |
| 36" | 7.07 | 14.14 | 21.21 | 28.28 | 3'-8" | 1'-8" | 7'-6" | 2'-4" | 1'-8" | 4'-0" | 5'-1" | 5'-2" | 5'-3" | 5'-10" | 7'-2" | 4.53 | 4.64 | 5.73 | 5.77 | 5.92 | 6.23 | 5.95 | 6.00 | 6.15 | 6.49 | 6.92 | 7.00 | 7.29 | 7.91 | 7.25 | 7.34 | 7.65 | 8.33 | 8.13 | 8.26 | 8.69 | 9.62 | 8.57 | 8.71 | 9.18 | 10.20 | 36" | | | |
| 42" | 9.62 | 19.24 | 28.86 | 38.48 | 4'-2" | 1'-10" | 8'-6" | 2'-6" | 2'-0" | 5'-0" | 6'-0" | 6'-0" | 6'-3" | 6'-11" | 8'-6" | 6.33 | 6.49 | 8.11 | 8.17 | 8.39 | 8.85 | 8.43 | 8.50 | 8.73 | 9.23 | 9.90 | 10.02 | 10.45 | 11.38 | 10.38 | 10.52 | 10.98 | 11.99 | 11.68 | 11.87 | 12.51 | 13.89 | 12.32 | 12.52 | 13.22 | 14.73 | 42" | | | |
| 48" | 12.57 | 25.14 | 37.71 | 50.28 | 4'-8" | 2'-1" | 9'-6" | 2'-9" | 2'-0" | 6'-0" | 6'-9" | 6'-9" | 7'-0" | 7'-10" | 9'-7" | 8.15 | 8.38 | 10.40 | 10.48 | 10.75 | 11.33 | 10.85 | 10.94 | 11.23 | 11.87 | 12.64 | 12.80 | 13.34 | 14.50 | 13.34 | 13.51 | 14.11 | 15.39 | 14.89 | 15.13 | 15.93 | 17.68 | 15.82 | 16.08 | 16.97 | 18.90 | 48" | | | |
| 54" | 15.90 | 31.80 | 47.70 | 63.60 | 5'-2" | 2'-6" | 10'-6" | 3'-2" | 2'-3" | 7'-0" | 7'-8" | 7'-8" | 7'-11" | 8'-10" | 10'-10" | 11.71 | 11.77 | 15.23 | 15.35 | 15.78 | 16.69 | | | | | | | | | | | | | | | | | | | | | | | 54" | |



| BILL OF REINFORCING STEEL | | | | | |
|---------------------------|------|-----------|--------|------------------|----------|
| MARK | SIZE | Nº REQ'D. | LENGTH | LOCATION | BENDING |
| A | Nº 4 | 32 | 4'-2" | Footing | Straight |
| B ₁ | Nº 4 | 13 | 31'-6" | Footing and Wall | Straight |
| B ₂ | Nº 4 | 4 | 12'-4" | Wall | Straight |
| B ₃ | Nº 4 | 4 | 13'-9" | Wall | Straight |
| C | Nº 4 | 26 | 9'-9" | Wall | Bend |
| D | Nº 4 | 18 | 7'-10" | Wall | Straight |
| E | Nº 4 | 8 | 1'-8" | Footing and Wall | Straight |


BENDING DIAGRAM



NOTE: All bar dimensions are out to out

ESTIMATED QUANTITIES

| ITEM | UNIT | QUANTITY |
|-------------------|---------|----------|
| Concrete Class II | Cu. Yd. | 10.89 |
| Reinforcing Steel | Pound | 705 |




GENERAL NOTES

- Design Specification: A.A.S.H.T.O., 1977
- Reinforcing Steel: Grade 40 or 60
- Concrete: Class II
- Chamfer: All exposed edges and corners to be chamfered $\frac{3}{4}$ " unless otherwise shown.
- Sodding shall be in accordance with Index No. 281 and paid for under the contract unit price for Sodding SY.
- Endwall to be paid for under the contract unit price for Class II Concrete (Endwalls) CY and Reinforcing Steel (Roadway) LB.


STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

STRAIGHT CONCRETE ENDWALLS SINGLE AND DOUBLE 60" CONCRETE PIPE




| Designed by | Drawn by | Checked by | Approved By | Revised No. | Sheet No. | Index No. |
|----------------------------|----------|------------|--------------------|-------------|-----------|-----------|
| | TWJ | WHM | <i>[Signature]</i> | | 87 | 1 of 2 |
| F.H.W.A. Approved: 3/20/75 | | | 251 | | | |



| BILL OF REINFORCING STEEL | | | | | |
|---------------------------|------|-----------|--------|-----------------|------------|
| MARK | SIZE | No. REQ'D | LENGTH | LOCATION | BENDING |
| A | 4 | 41 | 4'-2" | Footings | Straight |
| B ₁ | 4 | 9 | 40'-2" | Footings @ Wall | Straight |
| B ₂ | 4 | 4 | 12'-6" | Wall | Straight |
| B ₃ | 4 | 4 | 13'-9" | Wall | Straight |
| B ₄ | 4 | 4 | 6'-0" | Wall | Field Bend |
| B ₅ | 4 | 2 | 2'-2" | Wall | Straight |
| B ₆ | 4 | 8 | 15'-0" | Wall | Field Bend |
| C | 4 | 29 | 9'-9" | Footings @ Wall | Bend |
| D | 4 | 20 | 7'-10" | Footings @ Wall | Straight |
| E | 4 | 16 | 1'-8" | Footings @ Wall | Straight |



| ESTIMATED QUANTITIES | | |
|----------------------|---------|----------|
| ITEM | UNIT | QUANTITY |
| Class B Concrete | Cu. Yd. | 13.19 |
| Reinforcing Steel | Lb. | 834 |



SECTION AA


HALF ELEVATION
(Showing Bars in Front Face of Wall)


HALF ELEVATION
(Showing Bars in Back Face of Wall)

TYPICAL SECTION THRU ENDWALL


ALTERNATE ENTRANCE

Note: See Sheet 1 of 2 for General Notes.


| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | | |
|---|-------|-------|---|-----------|-----------|--|
| STRAIGHT CONCRETE ENDWALLS SINGLE AND DOUBLE 60" CONCRETE PIPE | | | | | | |
| Designed by | Notes | Dates | Approved By | | | |
| Drawn by | TWJ | 11/49 |  District Design Engineer, Roadways | | | |
| Checked by | WHM | 11/49 | | | | |
| F.H.W.A. Approved: 3/20/75 | | | Revision No. | Sheet No. | Index No. | |
| | | | 87 | 2 of 2 | 251 | |



PLAN
(Showing Bars in Footing)



SECTION A A



HALF ELEVATION
(Showing Bars in Back Face Of Wall)


HALF ELEVATION
(Showing Bars in Front Face Of Wall)

GENERAL NOTES

- Design Specifications: A.A.S.H.T.O., 1977
- Reinforcing Steel: Grade 40 or 60
- Concrete: Class II
- Chamfer: All exposed edges and corners to be chamfered $\frac{3}{8}$ " unless otherwise shown.
- Sodding shall be in accordance with Index No. 281 and paid for under the contract unit price for Sodding SY.
- Endwall to be paid for under the contract unit price for Class II Concrete (Endwalls) CY and Reinforcing Steel (Roadway) LB.

| BILL OF REINFORCING STEEL | | | | | |
|---------------------------|------|-----------|--------|--------------|----------|
| MARK | SIZE | NO. REQ'D | LENGTH | LOCATION | BENDING |
| A | 5 | 63 | 4'-11" | FOOTING | STRAIGHT |
| B | 4 | 17 | 33'-8" | FOOTING/WALL | " |
| C | 5 | 34 | 9'-10" | WALL | BEND |
| D | 4 | 20 | 6'-1" | " | STRAIGHT |
| E | 4 | 4 | 1'-8" | " | " |


BENDING DIAGRAMS



NOTE: ALL BAR DIMENSIONS ARE CUT TO OUT

ESTIMATED QUANTITIES

| ITEM | UNIT | QUANTITY |
|--------------------|------|----------|
| CONCRETE, CLASS II | CY | 12.60 |
| REINFORCING STEEL | LB. | 1167 |



TYPICAL SECTION
THRU ENDWALL

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

STRAIGHT CONCRETE ENDWALLS SINGLE AND DOUBLE 66" CONCRETE PIPE


| Designed by | Checked by | Revised by | Sheet No. | Index No. |
|-------------|------------|------------|-----------|-----------|
| J.L.W. | RCB | | 1 of 2 | 252 |

F.H.W.A. Approved: 10/7/80

87

1 of 2

252



| BILL OF REINFORCING STEEL | | | | | |
|---------------------------|------|-----------|--------|--------------|----------|
| MARK | SIZE | NO. REQ'D | LENGTH | LOCATION | BENDING |
| A | 5 | 80 | 4'-11" | FOOTING | STRAIGHT |
| B | 4 | 17 | 42'-8" | FOOTING/WALL | STRAIGHT |
| C | 5 | 37 | 9'-11" | WALL | BEND |
| D | 4 | 22 | 8'-1" | WALL | STRAIGHT |
| E | 4 | 8 | 1'-8" | WALL | STRAIGHT |



BENDING DIAGRAMS



NOTE: ALL BAR DIMENSIONS ARE OUT TO OUT


ESTIMATED QUANTITIES

| ITEM | UNIT | QUANTITY |
|--------------------|------|----------|
| CONCRETE, CLASS II | C.Y. | 15.35 |
| REINFORCING STEEL | L.B. | 1,406 |




NOTE: CUT AND FIELD BEND
BARS B AS SHOWN.

HALF ELEVATION
(Showing Bars in Front Face Of Wall)




Note: See Sheet 1 of 2 for General Notes.


| | | | |
|---|-------------------|----------------------------------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| STRAIGHT CONCRETE ENDWALLS SINGLE AND DOUBLE 66" CONCRETE PIPE | | | |
| Designed by J.S.P. | Date 11/79 | Approved By <i>20 R. HILL</i> | |
| Drawn by F.W.T. | Date 11/79 | Deputy Design Engineer, Roadways | |
| Checked by | | Revision No. | Sheet No. |
| F.H.W.A. | Approved: 10/7/80 | 87 | 2 of 2 |
| | | Index No. 252 | |



PLAN
(Showing Bars in Footing)



SECTION A A



HALF ELEVATION
(Showing Bars in Back Face Of Wall)

NOTE: Cut and Field Bend Bars B as shown.

HALF ELEVATION
(Showing Bars in Front Face Of Wall)

GENERAL NOTES


1. Design Specification: A.A.S.H.T.O., 1977
2. Reinforcing Steel: Grade 40 or 60
3. Concrete: Class II
4. Chamfer: All exposed edges and corners to be chamfered $\frac{3}{4}$ " unless otherwise shown.
5. Sodding shall be in accordance with Index No. 281 and paid for under the contract unit price for Sodding SY.
6. Endwall to be paid for under the contract unit price for Class II Concrete (Endwalls) CY and Reinforcing Steel (Roadway) L.B.

| BILL OF REINFORCING STEEL | | | | | |
|---------------------------|------|-----------|----------|----------------|----------|
| MARK | SIZE | No. Req'd | LENGTH | LOCATION | BENDING |
| A | 5 | 88 | 4' - 11" | FOOTING | STRAIGHT |
| B | 4 | 17 | 35' - 8" | FOOTING & WALL | " |
| C | 5 | 34 | 10' - 3" | WALL | BEND |
| D | 4 | 20 | 8' - 7" | WALL | STRAIGHT |
| E | 4 | 4 | 2' - 6" | WALL | " |
| F | 4 | 4 | 1' - 6" | WALL | " |
| | | | | | |
| | | | | | |


| BENDING DIAGRAMS | |
|---|--|
| | |
| <p>8'-7"</p> <p>BAR C</p> <p>1'-10"</p> | |

NOTE: All bar dimensions are cut to fit.


| ESTIMATED QUANTITIES | | |
|----------------------|---------|----------|
| ITEMS | UNIT | QUANTITY |
| CONCRETE CLASS II | CY. YD. | 18.75 |
| REINFORCING STEEL | LB. | 1299 |




| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|---|--------|-------|-------------|------------|--|
| STRAIGHT CONCRETE ENDWALLS SINGLE AND DOUBLE 72" CONCRETE PIPE | | | | | |
| Designed by | EVC | 10/55 | Approved By | | |
| Drawn by | | | Checked by | J. P. Hall | |
| Checked by | W.H.W. | 10/55 | Reviewed by | J. P. Hall | |
| F.H.W.A. Approved: 3/20/75 | | 87 | 1 of 2 | 253 | |




PLAN
(Showing Bars In Footing)



SECTION A A



NOTE: Cut and Field Bend Bars B as shown



TYPICAL SECTION
THRU ENDWALL


HALF ELEVATION
(Showing Bars In Back Face Of Wall)

HALF ELEVATION
(Showing Bars In Front Face Of Wall)

Note: See Sheet 1 of 2 for General Notes.

| BILL OF REINFORCING STEEL | | | | | |
|---------------------------|------|-----------|--------|----------------|----------|
| Mark | Size | No. Req'd | Length | Location | Bending |
| A | 5 | 85 | 4'-11" | Footing | Straight |
| B | 4 | 17 | 45'-8" | Footing & Wall | " |
| C | 5 | 38 | 10'-5" | Wall | Bend |
| D | 4 | 23 | 8'-7" | Wall | Straight |
| E | 4 | 8 | 2'-6" | Wall | " |
| F | 4 | 8 | 1'-6" | Wall | " |


BENDING DIAGRAM




NOTE: All Bar dimensions are out-to-out.

| ESTIMATED QUANTITIES | | |
|----------------------|---------|----------|
| Item | Unit | Quantity |
| Class II Concrete | Cu. Yd. | 16.74 |
| Reinforcing Steel | LB. | 1519 |

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|---|------------|------------|-----------|-----------|-----|
| STRAIGHT CONCRETE ENDWALLS SINGLE AND DOUBLE 72" CONCRETE PIPE | | | | | |
| Designed by | Checked by | Revised by | Sheet No. | Index No. | |
| EVC | WWW | | 87 | 2 of 2 | 253 |
| F.H.W.A. Approved: 7/7/75 | | | | | |



PLAN
Showing Bars in Footing




HALF ELEVATION
Showing Bars in Back Face of Wall


HALF ELEVATION
Showing Bars in Front Face of Wall

GENERAL NOTES

1. Design Specifications: A.A.S.H.T.O., 1977
2. Reinforcing Steel: Grade 40 or 60
3. Concrete: Class II
4. Chamfer: All exposed edges and corners to be chamfered $\frac{3}{8}$ " unless otherwise shown.
5. Sodding shall be in accordance with Index No. 281 and paid for under the contract unit price for Sodding SY.
6. Endwall to be paid for under the contract unit price for Class II Concrete (Endwalls) CY and Reinforcing Steel (Roadway) LB.




SECTION A A



TYPICAL SECTION THRU
ENDWALL

| BILL OF REINFORCING STEEL | | | | |
|---------------------------|------|------------|--------|--|
| MARK | SIZE | NO. REQ'D. | LENGTH | |
| E | 6 | 69 | 6'-0" | |
| H | 4 | 20 | 38'-8" | |
| V1 | 6 | 26 | 12'-2" | |
| V2 | 6 | 26 | 7'-10" | |
| V3 | 4 | 22 | 10'-0" | |
| V4 | 4 | 4 | 2'-0" | |

BENDING DIAGRAM



NOTE: All Bar Dimensions are cut-to-out.

ESTIMATED QUANTITIES



| ITEM | UNIT | QUANTITY |
|--------------------|---------|----------|
| Concrete, Class II | Cu. Yd. | 19.3 |
| Reinforcing Steel | Lb. | 2,086 |

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN


STRAIGHT CONCRETE ENDWALL SINGLE 84" CONCRETE PIPE

| Designed by | Drawn by | Checked by | Approved by | Revision No. | Sheet No. | Scale |
|-------------|----------|------------|--------------------|--------------|-----------|-------|
| WHW | WHW | HCS | <i>[Signature]</i> | 87 | 1 of 1 | 255 |

E.N.W.A. Approved: 3/20/78




Note: For concrete and corrugated metal pipes. Concrete pipe shown.



| SIZE OF PIPE | TABLE OF DIMENSIONS | | | | | | QUANTITIES FOR ONE ENDWALL | | | | | | | | | | | |
|--------------|---------------------|-------|--------|-------|--------|--------|----------------------------|-----------|------|-------------------|-----------|------|---------------------|-----------|------|--------------------|-----------|------|
| | H | T | A | B | C | X | ONE PIPE CULVERTS | | | TWO PIPE CULVERTS | | | THREE PIPE CULVERTS | | | FOUR PIPE CULVERTS | | |
| | | | | | | | L | RIPRAP CY | | L | RIPRAP CY | | L | RIPRAP CY | | L | RIPRAP CY | |
| | | | | | | | | CP | CMP | | CP | CMP | | CP | CMP | | CP | CMP |
| 18" | 3'-11" | 1'-0" | 3'-11" | 0'-0" | 0'-0" | 2'-10" | 8'-7 1/2" | 1.1 | 1.2 | 11'-5 1/2" | 1.5 | 1.6 | 14'-3 1/2" | 1.8 | 1.9 | 17'-1 1/2" | 2.1 | 2.2 |
| 24" | 4'-6" | 2'-0" | 2'-0" | 2'-6" | 0'-0" | 3'-5" | 10'-3" | 2.4 | 2.5 | 13'-8" | 3.1 | 3.2 | 17'-1" | 3.7 | 3.9 | 20'-6" | 4.3 | 4.6 |
| 30" | 5'-1" | 2'-0" | 2'-0" | 3'-1" | 0'-0" | 4'-3" | 11'-10 1/2" | 3.2 | 3.3 | 16'-1 1/2" | 4.1 | 4.3 | 20'-4 1/2" | 4.9 | 5.3 | 24'-7 1/2" | 5.8 | 6.3 |
| 36" | 5'-8" | 2'-0" | 2'-0" | 3'-8" | 0'-0" | 5'-1" | 13'-6" | 4.1 | 4.2 | 18'-7" | 5.2 | 5.5 | 23'-8" | 6.3 | 6.8 | 28'-9" | 7.4 | 8.1 |
| 42" | 6'-3" | 3'-0" | 2'-0" | 2'-0" | 2'-3" | 6'-0" | 15'-1 1/2" | 6.2 | 6.4 | 21'-1 1/2" | 8.1 | 8.6 | 27'-1 1/2" | 10.0 | 10.7 | 33'-1 1/2" | 11.9 | 12.8 |
| 48" | 6'-10" | 3'-0" | 2'-0" | 2'-0" | 2'-10" | 6'-9" | 16'-9" | 7.7 | 8.0 | 23'-6" | 10.0 | 10.6 | 30'-3" | 12.3 | 13.2 | 37'-0" | 14.6 | 15.8 |
| 54" | 7'-5" | 3'-0" | 2'-0" | 2'-0" | 3'-5" | 7'-8" | 18'-4 1/2" | 9.3 | 9.7 | 26'-0 1/2" | 12.1 | 12.9 | 33'-8 1/2" | 15.0 | 16.2 | 41'-4 1/2" | 17.8 | 19.4 |
| 60" | 8'-0" | 3'-0" | 2'-0" | 2'-0" | 4'-0" | 8'-6" | 20'-0" | 11.0 | 11.6 | 28'-6" | 14.4 | 15.5 | 37'-0" | 17.8 | 19.3 | 45'-6" | 21.1 | 23.2 |
| 66" | 8'-7" | 3'-0" | 2'-0" | 2'-0" | 4'-7" | 9'-3" | 21'-7 1/2" | 12.9 | 13.6 | 30'-10 1/2" | 16.8 | 18.1 | 40'-1 1/2" | 20.7 | 22.6 | 49'-4 1/2" | 24.6 | 27.2 |
| 72" | 9'-2" | 3'-0" | 2'-0" | 2'-0" | 5'-2" | 10'-0" | 23'-3" | 15.0 | 15.8 | 33'-3" | 19.4 | 21.0 | 43'-3" | 23.9 | 26.2 | 53'-3" | 28.3 | 31.5 |
| 78" | 9'-9" | 3'-0" | 2'-0" | 2'-0" | 5'-9" | 10'-9" | 24'-10 1/2" | 17.2 | 18.1 | 35'-7 1/2" | 22.2 | 24.1 | 46'-4 1/2" | 27.2 | 30.1 | 57'-1 1/2" | 32.2 | 36.1 |
| 84" | 10'-4" | 3'-0" | 2'-0" | 2'-0" | 6'-4" | 11'-8" | 26'-6" | 19.5 | 20.7 | 38'-2" | 25.3 | 27.6 | 49'-10" | 31.1 | 34.5 | 61'-6" | 36.9 | 41.4 |


| | | | | | |
|--|-------|------|--------------|-----------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| STRAIGHT SAND-CEMENT ENDWALLS | | | | | |
| Designed by | Names | Date | Approved By | | |
| Drawn by | EH | 5/48 | | | |
| Checked by | HB | 5/48 | Revision No. | Sheet No. | Index No. |
| F.H.W.A. Approved: 12/6/76 | | | 86 | 1 of 1 | 258 |



TOP VIEW
GRATE TYPE NO. 1

| Pipe Size | Grate Bars Req'd | Grate Wt. |
|-----------|------------------|-----------|
| 15" | 2 | 28.93 |
| 18" | 3 | 33.69 |
| 24" | 4 | 43.63 |
| 30" | 5 | 53.55 |


Bars to be evenly spaced across dimension 'D'.
All bars 1/2" x 2".




TOP VIEW
GRATE TYPE NO. 2

| Pipe Size | Grate Bars Req'd | Grate Wt. |
|-----------|------------------|-----------|
| 18" | 3 | 33.69 |
| 24" | 4 | 43.63 |
| 30" | 5 | 53.55 |

Bars to be evenly spaced across dimension 'D'.
All bars 1/2" x 2".




SECTION AA




TOP VIEW

GRATE, SEAT, WELD & CHAIN DETAIL



SECTION BB




TOP VIEW


| TABLE OF DIMENSIONS AND QUANTITIES | | | | | | | | | | | |
|------------------------------------|----------------|--------|--------|-------------------------|------------------------|------------------------|------------|---------------------------|--------------|------------------|--------|
| Slope | Pipe Size D | A | B | Conc. Class I (C.Y.) | Reinf. Steel (Lbs.) | Number Of Grates Req'd | | Total Grate Wt. (Lbs.) | Sodding (SY) | Slope Transition | |
| | | | | | | Type No. 1 | Type No. 2 | | | Offset | Length |
| 4:1 | 15" | 5.67' | 2.38' | 0.85 | 56 | 2 | 0 | 57.86 | 15 | 4.2' | 42' |
| | 18" | 6.67' | 1.875' | 1.01 | 73 | 0 | 3 | 101.08 | 16 | 4.8' | 48' |
| | 24" | 8.67' | 1.875' | 1.65 | 97 | 0 | 4 | 174.52 | 19 | 5.8' | 58' |
| | 30" | 10.67' | 1.875' | 2.33 | 125 | 0 | 5 | 267.75 | 21 | 6.9' | 69' |

GENERAL NOTES

- This endwall is to be used only in the clear recovery area for the drainage of medians and other areas having low design velocities and negligible debris.
- Reinforcing Steel: All bars are size #4. Spacings shown are center to center. Laps to be 12" minimum. Clearance is 2" except as noted.
Squares welded wire fabric (two cages max.) having an equivalent cross sectional area (0.20 sq. in.) may be substituted for bar reinforcement.
- Gates to be ASTM A 588 or A 242, Grade 50, weathering steel, except gates exposed to saltwater shall be ASTM A 242, A 441, A 572 or A 588, Grade 50 steel, and galvanized in accordance with Section 962-7 of the Standard Specifications, and shall be designated in the plans as Alternate G.
- Endwall to be paid for per each. Payment shall include cost of concrete, reinforcing steel, grate, and accessories. Quantities shown are for estimating purposes only.
- Sod slopes 5' each side and above endwall. Sodding to be paid for under contract unit price for Sodding.
- Precoating of this endwall will be permitted. Precast units shall conform to the dimensions shown or in accordance with approved shop drawings. Request for shop drawing approval shall be directed to the D.O.T. Engineer of Drainage.
- Concrete meeting the requirements of A.S.T.M. C 478 (4,000 P.S.I.) may be used in lieu of Class I concrete for precast units manufactured in plants which are under the Standard Operating Procedures for the inspection of precast drainage products.




END VIEW




FRONT SLOPE TRANSITION AT ENDWALL


| | | | |
|--|-----|-----------|---|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| U-TYPE CONCRETE ENDWALLS WITH GRATES | | | |
| 15" TO 30" PIPE | | | |
| Designed by | EGR | 6/77 | Approved By <i>[Signature]</i> Deputy Design Engineer, Roadways |
| Drawn by | HKH | 6/77 | |
| Checked by | JVG | 6/77 | |
| Revision No. | | Sheet No. | Index No. |
| F.H.W.A. Approved: 7/15/77 | | 87 | 1 of 1 |
| | | | 260 |



END VIEW




SECTION AA




PLAN


DIMENSIONAL DETAILS




ALL PIPE SIZES
SIDE VIEW AND BACKWALL SECTION
REINFORCING DETAIL



END VIEW




SECTION AA



PLAN

DIMENSIONAL DETAILS



ALL PIPE SIZES
SIDE VIEW AND BACKWALL SECTION
REINFORCING DETAIL

GENERAL NOTES

- Baffles to be constructed only when called for in plans.
- When steel grating is required on endwall see Sheet 3 of 3 for details.
- All reinforcing No. 4 bars with 2" clearance except as noted.
- All angles, channels and bars to be ASTM A 588 or A 242, Grade 50, weathering steel, except grates exposed to salt water shall be ASTM A 242, A 441, A 572 or A 588, Grade 50 steel, and galvanized in accordance with Section 962-7 of the Standard Specifications, and shall be designated in the plans as Alternate G.
- Channel section C 3 x 6 may be substituted for the C 4 x 5.4 channel.
- Concrete meeting the requirements of ASTM C-478 (4000 psi) may be used in lieu of Class I concrete in precast units manufactured in plants which are under the Standard Operating Procedures for the inspection of precast drainage products.
- Sodding shall be in accordance with Index No. 281, and paid for under the contract unit price for Sodding SY.
- Endwall to be paid for under the contract unit price for Class I Concrete (Endwalls) CY and Reinforcing Steel (Roadway) LB. Cost of grates to be paid for under the contract unit price for Endwall Grate LB, plan quantity. Cost of galvanized bolts and nuts to be included in the bid price for the grate.

DIMENSIONS AND QUANTITIES FOR ONE U-ENDWALL

| Pipe Size | | | | | | | | | X Baffle | | Y Baffle Reinf. Steel | | Concrete | Reinf. |
|-----------|--------------|-------|-----------|--------|-------|-------|-------|----|----------|----|-----------------------|-------|-----------------|------------|
| D | Area Sq. Ft. | L | H | W | S | B | C | P | Q | R | Bar M | Bar N | Class I Cu. Yd. | Steel Lbs. |
| 15" | 1.23 | 5'-9" | 2'-3 1/2" | 3'-7" | 2'-3" | 1'-3" | 2'-3" | 4" | 4" | 4" | 2 #4 | 1 #4 | 1.61 | 72 |
| 18" | 1.77 | 6'-6" | 2'-5" | 3'-10" | 2'-6" | 1'-6" | 2'-6" | 4" | 4" | 5" | 3 #4 | 2 #4 | 1.89 | 86 |
| 24" | 3.14 | 8'-0" | 2'-8" | 4'-4" | 3'-0" | 2'-0" | 3'-0" | 5" | 5" | 6" | 4 #4 | 3 #4 | 2.52 | 108 |
| 30" | 4.91 | 9'-6" | 2'-11" | 4'-10" | 3'-6" | 2'-6" | 3'-6" | 5" | 5" | 7" | 4 #4 | 4 #4 | 3.34 | 131 |

WITH BAFFLES








DIMENSIONS AND QUANTITIES FOR ONE U-ENDWALL

| Pipe Size | | | | | Concrete | Reinf. |
|-----------|--------------|-------|------------|--------|-----------------|------------|
| D | Area Sq. Ft. | L | H | W | Class I Cu. Yd. | Steel Lbs. |
| 15" | 1.23 | 3'-3" | 1'-7 1/2" | 3'-7" | 0.89 | 39 |
| 18" | 1.77 | 3'-9" | 1'-10 1/2" | 3'-10" | 1.05 | 43 |
| 24" | 3.14 | 4'-9" | 2'-4 1/2" | 4'-4" | 1.40 | 55 |
| 30" | 4.91 | 5'-9" | 2'-10 1/2" | 4'-10" | 1.88 | 64 |

WITHOUT BAFFLES

ENDWALLS FOR 2:1 SLOPES

| | | | |
|--|-------|-----------------|---|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| U-TYPE CONCRETE ENDWALLS BAFFLES AND GRATE OPTIONAL 15" TO 30" PIPE | | | |
| Designed by | Names | Dates | Approved By |
| Drawn by | dds | 9/85 | <i>De full</i> State Design Engineer, Roadways |
| Checked by | | | |
| F.H.W.A. Approved 3/20/75 | | Revision No. 87 | Sheet No. 1 of 3 |
| | | | Index No. 261 |



DIMENSIONAL DETAILS

DIMENSIONS AND QUANTITIES FOR ONE U - ENDWALL

| Rate Of Slope | Pipe Size | | L | H | W | Baffle Locations (When Required) | | | Concrete Class I Cu. Yd. | Reinf Steel Lbs |
|---------------------|-----------|-----------------|--------|--------|--------|-------------------------------------|--------|--------|--------------------------------|-----------------------|
| | D | Area Sq. Ft. | | | | S | B | C | | |
| | | | | | | | | | | |
| 3:1 | 15" | 1.23 | 5'-3" | 1'-9" | 3'-7" | 1'-9" | 1'-9" | 1'-9" | 1.19 | 51 |
| | 18" | 1.77 | 6'-0" | 2'-0" | 3'-10" | 2'-0" | 2'-0" | 2'-0" | 1.42 | 56 |
| | 24" | 3.14 | 7'-6" | 2'-6" | 4'-4" | 2'-6" | 2'-6" | 2'-6" | 1.94 | 77 |
| | 30" | 4.91 | 9'-0" | 3'-0" | 4'-10" | 3'-0" | 3'-0" | 3'-0" | 2.54 | 96 |
| 4:1 | 15" | 1.23 | 7'-4" | 1'-10" | 3'-7" | 2'-6" | 2'-6" | 2'-4" | 1.54 | 64 |
| | 18" | 1.77 | 8'-4" | 2'-11" | 3'-7" | 2'-10" | 2'-10" | 2'-8" | 1.84 | 71 |
| | 24" | 3.14 | 10'-4" | 2'-7" | 4'-4" | 3'-6" | 3'-6" | 3'-4" | 2.53 | 92 |
| | 30" | 4.91 | 12'-4" | 3'-11" | 4'-10" | 4'-2" | 4'-2" | 4'-0" | 3.34 | 124 |
| 6:1 | 15" | 1.23 | 11'-6" | 1'-11" | 3'-7" | 3'-10" | 3'-10" | 3'-10" | 2.19 | 89 |
| | 18" | 1.77 | 13'-0" | 2'-2" | 3'-10" | 4'-4" | 4'-4" | 4'-4" | 2.63 | 103 |
| | 24" | 3.14 | 16'-0" | 2'-8" | 4'-4" | 5'-4" | 5'-4" | 5'-4" | 3.59 | 143 |
| | 30" | 4.91 | 19'-0" | 3'-2" | 4'-10" | 6'-4" | 6'-4" | 6'-4" | 4.81 | 180 |





DIMENSIONS AND QUANTITIES FOR BAFFLES

| Pipe Size D | X Baffle | | | Y Baffle | Reinf Steel | Concrete Class I Cu. Yd | Reinf. Steel Lbs. |
|-------------------|------------|-------------|-------------|----------|-------------|-------------------------------|-------------------------|
| | P Width | Q Height | R Length | | | | |
| 15" | 4" | 4" | 4" | 2-#4 | 1-#4 | 0.10 | 4 |
| 18" | 4" | 4" | 5" | 3-#4 | 2-#4 | | 8 |
| 24" | 5" | 5" | 6" | 4-#4 | 3-#4 | | 12 |
| 30" | 5" | 5" | 7" | 4-#4 | 4-#4 | | 16 |

SIDE VIEWS AND BACKWALL SECTIONS REINFORCING DETAILS

ENDWALLS WITH AND WITHOUT BAFFLES FOR 3:1, 4:1 AND 6:1 SLOPES

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION | | | | | | | | | | | |
|--|----------|-----------------|------------------|-------------|--|----------|----------|------------|--|--|--|
| ROAD DESIGN | | | | | | | | | | | |
| <p align="center">U-TYPE CONCRETE ENDWALLS BAFFLES AND GRATE OPTIONAL 15" TO 30" PIPE</p> | | | | | | | | | | | |
| <table border="1"> <tr> <th>Names</th> <th>Dates</th> </tr> <tr> <td>Designed by</td> <td></td> </tr> <tr> <td>Drawn by</td> <td>dds 9/85</td> </tr> <tr> <td>Checked by</td> <td></td> </tr> </table> | | Names | Dates | Designed by | | Drawn by | dds 9/85 | Checked by | | <p>Approved By <i>Do. [Signature]</i></p> <p align="center">_____ State Design Engineer, Roadways</p> | |
| Names | Dates | | | | | | | | | | |
| Designed by | | | | | | | | | | | |
| Drawn by | dds 9/85 | | | | | | | | | | |
| Checked by | | | | | | | | | | | |
| F.H.W.A. Approved _____ | | Revision No. 86 | Sheet No. 2 of 3 | | | | | | | | |
| | | | Index No. 261 | | | | | | | | |



STEEL GRATE

MOUNTING FOR STEEL GRATE

STEEL GRATING USE CRITERIA

1. GRATED HEADWALL AND/OR ENDWALL TO BE USED ON PIPE CULVERTS WHEN IN THE DESIGNATED CLEAR RECOVERY AREA AND WHEN ANY OF THE FOLLOWING CONDITIONS EXIST:

A. DRAINAGE AREA TO CULVERT CONSISTS OF MEDIAN OR INFELD AREAS OR AREAS WHERE DEBRIS AND/OR DRIFT IS NEGLIGIBLE.

B. RUNOFF TO CULVERT IS BY SHEET FLOW OR IN SUCH ILL DEFINED CHANNELS THAT DEBRIS TRANSPORT IS NOT CONSIDERED A MAJOR PROBLEM.


C. RUNOFF TO CULVERT IS MINOR EXCEPT ON AN INFREQUENT BASIS (10 TO 15 YEAR FREQUENCY); FOR EXAMPLE A DRAINAGE BASIN IN FLAT SANDY TERRAIN WITH NORMALLY LOW GROUND WATER TABLE.

D. AREAS WHERE CULVERT BLOCKAGE WITH RESULTANT BACKWATER WOULD NOT SERIOUSLY AFFECT ROADWAY EMBANKMENT, TRAFFIC OPERATION OR UPLAND PROPERTY.


2. STEEL GRATING TO BE USED ONLY WHERE CALLED FOR IN PLANS AND ONLY ON HEADWALLS AND/OR ENDWALLS HAVING EITHER 4:1 OR 6:1 RATES OF SLOPE.

| RATE OF SLOPE | SIZE OF PIPE "D" | G | 2 EACH BARS @ 3.4 LBS./L.F. | | | (X) CHANNELS @ 5.4 LBS./L.F. | | | 2 ANGLES @ 3.62 LBS./L.F. | | | TOTAL WEIGHT LBS. |
|---------------|------------------|------------|-----------------------------|-------|------|------------------------------|-----------|------|---------------------------|------|-----|-------------------|
| | | | L | W-4" | LBS. | (X) | F | LBS. | P | LBS. | | |
| 6:1 | 15" | 2'-8 1/2" | 9'-3" | 3'-3" | 83 | 8 | 2'-6 1/2" | 111 | 7'-4" | 53 | 249 | |
| | 18" | 2'-11 1/2" | 10'-3" | 3'-6" | 94 | 9 | 2'-9 1/2" | 137 | 8'-4" | 62 | 292 | |
| | 24" | 3'-5 1/2" | 13'-3" | 4'-0" | 117 | 12 | 3'-3 1/2" | 215 | 11'-4" | 82 | 414 | |
| | 30" | 3'-11 1/2" | 16'-3" | 4'-6" | 141 | 15 | 3'-9 1/2" | 310 | 14'-4" | 104 | 555 | |
| 4:1 | 15" | 2'-8 1/2" | 6'-3" | 3'-3" | 65 | 5 | 2'-6 1/2" | 70 | 4'-4" | 32 | 167 | |
| | 18" | 2'-11 1/2" | 7'-3" | 3'-6" | 73 | 6 | 2'-9 1/2" | 92 | 5'-4" | 39 | 204 | |
| | 24" | 3'-5 1/2" | 9'-3" | 4'-0" | 90 | 8 | 3'-3 1/2" | 144 | 7'-4" | 53 | 267 | |
| | 30" | 3'-11 1/2" | 11'-3" | 4'-6" | 107 | 10 | 3'-9 1/2" | 206 | 9'-4" | 68 | 331 | |
| 3:1 | 15" | 2'-8 1/2" | 4'-3" | 3'-3" | 51 | 3 | 2'-6 1/2" | 42 | 2'-4" | 17 | 110 | |
| | 18" | 2'-11 1/2" | 5'-3" | 3'-6" | 60 | 4 | 2'-9 1/2" | 61 | 3'-4" | 24 | 145 | |
| | 24" | 3'-5 1/2" | 6'-3" | 4'-0" | 70 | 5 | 3'-3 1/2" | 90 | 4'-4" | 34 | 191 | |
| | 30" | 3'-11 1/2" | 8'-3" | 4'-6" | 87 | 7 | 3'-9 1/2" | 145 | 6'-4" | 46 | 278 | |


| | | | |
|---|---------|------|----------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| U-TYPE CONCRETE ENDWALLS BAFFLES AND GRATE OPTIONAL 15" TO 30" PIPE | | | |
| Designed by | CDP | 7/71 | Approved By |
| Drawn by | CDP | 7/71 | Deputy Design Engineer, Roadways |
| Checked by | | | |
| F.H.W.A. Approved | 3/20/75 | 86 | 3 of 3 |
| | | | 261 |




PLAN




SECTION CC




PLAN



SECTION EE




PERSPECTIVE




SECTION BB

Note: Bars C₄ & C₅ (N.S. & F.S.) equivalent in size to C₃, (cut and bend as required)



SECTION DD




VIEW AA

| Pipe Size | | Q(Max.) (csf) | Dimensions | | | | | | | | | | | | | | | Concrete Class I C.Y. | Reinf. Steel Lbs. | Sand Cement Riprap C.Y.(Nom.) | |
|-------------|--------------|------------------|------------|------|------|-----|-------|------|-----|------|-----|------|--------|----|------|----|----|-----------------------------|-------------------------|--|------|
| Dia. In. | Area S.F. | | Ft. - In. | | | | | | | | | | Inches | | | | | | | | |
| | | | W | H | L | a | b | c | d | e | f | g | m | n | p | s | t | | | | k |
| 30 | 4.91 | 59 | 9-0 | 6-3 | 10-8 | 4-7 | 6-1 | 3-4 | 1-4 | 1-2 | 2-6 | 3-0 | 1-11 | 6 | 6-1 | 7 | 7 | 3 | 6.72 | 736 | 10.6 |
| 36 | 7.07 | 85 | 10-5 | 7-3 | 12-4 | 5-3 | 7-1 | 3-10 | 1-7 | 1-3 | 3-0 | 3-6 | 2-3 | 7 | 7-1 | 8 | 8 | 3 | 10.34 | 1,072 | 13.6 |
| 42 | 9.62 | 115 | 11-10 | 8-0 | 14-0 | 6-0 | 8-0 | 4-5 | 1-9 | 1-6 | 3-0 | 3-11 | 2-6 | 8 | 8-1 | 9 | 9 | 4 | 14.82 | 1,429 | 17.5 |
| 48 | 12.57 | 151 | 13-3 | 9-0 | 15-8 | 6-9 | 8-11 | 4-11 | 2-0 | 1-7 | 3-0 | 4-5 | 2-10 | 9 | 9-1 | 10 | 10 | 4 | 20.36 | 2,000 | 22.1 |
| 54 | 15.90 | 191 | 14-8 | 9-9 | 17-4 | 7-4 | 10-0 | 5-5 | 2-2 | 1-10 | 3-0 | 4-11 | 3-0 | 10 | 10-1 | 10 | 10 | 4 | 27.19 | 2,659 | 27.2 |
| 60 | 13.63 | 236 | 16-1 | 10-9 | 19-0 | 8-0 | 11-0 | 5-11 | 2-5 | 1-11 | 3-0 | 5-4 | 3-4 | 11 | 11-1 | 11 | 11 | 6 | 34.49 | 3,552 | 32.5 |
| 66 | 23.76 | 285 | 17-3 | 11-6 | 20-6 | 8-8 | 11-10 | 6-5 | 2-7 | 2-1 | 3-0 | 5-9 | 3-7 | 12 | 12-1 | 12 | 12 | 6 | 42.82 | 4,472 | 38.3 |
| 72 | 28.27 | 339 | 18-6 | 12-3 | 22-0 | 9-3 | 12-9 | 6-11 | 2-9 | 2-3 | 3-0 | 6-2 | 3-9 | 12 | 12-1 | 12 | 12 | 6 | 50.68 | 5,426 | 44.5 |

GENERAL NOTES

1. Chamfer all exposed edges $\frac{3}{8}$ "
2. Concrete meeting the requirements of ASTM C-478 (4000 psi) may be used in lieu of Class I concrete in precast items manufactured in plants which are under the Standard Operating Procedures for the inspection of precast drainage products.
3. Endwall to be paid for under the contract unit price for Class I Concrete (Endwalls) CY and Reinforcing Steel (Roadway) L.B. Riprap to be paid for under the contract unit price for Riprap (Sand - Cement) (Roadway) CY. Cost of plastic filter fabric to be included in the contract unit price for riprap.
4. Fencing, when called for in the plans, to be paid for under the contract unit price for Fencing, Type B L.F. Corner posts and pull and end posts to be paid for under the contract unit price for Corner Post Assembly (Type B Fence) E.A. and Pull & End Post Assembly (Type B Fence) E.A. respectively. See Index No. 452 for details of Type B fencing.

| BARS | | | | | | | | | | | | |
|-----------|-----------|-------------------|-----------|--------------------|-----------|---------|-----------|-------------------|-----------|-------------------|-----------|-------------------|
| Pipe Size | Size | Spacing | Size | Spacing | Size | Spacing | Size | Spacing | Size | Spacing | Size | Spacing |
| (No.) | (Ft.-In.) | (No.) | (Ft.-In.) | (No.) | (Ft.-In.) | (No.) | (Ft.-In.) | (No.) | (Ft.-In.) | (No.) | (Ft.-In.) | (No.) |
| 30" | 4 | 0-9 $\frac{1}{2}$ | 4 | 1-6 | 5 | 0-11 | 4 | 0-9 $\frac{1}{2}$ | 5 | 0-5 $\frac{1}{2}$ | 4 | 0-9 $\frac{1}{2}$ |
| 36" | 5 | 1-0 | 4 | 1-6 | 5 | 0-10 | 5 | 1-0 | 5 | 0-5 | 5 | 1-0 |
| 42" | 5 | 0-11 | 4 | 1-6 | 6 | 1-1 | 5 | 0-11 | 6 | 0-6 $\frac{1}{2}$ | 5 | 0-11 |
| 48" | 5 | 0-9 $\frac{1}{2}$ | 4 | 1-0 | 6 | 1-0 | 5 | 0-9 $\frac{1}{2}$ | 6 | 0-6 | 5 | 0-9 $\frac{1}{2}$ |
| 54" | 5 | 0-8 $\frac{1}{2}$ | 4 | 0-10 | 7 | 1-1 | 5 | 0-8 $\frac{1}{2}$ | 7 | 0-6 $\frac{1}{2}$ | 5 | 0-8 $\frac{1}{2}$ |
| 60" | 6 | 0-10 | 5 | 1-1 | 7 | 1-0 | 6 | 0-10 | 7 | 0-6 | 6 | 0-10 |
| 66" | 6 | 0-8 $\frac{1}{2}$ | 5 | 0-11 $\frac{1}{2}$ | 7 | 0-11 | 6 | 0-8 $\frac{1}{2}$ | 7 | 0-5 $\frac{1}{2}$ | 6 | 0-8 $\frac{1}{2}$ |
| 72" | 6 | 0-7 $\frac{1}{2}$ | 5 | 0-10 | 7 | 0-10 | 6 | 0-7 $\frac{1}{2}$ | 7 | 0-5 | 6 | 0-7 $\frac{1}{2}$ |



Note: All bar dimensions are out to out.
BENDING DIAGRAM

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
|---|----------------|---------------------------------|-----------|
| U-TYPE CONCRETE ENDWALL ENERGY DISSIPATOR 30" To 72" PIPE | | | |
| Designed by HAR | Dates 10/69 | Approved By | |
| Drawn by RWR | 2/84 | State Design Engineer, Roadways | |
| Checked by JVG | 2/84 | Revision No. | Sheet No. |
| F.H.W.A. Approved: 3/20/75 | | 85 | 1 of 1 |
| | | 264 | |





TABLE OF DIMENSIONS AND ESTIMATED QUANTITIES
PIPE CULVERT ENDWALLS WITH U-TYPE WINGS

| DIMENSIONS | | | | | | | QUANTITIES IN ONE ENDWALL | | | | | | |
|------------|------------|--------|-------|---------|-------|--------|---------------------------------|------------------|----------------|-----------------|------|------|----------------|
| Opening | Wall | | | Footing | | | Total Cu.Yds. Concrete, Class I | | | | | | Steel Tie Bars |
| D | Area Sq.Ft | G | H | K | F | J | Conc.Pipe Inlet | Conc.Pipe Outlet | C.I.Pipe Inlet | C.I.Pipe Outlet | | | |
| 12" | 0.8 | 3'-8" | 2'-0" | 1'-0" | 1'-3" | 2'-2" | 0.48 | 0.55 | 0.49 | 0.57 | 0.49 | 0.57 | none |
| 15" | 1.2 | 3'-11" | 2'-3" | 1'-5" | 1'-5" | 2'-7" | 0.59 | 0.67 | 0.62 | 0.70 | 0.61 | 0.70 | none |
| 18" | 1.8 | 4'-2" | 2'-6" | 1'-9" | 1'-3" | 2'-11" | 0.70 | 0.79 | 0.74 | 0.82 | 0.74 | 0.82 | none |
| 24" | 3.1 | 4'-8" | 3'-0" | 2'-6" | 1'-6" | 3'-8" | 1.01 | 1.11 | 1.06 | 1.16 | 1.06 | 1.16 | 2-3/4"x2" |
| 30" | 4.9 | 5'-2" | 3'-6" | 3'-3" | 1'-6" | 4'-5" | 1.33 | 1.44 | 1.41 | 1.51 | 1.40 | 1.51 | 2-3/4"x2" |
| 36" | 7.1 | 5'-8" | 4'-0" | 4'-0" | 1'-9" | 5'-2" | 1.73 | 1.85 | 1.84 | 1.96 | 1.82 | 1.94 | 2-3/4"x2" |
| 42" | 9.6 | 6'-2" | 4'-6" | 4'-9" | 2'-0" | 5'-11" | 2.19 | 2.32 | 2.32 | 2.45 | | | 2-3/4"x2" |
| 48" | 12.6 | 6'-8" | 5'-0" | 5'-6" | 2'-0" | 6'-8" | 2.64 | 2.78 | 2.81 | 2.95 | | | 2-3/4"x3" |


TABLE OF DIMENSIONS AND ESTIMATED QUANTITIES
PIPE CULVERT ENDWALLS WITH 45° WINGS

| DIMENSIONS | | | | | | | | | | QUANTITIES IN ONE ENDWALL | | | | |
|------------|--------------|-------|--------|-------|--------|---------|-------------------|----------|----------|---------------------------|--|--|--|--|
| Opening | Wall | | | | | Footing | Concrete, Class I | | | Steel Tie Bars | | | | |
| D | Area Sq. Ft. | H | G | L | M | F | Total Cu Yds. | | | | | | | |
| | | | | | | | Conc Pipe | C.M Pipe | C.I Pipe | | | | | |
| 18" | 1.8 | 2'-6" | 3'-10" | 1'-2" | 1'-7" | 1'-3" | 0.74 | 0.77 | 0.77 | none | | | | |
| 24" | 3.1 | 3'-0" | 4'-4" | 1'-5" | 2'-1" | 1'-4" | 1.01 | 1.06 | 1.06 | 2-3/4" x 2'-0" | | | | |
| 30" | 4.9 | 3'-6" | 4'-10" | 1'-9" | 2'-5" | 1'-6" | 1.32 | 1.40 | 1.39 | 2 3/4" x 2'-0" | | | | |
| 36" | 7.1 | 4'-0" | 5'-4" | 2'-0" | 2'-11" | 1'-8" | 1.72 | 1.83 | 1.82 | 2-3/4" x 3'-0" | | | | |
| 42" | 9.6 | 4'-6" | 5'-10" | 2'-3" | 3'-6" | 2'-0" | 2.34 | 2.47 | | 2-3/4" x 3'-0" | | | | |
| 48" | 12.6 | 5'-0" | 6'-4" | 2'-6" | 4'-0" | 2'-0" | 2.74 | 2.90 | | 2 3/4" x 3'-0" | | | | |
| 15" | 1.2 | 2'-3" | 3'-7" | 1'-0" | 1'-3" | 1'-3" | 0.56 | 0.59 | 0.59 | none | | | | |


GENERAL NOTES

- Chamfer all exposed edges $\frac{3}{8}$ ".
- Concrete meeting the requirements of ASTM C-478 (4000 psi) may be used in lieu of Class I concrete in precast units manufactured in plants which are under the Standard Operating Procedures for the inspection of precast drainage products.
- Endwall to be paid for under the contract unit price for Class I Concrete (Endwalls) CY. Cost of steel tie bars to be included in the contract unit price for Class I Concrete.
- Sodding to be in accordance with Index No. 281, and paid for under the contract unit price for Sodding SY.

| | | | | | |
|--|--------|-------|--------------|-----------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| WINGED CONCRETE ENDWALLS SINGLE ROUND PIPE | | | | | |
| Designed by | Notes | Date | Approved By | | |
| Drawn by | T.J.K. | 12/31 | | | |
| Checked by | GEF | 3/32 | Revision No. | Sheet No. | Index No. |
| F.H.W.A. Approved: 3/20/75 | | | 86 | 1 of 1 | 266 |




ISOMETRIC



SECTION C C


SECTION D D




SECTION E E

DETAIL FOR SINGLE PIPE CULVERT

NOTE: For Multiple Pipe Culvert spacing between pipe centers = X




ISOMETRIC



SECTION C C

SECTION D D



SECTION E E


DETAILS FOR SINGLE METAL PIPE ARCH CULVERTS

NOTE: For Multiple Metal Pipe Arch Culvert spacing between Arch centers = X


| DIMENSIONS and QUANTITIES for METAL PIPE ARCH CULVERTS | | | | | | | | | | | | | | | | | | | |
|--|------|------------|--------|---------|--------|--------|-------|--|--------|--------|--------|----------------|--------|--------|--------|----------------|--------|--------|--------|
| Span | Rise | Dimensions | | | | | | Quantity of Sand-Cement Riprap in Cu. Yds. for One Endwall | | | | | | | | | | | |
| | | X | Y | | | | Z | For 2:1 Slopes | | | | For 4:1 Slopes | | | | For 6:1 Slopes | | | |
| | | | 1-Arch | 2-Arch | 3-Arch | 4-Arch | | 1-Arch | 2-Arch | 3-Arch | 4-Arch | 1-Arch | 2-Arch | 3-Arch | 4-Arch | 1-Arch | 2-Arch | 3-Arch | 4-Arch |
| 17' | 13' | 2'-6" | 6'-6" | 9'-0" | 11'-6" | 14'-0" | 1'-7" | 1.0 | 1.5 | 2.0 | 2.5 | 1.5 | 2.2 | 2.9 | 3.6 | | | | |
| 21' | 15' | 2'-10" | 7'-6" | 10'-4" | 13'-2" | 16'-0" | 1'-9" | 1.2 | 1.8 | 2.4 | 3.0 | 1.9 | 2.7 | 3.5 | 4.3 | | | | |
| 28' | 20' | 3'-5" | 9'-3" | 12'-8" | 16'-1" | 19'-6" | 2'-0" | 1.7 | 2.5 | 3.3 | 4.1 | 2.6 | 3.7 | 4.8 | 5.9 | | | | |
| 35' | 24' | 4'-0" | 11'-0" | 15'-0" | 19'-0" | 23'-0" | 2'-0" | 2.2 | 3.1 | 4.0 | 4.9 | 3.4 | 4.7 | 6.0 | 7.3 | | | | |
| 42' | 28' | 4'-9" | 12'-9" | 17'-6" | 22'-3" | 27'-0" | 2'-0" | 2.2 | 3.1 | 4.0 | 4.9 | 3.4 | 4.7 | 6.0 | 7.3 | | | | |
| 49' | 33' | 5'-6" | 14'-6" | 20'-0" | 25'-6" | 31'-0" | 2'-0" | 3.5 | 4.9 | 6.3 | 7.7 | 5.5 | 7.4 | 9.3 | 11.2 | | | | |
| 57' | 38' | 6'-4" | 16'-6" | 22'-10" | 29'-2" | 35'-6" | 2'-0" | 4.4 | 6.1 | 7.8 | 9.5 | 6.9 | 9.2 | 11.5 | 13.8 | | | | |
| 64' | 43' | 7'-1" | 18'-3" | 25'-4" | 32'-5" | 39'-6" | 2'-0" | 5.1 | 7.0 | 8.9 | 10.8 | 8.1 | 10.7 | 13.3 | 15.9 | | | | |
| 71' | 47' | 7'-10" | 20'-0" | 27'-10" | 35'-8" | 43'-6" | 2'-0" | 5.9 | 8.1 | 10.3 | 12.5 | 9.5 | 12.4 | 15.3 | 18.2 | | | | |

| DIMENSIONS and QUANTITIES for ROUND PIPE CULVERTS | | | | | | | | | | | | | | | | | |
|---|------------|--------|---------|---------|---------|---|---------|---------|---------|----------------|---------|---------|---------|----------------|---------|---------|---------|
| Pipe Diam | Dimensions | | | | | Quantity of Sand-Cement Riprap in Cu.Yds. for One Endwall | | | | | | | | | | | |
| | X | Y | | | | For 2:1 Slopes | | | | For 4:1 Slopes | | | | For 6:1 Slopes | | | |
| | | 1-Pipe | 2-Pipes | 3-Pipes | 4-Pipes | 1-Pipe | 2-Pipes | 3-Pipes | 4-Pipes | 1-Pipe | 2-Pipes | 3-Pipes | 4-Pipes | 1-Pipe | 2-Pipes | 3-Pipes | 4-Pipes |
| 15" | 2'-7" | 7'-0" | 9'-7" | 12'-2" | 14'-9" | 1-2 | 1-6 | 2-1 | 2-6 | 1-7 | 2-4 | 3-0 | 3-6 | | | | |
| 18" | 2'-10" | 8'-0" | 10'-10" | 13'-8" | 16'-6" | 1-4 | 2-0 | 2-6 | 3-1 | 2-1 | 2-9 | 3-7 | 4-4 | | | | |
| 24" | 3'-5" | 10'-0" | 13'-5" | 16'-10" | 20'-3" | 1-9 | 2-7 | 3-5 | 4-3 | 2-9 | 4-0 | 5-1 | 6-3 | | | | |
| 30" | 4'-3" | 12'-0" | 16'-3" | 20'-6" | 24'-9" | 2-5 | 3-6 | 4-8 | 5-9 | 3-8 | 5-4 | 7-0 | 8-6 | | | | |
| 36" | 5'-1" | 14'-0" | 19'-1" | 24'-6" | 29'-3" | 3-1 | 4-6 | 6-2 | 7-7 | 4-8 | 7-0 | 9-2 | 11-4 | | | | |
| 42" | 6'-0" | 16'-0" | 22'-0" | 28'-0" | 34'-0" | 3-8 | 5-8 | 7-7 | 9-7 | 6-0 | 8-8 | 11-7 | 14-5 | | | | |
| 48" | 6'-9" | 18'-0" | 24'-9" | 31'-6" | 38'-3" | 4-5 | 7-0 | 9-4 | 11-8 | 7-2 | 10-8 | 14-3 | 17-9 | | | | |
| 54" | 7'-8" | 20'-0" | 27'-8" | 35'-4" | 43'-0" | 5-3 | 8-3 | 11-3 | 14-2 | 8-5 | 12-9 | 17-3 | 21-7 | | | | |
| 60" | 8'-6" | 22'-0" | 30'-6" | 39'-0" | 47'-6" | 6-2 | 9-7 | 13-3 | 16-9 | 10-0 | 15-3 | 20-6 | 25-9 | | | | |


| | | | |
|--|-----|---------------|-------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| U-TYPE SAND-CEMENT ENDWALLS | | | |
| Designed by | JEP | Date | 12/48 |
| Drawn by | HW | 3/54 | |
| Checked by | CDD | 3/54 | |
| Approved By | | [Signature] | |
| Revision No | | Sheet No | |
| F.H.W.A. Approved: 8/30/77 | | 81 1 of 1 268 | |



PLAN



SECTION AA




SECTION BB


FLARED END SECTION

Any Wire Mesh Arrangement Which Provides 0.126 Square Inches Of Steel Area Per Linear Foot Both Ways May Be Used; Provided The Wires Are Spaced A Minimum Of 2" And / Or A Maximum Of 6" On Centers.

24" for 30" to 72" Pipe
12" for 15" to 24" Pipe



SECTION CC



END VIEW

REINFORCED CONCRETE JACKET DETAIL

| DIA. | T | REINF. Sq. In. Lin. Ft. | BELL or SPIGOT | A | B | C | D | E | P | R1 | R2 | FLAT | WEIGHT (LBS.) | TOE WALL h | CLASS I CONC (Misc.) CY |
|------|--------|-------------------------|----------------|---------|-----------|------------|-----------|-------|---------|---------|---------|--------|---------------|------------|-------------------------|
| 12" | 2" | 0.07 | 1 1/2" | 4" | 2'-0" | 4'-0 3/4" | 6'-0 3/4" | 2'-0" | 19 3/4" | 10 1/2" | 9" | 3 1/2" | 530 | 12" | .06 |
| 15" | 2 1/4" | 0.07 | 2" | 6" | 2'-3" | 3'-10" | 6'-1" | 2'-6" | 24 3/4" | 12 1/2" | 11" | 3 1/2" | 740 | 12" | .07 |
| 18" | 2 1/2" | 0.07 | 2 1/2" | 9" | 2'-3" | 3'-10" | 6'-1" | 3'-0" | 29" | 15 1/2" | 12" | 4" | 990 | 15" | .11 |
| 21" | 2 3/4" | 0.07 | 2 3/4" | 9" | 2'-11" | 3'-2" | 6'-1" | 3'-6" | 31 3/4" | 16 1/2" | 13" | 4" | 1280 | 15" | .12 |
| 24" | 3" | 0.07 | 2 1/2" | 9 1/2" | 3'-7 1/2" | 2'-6" | 6'-1 1/2" | 4'-0" | 33 3/4" | 16 3/4" | 14" | 4 1/2" | 1520 | 18" | .17 |
| 27" | 3 1/4" | 0.148 | 2 1/2" | 10 1/2" | 4'-0" | 2'-1 1/2" | 6'-1 1/2" | 4'-6" | 36" | 18 3/4" | 14 1/2" | 4 1/2" | 1930 | 18" | .19 |
| 30" | 3 1/2" | 0.148 | 3" | 1'-0" | 4'-6" | 1'-7 3/4" | 6'-1 3/4" | 5'-0" | 37" | 18 1/2" | 15" | 5" | 2190 | 21" | .24 |
| 36" | 4" | 0.148 | 3 1/2" | 1'-3" | 5'-3" | 2'-10 3/4" | 8'-1 3/4" | 6'-0" | 47 1/4" | 24 1/2" | 20" | 5 1/2" | 4100 | 21" | .29 |
| 42" | 4 1/2" | 0.148 | 3 3/4" | 1'-9" | 5'-3" | 2'-11" | 8'-2" | 6'-6" | 53 3/4" | 27 1/2" | 22" | 5 1/2" | 5380 | 24" | .36 |
| 48" | 5" | 0.148 | 4 1/4" | 2'-0" | 6'-0" | 2'-2" | 8'-2" | 7'-0" | 58 1/2" | 28 1/2" | 22" | 5 3/4" | 6550 | 24" | .39 |
| 54" | 5 1/2" | 0.174 | 4 3/4" | 2'-3" | 5'-5" | 2'-11" | 8'-4" | 7'-6" | 65 1/2" | 33 1/2" | 24" | 6 1/2" | 8040 | 24" | .42 |
| 60" | 6" | 0.174 | 5" | 2'-6" | 5'-0" | 3'-3" | 8'-3" | 8'-0" | 72 1/2" | 36 1/2" | 24" | 6 3/4" | 8750 | 24" | .44 |
| 66" | 6 1/2" | 0.174 | 5 1/2" | 2'-0" | 6'-6" | 1'-9" | 8'-3" | 8'-6" | 72" | 36 1/2" | 24" | 7 1/4" | 10630 | 24" | .47 |
| 72" | 7" | 0.174 | 6" | 2'-0" | 6'-6" | 1'-9" | 8'-3" | 9'-0" | 77 1/4" | 38 1/4" | 24" | 7 3/4" | 12520 | 24" | .50 |

GENERAL NOTES

- Flared end sections shall conform to the requirements of ASTM C-76 with the exception that dimensions and reinforcement shall be as prescribed in the table above. Circumferential reinforcement may consist of either one cage or two cages of steel. Compressive strength of concrete shall be 4000 psi. Shop drawings for flared end sections having dimensions other than above must be submitted for approval to the Engineer of Drainage.
- Connections between the flared end section and the pipe culvert may be any of the following types unless otherwise shown on the plans.
 - Joints meeting the requirements of Section 941-1.5 of the Standard Specifications.

The manufacturer of the flared end section shall identify the manufacturer of the pipe culvert and certify that the flared end section is suited to joining the pipe culvert.
 - Joints sealed with preformed plastic gaskets.

The gaskets shall meet the requirements of Section 942-2 of the Standard Specifications and the minimum sizes for gaskets shall be as that specified for equivalent sizes of elliptical pipe.
 - Reinforced concrete jackets, as detailed on this drawing.

Cost of the reinforced concrete jacket to be included in the contract unit price for the flared end section.

When non-coated corrugated metal pipe is called for in the plans, the pipe shall be bituminous coated in the jacketed area as specified on Index No. 280. Bituminous coating to be included in the contract unit price for the pipe culvert.
- Toe walls shall be constructed when shown on the plans or at locations designated by the Engineer. Toe walls are to be cast in-place with Class I Concrete and paid for under the contract unit price for Class I Concrete (Miscellaneous). Reinforcing steel to be included in cost of toe wall.
- On skewed pipe culverts the flared end sections shall be placed in line with the pipe culvert. Side slopes shall be warped as required to fit the flared end sections.
- Flared End Section to be paid for under the contract unit price for Flared End Section (Concrete), Each. Sodding shall be in accordance with Index No. 281, and paid for under the contract unit price for Sodding, SY.

DESIGN NOTES

- Flared end sections are intended for use outside the clear zone on median drain and cross drain installation, except that flared end sections for pipe sizes 12" and 15" are permitted within the clear zone. When the slope intersection permits, these flared end sections may be located with the culvert opening as close as 8' beyond the outside edge of the shoulder.


Flared end sections are not intended for side drain installations.
- Reinforced concrete jackets shall be used at all locations where high velocities and/or highly erosive soils may cause disjuncting. These locations are to be shown on the plans.
- Toe walls shall be used whenever the anticipated velocity of discharge and soil type are such that erosive action would occur. Toe walls are not required where ditch pavement is provided, except when disjuncting would occur if the ditch pavement should fail.

| | | | |
|--|-----|---------------|--------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| FLARED END SECTION | | | |
| Designed by | EGR | Date | 9/77 |
| Drawn by | HKH | Date | 9/77 |
| Checked by | JVB | Date | 9/77 |
| F.H.W.A. Approved: 9/25/77 | | 87 | 1 of 1 |
| Approved By | | Index No. 270 | |


| DIMENSIONS AND QUANTITIES | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|--------|--------|-------|-------|-------|-------|------|-------|-------------|-------------|-------------|-----------|------|-----------------------|-------------|-------------|-----------|-------------------|-------------|-------------|-----------|
| | D | X | A | B | C | E | F | G | M | | | | N | 3" CONCRETE SLAB (CY) | | | | SODDING (SQ YDS.) | | | |
| | | | | | | | | | Single Pipe | Double Pipe | Triple Pipe | Quad Pipe | | Single Pipe | Double Pipe | Triple Pipe | Quad Pipe | Single Pipe | Double Pipe | Triple Pipe | Quad Pipe |
| 2:1 Slope | 15" | 2'-7" | 1.92 | 2.48 | 4.10 | 2.06 | 5' | 1.22 | 4.63 | 7.21 | 9.79 | 12.37 | 1.19 | 0.27 | 0.41 | 0.54 | 0.67 | 21 | 24 | 27 | 30 |
| | 18" | 2'-10" | 1.97 | 2.74 | 4.71 | 2.56 | 6' | 1.41 | 4.92 | 7.75 | 10.58 | 13.42 | 1.21 | 0.31 | 0.45 | 0.60 | 0.75 | 22 | 25 | 28 | 31 |
| | 24" | 3'-5" | 2.08 | 3.85 | 5.91 | 3.56 | 7' | 1.73 | 5.50 | 8.92 | 12.33 | 15.75 | 1.25 | 0.39 | 0.59 | 0.79 | 1.00 | 24 | 28 | 32 | 35 |
| | 30" | 4'-3" | 2.15 | 4.95 | 7.10 | 4.56 | 8' | 2.00 | 6.08 | 10.33 | 14.58 | 18.83 | 1.29 | 0.46 | 0.76 | 1.04 | 1.32 | 26 | 31 | 35 | 40 |
| | 36" | 5'-1" | 2.25 | 6.08 | 8.33 | 5.56 | 9' | 2.24 | 6.67 | 11.75 | 16.83 | 21.92 | 1.33 | 0.55 | 0.94 | 1.33 | 1.71 | 28 | 34 | 39 | 45 |
| | 42" | 6'-0" | 2.34 | 7.21 | 9.85 | 6.56 | 10' | 2.45 | 7.25 | 13.25 | 19.25 | 25.25 | 1.38 | 0.66 | 1.15 | 1.66 | 2.15 | 30 | 35 | 40 | 45 |
| | 48" | 6'-9" | 2.43 | 8.33 | 10.78 | 7.56 | 11' | 2.65 | 7.83 | 14.58 | 21.33 | 28.08 | 1.42 | 0.76 | 1.37 | 1.96 | 2.57 | 32 | 38 | 43 | 48 |
| | 54" | 7'-8" | 2.52 | 9.44 | 11.96 | 8.56 | 12' | 2.85 | 8.42 | 16.08 | 23.75 | 31.42 | 1.46 | 0.87 | 1.62 | 2.38 | 3.14 | 34 | 42 | 51 | 59 |
| | 60" | 8'-6" | 2.62 | 10.56 | 13.18 | 9.56 | 14' | 3.00 | 9.00 | 17.50 | 26.00 | 34.50 | 1.50 | 0.99 | 1.90 | 2.81 | 3.73 | 36 | 45 | 55 | 64 |
| | 66" | 9'-2" | 2.71 | 11.68 | 14.39 | 10.56 | 16' | 3.18 | 9.58 | 18.75 | 27.92 | 37.08 | 1.54 | 1.11 | 2.15 | 3.21 | 4.27 | 38 | 48 | 58 | 68 |
| 72" | 10'-0" | 2.80 | 12.80 | 15.60 | 11.56 | 18' | 3.30 | 10.16 | 20.16 | 30.16 | 40.16 | 1.58 | 1.24 | 2.46 | 3.68 | 4.90 | 40 | 51 | 62 | 73 | |
| 4:1 Slope | 15" | 2'-7" | 2.27 | 4.09 | 6.36 | 4.03 | 6' | 1.22 | 4.63 | 7.21 | 9.79 | 12.37 | 1.19 | 0.40 | 0.61 | 0.80 | 1.00 | 23 | 26 | 29 | 32 |
| | 18" | 2'-10" | 2.36 | 5.12 | 7.48 | 5.03 | 9' | 1.41 | 4.92 | 7.75 | 10.58 | 13.42 | 1.21 | 0.47 | 0.69 | 0.91 | 1.14 | 25 | 28 | 31 | 35 |
| | 24" | 3'-5" | 2.53 | 7.18 | 9.71 | 7.03 | 11' | 1.73 | 5.60 | 8.92 | 12.33 | 15.75 | 1.25 | 0.60 | 0.90 | 1.21 | 1.52 | 27 | 30 | 33 | 37 |
| | 30" | 4'-3" | 2.70 | 9.25 | 11.96 | 9.03 | 13' | 2.00 | 6.08 | 10.33 | 14.58 | 18.83 | 1.29 | 0.76 | 1.19 | 1.63 | 2.07 | 29 | 32 | 35 | 39 |
| | 36" | 5'-1" | 2.87 | 11.31 | 14.18 | 11.03 | 15' | 2.24 | 6.67 | 11.75 | 16.83 | 21.92 | 1.33 | 0.89 | 1.48 | 2.08 | 2.63 | 31 | 34 | 37 | 40 |
| | 42" | 6'-0" | 3.05 | 13.37 | 16.42 | 13.03 | 17' | 2.45 | 7.25 | 13.25 | 19.25 | 25.25 | 1.38 | 1.05 | 1.62 | 2.27 | 3.34 | 34 | 40 | 46 | 52 |
| | 48" | 6'-9" | 3.22 | 15.43 | 18.65 | 15.03 | 19' | 2.65 | 7.83 | 14.58 | 21.33 | 28.08 | 1.42 | 1.21 | 2.15 | 3.07 | 4.00 | 36 | 43 | 50 | 57 |
| | 54" | 7'-8" | 3.39 | 17.49 | 20.88 | 17.03 | 21' | 2.83 | 8.42 | 16.08 | 23.75 | 31.42 | 1.46 | 1.39 | 2.35 | 3.72 | 4.88 | 38 | 46 | 54 | 62 |
| | 60" | 8'-6" | 3.56 | 19.55 | 23.11 | 19.03 | 23' | 3.00 | 9.00 | 17.50 | 26.00 | 34.50 | 1.50 | 1.59 | 3.02 | 4.44 | 5.66 | 40 | 49 | 58 | 67 |
| | 66" | 9'-2" | 3.73 | 21.62 | 25.35 | 21.03 | 25' | 3.18 | 9.58 | 18.75 | 27.92 | 37.08 | 1.54 | 1.91 | 3.66 | 5.40 | 7.15 | 42 | 52 | 62 | 72 |
| 72" | 10'-0" | 3.91 | 23.68 | 26.59 | 23.03 | 27' | 3.30 | 10.16 | 20.16 | 30.16 | 40.16 | 1.58 | 2.12 | 4.18 | 6.24 | 8.30 | 44 | 55 | 66 | 77 | |

See General Note No. 3.
See Sheet 5 Of 6 For 5 1/2" Slab Quantities


B E
 △ 6.42' △ 6.25' Dimensions permitted to allow use of 6' standard pipe lengths.
 ◇ 10.40' ◇ 10.10' Dimensions permitted to allow use of 12' standard pipe lengths.
 ◇ Concrete slab shall be deepened to form bridge across crown of pipe. See section below.



TOP VIEW - SINGLE PIPE



TOP VIEW - MULTIPLE PIPE




SECTION

NOTE: See Sheet 6 For Details And Notes.


| | | | |
|---|-----|------|--------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| CROSS DRAIN MITERED END SECTION SINGLE AND MULTIPLE ROUND CONCRETE PIPE | | | |
| Designed by | DCB | 6/78 | Approved by |
| Drawn by | | | |
| Checked by | KNM | 6/78 | Revision No. |
| F.H.W.A. Approved: 7/21/78 | | 87 | 1 of 6 |
| | | | 272 |

| DIMENSIONS AND QUANTITIES | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-----|--------|------|--------|--------|-------|-------|-------|----------------|----------------|----------------|---------------|-------|-----------------------|----------------|----------------|---------------|-------------------|----------------|----------------|---------------|
| | D | X | A | B | C | E | F | G | M | | | | N | 3" CONCRETE SLAB (CY) | | | | SODDING (SQ.YDS.) | | | |
| | | | | | | | | | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe | | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe |
| | | | | | | | | | | | | | | | | | | | | | |
| 2:1 Slope | 15" | 2'-7" | 2.5' | 1.68' | 4.18' | 1.50' | 5' | 1.23' | 4.33' | 6.92' | 9.50' | 12.08' | 1.04' | 0.24 | 0.37 | 0.51 | 0.64 | 21 | 24 | 27 | 29 |
| | 18" | 2'-10" | 2.5' | 2.24' | 4.74' | 2.00' | 6' | 1.41' | 4.58' | 7.42' | 10.25' | 13.08' | 1.04' | 0.26 | 0.43 | 0.61 | 0.78 | 22 | 25 | 28 | 31 |
| | 24" | 3'-5" | 2.5' | 3.35' | 5.85' | 3.00' | 7' | 1.73' | 5.08' | 8.50' | 11.92' | 15.33' | 1.04' | 0.32 | 0.52 | 0.72 | 0.91 | 23 | 27 | 31 | 35 |
| | 30" | 4'-3" | 2.5' | 4.47' | 6.97' | 4.00' | 8' | 2.00' | 5.58' | 9.83' | 14.08' | 18.33' | 1.04' | 0.38 | 0.64 | 0.91 | 1.18 | 25 | 30 | 35 | 39 |
| | 36" | 5'-1" | 2.5' | 5.59' | 8.09' | 5.00' | 9' | 2.24' | 6.08' | 11.17' | 16.25' | 21.33' | 1.04' | 0.44 | 0.78 | 1.13 | 1.48 | 27 | 33 | 38 | 44 |
| | 42" | 6'-0" | 2.5' | 6.71' | 9.21' | 6.00' | 10' | 2.45' | 6.58' | 12.58' | 18.58' | 24.58' | 1.04' | 0.51 | 0.96 | 1.41 | 1.87 | 29 | 36 | 42 | 49 |
| | 48" | 6'-9" | 2.5' | 7.83' | 10.33' | 7.00' | 11' | 2.65' | 7.08' | 13.83' | 20.58' | 27.33' | 1.04' | 0.57 | 1.09 | 1.63 | 2.15 | 31 | 38 | 46 | 53 |
| | 54" | 7'-8" | 2.5' | 8.94' | 11.44' | 8.00' | 12' | 2.83' | 7.58' | 15.25' | 22.92' | 30.58' | 1.04' | 0.65 | 1.32 | 1.99 | 2.66 | 33 | 41 | 50 | 58 |
| | 60" | 8'-6" | 2.5' | 10.06' | 12.56' | 9.00' | 13' | 3.00' | 8.08' | 16.58' | 25.08' | 33.58' | 1.04' | 0.71 | 1.49 | 2.28 | 3.07 | 34 | 44 | 53 | 63 |
| 4:1 Slope | 15" | 2'-7" | 2.5' | 3.09' | 5.59' | 3.0' | 7.0' | 1.23' | 4.33' | 6.92' | 9.50' | 12.08' | 1.04' | 0.31 | 0.47 | 0.63 | 0.79 | 22 | 25 | 28 | 31 |
| | 18" | 2'-10" | 2.5' | 4.12' | 6.62' | 4.0' | 8.0' | 1.41' | 4.58' | 7.42' | 10.25' | 13.08' | 1.04' | 0.34 | 0.53 | 0.71 | 0.90 | 24 | 27 | 30 | 33 |
| | 24" | 3'-5" | 2.5' | 6.18' | 8.68' | 6.0' | 10.0' | 1.73' | 5.08' | 8.50' | 11.92' | 15.33' | 1.04' | 0.44 | 0.69 | 0.92 | 1.18 | 27 | 30 | 34 | 38 |
| | 30" | 4'-3" | 2.5' | 8.25' | 10.75' | 8.0' | 12.0' | 2.00' | 5.58' | 9.83' | 14.08' | 18.33' | 1.04' | 0.53 | 0.88 | 1.25 | 1.60 | 29 | 34 | 39 | 44 |
| | 36" | 5'-1" | 2.5' | 10.31' | 12.81' | 10.0' | 14.0' | 2.24' | 6.08' | 11.17' | 16.25' | 21.33' | 1.04' | 0.62 | 1.07 | 1.53 | 2.00 | 32 | 38 | 44 | 49 |
| | 42" | 6'-0" | 2.5' | 12.37' | 14.87' | 12.0' | 16.0' | 2.45' | 6.58' | 12.58' | 18.58' | 24.58' | 1.04' | 0.71 | 1.30 | 1.92 | 2.52 | 35 | 42 | 48 | 55 |
| | 48" | 6'-9" | 2.5' | 14.43' | 16.93' | 14.0' | 18.0' | 2.65' | 7.08' | 13.83' | 20.58' | 27.33' | 1.04' | 0.80 | 1.44 | 2.29 | 3.02 | 38 | 46 | 53 | 60 |
| | 54" | 7'-8" | 2.5' | 16.49' | 18.99' | 16.0' | 20.0' | 2.83' | 7.58' | 15.25' | 22.92' | 30.58' | 1.04' | 0.91 | 1.83 | 2.74 | 3.67 | 41 | 49 | 58 | 66 |
| | 60" | 8'-6" | 2.5' | 18.55' | 21.05' | 18.0' | 22.0' | 3.00' | 8.08' | 16.58' | 25.08' | 33.58' | 1.04' | 1.02 | 2.15 | 3.27 | 4.39 | 44 | 53 | 63 | 72 |

See General Note No. 3.
See Sheet 5 Of 6 For 5 1/2" Slab Quantities



TOP VIEW - SINGLE PIPE




SECTION

Rerolled End Required
(See Index No. 280
For Coupling Type)

Paid For As Pipe Culvert

* Slope: 4:1 Miter: To ϕ Pipe For Pipes 18" And Smaller
2:1 For Pipes 24" And Larger.
2:1 Miter: To ϕ Pipe For Pipes 18" And Smaller
1:1 For Pipes 24" And Larger.




TOP VIEW - MULTIPLE PIPE

NOTE: See Sheet 6 For Details And Notes.


| | | | |
|--|---------|------------|--------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| CROSS DRAIN MITERED END SECTION | | | |
| SINGLE AND MULTIPLE ROUND CORRUGATED METAL PIPE | | | |
| Designed by | DCB | Date | 6/78 |
| Drawn by | | Checked by | KMM |
| Checked by | KMM | 6/78 | |
| Revision No. | 07 | Sheet No. | 2 of 6 |
| F.H.W.A. Approved: | 7/21/78 | Index No. | 272 |

| 1974 AASHTO | | | DIMENSIONS AND QUANTITIES | | | | | | | | | | | | | | | | 3" CONCRETE SLAB (CY) <input checked="" type="checkbox"/> | | | | | | | | SODDING (SQ.YDS) | | | | <input checked="" type="checkbox"/> See General Note No. 3. See Sheet 5 Of 6 For 5½" Slab Quantities | |
|--------------|------|------|---------------------------|------|--------|--------|--------|-----|-------|----------------|----------------|----------------|--------------|-------|----------------|----------------|----------------|---------------|---|----------------|----------------|---------------|--|--|--|--|------------------|--|--|--|---|--|
| | SPAN | RISE | X | A | B | C | E | F | G | M | | | | N | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | Single Pipe | Double Pipe | Triple Pipe | Quad Pipe | | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe | | | | | | | | | | |
| 2:1 Slope | 17' | 12' | 2' | 2.5' | 1.30' | 3.80' | 1.17' | 4' | 1.39' | 4.50' | 7.00' | 9.50' | 12.00' | 1.04' | 0.33 | 0.49 | 0.65 | 0.81 | 21 | 23 | 26 | 29 | | | | | | | | | | |
| | 18' | 12' | 2' | 2.5' | 1.68' | 4.17' | 1.50' | 5' | 1.76' | 4.83' | 7.67' | 10.50' | 13.33' | 1.04' | 0.33 | 0.50 | 0.67 | 0.83 | 22 | 25 | 28 | 31 | | | | | | | | | | |
| | 19' | 12' | 2' | 2.5' | 2.61' | 5.11' | 2.33' | 6' | 2.22' | 5.42' | 8.83' | 12.25' | 15.67' | 1.04' | 0.37 | 0.56 | 0.76 | 0.95 | 23 | 27 | 30 | 34 | | | | | | | | | | |
| | 20' | 12' | 2' | 2.5' | 3.35' | 5.85' | 3.00' | 7' | 2.55' | 6.00' | 10.00' | 14.00' | 18.00' | 1.04' | 0.40 | 0.62 | 0.84 | 1.07 | 24 | 29 | 33 | 38 | | | | | | | | | | |
| | 21' | 12' | 2' | 2.5' | 4.22' | 6.73' | 3.83' | 8' | 2.97' | 6.98' | 11.33' | 16.08' | 20.83' | 1.04' | 0.43 | 0.70 | 0.98 | 1.25 | 25 | 31 | 37 | 43 | | | | | | | | | | |
| | 22' | 12' | 2' | 2.5' | 5.03' | 7.53' | 4.90' | 9' | 3.34' | 7.17' | 12.67' | 18.17' | 23.67' | 1.04' | 0.45 | 0.82 | 1.15 | 1.48 | 26 | 34 | 41 | 49 | | | | | | | | | | |
| | 23' | 12' | 2' | 2.5' | 5.96' | 8.46' | 5.33' | 10' | 3.65' | 7.85' | 14.17' | 20.50' | 26.83' | 1.04' | 0.48 | 0.88 | 1.36 | 1.76 | 27 | 37 | 45 | 55 | | | | | | | | | | |
| | 24' | 12' | 2' | 2.5' | 6.89' | 9.39' | 6.17' | 11' | 3.89' | 8.42' | 15.50' | 22.58' | 29.67' | 1.04' | 0.52 | 1.10 | 1.57 | 2.05 | 28 | 39 | 48 | 59 | | | | | | | | | | |
| | 25' | 12' | 2' | 2.5' | 7.82' | 10.14' | 6.83' | 12' | 4.14' | 9.00' | 16.83' | 24.67' | 32.50' | 1.04' | 0.59 | 1.24 | 1.80 | 2.35 | 31 | 41 | 50 | 59 | | | | | | | | | | |
| | 26' | 12' | 2' | 2.5' | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4:1 Slope | 17' | 12' | 2' | 2.5' | 2.41' | 4.91' | 2.33' | 7' | 1.39' | 4.50' | 7.00' | 9.50' | 12.00' | 1.04' | 0.39 | 0.56 | 0.74 | 0.92 | 22 | 25 | 27 | 30 | | | | | | | | | | |
| | 18' | 12' | 2' | 2.5' | 3.09' | 5.59' | 3.00' | 8' | 1.76' | 4.83' | 7.67' | 10.50' | 13.33' | 1.04' | 0.39 | 0.59 | 0.80 | 0.95 | 23 | 26 | 29 | 32 | | | | | | | | | | |
| | 19' | 12' | 2' | 2.5' | 4.81' | 7.31' | 4.67' | 9' | 2.22' | 5.42' | 8.83' | 12.25' | 15.67' | 1.04' | 0.43 | 0.64 | 0.86 | 1.10 | 25 | 29 | 33 | 37 | | | | | | | | | | |
| | 20' | 12' | 2' | 2.5' | 6.19' | 8.68' | 6.00' | 10' | 2.55' | 6.00' | 10.00' | 14.00' | 18.00' | 1.04' | 0.45 | 0.82 | 1.15 | 1.33 | 26 | 32 | 37 | 41 | | | | | | | | | | |
| | 21' | 12' | 2' | 2.5' | 7.90' | 10.40' | 7.67' | 11' | 2.97' | 6.98' | 11.33' | 16.08' | 20.83' | 1.04' | 0.57 | 0.92 | 1.27 | 1.62 | 30 | 35 | 41 | 46 | | | | | | | | | | |
| | 22' | 12' | 2' | 2.5' | 9.28' | 11.78' | 9.00' | 14' | 3.34' | 7.17' | 12.67' | 18.17' | 23.67' | 1.04' | 0.65 | 1.08 | 1.50 | 1.93 | 32 | 38 | 45 | 51 | | | | | | | | | | |
| | 23' | 12' | 2' | 2.5' | 11.00' | 13.50' | 10.00' | 16' | 3.65' | 7.85' | 14.17' | 20.50' | 26.83' | 1.04' | 0.76 | 1.30 | 1.83 | 2.37 | 35 | 42 | 49 | 56 | | | | | | | | | | |
| | 24' | 12' | 2' | 2.5' | 12.71' | 15.21' | 12.33' | 17' | 3.89' | 8.42' | 15.50' | 22.58' | 29.67' | 1.04' | 0.87 | 1.55 | 2.18 | 2.83 | 38 | 45 | 53 | 61 | | | | | | | | | | |
| | 25' | 12' | 2' | 2.5' | 14.09' | 16.59' | 13.67' | 19' | 4.14' | 9.00' | 16.83' | 24.67' | 32.50' | 1.04' | 0.95 | 1.68 | 2.43 | 3.17 | 40 | 48 | 57 | 66 | | | | | | | | | | |
| | 26' | 12' | 2' | 2.5' | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


See General Note No. 3.
See Sheet 5 Of 6 For 5 1/2" Slab Quantities



TOP VIEW - SINGLE PIPE



TOP VIEW - MULTIPLE PIPE




SECTION

NOTE: See Sheet 6 For Details And Notes.


| | | | |
|--|--------------|-----------|-------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| CROSS DRAIN MITERED END SECTION | | | |
| SINGLE AND MULTIPLE CORRUGATED METAL PIPE ARCH | | | |
| Designed by | Checked by | Drawn by | Approved By |
| D C B | K M M | | <i>J. K. Hall</i> |
| Date | Revision No. | Sheet No. | Index No. |
| 6/78 | 6/78 | 3 of 6 | 272 |
| F.H.W.A. Approved: 7/21/78 | | | |

| DIMENSIONS & QUANTITIES | | | | | | | | | | | | | | | | | | | | | | | See G See S |
|-------------------------|-----------|-----------|--------|--------|--------|--------|--------|-------|--------|----------------|----------------|----------------|---------------|-------|--|----------------|----------------|---------------|----------------------|----------------|----------------|---------------|----------------|
| | Rise R | Span S | X | A | B | C | E | F | G | M | | | | N | 3" CONC. SLAB (CY) <input checked="" type="checkbox"/> | | | | SODDING (SQ. YDS.) | | | | |
| | | | | | | | | | | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe | | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe | |
| 2:1 Slope | 12" | 18" | 2'-10" | 1.97' | 1.62' | 3.59' | 1.56' | 4' | 1.50' | 4.92' | 7.75' | 10.58' | 13.42' | 1.21' | 0.19 | 0.33 | 0.45 | 0.57 | 21 | 24 | 27 | 30 | |
| | 14" | 23" | 3'-4" | 2.01' | 1.99' | 4.00' | 1.89' | 5' | 1.90' | 5.38' | 8.71' | 12.04' | 15.38' | 1.23' | 0.25 | 0.40 | 0.55 | 0.69 | 22 | 26 | 29 | 33 | |
| | 19" | 30" | 4'-0" | 2.11' | 2.92' | 5.03' | 2.73' | 6' | 2.37' | 6.04' | 10.04' | 14.04' | 18.04' | 1.27' | 0.34 | 0.55 | 0.75 | 0.95 | 24 | 28 | 33 | 37 | |
| | 24" | 38" | 5'-0" | 2.20' | 3.85' | 6.05' | 3.56' | 7' | 2.85' | 6.79' | 11.79' | 16.79' | 21.79' | 1.31' | 0.43 | 0.71 | 1.00 | 1.28 | 26 | 31 | 37 | 42 | |
| | 29" | 45" | 5'-11" | 2.34' | 4.79' | 7.13' | 4.39' | 8' | 3.19' | 7.50' | 13.42' | 19.33' | 25.25' | 1.36' | 0.52 | 0.90 | 1.27 | 1.65 | 28 | 34 | 41 | 47 | |
| | 34" | 53" | 7'-0" | 2.43' | 5.72' | 8.15' | 5.23' | 9' | 3.57' | 8.25' | 15.25' | 22.25' | 29.25' | 1.42' | 0.62 | 1.11 | 1.60 | 2.09 | 30 | 37 | 45 | 53 | |
| | 38" | 60" | 7'-10" | 2.52' | 6.46' | 8.96' | 5.89' | 9' | 3.95' | 8.92' | 16.75' | 24.58' | 32.42' | 1.46' | 0.70 | 1.29 | 1.87 | 2.46 | 31 | 40 | 49 | 57 | |
| | 43" | 68" | 8'-11" | 2.62' | 7.39' | 10.01' | 6.73' | 10' | 4.28' | 9.67' | 18.58' | 27.50' | 36.42' | 1.50' | 0.81 | 1.54 | 2.26 | 2.99 | 33 | 43 | 53 | 63 | |
| | 48" | 76" | 9'-11" | 2.71' | 8.33' | 11.04' | 7.56' | 11' | 4.59' | 10.42' | 20.33' | 30.25' | 40.17' | 1.54' | 0.93 | 1.79 | 2.66 | 3.53 | 35 | 46 | 57 | 68 | |
| | 53" | 83" | 10'-8" | 2.80' | 9.26' | 12.06' | 8.39' | 12' | 4.77' | 11.08' | 21.75' | 32.42' | 43.08' | 1.58' | 1.04 | 2.04 | 3.03 | 4.02 | 37 | 49 | 61 | 73 | |
| 58" | 91" | 11'-8" | 2.90' | 10.19' | 13.09' | 9.23' | 13' | 5.01' | 11.83' | 23.50' | 35.17' | 46.83' | 1.63' | 1.17 | 2.33 | 3.49 | 4.66 | 39 | 52 | 65 | 78 | | |
| 4:1 Slope | 12" | 18" | 2'-10" | 2.36' | 3.06' | 5.42' | 3.03' | 5' | 1.50' | 4.92' | 7.75' | 10.58' | 13.42' | 1.21' | 0.30 | 0.45 | 0.61 | 0.76 | 23 | 26 | 29 | 32 | |
| | 14" | 23" | 3'-4" | 2.44' | 3.75' | 6.19' | 3.70' | 6' | 1.90' | 5.38' | 8.71' | 12.04' | 15.38' | 1.23' | 0.36 | 0.56 | 0.76 | 0.95 | 24 | 28 | 32 | 35 | |
| | 19" | 30" | 4'-0" | 2.62' | 5.47' | 8.09' | 5.36' | 8' | 2.37' | 6.04' | 10.04' | 14.04' | 18.04' | 1.27' | 0.51 | 0.79 | 1.08 | 1.36 | 27 | 32 | 36 | 40 | |
| | 24" | 38" | 5'-0" | 2.79' | 7.18' | 9.97' | 7.03' | 10' | 2.85' | 6.79' | 11.79' | 16.79' | 21.79' | 1.31' | 0.68 | 1.10 | 1.53 | 1.96 | 30 | 36 | 41 | 47 | |
| | 29" | 45" | 5'-11" | 3.05' | 8.90' | 11.95' | 8.70' | 12' | 3.19' | 7.50' | 13.42' | 19.33' | 25.25' | 1.36' | 0.86 | 1.45 | 2.04 | 2.63 | 33 | 40 | 46 | 53 | |
| | 34" | 53" | 7'-0" | 3.22' | 10.62' | 13.84' | 10.36' | 13' | 3.57' | 8.25' | 15.25' | 22.25' | 29.25' | 1.42' | 1.02 | 1.81 | 2.60 | 3.39 | 36 | 44 | 52 | 59 | |
| | 38" | 60" | 7'-10" | 3.39' | 11.99' | 15.38' | 11.70' | 15' | 3.95' | 8.92' | 16.75' | 24.58' | 32.42' | 1.46' | 1.18 | 2.14 | 3.10 | 4.05 | 38 | 47 | 56 | 65 | |
| | 43" | 68" | 8'-11" | 3.56' | 13.71' | 17.27' | 13.36' | 17' | 4.28' | 9.67' | 18.58' | 27.50' | 36.42' | 1.50' | 1.38 | 2.58 | 3.79 | 4.99 | 41 | 51 | 61 | 71 | |
| | 48" | 76" | 9'-11" | 3.73' | 15.43' | 19.16' | 15.03' | 19' | 4.59' | 10.42' | 20.33' | 30.25' | 40.17' | 1.54' | 1.59 | 3.05 | 4.51 | 5.97 | 44 | 55 | 66 | 77 | |
| | 53" | 83" | 10'-8" | 3.91' | 17.15' | 21.06' | 16.70' | 20' | 4.77' | 11.08' | 21.75' | 32.42' | 43.08' | 1.58' | 1.80 | 3.50 | 5.19 | 6.88 | 47 | 59 | 71 | 83 | |
| 58" | 91" | 11'-8" | 4.08' | 18.87' | 22.95' | 18.36' | 22' | 5.01' | 11.83' | 23.50' | 35.17' | 46.83' | 1.63' | 2.04 | 4.04 | 6.05 | 8.05 | 50 | 63 | 76 | 89 | | |

See General Note No. 3
See Sheet 5 Of 6 For 5 1/2" Slab Quantities




TOP VIEW - SINGLE PIPE



TOP VIEW - MULTIPLE PIPE

NOTE: See Sheet 6 For Details And Notes.



SECTION

* Slope:
4:1 Miter: To Major Axis For Pipes 24"x 38" And Smaller.
2:1 For Pipes 29"x 45" And Larger.
2:1 Miter: To Major Axis For Pipes 29"x 45" And Smaller.
1:1 For Pipes 34"x 53" And Larger.

| | | | |
|--|--------------|----------------------------------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| CROSS DRAIN MITERED END SECTION SINGLE AND MULTIPLE ELLIPTICAL CONCRETE PIPE | | | |
| Designed by EGR | Date 6/81 | Approved By D.C. [Signature] | |
| Drawn by HSD | Date 6/81 | Deputy Design Engineer, Roadways | |
| Checked by JVE/JBW | Date 6/81 | Revision No. | Sheet No. |
| F.H.W.A. Approved: 10/8/81 | | 87 | 4 of 6 |
| | | | 272 |

QUANTITIES FOR 5 1/2" THICK CONCRETE SLABS (CY)


| | D | ROUND-CONCRETE | | | |
|-----------|-----|----------------|-------------|-------------|------------|
| | | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe |
| 2:1 Slope | 15" | 0.38 | 0.58 | 0.77 | 0.96 |
| | 18" | 0.44 | 0.65 | 0.87 | 1.09 |
| | 24" | 0.54 | 0.83 | 1.12 | 1.42 |
| | 30" | 0.66 | 1.09 | 1.50 | 1.91 |
| | 36" | 0.81 | 1.38 | 1.95 | 2.51 |
| | 42" | 0.97 | 1.70 | 2.45 | 3.19 |
| | 48" | 1.13 | 2.04 | 2.93 | 3.84 |
| | 54" | 1.31 | 2.44 | 3.58 | 4.72 |
| | 60" | 1.51 | 2.89 | 4.28 | 5.68 |
| | 66" | 1.68 | 3.25 | 4.84 | 6.43 |
| | 72" | 1.89 | 3.74 | 5.59 | 7.45 |
| 4:1 Slope | 15" | 0.57 | 0.87 | 1.15 | 1.44 |
| | 18" | 0.66 | 0.99 | 1.31 | 1.65 |
| | 24" | 0.85 | 1.30 | 1.75 | 2.20 |
| | 30" | 1.10 | 1.74 | 2.39 | 3.05 |
| | 36" | 1.32 | 2.21 | 3.08 | 3.96 |
| | 42" | 1.58 | 2.76 | 3.91 | 5.09 |
| | 48" | 1.85 | 3.30 | 4.73 | 6.17 |
| | 54" | 2.14 | 3.95 | 5.77 | 7.58 |
| | 60" | 2.45 | 4.66 | 6.87 | 9.07 |
| | 66" | 2.88 | 5.54 | 8.18 | 10.84 |
| | 72" | 3.18 | 6.27 | 9.36 | 12.45 |

| | D | ROUND-CMP | | | |
|-----------|-----|-------------|-------------|-------------|------------|
| | | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe |
| 2:1 Slope | 15" | 0.35 | 0.54 | 0.74 | 0.94 |
| | 18" | 0.38 | 0.62 | 0.87 | 1.12 |
| | 24" | 0.47 | 0.76 | 1.05 | 1.34 |
| | 30" | 0.57 | 0.96 | 1.37 | 1.77 |
| | 36" | 0.67 | 1.19 | 1.72 | 2.26 |
| | 42" | 0.78 | 1.48 | 2.17 | 2.87 |
| | 48" | 0.89 | 1.71 | 2.54 | 3.36 |
| | 54" | 1.02 | 2.06 | 3.10 | 4.14 |
| | 60" | 1.14 | 2.38 | 3.63 | 4.89 |
| | | | | | |
| 4:1 Slope | 15" | 0.44 | 0.68 | 0.91 | 1.15 |
| | 18" | 0.49 | 0.77 | 1.03 | 1.31 |
| | 24" | 0.65 | 1.09 | 1.38 | 1.77 |
| | 30" | 0.81 | 1.34 | 1.90 | 2.44 |
| | 36" | 0.97 | 1.68 | 2.41 | 3.14 |
| | 42" | 1.13 | 2.08 | 3.06 | 4.02 |
| | 48" | 1.29 | 2.49 | 3.69 | 4.88 |
| | 54" | 1.48 | 2.98 | 4.47 | 5.98 |
| | 60" | 1.66 | 3.49 | 5.31 | 7.13 |
| | | | | | |

| | Span | Rise | CMP-ARCH | | | |
|-----------|------|------|-------------|-------------|-------------|------------|
| | | | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe |
| 2:1 Slope | 17" | 13" | 0.41 | 0.61 | 0.81 | 1.02 |
| | 21" | 15" | 0.43 | 0.66 | 0.88 | 1.10 |
| | 28" | 20" | 0.51 | 0.78 | 1.06 | 1.33 |
| | 35" | 24" | 0.57 | 0.90 | 1.22 | 1.55 |
| | 42" | 29" | 0.64 | 1.04 | 1.46 | 1.87 |
| | 49" | 33" | 0.73 | 1.23 | 1.72 | 2.22 |
| | 57" | 38" | 0.83 | 1.44 | 2.04 | 2.64 |
| | 64" | 43" | 0.95 | 1.67 | 2.39 | 3.11 |
| | 71" | 47" | 1.05 | 1.89 | 2.74 | 3.57 |
| | | | | | | |
| 4:1 Slope | 17" | 13" | 0.48 | 0.71 | 0.95 | 1.18 |
| | 21" | 15" | 0.52 | 0.80 | 1.09 | 1.31 |
| | 28" | 20" | 0.61 | 0.92 | 1.27 | 1.59 |
| | 35" | 24" | 0.73 | 1.14 | 1.55 | 1.97 |
| | 42" | 29" | 0.87 | 1.39 | 1.92 | 2.45 |
| | 49" | 33" | 1.00 | 1.66 | 2.30 | 2.96 |
| | 57" | 38" | 1.18 | 2.00 | 2.82 | 3.64 |
| | 64" | 43" | 1.36 | 2.39 | 3.38 | 4.38 |
| | 71" | 47" | 1.50 | 2.65 | 3.81 | 4.97 |
| | | | | | | |

| | Rise | Span | ELLIPTICAL-CONCRETE | | | |
|-----------|------|------|---------------------|-------------|-------------|------------|
| | | | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe |
| 2:1 Slope | 12" | 18" | 0.30 | 0.49 | 0.67 | 0.85 |
| | 14" | 23" | 0.37 | 0.59 | 0.81 | 1.02 |
| | 19" | 30" | 0.50 | 0.80 | 1.09 | 1.39 |
| | 24" | 38" | 0.62 | 1.03 | 1.45 | 1.86 |
| | 29" | 45" | 0.75 | 1.30 | 1.84 | 2.39 |
| | 34" | 53" | 0.90 | 1.61 | 2.32 | 3.03 |
| | 38" | 60" | 1.03 | 1.89 | 2.74 | 3.60 |
| | 43" | 68" | 1.19 | 2.26 | 3.33 | 4.40 |
| | 48" | 76" | 1.38 | 2.65 | 3.93 | 5.21 |
| | 53" | 83" | 1.55 | 3.03 | 4.50 | 5.96 |
| | 58" | 91" | 1.75 | 3.47 | 5.20 | 6.93 |
| 4:1 Slope | 12" | 18" | 0.45 | 0.68 | 0.92 | 1.14 |
| | 14" | 23" | 0.53 | 0.83 | 1.13 | 1.42 |
| | 19" | 30" | 0.74 | 1.15 | 1.57 | 1.98 |
| | 24" | 38" | 0.97 | 1.57 | 2.19 | 2.81 |
| | 29" | 45" | 1.22 | 2.07 | 2.92 | 3.77 |
| | 34" | 53" | 1.48 | 2.62 | 3.77 | 4.92 |
| | 38" | 60" | 1.72 | 3.12 | 4.53 | 5.92 |
| | 43" | 68" | 2.02 | 3.78 | 5.56 | 7.32 |
| | 48" | 76" | 2.34 | 4.49 | 6.64 | 8.79 |
| | 53" | 83" | 2.66 | 5.17 | 7.66 | 10.16 |
| | 58" | 91" | 3.02 | 5.98 | 8.95 | 11.90 |

| | | | | | |
|--|--------|------|--------------------|----------------------------------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| CROSS DRAIN MITERED END SECTION | | | | | |
| Designed by | Name | Date | Approved By | | |
| Drawn by | dda | 5/88 | <i>J. A. Smith</i> | Deputy Design Engineer, Roadways | |
| Checked by | J.B.W. | 5/88 | Revision No. | Sheet No. | Index No. |
| F.H.W.A. Approved: 11/7/88 | | | 87 | 5 of 6 | 272 |




PLAN

SLOPE AND DITCH TRANSITIONS

GENERAL NOTES

1. Mitered end sections shall be paid for as mitered end section, each, based on each independent pipe end.
2. The cost of all pipe(s), fasteners, reinforcing, connectors, anchors, concrete, sealants, jackets, and coupling bands shall be included in the contract unit price for mitered end section, each. Sodding not included.
3. The reinforced concrete slab shall be constructed for all sizes of cross drain pipe and cast in place with Class I concrete. Slabs shall be $5\frac{1}{2}$ " thick unless 3" thickness called for in plans.
4. Concrete pipe used in the assembly of mitered end sections shall be selective lengths to avoid excessive connections.
5. Corrugated metal pipe galvanizing that is damaged during beveling and perforating for mitered end section shall be repaired.
6. That portion of corrugated metal pipe in direct contact with the concrete slab shall be bituminous coated prior to placing of the concrete.
7. Unless otherwise designated in the plans, concrete pipe mitered end sections may be used with any type of cross drain pipe; corrugated steel pipe mitered end sections may be used with any type of cross drain pipe except aluminum pipe; and, corrugated aluminum mitered end sections may be used with any type of cross drain pipe except steel pipe. When bituminous coated metal pipe is specified for cross drain pipe, mitered end sections shall be constructed with like pipe or concrete pipe.
8. When the mitered end section pipe is dissimilar to the cross drain pipe, a concrete jacket shall be constructed in accordance with Standard Index 280.
9. When existing multiple cross drain pipes are spaced other than the dimensions shown in this detail, or have non-parallel axes, or have non-uniform sections, the mitered end sections will be constructed either separately as single pipe mitered end sections or collectively as multiple pipe and sections as directed by the Engineer; however, mitered end sections will be paid for each, based on each independent pipe end.
10. Mitered end sections for pipe sizes 15", 18" and 24" round or equivalent pipe arch or elliptical pipe are permitted within the clear zone. When the slope intersection permits, the mitered end section may be located with the culvert opening as close as 8' beyond the outside edge of the shoulder.
11. Slope and ditch transitions shall be used when the normal roadway slope must be flattened to place end section outside clear zone. See detail left.




All bars, bolts, nuts and washers are to be galvanized steel.

Bolt diameters shall be $\frac{3}{8}$ " for 15" to 36" pipe and $\frac{5}{8}$ " for 42" to 72" pipe.

Two connectors required per joint, located 60° right and left of bottom center of pipe.

Bolt holes in pipe shell are to be drilled.

CONCRETE PIPE CONNECTOR



Anchors required for CMP only.

Anchor, washer and nuts to be galvanized steel.

Bend anchor where required to center in concrete slab. Damaged surfaces to be repaired after bending. Anchors are to be spaced a distance equal to four (4) corrugations. Place the anchors in the outside crest of corrugation.

Flat washers to be placed on inside wall of pipe.


ANCHOR DETAIL

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|---|---------|------|------|--------------|------------------------------------|
| CROSS DRAIN MITERED END SECTION SPECIAL DETAILS AND NOTES | | | | | |
| Designed by | DCB | Date | 6/78 | Approved By | <i>J. C. Kahl</i> |
| Drawn by | | | | | Quantity Design Engineer, Roadways |
| Checked by | KNM | 6/78 | | Revision No. | |
| F.H.W.A. Approved | 7/21/78 | | | Sheet No. | 6 of 6 |
| | | | | Index No. | 272 |


DIMENSIONS & QUANTITIES

| D | X | A | B | C | E | F | G | M | | | | N | GRATE SIZES | | CONCRETE (Cu. Yds.) | | | | SODDING (Sq. Yds.) | | | |
|-----|--------|-------|--------|--------|--------|-----|-------|-------------|-------------|-------------|------------|-------|----------------------|-------------------|---------------------|-------------|-------------|------------|--------------------|-------------|-------------|------------|
| | | | | | | | | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe | | Standard Weight Pipe | Extra Strong Pipe | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe |
| 15" | 2'-7" | 2.27' | 4.09' | 6.36' | 4.03' | 8' | 1.22' | 4.63' | 7.21' | 9.79' | 12.37' | 1.19' | | | 0.40 | 0.61 | 0.80 | 1.00 | 9 | 11 | 12 | 14 |
| 18" | 2'-10" | 2.36' | 5.12' | 7.48' | 5.03' | 9' | 1.41' | 4.92' | 7.75' | 10.58' | 13.42' | 1.21' | | | 0.47 | 0.69 | 0.91 | 1.14 | 10 | 11 | 13 | 15 |
| 24" | 3'-5" | 2.53' | 7.18' | 9.71' | 7.03' | 11' | 1.73' | 5.50' | 8.92' | 12.33' | 15.75' | 1.25' | | | 0.60 | 0.90 | 1.21 | 1.52 | 11 | 13 | 16 | 18 |
| 30" | 4'-3" | 2.70' | 9.25' | 11.95' | 9.03' | 13' | 2.00' | 6.08' | 10.33' | 14.58' | 18.83' | 1.29' | 2 1/2" | 3" | 0.76 | 1.19 | 1.63 | 2.07 | 12 | 15 | 18 | 21 |
| 36" | 5'-1" | 2.87' | 11.31' | 14.18' | 11.03' | 15' | 2.24' | 6.67' | 11.75' | 16.83' | 21.92' | 1.33' | 2 1/2" | 3" | 0.89 | 1.48 | 2.05 | 2.63 | 14 | 17 | 21 | 24 |
| 42" | 6'-0" | 3.05' | 13.37' | 16.42' | 13.03' | 17' | 2.45' | 7.25' | 13.25' | 19.25' | 25.25' | 1.38' | 2 1/2" | 3 1/2" | 1.05 | 1.82 | 2.57 | 3.34 | 15 | 19 | 23 | 27 |
| 48" | 6'-9" | 3.22' | 15.43' | 18.65' | 15.03' | 19' | 2.65' | 7.83' | 14.58' | 21.33' | 28.08' | 1.42' | 2 1/2" | 3 1/2" | 1.21 | 2.15 | 3.07 | 4.00 | 16 | 21 | 27 | 30 |
| 54" | 7'-8" | 3.39' | 17.49' | 20.88' | 17.03' | 21' | 2.83' | 8.42' | 16.08' | 23.75' | 31.42' | 1.46' | 3" | 4" | 1.39 | 2.55 | 3.72 | 4.88 | 18 | 23 | 28 | 33 |
| 60" | 8'-6" | 3.56' | 19.55' | 23.11' | 19.03' | 23' | 3.00' | 9.00' | 17.50' | 26.00' | 34.50' | 1.50' | 3" | 4" | 1.59 | 3.02 | 4.44 | 5.86 | 19 | 25 | 31 | 36 |


△ 6.42' △ 6.25' Dimensions permitted to allow use of 8' standard pipe lengths.
 △ 10.40' △ 10.10' Dimensions permitted to allow use of 12' standard pipe lengths.
 △◇ Concrete slab shall be deepened to form bridge across crown of pipe. See section below.



TOP VIEW - SINGLE PIPE



TOP VIEW - MULTIPLE PIPE



SECTION

Note:
 See Sheet 5 for details and 6 for notes.




* Slope:
 To 1/4" Pipe For Pipes 18" And Smaller.
 2:1 For Pipes 24" And Larger.

| | | | |
|--|--|-----------|--------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| SIDE DRAIN MITERED END SECTION | | | |
| SINGLE AND MULTIPLE ROUND CONCRETE PIPE | | | |
| Designed by | EGR | Date | 6/78 |
| Drawn by | NKH | Date | 6/78 |
| Checked by | JVG | Date | 6/78 |
| Approved By | <i>[Signature]</i> Deputy Design Engineer, Roadways | | |
| Revision No. | 86 | Sheet No. | 1 of 6 |
| F.H.W.A. Approved | 10/21/77 | | 273 |

DIMENSIONS & QUANTITIES

| D | X | A | B | C | E | F | G | M | | | | N | GRATE SIZES | | CONCRETE (Cu. Yds.) | | | | SODDING (Sq. Yds.) | | | |
|-----|--------|------|--------|--------|-------|-------|-------|-------------|-------------|-------------|------------|-------|----------------------|-------------------|---------------------|-------------|-------------|------------|--------------------|-------------|-------------|------------|
| | | | | | | | | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe | | Standard Weight Pipe | Extra Strong Pipe | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe |
| 15" | 2'-7" | 2.5' | 3.09' | 5.59' | 3.0' | 7.0' | 1.23' | 4.33' | 6.92' | 9.50' | 12.08' | 1.04' | | | 0.31 | 0.47 | 0.63 | 0.79 | 8 | 10 | 12 | 14 |
| 18" | 2'-10" | 2.5' | 4.12' | 6.62' | 4.0' | 8.0' | 1.41' | 4.58' | 7.42' | 10.25' | 13.08' | 1.04' | | | 0.34 | 0.53 | 0.71 | 0.90 | 9 | 11 | 13 | 15 |
| 24" | 3'-5" | 2.5' | 6.18' | 8.68' | 6.0' | 10.0' | 1.73' | 5.08' | 8.50' | 11.92' | 15.33' | 1.04' | | | 0.44 | 0.69 | 0.92 | 1.18 | 10 | 13 | 15 | 17 |
| 30" | 4'-3" | 2.5' | 8.25' | 10.75' | 8.0' | 12.0' | 2.00' | 5.58' | 9.83' | 14.08' | 18.33' | 1.04' | 2 1/2" | 3" | 0.53 | 0.88 | 1.25 | 1.60 | 11 | 14 | 17 | 20 |
| 36" | 5'-1" | 2.5' | 10.31' | 12.81' | 10.0' | 14.0' | 2.24' | 6.08' | 11.17' | 16.25' | 21.33' | 1.04' | 2 1/2" | 3" | 0.62 | 1.07 | 1.53 | 2.00 | 13 | 16 | 20 | 23 |
| 42" | 6'-0" | 2.5' | 12.37' | 14.87' | 12.0' | 16.0' | 2.45' | 6.58' | 12.58' | 18.58' | 24.58' | 1.04' | 2 1/2" | 3 1/2" | 0.70 | 1.30 | 1.92 | 2.52 | 14 | 18 | 22 | 26 |
| 48" | 6'-9" | 2.5' | 14.43' | 16.93' | 14.0' | 18.0' | 2.65' | 7.08' | 13.83' | 20.58' | 27.33' | 1.04' | 2 1/2" | 3 1/2" | 0.80 | 1.54 | 2.29 | 3.02 | 15 | 20 | 24 | 29 |
| 54" | 7'-8" | 2.5' | 16.49' | 18.99' | 16.0' | 20.0' | 2.83' | 7.58' | 15.25' | 22.92' | 30.58' | 1.04' | 3" | 4" | 0.90 | 1.83 | 2.74 | 3.67 | 16 | 22 | 27 | 32 |
| 60" | 8'-6" | 2.5' | 18.55' | 21.05' | 18.0' | 22.0' | 3.00' | 8.08' | 16.58' | 25.08' | 33.58' | 1.04' | 3" | 4" | 1.02 | 2.15 | 3.27 | 4.39 | 18 | 23 | 29 | 35 |
| 8" | 2'-0" | 2.5' | 0.72' | 3.22' | 0.7' | 4.0' | 0.58' | 3.75' | 5.75' | 7.75' | 9.75' | 1.04' | | | 0.16 | 0.23 | 0.34 | 0.43 | 7 | 8 | 9 | 11 |
| 10" | 2'-2" | 2.5' | 1.34' | 3.84' | 1.3' | 5.0' | 0.81' | 3.92' | 6.08' | 8.25' | 10.41' | 1.04' | | | 0.19 | 0.30 | 0.40 | 0.52 | 7 | 9 | 10 | 11 |
| 12" | 2'-4" | 2.5' | 2.06' | 4.56' | 2.0' | 6.0' | 1.00' | 4.08' | 6.42' | 8.75' | 11.08' | 1.04' | | | 0.22 | 0.36 | 0.49 | 0.63 | 7 | 9 | 11 | 12 |

These sizes are restricted to inlet and outlet treatment for water management systems or similar applications.




* Slope:
To ϕ Pipe For Pipe 18" And Smaller
2:1 For Pipe 24" And Larger

Note:
See Sheet 5 for details and Sheet 6 for notes.


| | | | |
|--|-----|------|-------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| SIDE DRAIN MITERED END SECTION SINGLE AND MULTIPLE ROUND CORRUGATED METAL PIPE | | | |
| Designed by | EGR | 8/77 | Approved By |
| Drawn by | NKH | 8/77 | |
| Checked by | JVG | 8/77 | |
| F.H.W.A. Approved: 10/21/77 | | 87 | 2 of 6 |
| | | 273 | |

DIMENSIONS & QUANTITIES


| 1974 AASHTO | | X | A | B | C | E | F | G | M | | | | N | GRATE SIZES | | CONCRETE (Cu. Yds.) | | | | SODDING (Sq. Yds.) | | | |
|-------------|------|--------|------|--------|--------|--------|-----|-------|-------------|-------------|-------------|------------|-------|----------------------|-------------------|---------------------|-------------|-------------|------------|--------------------|-------------|-------------|------------|
| Span | Rise | | | | | | | | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe | | Standard Weight Pipe | Extra Strong Pipe | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe |
| 17" | 13" | 2'-6" | 2.5' | 2.41' | 4.91' | 2.33' | 7' | 1.39' | 4.50' | 7.00' | 9.50' | 12.00' | 1.04' | | | .28 | .42 | .56 | .70 | 8 | 10 | 11 | 13 |
| 21" | 15" | 2'-10" | 2.5' | 3.09' | 5.59' | 3.00' | 8' | 1.76' | 4.83' | 7.67' | 10.50' | 13.33' | 1.04' | | | .32 | .49 | .66 | .78 | 9 | 11 | 12 | 14 |
| 28" | 20" | 3'-5" | 2.5' | 4.81' | 7.31' | 4.67' | 9' | 2.22' | 5.42' | 8.83' | 12.25' | 15.67' | 1.04' | | | .40 | .60 | .82 | 1.03 | 10 | 12 | 14 | 17 |
| 35" | 24" | 4'-0" | 2.5' | 6.18' | 8.68' | 6.00' | 11' | 2.55' | 6.00' | 10.00' | 14.00' | 18.00' | 1.04' | 2 1/2" | 3" | .49 | .77 | 1.05 | 1.33 | 11 | 14 | 16 | 19 |
| 42" | 29" | 4'-9" | 2.5' | 7.90' | 10.40' | 7.67' | 12' | 2.97' | 6.58' | 11.33' | 16.08' | 20.83' | 1.04' | 2 1/2" | 3 1/2" | .57 | .92 | 1.27 | 1.62 | 12 | 15 | 18 | 21 |
| 49" | 33" | 5'-6" | 2.5' | 9.28' | 11.78' | 9.00' | 14' | 3.34' | 7.17' | 12.67' | 18.17' | 23.67' | 1.04' | 2 1/2" | 3 1/2" | .65 | 1.08 | 1.50 | 1.93 | 13 | 17 | 20 | 24 |
| 57" | 38" | 6'-4" | 2.5' | 11.00' | 13.50' | 10.67' | 16' | 3.65' | 7.83' | 14.17' | 20.50' | 26.83' | 1.04' | 3" | 4" | .76 | 1.30 | 1.83 | 2.37 | 14 | 18 | 23 | 27 |
| 64" | 43" | 7'-1" | 2.5' | 12.71' | 15.21' | 12.33' | 17' | 3.89' | 8.42' | 15.50' | 22.58' | 29.67' | 1.04' | 3" | 4" | .87 | 1.55 | 2.18 | 2.83 | 15 | 20 | 25 | 30 |
| 71" | 47" | 7'-10" | 2.5' | 14.09' | 16.59' | 13.67' | 19' | 4.14' | 9.00' | 16.83' | 24.67' | 32.50' | 1.04' | 3" | 4" | .95 | 1.68 | 2.43 | 3.17 | 16 | 22 | 27 | 32 |



TOP VIEW - SINGLE PIPE



TOP VIEW - MULTIPLE PIPE




SECTION

Note:
See Sheet 5 for details and Sheet 6 for notes.


* Slope:
To Span Line For Pipe Arch 28"x20" And Smaller
2:1 For Pipe Arch 35"x24" And Larger

| | | | |
|--|-----|------|---------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| SIDE DRAIN MITERED END SECTION | | | |
| SINGLE AND MULTIPLE CORRUGATED METAL PIPE-ARCH | | | |
| Designed by | EGR | 8/77 | Approved By |
| Drawn by | HRH | 8/77 | Ready Bridge Engineer, Roadways |
| Checked by | JVB | 8/77 | Revised No. |
| F.H.W.A. Approved: 10/21/77 | | 87 | 3 of 6 |
| | | | 273 |


| DIMENSIONS & QUANTITIES | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-----------|--------|-------|--------|--------|--------|-----|-------|----------------|----------------|----------------|---------------|-------|-------------------------|----------------------|-----------------------|----------------|----------------|---------------|----------------------|----------------|----------------|---------------|
| Rise R | Span S | X | A | B | C | E | F | G | M | | | | N | GRATE SIZES | | CONCRETE (Cu. Yds.) | | | | SODDING (Sq. Yds.) | | | |
| | | | | | | | | | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe | | Standard Weight Pipe | Extra Strong Pipe | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe | Single Pipe | Double Pipe | Triple Pipe | Quad. Pipe |
| 12" | 18" | 2'-10" | 2.36' | 3.06' | 5.42' | 3.03' | 5' | 1.50' | 4.92' | 7.75' | 10.58' | 13.42' | 1.21' | | | 0.30 | 0.45 | 0.61 | 0.76 | 9 | 11 | 12 | 14 |
| 14" | 23" | 3'-4" | 2.44' | 3.75' | 6.19' | 3.70' | 6' | 1.90' | 5.38' | 8.71' | 12.04' | 15.38' | 1.23' | | | 0.36 | 0.56 | 0.76 | 0.95 | 9 | 12 | 14 | 16 |
| 19" | 30" | 4'-0" | 2.62' | 5.47' | 8.09' | 5.36' | 8' | 2.37' | 6.04' | 10.04' | 14.04' | 18.04' | 1.27' | 2 1/2" | 3" | 0.51 | 0.79 | 1.08 | 1.36 | 11 | 13 | 16 | 19 |
| 24" | 38" | 5'-0" | 2.79' | 7.18' | 9.97' | 7.03' | 10' | 2.85' | 6.79' | 11.79' | 16.79' | 21.79' | 1.31' | 2 1/2" | 3" | 0.68 | 1.10 | 1.53 | 1.96 | 12 | 15 | 19 | 22 |
| 29" | 45" | 5'-11" | 3.05' | 8.90' | 11.95' | 8.70' | 12' | 3.19' | 7.50' | 13.42' | 19.33' | 25.25' | 1.38' | 2 1/2" | 3 1/2" | 0.86 | 1.45 | 2.04 | 2.63 | 13 | 17 | 21 | 25 |
| 34" | 53" | 7'-0" | 3.22' | 10.62' | 13.64' | 10.36' | 13' | 3.57' | 8.25' | 15.25' | 22.25' | 29.25' | 1.42' | 3" | 3 1/2" | 1.02 | 1.81 | 2.60 | 3.39 | 15 | 19 | 24 | 29 |
| 38" | 60" | 7'-10" | 3.39' | 11.99' | 15.38' | 11.70' | 15' | 3.95' | 9.67' | 16.75' | 24.58' | 32.42' | 1.46' | 3" | 4" | 1.18 | 2.14 | 3.10 | 4.05 | 16 | 21 | 26 | 31 |
| 43" | 68" | 8'-11" | 3.56' | 13.71' | 17.27' | 13.36' | 17' | 4.28' | 10.42' | 18.58' | 27.50' | 36.42' | 1.50' | 3" | 4" | 1.38 | 2.58 | 3.79 | 4.99 | 17 | 23 | 29 | 35 |
| 48" | 76" | 9'-11" | 3.73' | 15.43' | 19.16' | 15.03' | 19' | 4.59' | 11.02' | 20.33' | 30.25' | 40.17' | 1.54' | Special | Special | 1.59 | 3.05 | 4.51 | 5.97 | 18 | 25 | 32 | 38 |
| 53" | 83" | 10'-8" | 3.91' | 17.15' | 21.06' | 16.70' | 20' | 4.77' | 11.08' | 21.75' | 32.42' | 43.08' | 1.58' | Special | Special | 1.80 | 3.50 | 5.19 | 6.88 | 20 | 27 | 34 | 41 |
| 58" | 91" | 11'-8" | 4.08' | 18.87' | 22.95' | 18.36' | 22' | 5.01' | 11.83' | 23.50' | 35.17' | 46.83' | 1.63' | Special | Special | 2.04 | 4.04 | 6.05 | 8.05 | 21 | 29 | 37 | 44 |



TOP VIEW - SINGLE PIPE







TOP VIEW - MULTIPLE PIPE



SECTION

Note:
See Sheet 5 for details and Sheet 6 for notes.

| | | | |
|---|---------|--------------|--------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| SIDE DRAIN MITERED END SECTION SINGLE AND MULTIPLE ELLIPTICAL CONCRETE PIPE | | | |
| Designed by | EGR | Dates | 6/81 |
| Drawn by | HSD | Dates | 6/81 |
| Checked by | JVC/JBW | Dates | 6/81 |
| F.H.W.A. Approved: | 10/8/81 | Revision No. | 86 |
| | | Sheet No. | 4 of 6 |
| | | Index No. | 273 |




GENERAL NOTES

1. Mitered end sections shall be paid for as mitered end section, each, based on each independent pipe end.
2. The cost of all pipe(s), grates, fasteners, reinforcing, connectors, anchors, concrete, sealants, jackets and coupling bands shall be included in the contract unit price for mitered end section, each. Sodding not included.
3. The reinforced concrete slab shall be constructed for all sizes of side drain pipe and cast in place with Class I concrete.
4. Round pipe size 30" or greater, pipe-arch size 35" x 24" or greater and elliptical pipe 19" x 30" or greater shall be grated unless excepted in the plans. Smaller sizes of pipe shall be grated only when called for in plans. The lower grate on trailing downstream ends on divided highways shall be omitted.
5. Grates are to be fabricated from steel ASTM A 53, Grade B, pipe. The lower grate on all traffic approach ends shall be Schedule 80 and all remaining grates shall be Schedule 40.
Grates subject to salt free and corrosive free environment may be fabricated from galvanized pipe, with base metal exposed during fabrication repaired as specified in Section 562, Standard Specifications; or, fabricated from black pipe and hot dipped galvanized after fabrication in accordance with ASTM A 123. Grates subject to salt water or highly corrosive environment shall be hot dipped galvanized after fabrication in accordance with ASTM A 123.
6. Concrete pipe used in the assembly of mitered end sections shall be of selective lengths to avoid excessive connections.
7. Corrugated metal pipe galvanizing that is damaged during beveling and perforating for mitered end section shall be repaired.
8. That portion of corrugated metal pipe in direct contact with the concrete slab shall be bituminous coated prior to placing of the concrete.
9. Unless otherwise designated in the plans, concrete pipe mitered end sections may be used with any type of side drain pipe; corrugated steel pipe mitered end sections may be used with any type of side drain pipe except aluminum pipe; and, corrugated aluminum mitered end sections may be used with any type of side drain pipe except steel pipe. When bituminous coated metal pipe is specified for side drain pipe, mitered end sections shall be constructed with like pipe or concrete pipe. When the mitered end section pipe is dissimilar to the side drain pipe, a concrete jacket shall be constructed in accordance with Index No. 280.
10. Corrugated polyethylene pipe (CPE) for sidedrain application of 15", 18" or 24" diameter shall utilize either corrugated metal or concrete mitered end sections. When used in conjunction with corrugated metal mitered end sections, connection shall be by either a formed metal band specifically designated to join CPE pipe and metal pipe or other coupler approved by the Engineer of Drainage. When used in conjunction with a concrete mitered end section, connection shall be by concrete jacket constructed in accordance with Index No. 280.
11. When existing multiple side drain pipes are spaced other than the dimensions shown in this detail, or have non-parallel axes, or have non-uniform sections, the mitered end sections will be constructed either separately as single pipe mitered end sections or collectively as multiple pipe end sections as directed by the Engineer; however, mitered end sections will be paid for each, based on each independent pipe end.
12. In addition to the requirements of Section 430-4, sidedrain culverts shall comply with the bedding and backfill requirements shown on Index No. 280.
13. Ditch transitions shall be used on all grades in excess of 3% as directed by the Engineer.
14. The project engineer shall contact the District Drainage Engineer for possible alternate treatment prior to constructing sidedrain mitered end sections where a minimum spacing of 30' will not result between the toe points of the mitered end sections.

DESIGN NOTES


1. In critical hydraulic locations, grates shall not be used until potential debris transport has been evaluated by the drainage engineer and appropriate adjustments made. Ditch grades in excess of 3% or pipe with less than 1.5' of cover and grades in excess of 1% will require such an evaluation (General Note 4).
2. The design engineer shall determine highly corrosive locations and specify in the plans when the grates shall be hot-dipped galvanized after fabrication (General Note 5).
3. The design engineer shall determine and designate in the plans which alternate types of mitered end section will not be permitted. The restriction shall be based on corrosive or structural requirements.



PLAN

DITCH TRANSITION

Modified Slope When Minimum Cover Does Not Exist On In Place Culvert Or Can Not Be Attained With Proposed Culvert Installation




PERMISSIBLE PAVEMENT MODIFICATION FOR CLASS I TURNOUTS


| | | | |
|--|-----|-----------|----------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| SIDE DRAIN MITERED END SECTION NOTES & INFORMATION | | | |
| Designed by | EGR | 8/77 | Approved By |
| Drawn by | HKH | 8/77 | Deputy Design Engineer, Roadways |
| Checked by | JVG | 8/77 | |
| Revision No. | | Sheet No. | Index No. |
| 86 | | 6 of 6 | 273 |
| FHW A. Approved 10/21/77 | | | |




SECTION DD



SECTION CC




SECTION BB




SECTION AA


| ESTIMATED QUANTITIES & DIMENSIONS | | | | | |
|-----------------------------------|--------|--------------|------------------------------|---------------|-------|
| PIPE SIZE | L CMP | L Conc. Pipe | SAND-CEMENT RIPRAP (Cu. Yd.) | SOD (Sq. Yd.) | |
| 15" | 8'-2" | 8'-9" | 2.2 | 90 | 8.40 |
| 18" | 9'-2" | 9'-10" | 2.5 | 100 | 9.10 |
| 24" | 11'-2" | 12'-0" | 3.5 | 140 | 10.40 |




PICTORIAL VIEW




SECTION DD



SECTION CC




SECTION BB



SECTION AA

| ESTIMATED QUANTITIES & DIMENSIONS | | | | | |
|-----------------------------------|--------|--------------|------------------------------|--------------------|---------------|
| PIPE SIZE | L CMP | L Conc. Pipe | SAND-CEMENT RIPRAP (Cu. Yd.) | CONCRETE (Cu. Yd.) | SOD (Sq. Yd.) |
| 15" | 8'-2" | 8'-9" | 1.0 | 40 | 0.78 |
| 18" | 9'-2" | 9'-10" | 1.4 | 60 | 0.89 |
| 24" | 11'-2" | 12'-0" | 2.0 | 80 | 1.08 |




PICTORIAL VIEW


GENERAL NOTE

- Details for concrete and round corrugated metal pipe, concrete pipe shown.
- Sod slopes 2' each side and top and ditch 4' beyond toe.
- These mitered end sections are intended for side drain installations by FDOT Maintenance forces and for side drain installations constructed under FDOT Maintenance permit.

| | | | | | |
|--|-----|------|-------|--------------|-------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| SIDE DRAIN MITERED END SECTION | | | | | |
| SINGLE ROUND CONCRETE & CORRUGATED METAL PIPE | | | | | |
| Designed by | EGR | Date | 10/77 | Approved By | <i>J. C. Bell</i> |
| Drawn by | HKH | Date | 10/77 | Checked by | JVG |
| Checked by | JVG | Date | 10/77 | Revision No. | 86 |
| F.H.W.A. Approved: 10/23/78 | | | | Sheet No. | 1 of 1 |
| | | | | Index No. | 274 |




SECTION BB




PLAN

INLET TYPE A GRATE



SECTION CC




PLAN

INLET TYPE B GRATE


INLET IN TOP OF BOX CULVERT

- NOTE:
1. Cost of Steel Grating to be included in cost of Box Culvert.
 2. All steel shall be 11/4" clear




NOTE: Extra base is required when cross box culverts are located on facilities subject to high speed traffic (>45 mph) or high traffic volumes (>1600 ADT) and the cover is within the range specified in the notation above.
Extra base material to be paid for as equivalent square yard base, except when material is called for on cubic yard or tonnage basis.

EXTRA BASE FOR CROSS BOX CULVERTS UNDER FLEXIBLE PAVEMENT




PLAN


FLARED ENDWALL




SECTION AA



SECTION BB



SECTION AA



SECTION BB


STRAIGHT ENDWALL

NOTE: Cost for removal and disposal of material from existing headwall, wingwall and top slab, and cost of cleaning, straightening and extending longitudinal reinforcing steel shall be included in the contract unit prices for Class II Concrete (Culverts) CY and Reinforcing Steel (Roadway) Lb.


CONNECTION DETAILS FOR CONCRETE BOX CULVERT EXTENSIONS

| | | | |
|--|-------|--------|---|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| MISCELLANEOUS DRAINAGE DETAILS | | | |
| Designed by | Notes | Date | Approved By |
| Drawn by | | | <i>J. B. Smith</i> Deputy Design Engineer, Roadway |
| Checked by | | | Revision No. |
| | | | Sheet No. |
| F.H.W.A. Approved: 11/16/78 | 85 | 1 of 3 | 280 |


**Cost To Be Included
In Cost Of Pipe**




**INLETS, MANHOLES OR JUNCTION BOXES
ON INTEGRAL PRECAST CONCRETE RISER FOR CONCRETE PIPE**




CONCRETE COLLAR FOR EXTENSION OF EXISTING PIPE CULVERTS




GUARD AT PIPE ENDS




CONCRETE JACKET




CONCRETE COLLAR FOR JOINING MAINLINE PIPE AND STUB PIPE

**SECTION CC**


SECTION BB



FILTER FABRIC JACKET



CONCRETE JACKET FOR CONNECTING DISSIMILAR TYPES OF PIPE AND CONCRETE PIPES WITH DISSIMILAR JOINTS




PIPE PLUG

Note: Either cast iron pipe or PVC pipe, Schedule 40, may be used. Pipe to be paid for under the contract unit price for either Cast Iron Pipe For Roof Drains (4"), L.F. or Polyvinyl Chloride Pipe Culvert (4"), L.F.


CONCRETE GUTTER AND DRAINS AT RETAINING WALLS

Cost of concrete jacket or filter fabric jacket to be included in cost of elliptical concrete pipe culverts.





Note: Unless otherwise called for in the plans, the cost of plugging pipes to be included in contract unit price for new pipe.

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
|---|---------|-----------|--|
| ROAD DESIGN | | | |
| MISCELLANEOUS DRAINAGE DETAILS | | | |
| Designed by | Revised | Date | Approved By |
| Drawn by | HSD | 1/85 |  Deputy Design Engineer Roadways |
| Checked by | JDW/JVG | 9/85 | |
| F.H.W.A. Approved: | | | |
| Revision No. | | Sheet No. | Index No. |
| 87 | | 2 of 3 | 280 |

| SCHEDULE OF BELL REINFORCEMENT Classes - III, IV, V; Wall - A, B, C | | |
|--|---------------------------------|---|
| Nominal Pipe Diameter | Design Bell Reinforcement | Maximum Reinforcement Under Tolerance |
| | SQUARE INCHES | SQUARE INCHES |
| 15" | 0.12 | 0.010 |
| 18" | 0.16 | 0.010 |
| 24" | 0.20 | 0.010 |
| 30" | 0.24 | 0.010 |
| 36" | 0.28 | 0.010 |
| 42" | 0.32 | 0.010 |
| 48" | 0.36 | 0.011 |
| 54" | 0.40 | 0.012 |
| 60" | 0.45 | 0.0135 |
| 66" | 0.50 | 0.015 |
| 72" | 0.55 | 0.0165 |
| 78" | 0.60 | 0.018 |
| 84" | 0.65 | 0.0195 |
| 90" | 0.70 | 0.021 |
| 96" | 0.75 | 0.0225 |
| 102" | 0.80 | 0.024 |
| 108" | 0.85 | 0.0255 |



DETAIL OF BELL & SPIGOT CONCRETE PIPE JOINT
USING ROUND RUBBER GASKET




NOTE: Filling or excavation of variable slopes to be done during normal grading operations.

SECTION CC


- Use larger value of either:
1. $L = 10 \times H$ (No maximum)
 2. $L = 10 \times \text{Ditch Offset}$ (Maximum $L = 100'$)

METHOD FOR SETTING LIMITS OF VARIABLE FRONT SLOPES AT DRAINAGE STRUCTURES



SECTION THRU RECESSED "V" GROOVE
TO FORM INSCRIBED FIGURES

The number is to be placed in the center of the top surface of all bridge culvert headwalls. Black plastic figures 3" in height as approved by the Engineer may be used in lieu of figures formed by $\frac{3}{8}$ " "V" grooves. "V" grooves shall be formed by preformed figures.




TOP VIEW OF HEADWALL
BRIDGE CULVERT NUMBER LOCATION
For Bridge Number See Plan - Profile Sheet(s).

| RAILROAD COMPANY | CLEARANCE BELOW BOTTOM OF RAIL (FEET) | STRENGTH ASTM (C76) CLASS |
|-----------------------------------|---|---------------------------------|
| ATLANTIC COAST | 4.0 | I |
| ATLANTA AND WEST INDIES RAILWAY | 4.0 | I |
| FLORIDA EAST COAST | 4.5 | I |
| BURLINGTON NORTHERN RAILROAD | 5.0 | II |
| CSX TRANSPORTATION, INC. | 5.5 | II |
| SOUTHERN RAILWAY SYSTEM: | | |
| GEORGIA SOUTHERN AND FLORIDA | 5.5 | II |
| UPPER PENINSULA AND SOUTH GEORGIA | 5.5 | II |
| ST. JOHNS RIVER TERMINAL | 5.5 | II |


* Clearance is for casing pipe. All subgrade carrier pipelines and wirelines will be installed within a casing pipe which will extend from Right-of-Way line to Right-of-Way line.

| | | | |
|--|--------------|-------------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| MISCELLANEOUS DRAINAGE DETAILS | | | |
| Designed By | Checked By | Approved By | |
| Drawn By | Revision No. | Sheet No. | Index No. |
| Checked By | 87 | 3 of 3 | 280 |
| F.H.W.A. Approved: 11/16/78 | | | |




JUNCTION OF ROADWAY DITCH AND LATERAL DITCH *

* Soil cement or misc. asphalt will not be permitted for this type of construction.




JUNCTION OF R/W DITCH AND LATERAL DITCH *



PLAN




LONGITUDINAL SECTION




SECTION

MATTING FOR DITCH



SECTION EE




PLAN

PAVED DITCH END TREATMENT


GENERAL NOTES

- Type of ditch pavement shall be as shown on plans.
- In concrete ditch pavement, contraction joints are to be spaced at 25' maximum intervals, or as directed by the Engineer. Contraction joints may be either formed (construction joint) or tooled. No open joints will be permitted. Expansion joints with 1/2" preformed joint filler shall be constructed at all inlets, endwalls, and at intervals of not more than 200'.
- Lip at end of ditch pavement shall normally be located downstream of D.P.I. or on flatter grades where there is a decrease in ditch velocity.
- Toewalls are to be used with all ditch paving. A toewall is not required adjacent to drainage structures.
- When directed by the Engineer, weep hole spacing may be reduced to 5' minimum.
- For junction of R/W ditch spillway and lateral ditch, sides of paving to be 1' high minimum.
- For ditch pavements requiring filter fabric the fabric shall be placed directly beneath the pavement for the entire length and width of the pavement. When weep holes with aggregate are used the filter fabric shall be placed below the aggregate to form a mat continuous with or underlapping the pavement fabric.
- Cost of plastic filter fabric to be included in the contract unit price for ditch pavement.





SECTION AA

PROFILE OF DITCH PAVT. AT LOCATIONS OTHER THAN JUNCTION WITH LATERAL DITCH




TYPICAL SECTION

| DITCH PAVEMENT | | | | | | | |
|----------------|-------------------------------------|-----------------|--------|--------|--------------|-------------------|----------------------|
| Item ID | Pavement Type | Dimensions | | | Payment Unit | Basis Of Estimate | References & Remarks |
| | | a | b | c | | | |
| 524-1-1 | Concrete | 24" | 6" | 3" | SY | SY | Subsurface Drainage |
| 339-1 | Miscellaneous Asphalt | 24" | 12" | 4" | TN | 0.2 TN/SY | None |
| 170-1 | Soil - Cement | 24" | 12" | 4" | SY | SY | None |
| 530-1-1 | Riprap (Sand-Cement) | 24" | 12" | 4" | CY | 0.11 CY/SY | Subsurface Drainage |
| 530 | Riprap (Concrete Block) | 15 1/8" | 7 1/8" | 7 1/8" | CY | 0.22 CY/SY | Riprap Filter |
| 530-70 | Riprap (Broken Concrete) + Slurry | 24" | 12" | 9" | SY | SY | Riprap Filter |
| 530-3-1 | Riprap (Rubble) | Broken Stone | 26" | NA | 26" | TN | 0.8 TN/SY |
| | | Broken Concrete | 21" | NA | 21" | TN | 0.8 TN/SY |



ROADWAY SIDE DITCH




WEEP HOLE ARRANGEMENT


| TO REPLACE: | W | d | R | No. of rows of weep holes | Arc Length |
|----------------------------------|-----|------|-----|---------------------------|------------|
| 6" Median Swale | 6' | .24' | 19' | 0 | 6.0 |
| 6:1 Front Slopes; 4:1 Back Slope | | | | | |
| 5' B.W. Ditch | 10' | .67' | 19' | 2 | 10.1 |
| 4' B.W. Ditch | 9' | .54' | 19' | 2 | 9.1 |
| 4:1 Front slope & Back slope | | | | | |
| 5' B.W. Ditch | 9' | .74' | 14' | 2 | 9.2 |
| 4' B.W. Ditch | 8' | .58' | 14' | 1 in center | 8.1 |

ALTERNATE DITCH PAVEMENT

For use only where side slopes are 4:1 or flatter. Point "A" and "B" are to be the same elevation and should be used to locate the paved section.




SWALED MEDIAN (No Weep Holes)




40' MEDIAN

| | | | |
|---|--------------|-----------|--------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
| ROAD DESIGN | | | |
| DITCH PAVEMENT & SODDING | | | |
| Designed by | Checked by | Drawn by | Approved By |
| | | | <i>[Signature]</i> |
| Checked by | Revision No. | Sheet No. | Index No. |
| | | 1 of 2 | 281 |
| F.H.W.A. Approved: 5/11/75 | | | |




Note: Sodding quantities for each endwall to be determined by the designer from this detail.


(EXCEPT INDEX 250)
STRAIGHT ENDWALL




STRAIGHT ENDWALL
INDEX 250



U-TYPE ENDWALL
INDEX 261






U-TYPE WINGS
WINGED ENDWALLS
INDEX 266



FLARED END SECTION
INDEX 270

| SODDING QUANTITIES (S.Y.) | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|-----------|----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|--------------------------|----|-----|----|-----------|----|----|----|-----------|-------|
| PIPE SIZE | INDEX 250 | | | | | | | | | | | | INDEX 261 | | | | INDEX 266 | | | | INDEX 270 | |
| | SLOPE | | | | | | | | | | | | SLOPE | | | | SLOPE | | | | ALL SLOPE | |
| | 2:1 | | 3:1 | | 4:1 | | 6:1 | | 2:1 | | 3:1 | | 4:1 | | 6:1 | | | | | | | |
| | PIPES | | | | | | | | | | | | PIPES | | | | PIPES | | | | | PIPES |
| | 1 | 2 | 3 | 1 | 2 | 3 | 1 | 2 | 3 | 1 | 2 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 |
| 12" | | | | | | | | | | | | | | | | | 14 | 15 | 18 | 22 | 10 | |
| 15" | 19 | 21 | 24 | 22 | 26 | 29 | 26 | 30 | 33 | 34 | 38 | 43 | 13(15) | 16 | 17 | 23 | 15 | 17 | 20 | 25 | 11 | |
| 18" | 21 | 24 | 27 | 25 | 29 | 33 | 30 | 34 | 38 | 39 | 44 | 50 | 14(16) | 17 | 19 | 25 | 16 | 18 | 22 | 28 | 11 | |
| 21" | | | | | | | | | | | | | | | | | | | | | 12 | |
| 24" | 26 | 30 | 34 | 32 | 37 | 42 | 38 | 44 | 50 | 50 | 58 | 66 | 15(17) | 19 | 21 | 28 | 19 | 22 | 26 | 34 | 14 | |
| 27" | | | | | | | | | | | | | | | | | | | | | 15 | |
| 30" | 31 | 37 | 42 | 39 | 46 | 53 | 46 | 55 | 63 | 62 | 74 | 85 | 17(18) | 21 | 24 | 32 | 21 | 25 | 30 | 40 | 16 | |
| 36" | 37 | 44 | 52 | 46 | 56 | 65 | 56 | 67 | 79 | 76 | 91 | 107 | | | | | 24 | 29 | 35 | 47 | 18 | |
| 42" | 43 | 53 | 62 | 55 | 67 | 79 | 67 | 82 | 96 | 91 | 111 | 132 | | | | | 27 | 32 | 39 | 54 | 19 | |
| 48" | 50 | 62 | 73 | 64 | 79 | 93 | 78 | 97 | 115 | 108 | 133 | 158 | | | | | 30 | 36 | 44 | 61 | 21 | |
| 54" | 57 | 71 | 85 | 74 | 92 | 110 | 91 | 113 | 136 | 126 | 157 | 188 | | | | | | | | | 21 | |
| 60" | | | | | | | | | | | | | | | | | | | | | 22 | |
| 66" | | | | | | | | | | | | | | | | | | | | | 25 | |
| 72" | | | | | | | | | | | | | | | | | | | | | 26 | |
| | | | | | | | | | | | | | () Endwall With Baffles | | | | | | | | | |




| | | | | |
|--|---------|-------|---------------------------------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
| DITCH PAVEMENT & SODDING | | | | |
| Designed by | Names | Dates | Approved By | |
| Drawn by | HSD | 8/85 | State Design Engineer, Roadways | |
| Checked by | JBW/JVG | 9/85 | Revision No. | Sheet No. |
| F.H.W.A. Approved: | 7/7/75 | 86 | 2 of 2 | 281 |



Notes:

1. For additional details see Index No. 232.
2. Inlet to be paid for under the contract unit price for Inlets (Ditch Bottom) (Type C Modified), E.A.

INLET TYPE C (MODIFIED)




| Pipe Size | C | Conc. - CY |
|-----------|-------|------------|
| 15" | 4'-9" | 2.27 |
| 18" | 5'-3" | 2.59 |
| 24" | 6'-3" | 3.26 |

Notes:

1. Maximum pipe size shall be 24" diameter.
2. Grading back of sidewalk varies and shall be done as directed by the Engineer.
3. Concrete quantities shown are for maximum wall heights, and shall be basis for estimate and payment.
4. Endwalls to be paid for under the contract unit price for Class I Concrete (Endwalls), CY. Handrail to be paid for under the contract unit price for Pipe Handrail, LF.

SPECIAL CONCRETE ENDWALL


Flow Lines Of Pipes To Match Gutter Elevations



Notes:

1. To be constructed at locations as directed by the Engineer.
2. Either cast iron pipe or PVC pipe, Schedule 40, may be used. Pipe to be paid for under the contract unit price for either Cast Iron Soil Pipe (Standard) (4"), LF or Polyvinyl Chloride Pipe Culvert (4"), LF.

SHALLOW DITCHES



YARD DRAIN ITEM INCLUDES:

- ① 15"X15"X12" Conc. Tee 4' Long.
- ② One (1) Gate - Neenah No. R - 4030, Phoenix No. P-1058, U.S. Foundry #5605 or equivalent.
- ③ 12" Conc. Pipe as necessary.
- ④ 0.04 Cu. Yds. Conc. for slab.

Notes:

1. Yard drains may be constructed at the option of the property owner as shown on the plans.
2. Cost of plugs and collars to be included in the cost for 15" concrete pipe. For collar and plug details see Index No. 280.
3. Yard drains to be paid for under the contract unit price for Yard Drains, Each.




YARD DRAINS

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

BACK OF SIDEWALK DRAINAGE

| Designed by | Drawn by | Checked by | Approved By | Revision No. | Sheet No. | Index No. |
|---------------------------|----------|------------|----------------------------------|--------------|-----------|-----------|
| | | | <i>[Signature]</i> | | | |
| | | | Deputy Design Engineer, Roadways | | | |
| F.H.W.A. Approved: 5/1/75 | 87 | 1 of 1 | | | | 282 |

Provide approximately a minimum of 0.20% grade on gutter, slightly warping the surface of the median pavement if necessary, within limits of the median curb or curb and gutter. Construct a drainage flume or flumes at the point or points of low grade. See details.




SECTION B-B
(May Drain From Any Point Designated In The Plans Or As Adjusted By The Engineer During Construction)

General Notes


1. These details are to apply to projects which provide for the conversion of 2-lane sections to 4-lane divided highway sections and for superelevated sections of new 4-lane divided highways. Layout above is illustration only. Cost of flumes to be included in the contract price for Curb or Curb and Gutter. Sod to be paid for under the contract unit price for Sodding, SY.
2. Flumes to be located in low point of noses and at other points as designated in the plans. The locations may be adjusted by the Engineer during construction.

| | | | | | |
|--|--|-------------|--|-----------------------------------|--|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| MEDIAN OPENING FLUME | | | | | |
| Name: _____ | | Date: _____ | | Approved By: _____ | |
| Designed By: CHR | | 3/59 | | Report: Design Engineer, Roadways | |
| Checked By: CDD | | 3/59 | | Sheet No. _____ | |
| Approved: 3/20/75 | | 83 | | 1 of 1 | |
| | | | | 283 | |

Note: Set reflector plates on right hand curb at bridge ends as shown. Plates to be furnished by D.O.T. and installed by the contractor. Cost of installing plates to be included in the contract unit price for concrete ditch pavement (3" thick).




SECTION AA



SECTION BB




SECTION CC



BRIDGE APPROACH SLAB

PLAN




SECTION ALONG & OF DRAIN

Dowels to be included in the contract unit price for concrete ditch pavement (3" thick).

| ESTIMATED QUANTITIES | | |
|-------------------------------------|---------|----------|
| ITEM | UNIT | QUANTITY |
| Concrete Ditch Pavement (3" Thick) | Sq. Yd. | * 10.87 |

* Quantity shown above includes pavement for 10 ft. "Length of Slope". For each additional foot of slope length add 0.349 sq. yds.

| | | | | | |
|--|---------|------|-------|--------------|--------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| CONCRETE SPILLWAYS BRIDGE END SPILLWAY | | | | | |
| Designed by | C E S | Date | 12/51 | Approved By | <i>[Signature]</i> |
| Drawn by | H L F | Date | 12/51 | Revision No. | 01 |
| Checked by | H L F | Date | 12/51 | Sheet No. | 1 of 2 |
| F.H.W.A. Approved: | 3/20/75 | | | Index No. | 284 |





NOTES:

1. Spillway to be paid for as shoulder gutter.
2. If spillway empties into a shallow or median ditch, the detail should be modified as necessary.


DETAIL OF CONC. SPILLWAY AT END OF SHOULDER GUTTER

(TO BE USED WHERE INLETS, PIPES & ENDWALLS ARE IMPRACTICAL)


| | | | |
|--|-------|-----------|--|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| CONCRETE SPILLWAYS SHOULDER GUTTER SPILLWAY | | | |
| Designed by | Names | Date | Approved By |
| Drawn by | | | <i>J. C. Smith</i> County Design Engineer, Roadways |
| Checked by | | | |
| Revision No. | | Sheet No. | Index No. |
| F.H.W.A. Approved: 11/16/78 | | 81 | 2 of 2 |
| | | | 284 |



SIDE VIEW




SECTION AA




SECTION BB

OPTION A




Pictorial View

| Pipe Size | Depth Of Cut (d) |
|-----------|------------------|
| 18" | 5 1/8" |
| 24" | 5 7/8" |
| 30" | 5 1/2" |
| 36" | 7 1/8" |
| 42" | 7 1/4" |
| 48" | 7 1/2" |




SECTION AA




SIDE VIEW

OPTION B

SLOTTED PIPE OPTIONS



STANDARD CROSS SECTION (ENLARGED)



LONGITUDINAL SECTION

FRENCH DRAIN SYSTEM

GENERAL NOTES

- Pipe shall be any of the optional types permitted in Section 443 of the Specifications unless otherwise restricted in the plans. Dissimilar types of pipe will not be permitted in a continuous run of pipe.
- Concrete pipe shall be placed with the slots positioned on the sides. Clay pipe shall be placed with the perforations positioned downward symmetrically about the bottom centerline.
- Alignment joints are standard (gaskets not required).
- The contractor may submit other methods of providing slots having equal or greater area of opening for approval by the Engineer.
- Filter fabric shall be Subsurface Drainage type meeting the requirements of Section 985. All filter fabric joints shall lap a minimum of one (1) foot.
- The standard cross section shall be constructed unless other section(s) described or detailed in the plans.
- For supplemental details see Index No. 280.
- The contractor shall take the necessary precautions to prevent contamination of the trench by sand, silt and foreign materials.
- The 12" diameter weep hole shall be eliminated when the bottom of the inlet is below the normal water table, unless otherwise shown in the plans.
- French drains following the typical cross section shall be paid for under the contract unit price for French Drains, L.F. The unit price shall include the cost for pipe, pipe plugs, pipe fittings, coarse aggregate and filter fabric in place, and the cost for trench excavation, backfill and compaction. The unit price shall also include the cost for disposal of surplus excavated materials and cost for restoration of pavement removed or damaged by french drain construction, but shall not include payments for items paid for elsewhere.

French drains with a significantly different cross section shall be paid for under the contract unit prices for separate items as follows:

- Slotted or Perforated Pipe Culvert, L.F. Unit price shall include cost for pipe, pipe plugs and fittings in place.
- French Drain Aggregate, CY. Unit price shall include cost for coarse aggregate in place, and cost for trench excavation, backfill and compaction. The unit price shall also include the cost for disposal of surplus excavated materials and cost for restoration of pavement removed or damaged by french drain construction, but shall not include payment for items paid for elsewhere.
- Plastic Filter Fabric, SY. Unit price shall be for cost of fabric in place. Quantity shall be determined by plan net dimensions of the fabric envelope.


GENERAL NOTES

- Pipe invert should be at or above the water table whenever possible.
- French drains with minor dimensional changes or otherwise different from the standard cross-section shall be either described or detailed in the plans. French drains with significantly different cross-sections shall be detailed in the plans.


STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

FRENCH DRAIN


| Designed by | Checked by | Approved By | Sheet No. | Index No. |
|----------------------------|------------|--------------------|-----------|-----------|
| MPS | RRR | <i>[Signature]</i> | 87 | 1 of 1 |
| 9/83 | 9/83 | 9/83 | 87 | 1 of 1 |
| F.H.W.A. Approved: 10/8/83 | | | | 285 |




TYPE I




TYPE II




TYPE III



TYPE IV




LOWER LIMIT



UPPER LIMIT

TYPE Ia



TYPE Ib

DESIGN NOTES

1. The type of underdrain should be selected to meet design water removal rate and soil conditions. Caution is prescribed in the use of these typical sections since special designs may be required to satisfy project conditions.
2. Type I underdrain is intended for minimum water removal conditions.
3. Type II underdrain is intended for moderate water removal conditions. Where reactive conditions may create chemical clogging, the use of an inert material and/or elimination of the filter fabric may be necessary.
4. Type III underdrain is intended for maximum water removal conditions. The filter fabric separation is required between the coarse aggregate or fine aggregate including those described in general notes 2 and 3. Design note 3 applies for reactive conditions.
5. Type IV underdrain is intended for minimum water removal edgeline and underdrain applications.
6. Type V underdrain is intended for use in detention basins and other locations which require a filtration system. Type Va is recommended and Type Vb should be used only when Type Va is inappropriate. The standard fine aggregate specified for Type V underdrain conforms to filtration gradation requirements of Chapter 17-25.025 F.S.
7. The designer should evaluate whether a filter fabric envelope is required around underdrain Types I, III, IV and Va. When required, fabric shall be specified in the plans. Fabric to be paid for separately.

GENERAL NOTES

1. The underdrain pipe shall be either 4" smooth or 5" corrugated tubing unless otherwise shown in the plans.
2. Fine aggregate shall be quartz sand meeting the requirements of Section 902-4 of the Standard Specifications.
3. Coarse aggregate shall be gravel or stone meeting the requirements of Section 901-2 or 901-3 respectively. The gradation shall meet Section 901-6, Grades 4, 467, 5, 56 or 57 stone unless restricted in the plans.
4. Underdrain Type I, II, III and V shall be in accordance with Section 440 and Underdrain Type IV (Edgeline) in accordance with Section 441.
5. Filter fabric meeting Section 985 shall be a subsurface drainage type.
6. When corrugated polyethylene tubing with slots or 360° perforations is used in conjunction with fine aggregate, a filter fabric sock is required.
7. For standard location details, see Index 500. Special locations require location details in the plans.
8. The contract unit price for Underdrain, L.F. shall include the following components for each underdrain type as follows:
Type I: Pipe, sock and aggregate.
Type II: Pipe, aggregate and filter fabric envelope.
Type III: Pipe, aggregates and internal filter fabric envelope.
Type Va & Vb: Pipe, sock and aggregates.

Underdrain Type IV is to be paid for under the contract unit price Corrugated Polyethylene Tubing Edgeline, L.F. and shall include the cost for tubing, sock and aggregate.

External filter fabric envelopes, when specified for underdrain Types I, II, III and Va, shall be paid for separately under the contract unit price for Plastic Filter Fabric (---) SY.



9. All filter fabric joints shall overlap a minimum of one (1) foot.

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN


UNDERDRAIN

| Designed by | Checked by | Approved By | Index No. |
|-------------|------------|--------------|-----------|
| EGR | EGR | [Signature] | 286 |
| Drawn by | Checked by | Revision No. | Sheet No. |
| HSD | EGR | 87 | 1 of 2 |
| Checked by | Approved: | | |

ALIGNMENT OF OUTLET PIPE

**SECTION AA**

PLAN - OUTLET PIPE APRON



SECTIONS BB

EXISTING RURAL FACILITIES

GENERAL NOTES

1. The contractor shall confine the construction of underdrain to an area in which the entire operation can be carried out in live (1.5) work days, unless another construction period is called for in the plans, with sufficient time allowed for the drains to set before placement of the Type 5 asphaltic concrete pavement.

Not trench greater than 2" in depth will be allowed overnight. Trenches shall be barricaded at all times.
2. Underdrain shall be constructed adjacent to the low edge of the roadway pavement. When the low side shifts between outside and inside edges of pavement the underdrain shall extend 50' beyond and begin 50' before the flat point (100' overlap).
- Underdrain shall be placed on the low side of ramps at crossroad terminals.
3. Underdrain shall be constructed on a grade parallel with the edge of pavement profile, except on profiles flatter than one-tenth percent (0.10%) the underdrain shall be constructed on a grade of one-tenth percent (0.10%).
4. Immediately prior to placing the filter fabric the entire vertical face of the concrete pavement shall be cleaned to remove adhering base material and soil.
5. The Contractor shall devise a procedure for holding the filter fabric in position on the vertical face of the trench. The procedure must be approved by the Engineer prior to placement of the drains.
6. The upper end of each separate run of underdrain pipe shall be capped.
7. Underdrain outlet pipes shall be constructed at a maximum of 500' intervals. Elbows or g bends shall be used to connect the outlet pipe to the underdrain pipe. The elbows or bends shall be of the same material as the outlet pipe but compatible with the underdrain pipe.

When directed by the Engineer, outlet pipes shall be stubbed into existing inlets or into existing ditch pavements at an elevation 0.5' above the inlet flowline or ditch bottom. Concrete apron and bordering sod are not required for stubbed outlets, but replacement sods will be required at trenches for pipes stubbed into paved ditches.

In sag vertical curves separate outlet pipes for underdrains from opposite directions shall use a single apron unless otherwise shown in the plans or otherwise directed by the Engineer.

Backfill around outlet pipes shall be of cohesive soils, draincrete will not be permitted.

8. Existing paved shoulder that is removed for the construction of outlet pipes shall be replaced with Type S asphaltic concrete at the rate of 500 lbs. per square yard.
9. The contract unit price for Underdrain, Type Special (4") LF shall be full compensation for removal of existing shoulder pavement, trench excavation, disposal of excess materials, filter fabric, pipe and fittings, draincrete, and, barricades necessary for underdrain construction.

The contract unit price for Underdrain Outlet Pipe (4") LF shall be full compensation for removal of existing shoulder pavement, trench excavation, pipe and fittings, hardware cloth, shubbing into existing inlets and paved ditches, restoration of ditch pavement, backfill in place, and, disposal of excess materials.


Concrete apron shall be paid for under the contract unit price for Class 1 Concrete (Miscellaneous) CY.



Sodding shall be paid for under the contract unit price for Sodding SY.

Shoulder pavement shall be paid for under the contract unit price for Type S Asph Conc (Inc Bit) TN.


Tack coat shall be paid for under the contract unit price for Bit Malt (Tack Coat) GA.

Shoulder joint seal shall be paid for under the contract unit price for Shoulder Joint Seal LF.




| | | | | |
|---|--|------------------|--|---|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION | | | | |
| ROAD DESIGN | | | | |
| UNDERDRAIN | | | | |
| Name | | Dates | | Approved By  State Design Engineer, Roadways |
| Designed by | | | | |
| Drawn by | | MSD/dms 6/86 | | |
| Checked by | | JWS/TWL EGN 6/86 | | |
| F.H.W.A. Approved 11/7/86 | | Revision No. | | Sheet No. |
| | | 87 | | 2 of 2 |
| | | | | 286 |



DETAIL "G"



DETAIL "H"



GENERAL NOTES

DESIGN SPECIFICATIONS: A.A.S.H.T.O. 1983.

LOADING: HS20-44, Modified for Military Loading as Required

SURFACE FINISH: The Class Surface finish for all concrete surfaces shall be a general surface finish.

SKewed CONSTRUCTION JOINTS: Construction joints in barrels of culverts with skewed wingwalls may be placed parallel to the headwalls and the reinforcing steel, in the slabs may be cut provided that the cut reinforcing steel extends beyond the construction joint enough for splices to be made in accordance with the table below right this sheet. The cost of construction joints shall be at the expense of the contractor.

* REINFORCING BAR SCHEDULE:

- When the depth is less than or equal to 2.0 feet, Bars C2 are utilized in the bottom of the top slab. In all other cases, Bars C2 are replaced with Bars C1 spaced at 18 inches on centers.
- When the skew angle for a headwall equals 0 degrees plus or minus 11 degrees the respective 5 Bars S2 or S3 will not be utilized.
- When the barrel height is less than 6 feet, Bars B2 will be eliminated as shown in Detail J.
- If the span is less than five feet, Bars A1 and A2 will be Type II Bars.
- The portions of Bars "M" that extend thru Construction Joints into wingwalls above footings shall be wrapped with one layer of 55 lb smooth roofing.







TABLE OF MINIMUM BAR SPLICE LENGTHS

| BAR SIZE | SPLICE | BAR SIZE | SPLICE |
|----------|--------|----------|---------|
| 4 | 1'- 8" | 8 | 3'- 10" |
| 5 | 2'- 2" | 9 | 4'- 10" |
| 6 | 2'- 7" | 10 | 6'- 1" |
| 7 | 3'- 0" | 11 | 7'- 6" |




END ELEVATION OF CULVERT

NOTE: Cut the vertical bars F as required for the longest bar and use the remainder for the shortest bar in the wingwall. The vertical bars J and the horizontal bars K shall be constructed likewise. The lengths shown in the reinforcing steel bar schedule for bars F, J and K require cutting for sloped top wingwalls only.

| | | | | | |
|--|----------|------------|--------------------|-----------|--|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| CONCRETE BOX CULVERT CULVERT DETAILS | | | | | |
| Designed By | Drawn By | Checked By | Approved By | Index No. | |
| | 8FG | 1-88 | <i>[Signature]</i> | 290 | |
| Checked By | RCB | 1-88 | Revision No. | Sheet No. | |
| F.H.W.A. Approved: | 87 | 1 of 5 | | | |

PART PLAN AT END OF CULVERT

END ELEVATION




DETAIL 'E'


DETAIL "F"

SECTION THRU BARREL

NOTE: The location of the first bar from the ends of the culvert shall not be less than .25, but not greater than one half the bar spacing.





PART PLAN BOTTOM SLAB




SECTION NORMAL TO CULVERT

* See Sheet Of Culvert Details


| | | | |
|--|-----------|--------------|---|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| <h1 style="text-align: center;">CONCRETE BOX CULVERT</h1> <h2 style="text-align: center;">SINGLE BARREL</h2> | | | |
| Designed By | Name | Date | Approved By |
| Drawn By | GFG | 1-86 |  |
| Checked By | RCB | 1-86 | State Design Engineer, Roadways |
| F. H. W. A. | Approvals | Revision No. | Sheet No. |
| | | 87 | 2 of 5 |
| | | | Index No. |
| | | | 290 |



PART PLAN AT END OF CULVERT




END ELEVATION




DETAIL 'B'




SECTION C-C




DETAIL 'D'



DETAIL 'E'




DETAIL 'F'




SECTION THRU WINGWALL

NOTE: For Bars F, J, K, L and or FK in the Wingwalls, the subscripts 1 thru 4 apply as follows:
1-Left Front
2-Left Back
3-Right Front
4-Right Back




PART PLAN TOP SLAB

PART PLAN BOTTOM SLAB



SECTION NORMAL TO CULVERT




SECTION THRU BARREL


NOTE: The location of the first bar from the ends of the culvert shall not be less than 25, but not greater than one half the bar spacing.

* See Sheet Of Culvert Details


| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|--|------|------|-------------|---------------------------------|-----------|
| CONCRETE BOX CULVERT DOUBLE BARREL | | | | | |
| Designed By | Home | Date | Approved By | | |
| Drawn By | GFG | 1-86 | F. H. W. A. | State Design Engineer, Roadways | |
| Checked By | RCB | 1-86 | | Revision No. | Sheet No. |
| F. H. W. A. Approved: | | | 87 | 3 of 5 | 290 |



PART PLAN AT END OF CULVERT




END ELEVATION




DETAIL 'B'


SECTION C-C




DETAIL 'D'



DETAIL 'E'




DETAIL 'F'




PART PLAN TOP SLAB


PART PLAN BOTTOM SLAB



SECTION NORMAL TO CULVERT




SECTION THRU WINGWALL




SECTION THRU BARREL

NOTE: The location of the first bar from the ends of the culvert shall not be less than .25, but not greater than one half the bar spacing.


| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|--|------|--------------|------|---------------------------------|--------------------|
| CONCRETE BOX CULVERT TRIPLE BARREL | | | | | |
| Designed By | None | Date | 1-86 | Approved By | <i>[Signature]</i> |
| Drawn By | GFB | Revision No. | 1-86 | Sheet Design Engineer, Roadways | |
| Checked By | RCB | Revision No. | 1-86 | Sheet No. | 4 of 5 |
| F. H. W. A. Approved: | | | 87 | | 290 |




PART PLAN AT END OF CULVERT




END ELEVATION




DETAIL "B"




SECTION C-C




DETAIL "D"




DETAIL "E"



DETAIL "F"




SECTION THRU WINGWALL




SECTION THRU BARREL

NOTE: The location of the first bar from the ends of the culvert shall not be less than 25, but not greater than one half the bar spacing.



PART PLAN TOP SLAB


PART PLAN BOTTOM SLAB



SECTION NORMAL TO CULVERT


* See Sheet Of Culvert Details

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
|--|----------|------------|--------------------|-----------|
| CONCRETE BOX CULVERT QUADRUPLE BARREL | | | | |
| Designed By | Drawn By | Checked By | Approved By | Index No. |
| | GFB | RCB | <i>[Signature]</i> | 290 |
| F. H. W. A. Approved: | | | Revision No. | Sheet No. |
| | | | 87 | 5 of 5 |




**SAFETY MODIFICATION FOR
INLETS IN BOX CULVERTS**


| | | | | | |
|--|-----|------|------|-----------------------------------|--------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| SAFETY MODIFICATIONS FOR INLETS IN BOX CULVERTS | | | | | |
| Designed by | HAB | Date | 7/87 | Approved By | <i>[Signature]</i> |
| Drawn by | MJT | Date | 7/87 | Density Design Engineer, Roadways | |
| Checked by | DWS | Date | 7/87 | Revision No. | Sheet No. |
| F.H.W.A. Approved: 3/20/78 | | | | 81 | 1 of 1 |
| | | | | | 293 |



PLAN




SECTION AA




SECTION BB


GRATE DETAIL




GRATE SEAT DETAIL



ANCHOR BOLT DETAIL



PLAN



SECTION

GENERAL NOTES

1. For use criteria see "Steel Grating Use Criteria" Index No. 261.
2. Gates to be ASTM A 588 or A 242, Grade 50, weathering steel, except grates exposed to salt water shall be ASTM A 242, A 441, A 572 or A 588, Grade 50 steel, and galvanized in accordance with Section 962-7 of the Standard Specifications, and shall be designated in the plans as Alternate G.
3. Channel section C3 x 6.0 may be substituted for the C4 x 5.4 channel.
4. All reinforcing No. 4 bars with 2" clearance except as noted. Spacings shown are center to center. Laps to be 12" minimum. Welded wire fabric (two cages max.) having an equivalent cross sectional area (0.20 sq. in.) may be substituted for bar reinforcement.
5. Drill $1\frac{3}{4}$ " holes 8" deep with a rotary drill in existing endwall for dowel bars. Holes shall be thoroughly cleaned prior to placing dowel bars and epoxy.
6. Endwall to be paid for under the contract unit price for Class I Concrete (Endwalls) CY and Reinforcing Steel (Roadway) LB. Cost of dowel bars and epoxy mortar to be included in the contract unit price for reinforcing steel. Cost of grates to be paid for under the contract unit price for Endwall Grate LB., plan quantity. Cost of galvanized bolts and nuts to be included in the contract unit price for the grate.
7. Sod slopes 5' each side and above endwall. Sodding to be paid for under the contract unit price for Sodding SY.

DIMENSIONS AND QUANTITIES PER GRATE

| Slope | Pipe Size | Channels @ 5.4 Lbs./L.F. | | Bars @ 3.4 Lbs./L.F. (2 ea.) | | Angles @ 3.2 Lbs./L.F. (2) | | Total Weight - Lbs. |
|-------|-----------|--------------------------|-----------|------------------------------|--------|----------------------------|-----|---------------------|
| | | Quantity | F | L | M-4" | P | | |
| 6:1 | 15" | 10 | 2'-6 1/2" | 139 | 11'-3" | 3'-3" | 99 | 298 |
| | 18" | 12 | 2'-9 1/2" | 183 | 13'-3" | 3'-6" | 114 | 370 |
| | 24" | 15 | 3'-3 1/2" | 269 | 16'-3" | 4'-0" | 138 | 499 |
| | 30" | 18 | 3'-9 1/2" | 372 | 19'-3" | 4'-6" | 162 | 645 |
| 4:1 | 15" | 6 | 2'-6 1/2" | 83 | 7'-3" | 3'-3" | 71 | 188 |
| | 18" | 7 | 2'-9 1/2" | 107 | 8'-3" | 3'-6" | 80 | 228 |
| | 24" | 9 | 3'-3 1/2" | 161 | 10'-3" | 4'-0" | 97 | 311 |
| | 30" | 11 | 3'-9 1/2" | 227 | 12'-3" | 4'-6" | 114 | 407 |





DIMENSIONS AND QUANTITIES PER U-ENDWALL

| Pipe Size | G | M | D | R | P | Class I Concrete-CY | Reinforcing Steel-Lbs. | Sodding SY |
|-----------|------------|--------|--------|--------|--------|---------------------|------------------------|------------|
| 15" | 2'-8 1/2" | 3'-7" | 2'-2" | 13'-0" | 9'-4" | 2.12 | 167 | 23 |
| 18" | 2'-11 1/2" | 3'-10" | 2'-5" | 14'-6" | 11'-4" | 2.53 | 173 | 25 |
| 24" | 3'-5 1/2" | 4'-4" | 2'-11" | 17'-6" | 14'-4" | 3.48 | 238 | 29 |
| 30" | 3'-11 1/2" | 4'-10" | 3'-5" | 20'-6" | 17'-4" | 4.57 | 315 | 32 |
| 15" | 2'-8 1/2" | 3'-7" | 2'-2" | 8'-8" | 5'-4" | 1.44 | 120 | 19 |
| 18" | 2'-11 1/2" | 3'-10" | 2'-5" | 9'-8" | 6'-4" | 1.72 | 130 | 20 |
| 24" | 3'-5 1/2" | 4'-4" | 2'-11" | 11'-8" | 8'-4" | 2.36 | 167 | 22 |
| 30" | 3'-11 1/2" | 4'-10" | 3'-5" | 13'-8" | 10'-4" | 3.09 | 225 | 25 |


STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

SAFETY MODIFICATIONS FOR ENDWALLS

| | | | |
|--------------|------------|---------------------|-----------|
| Designed by | Checked by | Approved By | Index No. |
| | | <i>Dr. R. L. L.</i> | 295 |
| Revision No. | Sheet No. | F.H.W.A. Approved: | |
| 87 | 1 of 1 | | |




VALLEY GUTTER




SHOULDER GUTTER

CONCRETE CURB AND GUTTER




DROP CURB
*See Note (1) Above

ASPHALTIC CONCRETE CURB



EXPANSION JOINT BETWEEN GUTTER AND CONCRETE PAVEMENT




Surface On Low Side Of Pavement To Be $\frac{1}{4}$ " Above Lip Of Gutter Except FC-2 To Be $\frac{1}{8}$ " Above Lip. Surface On High Side To Be Flush With Gutter.

△ When curb and gutter, shoulder gutter, valley gutter and drop curb are constructed adjacent to flexible pavement, the face at the lip of the gutter shall be sloped as shown in this detail.


CURB AND GUTTER ADJACENT TO FLEXIBLE PAVEMENT

GENERAL NOTES

- The curb and gutter details shown are for construction adjacent to concrete pavement, except as noted.
- For curb, gutter and curb and gutter constructed adjacent to flexible pavement, the $\frac{1}{4}$ " expansion joint shown will not be used.
- For curb, gutter, curb and gutter and traffic separators provide $\frac{1}{4}$ " contraction joints at 10' centers (max.). Contraction joints adjacent to PCC pavement on tangents and flat curves are to match the pavement joints, with intermediate joints not to exceed 10' centers.
- Ends of Curb Types B and D shall transition from full to zero heights in 3 feet.




TYPE A




TYPE B


CONCRETE CURB




TYPE D



CONCRETE BUMPER GUARD




| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
|--|---------|--------|----------------------------------|
| CURB & CURB AND GUTTER | | | |
| Designed by | Revised | Notes | Approved By |
| Drawn by | | | <i>[Signature]</i> |
| Checked by | | | Supply Design Engineer, Roadways |
| F.H.W.A. Approved: 7/7/78 | 87 | 1 of 1 | 300 |



METHOD OF DETERMINING MEDIAN OPENINGS AT SKEWED SIDE STREETS

| DESIGN VEHICLE | MEDIAN OPENING 90° | CONTROL RADIUS EDGE OF LANE |
|----------------|--------------------|-----------------------------|
| P | 76 | 40' |
| SU | 96 | 50' |
| WB-40, WB-50 | 146 | 75' |




* Radii are measured from face of curb, regardless of curb type. These radii are minimums recommended for urban construction. For rural primary construction, the radii are to be in conformity with the design speed of the highway where practicable.

Dimensions K and W are identical except when median curb is type D or curb and gutter type F. Dimension K is from lane line to the face of curb. Dimension W is from lane line to traffic separator.


ALTERNATE II
NOTE: HACHURED PORTION INDICATES AREA GIVEN IN TABLE BELOW

| TABLE OF DIMENSIONS AND QUANTITIES FOR MEDIAN STORAGE LANES | | | | | | | | | | | | |
|---|--------|-----------|-------|-------|-------|-------|-------|------|------|----------------|---------|--------------|
| L | M | CURB TYPE | N | P | R | S | T | U | V | K [#] | W | AREA SQ. FT. |
| 4' | 15'-6" | A | 43.12 | 17.25 | 85.60 | 34.24 | 09.51 | 25.3 | 7.96 | 2.95 | 10'-11" | 529.8 |
| | | B | 45.50 | 18.20 | 90.26 | 36.10 | 10.24 | 00.1 | 8.21 | 3.29 | 11'-6" | 622.1 |
| | | D | 45.50 | 18.20 | 90.26 | 36.10 | 10.24 | 00.1 | 8.38 | 3.12 | 11'-8" | 622.0 |
| | | F | 39.09 | 15.63 | 77.68 | 31.07 | 08.56 | 16.7 | 7.57 | 2.43 | 10'-0" | 395.2 |
| | | F | 39.84 | 15.94 | 79.18 | 31.67 | 09.06 | 42.8 | 7.81 | 2.36 | 10'-4" | 418.6 |
| 4' | 17'-6" | A | 47.14 | 18.86 | 93.44 | 37.38 | 10.46 | 16.8 | 7.81 | 2.36 | 12'-11" | 690.2 |
| | | B | 49.34 | 19.73 | 97.72 | 39.09 | 11.16 | 15.0 | 9.64 | 3.86 | 13'-6" | 790.5 |
| | | D | 49.34 | 19.73 | 97.72 | 39.09 | 11.16 | 15.0 | 9.81 | 3.69 | 13'-8" | 790.4 |
| | | F | 43.46 | 17.39 | 86.28 | 34.51 | 09.56 | 10.9 | 9.00 | 3.00 | 12'-0" | 542.1 |
| | | F | 44.15 | 17.66 | 87.63 | 35.05 | 10.05 | 35.7 | 9.24 | 2.93 | 12'-4" | 568.0 |
| 6' | 17'-6" | A | 43.12 | 17.25 | 85.60 | 34.24 | 09.51 | 25.3 | 7.96 | 2.95 | 10'-11" | 529.8 |
| | | B | 45.50 | 18.20 | 90.26 | 36.10 | 10.24 | 00.1 | 8.21 | 3.29 | 11'-6" | 622.1 |
| | | D | 45.50 | 18.20 | 90.26 | 36.10 | 10.24 | 00.1 | 8.38 | 3.12 | 11'-8" | 622.0 |
| | | F | 39.09 | 15.63 | 77.68 | 31.07 | 08.56 | 16.7 | 7.57 | 2.43 | 10'-0" | 395.2 |
| | | F | 39.84 | 15.94 | 79.18 | 31.67 | 09.06 | 42.8 | 7.81 | 2.36 | 10'-4" | 418.6 |
| 6' | 19'-6" | A | 47.14 | 18.86 | 93.44 | 37.38 | 10.46 | 16.8 | 7.81 | 2.36 | 12'-11" | 690.2 |
| | | B | 49.34 | 19.73 | 97.72 | 39.09 | 11.16 | 15.0 | 9.64 | 3.86 | 13'-6" | 790.5 |
| | | D | 49.34 | 19.73 | 97.72 | 39.09 | 11.16 | 15.0 | 9.81 | 3.69 | 13'-8" | 790.4 |
| | | F | 43.46 | 17.39 | 86.28 | 34.51 | 09.56 | 10.9 | 9.00 | 3.00 | 12'-0" | 542.1 |
| | | F | 44.15 | 17.66 | 87.63 | 35.05 | 10.05 | 35.7 | 9.24 | 2.93 | 12'-4" | 568.0 |
| 8'-6" | 22'-0" | A | 47.14 | 18.86 | 93.44 | 37.38 | 10.46 | 16.8 | 7.81 | 2.36 | 12'-11" | 690.2 |
| | | B | 49.34 | 19.73 | 97.72 | 39.09 | 11.16 | 15.0 | 9.64 | 3.86 | 13'-6" | 790.5 |
| | | D | 49.34 | 19.73 | 97.72 | 39.09 | 11.16 | 15.0 | 9.81 | 3.69 | 13'-8" | 790.4 |
| | | F | 43.46 | 17.39 | 86.28 | 34.51 | 09.56 | 10.9 | 9.00 | 3.00 | 12'-0" | 542.1 |
| | | F | 44.15 | 17.66 | 87.63 | 35.05 | 10.05 | 35.7 | 9.24 | 2.93 | 12'-4" | 568.0 |


Note: The table above is applicable only where median storage lanes occur on tangent construction.




TYPE A CURB




TYPE B CURB



TYPE D CURB




TYPE E CURB AND GUTTER




TYPE F CURB AND GUTTER

JUNCTURE DETAILS
MEDIAN CURBS AND TRAFFIC SEPARATORS

| | | | |
|--|-----|--|--------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| MEDIAN STORAGE LANES | | | |
| Designed by | SHG | Date | 6/73 |
| Drawn by | AF | Revision No. | 86 |
| Checked by | AF | Sheet No. | 1 of 1 |
| F.H.W.A. Approved: 7/7/75 | | Approved By: <i>[Signature]</i> Index No. 301 | |




LONGITUDINAL SECTION (NOSE)




TRANSVERSE SECTION

OPTION I




LONGITUDINAL SECTION (NOSE)




TRANSVERSE SECTION

OPTION I




LONGITUDINAL SECTION (NOSE)




TRANSVERSE SECTION

OPTION II

TYPE I CONCRETE TRAFFIC SEPARATOR




LONGITUDINAL SECTION (NOSE)




TRANSVERSE SECTION

OPTION II

TYPE IV CONCRETE TRAFFIC SEPARATOR




LONGITUDINAL SECTION (NOSE)




TRANSVERSE SECTION

TYPE II CONCRETE TRAFFIC SEPARATOR



LONGITUDINAL SECTION (NOSE)





TRANSVERSE SECTION

TYPE V CONCRETE TRAFFIC SEPARATOR


NOTES

- Separators Types I and IV are to be used with flexible pavement. Separators Types II and V are to be used with rigid pavement.
- Either Option I or Option II may be used for Types I and IV separators except when a specific option is called for in the plans.
- Separators having widths other than 4', 6' or 8'-6" shall be detailed in the plans as special separators and paid for under the contract unit price for either Concrete Traffic Separator (Special) (—' Wide) LF or (Special) (VW) SY.


| | | | |
|--|-----|------------|--------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| TRAFFIC SEPARATORS | | | |
| Designed by | HSD | Date | 9/81 |
| Drawn by | JVG | Checked by | JVG |
| Revision No. | 87 | Sheet No. | 1 of 1 |
| F.H.W.A. Approved: 9/23/82 | | 302 | |



Note: See General Note No. 3



Note: See General Note No. 3




TYPICAL RETURN PROFILES INCLUDING DETAIL SHOWING LOCATION OF INLETS ON RETURN


NOTE:

1. On normal intersections, profiles need not be included in the plans as the above typicals adequately present the desired configuration.
2. For major intersections, where extreme grades are involved or where it is deemed necessary to include profiles in order to present adequate design data; return profiles may be included in the plans.
3. Profile grades should be established that will allow inlets to be located outside the return whenever practical. Inlets should be located to avoid conflict with pedestrian movement. Special care must be exercised to prevent conflict with curb cut ramps for the physically handicapped. For information on curb cut ramps refer to Index No. 304.
4. Grades of 0.2% or greater should be maintained on sag profiles outside the inlet limits.



| | | | |
|--|-------|-----------|--|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| CURB RETURN PROFILES | | | |
| Designed by | Names | Dates | Approved By |
| Drawn by | | | <i>[Signature]</i> Deputy Design Engineer, Roadways |
| Checked by | | | |
| Revision No. | | Sheet No. | Index No. |
| F.H.W.A. Approved: 7/7/75 | | 86 | 1 of 1 303 |



SIDEWALK RAMPS











MEDIAN CROSS RAMP



FOR ADDITIONAL LOCATION INFORMATION SEE SHEET 3 & 4 OF 4
EXAMPLE LOCATIONS

| | | | |
|--|----------|------------|----------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| CURB CUT RAMPS PHYSICALLY HANDICAPPED | | | |
| Designed By | Drawn By | Checked By | Approved By |
| | RWR | JVG | <i>De. Bull</i> |
| Date | 4/83 | 4/83 | Deputy Design Engineer, Roadways |
| Revision No. | 1 of 4 | 87 | 304 |
| F.H.W.A. Approved: 10/6/83 | | | |

































GENERAL NOTES

1. Ramps locations are to be coordinated with and in conformance with crosswalk marking details as shown in the plans.
2. If a curb ramp is located where pedestrians must walk across the ramp, then it shall have flared sides; the maximum slope of the flare shall be 12:1. See sheet 1 of 4. Curb ramps with returned curbs may be used where pedestrians would not normally walk across the ramp.
3. Ramps shall have a tactile surface, textured to a depth not exceeding $\frac{1}{8}$ " by use of a lamp or roller fabricated with an imprinting surface of either 1" Mesh 0.250 wire cloth (plain weave, conventional crimp), $\frac{1}{2}$ " #6 expanded metal (standard) or 3 lb. expanded metal grating.
4. Ramps to be constructed at all locations shown in the plans even when sidewalk is not constructed concurrently.
5. Ramps to be paid for as follows:
Drop curb to be paid for under the contract unit price for Conc. Curb (Type ---), L.F. or Conc. Curb and Gutter (Type ---), L.F. (On existing facilities removal of curb or curb and gutter to be included in the cost of curb or curb and gutter.).
Ramp to be paid for under the contract unit price for Concrete Sidewalk (---), S.Y. (On existing facilities removal of sidewalk to be included in the cost of concrete sidewalk.). Cost of ramp curb to be included in cost of ramp.

FOR TRANSVERSE PEDESTRIAN TRAFFIC SEE SHEETS 1, 3 & 4 OF 4

RAMPS FOR LINEAR PEDESTRIAN TRAFFIC

| | | | |
|--|------------|--------------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| CURB CUT RAMPS PHYSICALLY HANDICAPPED | | | |
| Designed by | Checked by | Approved By | Index No. |
| Drawn by | Checked by | Revision No. | Sheet No. |
| Checked by | Checked by | Revision No. | Sheet No. |
| F.H.W.A. Approved: 2/8/79 | | 87 | 2 of 4 |
| | | | 304 |



* Ramp Not Permitted Within These Limits.


SIDEWALKS WITHOUT UTILITY STRIP
LOCATIONS WHERE CURB CUT RAMPS NOT PERMITTED


DESIGNERS NOTES

1. Ramp locations are to be shown in the plans. The configurations shown in these details are guidelines for locating curb cut ramps only for the limited radii and skews shown; configurations to suit other radii and skews must be developed independently to determine locations where curb cut ramps are not permitted.

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN


CURB CUT RAMPS PHYSICALLY HANDICAPPED

| | | | | | |
|---------------------------|---------|------|--|-----------|-----------|
| | Name | Date | Approved By | | |
| Designed by | DCB/KNM | 9/86 |  State Design Engineer, Roadways | | |
| Drawn by | d'd | 9/86 | | | |
| Checked by | JVS/JBW | 9/86 | | | |
| F.H.W.A. Approved 11/7/86 | | | Revision No. | Sheet No. | Index No. |
| | | | 87 | 3 of 4 | 304 |



DESIGNERS NOTES

1. Ramp locations are to be shown in the plans. The configurations shown in these details are guidelines for locating curb cut ramps only for the limited radii and skews shown; configurations to suit other radii and skews must be developed independently to determine locations where curb cut ramps are not permitted.



Note: Notations apply to all configurations.

45°
15' R

45°
20' R

45°
25' R

45°
30' R


45°
35' R

45°
40' R


STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

CURB CUT RAMPS
PHYSICALLY HANDICAPPED

| | | | | | | |
|---------------------------|---------|------|---------------------------------|----------------|-----------|--|
| Designed by | DCB/KMM | 9/86 | Approved By | <i>De Bull</i> | | |
| Drawn by | dda | 9/86 | State Design Engineer, Roadways | | | |
| Checked by | JVG/JBW | 9/86 | Permit No. | Sheet No. | Index No. | |
| F.H.W.A. Approved 11/7/86 | | | 87 | 4 of 4 | 304 | |



LONGITUDINAL LANE - TIE JOINT



LONGITUDINAL CONSTRUCTION JOINT






EXPANSION JOINTS TO BE PLACED AT JUNCTIONS WITH APPROACH SLAB,
AT STREET INTERSECTIONS AND OTHER LOCATIONS INDICATED IN DETAIL PLANS.




Transverse Contraction Joints To Be Spaced At Maximum 20' And Dowels Required At All Transverse Contraction Joints Unless Otherwise Noted In Plans.




| DOWELS (LENGTH 18") | |
|---------------------------|------------------|
| Pavement Thickness "D" | Diameter |
| 6" | $\frac{3}{8}$ " |
| 7" | 1" |
| 8" | 1" |
| 9" | $1\frac{1}{4}$ " |
| 10" | $1\frac{1}{4}$ " |
| 11" | $1\frac{1}{2}$ " |
| 12" | $1\frac{1}{2}$ " |

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION | | | | | | | | | | | | | | | | | | | |
|---|---------------|-----------------|----------|-------------|--|----------|-----------------|---|------------|---|--|-------------|--|--|--|--------------|-----------|-----------|---------------|
| ROAD DESIGN | | | | | | | | | | | | | | | | | | | |
| CONCRETE PAVEMENT JOINTS | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>Names</th> <th>Dates</th> </tr> </thead> <tbody> <tr> <td>Designed By</td> <td></td> </tr> <tr> <td>Drawn By</td> <td><i>HW</i></td> </tr> <tr> <td>Checked By</td> <td><i>HEC</i></td> </tr> </tbody> </table> | | Names | Dates | Designed By | | Drawn By | <i>HW</i> | Checked By | <i>HEC</i> | <table border="1"> <thead> <tr> <th colspan="2">Approved By</th> </tr> </thead> <tbody> <tr> <td colspan="2" style="text-align: center;">  J. C. Smith County Design Engineer, Roadways </td> </tr> <tr> <td>Revision No.</td> <td>Sheet No.</td> </tr> <tr> <td style="text-align: center;">85</td> <td style="text-align: center;">1 of 4</td> </tr> </tbody> </table> | | Approved By | |  J. C. Smith County Design Engineer, Roadways | | Revision No. | Sheet No. | 85 | 1 of 4 |
| Names | Dates | | | | | | | | | | | | | | | | | | |
| Designed By | | | | | | | | | | | | | | | | | | | |
| Drawn By | <i>HW</i> | | | | | | | | | | | | | | | | | | |
| Checked By | <i>HEC</i> | | | | | | | | | | | | | | | | | | |
| Approved By | | | | | | | | | | | | | | | | | | | |
|  J. C. Smith County Design Engineer, Roadways | | | | | | | | | | | | | | | | | | | |
| Revision No. | Sheet No. | | | | | | | | | | | | | | | | | | |
| 85 | 1 of 4 | | | | | | | | | | | | | | | | | | |
| <table border="1"> <thead> <tr> <th>F H ★ A</th> <th>Approved</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>10/17/80</td> </tr> </tbody> </table> | | F H ★ A | Approved | Date | | | 10/17/80 | <table border="1"> <tbody> <tr> <td style="font-size: 2em; font-weight: bold;">305</td> </tr> </tbody> </table> | | 305 | | | | | | | | | |
| F H ★ A | Approved | Date | | | | | | | | | | | | | | | | | |
| | | 10/17/80 | | | | | | | | | | | | | | | | | |
| 305 | | | | | | | | | | | | | | | | | | | |




Note: Dimension w will be shown in the plans or established by the Engineer based on field conditions. Dimension d will be constructed so that the shape factor $\frac{w}{d}$ has a maximum value of 2.0 and a minimum value of 1.0.

FOR REHABILITATION PROJECTS
TAPE BOND BREAKER



Saw Cut Or Parting Strip
 $\frac{1}{4}$ to $\frac{1}{2}$ D (D = Conc. Pavt. Thick.)
Not Required For Construction Joints

FOR NEW PROJECTS
PREFORMED ELASTOMERIC COMPRESSION SEAL



Saw Cut Or Parting Strip
 $\frac{1}{4}$ to $\frac{1}{2}$ D (D = Conc. Pavt. Thick.)
Not Required For Construction Joints
Or Existing Joints Or Cracks.

FOR NEW AND REHABILITATION PROJECTS
BACKER ROD BOND BREAKER


BACKER ROD BOND BREAKER (CONCRETE - CONCRETE JOINTS)

JOINT DIMENSIONS (INCHES)


| JOINT WIDTH | SEALANT BEAD THICKNESS | BACKER ROD DIAMETER | MINIMUM JOINT DEPTH | BACKER ROD PLACEMENT DEPTH |
|---------------|------------------------|---------------------|---------------------|----------------------------|
| $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{3}{8}$ | 1 | $\frac{1}{2}$ |
| $\frac{3}{8}$ | $\frac{1}{4}$ | $\frac{1}{2}$ | $1\frac{1}{4}$ | $\frac{1}{2}$ |
| $\frac{1}{2}$ | $\frac{1}{4}$ | $\frac{3}{8}$ | $1\frac{1}{2}$ | $\frac{1}{2}$ |
| $\frac{5}{8}$ | $\frac{3}{8}$ | $\frac{1}{2}$ | $1\frac{1}{2}$ | $\frac{3}{4}$ |
| $\frac{3}{4}$ | $\frac{3}{8}$ | $\frac{1}{2}$ | $1\frac{1}{2}$ | $\frac{3}{4}$ |
| $\frac{7}{8}$ | $\frac{3}{8}$ | $1\frac{1}{2}$ | $1\frac{1}{2}$ | $\frac{3}{4}$ |
| 1 | $\frac{1}{2}$ | $1\frac{1}{2}$ | 2 | $\frac{3}{4}$ |
| > 1 | $\frac{1}{2}$ | $1\frac{1}{2} +$ | 2 + | $\frac{3}{4}$ |

Unless otherwise indicated on the plans the joint width for new construction will be $\frac{1}{4}$ " for construction joints not requiring the initial sawcut, $\frac{3}{8}$ " for all other joints. For rehabilitation projects the joint width will be shown on the plans or established by the Engineer based on field conditions.

CONCRETE - CONCRETE JOINTS



BACKER ROD BOND BREAKER



TAPE BOND BREAKER

FOR NEW AND REHABILITATION PROJECTS
EITHER TAPE OR BACKER ROD BOND BREAKER REQUIRED
SHOULDER MUST BE REPAIRED IF PROPER JOINT SHAPE
CAN NOT BE ATTAINED


CONCRETE - ASPHALT SHOULDER JOINTS

JOINT SEAL DIMENSIONS


STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

CONCRETE PAVEMENT JOINTS


| | | | | | |
|---------------------------|------|------|---------------------------------|-------------------|--------|
| Designed by | M/NL | 5/86 | Approved By | <i>De. Miller</i> | |
| Drawn by | HSD | 5/86 | State Design Engineer, Roadways | Sheet No. | 2 of 4 |
| Checked by | JVG | 5/86 | Revision No. | 87 | 305 |
| F.H.W.A. Approved 11/7/86 | | | | | |



TOP VIEW




SECTION BB




SECTION AA

EXPANSION ASSEMBLY


WADY INDUSTRIES, INC.



TOP VIEW




SECTION BB




SECTION AA


CONTRACTION ASSEMBLY



TOP VIEW




SECTION BB




SECTION AA


EXPANSION ASSEMBLY



TOP VIEW



SECTION BB




SECTION AA


CONTRACTION ASSEMBLY

FLORIDA STEEL CORPORATION

DOWEL ASSEMBLIES FOR EXPANSION AND CONTRACTION JOINTS



TOP VIEW




SECTION AA

EXPANSION AND CONTRACTION ASSEMBLY *


* Expansion assembly is illustrated. For contraction assembly omit expansion joint material, center spacer bars, filler support wires, support tie bars and dowel bar sleeves.

THE DAYTON SURE GRIP AND SHORE COMPANY


| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
|--|---------------------|----------------------------------|------------------|
| CONCRETE PAVEMENT JOINTS | | | |
| Designed by | Checked by | Approved by | Index No. |
| Drawn by JAD 9/81 | Checked by JVG 9/81 | Approved by <i>J.C. Phillips</i> | 305 |
| F.H.W.A. Approved: 10/7/80 | | Revision No. 87 | Sheet No. 3 of 4 |




ELEVATION OF CONTRACTION & EXPANSION JOINT TYPE "B" UNIT



PLAN
TYPE "B" UNIT




SECTION THROUGH EXPANSION JOINT UNIT SECTION THROUGH CONTRACTION JOINT UNIT




EXPANSION AND CONTRACTION JOINT DOWEL ASSEMBLY
ALTERNATE:

IRONCO MFG. CO. INC.
HELENA, AL
(Formerly Huginsmith Materials, Inc. Pelham, AL)




ALTERNATE KEYWAY AND TIE BAR




DETAIL FOR STEEL HOOK BOLT ASSEMBLY


NOTE: After the concrete has set to the extent that the Keyway will retain its shape, the hex bolt and plastic insert shall be removed. The remaining portion of the hook bolt assembly shall be installed immediately prior to placing of concrete in the adjacent lane.




TYPICAL SECTION FOR
MULTI-LANE CONSTRUCTION



DETAIL OF KEYED JOINT



JOINT LAYOUT AT THRU
INTERSECTION




JOINT LAYOUT AT "T" OR
OFFSET INTERSECTION

GENERAL NOTES

- 1 LONGITUDINAL JOINTS WILL NOT BE REQUIRED FOR SINGLE LANE PAVEMENT 16' OR LESS IN WIDTH.
- 2 When pavement width necessitates five or more longitudinal joints which would normally be tied, provide one or more untied tied rigid shoulders. No joint shall be tied that is more than 24' from a free edge or free joint including tied rigid shoulders.
- 3 ARRANGEMENT OF LONGITUDINAL JOINTS NOT SHOWN ON TYPICAL SEC TO BE AS DIRECTED BY THE ENGINEER.
- 4 ALL MANHOLES, METER BOXES AND OTHER PROJECTIONS INTO THE PAVEMENT SHALL BE BOXED-IN WITH 1/2" PREFORMED EXPANSION JOINT MATERIAL.


DETAIL OF JOINT ARRANGEMENT

| | | | | | |
|--|--------|------|----------------------------------|-----------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| CONCRETE PAVEMENT JOINTS | | | | | |
| Designed by | None | Date | Approved By <i>J. Paul</i> | | |
| Drawn by | L.M.F. | 6/75 | Deputy Design Engineer, Roadways | | |
| Checked by | S.F.A. | 6/75 | Revision No. | Sheet No. | Index No. |
| F.H.W.A. Approved: 10/7/80 | | | 86 | 4 of 4 | 305 |




PLAN

△ Expansion Joints Shall Be Constructed Parallel To The Existing Transverse Pavement Joints On Rehabilitation Projects, And Parallel To The Standard Transverse Pavement Joints Shown In The Plans For New Construction. Typically Joints Will Be Perpendicular To The Centerline Or Skewed 6:1 As Shown.



DETAIL SHOWING RIGID SHOULDER PAVEMENT

NOTE: Rigid shoulder pavement shall be concrete or econocrete as called for in the plans.



DETAIL SHOWING SHEET METAL STRIP


NOTE: Immediately prior to placing the seal, the joint shall be thoroughly cleaned of all foreign material. Immediately after the seal is placed, sheet metal strip shall be bent up against the pavement edge.

The sheet metal strip shall be a minimum 16 gage steel, 12" wide and shall be galvanized in accordance with ASTM A-526, Coating Designation G90.

GENERAL NOTES

1. Pay quantity of expansion joint to be calculated across pavement at right angles to the centerline of the roadway pavement. Shoulder pavement joints included.
2. For additional details see Index No. 305.
3. The Δ of roadway and the Δ of bridge do not necessarily coincide. Prior to the placement of the expansion joint, the Δ of the roadway pavement shall be determined.


Concrete pavement not deducted from roadway or shoulder pavement quantities. Compression seal, sheet metal strip and reinforced subslab to be paid for under the contract unit price for Bridge Approach Expansion Joint, L.F.



| REINFORCING STEEL | | | | | |
|-------------------|------|-------|----------|-------|--|
| Mark | Size | Spac. | No. Req. | Lgth. | |
| C | 5 | 6" | Varies | 4'6" | |
| D | 5 | 6" | 9 | W-4" | |


* Finish surface smooth. Cure with heavy coating of wax base white pigmented curing compound. Apply second application immediately prior to placing pavement.

SECTION A A THROUGH EXPANSION JOINT



SECTION THRU SEALS

Either of the three Seals shown may be used.



COMPRESSION SEAL DETAIL

NOTE: All contacting surfaces between the compression seal and Concrete shall be thoroughly coated with a lubricating adhesive.


| | | | |
|--|----------|------------|----------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| BRIDGE APPROACH EXPANSION JOINT CONCRETE PAVEMENT | | | |
| Designed by | Drawn by | Checked by | Approved By |
| L.M.F. | S.F.A. | | <i>[Signature]</i> |
| 6/75 | 6/75 | | County Design Engineer, Roadways |
| Revision No. | | Sheet No. | |
| 1 of 1 | | 306 | |
| F.H.W.A. Approved: 8/16/77 | | | |

GENERAL NOTES

- The illustrated applications for guardrail are standard requirements. Length of advancement shall be established by Figure 1 for all installations incorporating the Standard Flare Detail P; however length of advancement shall not be less than 62.5 feet or other approach lengths shown by detail on this index.
- One panel equals 12.5 feet. Post spacings shall be 6'-3" except that a reduced spacing of 3'-1 1/2" shall be used for transitions to anchorages at rigid structures such as bridges (See Detail J).
- At hazards where the face of guardrail is offset from the hazard less than the desirable 4 foot minimum, a 2 foot minimum offset may be used with reduced post spacing extending over the length of the hazard plus one panel of approach rail. For an offset less than 2 feet, a special detail should be submitted to the State Design Engineer, Roadways for approval.
- In addition to use at conventional roadside hazards, guardrail will be required where fill slopes exceed 3:1, except that where fill heights are less than 6 feet guardrail may be omitted (regardless of fill slope) unless in the opinion of the Engineer its use is deemed necessary due to other roadside features.
- Straight rail sections may be used for all radii of 125 feet or greater. For radii less than 125 feet the rail must be fabricated to fit.
- Corrugated sheet steel beams, end shoes, end sections and back-up plates shall conform to the current requirements of AASHTO M180, Class A (12 ga.), Type 2 (zinc) coating. Aluminum guardrail elements will not be permitted unless specifically called for in the plans.
- Permissible post and offset block combinations are tabulated on sheet 10 of 13.
- Where necessary to enlarge or add holes to galvanized guardrail, the work will be done by drilling or reaming. Damaged galvanized guardrail will be metalized in accordance with Sections 562 and 971 of the Standard Specifications. No burning of holes will be permitted.
- Guardrail reflectors shall be the same colors as the pavement striping edge lines.
- Crash cushions may be required in lieu of or in conjunction with guardrail at locations where space does not permit development of sufficient guardrail length, offset or crashworthiness at terminals. On high speed facilities (50 mph or greater) crash cushions shall be constructed at Type II end anchorages located in the median within the clear zone.
- Median guardrail for bridges located on divided roadways shall be constructed the same as outer roadway guardrail under the following conditions:
 - Medians of uniform width that are occupied by other transportation and joint use facilities.
 - Medians of uniform or variable widths with independent vertical alignments not suited to normal median guardrail installations.
 - Medians of bifurcated roadways.
- Any guardrail with existing concrete posts that is being reset under a construction contract shall be reset using wood or steel posts.
- All guardrail panels, end sections and special end shoes shall be lapped in the direction of traffic.
- Guardrail mounting height of 1'-9" to center of W beam and 1'-6" to lower post bolt in thrie beam is critical and shall be attained in all cases.
- Guardrail connections to existing bridges shall be in accordance with this index and Index No. 401.

| Design Speed (mph) | Length Of Advancement, Ft. (X) |
|--------------------|--------------------------------|
| 50-70 | = 13(D-d) |
| 45 Or Less | = 16(D-d) |

Note: For minimum length of advancement see General Note No. 1.




Equation Variables:

- D = Distance in feet from near edge of the near approach travel lane to back of hazard or clear zone width whichever is lesser. For left side hazards and clear zones on two-way undivided facilities D is measured from the inside edge of the near approach travel lane.
- d = Distance in feet from the near edge of the near approach travel lane to the face of guardrail at the No. 2 breakaway post. For left side hazards and clear zones on two-way undivided facilities d is measured from the inside edge of the near approach travel lane. See Standard Flare - Detail P for additional information.


LENGTH OF ADVANCEMENT

Figure 1

| | | | | | |
|--|----------|------------|--------------|-----------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| GUARDRAIL | | | | | |
| Designed by | Drawn by | Checked by | Revision No. | Sheet No. | Index No. |
| | HSD | JVG | | 87 | 1 of 13 |
| F.H.W.A. Approved: 10/6/83 | | | 400 | | |




DIVIDED ROADWAY-DETAIL B




UNDIVIDED ROADWAY-DETAIL C

Note: See General Notes Nos. 1, 2, 3, and 4.
See Details K and L for guardrail offsets.
See Detail P for standard flare.
For urban curb and gutter sections that require shielding
from hazards see concrete barrier wall Index No. 410.

GUARDRAIL APPLICATION FOR ROADSIDE HAZARDS



OPPOSING TRAFFIC-DETAIL D




ONE-WAY TRAFFIC-DETAIL G


Note: See General Notes Nos. 1, 2, 3 and 11.
See Details K and L for guardrail offsets.
For urban curb and gutter sections that require shielding
from hazards see concrete barrier wall Index No. 410.

GUARDRAIL APPLICATION FOR MEDIAN AND GORE HAZARDS

| | | | |
|--|-------|--------------------------------------|-----|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| GUARDRAIL | | | |
| Designed By | Dates | Approved By | |
| Drawn by HSD | 9/81 | Deputy Design Engineer, Roadways | |
| Checked by JBW/JVG | 9/81 | | |
| F.H.W.A. Approved: 10/8/81 | 87 | 2 of 13 | 400 |




UNDIVIDED ROADWAY - DETAIL H




DIVIDED ROADWAY - DETAIL I

Note: See General Notes Nos. 1 and 2. See Details J and N For Connections To Bridges


GUARDRAIL APPLICATIONS FOR BRIDGES WITH FULL WIDTH SHOULDERS



UNDIVIDED ROADWAY - DETAIL S




DIVIDED ROADWAY - DETAIL T




Note: See General Note No. 2. See Details J and N For Connections To Bridges.

GUARDRAIL APPLICATIONS FOR EXISTING BRIDGES WITH LESS THAN FULL WIDTH SHOULDERS

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|--|---------|------|------------------------------|-----|--|
| GUARDRAIL | | | | | |
| Designed by | Revised | Date | Approved By | | |
| Drawn by | HSD | 8/83 | <i>[Signature]</i> | | |
| Checked by | JBW/JVG | 8/83 | Road Design Engineer, Bridge | | |
| F.H.W.A. Approved: 10/6/83 | | 67 | 3 of 13 | 400 | |



MEDIANS 50 FEET OR GREATER




| Median Width (Ft.) | GUARDRAIL LENGTHS | | | | | | | | | | | | | | | |
|--------------------|--------------------|------|--------------|-------|---------------------|-------|--------------|------|--------------------|-------|--------------|-------|---------------------|------|--------------|-------|
| | 10:1 TAPER RATE | | | | | | | | 15:1 TAPER RATE | | | | | | | |
| | 6' Bridge Shoulder | | | | 10' Bridge Shoulder | | | | 6' Bridge Shoulder | | | | 10' Bridge Shoulder | | | |
| | Panels (No.) | | Length (Ft.) | | Panels (No.) | | Length (Ft.) | | Panels (No.) | | Length (Ft.) | | Panels (No.) | | Length (Ft.) | |
| 32 | Front | Back | Front | Back | Front | Back | Front | Back | Front | Back | Front | Back | Front | Back | Front | Back |
| 34 | 8 | 6 | 14 | 100 | 75 | 175 | 5 | 4 | 9 | 62.5 | 50 | 112.5 | 11 | 9 | 20 | 137.5 |
| 36 | 8 | 6 | 14 | 100 | 75 | 175 | 5 | 4 | 9 | 62.5 | 50 | 112.5 | 12 | 10 | 22 | 150 |
| 38 | 9 | 7 | 16 | 112.5 | 87.5 | 200 | 6 | 5 | 11 | 75 | 62.5 | 137.5 | 13 | 11 | 24 | 162.5 |
| 40 | 10 | 8 | 18 | 125 | 100 | 225 | 7 | 6 | 13 | 87.5 | 75 | 162.5 | 14 | 11 | 25 | 175 |
| 42 | 11 | 9 | 19 | 137.5 | 100 | 237.5 | 8 | 6 | 14 | 100 | 75 | 175 | 16 | 13 | 29 | 200 |
| 44 | 12 | 9 | 21 | 150 | 112.5 | 262.5 | 8 | 7 | 15 | 100 | 87.5 | 187.5 | 17 | 14 | 31 | 212.5 |
| 46 | 13 | 10 | 23 | 162.5 | 125 | 287.5 | 9 | 7 | 16 | 112.5 | 87.5 | 200 | 18 | 15 | 33 | 225 |
| 48 | 14 | 10 | 24 | 175 | 125 | 300 | 11 | 8 | 19 | 137.5 | 100 | 237.5 | 20 | 16 | 36 | 250 |

MEDIANS GREATER THAN 30' AND LESS THAN 50'

| | | | | | |
|--|------------|------|--------------------|-----------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| GUARDRAIL | | | | | |
| Designed by | Checked by | Date | Approved By | | |
| Drawn by | HSD | 9/81 | <i>[Signature]</i> | | |
| Checked by | JBR/VWB | 9/81 | Revision No. | Sheet No. | Index No. |
| F.H.W.A. Approved: 10/8/81 | | | 87 | 4 of 13 | 400 |

LEGEND

- ① Edge of roadway pavement.
- ② Taper
- ③ Pavement return (radius R_1).
- ④ Standard flare to be installed except when existing guardrail on intersecting drive or side road adjoins the project.
- ⑤ Post for locating standard flare, proximate to PC or PT:
No. 2 post - Radii 25' or less.
No. 3 post - Radii 25' thru 50'.
No. 4 post - Radii 50' or greater.
- ⑥ Extended roadway shoulder for standard flare.
- ⑦ Shoulder transition.
- ⑧ Type IX end anchorage.
- ⑨ Roadway shoulder for radial guardrail returns.
- ⑩ Radial guardrail to be installed when guardrail required on the intersecting drive or side road (radius R_2).
- ⑪ Type II end anchorage (radial return only).
- ⑫ Guardrail installation limited to roadway right of way unless otherwise called for in the plans.




TAPER TURNOUTS

INTERSECTING DRIVES AND SIDE ROADS ON RURAL FACILITIES


| RADIAL GUARDRAIL | | | | | |
|------------------|-------|-----------------|----------|-------|-----------------|
| Normal Turnouts | | | | | |
| Simple Curve | | | Taper | | |
| R_1 | R_2 | Panels Required | Δ | R_2 | Panels Required |
| 15' | 25' | 3 | 85°56' | 25' | 3 |
| 20' | 25' | 3 | 85°56' | 25' | 3 |
| 25' | 25' | 3 | 85°56' | 25' | 3 |
| 30' | 25' | 3 | 85°56' | 25' | 3 |
| 35' | 25' | 3 | 85°56' | 25' | 3 |
| 40' | 40' | 5 | 89°31' | 40' | 5 |
| 45' | 40' | 5 | 89°31' | 40' | 5 |
| 50' | 40' | 5 | 89°31' | 40' | 5 |

Note: Only 25' and 40' radius panels are to be used for return guardrail on normal turnouts. On skewed turnouts the number of panels used and their arrangement with straight panels will be as shown in the plans or as directed by the Engineer.




LEGEND

- ① Edge of roadway pavement.
- ② Pavement return (radius R_1).
- ③ Standard flare to be installed except when existing guardrail on intersecting drive or side road adjoins the project.
- ④ Post for locating standard flare, proximate to PC or PT.
No. 3 post - Radii 25' or less.
No. 4 post - Radii greater than 25'.
- ⑤ Extended roadway shoulder for standard flare.
- ⑥ Type IX end anchorage.
- ⑦ Roadway shoulder for radial guardrail returns.
- ⑧ Radial guardrail to be installed when guardrail required on the intersecting drive or side road (radius R_2).
- ⑨ Type II end anchorage (radial return only).
- ⑩ Guardrail installation limited to roadway right of way unless otherwise called for in the plans.



SIMPLE CURVE TURNOUTS

| | | | | | |
|--|-----|------|--------------------------------|-----------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| GUARDRAIL | | | | | |
| Designed by | HMS | Date | Approved By <i>De Paul</i> | | |
| Drawn by | HSD | 9/83 | State Design Engineer, Roadway | | |
| Checked by | JVG | 9/83 | Revision No. | Sheet No. | Index No. |
| F.H.W.A. Approved: 10/6/83 | | | 84 | 6 of 13 | 400 |





Note: The payment for the items of End Anchorage Assemblies Type IV shall include furnishing and installing the Buffer End Section, Special End Shoe, One-Piece Anchor Plate, Cable Assembly, Pipe Sleeve, Soil Plates, Steel Tubes, Bearing Plate, two Treated Timber Break-Away Posts, and the necessary hardware.

Note: BCT Cable Assembly to be in accordance with the specifications of Standard F-37-76, ARTBA Technical Bulletin No. 268-B, June 1979.


Note: For additional information see Anchor Plate detail.

CABLE CONNECTION TO BEAM


| | | | |
|--|--|--|--|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
| ROAD DESIGN | | | |
| <h1 style="text-align: center;">GUARDRAIL</h1> | | | |
| Names | | Dates | |
| Designed by | | Approved By | |
| Drawn by J M | |  Design Engineer, Roadways | |
| Checked by J V G | | 1/8/81 | |
| Revision No. | | Sheet No. | |
| 86 | | 7 of 13 | |
| F.H.W.A. Approved: 10/8/81 | | Index No. | |
| | | 400 | |




SHOULDER WITH OR WITHOUT 4' PAVEMENT



PAVED SHOULDERS




SHOULDER GUTTER




DOUBLE FACE RAIL


MISCELLANEOUS PAVEMENT FOR STANDARD SECTIONS




SECTION AA FOR 20' CLEAR ZONE




SECTION AA FOR 30' CLEAR ZONE




SECTION BB




SECTION CC



SHOULDER WITH OR WITHOUT 4' PAVEMENT




PAVED SHOULDERS




SHOULDER GUTTER

SHOULDERS, SLOPES AND MISCELLANEOUS PAVING FOR THE STANDARD FLARE




STANDARD GUARDRAIL LOCATION - DETAIL K

| | | | |
|--|---------|---------|--|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| GUARDRAIL | | | |
| Designed By | Names | Date | Approved By |
| Drawn By | JM | 7/81 | <i>[Signature]</i> Deputy Design Engineer, Roadways |
| Checked By | JBW/JVG | 7/81 | Revision No. |
| F.H.W.A. Approved: 10/8/81 | 85 | 8 of 13 | 400 |




GUARDRAIL AND SHOULDER GUTTER TRANSITIONS AT BRIDGE APPROACHES - DETAIL J




All Component Parts Shall Be Included In The Contract Unit Price For Guardrail.

GUARDRAIL ATTACHMENT AT HANDRAIL BARRIER - DETAIL N

| | | | | |
|--|------------|-------------|---|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
| GUARDRAIL | | | | |
| Designed by | Checked by | Approved By | | |
| Drawn by | J M | 8/81 | J. M. Smith District Design Engineer, Roadways | |
| Checked by | JVG/JBW | 9/81 | Revision No. | Sheet No. |
| F.H.W.A. Approved: 10/8/81 | | | 87 | 9 of 13 |
| | | | | 400 |





REFLECTOR ASSEMBLY AND MOUNTING



Note: Adjustment in spacing may be required to fit exact guardrail lengths as directed by the Engineer. For minimum installations (length 62.5') provide one reflector at each end and at approximate center.


REFLECTOR SPACING
REFLECTORS - DETAIL M



Note: The payment for the items of End Anchorage Assemblies Type II shall include furnishing and installing anchor plate, anchor rod, pipe sleeve, anchor block, either flared, rounded or buffer end section, and, the necessary hardware.

Turnbuckle to be used only for guardrail that is reset vertically. The existing anchor rod (1" or 1 1/2" Dia.) shall be field cut, threaded 4" on each end, and metalized in accordance with Sections 562 and 971 of the Standard Specifications. The cost for cutting, threading, metalizing and the turnbuckle shall be included in the contract unit price for Reset Guardrail, L.F.

END ANCHORAGE TYPE II - DETAIL R




MOUNTING HEIGHTS ON SHOULDERS AND IN MEDIANS

| POST | OFFSET BLOCK | Remarks |
|----------------------|--|---|
| Timber | 6"x8" & 5"x8" (Nominal)x14" Timber | Post bolt hole in timber block to be centered ($\pm 1/8"$). See note below for timber surfaces and tolerances. |
| Steel W6x8.5 and 6"C | 6"x8" & 5"x8" (Nominal)x14" Timber W6x8.5x14" & 6"Cx14" Steel To Match Post | Same as above. 5/8" ϕ x 1 1/2" galv. hex head bolts with full length thread and nuts (2 Req'd.) and washers (4 Req'd.) for mounting steel block to post. Bolts are to be installed in opposite holes. |

Note: Timber posts and offset blocks may be either rough or dressed timber. Timber posts and offset blocks with the same surface must be used throughout a continuous run of guardrail, except when special posts are required in conjunction with normal timber posts. Rough timber posts and offset blocks shall have dimension tolerances of 1/4" over and 1/8" under nominal for both width and depth. Thrie Beam blocks are 22" in length.


PERMISSIBLE POST AND OFFSET BLOCK COMBINATIONS



Note: Cost of pipe to be included in the contract unit price for guardrail.



FOR LOCATIONS USED BY SUBSTANTIAL NUMBERS OF PEDESTRIANS, CYCLISTS OR FISHERMEN

SPECIAL SAFETY PIPE RAIL



LOCATION AT CURB & GUTTER SECTIONS - DETAIL L


| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|--|---------|----------|----------------------------------|-----------|-----------|
| GUARDRAIL | | | | | |
| Designed By | Names | Date | Approved By | | |
| Drawn By | NSD | 9/81 | Deputy Design Engineer, Roadways | | |
| Checked By | JBW/JVG | 9/81 | Revision No. | Sheet No. | Index No. |
| F.H.W.A. Approved: 10/8/81 | 87 | 10 of 13 | 400 | | |



NOTES: (STEEL POST)


1. Either anchor bolts or concrete wedge anchors may be used. Anchor bolts are to be installed as detailed. Wedge anchors are to be installed in accordance with the manufacturers recommendations, assuming 3000 psi compressive strength for concrete. Wedge anchors shall also meet the following requirements: (a) tensile strength 125,000 psi (b) tensile load (approach slabs) 14,000 lbs. each; (other structures) 8000 lbs. each (c) shear load (approach slabs) 15,000 lbs. each; (other structures) 7800 lbs. each (d) have an electroplated zinc coating, Type LS, applied in accordance with ASTM A-164. The coated bolts, nuts and washers shall be chromate treated after coating in a water solution containing 0.2% sodium dichromate (3oz. per 10 gals.).
2. Anchor holes and recesses are to be drilled. Encountered reinforcing steel shall be drilled through. Holes shall be thoroughly cleaned before setting bolts or wedge anchors and dry when setting bolts. Bolts shall be set in epoxy mortar.
3. Posts are to be plumbed with adjusting nuts when bolts are used and plumbed with mortar seating when wedge anchors are used. All base plates to be grouted with neat finish.
4. Steel post and plate assembly to be galvanized. Any damaged galvanized areas to be metalized in accordance with Section 562 of the Standard Specifications.

FOR MOUNTING GUARDRAIL ON EXISTING APPROACH SLABS




FOR CONSTRUCTION OF GUARDRAIL WHERE CULVERT, PIER FOOTING OR OTHER STRUCTURE PRECLUDES NORMAL POST INSTALLATION


SPECIAL STEEL GUARDRAIL POSTS



6"-C STEEL POST




W6 X 8.5 Or W6 X 9 STEEL POST




TIMBER POST

STANDARD TIMBER AND STEEL GUARDRAIL POST


| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
|--|------------|-------------|--------------|-----------|
| GUARDRAIL | | | | |
| Designed by | Checked by | Approved By | Revision No. | Sheet No. |
| J.M. | J.M. | | 87 | 11 of 13 |
| Checked by | J.M. | | 87 | 11 of 13 |
| F.H.W.A. Approved: 10/8/81 | | | | 400 |




CURB INLET TYPE 1




CURB INLET TYPE 2




CURB INLET TYPE 3






CURB INLET TYPE 4



CURB INLET TYPE 5



CURB INLET TYPE 6



TO BE USED PRINCIPALLY OVER SHALLOW UTILITIES
ENCASED GUARDRAIL POST


Notes:

- The locations shown for special posts mounted on inlets are to be used as guidelines for positioning the posts and for estimating the number of required posts.
- Special posts and their anchorages mounted on curb inlets shall be in accordance with special steel guardrail posts Sheet 11 of 13, and paid for under the contract unit price for Special Guardrail Post, each.

- Variances shown for the locations of special posts mounted on inlets are established from standard post spacing (6'-3"); clearance of standard posts from inlets (4" min.); use of single and double offset blocks on standard posts adjacent to the inlets; optional flange mountings; and, concrete anchor edge distances (2" for grouted and 3 3/4" for expansion anchors). The number of posts and their locations may vary by reducing post spacing and adjusting the length of rail panel(s).


- Encased guardrail posts shall conform in section to standard timber and steel posts, and be paid for under the contract unit price for Special Guardrail Post, each. Payment shall include cost of foam wrap and concrete encasement.

LEGEND




SPECIAL POST LOCATIONS ON CURB INLETS


| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|--|-----|------|-------------|--|-----------|
| GUARDRAIL | | | | | |
| Designed by | HSD | 8/83 | Approved By | <i>[Signature]</i> County Design Engineer, Roadways | |
| Drawn by | JVG | 8/83 | Revised No. | Sheet No. | Index No. |
| Checked by | JVG | 8/83 | 85 | 12 of 13 | 400 |
| F.H.W.A. Approved: 10/6/83 | | | | | |




SPECIAL END SHOE




FLARED END SECTION




RAIL SPLICE




ROUNDED END SECTION



BUFFER END SECTION



THREE BEAM



W BEAM

Technical drawings of various hardware components with dimensions:

- Hex Bolt:** Dimensions include $\frac{3}{16}$ " head diameter, $\frac{7}{32}$ " head thickness, L length, $\frac{1}{16}$ " thread diameter, and $\frac{1}{16}$ " thread length.
- Hex Nut:** Dimensions include $\frac{1}{16}$ " outer diameter, $\frac{5}{16}$ " inner diameter, and $\frac{1}{16}$ " thickness.
- Beam Washer:** Dimensions include $1\frac{3}{4}$ " outer diameter, $\frac{11}{16}$ " inner diameter, and $\frac{3}{32}$ " thickness. Note: Approx. Base Metal Thickness.
- Button Head Bolt:** Dimensions include $\frac{5}{8}$ " head diameter, $\frac{1}{2}$ " head thickness, L length, $\frac{1}{2}$ " thread diameter, and $\frac{1}{2}$ " thread length.
- Recess Nut:** Dimensions include $1\frac{1}{4}$ " outer diameter, $\frac{1}{16}$ " inner diameter, and $\frac{1}{16}$ " thickness. Note: $1" \text{ } \phi \times \frac{1}{16}" \text{ Deep Recess One Or Both Sides}$.
- Steel Washer:** Dimensions include $1\frac{3}{4}$ " outer diameter, $\frac{11}{16}$ " inner diameter, and $\frac{3}{32}$ " thickness. Note: Approx. Base Metal Thickness.

Note: Specifications same as for hex bolts.

| L | Thread Length | Application |
|------------------|-----------------------|---|
| $1\frac{1}{4}$ " | Full Length | Rail Splice Bolt |
| 2" | $1\frac{1}{2}$ " Min. | Rail To Steel Offset Block Bolt |
| $9\frac{1}{2}$ " | $1\frac{3}{4}$ " Min. | Post Bolt - Single Faced Guardrail Timber Block On Steel Post |
| 18" | $2\frac{1}{2}$ " Min. | Post Bolt - Single Faced Guardrail Timber Posts |
| 25" | 2" Min. | Post Bolt - Double Faced Guardrail Timber Posts |

Note: Specifications same as for hex bolts.


$\frac{5}{8}$ " BUTTON HEAD BOLT

Hex bolts shall conform to the requirements of A.S.T.M. A307 and hex nuts to the requirements of A.S.T.M. A563, Grade A or better. Heavy hex nuts may be used in lieu of hex nuts and hex nuts used for jam nuts.


BEAM WASHER

Dimensions for Beam Washer: $1\frac{1}{8}$ " slot, $1\frac{1}{2}$ " width, $\frac{3}{16}$ " thickness. Note: Approx. Base Metal Thickness.


HEX BOLTS AND NUTS



ANCHOR PLATE




BEAM WASHER



BACK-UP PLATE

PRIMARYLY USED FOR MEDIAN INSTALLATIONS.
A SPECIAL DETAIL SHALL BE SUBMITTED TO
THE STATE DESIGN ENGINEER, ROADWAYS FOR
APPROVAL PRIOR TO INCLUSION IN THE PLANS.



SECTIONS

| | | | | |
|--|---------|-----------|--|---|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
| <h1>GUARDRAIL</h1> | | | | |
| Names | | Dates | | Approved By <i>D. A. Smith</i> Deputy Design Engineer, Roadways |
| Designed by | | | | |
| Drawn by | NSD | 8/81 | | |
| Checked by | JBW/JVG | 8/81 | | |
| Revision No. | | Sheet No. | | Index No. |
| 86 | | 13 of 13 | | 400 |
| F.H.W.A. Approved: 10/8/81 | | | | |

GENERAL NOTES

1. Whether an existing bridge handrail is to remain in place, be retrofitted or be replaced, is a determination that must be made independent of any information contained on this index.

Only after it has been established that an existing bridge handrail is to remain in place is this index to be used to analyze guardrail to bridge connections.

2. The schemes on this index are not to be used for new bridge construction, bridge widening, bridge barrier wall or handrail replacement, or, for existing bridges that have wing posts for guardrail connection that conform with configurations shown in current Roadway Design Standards and Bridge Design Standards.
3. The schemes on this index are divided into two general categories, representing curbed and uncurbed roadway approaches. A scheme selection guide is provided under 'Designer Notes' for curbed and uncurbed roadway approaches. Approach slabs with curbs or wing walls with radial safety curbs will be treated as curbed roadway approaches.
4. Existing bridge features shown in these schemes are example configurations only. The principle key to scheme selection is bridge curb or sidewalk width. Location control is keyed to bridge face of curb, except for certain trailing conditions.
5. Details that are repetitive on the schemes and features that are detailed on Index No. 400 have been purposely deleted to produce clarity and simplification in the schemes, and to emphasize proper location and positioning of the anchorage and connecting guardrail.
6. All schemes are right side or right hand details for traffic flow right to left. Left side applications are opposite hand.
7. For undivided two-way bridges 'trailing end', as used in this index, is in relation to the direction of travel of near lane traffic, but it is always considered as an approach for opposing lane traffic.
8. All connections of guardrail special end shoes to concrete anchorage posts, panels and walls shall have a $\frac{1}{4}'' \times 12'' \times 12''$ galvanized steel back-up plate for gang tightening of hex nuts on $\frac{3}{8}''$ diameter galvanized anchor bolts. Special end shoe anchor bolts shall have a nominal length equal to the thickness of the concrete anchorage plus $1\frac{1}{2}''$.
- When thru bolts would penetrate existing bridge rails, $\frac{7}{8}''$ diameter bolt clusters and chemical anchor bolts meeting the manufacturers recommendation may be substituted as approved by the Engineer.
9. All concrete surfaces shall have Class 5 finish unless otherwise called for in the plans.
10. The guardrail end anchorage schemes on this index do not include cost for payment of guardrail. See Index 400 Detail N for limit of guardrail measurement.

Each independent anchorage described in these schemes shall be paid for as a bridge end anchorage assembly under the contract unit price for Bridge Anchorage Assembly, Each. The unit price shall be full compensation for the following:

- (a) Each concrete anchor post, panel or transition wall including reinforcing steel, existing rail or rail and post removal, socket filling, bond breaker, post beveling, drilling, dowels, grouting, excavation, backfill, special end shoe and accessory items.
- (b) Each guardrail steel terminal post, including flared end section, anchorage and accessory items (optional use not included).
- (c) Each special end shoe anchored directly to an existing bridge end post or wing post, including back-up plate and accessory items.

Continuous concrete safety barrier (Schemes 1 & 19) shall be paid for as a roadway item under the contract unit price for Concrete Handrail (Retrofit Barrier) (Vert Face), LF.

Continuous guardrail across bridges shall be paid for as a roadway item under the contract unit price for Guardrail (Bridge) LF, and Special Guardrail Post, Each. The unit price for guardrail shall include the cost for all accessories prescribed under Index No. 400 and the unit price for special posts shall include the cost for all accessories and anchorage prescribed in Index 400 and in Scheme 16 of this index.


DESIGN NOTES

1. The details in this index are intended to be used for existing bridges that have end and approach slab configurations constructed under former Department standards, and, are not intended to preclude special design details more suited to bridges with unusual handrail or wingpost configurations, or, when there is conflict with drainage structures or other features that can not be adjusted.
2. The schemes provide the designer with a convenient method of providing standardized information on the plans. In the selection and assignment of schemes the designer must predetermine existing bridge handrail, curb, sidewalk and approach slab conditions, particularly the location of embedded conduit. Special attention must be directed to the presence or absence of curbed approaches on each independent corner of the bridge.
3. Each corner of the bridge that requires a guardrail connection should be labeled independently by scheme number, and, where continuous barrier is required across a bridge the scheme number should be labeled independently on the side(s) of the bridge. When continuous guardrail is called for, bridge end anchorage assemblies will be omitted, but, when continuous concrete safety barrier is called for, one or more bridge end anchorage assemblies will be labeled on the plans.
4. The scheme selection guide below is to be used as a quick reference for determining anchorages and continuous barriers that are applicable to specific conditions for existing bridges. When appropriate, special details are to be used in lieu of schemes or to supplement or complement the scheme details. In selecting schemes the width of curb, safety curb and sidewalk is the distance from face of curb to the nearest face of post, rail or parapet.

SCHEME SELECTION GUIDE (NUMBERS)


| | WITH ROADWAY CURBS APPROACHING BRIDGES Sheets 2 thru 6 | | WITHOUT ROADWAY CURBS APPROACHING BRIDGES Sheets 7 thru 9 | |
|------------------|---|---------------------------------|--|--------------|
| | ONE-WAY BRIDGES | | APPROACH END | TRAILING END |
| Handrail Curb | 3, 4, 18 | 3, 4, 18 | 21, 22, 27, 30 | 23, 27, 30 |
| Narrow Curb | 2, 3, 8, 9, 10, 11, 12, 13, 14 | 2, 3, 8, 15 | 20, 21, 27, 29 | 23, 27, 29 |
| Wide Safety Curb | 1, 2, 8, 11, 12, 13, 14, 15, 16, 17 | 1, 2, 8, 11, 12, 13, 14, 15, 16 | 19, 20, 28, 29 | 19, 23, 29 |
| Sidewalks | 1, 16 | 1, 16 | 19 | 19 |
| TWO-WAY BRIDGES | | APPROACH AND TRAILING ENDS | APPROACH AND TRAILING ENDS | |
| Handrail Curb | 3, 4, 9, 10, 18 | | 21, 22, 26, 30 | |
| Narrow Curb | 2, 3, 6, 7, 9, 10, 11, 12, 13, 14 | | 20, 21, 25, 29 | |
| Wide Safety Curb | 1, 2, 5, 6, 9, 10, 11, 12, 13, 14, 16 | | 19, 20, 24, 25, 29 | |
| Sidewalks | 1, 16 | | 19 | |

| | | | |
|---|-----|-----------|--------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| GUARDRAIL ANCHORAGE AND CONTINUOUS BARRIER FOR EXISTING BRIDGES | | | |
| Designed by | JVG | Date | 9/86 |
| Drawn by | HSD | Date | 9/86 |
| Checked by | JVG | Date | 9/86 |
| Revision No. | | Sheet No. | 1 of 9 |
| F.H.W.A. Approved: | | 87 | 401 |




APPLICATIONS
SAFETY CURB 1'-1" TO 2'-0" WIDE
POST AND DISCONTINUOUS BEAM RAILING
APPROACH AND TRAILING ENDS OF TWO-WAY BRIDGES
APPROACH END OF ONE-WAY BRIDGES
TRAILING END OF ONE-WAY BRIDGES WHEN OTHER HAZARDS PRESENT

SCHEME 2



APPLICATIONS
SAFETY CURB LESS THAN 1'-0" WIDE
POST AND DISCONTINUOUS BEAM RAILING
APPROACH AND TRAILING ENDS OF TWO-WAY BRIDGES
APPROACH END OF ONE-WAY BRIDGES
TRAILING END OF ONE-WAY BRIDGES WHEN OTHER HAZARDS PRESENT

SCHEME 3






APPLICATIONS
HANDRAIL CURB
POST AND DISCONTINUOUS BEAM RAILING
APPROACH AND TRAILING ENDS OF TWO-WAY BRIDGES
APPROACH END OF ONE-WAY BRIDGES
TRAILING END OF ONE-WAY BRIDGES WHEN OTHER HAZARDS PRESENT

SCHEME 4


CAST IN PLACE PANELS

Estimated Quantities (Per L.F.)
Class II Concrete 0.06 CY
Reinforcing Steel 16# Per L.F.



APPLICATIONS
SAFETY CURB WIDER THAN 1'-6" AND SIDEWALKS
CONTINUOUS BARRIER ACROSS BRIDGE


SCHEME 1



CONCRETE SAFETY BARRIER


BRIDGES WITH APPROACHING ROADWAY CURB

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|---|-----|------|------|---------------------------------|--------------------|
| GUARDRAIL ANCHORAGE AND CONTINUOUS BARRIER FOR EXISTING BRIDGES | | | | | |
| Designed by | JVG | Date | 9/86 | Approved By | <i>J. A. H. H.</i> |
| Drawn by | HSD | Date | 9/86 | State Design Engineer, Roadways | |
| Checked by | JVG | Date | 9/86 | Revision No. | Sheet No. |
| F.H.W.A. Approved | | | | 67 | 2 of 9 |
| | | | | | 401 |




See SCHEME 2 For Typical Information

PICTORIAL VIEW




APPLICATIONS
SAFETY CURB 2'-0\"/>

SCHEME 5



See SCHEME 2 For Typical Information


PICTORIAL VIEW



SECTION BB
CURBS 16\"/>


APPLICATIONS
SAFETY CURB 1'-1\"/>

SCHEME 6



See SCHEME 2 For Typical Information

PICTORIAL VIEW




SECTION BB
(12\"/>


APPLICATIONS
SAFETY CURB 9\"/>

SCHEME 7

CAST IN PLACE PANELS




SECTION BB
CURBS 17\"/>



SECTION BB
CURBS 9\"/>

APPLICATIONS
SAFETY CURB 9\"/>


SCHEME 8



SECTION BB
CURBS 9\"/>


Note: For Curbs Less Than 9\"/>

For Safety Curbs Wider Than 19\"/>



See SCHEME 2 For Typical Information

PICTORIAL VIEW







SECTION CC (SCHEMES 5, 6 & 7)

CAST IN PLACE PANELS

BRIDGES WITH APPROACHING ROADWAY CURB

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
|---|-----|------|---------------------------------|-----------|
| GUARDRAIL ANCHORAGE AND CONTINUOUS BARRIER FOR EXISTING BRIDGES | | | | |
| Designed by | JVG | 9/85 | Approved By | |
| Drawn by | HSD | 9/85 | State Design Engineer, Roadways | |
| Checked by | JVG | 9/85 | Revision No. | Sheet No. |
| F.H.W.A. Approved: | | | 87 | 3 of 9 |
| | | | 401 | |



APPLICATIONS
SAFETY CURBS 2'-0" WIDE OR LESS
CONCRETE PARAPET WITH METAL PIPE RAILING
APPROACH AND TRAILING ENDS OF TWO-WAY BRIDGES
APPROACH END OF ONE-WAY BRIDGES
APPROACH SLAB FOUNDATION

APPLICATIONS
SAFETY CURBS 2'-0" WIDE OR LESS
CONCRETE PARAPET WITH METAL PIPE RAILING
APPROACH AND TRAILING ENDS OF TWO-WAY BRIDGES
APPROACH END OF ONE-WAY BRIDGES
APPROACH SLAB FOUNDATION


SCHEME 9

SCHEME 10

CAST IN PLACE TRANSITION WALL

BRIDGES WITH APPROACHING ROADWAY CURB


| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|---|-----|------|--------|---------------------------------|------------------------|
| GUARDRAIL ANCHORAGE AND CONTINUOUS BARRIER FOR EXISTING BRIDGES | | | | | |
| Designed by | JVG | Date | 9/86 | Approved By | <i>Dr. R. L. L. L.</i> |
| Drawn by | HSD | Date | 9/86 | State Design Engineer, Roadways | |
| Checked by | JVG | Date | 9/86 | Revises No. | Sheet No. |
| F.H.W.A. Approved: | | 87 | 4 of 9 | 401 | |



See SCHEME 11 For Additional Information


APPLICATIONS
SAFETY CURB 2'-0" WIDE OR LESS
APPROACH AND TRAILING ENDS OF TWO-WAY BRIDGES
APPROACH END OF ONE-WAY BRIDGES
TRAILING END OF ONE-WAY BRIDGES WHEN OTHER HAZARDS PRESENT

SCHEME 12




See SCHEMES 11 & 12 For Additional Information

APPLICATIONS
SAFETY CURB 2'-0" WIDE OR LESS
APPROACH AND TRAILING ENDS OF TWO-WAY BRIDGES
APPROACH END OF ONE-WAY BRIDGES
TRAILING END OF ONE-WAY BRIDGES WHEN OTHER HAZARDS PRESENT
SCHEME 13



See SCHEMES 11 & 12 For Additional Information

APPLICATIONS
SAFETY CURB 2'-0" WIDE OR LESS
APPROACH AND TRAILING ENDS OF TWO-WAY BRIDGES
APPROACH END OF ONE-WAY BRIDGES
TRAILING END OF ONE-WAY BRIDGES WHEN OTHER HAZARDS PRESENT
SCHEME 14




APPLICATIONS
SAFETY CURB 2'-0" WIDE OR LESS
APPROACH AND TRAILING ENDS OF TWO-WAY BRIDGES
APPROACH END OF ONE-WAY BRIDGES
TRAILING END OF ONE-WAY BRIDGES WHEN OTHER HAZARDS PRESENT

SCHEME 11


CURVILINEAR GUARDRAIL BRIDGES WITH APPROACHING ROADWAY CURB

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|---|-----|------|------|---------------------------------|--------|
| GUARDRAIL ANCHORAGE AND CONTINUOUS BARRIER FOR EXISTING BRIDGES | | | | | |
| Designed by | JVG | Date | 9/86 | Approved By | |
| Drawn by | HSD | Date | 9/86 | State Design Engineer, Roadways | |
| Checked by | JVG | Date | 9/86 | Revision No. | |
| F.H.W.A. Approved: | | | | 87 | 5 of 9 |
| | | | | | 401 |



SCHEME 16

STEEL ANCHOR POST AT RADIAL WING WALL




APPLICATIONS

HANDRAIL CURB
SPECIAL END SHOE RECESS (EXISTING)
APPROACH AND TRAILING END OF TWO-WAY BRIDGES
APPROACH END OF ONE-WAY BRIDGES (NOTE: SPECIAL END SHOE TO REMAIN IN THE RECESS ON TRAILING END)


SCHEME 18

END POST WITH SPECIAL END SHOE RECESS

| | | | |
|--|------|--------------|---------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| GUARDRAIL ANCHORAGE AND CONTINUOUS BARRIER FOR EXISTING BRIDGES | | | |
| Designed by | Home | Date | Approved By <i>In. Aschell</i> |
| Drawn by | JVG | 9/86 | |
| Checked by | HSD | 9/86 | State Design Engineer, Roadways |
| Reviewed by | JVG | 9/86 | |
| F.H.W.A. Approved | | Revision No. | Sheet No. |
| | | 87 | 6 of 9 |
| | | | 401 |




SCHEME 20





SCHEME 21

CAST IN PLACE PANELS




SCHEME 22



SCHEME 19

CONCRETE SAFETY BARRIER



BRIDGES WITHOUT APPROACHING ROADWAY CURB



SCHEME 23




CAST IN PLACE CONCRETE PANEL

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
|---|-----|------|--------|
| GUARDRAIL ANCHORAGE AND CONTINUOUS BARRIER FOR EXISTING BRIDGES | | | |
| Designed by | JVG | Date | 9/86 |
| Drawn by | HSD | Date | 9/86 |
| Checked by | JVG | Date | 9/86 |
| F.H.W.A. Approved | | 87 | 7 of 9 |
| | | | 401 |






APPLICATIONS
SAFETY CURBS 1'-8" TO 2'-0" WIDE
CONCRETE CONTINUOUS BEAM RAILING
APPROACH AND TRAILING ENDS OF TWO-WAY BRIDGES

SCHEME 24



APPLICATIONS
SAFETY CURB 9" TO 1'-7" WIDE
CONCRETE CONTINUOUS BEAM RAILING
APPROACH AND TRAILING ENDS OF TWO-WAY BRIDGES



SCHEME 25





APPLICATIONS
SAFETY CURBS 5" TO 8" WIDE
CONCRETE CONTINUOUS BEAM RAILING
APPROACH AND TRAILING ENDS OF TWO-WAY BRIDGES

SCHEME 26

CAST IN PLACE PANELS




Note: For Approach End Curb Less Than 5" Wide See SCHEME 22.




APPLICATIONS
SAFETY CURB 5" TO 1'-3" WIDE
CONCRETE CONTINUOUS BEAM RAILING
APPROACH END OF ONE-WAY BRIDGES
TRAILING END OF ONE-WAY BRIDGES WHEN OTHER HAZARDS PRESENT

SCHEME 27

CAST IN PLACE PANELS



CURB WIDTHS VARY
TRAILING END WHEN OTHER HAZARDS PRESENT
Note: For Trailing End Curb Less Than 5" Wide See SCHEME 23




BRIDGES WITHOUT APPROACHING ROADWAY CURB


| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
|---|-----|--------------|--------|
| GUARDRAIL ANCHORAGE AND CONTINUOUS BARRIER FOR EXISTING BRIDGES | | | |
| Designed by | JVG | Date | 9/86 |
| Drawn by | HSD | Date | 9/86 |
| Checked by | JVG | Date | 9/86 |
| F.H.W.A. Approved: | | Revision No. | 87 |
| | | Sheet No. | 8 of 9 |
| | | Index No. | 401 |

Reinforcing Steel:
See SCHEME 17


Note: Scheme comparatively enlarged to
facilitate reinforcement detailing.



TOP VIEW



END VIEW



FRONT VIEW

APPLICATIONS
SAFETY CURB WIDER THAN 1'-4" AND UP TO 2'-0"
APPROACH END OF ONE-WAY BRIDGES ONLY

SCHEME 28

CONCRETE ANCHOR POST

Note:
Portions of existing approach slab curbing, wingwalls, shoulder gutter, flumes
and etc. may have to be removed.


Transition walls mounted on existing approach slabs shall be doweled into
into the slabs with a single line of dowels located in the center of the base,
consisting of No. 4 Bars 15" long on 18" centers embedded 7" in the slab
using portland cement mortar in accordance with Subsection 460-30 of
the Standard Specifications.

Transition walls mounted on soil foundation shall have footings deepened
a minimum of 12" and the walls doweled into the end of the existing bridge
in the following manner:

Four 1 1/2" diameter holes 6" deep shall be drilled in the
end post of the existing bridge and No. 6 bars 15" long
set in epoxy mortar. The holes shall be located as near
as practical to the vertical center of the end of the
transition wall and equally spaced to provide cover of
3" minimum. The ends of the dowels extending into the
transition wall shall be wrapped with one layer 15#
asphalt felt with the ends crimped.

Transition walls shall be reinforced with WWF 4 x 4 - W4.0 x W4.0 (Min.)
with clearance 2" top, ends and bottom.

Approaching guardrail shall have approach post spacing of 3'-1 1/2" (6 spaces min.).



PICTORIAL VIEW

APPLICATIONS
SAFETY CURB WIDER THAN 9" AND UP TO 2'-0"
APPROACH AND TRAILING ENDS OF TWO-WAY BRIDGES
APPROACH END OF ONE-WAY BRIDGES
TRAILING END OF ONE-WAY BRIDGES WHEN OTHER HAZARDS PRESENT


SCHEME 29

CONCRETE BRIDGE ANCHORAGE TRANSITION WALL

BRIDGES WITHOUT APPROACHING ROADWAY CURB




TOP VIEW



FRONT VIEW

See SCHEME 18 For
Complete Detailing



END VIEW


APPLICATIONS

HANDRAIL CURB
SPECIAL END SHOE RECESS (EXISTING)
APPROACH AND TRAILING END OF TWO-WAY BRIDGES
APPROACH END OF ONE-WAY BRIDGES (NOTE: SPECIAL END SHOE TO REMAIN IN THE RECESS ON TRAILING END)


SCHEME 30

END POST WITH SPECIAL END SHOE RECESS


| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
|---|-----|--------|---------------------------------|
| GUARDRAIL ANCHORAGE AND CONTINUOUS BARRIER FOR EXISTING BRIDGES | | | |
| Designed by | JVG | 9/86 | Approved By |
| Drawn by | HSD | 9/86 | State Design Engineer, Roadways |
| Checked by | JVG | 9/86 | Reviewed No. |
| F.H.W.A. Approved | 87 | 9 of 9 | 401 |




**CONCRETE BARRIER WALL TRANSITION
BETWEEN WIDE AND NARROW MEDIANS
DETAIL A**



**MEDIAN BARRIER WALL FOR SUPERELEVATED SECTION
OR FOR VARIABLE ROADWAY PROFILE GRADES**



**CONCRETE BARRIER WALL TERMINAL
DETAIL II**




**CONCRETE BARRIER WALL TERMINAL FOR NARROW MEDIAN
DETAIL III**

GENERAL NOTES:

- Class II concrete shall be used for all reinforced and plain (nonreinforced) concrete barrier walls.
- Cost of installation of all conduits and utility accessories, reinforcing steel and reflective barrier markers shall be included in the contract unit price for Concrete Barrier Wall, L.F.
- Terminal Barrier Notes for Design Speeds greater than 45 m.p.h.:
 - Terminated in a wide median section outside recovery area of the approach traffic - See Detail A.
 - Terminated from a shielded location.
 - Terminal protection by the use of an impact attenuator system.
 - Terminated in conjunction with a suitably designed transition to another type median barrier that can be introduced more safely.
- Expansion joints in wall required only at bridge ends and/or at locations where wall is an integral part of existing or proposed concrete slab to match an existing or proposed expansion joint.
- Expansion joints in conduits shall be required only at the expansion joints in the wall.
- When the barrier is installed adjacent to the pavement the top 12" of the subgrade shall be compacted to at least 100% of the density as defined in the AASHTO T-99 specifications.
- Cast-in-place barrier wall normally will be a continuous pour without transverse contraction joints. Cast-in-place segments with a length < 40' shall be joined to adjacent sections by doweling. See Detail B.
- Precast construction is allowed as an alternate to cast-in-place construction.
 - Wall segments less than 40' in length shall be joined by a transverse joint in accordance with Details C & D. The minimum segment length is 20'.
 - Bedding of the precast sections shall be facilitated by the use of sand-cement grout or equal method to assure uniform bearing.
 - Reinforcement may be required for handling stresses.

Continued

| REFLECTIVE BARRIER MARKER SPACING ON WALL | | | REMARKS |
|---|---------------|-----------------|--|
| Distance - Edge of travel lane to barrier wall. | Spacing | Number per side | Use amber markers only. Hold or clamp reflective barrier markers to wall until dry or set. Use 10' spacing on terminal ends. |
| 1' to < 4' | 40' | 1 | |
| 4' to < 8' | 80' | 1 | |
| > than 8' | none required | | |



* Use 8" top, 2'-2" base when 10" light poles are installed within barrier wall line.


For concrete median barrier wall details at piers, highway lighting and guardrail connections, see Sheet 2 of 2.

For median barrier and 'special' barrier wall inlet details see Index No. 217.


STANDARD BARRIER WALL SECTION

- Concrete barrier walls that are continuous over roadway and bridge shall be pin connected at the roadway end of the approach slab. Both cast-in-place and precast roadway barrier walls shall be connected at the approach slab by Option 3 end treatments, and reinforced for a distance of 12 feet from the connection in accordance with Index No. 415. Median and outside barrier walls on the approach slab shall be designed, constructed and paid for as a part of the approach slab. Pins shall remain free but secured from ready removal by spot welding a 1/2" Ø x 2" stud approximately 3 inches below the upper pair of eye bars. This connection method also applies to standard barrier walls that are continuous with median barrier walls for superelevated sections and for variable roadway profile grades (see detail left.).


| | | | |
|--|------------|-------------|------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| CONCRETE BARRIER WALL | | | |
| Designed by | Checked by | Approved By | Index No. |
| Drawn by | 7/73 | | |
| Checked by | 7/73 | | |
| F.H.W.A. Approved: 5/20/77 | | 86 | 1 of 8 |
| | | | 410 |



SECTION AA




SECTION BB




PLAN

TRANSITIONS AT BRIDGES FOR BARRIER WALL ON RETAINING WALL




NOTE: All longitudinal reinforcement No. 4 bars.
Minimum segment length for this wall is 20 feet.
Wall to be paid for under the contract unit price
for Concrete Barrier Wall (Rigid) (Retaining), L.F.

REINFORCED CONCRETE BARRIER WALL (RETAINING)



NOTE: All longitudinal reinforcement No. 4 bars.
Minimum segment length for this wall is 20 feet.
Wall to be paid for under the contract unit price
for Concrete Barrier Wall (Rigid) (Shoulder), L.F.

REINFORCED CONCRETE BARRIER WALL (SHOULDER)





BENDING DIAGRAM



| WALL TYPE | CLASS II CONCRETE C.Y. Per Lin. Ft. | REINFORCING STEEL LBS Per Lin. Ft. |
|-----------|--|---------------------------------------|
| Retaining | 0.29 | 20 |
| Shoulder | 0.32 | 21 |

RIGID BARRIER WALL

| | | | | | |
|--|-------|-------|---------------------------------|-----------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| CONCRETE BARRIER WALL | | | | | |
| Designed by | Names | Dates | Approved By <i>[Signature]</i> | | |
| Drawn by | HSD | 9/85 | State Design Engineer, Roadways | | |
| Checked by | JVG | 9/85 | Revision No. | Sheet No. | Index No. |
| F.H.W.A. Approved: | | | 87 | 3 of 8 | 410 |



BRIDGE END HAZARD





HAZARD 4' OR LESS FROM FACE OF CURB



CURB AND GUTTER WITH UTILITY STRIP

NOTE:
 X = Length of advancement in feet for near and opposing approach lanes. See Sheet 8 of 8.
 For locations without utility strips see Sheet 5 of 8.
 For transition, sidewalk and sectional details see Sheet 6 & 7 of 8.
 The 2.5' offsets to toe of barrier wall cannot be reduced to accommodate hazards; however, hazards located in the stem of the wall can be accommodated by the detail on Sheet 8 of 8.

| | | | | |
|--|---------|--------|-------|---------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
| CONCRETE BARRIER WALL | | | | |
| Designed by | HSB | Date | 10/85 | Approved By |
| Drawn by | HSB | Date | 10/85 | State Design Engineer, Roadways |
| Checked by | JBW/JVS | Date | 10/85 | Revision No. |
| F.H.W.A. Approved: 11/7/85 | 87 | 4 of 8 | 410 | Index No. |



BRIDGE END HAZARD



HAZARD 4' OR LESS FROM FACE OF CURB

CURB AND GUTTER WITHOUT UTILITY STRIP


NOTE:
X = Length of advancement in feet for near and opposing approach lanes. See Sheet 8 of 8.

For locations with utility strips see Sheet 4 of 8.


For transition, sidewalk and sectional details see Sheet 6 & 7 of 8.

The 2.5' offsets to toe of barrier wall cannot be reduced to accommodate hazards; however, hazards located in the stem of the wall can be accommodated by the detail on Sheet 8 of 8.



| | | | | | |
|--|---------|-------|---------------------------------|-----------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| CONCRETE BARRIER WALL | | | | | |
| Designed by | Revised | Date | Approved By | | |
| Drawn by | HSD | 10/85 | Steve Design Engineer, Roadways | | |
| Checked by | JBW/JVG | 10/85 | Revision No. | Sheet No. | Index No. |
| F.H.W.A. Approved: 11/7/86 | | | 87 | 5 of 8 | 410 |




PLAN
WITH UTILITY STRIP
TWO-WAY TRAFFIC (OPPOSING LANE APPROACH)




PLAN
WITHOUT UTILITY STRIP





◇ See Sheet 7 Of 8.
△ See Sheet 7 Of 8.



PLAN
WITH UTILITY STRIP
ONE-WAY TRAFFIC (TRAILING END)




PLAN
WITHOUT UTILITY STRIP



◇ See Sheet 7 Of 8.
△ See Sheet 7 Of 8.


TRANSITION SEGMENTS FOR 'CONCRETE BARRIER WALL (RIGID) (CURB & GUTTER)'

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
|--|---------|--------------|---|
| CONCRETE BARRIER WALL | | | |
| Designed by | Norman | Dates | Approved By |
| Drawn by | HSD | 10/85 | J. J. Jell State Design Engineer, Roadways |
| Checked by | JBW/JVG | 10/85 | |
| F.H.W.A. Approved: | | Revision No. | Sheet No. |
| | | 86 | 6 of 8 |
| | | 1010 | |




◇ See Notes This Sheet
 △ See Notes This Sheet

WITH OR WITHOUT UTILITY STRIP
 NEAT LINE PICTORIAL VIEW




PICTORIAL VIEW




PLAN


WITH UTILITY STRIP



SECTION AA




PICTORIAL VIEW




PLAN

WITHOUT UTILITY STRIP



NEAT LINE PICTORIAL VIEW



SECTION CC

Note: Drainage slots shall be located at all low points along the sidewalk, and, unless otherwise shown in the plans, slots shall be spaced at intervals not exceeding 50 feet in fill sections and 20 feet in cut sections. Slots shall be located such that only one bar is cut away or deleted in front and back lines of vertical reinforcement.


SIDEWALK DRAINAGE SLOT FOR BARRIER WALL (RIGID) (CURB & GUTTER)

NOTE:


- ◇ Transition Segments Shall Be Doweled Into The End Of The Barrier Wall In The Following Manner:
 Four 1 1/2" diameter holes 6" deep on 6" centers shall be drilled in the end of the barrier and No. 6 bars 15" long set in epoxy mortar. The ends of the dowels extending into the transition segment shall be wrapped with one layer of 15 lb. asphalt felt with the ends crimped.
- △ When Construction Joints Are Utilized For Transition Segment Construction The Stem Shall Be Doweled To The Footing In The Following Manner:
 Five No. 4 bars 15" long shall be embedded 7" into the footing. The dowels shall be spaced 15" on centers with the first dowel located 12" from the barrier wall. Dowels may be placed within or adjacent to the keyway.

RIGHT SIDE SHOWN, LEFT SIDE OPPOSITE HAND
 ONE-WAY AND TWO-WAY TRAFFIC (NEAR LANE APPROACH)
 TRANSITION SEGMENT FOR 'CONCRETE BARRIER WALL (RIGID) (CURB & GUTTER)'

| | | | |
|--|---------|--------|---------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| CONCRETE BARRIER WALL | | | |
| Designed by | HSD | 10/85 | Approved By |
| Drawn by | JBW/JVG | 10/85 | State Design Engineer, Roadways |
| Checked by | JBW/JVG | 10/85 | Revision No. |
| F.H.W.A. Approved: | 86 | 7 of 8 | 410 |



NEAR LANE APPROACH



OPPOSING LANE APPROACH

WITH OR WITHOUT UTILITY STRIP - UTILITY STRIP SHOWN - SEE SHEET 4 & 5 FOR APPLICATIONS

LENGTH OF ADVANCEMENT FOR 'CONCRETE BARRIER WALL (RIGID)(CURB & GUTTER)'


| Design Speed (mph) | Length Of Advancement, Ft. (X) |
|--------------------|--------------------------------|
| 45 Or Less | = 16 (D-d) |

Note: The minimum length of advancement for both near and opposing lane approaches is 40 feet.

Equation Variables:

D = Distance in feet from near edge of the near approach travel lane to back of hazard or clear zone width whichever is lesser. For left side hazards and clear zones on two-way undivided facilities D is measured from the inside edge of the near approach travel lane.


d = Distance in feet from the near edge of the near approach travel lane to the face of curb (at offset control point). For left side hazards on two-way undivided facilities d is measured from the inside edge of the nearest opposing travel lane.




BAR 4C
BENDING DIAGRAM

Estimated Quantities Per Linear Foot Of Wall:
Class II Concrete: 0.23 CY
Reinforcing Steel: 17 Lbs.

Note: All longitudinal reinforcement No. 4 bars. Minimum segment length for this wall is 40 feet. Shorter segments due to construction or expansion joint construction shall be dowelled in the manner described for Transition Segments on Sheet 7 of 8. Wall to be paid for under the contract unit price for Concrete Barrier Wall (Rigid) (Curb & Gutter), L.F.



SECTION QQ



TOP VIEWS


HAZARD PENETRATING STEM OF BARRIER WALL

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

CONCRETE BARRIER WALL



| Designed by | Drawn by | Checked by | Approved By | Revision No. | Sheet No. | Index No. |
|----------------------------|----------|------------|---------------------------------|--------------|-----------|-----------|
| | HSD | JBW/JVG | <i>[Signature]</i> | | | |
| | | | State Design Engineer, Roadways | | | |
| F.H.W.A. Approved: 11/7/86 | 87 | 8 of 8 | | | | 410 |

| OFFSET Conditions | |
|----------------------|---|
| 6' | Municipal Construction - Low Speed - ADT > 1600 |
| 6' | Undivided Highway - Low Speed - ADT < 1600 |
| 6' | Undivided Highway - High Speed - ADT < 1600 |
| 10' | Undivided Highway - High Speed - ADT > 1600 |
| 10' | Divided Highway of Four or More Lanes |
| 10' | Interstate and Other Limited Access Facilities |



- Notes:
- For optional wall alignment see attenuator detail above.
 - Temporary barrier to be placed as shown in plans or as directed by the Engineer.
 - For additional information refer to charts I, II and III of the F.D.O.T. Manual On Traffic Control And Safe Practices.



WALL ALIGNMENT



- Notes:
- Inertial attenuator to be installed where taper offset for normal alignment is not obtainable.
 - Number shown inside module indicates the weight in pounds of sand. All modules are approximately 36 inches in height and in diameter.
 - Inertial attenuator to be installed in accordance with manufacturers specifications and recommendations.
 - Delineator panels shall be placed on the approach end module in accordance with Index No. 17353.
 - Inertial attenuators shall be paid for as Vehicular Impact Attenuator (Inertia) (Temp) Ea. Relocation of attenuators shall be paid for as Relocate Temporary Vehicular Impact Attenuator Ea.

| Vehicle Deceleration Data | | | |
|-------------------------------|-----------------------------|----------------------|----------------------|
| Construction Zone Speed (mph) | Design Vehicle Weight (lbs) | Forces (g's) | |
| | | Maximum Deceleration | Average Deceleration |
| 45 or Less | 2000 | 7.06 | 4.47 |
| | 4500 | 5.96 | 4.15 |
| Greater Than 45 | 2000 | 8.72 | 5.77 |
| | 4500 | 6.15 | 5.80 |


TEMPORARY INERTIAL ATTENUATOR



WALL UNIT


GENERAL NOTES

- Material and workmanship for the wall unit shall meet the requirements of Sections 400 and 521 of the Standard Specifications, except the bottom of the unit can be finished to a dense uniform surface by floating in lieu of the Class 3 finish. Concrete shall be Class II.
- The wall units shall be used for Class E barricades and temporary barrier walls unless the plans specify other types of barrier walls.
- Wall units shall not be used for permanent barrier wall construction regardless of unit length, unless specifically permitted by the plans.
- Units with any of the optional and treatments may be used for Class E barricade and temporary barrier wall installations, subject to the following requirements:
 - The plans may specify the option.
 - Option 1 and Option 2 units may not be mixed with each other or with Option 3 or Option 4.
 - Option 3 and Option 4 units are interchangeable and may be mixed in a single run of wall, however, they may not be mixed with Option 1 or Option 2.
 - Option 1 units cast prior to August 1, 1982 shall be installed in accordance with Option 1 annotations.
- Units may be reused provided they have the structural integrity and surface qualities of new units.
- Units shall be furnished by the Contractor except when the plans stipulate the availability of Department owned units. Regardless of unit source the Contractor shall furnish all hardware and shall be responsible for all handling including loading, transport, unloading, stockpiling, installation, removal and return. Department owned units shall have plain ends and wall tie anchor pipes. Units with plain ends from sources other than the Department will not be permitted regardless of end ties or anchorage.
- Units used for Class E barricades and other temporary applications shall be paid for as Conc Barrier (Temp - Type E) LF.




Anchor bolts shall have a pullout and shear capacity of 14,000 lbs. Wedge or chemical anchor bolts may be used in lieu of bolt, washer and nut assembly shown. Core drills shall be used to construct through bolt holes, and, drills specified by the manufacturer shall be used to construct expansion and chemical anchor bolt holes. After removal of walls, anchors shall be removed to 1" min. below deck surface and holes filled with epoxy grout.


WALL TIES & ANCHORAGE



WALL TIE & ANCHOR




WALL TIE & ANCHOR PIPE




WALL TIE BOLT

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
|--|---------|--------|---------------------------------|
| PRECAST CONCRETE TEMPORARY BARRIER WALL | | | |
| Designed by | Revised | Date | Approved By |
| Drawn by HSD | | 4/82 | De Paul |
| Checked by JVB | | 4/82 | State Design Engineer, Roadways |
| F.H.W.A. Approved: 4/28/82 | 87 | 1 of 2 | 415 |


1. Tolerances: Tongue 0" to (-) $\frac{1}{4}$ "; Groove 0" to (+) $\frac{1}{4}$ "
2. Barrier unit without anchor pipes, with toe heights of not less than 3" nor more than 4" and with or without bottom keyways, produced prior to August 1, 1982 and used on projects let to contract after August 1, 1982 may be used under the following adaptations:
 - (a) Ground Mounted Units: Units shall be tied front and back with wall ties mounted $\frac{1}{2}$ " above the top of the toe by anchors located 6" from the end of the unit. Anchor bolts shall be $\frac{3}{8}$ " diameter providing a minimum pull-out strength of 9000 lbs. and may be either threaded insert, wedge or epoxy grouted sleeve types with $\frac{1}{2}$ " minimum imbedment.
 - (b) Bridge Mounted Units: Units shall be tied front and back some as ground mounted units. In addition, an "L" clip shall be welded on center to the bottom edge of the front wall tie to provide deck anchorage using the $\frac{3}{8}$ " diameter anchor bolt. The clip shall have a $\frac{1}{2}$ " x 2" minimum cross section and may be fabricated by either method shown in the sketches below. Units with varying toe heights will not be permitted in any single run of wall.




TRAPEZOIDAL TONGUE AND GROOVE
OPTION 1




END VIEW




STRAIGHT TONGUE AND GROOVE
OPTION 2




TOP VIEW




END VIEW




ROUND BAR CONNECTOR
OPTION 3




TOP VIEW



END VIEW



WIRE ROPE CONNECTOR
OPTION 4



OPTIONAL PINS
STEEL CONNECTING PIN
FOR OPTIONS 3 AND 4



WALL TIE AND ANCHORAGE REQUIREMENTS

| END OPTION | GROUND MOUNT | BRIDGE MOUNT |
|------------|--------------|--------------|
| 1 | Yes | Yes |
| 2 | Yes | Yes |
| 3 | No | Yes |
| 4 | No | Yes |


Note: When the plans call for wall units furnished by the Department, ground and bridge mounts will be required. Tie and anchor assemblies shall be furnished by the Contractor.

| | | | | | |
|---|--|-------|--------------|------------------------------|-------|
| STATE OF FLORIDA | | | | DEPARTMENT OF TRANSPORTATION | |
| ROAD DESIGN | | | | | |
| <h1>PRECAST CONCRETE</h1> <h1>TEMPORARY BARRIER WALL</h1> | | | | | |
| Designed by | | _____ | Date | | _____ |
| Drawn by | | HSD | 4/82 | | |
| Checked by | | JVB | 4/82 | | |
| F.H.W.A. Approved: 4/26/82 | | | Revision No. | | 83 |
| | | | Sheet No. | | 2of2 |
| | | | Index No. | | 415 |


| | | | | |
|---|-------------------|-------|----------------------------------|------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION | | | | |
| ROAD DESIGN | | | | |
| FENCE LOCATION | | | | |
| | Names | Dates | Approved By | |
| Designed by | HFW | 2/65 | <i>D. S. [Signature]</i> | |
| Drawn by | HFW | 2/65 | Deputy Design Engineer, Roadways | |
| Checked by | RLO | 2/65 | Revision No. | Sheet No. |
| | | | 80 | 1 of 1 |
| F.H.W.A. | Approved: 6/18/74 | | | Index No. 450 |




DETAILS OF TYPE "A" FENCE (ILLUSTRATED FOR CONC. POSTS AND BRACES)




FASTENER FOR TIMBER POST AND BRACE





BRACE AND POST BRACE TO BRACE ON LINE BRACE TO BRACE AT CORNER
FASTENER FOR CONCRETE POSTS AND BRACES



EACH HORIZONTAL WIRE TO BE WRAPPED COMPLETELY AROUND PULL POST AND TIED TO SAME WIRE. CONC. POST ILLUSTRATED. THIS METHOD ALSO APPLIES TO STEEL POST INSTALLATIONS AND TIMBER POST INSTALLATIONS.



CONCRETE BASE FOR
ANGULAR STEEL POST
(PULL, CORNER, END AND
APPROACH POSTS)



ALTERNATE CONCRETE POSTS AND BRACES

GENERAL NOTES (Continued)


13. Unless a specific post material is called for in the plans, the Contractor may elect to use either a single material or a combination of steel, aluminum, timber or concrete materials. Line posts of one material may be used with corner, pull and end post assemblies of a different material. Line posts of only one optional material and pull post assemblies of only one optional material will be permitted between corner and end post assemblies. Within individual corner and end post assemblies only one optional material will be permitted.
14. Unless otherwise called for in the plans gates shall be commercially available metal swing gates assembled and installed in accordance with the manufacturers specifications as approved by the Engineer. Chain link swing gates in accordance with Index No. 452 may be substituted for metal swing gates as approved by the Engineer. Payment for gates shall include the gate, single or double, all necessary hardware for installation and any additional length and/or size for posts at the opening. Gates shall be paid for under the contract unit price for Fence Gates, Type A, each.

GENERAL NOTES


1. This fence to be provided generally in rural areas.
2. Posts and braces may be either steel, aluminum, timber or concrete.
3. Steel posts and braces shall be standard steel posts, galvanized at the rate of 2 oz. per sq. ft., together with necessary hardware and wire clamps and meetings the following requirements:
 - (A) Line posts: 8' long; 1.33 lbs. per lin. ft.; studded, anchor plate attached; with necessary clamps, etc.
 - (B) Approach posts: 2 1/2' x 2 1/2' x 1/4' angles, 8' long; fabricated for attaching brace; with necessary hardware, clamps, etc.
 - (C) Pull, end and corner posts: 2 1/2' x 2 1/2' x 1/4' angles, 8' long; fabricated for attaching brace; with necessary hardware, clamp, etc.
 - (D) Braces: 2' x 2' x 1/4' angles with necessary hardware and fabricated for attaching to post.
 - (E) The pull, corner, approach and end posts are to be set in concrete as per detail. (Also see Note No. 7)
4. All timber posts, except corner and pull posts are to be minimum 4" diameter. Timber corner and pull posts are to be minimum 5" diameter. Braces are to be 4" minimum diameter. Lengths of timber posts to be as indicated above for concrete posts.
 - (A) Staples for line posts to be 1 1/4" minimum length; for approach, corner and pull posts 1 1/2" minimum length. At approach, corner and pull posts, staple every line wire. At line posts, staple every line wire in top half and alternate line wires in bottom half.
 - (B) Adequate connections between timber posts and braces to be provided.
 - (C) Wire to be wrapped around end posts and corner posts (installed as line posts) at vertical breaks of 15° or more.
5. The contractor, at his option, may use any suitable precast or prestressed concrete post; however, approval by the Engineer, of posts not shown on this drawing, will be required prior to construction of the fence. Precast posts shall be Class I concrete. Prestressed posts shall be Class III concrete.
6. Longer posts than those indicated above may be required by the plans or for deeper installations.
7. Concrete for bases shall be Class I as specified in Section 345 except that the requirements of 345-5.1.10 B II shall not apply. Materials for Class I concrete may proportioned by volume and/or by weight.
8. Fence shall be installed with wire side to private property except on horizontal curves greater than 3° the fence shall be installed so as to pull against all posts.
9. For pay purposes assemblies are defined as follows: Pull or end post assemblies shall consist of: One end or pull post, one approach post, two braces and all necessary fittings and hardware as detailed above. Corner post assemblies shall consist of: One corner post, two approach posts, four braces and all necessary fittings and hardware as detailed above.
10. Pull posts shall be installed at approximately 330' centers except that this maximum interval may be reduced by the Engineer on curvature greater than 3 degrees.
11. Corner posts are to be installed at all horizontal and vertical breaks in fence of 15° or more.
12. A maximum length of 1320' of wire may be installed as a unit.

(continued)



| | | | |
|--|-------|--------|--|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| FENCE TYPE A | | | |
| Designed by | Notes | Date | Approved by |
| Drawn by | | | <i>[Signature]</i> Deputy Design Engineer, Roadways |
| Checked by | | | Revision No. |
| F.H.W.A. Approved: 9/3/76 | 87 | 1 of 1 | 451 |



OPTIONAL "C" LINE POST
FOR TYPE B FENCE




**OPTIONAL H-BEAM LINE
POST FOR TYPE B FENCE**



FENCE POSITION AT LOCATIONS WITHOUT FRONTAGE ROADS

(REFER TO DETAIL PLANS FOR FENCE POSITION AT LOCATIONS WITH FRONTAGE ROADS)



TOP VIEW

BASE PLATE IDENTICAL FOR LINE, PULL, END AND CORNER
POSTS AND SHALL BE CONSIDERED AN INTERGAL PART
OF THE RESPECTIVE POSTS FOR BASIS OF PAYMENT

FENCE MOUNTING ON CONCRETE ENDWALL AND RETAINING WALLS

NOTES


Attachments to be used only when called for in the plans.

Attachments to extend in direction of restraint. Unless otherwise called for in plans, direction of restraint will be as follows:

- (a.) Outward on limited access right of way line.
- (b.) Outward on controlled access right of way line.
- (c.) Outward from utilities and hazardous facilities located within highway right of way.
- (d.) Outward from lateral ditches, outfalls, retentions basins, canals, borrow areas and similar support facilities.
- (e.) Inward on pedestrian ways.


The cap-arm shall be designed to provide a drive fit over the top of posts and to exclude moisture in posts with tubular sections.

Attachments to be paid for under the contract unit price for Fencing, Type B (With Barb Wire Attachment) L.F.



PICTORIAL VIEW

BARB WIRE ATTACHMENT



GENERAL NOTES (CONT.)

8. Pull posts shall be used at breaks in vertical grades of 15° or more, or at approximately 330' centers except that this maximum interval may be reduced by the Engineer on curves where the degree of curvature is greater than 3°.
9. Corner posts are to be installed at all horizontal breaks in fence of 15° or more and as required at vertical breaks over 15° as determined by the Engineer.
10. Unless sliding gates or special gates are called for in the plans all gates shall be chain link swing gates meeting the material requirements described above as approved by the Engineer. Payment shall include the gates, single or double, all necessary hardware for installation and any additional length and/or size for posts at the opening. Gates shall be paid for under the contract unit price for Fence Gates, Type B, each.
11. Line posts, tension wires, chain link fabric, tie wires, all miscellaneous fittings and hardware, and Class I concrete to be paid for under the contract unit price for Fencing Type B, L.F. Pull or end post assemblies shall consist of one pull or end post, one brace, one truss rod and all necessary fittings and hardware as detailed above and shall be paid for under the contract unit price for Pull & End Post Assembly (Type B Fence), Each. Corner post assemblies shall consist of one corner post, two braces, two truss rods, and all necessary fittings and hardware as detailed above and shall be paid for under the contract unit price for Corner Post Assembly (Type B Fence), Each.

TYPE IV VINYL COATED FABRIC

**Spec. Subarticle 966-1.1 And AASHTO M181-85/
With Table 4 Redefined As Follows**


| Specified Dia. of Metallic Coated Core Wire | Minimum Weight of Zinc or Aluminum Coating | Thickness Range of Extruded or Extruded and Bonded PVC Coating | Thickness Range of Bonded PVC Coating |
|---|--|---|---|
| in. mm. gage | oz./ft ² g/m ² | in. mm. | in. mm. |
| 0.148 3.76 9 | 0.30 92 | 0.015 to 0.025 0.38 to 0.64 | 0.006 to 0.010 0.15 to 0.25 |

GENERAL NOTES

1. This fence to be used generally in urban areas.
2. This fence shall be in accordance with Section 550 of F.D.O.T. Standard Specifications.
3. Chain link fabric, posts, rails, truss rods, tension wires, tie wires, stretcher bars, gates and all miscellaneous fittings and hardware shall meet the requirements of AASHTO M 181, and as specified below. Stipulated AASHTO and ASTM signify current reference.
4. Fence Component Options:
- A. Line post options:
- (1) Galvanized steel pipe, Schedule 40 - $1\frac{1}{2}$ " nominal dia. galvanized at the rate of 1.8 oz. per sq. ft.: ASTM A53 Table X2, ASTM A120, and AASHTO M 111.
 - (2) Aluminum coated steel pipe - $1\frac{1}{2}$ " nominal dia. coated at the rate of 0.40 oz. per sq. ft.: Spec. Subarticle 966-1.5.
 - (3) Aluminum alloy pipe - 2" nominal dia.: ASTM B 241 or B 221, Alloy 6063, T6.
 - (4) Steel H-Beam - $1\frac{1}{2}$ " x $1\frac{1}{2}$ " : Galv. 1.8oz./s.f.: AASHTO M III and Detail.
 - (5) Aluminum alloy H-Beam - $1\frac{1}{2}$ " x $1\frac{1}{2}$ " : Detail.
 - (6) Steel C - $1\frac{1}{2}$ " x $1\frac{1}{2}$ " : Galv. 1.8 oz./s.f.: AASHTO M III and Detail.
 - (7) Resistance welded steel pipe - $1\frac{1}{2}$ " nominal dia. Spec. Subarticle 966-1.5.
- B. Corner, end, and pull post options:
- (1) Galvanized steel pipe, Schedule 40 - 2" nominal dia. galvanized at the rate of 1.8 oz. per sq. ft.: ASTM A53 Table X2, ASTM A120, and AASHTO M 111.
 - (2) Aluminum coated steel pipe - 2" nominal dia. coated at the rate of 0.40 oz. per sq. ft.: Spec. Subarticle 966-1.5.
 - (3) Aluminum alloy pipe - 2 1/2" nominal dia.: ASTM B 241 or B 221, Alloy 6063, T6.
 - (4) Resistance welded steel pipe - 2" nominal dia.: Spec. Subarticle 966-1.5.
- C. Rail options:
- (1) Galvanized steel pipe, Schedule 40 - $1\frac{1}{4}$ " nominal dia. galvanized at the rate of 1.8 oz. per sq. ft.: ASTM A53 Table X2, ASTM A120, and AASHTO M 111.
 - (2) Aluminum coated steel pipe - $1\frac{1}{4}$ " nominal dia. coated at the rate of 0.40 oz. per sq. ft.: Spec. Subarticle 966-1.5.
 - (3) Aluminum alloy pipe - $1\frac{1}{4}$ " nominal dia.: ASTM B 241 or B 221, Alloy 6063, T6.
 - (4) Resistance welded steel pipe - $1\frac{1}{4}$ " nominal dia. Spec. Subarticle 966-1.5.
- D. Chain link fabric options:
- (1) No. 9 gage steel wire (2" mesh) galvanized at the rate of 1.8 oz. per sq. ft.: AASHTO M 181.
 - (2) Type III Vinyl Coated Fabric: See Table Below.
 - (3) Aluminum coated steel wire: AASHTO M 181.
- E. Tension wire options:
- (1) No. 7 gage steel wire galvanized at the rate of 1.8 oz. per sq. ft.: AASHTO M 181.
 - (2) Aluminum alloy wire conforming to the requirements of ASTM B 211, Alloy 6061, Temper T89 or T94, with a wire diameter of 0.1875" or larger.
 - (3) No. 7 gage aluminum coated steel wire coated at the rate of 0.40 oz. per sq. ft.: AASHTO M 181.
- F. Tie wire and hog ring options:
- (1) No. 9 gage steel wire galvanized at the rate of 1.8 oz. per sq. ft.
 - (2) Aluminum alloy wire conforming to the requirements of ASTM B 211, Alloy 6061, Temper T89 or T94, with a wire diameter of 0.1443" or larger.
 - (3) No. 7 gage aluminum coated steel wire coated at the rate of 0.40 oz. per sq. ft.

continued


| | | | |
|--|------|------|---|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| <h1 style="margin: 0;">FENCE TYPE B</h1> | | | |
| Designed by | Name | Date | Approved By <div style="text-align: center; margin-top: 20px;"> </div> |
| Drawn by | | | State Design Engineer, Roadways <div style="text-align: center; margin-top: 20px;"> </div> |
| Checked by | | | Revision No. Sheet No. Index No. <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; padding: 5px; width: 150px; text-align: center;">87</div> <div style="border: 1px solid black; padding: 5px; width: 150px; text-align: center;">1 of 1</div> <div style="border: 1px solid black; padding: 5px; width: 150px; text-align: center; font-size: 2em;">452</div> </div> |
| F.H.W.A. Approved: 10/8/83 | | | |




FRONT ELEVATION

GENERAL NOTES


1. Gate components shall meet the material requirement specified on Index No. 452.
2. Steel gate frame shall be fabricated prior to galvanizing, except that truss rods and truss rod plates may be fabricated following frame galvanizing provided surfaces damaged during welding are galvanized in accordance with Section 24 of AASHTO M36.
3. All fabric shall be knuckled top & bottom selvages.
4. Cost of all gate components shall be included in the contract unit price for Sliding Fence Gate (Cantilever), Each.
5. The Contractor may substitute any equivalent cantilever slide gate approved by the Engineer.



SUPPORT POST
DETAIL




ROLLER SPACER
BAR




DETAIL A

| GATE OPENING | GATE FRAME | BACK FRAME |
|--------------|------------|------------|
| 12' | 12'-3" | 6' |
| 16' | 16'-3" | 8' |
| 20' | 20'-3" | 10' |
| 24' | 24'-3" | 12' |



TYPICAL FRAME - 12', 16', & 20' Opening




TYPICAL FRAME - 24' Opening

DETAIL B

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

CANTILEVER SLIDE GATE TYPE B FENCE

| Designed by | Drawn by | Checked by | Reviewed by | Approved By | Index No. |
|-----------------------------|----------|------------|-------------|--------------------|-----------|
| | HDD | LMF | | <i>[Signature]</i> | 453 |
| F.H.W.A. Approved: 10/26/78 | | | 82 | 1 of 1 | |





CONCRETE BARRIER WALL MOUNT



STEEL POST MOUNT

MOUNTING BRACKET


GUARDRAIL WOOD POST MOUNT




CENTER POST AND BASE



SECTION DETAIL
CENTER POST




SECTIONS
SUPPORT POST AND LOCK BAR



GENERAL NOTES

1. Cost of installation of screen, support posts, lock bars, leading and trailing end anchorages and all accessories shall be included in the contract unit price for Glare Screen (Knitted Polyester) L.F.


| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|--|-------|------|--------------|--|-----------|
| GLARE SCREEN KNITTED POLYESTER | | | | | |
| Designed by | Names | Date | Approved By | | |
| Drawn by | HSD | 2-80 | R. A. Smith | | |
| Checked by | JVG | 2-80 | Revision No. | | |
| F.H.W.A. Approved: 10/7/80 | | 86 | Sheet No. | | Index No. |
| | | | 1 of 1 | | 460 |




HALF SECTION

* NOTE: Where frequency of median breaks indicates that it is impractical to leave plastic material in the median, the designer may elect to indicate total removal of this material. If during construction it becomes apparent, due to normal required construction procedures, that it is impractical to leave the plastic material in the median, the project engineer may authorize total removal of this material after clearing this change thru the Asst. Dist. Engr. - Const.

REMOVAL OF PLASTIC MATERIAL® AND LOCATION OF UNDERDRAIN IN MUNICIPAL CONSTRUCTION




MISCELLANEOUS DETAILS




TYPICAL CUT SECTION ON SUPERELEVATION

REMOVAL OF PLASTIC MATERIAL® ON INTERSTATE FACILITIES, FREEWAYS, DIVIDED PRINCIPAL AND MINOR ARTERIALS AND MAJOR COLLECTORS HAVING DEPRESSED MEDIANS



TYPICAL CUT SECTION

REMOVAL OF PLASTIC MATERIAL® ON DIVIDED FREEWAYS, PRINCIPAL AND MINOR ARTERIALS AND MAJOR COLLECTORS HAVING FLUSH MEDIANS, AND, ON UNDIVIDED PRINCIPAL AND MINOR ARTERIALS AND MAJOR COLLECTORS




HALF SECTION SHOWING REMOVAL

HALF SECTION SHOWING DISPOSAL


REMOVAL AND UTILIZATION OF PLASTIC MATERIAL® FOR MINOR COLLECTORS AND LOCAL FACILITIES

Where preferable method of removal governs and it is impossible to place the underdrain of the outer cut limit due to conflict with storm sewer mains, remove to these limits and place underdrain at location shown for minimum removal.




HALF SECTION

REMOVAL AND DISPOSAL OF A-8 MATERIAL IN RURAL CONSTRUCTION




HALF SECTION

MUCK REMOVAL WHERE SHOULDER GUTTER IS CONSTRUCTED



HALF SECTION

REMOVAL AND DISPOSAL OF A-8 MATERIAL IN MUNICIPAL CONSTRUCTION



MEDIAN STABILIZING DETAILS


GENERAL STABILIZING NOTES:

- When typical section has curb or curb and gutter in median stabilize 6" back of curb.
- When typical section has shoulder with no curb or curb and gutter in median stabilize to normal shoulder width.
- Stabilize entire area under all paved traffic islands.
- Stabilize full width under all traffic separators.

NOTES:

- All surplus material in shaded area to be removed.
- Payment for removal is included in the Base item.
- If Area of base for payment will be calculated using the nominal width (3" Overhang).

REMOVAL OF EXCESS BASE MATERIAL



TYPICAL SECTION

NOTE:

- Where no spoil is anticipated or when a large ditch or Canal is involved and spoil is anticipated on both sides, R/W should be adjusted accordingly.
- Clearing and Grubbing is to extend 200' beyond the end of the ditch if necessary.
- The bottom width of Lateral Ditches is to be 2' wider than the span of the Structures they drain or as shown on Plans.
- No Spoil Bank will be permitted within 300' of the E. of the Project, measured at right angles thereto. Waste materials in this section shall be either hauled and deposited in areas approved by the Engineer, or spread on adjacent areas to the depth designated by the Engineer.
- All excavation from Lateral Ditches shall be wasted unless otherwise shown on Lateral Ditch Sheets.

LATERAL DITCH SHOWING SPOIL BANK


GENERAL NOTES

- Minimum grade on underdrain pipe shall be 0.2%.
- Gradation of the filter material shall conform to standard specifications.
- In rural projects, where underdrain is to be constructed beneath the proposed pavement, the grade of the underdrain is to be such that the underdrain filter material will not extend above the bottom of the stabilized section of the subgrade.
- All details shown on this sheet for the removal and disposal of unsuitable materials apply unless otherwise shown on the plans.
- Where plastic material is undercut, backfill shall be made of suitable material.
- The term "plastic material" used in this drawing in conjunction with removal of plastic material is as defined under soil classifications for: Plastic (P) and High Plastic (H) on Index No. 505.
- The normal depth of side ditches for Interstate and major Primary System roads shall be 3.5' below the shoulder point except in special cases.
- On Primary and Interstate highways where plastic material is permitted for use in roadway fill, the material may be placed above the existing water level (at the time of construction) to within 4" of the proposed base. It should be placed uniformly in the lower portion of the embankment for some distance along the Project rather than full depth for short distances.


STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

EXCAVATION, EMBANKMENT & GRADING

| Designed by | Checked by | Drawn by | Approved by |
|---------------------------|------------|----------|----------------------------------|
| | | | <i>[Signature]</i> |
| | | | Deputy Design Engineer, Roadways |
| | | | Revision No. |
| | | | Sheet No. |
| | | | Index No. |
| F.H.W.A. Approved: 7/7/75 | 87 | 1 of 1 | 500 |



FOUR LANE ROADWAY



TWO LANE ROADWAY

GENERAL NOTES

- All dimensions shown are standard. The details shown on this Index drawing do not supersede the details shown on Index No. 500.
- Soil containing more than five percent by weight of organic material, as determined by averaging the test results for three randomly selected samples from each stratum or stockpile of a particular material, shall be classified as muck. If one test from the three exceeds seven percent, the stratum or stockpile shall be classified as muck.
Soil containing more than 2.5 percent by weight of organic material, as determined by averaging the test results for three randomly selected samples from each stratum or stockpile of a particular material, shall not be used in construction of the subgrade portion of the roadbed. If an individual test value of the three exceeds four percent, the stratum or stockpile shall not be suitable for construction of subgrade.
Any stratum or stockpile of soil which contains obvious pockets of highly organic material may be designated as muck or unsuitable for construction of subgrade.
Organic content tests shall be performed on the portion of a sample passing the No. 4 sieve in accordance with FMI-T267.
- High plastic (H) and Muck (M) soils excavated within the project limits may be used in embankment construction as indicated on this index. High plastic (H) and Muck (M) soils are not to be used for embankment construction when obtained from a source outside the project limits. The only exception shall be for Muck (M), which may be obtained from an outside source in order to provide a 4" muck blanket when called for in the plans.



| SYMBOL | SOIL | CLASSIFICATION (AASHTO M-145) |
|--------|--------------|--|
| S | Select | A-1, A-3, A-2-4 |
| P | Plastic | A-2-5, A-2-6, A-2-7, A-4, A-5, A-6, A-7 (All with LL < 50) |
| H | High Plastic | A-2-5, A-2-7, A-5 or A-7 (All with LL > 50) |
| M | Muck | A-8 |

Symbols listed Left to Right, in order of preference.


ø Certain types of A-2-4 material are likely to retain excess moisture and may be difficult to dry and therefore should be used in the embankment above water level existing at time of construction.

* When otherwise shown on plans this dimension may be reduced to 24".

| | | | |
|--|---------|-----------|--------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| EMBANKMENT UTILIZATION | | | |
| Designed by | Names | Date | Approved By |
| Drawn by | | | <i>[Signature]</i> |
| Checked by | | | Design Engineer, Roadway |
| Revision No. | 87 | Sheet No. | 1 of 1 |
| F.H.W.A. Approved: | 4/23/74 | | 505 |



2-LANE OR 4-LANE PAVEMENT, NO MEDIAN




4-LANE PAVEMENT WITH MEDIAN

THESE TRANSITION DETAILS ARE TO APPLY IN ALL CASES, EXCEPT AT CURVES OF INSUFFICIENT LENGTH, INSUFFICIENT TANGENT LENGTH BETWEEN CURVES, P.C.C.'S OR P.R.C.'S, IN WHICH CASE THE DETAILS OF THE TRANSITIONS ARE TO BE INCLUDED IN THE DETAIL PLANS.

| Degree Of Curve (D) | Design Speed, V MPH | | | | | | |
|---------------------|------------------------|----|-------|----|----|----|----|
| | 30 | 40 | 45/50 | 55 | 60 | 65 | 70 |
| 0°15' | NC | NC | NC | NC | NC | NC | NC |
| 0°30' | NC | NC | NC | NC | NC | RC | RC |
| 0°45' | NC | NC | RC | | | | |
| 1°00' | NC | RC | | | | | |
| 1°30' | RC | | | | | | |
| 2°00' | RC | | | | | | |


See Design Superelevation Rates To Right



DESIGN SUPERELEVATION RATES $G_{MAX} = 0.10$

GENERAL NOTES FOR SUPERELEVATION

- The Length Of Superelevation Transition Is To Be Determined By Using A Relative Slope Of Pavement Edge To Profile Grade Given In The Table Below, Except That The Minimum Length Of Transition Shall Be 100 Ft.
- For Curves In Municipal Areas, See Index No. 511.



SHOULDER CONSTRUCTION WITH SUPERELEVATION

SHOULDER ON HIGH SIDE A SHOULDER SLOPE OF .06 FT./FT. DOWNWARD FROM THE EDGE OF PAVEMENT WILL BE MAINTAINED UNTIL A .07 FT./FT. BREAK IN SLOPE AT THE PAVEMENT EDGE IS REACHED DUE TO SUPERELEVATION OF THE PAVEMENT. AS THE PAVEMENT SUPERELEVATION INCREASES, THE .07 FT./FT. BREAK IN SLOPE WILL BE MAINTAINED AND THE SHOULDER FLATTENED UNTIL THE SHOULDER SLOPE REACHES THE MINIMUM OF .02 FT./FT. DOWNWARD FROM THE EDGE OF PAVEMENT. ANY FURTHER INCREASE IN PAVEMENT SUPERELEVATION WILL NECESSITATE SLOPING THE INSIDE HALF OF THE SHOULDER TOWARD THE PAVEMENT AND THE OUTER HALF OUTWARD, BOTH AT .02 FT./FT. THESE SLOPES WILL BE HELD WITH FURTHER INCREASE IN PAVEMENT SUPERELEVATION UNTIL THE MAXIMUM BREAK OF .07 FT./FT. AT THE PAVEMENT EDGE IS AGAIN REACHED. THIS MAXIMUM BREAK WILL THEN BE HELD AND SHOULDER SLOPES STEEPENED WITH ADDITIONAL SUPERELEVATION.



SHOULDER ON LOW SIDE MAINTAIN .06 FT./FT. DROP ACROSS INSIDE SHOULDER UNTIL PAVEMENT CROSS SLOPE REACHES .06 FT./FT. FOR PAVEMENT CROSS SLOPES GREATER THAN .06 FT./FT. SHOULDER TO HAVE SAME SLOPE AS PAVEMENT.

THESE DETAILS APPLY TO BOTH PAVED AND GRASSED SHOULDER.


MEDIAN SHOULDER .05 FT./FT. IN LIEU OF .06 FT./FT. ABOVE.

| SLOPE RATIOS FOR SUPERELEVATION TRANSITIONS | | | | |
|--|-------|-------|-------|----------|
| DESIGN SPEED, M.P.H. | 45-50 | 55-60 | 65-70 | |
| 1:d | 1:200 | 1:225 | 1:250 | 2 Lane & |
| | 1:160 | 1:180 | 1:200 | 4 Lane |
| | 1:150 | 1:170 | 1:190 | 6 Lane |


| | | | | |
|--|------------|----------|---------------------------|-------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
| SUPERELEVATION | | | | |
| Designed by | Checked by | Drawn by | Reviewed by | Approved by |
| | | | | <i>J. H. Hill</i> |
| Drawn by | HFW | 5/85 | Design Engineer, Roadways | |
| Checked by | LMF | 10/74 | Section Eng. | Chief Eng. |
| F.H.W.A. Approved: 7/7/75 | 87 | 1 of 2 | 510 | |




SECTION A-A
NORMAL CROWNED SECTION




SECTION B-B
SUPERELEVATION SECTION LT. & RT.




SECTION C-C
SUPERELEVATION SECTION LT.
PLANE INCLINED SECTION RT.



SECTION D-D
PLANE INCLINED SECTION LT.
SUPERELEVATION TRANSITION RT.



SECTION E-E
SUPERELEVATION TRANSITION LT.
FULL SUPERELEVATION RT.



SECTION F-F
FULL SUPERELEVATION LT. & RT.

8-LANE PAVEMENT WITH ONE LANE SLOPED TO MEDIAN

| | | | | |
|--|---------|------|--------|--|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
| SUPERELEVATION | | | | |
| Designed by | W.A.L. | Date | 8/77 | Approved By |
| Drawn by | L.M.F. | Date | 8/77 | <i>[Signature]</i> Senior Design Engineer, Roadways |
| Checked by | W.A.L. | Date | 8/77 | Revision No. |
| F.H.W.A. Approved | 11/2/77 | 81 | 2 of 2 | 510 |











CHART SHOWING REMOVAL OF CROWN AND OR SUPERELEVATION NECESSARY FOR CURVATURE AT VARIOUS DESIGN SPEEDS

NOTE: WHEN THE ACTUAL SUPERELEVATION VALUE LIES WITHIN ZONE "A", USE A POSITIVE RATE OF 0.02 FT./FT.


GENERAL NOTES FOR SUPERELEVATION

1. MAXIMUM RATE OF SUPERELEVATION (IN MUNICIPAL CONSTRUCTION) SHALL BE 0.05 FT./FT.
2. SUPERELEVATION SHALL BE OBTAINED BY ROTATING THE PLANE SUCCESSIVELY ABOUT THE BREAK POINTS OF THE SECTION UNTIL THE PLANE HAS ATTAINED A SLOPE EQUAL TO THAT REQUIRED BY THE CHART. SHOULD THE ROTATION TRAVERSE THE ENTIRE SECTION AND FURTHER SUPERELEVATION BE REQUIRED, THE REMAINING ROTATION OF THE PLANE SHALL BE ABOUT THE LOW EDGE OF THE INSIDE TRAVEL LANE.
3. WHEN POSITIVE SUPERELEVATION IS REQUIRED, THE SLOPE OF THE GUTTER ON THE HIGH SIDE SHALL BE A CONTINUATION OF THE SLOPE OF THE SUPERELEVATED PAVEMENT.
4. IN CONSTRUCTION, SHORT VERTICAL CURVES SHALL BE PLACED AT ALL ANGULAR PROFILE BREAKS WITHIN THE LIMITS OF THE SUPERELEVATION TRANSITION.
5. MINIMUM GUTTER GRADES WITHIN THE LIMITS OF THE SUPERELEVATION TRANSITION SHALL BE 0.2%.
6. THE VARIABLE SUPERELEVATION TRANSITION LENGTH "L" SHALL HAVE A MINIMUM VALUE OF 50 FEET FOR DESIGN SPEEDS UNDER 40 M.P.H. AND 75 FEET FOR DESIGN SPEEDS OF 40 M.P.H. OR GREATER.
7. MUNICIPAL SECTIONS HAVING LANE ARRANGEMENTS DIFFERENT FROM THOSE SHOWN, BUT COMPOSED OF A SERIES OF PLANES, SHALL BE SUPERELEVATED IN A SIMILAR MANNER.
8. FOR CURVES IN RURAL AREAS, SEE INDEX NO. 510.




VALUES OBTAINED FROM THE CHART ARE ALSO APPLICABLE TO A PARABOLIC CROWN SECTION. WHEN THIS TYPE SECTION IS USED, SUPERELEVATION IS ESTABLISHED BY ROTATING A TANGENT ABOUT THE ARC OF THE PARABOLIC CROWN UNTIL THE DESIRED SLOPE IS ATTAINED (POINTS A & B ON SKETCH). THE NORMAL PARABOLIC CROWN WILL BE MAINTAINED OUTSIDE THE LIMITS OF THE PLANE THUS FORMED.

| | | | | | |
|--|-----|------|--------------|-------------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| SUPERELEVATION MUNICIPAL CONSTRUCTION | | | | | |
| Designed By | WLB | Date | 2/66 | Approved By | |
| Drawn By | CDR | 1/67 | Revision No. | | 81 |
| Checked By | RLO | 1/67 | Sheet No. | 1 of 2 | Index No. |
| F.H.W.A. Approved: 5/20/77 | | | 511 | | |




SECTION O-A TO O-E

TWO LANES EACH DIRECTION




| LINE | DESCRIPTION |
|------|------------------------------|
| A | INSIDE TRAFFIC LANE |
| B | INSIDE LANE LINE |
| C | INSIDE MEDIAN EDGE PAVEMENT |
| D | CONSTRUCTION |
| E | OUTSIDE MEDIAN EDGE PAVEMENT |
| F | OUTSIDE LANE LINE |
| G | OUTSIDE TRAFFIC LANE |



SECTION O-A TO O-E

TWO LANES EACH DIRECTION WITH MEDIAN AND REFUGE LANE



| #d (SLOPE RATIO) | |
|------------------|-------|
| 30 MPH | 1:100 |
| 40 MPH | 1:125 |
| 50 MPH | 1:150 |

| D | R | V=30mph | V=40mph | V=50mph |
|---------|--------|---------|---------|---------|
| 0° 15' | 22918' | NC | NC | NC |
| 0° 30' | 11459' | NC | NC | NC |
| 0° 45' | 7639' | NC | NC | NC |
| 1° 00' | 5730' | NC | NC | NC |
| 1° 30' | 3820' | RC | RC | .024 |
| 2° 00' | 2865' | RC | .022 | .028 |
| 2° 30' | 2292' | RC | .026 | .031 |
| 3° 00' | 1910' | .020 | .029 | .033 |
| 3° 30' | 1637' | .023 | .032 | .036 |
| 4° 00' | 1432' | .028 | .035 | .039 |
| 5° 00' | 1146' | .028 | .036 | .043 |
| 6° 00' | 955' | .031 | .039 | .047 |
| 7° 00' | 819' | .032 | .041 | |
| 8° 00' | 716' | .034 | .044 | |
| 9° 00' | 637' | .035 | .046 | |
| 10° 00' | 573' | .037 | .048 | |
| 11° 00' | 521' | .038 | | |
| 12° 00' | 477' | .039 | | |
| 13° 00' | 441' | .040 | | |
| 14° 00' | 409' | .043 | | |
| 16° 00' | 358' | .045 | | |
| 18° 00' | 318' | .047 | | |
| 20° 00' | 286' | .050 | | |

e Max.=0.05

The superelevation rates shown above are to be used for urban (curb & gutter) arterials in suburban areas where development is such that uniform application of these higher rates may be applied on all curves and where sufficient R/W is available to make suitable connections.

NOTE: THE SECTIONS AND PROFILES SHOWN ON THIS SHEET ARE EXAMPLES OF THE SUPERELEVATION TRANSITIONS. SIMILAR SCHEMES SHOULD BE USED FOR ROADWAYS HAVING DIFFERENT SECTION DESIGNS.

| | | | |
|--|--------------|-----------------------------------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| SUPERELEVATION MUNICIPAL CONSTRUCTION | | | |
| Designed by W.L.B. | Date 2/66 | Approved By <i>[Signature]</i> | |
| Drawn by CDR | Date 1/67 | Revision No. | Sheet No. |
| Checked by RLO | Date 1/67 | 87 | 2 of 2 |
| F.H.W.A. Approved: 5/20/77 | | 511 | |

| LAYER THICKNESS FOR ASPHALTIC CONCRETE STRUCTURAL COURSES | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-----------------------------------|-----|-----|-----|-------------------------------------|-----|-----|-----|----------|-----|-----|-----|------------------------------------|-----|-----|-----|------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| COURSE THICKNESS (Inches) | LAYER THICKNESS (Inches). | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Type S-II With Type S-I Top Layer | | | | Type S-II With Type S-III Top Layer | | | | Type S-I | | | | Type S-I With Type S-III Top Layer | | | | Type S-III | | | | | | | | | | | | | | | |
| | 1st | 2nd | 3rd | 4th | 1st | 2nd | 3rd | 4th | 1st | 2nd | 3rd | 4th | 1st | 2nd | 3rd | 4th | 1st | 2nd | 3rd | 4th | 1st | 2nd | 3rd | 4th | 1st | 2nd | 3rd | 4th | 1st | 2nd | 3rd | 4th |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | |
| 1½ | | | | | | | | | 1½ | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | 1½ | ¾ | | | | | | | | | | | | | | | | | |
| 2½ | | | | | 1½ | 1 | | | 1½ | 1½ | | | 1½ | 1 | | | | | | | | | | | | | | | | | | |
| 3 | 1½ | 1½ | | | 2 | 1 | | | 1½ | 1½ | | | 2 | 1 | | | | | | | | | | | | | | | | | | |
| 3½ | 2 | 1½ | | | | | | | 2 | 1½ | | | 1½ | 1½ | 1 | | | | | | | | | | | | | | | | | |
| 4 | 2 | 2 | | | 1½ | 1½ | 1 | | 2 | 2 | | | 1½ | 1½ | 1 | | | | | | | | | | | | | | | | | |
| 4½ | 1½ | 1½ | 1½ | | 2 | 1½ | 1 | | 1½ | 1½ | 1½ | | 2 | 1½ | 1 | | | | | | | | | | | | | | | | | |
| 5 | 2 | 1½ | 1½ | | 2 | 2 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5½ | 2 | 2 | 1½ | | 1½ | 1½ | 1½ | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 2 | 2 | 2 | | 2 | 1½ | 1½ | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL NOTES

1. If combinations other than those shown in the table are used, the thickness must be consistent with the following thickness ranges and the details must be given on the Typical Section Sheet:

| Type Mix | Min. | Max. |
|----------|------|------|
| S-I | 1½" | 2" |
| S-II | 1½" | 2" |
| S-III | ¾" | 1½" |

2. When quantities are bid as tonnage items, equivalent tonnage layer thickness will be constructed (i.e., 100^{sq} = one square yard inch).
3. When construction includes paving of adjacent 1" - 1½" shoulders, the layer thickness(s) for the shoulder shall be the same as the upper roadway pavement layer(s) in order to facilitate paving. This may limit combinations available. (See Note 1)
4. The designer should consider stage construction for course thicknesses greater than 4½".

| | | | | | |
|--|-----|------|------|--------------|------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| FLEXIBLE PAVEMENT LAYER THICKNESS FOR STRUCTURAL COURSES | | | | | |
| Designed by | WNL | Date | 9/85 | Approved By | <i>J.C. Hall</i> |
| Drawn by | HGD | Date | 9/85 | Revision No. | |
| Checked by | WNL | Date | 9/85 | Sheet No. | 1 of 1 |
| F.H.W.A. Approved: 11/7/85 | | | | 87 | 513 |


OPTIONAL BASE GROUPS AND STRUCTURAL NUMBERS

| Base Group and Structural Range | Limerock LBR 100 (.18) | Composite Limerock-Asph. Base (Limerock LBR 100) * | Cemented Coquina LBR 100 (.18) | ABC-1 (Min. Marshall Stab. 500) (.20) | ABC-2 (Min. Marshall Stab. 750) (.25) | ABC-3 (Min. Marshall Stab. 1000) (.30) | Bank Run Shell LBR 100 (.135) | Soil Cement (300 PSI) (Plant Mixed) | Limerock Stabilized LBR 70 (.12) | Sand - Clay LBR 70 (.12) | Shell LBR 70 (.12) | Shell Stabilized LBR 70 (.10) | Soil Cement (300 PSI) (Road Mixed) | SAHM (Min. Marshall Stab. 300) ¹ | Graded Aggregate Base LBR 100 (.15) | ABC-1 and 4" Limerock Sub-Base LBR 100 (.20) | ABC-2 and 4" Limerock Sub-Base LBR 100 (.25) | ABC-3 and 4" Limerock Sub-Base LBR 100 (.30) | ABC-1 and 4" Cemented Coquina Sub-Base LBR 100 (.20) | ABC-2 and 4" Cemented Coquina Sub-Base LBR 100 (.25) | ABC-3 and 4" Cemented Coquina Sub-Base LBR 100 (.30) | ABC-1 and 4" Bank Run Shell Sub-Base LBR 100 (.20) | ABC-2 and 4" Bank Run Shell Sub-Base LBR 100 (.25) | ABC-3 and 4" Bank Run Shell Sub-Base LBR 100 (.30) | ABC-1 and 4" Graded Aggregate Sub-Base LBR 100 (.20) | ABC-2 and 4" Graded Aggregate Sub-Base LBR 100 (.25) | ABC-3 and 4" Graded Aggregate Sub-Base LBR 100 (.30) | Soil Cement (500 PSI) (Plant Mixed) | Econcrete (800 PSI) | Econcrete (1100 PSI) | | | |
|---------------------------------|---------------------------|---|-----------------------------------|--|--|---|----------------------------------|--|-------------------------------------|-----------------------------|-----------------------|----------------------------------|---------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---------------------|----------------------|----------------|----------------|----------------|
| 1 (.58 - .62) | Δ .001 4" | | Δ .003 4" | Δ .005 4" | Δ .006 4" | Δ .007 4" | Δ .004 4" | Δ .008 4" | Δ .009 5" | Δ .010 5" | Δ .011 5" | Δ .012 6" | Δ .013 6" | Δ .014 4" | Δ .015 4" | | | | | | | | | | | | | | | Δ .028 4" | Δ .029 4" | Δ .030 4" | |
| 2 (.72 - .78) | .999 4" | Δ .042 4" | .043 4" | Δ .045 4" | Δ .046 4" | Δ .047 4" | .044 5" | .048 5" | .049 5" | .050 6" | .051 6" | .052 6" | Δ .053 6" | .054 5" | .055 5" | | | | | | | | | | | | | | | | .068 4" | Δ .069 4" | Δ .070 4" |
| 3 (.86 - .94) | .998 5" | .082 4 1/2" | .084 5" | .085 4 1/2" | Δ .086 4" | Δ .087 4" | .084 6 1/2" | .088 6" | .089 7 1/2" | .090 7 1/2" | .091 7 1/2" | .092 9" | Δ .093 6" | .094 6" | .095 6" | | | | | | | | | | | | | | | | .108 4 1/2" | .109 4" | Δ .110 4" |
| 4 (1.00 - 1.10) | .985 6" | .122 5" | .123 6" | .125 5" | .126 4" | Δ .127 4" | .124 7 1/2" | .128 7" | .129 9" | .130 9" | .131 9" | .132 10 1/2" | .133 7" | .135 7" | .135 7" | | | | | | | | | | | | | | | | .148 5" | .149 4 1/2" | .150 4" |
| 5 (1.15 - 1.25) | .997 6 1/2" | .162 6" | .163 6 1/2" | .166 6" | .167 4" | .167 4" | .164 8 1/2" | .168 8" | .169 10" | .170 10" | .171 10" | .172 12" | .173 8" | .175 8" | .175 8" | | | | | | | | | | | | | | | | .188 5 1/2" | .189 5" | .190 5" |
| 6 (1.29 - 1.41) | .201 7 1/2" | .202 7" | .203 7 1/2" | .205 6 1/2" | .206 5 1/2" | .207 4 1/2" | .204 10" | .208 9" | .209 11" | .210 11" | .211 11" | | | | .215 9" | Δ .216 4" | | | Δ .219 4" | | | | .222 4" | | | .225 4" | | | | | .228 6 1/2" | .229 6" | .230 5 1/2" |
| 7 (1.44 - 1.56) | .994 8" | .242 7 1/2" | .243 8" | .246 6" | .247 5" | .247 5" | .244 11" | .248 10" | .249 12" | .250 12" | .251 12" | | | | .255 10" | .256 4" | | | .259 4" | | | | .262 4 1/2" | .263 4" | | .265 4 1/2" | | | | | .268 7 1/2" | .269 7" | .270 6" |
| 8 (1.58 - 1.72) | .991 9" | .282 8 1/2" | .283 9" | .285 6 1/2" | .286 5 1/2" | .287 5 1/2" | .284 12" | .288 11" | | | | | | | .295 11" | .296 4 1/2" | | | .299 4 1/2" | .300 4" | | | .302 5 1/2" | .303 4 1/2" | | .305 5" | .306 4" | | .308 8" | .309 7 1/2" | .310 6 1/2" | | |
| 9 (1.73 - 1.87) | .990 10" | .322 9" | .323 10" | .325 9" | .326 7" | .327 6" | | | | | | | | | .335 12" | .336 5 1/2" | .337 4 1/2" | .338 4" | .339 5 1/2" | .340 4 1/2" | Δ .341 4" | | .342 6" | .343 5" | .344 4" | .345 6" | .346 5" | .347 4" | | .349 8" | .350 7" | | |
| 10 (1.88 - 2.02) | .983 10 1/2" | .362 10" | .363 10 1/2" | .366 9 1/2" | .367 8" | .367 6 1/2" | | | | | | | | | .375 13" | .376 6" | .377 5" | .378 4" | .379 6" | .380 5" | .381 4" | .382 7" | .383 5 1/2" | .384 4 1/2" | .385 6 1/2" | .386 5 1/2" | .387 4 1/2" | | .389 9" | .390 8" | | | |
| 11 (2.03 - 2.17) | .987 11 1/2" | .402 11" | .403 11 1/2" | .405 10 1/2" | .406 9 1/2" | .407 7" | | | | | | | | | .415 14" | .416 7" | .417 5 1/2" | .418 4 1/2" | .419 6" | .420 5 1/2" | .421 4 1/2" | .422 7 1/2" | .423 6" | .424 5" | .425 7 1/2" | .426 6" | .427 5" | | .429 9 1/2" | .430 8 1/2" | | | |
| 12 (2.18 - 2.32) | .441 12 1/2" | .442 11 1/2" | .443 12 1/2" | .445 11" | .446 9" | .447 7 1/2" | | | | | | | | | .456 7 1/2" | .457 6" | .458 5" | .459 7 1/2" | .460 6" | .461 5" | .462 8 1/2" | .463 7" | .464 5 1/2" | .465 8" | .466 6 1/2" | .467 5 1/2" | | .469 10" | .470 9" | | | | |
| 13 (2.33 - 2.47) | .481 13" | .482 12 1/2" | .483 13" | .486 9 1/2" | .487 8" | .487 6" | | | | | | | | | .496 8 1/2" | .497 6 1/2" | .498 5 1/2" | .499 8 1/2" | .500 6 1/2" | .501 5 1/2" | .502 9" | .503 7 1/2" | .504 6" | .505 9" | .506 7" | .507 6" | | .509 11" | .510 9 1/2" | | | | |
| 14 (2.48 - 2.62) | .521 14" | .522 13 1/2" | .523 14" | .526 10" | .527 8 1/2" | .527 6 1/2" | | | | | | | | | .536 9" | .537 7 1/2" | .538 6" | .539 9" | .540 7 1/2" | .541 6" | .542 10" | .543 8" | .544 6 1/2" | .545 9 1/2" | .546 8" | .547 6 1/2" | | .549 11 1/2" | .550 10" | | | | |
| 15 (2.63 - 2.77) | .556 14" | .557 14" | .557 14" | .566 11" | .567 9" | .567 7" | | | | | | | | | .576 10" | .577 8" | .578 6 1/2" | .579 10" | .580 8" | .581 6 1/2" | .582 10 1/2" | .583 8 1/2" | .584 7" | .585 10 1/2" | .586 8 1/2" | .587 7" | | .589 12" | .590 11" | | | | |
| 16 (2.63 - 2.77) | Δ .981 4" | Δ .980 4" | .604 3" | .604 3" | Δ .605 3" | Δ .606 3" | .607 4 1/2" | .608 4" | .609 5" | .610 5" | .611 5" | .612 6" | Δ .613 6" | .614 4" | .615 4" | | | | | | | | | | | | | | | Δ .628 4" | Δ .629 4" | Δ .630 4" | |

- * Top 1 1/2" consist of ABC Type 2 with structural number of .25.
 - Ø To be used for widening only.
 - Δ Based on minimum practical thickness.
 - Generally restricted to shoulder base construction.
- 900 Series option codes indicate base options which have been revised


Not Recommended For Design
Year 18 Kip Loads > 1,000,000

These Options Are Acceptable For Use On
Widening Projects (Up To 12 Feet In Width)




LEGEND


| | | | |
|--|--------|-----------|--------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| OPTIONAL BASE GROUPS AND STRUCTURAL NUMBERS | | | |
| Designed by | D.C.B. | Date | 10/79 |
| Drawn by | H.S.D. | Date | 10/79 |
| Checked by | K.N.M. | Date | 10/79 |
| F.H.W.A. Approved: | | 10/79 | |
| Revision No. | 86 | Sheet No. | 1 of 1 |
| Index No. | 514 | | |



RURAL TURNOUT CONSTRUCTION




LIMITS OF CLEARING & GRUBBING AND STABILIZING AT INTERSECTIONS




GENERAL NOTES

- For turnout classifications see the manual entitled "Policy And Guidelines For Vehicular Connections To Roads On The State Highway System" date February 1985 and effective August 15, 1985. Information on this index in variance with the manual supercedes the information in the manual. The manual should be referred to for special applications, and, for exceptions due to extreme conditions.
- No driveways, turnouts, or side drains are to be constructed without compensation for materials from the owner except for replacement of approved driveways, turnouts, and/or side drains existing at the time of beginning of roadway construction and if desired by the owner. All new or reconstructed driveways, turnouts, and side drains must conform to the size limits indicated above.
- In rural areas where the abutting property owner desires installation of turnouts and provided there is adequate frontage for proper driveway separation, the Department will construct or will allow the construction of a maximum of two 24' (Class I, I or 2-Way), two 24' (Class II or III, 1-Way) or two 48' (Class II or III, 2-Way) turnouts along the same frontage with a minimum of 50' of space between them. For more desirable width and spacing, limiting conditions and for exceptions see the manual.
- In urban areas, at the request of the abutting property owner or his assignee, and provided there is adequate frontage for proper driveway separating, the Department will construct or will allow the construction of a maximum of two 24' (Class I, I or 2-Way), two 24' (Class II or III, 1-Way) or two 48' (Class II or III, 2-Way) turnouts along the same frontage with a minimum of 26' of space between them (6' between curb transition). For more desirable width and spacing, limiting conditions and for exceptions see the manual.
- Class III turnouts in urban areas are to be constructed as intersecting streets with curb and gutter.
- In both urban and rural areas, wherever dual driveways are allowed, that portion of the Right-of-Way between the drives and outside the pavement limits of the highway shall be maintained as a "No-Parking-Area".
- Stabilized subgrade not required for paved turnouts to private property.
- For detail of drop curb see Index No. 300.


| | | | |
|--|------------|-------------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| TURNOUTS | | | |
| Designed by | Checked by | Approved by | Index No. |
| Drawn by | Checked by | Approved by | Index No. |
| Checked by | Checked by | Approved by | Index No. |
| F.H.W.A. Approved: 12/6/76 | 86 | 1 of 2 | 515 |



RURAL TURNOUT PROFILES



URBAN TURNOUT PROFILES



G_2 FOR ADVERSE ROADWAY SUPERELEVATION AND TRANSITIONS

RECOMMENDED TRANSITION LENGTHS (L) (FT.)

| A | CRESTS | | | | SAGS | | | |
|-------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|
| | STRAIGHT | | ROUNDED | | STRAIGHT | | ROUNDED | |
| | Desirable | Minimum | Desirable | Minimum | Desirable | Minimum | Desirable | Minimum |
| 6-13% | 3 | 0 | 5 | 0 | 3 | 0 | 5 | 0 |
| 14% | 3 | 0 | 10 | 0 | 3 | 0 | 10 | 0 |
| 15% | 3 | 2.5 | 10 | 3 | 5 | 3 | 10 | 5 |
| 16% | 5 | 3 | 10 | 4 | 6 | 4 | 10 | 6 |
| 17% | 6 | 3.5 | 10 | 5 | 8 | 5 | 10 | 7 |
| 18% | 6 | 4 | 10 | 6 | 9 | 6 | 10 | 8 |
| 19% | 7 | 4.5 | 10 | 7 | 11 | 7 | 12 | 9 |
| 20% | 8 | 5 | 11 | 8 | 12 | 8 | 13 | 10 |
| 21% | 9 | 5.5 | 12 | 9 | 13 | 8.5 | 14 | 11 |
| 22% | 10 | 6 | 13 | 10 | 14 | 9 | 16 | 12 |
| 23% | 10 | 6.5 | 14 | 10.5 | 14 | 9.5 | 16 | 12.5 |
| 24% | 11 | 7 | 15 | 11 | 15 | 10 | 17 | 13 |
| 25% | 12 | 7.5 | 15 | 11.5 | 16 | 10.5 | 18 | 13.5 |
| 26% | 12 | 8 | 16 | 12 | 17 | 11 | 18 | 14 |
| 27% | 13 | 8.5 | 17 | 12.5 | 17 | 11.5 | 19 | 14.5 |
| 28% | 14 | 9 | 17 | 13 | 18 | 12 | 20 | 15 |



Rounded: Either circular, parabolic or spline curvature. The plans or the Engineer may specify a particular type of curvature.
 Desirable: Desirable minimum lengths. Greater lengths than minimum and desirable are recommended where practical for flatter and smoother profile.
 Minimum: Absolute minimum lengths.

GENERAL PROFILE AND STORMWATER RUNOFF NOTES


1. Turnout construction shall cause no water to flow on or across the roadway pavement, pond on or cause erosion within the state right-of-way. On all rural turnouts the transition (L) nearest the roadway shall be sloped or crowned to direct stormwater runoff to the roadside ditch. Inlets, flumes or other runoff control devices shall be considered when runoff volumes are sufficient to cause erosion of the turnout shoulder. Urban turnouts also may require similar runoff control features to properly direct and control the stormwater runoff.
2. The Option 1 profile is intended for locations where roadway, turnout taper and auxiliary lane stormwater runoff volumes are relatively large. The Option 2 profile is intended for locations where runoff volumes are relatively small and/or where there is no roadside ditch.

| | | | |
|--|----------|------------|--------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| TURNOUTS | | | |
| Designed by | Drawn by | Checked by | Approved By |
| | HSD | JVG | <i>Dr. J. H. L.</i> |
| Date | 8/82 | 8/82 | State Design Engineer, Roadway |
| Revision No. | 86 | 2 of 2 | Sheet No. |
| F.H.W.A. Approved: 9/23/82 | | | 515 |


For Side Drain Pipe and Mitered End Section Requirements See Index 515.



SECTION A-A WITH WIDENING



SECTION A-A



SECTION A-A

GENERAL NOTES

1. Turnouts are to be constructed or resurfaced at locations as directed by the Engineer.
2. Turnout construction not required with paved shoulders.
3. Connections outside the 5' limit are to be constructed as directed by the Engineer.
4. Contract unit price, Turnout Construction, to include excavation and base.
5. Payment for structural course to be included in roadway resurfacing pay item.
6. Payment for feathering friction course to be included in the unit price for Asphaltic Concrete Friction Course placed on the roadway. Feathered areas will not be included in measured quantities. Feathering not required for FC-2 friction course.
7. For low volume two-lane facilities without a friction course the structural course is replaced by a surface course.




| Drive Width (Ft.) | Intersection | | | |
|-------------------|--------------|---------|--------|---------|
| | Normal | | Skewed | |
| | Type I | Type II | Type I | Type II |
| 12 | 26 | 51 | 31 | 60 |
| 14 | 27 | 52 | 33 | 61 |
| 16 | 28 | 53 | 34 | 63 |
| 18 | 29 | 54 | 35 | 64 |
| 20 | 31 | 55 | 37 | 65 |
| 22 | 32 | 56 | 38 | 67 |
| 24 | 33 | 57 | 39 | 68 |
| 26 | 34 | 58 | 40 | 69 |
| 28 | 35 | 59 | 42 | 70 |
| 30 | 36 | 61 | 43 | 72 |
| 32 | 37 | 62 | 44 | 73 |
| 34 | 38 | 63 | 46 | 74 |
| 36 | 39 | 64 | 47 | 76 |
| 38 | 41 | 65 | 48 | 77 |
| 40 | 42 | 66 | 49 | 78 |
| 42 | 43 | 67 | 51 | 79 |
| 44 | 44 | 68 | 52 | 81 |
| 46 | 45 | 69 | 53 | 82 |
| 48 | 46 | 71 | 55 | 83 |
| 50 | 47 | 72 | 56 | 85 |
| 52 | 48 | 73 | 57 | 86 |
| 54 | 49 | 74 | 58 | 87 |
| 56 | 51 | 75 | 60 | 88 |
| 58 | 52 | 76 | 61 | 90 |
| 60 | 53 | 77 | 62 | 91 |

| TURNOUT PAVEMENT STRUCTURE MINIMUM REQUIREMENTS | | |
|---|-------------------------|-------------------|
| COURSE | MATERIAL | MINIMUM THICKNESS |
| Structural | Asphaltic Concrete | 4" |
| | | |
| Base | Limerock LBR 100 | 4" |
| | Cemented Coquina | 4" |
| | ABC-1 (Marshall 500) | 4" |
| | ABC-2 (Marshall 750) | 4" |
| | ABC-3 (Marshall 1000) | 4" |
| | Soil Cement (Plant Mix) | 4" |
| | Bank Run Shell | 4 1/2" |
| | Sand-Clay LBR 70 | 5" |
| | Shell LBR 70 | 5" |
| | Soil Cement (Road Mix) | 6" |

Notes:

1. Turnout structural course to be the same material as roadway leveling or structural course. Structural course not required if asphalt base course is used.
2. Any Department approved pavement structure equivalence may be used at the discretion of the Engineer.
3. Additional structural strength may be required if high traffic loads are anticipated.

| | | | | | |
|--|-----|------|-------|-----------------------------|--------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| TURNOUTS RESURFACING PROJECTS | | | | | |
| Designed by | DCB | Date | 11/77 | Approved By | <i>[Signature]</i> |
| Drawn by | HKH | Date | 11/77 | Quantity Designer, Roadways | |
| Checked by | JVG | Date | 11/77 | Revision No. | |
| F.H.W.A. Approved: 9/23/82 | | | | 86 | 1 of 1 |
| | | | | | 516 |





STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN




WALLS, HANDRAILS & STEPS

| | | | | |
|----------------------------|------------|-------------|-----------|-----------|
| Designed by | Checked by | Approved by | | |
| Drawn by | CDR | 2/68 | | |
| Checked by | RHC | 2/68 | Sheet No. | Index No. |
| F.H.W.A. Approved: 3/20/75 | | | 87 | 1 of 1 |


520



DETAIL A
TWO THRU LANES





DETAIL B
THREE APPROACH LANES — TWO THRU LANES




EXIT TERMINALS SINGLE-LANE RAMPS

NOTE: For General Notes See Sheet No. 2

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
|--|-----|--------------|------|-------------|
| RAMP TERMINALS | | | | |
| Designed by | ENH | Date | 1/65 | Approved by |
| Drawn by | HFV | Date | 1/65 | |
| Checked by | RLO | Date | 6/67 | |
| F.H.W.A. Approved: 7/16/75 | | Division No. | 87 | Sheet No. |
| | | 1 of 5 | | 525 |




DETAIL C
TWO THRU LANES




GENERAL NOTES


- The notes applying to P.C.C. Pavement are not applicable to Flexible Pavement.
- (a) P.C.C. Pavement Projects:
Where shoulder pavement adjacent to shoulder gutter is less than 6' wide, it shall be identical to the adjacent roadway pavement beginning with the transverse joint nearest the point of 6' width.
- (b) Flexible Pavement Projects:
Where shoulder pavement used in conjunction with shoulder gutter is less than 6' uniform width, it shall be identical to the adjacent roadway pavement.
- Exit and Entrance terminals as detailed shall not be used on ramps for which a speed of 50 M.P.H. or greater cannot be maintained. For such ramps, parallel deceleration and acceleration lanes shall be used in place of tapers with lengths set according to AASHTO.




DETAIL D
WITH ADDED LANE
ENTRANCE TERMINALS
SINGLE-LANE RAMPS



| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|--|-----|------|--------------|-------------|-----------|
| RAMP TERMINALS | | | | | |
| Designed by | EHM | 1/85 | Approved By | [Signature] | |
| Drawn by | MFW | 1/85 | Reviewed by | [Signature] | |
| Checked by | RLO | 6/87 | Revision No. | Sheet No. | Index No. |
| F.H.W.A. Approved: 7/18/75 | | | 87 | 2 of 5 | 525 |




THREE THRU LANES - APPROACH AUXILIARY LANE




SECTION WHEN SHOULDER GUTTER USED
SECTION AA

EXIT TERMINALS
TWO-LANE RAMPS


| | | | | | |
|--|-----|------|------|---------------------------------|------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| RAMP TERMINALS | | | | | |
| Designed by | DCB | Date | 7/86 | Approved By | <i>De. [Signature]</i> |
| Drawn by | eds | Date | 7/86 | State Design Engineer, Roadways | |
| Checked by | DCB | Date | 7/86 | Revision No. | Sheet No. |
| F.H.W.A. Approved 11/7/86 | | | | 87 | 3 of 5 |
| | | | | | 525 |




ACCELERATION LANE WITH SHOULDER GUTTER



ACCELERATION LANE WITHOUT SHOULDER GUTTER



DECELERATION LANE WITH SHOULDER GUTTER




DECELERATION LANE WITHOUT SHOULDER GUTTER

SHOULDER TREATMENT AT SPEED CHANGE LANES AT EXPRESSWAY RAMP TERMINALS


EXPRESSWAY RAMP TERMINALS

| | | | |
|--|-----|--------------|--------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| RAMP TERMINALS | | | |
| Designed by | EHH | Date | 1/85 |
| Drawn by | HFW | Date | 1/85 |
| Checked by | RLO | Date | 6/87 |
| F.H.W.A. Approved: 7/18/75 | | Revision No. | 87 |
| | | Sheet No. | 4 of 5 |
| | | Index No. | 525 |



FOOTNOTES:

- W Normal shoulder pavement width
- * Adjust for grades if greater than 2% (See Table X-5, AASHTO).
- 1 Standard cross road entrance terminals. To be used when roadway alignment is tangent and no bridges are located within the merging lane.
- 2 Parallel cross road entrance terminals. Recommended when a bridge is located within the merging lane, turning roadway speed is less than 60% of thru roadway speed or for the combinations of horizontal alignment shown elsewhere on this sheet.
- 3 Standard cross road exit terminal. To be used when roadway alignment is tangent.
- 4 Parallel cross road exit terminals. Recommended when exit is partially hidden over the crest of vertical curve or when turning roadway speed is less than 60% of the thru roadway speed, or for the combinations of horizontal alignment shown elsewhere on this sheet.





NOTE: Entrances and exits on curves should be avoided when possible.

ENTRANCES AND EXITS ON CURVES


CROSSROAD TERMINALS

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|--|-----|--------|------|--------------------------------|-----------|
| RAMP TERMINALS | | | | | |
| Designed by | EHH | Date | 1/85 | Approved By | |
| Drawn by | HFW | 1/85 | | Supervising Engineer, Roadways | |
| Checked by | RLD | 6/87 | | Revision No. | Sheet No. |
| F.H.W.A. Approved: 7/25/75 | 87 | 5 of 5 | | | 525 |




TYPE A
REINFORCED CONCRETE

NOTE
CLASS 1 CONCRETE IS TO BE
USED UNLESS OTHERWISE NOTED
IN PLANS OR SPECIAL PROVISIONS





NOTE
TRACTOR CROSSING TO BE CON-
STRUCTED TO MATCH PAVEMENT
CROSS SLOPE.

THE NUMBER OF MATS REQUIRED WILL
VARY WITH THE PAVEMENT WIDTH. A
SUFFICIENT NUMBER OF MATS WILL
BE USED SO THAT THE OVERALL WIDTH
OF THE TRACTOR CROSSING WILL BE A
MINIMUM OF ONE FOOT GREATER THAN
THE PAVEMENT WIDTH. THE TRACTOR
CROSSING WILL BE CENTERED ON THE
PAVEMENT CENTERLINE.



TYPE B
TREATED TIMBER


| | | | | | |
|--|-------|------|--------------|-----------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| TRACTOR CROSSINGS | | | | | |
| Designed by | Notes | Date | Approved By | | |
| Drawn by | LH | 1/61 | De. R. R. R. | | |
| Checked by | CDD | 1/61 | Revision No. | Sheet No. | Index No. |
| F.H.W.A. Approved: 3/20/75 | | | 01 | 1 of 1 | 535 |



INSTALLATION

NOTES

- Elevation of the top of each length of marker pipe shall be determined as soon as it is installed and also immediately before the next length of marker pipe is added.
- Settlement plate locations shall be flagged and protected from construction vehicles and equipment. If settlement plates are disturbed, they shall be replaced in kind.
- Oakum used to construct seal should not have a mesh covering (plastic or other synthetic material).



TIMBER PLATE


STEEL PLATE

STEEL PLATE

STEEL PLATE


STEM AND PLATE OPTIONS

| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
|--|-----|------|-------|--------------|--------|
| SETTLEMENT PLATE | | | | | |
| Designed by | JVG | Date | 10/79 | Approved By | |
| Drawn by | HSD | Date | 10/79 | Checked by | JBW |
| Checked by | JBW | Date | 10/79 | Revision No. | 81 |
| F.H.W.A. Approved: 10/77/80 | | | | Sheet No. | 1 of 1 |
| | | | | Index No. | 540 |




DETAIL A

MEDIAN HAZARD - ONE-WAY TRAFFIC




DETAIL C

BRIDGE END - WIDE MEDIAN




ZONE MAP

| ZONE | SHRUB |
|------|---|
| 1 | Wax Myrtle Pampas Grass Primrose Jasmine Russian Olive |
| 2 | Wax Myrtle Pampas Grass Primrose Jasmine Russian Olive Jasmine Simple Oleander |
| 3 | Pampas Grass Russian Olive Natal Plum Jasmine Simple Oleander Dwarf Oleander |




DETAIL B

ROADSIDE HAZARD



DETAIL D

MEDIAN HAZARD - TWO-WAY TRAFFIC



DETAIL E

BRIDGE END - NARROW MEDIAN




CROSS SECTION
BACK TO BACK GUARDRAIL


GENERAL NOTES

1. The purpose of shrubs in areas back of guardrail is to eliminate hand maintenance in those areas.
2. Shrubs are to be planted approximately 5' back from guardrail posts and hazards. Narrow plant areas are to have at least one row of shrubs, as directed by the Engineer.
3. Shrubs are to be planted approximately 5' on centers in rows with 5' spacings.
4. Shrubs are to be offset in successive rows to create a zig-zag pattern between any two rows.
5. Shrubs shall be specified in the plans by Landscape Material Master Pay Item List numbers.
6. Only one variety of shrub shall be planted within any given contiguous area and no shrub variety is to be repeated within a distance of one mile.
7. When guardrail paving is constructed in conjunction with shrub planting, soil sterilization shall be in accordance with Section 339 of the Standard Specifications.


| | | | |
|--|--------------------|---|------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| SHRUBBERY BACK OF GUARDRAIL APPLICATION | | | |
| Designed by G.L.H. | Checked by | Approved By <i>[Signature]</i> Deputy Design Engineer, Roadways | Index No. 545 |
| Drawn by | Revision No. 80 | Sheet No. 1 of 1 | |
| F.H.W.A. Approved: | | | |




HALF PLAN
RURAL




HALF PLAN
MUNICIPAL




HEADER CURB
(Optional With Railroad Co.)




HALF SECTION TYPE "D"




HALF SECTION TYPE G




HALF SECTION TYPE G MODIFIED




HALF SECTION TYPE "L"



HALF SECTION TYPE "S"



HALF SECTION TYPE "E"



HALF SECTION TYPE "H"


NOTES -

- THE DEPARTMENT WILL CONSTRUCT HEADER CURBS AT LOCATIONS REQUESTED BY THE RAILROAD COMPANY, AND CONSTRUCT PAVEMENT AS SHOWN FOR CROSSING TYPES E, G, H, L AND S.
- THE RAILROAD COMPANY WILL FURNISH AND INSTALL ALL MATERIAL WITHIN 5' OF C OF TRACKS, EXCEPT PAVEMENT, FOR CROSSING TYPES E, G, H, L AND S.
- UNLESS OTHERWISE REQUESTED BY THE RAILROAD COMPANY, THE VARIOUS TYPES OF CROSSING WILL BE USED AS FOLLOWS:


| | TYPE |
|---|-----------------|
| APALACHICOLA NORTHERN R.R. CO. | L |
| ATLANTA AND ST. ANDREWS BAY RAILWAY CO. | L |
| FLORIDA EAST COAST RAILWAY CO. | T-MOD. & G-MOD. |
| BURLINGTON NORTHERN RAILROAD | H |
| CSX TRANSPORTATION, INC. | L |

- NORFOLK SOUTHERN CORPORATION
- GEORGIA SOUTHERN AND FLORIDA RAILWAY CO. G
 - LIVE OAK, PERRY AND SOUTH GEORGIA RAILWAY CO. G
 - ST. JOHNS RIVER TERMINAL CO. G
 - GEORGIA AND FLORIDA RAILWAY CO. G
 - SOUTHERN RAILWAY SYSTEM G


| | | | | | |
|--|------------|----------|--------------|-------------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | | |
| RAILROAD CROSSINGS TYPE D, E, G, G-Mod., L & S | | | | | |
| Designed by | Checked by | Drawn by | Reviewed by | Approved by | |
| | | MW | 8/69 | | |
| Checked by | JKC | 8/69 | Revision No. | Sheet No. | Index No. |
| F.H.W.A. Approved: | 3/20/75 | 87 | 1 of 8 | 560 | |




PLAN - 90° CROSSING




PLAN - SKEW CROSSING




ELEVATION
DETAIL OF 5/16" x 1 1/4" x 5" ANCHORS
ANCHORS STAGGERED 18" C. TO C.
TWO ANCHORS EACH END CHANNEL
NOTE: 1/2" x 5" STUDS MAY BE USED
IN LIEU OF ANCHORS.




OPTIONAL DETAIL
WHEN 10' TIES ARE USED




SECTION A-A



PLAN TYPICAL SLAB



SECTION B-B



BEVELED END SECTION

ALTERNATE END SECTION







NOTES

1. SPACERS ADJACENT TO RAIL TO BE DENSE STRUCTURAL 65 GRADE.
2. SPACERS BETWEEN SLABS TO BE NO. 1 COMMON GRADE.
3. ALL TIMBER TO BE SHAPED PRIOR TO TREATMENT.
4. CLASS I CONCRETE TO BE USED IN THE CONSTRUCTION OF THE PRECAST CONCRETE SLABS.
5. ALL TIMBER SHIMS AND SPACERS AND PRECAST CONCRETE SLABS WILL BE FURNISHED AND INSTALLED BY THE RAILROAD CO. THE TRACK SHALL BE CONDITIONED TRUE TO LINE AND GRADE BY THE RAILROAD CO. PRIOR TO INSTALLATION OF THE CROSSING ELEMENTS.
6. CONSTRUCTION OF THIS CROSSING REQUIRES A STABLE SUBGRADE FOR A MINIMUM OF 2' BELOW THE BOTTOM OF THE BALLAST. THE SUBGRADE SHALL BE CONSTRUCTED TO THE SAME REQUIREMENTS AS SPECIFIED FOR THE ADJOINING ROADWAY.


STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

RAILROAD CROSSINGS
TYPE J


| Designed by | Names | Dates | Approved By | Index No. |
|----------------------------|-------|--------|--------------------|-----------|
| Drawn by | HW | 8/69 | <i>[Signature]</i> | |
| Checked by | JRC | 8/69 | Revision No. | Sheet No. |
| F.H.W.A. Approved: 3/20/75 | 83 | 2 of 8 | 560 | |




- ## GENERAL NOTES
1. The furnishing and installing of concrete crossties together with any necessary reallasting, grade adjustment and track alignment shall be done by the Railroad Company without cost to the Contractor or to the Department.
 2. All concrete slabs, rubber pads for tops of ties and wood filler blocks shall be furnished and installed by the Railroad Company.
 3. Concrete Crossties shall be spaced on 28" centers by the Railroad Company.
 4. Rubber pads shall be installed on concrete ties in field using contact cement.
 5. Filler blocks shall be pressure treated pine or clear heart redwood and shall be shaped prior to treatment.
 6. Class I Concrete 9" thick to be used in construction, by road Contractor, of Concrete Approach Slabs and for paving between crossings (Cost of steel to be included in cost of Class I Concrete.)

| | | | | |
|---|-------|-------|---|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION | | | | |
| ROAD DESIGN | | | | |
| RAILROAD CROSSINGS | | | | |
| TYPE K | | | | |
| Designed by | Names | Dates | Approved By | |
| Drawn by | H W | 8/69 |  Deputy Design Engineer, Roadways | |
| Checked by | J K C | 8/69 | | |
| F.H.W.A. Approved: 3/20/75 | | | Revision No. | Sheet No. |
| | | | 83 | 3 of 8 |
| | | | 560 | |

| | | | | | |
|----------------------------|------|----|----|--------|----|
| Classified by | DATE | BY | 83 | 4 of 8 | 50 |
| F.H.W.A. Approved: 3/20/75 | | | | | |




TOP VIEW



SECTION

- * O.A. Height $6\frac{1}{2}$ " - Pads typical for 90-100 lb rolls.
 O.A. Height $7\frac{1}{8}$ " - Pads typical for 110-130 lb rolls.
 O.A. Height $7\frac{1}{2}$ " - Pads typical for 131, 133 or 136 lb rolls.




PARTIAL SECTION PARALLEL TO RAIL

CROSSING TYPE "P" ①
(POLYETHYLENE)


GENERAL NOTES

- The crossings shown on this sheet are NOT to be used for multiple track crossings within zones for an existing or scheduled future vehicular stop. Zone lengths are charted above.
- Crossings on this sheet may be used for single track crossings within the zones in the chart unless engineering or safety considerations dictate otherwise.
- Details shown are for straight track installations. Materials are also available for curved track installations.
- For additional details, materials required and installation procedures refer to the manufacturers specifications.




PARTIAL PLAN DEPICTING
SUGGESTED PAD PLACEMENT


① Experimental - Requires Prior Approval




TOP VIEW



SECTION



PARTIAL SECTION PARALLEL TO RAIL



CENTER SHIM
(Treated timber)
Shim thickness varies with height of rail.




SIDE SHIM
(Treated timber)

CROSSING TYPE "R"
(RUBBER)

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
ROAD DESIGN

RAILROAD CROSSINGS TYPE P & R


| Designed by | Checked | Approved by | Revision No. | Sheet No. | Index No. |
|-------------------|----------|-------------|--------------|-----------|-----------|
| Drawn by | LMF | 11/75 | | | |
| Checked by | GSB | 11/75 | | | |
| F.M.W.A. Approved | 10/11/78 | 85 | 5 of 8 | 560 | |




GENERAL NOTES

1. The reinforced concrete slabs are manufactured in 8'-0" sections, 5" in depth to fit all rail sections 5 1/4" in height or heavier. Slabs are interchangeable and relocateable.
2. Center slabs are one piece construction allowing for 2 1/2" flange opening. 80 lb. rail is used to encase, armor and reinforce slabs and is held to gage with 3 tie rods per slab.
3. Slabs are installed by a "flotation" process, supported on non-shrinkable, non-metallic grout positioned on the ties. Slabs can be placed on wood ties, concrete ties, steel ties, bridge decks or any other type of track support. No re-spacing of ties is necessary.
4. Slabs are secured to "running rails" with specially designed hardware. Insulation is to be provided for crossings in signal territory.
5. Curved slabs are fabricated to fit curved track to 22 degrees (262.04' radius). Special slabs are available for Diamond Crossings, Turnouts, Multiple Tracks, Bridge Decks and Rapid Transit Systems.
6. For additional details, materials required and installation procedures refer to the manufacturers specifications.


| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
|--|--------|------|--|-----------|
| RAILROAD CROSSINGS TYPE T | | | | |
| Designed by | None | Date | Approved By | |
| Drawn by | LMF | 2/77 | <i>De. M. H.</i> Deputy Design Engineer, Roadways | |
| Checked by | G S B | 2/77 | Revision No. | Sheet No. |
| F. H. W. A. Approved | 5/3/77 | 83 | 6 of 8 | 560 |




STANDARD SLABS (PRECAST CONCRETE)



RAMP SLABS (PRECAST CONCRETE)




SECTION CC





SECTION DD

STANDARD AND RAMP SLAB SECTIONS



| | | | |
|--|----------|--------|--|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| RAILROAD CROSSING TYPE T MODIFIED | | | |
| Designed by: | Names | Dates | Approved By |
| Drawn by: | RWR | 9/82 | <i>[Signature]</i> State Design Engineer, Roadway |
| Checked by: | JVG, JBW | 9/82 | Revision No. |
| F.H.W.A. Approved: 9/23/82 | 83 | 7 of 8 | Index No. 560 |



PLAN VIEW
TYPICAL 44' CROSSING



PRECAST CONCRETE TIE (CROSSING TIE)





GENERAL NOTES

1. Slab frames are welded 90 lb. rails.
2. Slab reinforcement all No. 4 bars.

| | | | |
|--|-------|--------------|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| RAILROAD CROSSING TYPE T MODIFIED | | | |
| Designed By | Dates | Approved By | |
| Drawn by RWR | 9/82 | 8 of 8 | |
| Checked by JVG, JBW | 9/82 | Revision No. | Index No. |
| F.H.W.A. Approved: 9/23/82 | 83 | 8 of 8 | 560 |




CASE I

TRAFFIC TRANSITION AREA UPSTREAM FROM CROSSOVER



CONDITION "A"

CONDITION "B"



MAINTENANCE OF TRAFFIC



CONDITION "A"
When The Paving "Train" Is In Lane ① The U-Turning Truck Shall Cautiously Turn Into Lane ② And Proceed In Lane ② To The Front Of The "Train".

CONDITION "B"
When The Paving "Train" Is In Lane ②, The U-Turning Truck Shall Turn Into Lane ②, Cautiously Merge Into Lane ① And Proceed To The Front Of The Paving "Train".

CONDITION "A" & "B"
Lane Closure And Maintenance Of Traffic In The Roadway Being Paved Shall Be In Accordance With Case XII Of The MTCSP. The Flashing Or Sequential Arrow Board Is Required In Addition To Signs Shown In Case XII. Under No Circumstances Will The Traffic Transition Area Be Located Within The Limits Of The Crossover.

CASE II

TRAFFIC TRANSITION AREA DOWNSTREAM FROM CROSSOVER



CONDITION "A"



CONDITION "B"

GENERAL NOTES

- When crossovers do not exist, contractor will construct temporary crossovers in accordance with Index No. 631.

MTCSF: MANUAL ON TRAFFIC CONTROL DEVICES AND SAFE PRACTICES FOR STREET AND HIGHWAY CONSTRUCTION, MAINTENANCE AND UTILITY OPERATIONS ON THE STATE MAINTAINED SYSTEMS, BY FLORIDA DEPARTMENT OF TRANSPORTATION, 1978.


| | | | |
|--|-----|------------|--------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| TEMPORARY CROSSOVER TRAFFIC CONTROL PLAN RURAL | | | |
| Designed by | GW | Date | 12/77 |
| Drawn by | | Revised by | |
| Checked by | RLF | 9/78 | |
| F.H.W.A. Approved: 10/7/80 | | 85 | 1 of 1 |
| | | | 630 |



NOTES:


1. When a crossover is no longer needed, all temporary construction shall be immediately removed and the area restored to its original condition.
2. Cost of all construction, maintenance, removal and restoration work related to temporary crossovers shall be included in the contract unit price for Maintenance Of Traffic L.S.
3. Crossovers to be constructed where sight distance is adequate in both directions as directed by the Engineer.

| | | | |
|--|-------|-----------|---|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| TEMPORARY CROSSOVER CONSTRUCTION DETAILS RURAL | | | |
| Designed by | Names | Date | Approved By |
| Drawn by | | | <i>De. [Signature]</i> Deputy Design Engineer, Roadway |
| Checked by | | | |
| Revision No. | | Sheet No. | Index No. |
| F.H.W.A. Approved: 10/7/80 | | 81 | 1 of 1 631 |



PHASE I

1. Maintain two-lane two-way traffic over existing pavement. Construct new roadway within the proposed 4-Lane limits, excluding the friction course. Sign as shown if roadway construction area falls within 15 feet of existing pavement edge. When the construction area falls more than 15 feet from the existing pavement edge, traffic shall be controlled in accordance with Cases I, II or VII of the MTCSP.
2. Construct shoulder pavement to provide two-lane two-way traffic over shoulder and existing pavement during Phase II roadway construction. Lanes to be not less than 10 feet in width. Signing as shown to be in place prior to shoulder pavement construction.




PHASE II

1. Remove existing pavement marking, in areas of detour and re-mark as shown, install warning devices and re-sign as shown. Traffic to be controlled in accordance with Case VI of the MTCSP. Lanes to be not less than 10' in width.
2. Route through traffic to temporary and existing pavement.
3. Construct transitions, excluding friction course.


LEGEND

- Phase I
- Phase II
- Manual On Traffic Control And Safe Practices
- Denotes Direction Of Traffic And Does Not Reflect Pavement Marking

| | | | |
|--|--------------------------------------|--------------|-----|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| CONVERTING TWO LANES TO FOUR LANES DIVIDED STANDARD TRAFFIC CONTROL PLAN RURAL FACILITY | | | |
| Designed by | KNM | Checked by | JVG |
| Drawn by | HSD | Revision No. | 81 |
| Approved By | Deputy Design Engineer, Roadways | | |
| Sheet No. | 1 of 2 | | |
| F.H.W.A. Approved: 5/5/80 | 640 | | |



| | | | |
|--|--------------|-----------|----------------------------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| CONVERTING TWO LANES TO FOUR LANES DIVIDED STANDARD TRAFFIC CONTROL PLAN URBAN FACILITY | | | |
| Designed by | Names | Dates | Approved By |
| Drawn by | SHM | | <i>J. S. Smith</i> |
| Checked by | JVG | | Deputy Design Engineer, Roadways |
| F.H.W.A. Approved: 5/5/80 | Revision No. | Sheet No. | Index No. |
| | 81 | 1 of 2 | 641 |



Optional For Projects ≤ 2 Miles
Required For Projects > 2 Miles

PHASE III

1. Sign and mark Phase II pavement in accordance with the Phase III diagram.
2. Reroute through traffic to Phase II pavement.
3. Construct friction course over Phase I pavement. Side street traffic to be maintained. Through and cross traffic to be controlled in accordance with Cases XX and XXI of the MTCS P. When work extends through an intersection, temporarily reroute cross traffic to other cross streets. When rerouting is not possible, provide one lane access (minimum) for two-lane two-way cross streets and one lane access (minimum) each direction for four-lane two-way cross streets.

GENERAL MAINTENANCE OF TRAFFIC NOTES

1. All signing, pavement marking, barricades and warning lights necessary for maintenance of traffic shall conform to the MTCS P.
2. Raised pavement markers shall be placed along the center of pavement open to traffic at 20' centers in the transition area where alignment shift is 10 feet or greater.
3. For divided facility, identical through traffic signing as shown above shall be placed on the outside and median of both roadways for each phase.
4. Existing signs and pavement markings that conflict with construction signings and markings shall be obliterated or removed.
5. At signalized intersections, signals shall be directed or relocated as required to the center of relocated lanes.
6. Provisions approved by the Engineer shall be made for the removal of storm water from the roadway(s) during construction.
7. Additional barricades, signing, lighting or other traffic controls as required by the MTCS P shall be provided as conditions warrant in each phase.

LEGEND



MTCS P Manual On Traffic Control And Safe Practices
Denotes Direction Of Traffic And Does Not Reflect Pavement Markings

| | | | |
|--|-------|---|-----------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | |
| CONVERTING TWO LANES TO FOUR LANES DIVIDED STANDARD TRAFFIC CONTROL PLAN URBAN FACILITY | | | |
| Designed by K N M | Dates | Approved By <i>[Signature]</i> Deputy Design Engineer, Roadways | |
| Drawn by S H M | | Revision No. | Sheet No. |
| Checked by J V G | | 83 | 2 of 2 |
| F. H. W. A. Approved: 5/5/80 | | | 641 |

FLORIDA DEPARTMENT OF TRANSPORTATION DESIGN CRITERIA RELATED TO HIGHWAY SAFETY

January 1986

| TYPE OF FACILITY | INTERSTATE, OTHER LIMITED ACCESS, OR DIVIDED (4 OR MORE LANES) DESIGN SPEED OF 50 MPH OR GREATER | UNDIVIDED - DESIGN SPEED OF 50 MPH OR GREATER AND PROJECTED ADT (20 YR) OF 1,600 OR GREATER | UNDIVIDED - DESIGN SPEED OF 35-45 MPH | MUNICIPAL - DESIGN SPEED OF 45 MPH OR LESS (CURB AND GUTTER) |
|--|--|---|---|---|
| EMBANKMENT SLOPE | Fill Ht. 0'-5': 6:1 5'-10': 6:1 to edge of CZ & 4:1 10'-20': 6:1 to edge of CZ & 3:1 > 20': 2:1 R/W cost must be considered in urban areas in using these slopes | Fill Ht. 0'-5': 6:1 5'-10': 6:1 to edge of CZ & 4:1 10'-20': 6:1 to edge of CZ & 3:1 > 20': 2:1 | Fill Ht. 0'-5': 6:1 except where R/W is insufficient then 6:1 to edge of CZ & 3:1 will be permitted. 5'-20': 6:1 to edge of CZ & 3:1 except where R/W is insufficient then 2:1 with guardrail will be permitted. | 2:1 or to suit property owner, not flatter than 6:1. R/W cost must be considered for high fill sections in urban areas. |
| CLEAR WIDTHS FOR BRIDGES | Travel lanes plus 10' Rt. and 6' Lt. for 6 or more lanes. | Travel lanes plus approach shoulder widths. | Divided - Travel lanes plus approach shoulder width Rt. and 6' Lt. unless full median section is carried across structure. Undivided - Travel lanes plus approach shoulder widths. | Full section (face to face of curb) plus clearance to bridge rail. |
| BACK SLOPES | 4:1 (Normal) | 4:1 (Normal) | 4:1 where R/W permits or 3:1. | 2:1 or to suit property owner, not flatter than 6:1. |
| CLEAR ZONE (CZ) | 30 min. from edge of travel lane, 18 min. from edge of auxiliary lane. Shoulder width plus 2' to face of guardrail (at shoulder line when shoulder width is 12'). | 30 min. from edge of travel lane, 18 min. from edge of auxiliary lane. Shoulder width plus 2' to face of guardrail. | 20 min. from edge of travel lane, 14 min. from edge of auxiliary lane. Shoulder width plus 2' to face of guardrail (8 min.). For projected ADT (20 yr.) less than 750 14 min. from edge of both travel and auxiliary lanes. | 18' from edge of travel lane or 14' from edge of auxiliary lane where R/W permits, 14 min. from edge of both travel and auxiliary lanes. Shoulder width plus 2' to face of guardrail (8 min.). |
| SIGNS | Not generally in median. Outside clear zone or behind barrier that is justified for other reasons. Cantilever signs may be located inside clear zone protected by barrier. Frangible single column signs to be located in accordance with Traffic Design Standards Index No. 17302. All supports are breakaway or frangible except overhead cantilever or truss signs. | Outside clear zone or behind barrier that is justified for other reasons. Cantilever signs may be located inside clear zone protected by barrier. Frangible single column signs to be located in accordance with Traffic Design Standards Index No. 17302. All supports are breakaway or frangible except overhead cantilever or truss signs. | Outside clear zone or behind barrier that is justified for other reasons. Cantilever signs may be located inside clear zone protected by barrier. Frangible single column signs to be located in accordance with Traffic Design Standards Index No. 17302. All supports are breakaway or frangible except overhead cantilever or truss signs. | 2' min. from face of curb to inside edge of sign panel. Sign placement shall not block sidewalk. |
| LIGHT POLES | Not generally in median. Outside clear zone or frangible base 20' from edge of travel lane and 14 min. from edge of auxiliary lane or behind approved barrier that is justified for other reasons. | Outside clear zone or frangible base 20' from edge of travel lane and 14 min. from edge of auxiliary lane or behind approved barrier that is justified for other reasons. | Outside clear zone. Normally 6.5 inside R/W when beyond clear zone otherwise as close as practical to R/W line. | 4 min. from face of curb. ϕ |
| UTILITY POLES, FIRE HYDRANTS, ETC. | Not in median. Not within R/W of the main travel way of interstate or other limited access facilities. For other facilities outside the clear zone. Normally 6.5' inside R/W when beyond clear zone otherwise as close as practical to R/W line. | Outside clear zone. Normally 6.5 inside R/W when beyond clear zone otherwise as close as practical to R/W line. | Outside clear zone. Normally 6.5 inside R/W when beyond clear zone otherwise as close as practical to R/W line. | Not in median. 4' min. from face of curb. ϕ |
| RAILROAD CROSSING DEVICES | Not on interstate or expressway. 10' min. from edge of travel lane or 6' min. from edge of auxiliary lane to near edge of device. No guardrail. | 10' min. from edge of travel lane or 6' min. from edge of auxiliary lane to near edge of device. No guardrail. | 10' min. from edge of travel lane or 6' min. from edge of auxiliary lane to near edge of device. No guardrail. | 2.5' min. from face of curb to near edge of device. |
| MEDIAN WIDTHS | Interstate or limited access facilities: 60' min. - 60 mph and over 40' min. - under 60 mph Other divided highways 40' min. - 55 mph and over 22 min. - under 55 mph | | | 19.5 min. - 45 mph 15.5 min. - 40 mph or less (greater widths desirable) For reconstruction projects the min. painted median width with provision for left turn is 10' (greater widths desirable) |
| TREES Δ Existing or Expected Dia. $\geq 4"$ | Not generally in median. 40' desirable (30 min.) from edge of travel lane, 18 min. from edge of auxiliary lane. \dagger | 30' min. from edge of travel lane, 18 min. from edge of auxiliary lane. | 20' min. from edge of travel lane, 14 min. from edge of auxiliary lane. For projected ADT (20 yr.) less than 750 14 min. from edge of both travel and auxiliary lanes. | 4' min. from face of curb where curb height is 6" or greater. 8' min. from edge of driving lane. \square |

Design speed to be established using realistic anticipated operating speed. (Assume 55 mph limits to be non-existent).

Preferred ditch cross sections are shown on pages 25, 26 & 27 of the AASHTO Guide For Selecting, Locating And Designing Traffic Barriers.

Consideration should be given to maintaining greater than the above specified clearances and/or flatter slopes where feasible and practical.

ϕ On projects where the 4' min. offset would place the utility or other obstruction in substantial conflict with the sidewalk or when utility poles would create an unreasonable conflict with requirements of the National Safety Codes and other alternatives are deemed impractical the minimum may be reduced to 2.5' from face of curb - each case where this deviation is proposed must be supported on an individual basis.

* At locations where immediately adjacent development such as buildings, etc. provide less clearance, bridge piers can be placed to provide clearance less than 16'.

Values shown above shall be used on all new construction and on reconstruction projects to the extent that economic and environmental considerations and R/W limitations will allow. For definitions of new construction and reconstruction see "Manual Of Uniform Minimum Standards For Design, Construction And Maintenance For Streets And Highways".

Driving lane is any traffic lane, travel or auxiliary.

An auxiliary lane is the portion of the roadway adjoining the traveled way for parking, speed changes, turning, storage for turning, weaving, truck climbing or for other purposes supplementary to through traffic movement.

Traveled way (travel lanes) is the portion of the roadway for the movement of vehicles, exclusive of shoulders and auxiliary lanes.

Δ Offsets shown are for existing or newly planted trees. If existing trees are close to but less than the minimum offset indicated, other factors should be considered to determine adequacy of offset, i.e. ADT, operating speed, size, age and type of tree; protection by a barrier; etc. Newly planted trees may be placed behind barriers that are provided for other reasons. The minimum setback distance from the back of concrete barriers, walls, abutments or other rigid obstructions is 4' for newly planted trees. For W-beam guardrail the minimum setback is 6' from the face of the rail. Offsets shown apply to both outside and median for divided highways unless otherwise noted. When trees are placed in median adequate sight distance at intersections, turnouts and median openings, etc. shall be maintained.

\square Minimum distance to existing or newly planted trees. To be used on facilities classified as municipal when no curb and gutter exist, when curb height is less than 6" or when curb height has been reduced by resurfacing. May be reduced to 5' from edge of driving lane for speeds of 30 mph or less.

+ When 30' min. offset established, care shall be taken to avoid blocking sight distance to roadside signs.

\diamond For divided facilities with curbed medians and undivided facilities utilizing curbed separations at crossings, 2.5' from face of curb to near edge of signal device in accordance with Traffic Design Standards Index No. 17882.


| | | | | |
|--|-----|------|--------------|---|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION ROAD DESIGN | | | | |
| DESIGN CRITERIA RELATED TO HIGHWAY SAFETY | | | | |
| Designed By | HSO | Date | 6/81 | |
| Drawn By | JVG | 6/81 | Approved By |  |
| Checked By | JVG | 6/81 | Revision No. | Sheet No. |
| F H W A Approved 9/23/82 | | | 86 | 1 of 1 |
| 700 | | | | |

TABLE OF CONTENTS

TRAFFIC DESIGN STANDARDS

INDEX NO. DESCRIPTION

ROADWAY LIGHTING

- 17500 CONVENTIONAL POLE DETAILS
- 17501 GENERAL NOTES
- 17502 HIGHMAST LIGHTING DETAILS (3 SHEETS)
- 17503 ROADWAY LIGHTING DETAILS
- 17504 SERVICE POINT DETAILS
- 17505 EXTERNAL LIGHTING FOR SIGNS (2 SHEETS)

SIGNING AND MARKINGS

- 9535 STANDARD ROADSIDE SIGN BREAK AWAY POST & PANEL DETAIL (4 SHEETS)
- 10965 BRIDGE SPAN TRUSS FOR OVERHEAD SIGNS, ASSEMBLY DETAILS FOR TYPE A,B,C TRUSS
- 11037 OVERHEAD SIGN STRUCTURES, DETAILS OF SIGN FACES & TRUSS CONNECTION
- 11201 FOOTINGS FOR OVERHEAD SIGN TRUSSES, TYPE A, B OR C TRUSS (SHEET 1 OF 2)
- 11201 FOOTINGS FOR OVERHEAD SIGN TRUSSES, OVERHEAD CANTILEVER (SHEET 2 OF 2)
- 11226 TRUSSES FOR OVERHEAD SIGNS, ALUMINUM CANTILEVER
- 11860 TYPE "C" SINGLE COLUMN GROUND SIGNS (SIGN PROFILE & IDENTIFICATION NUMBERS)
- 11861 SINGLE COLUMN GROUND SIGNS (60 MPH) (COLUMNS SIZE, COLUMN HEIGHT & COLUMN FOOTINGS)
- 11862 SINGLE COLUMN GROUND SIGNS (70 MPH) (COLUMN SIZE, COLUMN HEIGHT & COLUMN FOOTINGS)
- 11863 SINGLE COLUMN GROUND SIGNS (80 MPH) (COLUMN SIZE, COLUMN HEIGHT & COLUMN FOOTINGS)
- 11864 SINGLE COLUMN GROUND SIGNS (90 MPH) COLUMN SIZE, COLUMN HEIGHT & COLUMN FOOTINGS)
- 11926 ALUMINUM BASES FOR COLUMN SUPPORTS
- 13417 DETAILS FOR MOUNTING EXIT NUMBERING PANELS TO HIGHWAY SIGNS
- 17302 TYPICAL SECTIONS FOR SINGLE COLUMN SIGN PLACEMENT
- 17320 ARROW LAYOUTS FOR GROUND & OVERHEAD SIGNS

INDEX NO. DESCRIPTION

SIGNING AND MARKINGS CONT'D

- 17328 SIGNING FOR TRUCK WEIGHING & INSPECTION STATION (3 SHEETS)
- 17344 SCHOOL SIGNING & MARKINGS (6 SHEETS)
- 17345 INTERCHANGE MARKINGS (4 SHEETS)
- 17346 SPECIAL MARKING AREAS (8 SHEETS)
- 17349 TRAFFIC CONTROL FOR STREET TERMINATIONS
- 17350 SIGNING FOR MOTORIST SERVICES
- 17351 TYPICAL WELCOME CENTER SIGNING (2 SHEETS)
- 17352 TYPICAL PLACEMENT OF REFLECTIVE PAVEMENT MARKERS (2 SHEETS)
- 17353 MARKINGS FOR ATTENUATION SYSTEMS
- 17355 SPECIAL SIGN DETAILS (4 SHEETS)
- 17356 SPAN WIRE MOUNTING DETAILS
- 17357 BRIDGE WEIGHT RESTRICTIONS
- 17358 PARKING RESTRICTIONS
- 17359 NARROW BRIDGE TREATMENT

TRAFFIC SIGNAL AND EQUIPMENT


- 17721 CONDUIT INSTALLATION DETAILS (2 SHEETS)
- 17727 SIGNAL CABLE AND SPAN WIRE INSTALLATION DETAILS
- 17733 AERIAL INTERCONNECT
- 17736 ELECTRIC POWER SERVICE
- 17764 PEDESTRIAN CONTROL SIGNALS INSTALLATION DETAILS
- 17781 VEHICLE LOOP INSTALLATION DETAILS (2 SHEETS)
- 17784 PEDESTRIAN DETECTOR ASSEMBLY INSTALLATION DETAILS
- 17841 CABINET INSTALLATION DETAILS
- 17870 STANDARD SIGNAL OPERATING PLANS (2 SHEETS)
- 17881 ADVANCE WARNING FOR R/R CROSSING
- 17882 RAILROAD GRADE CROSSING TRAFFIC CONTROL DEVICES (4 SHEETS)
- 17890 TRAFFIC CONTROL DEVICES FOR MOVABLE SPAN BRIDGE SIGNALS
(3 SHEETS)

REVISIONS
TRAFFIC DESIGN STANDARDS
1987

| INDEX NO. | SHEET NO. | |
|-----------|-----------|--|
| 9535 | 1 of 4 | Delete Dimension "C" and Revised General Notes. |
| | 2 of 4 | Redesign Hinge Plates. |
| | 3 of 4 | Delete Dimension "C" and Revised General Notes. |
| | 4 of 4 | Redesign Hinge Plates. |
| 10965 | 1 of 1 | Revised "Bolt D" Notes. |
| 17302 | 1 of 1 | Revised Right of Way Line. |
| 17320 | 1 of 1 | Changed Fla. Traffic Operations Number to Fla. Traffic Plans Number. |
| 17344 | 2 of 6 | Changed Fla. Traffic Operations Number to Fla. Traffic Plans Number. |
| | 3 of 6 | Changed Fla. Traffic Operations Number to Fla. Traffic Plans Number. |
| | 4 of 6 | Changed Fla. Traffic Operations Number to Fla. Traffic Plans Number. |
| | 6 of 6 | Changed Fla. Traffic Operations Number to Fla. Traffic Plans Number. |
| 17345 | 1 of 4 | Removed Stop Bar from Detail. |
| | 4 of 4 | Removed Stop Bar from Detail. |
| 17346 | 1 of 8 | Revised edge line terminus of Cross Roads. |
| | 2 of 8 | Revised Parking Restrictions. |
| | 4 of 8 | Revised Detail of Transition. |
| | 5 of 8 | Relocated Sign No. W6-3. |
| | 6 of 8 | Added Double Yellow Lines thru Intersection. |
| 17351 | 1 of 2 | Changed Fla. Traffic Operations Number to Fla. Traffic Plans Number. |
| | 2 of 2 | Changed Fla. Traffic Operations Number to Fla. Traffic Plans Number. |
| 17355 | 1 of 4 | Changed Fla. Traffic Operations Number to Fla. Traffic Plans Number. |
| | 2 of 4 | Index was Redrawn. |
| | 3 of 4 | Changed Fla. Traffic Operations Number to Fla. Traffic Plans Number. |
| 17356 | 1 of 1 | Added the word "minimum" to the 10" Dimension on Detail. |
| 17358 | 1 of 1 | New Index Parking Restrictions. |

REVISIONS
TRAFFIC DESIGN STANDARDS
1987


| INDEX NO. | SHEET NO. | |
|-----------|----------------------------|--|
| 17359 | 1 of 1 | New Index - Narrow Bridge. |
| 17328 | 1 of 3 2 of 3 3 of 3 | Changed Fla. Traffic Operations Number to Fla. Traffic Plans Number. Changed Fla. Traffic Operations Number to Fla. Traffic Plans Number. Changed Fla. Traffic Operations Number to Fla. Traffic Plans Number. |
| 17357 | 1 of 1 | New Index - Bridge Weight Restriction. |
| 17500 | 1 of 1 | a) Added Dimension for concrete pole depth. b) Added note on mounting height requirements for concrete and metal poles. c) Modified foundation note and ground rod note on metal detail. d) Added note for backfill of concrete pole. |
| 17504 | 1 of 1 | Changed Ground Rod Length from 10 ft. to 20 ft. |
| 17505 | 1 of 2 2 of 2 | Changed Fuse Type and size in switch box. Deleted set screw and added thru bolt. |
| 17784 | 1 of 1 | Revised conduit sweep. |
| 17841 | 1 of 1 | Revised conduit and added pull box. |
| 17882 | 3 of 4 | Changed Traffic Operations Numbers to Traffic Plans Numbers and revised double yellow line. |



CONCRETE POLE DETAIL

SURGE PROTECTOR SPECIFICATIONS

1. THE UNIT SHALL WITHSTAND A SURGE CURRENT UP TO 20,000 AMPS, AND REPETITIVE SURGES OF 200 AMPS FOR A MINIMUM OF 10,000 OCCURRENCES.
2. THE UNIT SHALL RESPOND IN LESS THAN 50 NANoseconds AND WITHIN THIS TIME HAVE A PEAK CLAMPING VOLTAGE BETTER THAN 1100 Vrms.
3. THE MAXIMUM ALLOWABLE VOLTAGE THAT CAN PASS CONTINUOUSLY THROUGH THE HOT LEG OF THE PROTECTOR MUST BE LESS THAN 550 Vrms.
4. THE CURRENT DRAIN SHALL BE LESS THAN 100 MICROAMPS.
5. THE UNIT SHALL BE INSULATED 500 V. TO GROUND AND SHALL BE WEATHERPROOF.
6. THE UNIT SHALL NOT ALLOW HOLDOVER CURRENT OR CONDUCTION TO GROUND AFTER THE SURGE ENDS.
7. PROTECTION SHALL BE ACHIEVED FOR BOTH THE 480V. AND NEUTRAL CONDUCTORS WITH THE SURGES BEING PASSED TO GROUND AND NOT TO NEUTRAL.
8. THERE SHALL BE NO DISCHARGE LAG IN THE PROTECTION OF THE 480V. CONDUCTOR OVER THE NEUTRAL CONDUCTOR.
9. UNDERWRITERS LABORATORY APPROVAL NOT REQUIRED.




CONCRETE POLE WIRING DETAIL

METAL POLE DETAIL

- NOTE:
- (1.) LUMINAIRES SHALL BE SUPPLIED WITH A MAGNETIC REGULATOR TYPE BALLAST.
 - (2.) THE BALLAST SHALL BE MOUNTED ON A HINGED DOOR OR PANEL. THE UNIT SHALL SWING OPEN TO PROVIDE ACCESS TO THE BALLAST ASSEMBLY BY RELEASE OF CAPTIVE SCREWS. THE ELECTRICAL CONNECTOR SHALL BE A QUICK-DISCONNECT PLUG. THE UNIT SHALL BE EASILY REMOVED FROM THE LUMINAIRE AFTER RELEASE OF THE CAPTIVE SCREWS AND QUICK DISCONNECT PLUG.

NOTES:

- 1) ALLOW ENOUGH SLACK IN ALL WIRES TO ALLOW FUSE HOLDERS, SURGE PROTECTORS AND SPLICES TO BE HANDLED ONE FOOT OUTSIDE POLE OR PULL BOX.
- 2) A PULL BOX SHALL BE INSTALLED AT EACH CONCRETE POLE LOCATION.
- 3) ALL MOUNTING HEIGHTS ARE $\pm 2\frac{1}{2}$ FT. UNLESS OTHERWISE NOTED IN PLANS.



METAL POLE WIRING DETAIL

NOTE:

PULL BOXES SHOULD BE LOCATED 2' MAX. FROM CONCRETE POLE UNLESS OTHERWISE DIRECTED BY THE PROJECT ENGINEER.

FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN CONVENTIONAL POLE DETAILS

| DATE | REVISIONS | DATE | REVISIONS | INITIALS | DATES | APPROVED |
|------|--|---------|--|---------------|--------------|------------------------------|
| 8-86 | 1) ADDED DIM FOR CONC. POLE DEPTH 2) ADDED NOTE ON M.H. REQUIREMENTS FOR CONC. & METAL POLES 3) MODIFIED FOUNDATION NOTE & GROUND ROD NOTE ON METAL POLE DETAIL 4) ADDED NOTE FOR BACKFILL OF CONCRETE POLE | 9-9-81 | ADDED POLE SETBACK AND NOTES TO QUICK DISCONNECT CONNECTOR, REVISED SURGE PROTECTOR & FUSE | Designed by | G. K. | 8-78 |
| | | 7-13-83 | GENERAL NOTE REVS. | Checked by | | |
| | | 8-84 | ADDED LUMINAIRE NOTE & REVISED NOTE CONC. POLE & METAL POLE DETAILS | Quantities by | | |
| | | 9-85 | ADDED GROUND WIRE SIZE FOR SURGE PROTECTOR | Checked by | | |
| | | | | Supervised by | LESTER JONES | |
| | | | | | | STATE DESIGN ENGINEER - RDWY |
| | | | | | | DRAWING NO. 1 OF 1 |
| | | | | | | INDEX NO. 17500 |

- 1) GROUND RODS SHALL HAVE A RESISTANCE TO GROUND NOT TO EXCEED 25 OHMS. WHERE THE RESISTANCE IS NOT AS LOW AS 25 OHMS, TWO OR MORE GROUND RODS CONNECTED IN PARALLEL SHALL BE USED. CONTRACTOR SHALL HAVE NECESSARY TEST EQUIPMENT (CURRENT CALIBRATION CERTIFICATE REQUIRED) AT FINAL INSPECTION TO INSURE ACCEPTABILITY OF GROUNDING SYSTEM. TOTAL GROUNDING SYSTEM NOT TO EXCEED 10 OHMS.
- 2) THE CONTRACTOR SHALL BE RESPONSIBLE FOR CONTACTING ALL UTILITY COMPANIES PRIOR TO ANY UNDERGROUND WORK. THE UTILITY COMPANY WILL LOCATE AND IDENTIFY THEIR FACILITIES.
- 3) CONTRACTOR SHALL DETERMINE THE SERVICE REQUIRED DATE FOR THE POWER COMPANY TRANSFORMER INSTALLATION AT THE PRE-CONSTRUCTION CONFERENCE.
- 4) THE POWER COMPANY RESERVES THE RIGHT TO INSTALL THE RISER, SWITCH GEAR AND WEATHERHEAD ON POWER COMPANY POLES AT THE EXPENSE OF THE CONTRACTOR. CONTACT THE POWER COMPANY FOR COST OR FOR AUTHORIZATION FOR AN ALTERNATE PROCEDURE.
- 5) ANY DAMAGED PORTIONS OF GALVANIZED STEEL POLES AND BRACKET ARMS SHALL BE PAINTED IN ACCORDANCE WITH SECTION 562 OF THE STANDARD SPECIFICATIONS.
- 6) POLES, BRACKET ARMS AND FRANGIBLE DEVICES SHALL BE DESIGNED IN ACCORDANCE WITH THE DESIGN CRITERIA, AS INDICATED IN THE PLANS AND USING THE APPLICABLE EQUATIONS FOUND IN "STANDARD SPECIFICATIONS FOR STRUCTURAL SUPPORTS FOR HIGHWAY SIGNS, LUMINAIRES AND TRAFFIC SIGNALS" PUBLISHED BY A. A. S. H. T. O. DATED 1975.
- 7) THE LUMINAIRE MANUFACTURER SHALL PLACE A PERMANENT TAG ON THE LUMINAIRE HOUSING ON WHICH IS IMPRINTED THE FOLLOWING INFORMATION: WATTAGE, BALLAST TYPE, LAMP SHOWN ON DESIGN PLANS, LAMP SETTING (POSITION IN LUMINAIRE), IES LIGHT DISTRIBUTION WITH THIS LAMP IN THE POSITION SPECIFIED, INPUT VOLTAGE AND POWER FACTOR. LUMINAIRE PHOTOMETRIC SUBMITTALS REQUIRED.
- 8) BEFORE FINAL ACCEPTANCE, CONTRACTOR SHALL PROVIDE 2 SETS OF FULL SIZE AS BUILT PLANS TO THE MAINTAINING AGENCY.
- 9) CONDUIT ROUTING SHALL BE POLE TO POLE, MAINTAINING POLE SETBACK DISTANCE FROM EDGE OF PAVEMENT. ANY CABLE ROUTING IN LOCATIONS WHERE GUARDRAIL IS PROPOSED SHALL BE 2'-0" IN FRONT OF THE STANDARD GUARDRAIL POSITION.
- 10) POLE POSITIONS AND CONDUIT ROUTING MAY BE ADJUSTED, AS APPROVED BY THE ENGINEER, TO PREVENT CONFLICTS WITH UTILITY AND DRAINAGE STRUCTURES NOT INDICATED, AND PREVENT GUARDRAIL POST CONFLICT WITH UNDERGROUND LIGHTING CIRCUITS.
- 11) WHERE GUARDRAIL IS CONSTRUCTED, THE POLES SHALL BE PLACED A MINIMUM OF 4' BEHIND THE FACE OF GUARDRAIL.
- 12) POLE FOUNDATION INSTALLATIONS SHALL BE BACKFILLED TO THE TOP OF THE FOUNDATION COMPACTED TO A FIRM, STABLE CONDITION APPROXIMATELY EQUAL TO THAT OF THE ADJACENT SOIL. THE FILL SHALL CONFORM TO EXISTING GRADE AND BE FULLY SODDED.
- 13) THE WIRES AT THE POLE HANDHOLE AND PULL BOXES SHALL BE LOOPEL UP IN THE POLE AND PULL BOXES WITH SUFFICIENT LENGTH TO COMPLETELY REMOVE CONNECTORS TO THE OUTSIDE OF HANDHOLE AND PULL BOXES TO MAKE CONNECTORS ACCESSIBLE FOR CHANGING FUSES AND TROUBLE SHOOTING THE SYSTEM.
- 14) NEUTRAL WIRES TO HAVE WHITE INSULATION. DO NOT USE WHITE OR GREEN INSULATED WIRES FOR UNDERGROUNDED CONDUCTORS.
- 15) UNLESS OTHERWISE SPECIFIED, ALL CABLE SHALL BE SINGLE CONDUCTOR, 98 PERCENT CONDUCTIVITY STRANDED COPPER, WITH THW INSULATION.
- 16) ALL SPLICES SHALL BE MADE IN PULL BOXES OR THE POLE BASE. NO SPLICES SHALL BE MADE INSIDE THE CONDUIT.
- 17) ALL EXPOSED OR SURFACED MOUNTED CONDUIT SHALL BE RIGID OR INTERMEDIATE METAL. THESE EXPOSED RUNS OF CONDUIT SHALL BE PROVIDED WITH EITHER EXPANSION JOINTS OR FLEXIBLE METAL CONDUIT SECTIONS ADEQUATE TO TAKE CARE OF VIBRATIONS AND THERMAL EXPANSIONS. ALL METAL CONDUIT SHALL BE GROUNDED. STEEL CONDUIT SHALL BE HOT DIPPED GALVANIZED.
- 18) ALL CONDUIT THAT WILL REMAIN EMPTY AS SPARES SHALL BE MANDREL TESTED, CLEANED INSIDE AND BOTH ENDS CAPPED. LEAVE THE CORROSION RESISTANT PULL/DRAW WIRE AND PLACE DUCT MARKERS, OR PULL BOXES TO MARK THE LOCATION OF THE ENDS OF THE CONDUIT.
- 19) PULL BOXES SHALL BE LOCATED AT ENDS OF CONDUIT CROSSING ROADWAYS, AND AS NECESSARY FOR THE COMPLETION OF THE PROJECT.
- 20) THESE PLANS REPRESENT MINIMUM ACCEPTABLE CRITERIA. THE INSPECTION PER THESE DRAWINGS REPRESENT THE MINIMUM BASE OF ACCEPTANCE.
- 21) ALL MATERIAL, UNLESS OTHERWISE SPECIFIED, SHALL BE UNDERWRITERS LABORATORY APPROVED.
- 22) PRIOR TO ANY EQUIPMENT ORDER, THE CONTRACTOR SHALL SUBMIT FOR APPROVAL, EQUIPMENT SPECIFICATIONS OR DESIGN DATA FOR ALL MATERIAL PROPOSED FOR THE PROJECT AND MUST INCLUDE SPECIFICALLY:
- A) LUMINAIRE PHOTOMETRICS
B) POLE STRENGTH CALCULATIONS
C) POLE FRANGIBILITY TEST RESULTS
D) BOLT SPECIFICATIONS AND BOLT CIRCLE DIAMETER
- 23) SEVEN (7) COPIES OF SHOP DRAWINGS AND DESIGN DATA FOR HIGHWAY LIGHTING EQUIPMENT SHALL BE SUBMITTED TO THE STATE TRAFFIC PLANS AND STANDARDS ENGINEER AT THE FOLLOWING ADDRESS WITH A COPY OF THE SUBMITTAL LETTER SENT TO THE DEPARTMENTS RESIDENT CONSTRUCTION ENGINEER IN CHARGE OF THE PROJECT. ALLOW A 30 DAY TURN AROUND FOR SHOP DRAWINGS.
- STATE TRAFFIC PLANS AND STANDARDS ENGINEER
DEPARTMENT OF TRANSPORTATION
HAYDON BURNS BUILDING M.S. 32
TALLAHASSEE, FLORIDA 32301

BREAKAWAY FEATURE

ALL CONVENTIONAL MOUNTING HEIGHT POLES SHALL BE MOUNTED ON A FRANGIBLE METAL BASE OR SYSTEM OF BREAKAWAY COUPLINGS. IF COUPLINGS ARE USED, ONE COUPLING SHALL BE PROVIDED FOR EACH ANCHOR BOLT CONNECTION. THE ONLY CONTINUOUS CONNECTION OF THE POLE TO THE FOUNDATION AT EACH ANCHOR BOLT SHALL BE PROVIDED BY THE COUPLINGS. THE AREA BETWEEN THE TOP OF THE POLE FOUNDATION AND THE BASE OF THE POLE INCLUDING THE COUPLINGS SHALL BE ENCLOSED WITH A NON-STRUCTURAL ALUMINUM SKIRT.

IF A FRANGIBLE METAL BASE IS USED, IT SHALL BE ONE PIECE AND BE DESIGNED TO BREAKAWAY WITHOUT THE AID OF ANY SLIPPING OR SLIDING SURFACES.


THE DESIGN OF THE BREAKAWAY FEATURE SHALL BE IN ACCORDANCE WITH THE BREAKAWAY PERFORMANCE REQUIREMENTS OF SECTION 7, "STANDARD SPECIFICATIONS FOR STRUCTURAL SUPPORTS FOR HIGHWAY SIGNS, LUMINAIRES AND TRAFFIC SIGNALS", A. A. S. H. T. O., COPYRIGHT 1975. THE CONTRACTOR (SUPPLIER) SHALL SUBMIT WITH EQUIPMENT SUBMITTALS, COPIES OF TEST REPORTS AS EVIDENCE THAT THE BREAKAWAY FEATURE HAS UNDERGONE FULL SCALE DYNAMIC TESTING WITH A CHANGE IN MOMENTUM OF 750 POUND-SECONDS OR LESS AND CALCULATIONS TO VERIFY THE DESIGN WILL MEET A. A. S. H. T. O. WIND LOADINGS SPECIFIED IN THE CONTRACT PLANS. NO POLES ARE TO BE INSTALLED PRIOR TO DEPARTMENT APPROVAL OF THE SUBMITTAL DATA.

POLES MOUNTED ON BARRIER WALL OR BEHIND BRIDGE RAIL ARE EXEMPT FROM THE ABOVE FRANGIBILITY REQUIREMENTS.




FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN

HIGHWAY LIGHTING GENERAL NOTES




| DATE | REVISIONS | INITIALS | DATES | | |
|---------|-----------------------------|---------------|--------------|-----------------------|---|
| 7-13-83 | CHANGED NOTE NO. 23 | Designed by | G. K. | 4-25-78 | Approved by <i>[Signature]</i> STATE DESIGN ENGINEER - RDWY |
| 8-84 | REVISED NOTES 1, 12, 14, 17 | Checked by | | | |
| | | Checked by | | | |
| | | Supervised by | LESTER JONES | DRAWING NO. 1 OF 1 | INDEX NO. 17501 |



SCHEMATIC OF REMOTE AUXILIARY POWER UNIT




SPRING SUPPORTED CENTERING ARMS PROVIDED TO CENTER THE LUMINAIRE RING.



POSITIVE DRIVE REVERSIBLE WINCH. THE COMPLETE ENCLOSED DRUM GEAR SHALL DIRECTLY MESH WITH THE WORM GEAR TRAIN, IN THE SAME ENCLOSURE.

SURGE PROTECTOR SHALL BE LOCATED IN POLE WITH CIRCUIT BREAKER.



FLORIDA DEPARTMENT OF TRANSPORTATION
TRAFFIC DESIGN

HIGHMAST LIGHTING DETAILS

| REVISIONS | | | INITIALS | DATES | Approved by <i>Lester Jones</i> |
|-----------|----------|--|---------------|--------------|------------------------------------|
| DATE | INITIALS | DESCRIPTION | Designed by | | |
| 8-84 | LTB | Changed Conductor Size On Riser & Supply Cable | Checked by | | STATE DESIGN ENGINEER-RDWY |
| 8-84 | LTB | Changed Length of Control Cable | Quantities by | | |
| | | Revised Surge Protector Note | Checked by | | DRAWING NO. 1 OF 3 INDEX NO. 17502 |
| | | | Supervised by | LESTER JONES | |

LUMINAIRE SPECIFICATIONS

THE REFLECTOR WITH ITS ALUMINUM COVER SHALL BE FIRMLY ATTACHED TO A CAST RING. THIS RING SHALL HAVE KEYHOLE SLOTS IN ITS UPPER SURFACE SUCH THAT THE REFLECTOR/REFRACTOR ASSEMBLY MAY BE READILY ATTACHED TO, OR DETACHED FROM, THE LUMINAIRE BRACKET ENTRY AND LAMP SUPPORT ASSEMBLY WITHOUT COMPLETELY REMOVING THE SUPPORT BOLTS.

EACH LUMINAIRE SHALL CONTAIN AN INTEGRAL AUTO-REGULATOR TYPE BALLAST CONNECTED FOR 480 VOLTS INPUT $\pm 10\%$ AND A POWER FACTOR OF MORE THAN 90%. THE LUMINAIRE BALLAST SHALL BE ENCLOSED WITHIN AN ALUMINUM HOUSING WHICH INTEGRALLY ATTACHES TO THE LUMINAIRE BRACKET ENTRY AND LAMP SUPPORT ASSEMBLY. IT SHALL BE READILY REMOVEABLE WITHOUT REMOVING THE LUMINAIRE FROM THE BRACKET ARM.

THE LUMINAIRE SHALL BE ATTACHED TO THE BRACKET ARM BY MEANS OF A BRACKET ENTRY AND LAMP SUPPORT ASSEMBLY. THE ASSEMBLY SHALL INCLUDE A SIDE ENTRY SLIPFITTER DESIGNED FOR TWO (2) INCH PIPE WITH PROVISION FOR 3° ADJUSTMENT FOR LEVELING THE LUMINAIRE. AN ENCLOSED TERMINAL BLOCK SHALL BE INCLUDED SUCH THAT ALL ELECTRICAL CONNECTIONS SHALL BE PROTECTED FROM EXPOSURE TO WEATHER.

ALL ELECTRICAL CONNECTIONS SHALL BE MADE WATERPROOF OR BE MADE INSIDE A WEATHER RESISTANT ENCLOSURE. ALL LUMINAIRES SHALL BE ANSI/IES LIGHT DISTRIBUTION AS INDICATED IN PLANS. EACH LUMINAIRE SHALL BE LABELED WITH A PERMANENT LABEL WHICH STATES THE TYPE OF LAMP, VOLTAGE INPUT, POWER INPUT, POWER FACTOR, BALLAST TYPE, SOCKET POSITION, ANSI/IES LIGHT DISTRIBUTION, AND SUCH OTHER CATALOG INFORMATION THAT A COMPLETE REPLACEMENT CAN BE READILY ORDERED.

THE CONTRACTORS ATTENTION IS DIRECTED TO THOSE PLAN SHEETS DETAILING THE MOUNTING OF LUMINAIRES AT THE POLE TOP. PARTICULAR ATTENTION IS DIRECTED TO ALIGNMENT OF LUMINAIRE LIGHT DISTRIBUTIONS. SPECIAL ATTENTION MUST BE EXERCISED IN THE PHYSICAL ALIGNMENT OF THESE LUMINAIRES TO INSURE THAT THE APPROVED PHOTOMETRIC LAYOUT IS PHYSICALLY PRODUCED AT EACH LIGHTING STANDARD IN THE FIELD. A MARKING SHALL BE PLACED ON THE EXTERNAL FACE OF THE REFRACTOR TO IMPLEMENT VISUAL INSPECTION OF ALIGNMENT. THE MARKING SHALL CORRESPOND TO THE 0° AXIS OF THE REFRACTOR.

FOOTING

THE HIGH MAST FOUNDATIONS SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE DETAILS SHOWN IN THE PLANS.

ANCHOR BOLTS PER MANUFACTURERS SPECIFICATIONS. SUBMITTALS SHALL BE SUPPLIED TO THE LIGHTING ENGINEER PRIOR TO PURCHASE.

ONE LEVELING NUT, ONE HOLD-DOWN NUT, AND ONE LOCKING/JAM NUT SHALL BE SUPPLIED PER ANCHOR BOLT. ALL SMALL METAL PARTS, (NUTS, SCREWS, WASHERS, ETC.) SHALL BE RUSTPROOFED EITHER BY GALVANIZING PER ASTM A-143 OR BY THE NATURE OF THE MATERIAL USED IN THEIR FABRICATION.

LOWERING SYSTEM SPECIFICATIONS

THE LOWERING SYSTEM SHALL CONSIST OF THE FOLLOWING:

- HEAD FRAME AND COVER
- LUMINAIRE RING
- CABLES
- WINCH
- PORTABLE POWER UNIT (1 PER PROJECT)

THE HEAD FRAME UNIT SHALL RIGIDLY MATE THE TOP OF THE POLE TO THE HEAD FRAME PLATFORM. THIS PLATFORM WITH ITS ASSOCIATED SHEAVES, ETC. SHALL BE COVERED AND RAIN-TIGHT. THE HEAD FRAME STRUCTURE SHALL BE ZINC COATED STEEL, ATTACHED TO THE POLE BY MEANS OF A STEEL SLIPFITTER. HEAD FRAME SHALL ENCOMPASS SIX FIVE(5) INCH NOMINAL STEEL CABLE SHEAVES GROOVED TO THE EXACT CABLE DIAMETER, FOR 180° CABLE BEARING SURFACE. THE SHEAVE SHALL BE ZINC ELECTROPLATED TO ASTM 164 AND DIPPED IN YELLOW CHROMATE FOR CORROSION RESISTANCE. BEARINGS AND CABLE KEEPERS SHALL HAVE PERMANENT LUBRICATION. THREE (3) STAINLESS STEEL 7 X 19 AIRCRAFT CABLES OF 3/16 INCH OR GREATER DIAMETER SHALL BE PROVIDED.

THE POWER RISER CABLE SHALL BE ATTACHED TO THE LUMINAIRE RING WITH A WATERPROOF CONNECTOR CAPABLE OF WITHSTANDING THE PULL OF THE WEIGHT OF THE POWER RISER CABLE. WHERE THE WIRE ROPES ARE REQUIRED TO BEND OVER SHEAVES OR OVER THE WINCH DRUM, THE MAXIMUM WORKING STRESS IN THE OUTER FIBERS OF WIRE ROPE SHALL NOT EXCEED ONE FIFTH (1/5) THE WIRE ROPE MANUFACTURER'S RATED ULTIMATE STRESS. SUBMITTALS MUST BE PROVIDED TO THE STATE LIGHTING ENGINEER WHICH CLEARLY STATE THE WIRE ROPE ULTIMATE STRESS. DRUM DESIGN SHALL CAUSE LEVEL WIND OF WIRE ROPE. THE POWER CORD SHALL TRAVEL ON SHEAVE(S) OR A COMBINATION OF ROLLERS PROVIDING A RADIUS FOR THE CORD OF SIX (6) INCHES OR LARGER. EACH END OF THE SHEAVE(S) OR ROLLERS SHALL HAVE A KEEPER TO PREVENT THE CABLE FROM JUMPING OUT OF THE ROLLER TRACK.

THE HEAD FRAME SHALL ALSO INCLUDE THREE (3) LATCHING DEVICES TO SUPPORT THE LUMINAIRE RING ASSEMBLY WHEN THE LOWERING DEVICE IS NOT IN OPERATION. THE LATCHES SHALL BE ACTUATED BY ALTERNATE RAISING AND LOWERING OF THE HOISTING CABLES. LOCKING OF LUMINAIRE RING SHALL BE SIGNALLED BY INDICATORS VISIBLE FROM GROUND. ALL MOVING PARTS OF THE LATCH MECHANISM SHALL BE SERVICEABLE FROM THE GROUND. EACH OF THE THREE LATCHES SHALL BE STRONG ENOUGH, BY ITSELF, TO SUPPORT TWICE THE WEIGHT OF THE RING AND ALL THE LUMINAIRES. LATCHING MECHANISMS WHICH DEPEND PRIMARILY UPON SPRING OPERATION OR CONTAIN DISSIMILAR METALS ARE NOT ACCEPTABLE. THE LATCHING MECHANISM SHALL NOT REQUIRE ADJUSTMENT AFTER THE ORIGINAL INSTALLATION.

THE LUMINAIRE RING SHALL BE CONSTRUCTED OF A MINIMUM OF 6" X 2" X 7 GAUGE HOT DIPPED GALVANIZED ASTM 386 CLASS "B" STEEL CHANNEL WITH THE APPROPRIATE NUMBER OF TWO (2) INCH STEEL PIPE MOUNTING ARMS. THE LUMINAIRE RING SHALL BE PREWIRED WITH TYPE "W" OR SPECIALLY REINFORCED TYPE "SO" POWER CABLE WITH SUITABLE CONDUCTOR QUANTITY AND SIZE FOR PROPER OPERATION AND TYPE "ST" DISTRIBUTION WIRING WITH INSULATION SUITABLE FOR AT LEAST 105°C. ALL POWER CABLES SHOULD BE ATTACHED TO THE ALUMINUM WEATHERTIGHT WIRING CHAMBER WITH WEATHERTIGHT CABLE CONNECTORS. A 600 VOLT TERMINAL BLOCK, COMPLETELY PREWIRED SHALL BE INCLUDED IN THE WEATHERTIGHT WIRING CHAMBER. A WEATHER-TIGHT TWISTLOCK POWER INLET SHALL BE PROVIDED ON THE LUMINAIRE RING TO ALLOW TESTING OF THE LUMINAIRE WHILE IN THE LOWERED POSITION. THE POWER INLET SHALL FACE AWAY FROM THE POLE FOR EASY ACCESS.

THE ULTIMATE SUPPORT OF THE LUMINAIRE RING SHALL NOT BE DEPENDENT UPON THE LOWERING AND RAISING CABLES.

THE SYSTEM SHALL BE PROVIDED WITH CIRCUIT-BREAKER SWITCHES AND TWISTLOCK DISCONNECTS IN THE POLE BASE. RAISING SPEED OF LUMINAIRE RING SHALL BE A MINIMUM OF TWELVE (12) FEET PER MINUTE.

THE WINCH SHALL BE A REVERSIBLE WORM GEAR SELF LOCKING TYPE WITH AN INTEGRAL FRICTION DRAG BRAKE TO PREVENT FREESPOOLING. THE WINCH SHALL BE DESIGNED FOR HAND OPERATION OR FOR OPERATION BY MEANS OF A 1/2" HEAVY DUTY REVERSING ELECTRIC DRILL MOTOR, REMOTE CONTROLLED TO ENABLE THE OPERATOR TO STAND TWENTY FIVE(25) FT. FROM THE POLE. STAINLESS STEEL 7 X 19 AIRCRAFT CABLES OF 1/4 INCH OR GREATER DIAMETER EQUAL TO MIL-W-5424 SHALL BE SUPPLIED ON THE WINCH. THE WINCH SHALL BE PROVIDED WITH KEEPERS ABOVE THE DRUM TO FORCE THE CABLE AWAY FROM THE ENDS OF THE DRUM FOR SPOOLING. THE DRUM SHALL HAVE A WIRE GUARD TO PREVENT THE CABLE FROM COMING OFF.

THE WINCH SHALL BE MOUNTED IN SUCH A WAY THAT THE CABLE TERMINATOR AND THE RISER CABLE CONNECTOR MAY BE REACHED AND WORKED ON BY A PERSON WITH HIS ARM THROUGH THE HANDHOLE.

ROLLER CONTACT SPRING-LOADED CENTERING ARMS SHALL BE PROVIDED TO CENTER THE LUMINAIRE RING WHILE ASCENDING OR DESCENDING THE POLE. THE ROLLERS FOR THE CENTERING ARM SHALL BE MADE OF A WATER RESISTANT NON-MARKING COMPOSITION MATERIAL. ALL SHAFTS AND WASHERS SHALL BE 304 STAINLESS STEEL. THE SPRING-LOADING MECHANISM SHALL CONSIST OF AN OIL-TEMPERED STEEL COMPRESSION SPRING OVER AN ALUMINUM ROD. THE ROLLERS SHALL BE IN CONTACT WITH THE POLE AT ALL TIMES.

POLE SPECIFICATIONS

THE POLE SHAFT MAY BE JOINTED OR SINGLE PIECE, POLYGON OR ROUND, HIGH STRENGTH STEEL HAVING A MINIMUM YIELD STRENGTH OF 50 KSI. ALL MATERIAL SHALL BE SINGLE THICKNESS STEEL PLATE WITH NO LAMINATIONS. STEEL SHALL BE AS SPECIFIED.

ALL POLES SHALL BE EQUIPPED WITH A REINFORCED HANDHOLE APPROXIMATELY 1.0' ABOVE THE BASE PLATE. THE HANDHOLE SHALL BE TEN (10) INCHES WIDE BY TWENTY (20) INCHES HIGH MINIMUM.

ALL POLES AND HARDWARE WILL BE ADEQUATELY PACKED TO ASSURE PROTECTION TO THE FINISH DURING SHIPPING AND HANDLING. POLES SHALL NOT BE SHIPPED PRE-ASSEMBLED.

DRAWINGS SHALL BE PROVIDED WITH THE EQUIPMENT WHICH SHOW ASSEMBLY SEQUENCE, LIFT POINT, AND RECOMMENDED ERECTION PROCEDURE. A PERMANENT DECAL OR CARD SHALL BE FIXED ON THE INSIDE OF THE HANDHOLE COVER WHICH DESCRIBES THE SEQUENCE FOR LOWERING THE LUMINAIRES AND THE CAUTIONS.

THE PROPORTIONING OF WELD DETAILS AND THE OPERATION OF WELDING SHALL BE IN ACCORDANCE WITH THE CURRENT EDITION OF THE AASHTO STANDARD SPECIFICATIONS FOR WELDING OF STRUCTURAL STEEL HIGHWAY BRIDGES, AND THE REFERENCED AMERICAN WELDING SOCIETY STRUCTURAL WELDING CODE.


SHOP DRILL TWO (2) 5/8" DIAMETER HOLES 180 DEGREES APART THROUGH TOTAL THICKNESS OF BASE PLATE. TAP TOP OF HOLE FOR 5/8" X 3/4" 11NCZ STAINLESS STEEL HEXHEAD CAP SCREW.

FINISHED POLES SHALL HAVE A PROTECTIVE COATING OF HOT DIP GALVANIZING APPLIED IN ACCORDANCE WITH ASTM-A123 OR SHALL BE FABRICATED USING ASTM-A588 ATMOSPHERIC CORROSION RESISTANT STEEL OR ASTM-A595 GRADE "C" WEATHER RESISTANT STEEL OR ANY OTHER STEELS HAVING CORROSION RESISTANT PROPERTIES EQUAL TO OR GREATER THAN ASTM-A588 OR A-595 GRADE "C"

NOTE: IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE THE ANCHOR BOLT DESIGN WITH FOUNDATION DESIGN.


FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN HIGHEST LIGHTING DETAILS

| DATE | REVISIONS | INITIALS | DATES | APPROVED |
|--------|---|------------------|--------------|---------------------------------------|
| 9-9-81 | REMOVED CONSTANT WIRE FROM 2ND NOTE ON LUMINAIRE SPECIFICATIONS | Designed by G.K. | 8-78 | Approved by <i>De Breda</i> |
| 8-84 | REVISED NOTES ON LOWERING SPECIFICATIONS | Checked by | | STATE DESIGN ENGINEER-RDWY |
| 8-84 | ADDED POLE FABRICATION NOTE | Checked by | | |
| | | Supervised by | LESTER JONES | DRAWING NO. 2 OF 3 INDEX NO. 17502 |



MINIMUM 5/8"X20 APPROVED GROUND RODS (6). MAXIMUM RESISTANCE TO GROUND 25 OHMS PER ROD, AND TOTAL SYSTEM NOT TO EXCEED 10 OHMS


4/0 BOND WIRE CONNECTED TO POLE BASE PLATE BY MEANS OF A COPPER TO STEEL CONNECTOR WITH A 5/8"X3/4" 11NCZ HEX HEAD STAINLESS STEEL CAP SCREW.



FLORIDA DEPARTMENT OF TRANSPORTATION
TRAFFIC DESIGN

HIGHMAST LIGHTING DETAILS


| DATE | REVISIONS | INITIALS | DATES | APPROVED |
|--------|---|----------------------------|-------|--|
| 9-9-81 | CHANGED GROUND WIRE, & OHMS. ADDED INTER-ROD NOTE. REMOVED SURGE PROTECTOR SPECIFICATIONS | Designed by G. K. | 8-78 | Approved by <i>[Signature]</i> STATE DESIGN ENGINEER - RDWY |
| 8-84 | REVISED CONDUIT, GROUND ROD AND NOTES. | Checked by | | |
| 9-85 | ADDED GROUND WIRE SIZE FOR SURGE PROTECTOR | Checked by | | |
| | | Supervised by LESTER JONES | | DRAWING NO. 3 OF 3 |
| | | | | INDEX NO. 17502 |



METAL POLE CONCRETE FOUNDATION DETAIL


SCREW TYPE FOUNDATION SPECIFICATIONS

- 1) THE FOUNDATION SHAFT AND BASE PLATE SHALL BE ASTM A-36 STRUCTURAL STEEL, OR BETTER.
- 2) THE ANCHOR BOLTS SHALL BE ASTM A-325, OR BETTER.
- 3) ALL WELDS SHALL BE SUFFICIENT TO WITHSTAND 10,000 FT.-LBS. OF TORQUE, APPLIED ABOUT THE AXIS OF THE FOUNDATION.
- 4) THE FOUNDATION SHALL HAVE A HANDHOLE IN THE BASE PLATE AT LEAST 6" IN DIAMETER.
- 5) THE BASE PLATE SHALL BE NOTCHED TO INDICATE THE ORIENTATION OF THE SHAFT CABLEWAYS.
- 6) DRAINAGE SHALL BE PROVIDED IN THE BOTTOM OF THE FOUNDATION BY MEANS OF AN OPENING OF AT LEAST 3 SQUARE INCHES.
- 7) THE FOUNDATION SHALL BE DESIGNED FOR INSTALLATION USING A RIGHT HAND TURNING MOVEMENT WITH A SLIGHT DOWN PRESSURE. THE MAXIMUM INSTALLATION TORQUE SHALL NOT EXCEED 10,000 FT.-LBS. OR BE LESS THAN 3,500 FT.-LBS.
- 8) THE WHOLE FOUNDATION SHALL BE HOT DIP GALVANIZED AFTER FABRICATION TO ASTM A-123.




SCREW TYPE FOUNDATION DETAIL

CAST IRON TRAFFIC COVER OR APPROVED EQUAL COVER TO FIT BOX



CONCRETE PULL BOX DETAIL


- 1) PULL BOXES SHALL BE CONCRETE WITH CAST IRON COVER OR APPROVED EQUAL.
- 2) PULL BOX SHALL BE DESIGNED AND TESTED TO MEET AASHTO H-10 LOADING 10000 # SINGLE AXLE LOAD OVER ANY 10" X 10" AREA COVER TO BE MARKED "STREET LIGHTING"
- 3) BOXES MAY BE NESTED FOR DEEP CONDUIT AND FOR MORE WORKING ROOM.



PULL BOX WIRING DETAIL


FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN ROADWAY LIGHTING DETAILS

| DATE | REVISIONS | INITIALS | DATES | |
|--------|--|---------------|--------------|------------------------------------|
| 9-9-81 | REMOVED SPACING KIT NOTE ADDED ABOVE CONDUIT | Designed by | G. K. | 8-78 |
| 9-7-83 | ADDED IF REQUIRED TO BARE COPPER GROUND | Checked by | | |
| 8-84 | DELETED TRENCH DETAIL CHANGED PULL BOX | Quantities by | | |
| 9-85 | ADDED NOTES FOR PULL BOX SPECIFICATIONS | Checked by | | |
| | | Supervised by | LESTER JONES | |
| | | | | APPROVED BY <i>[Signature]</i> |
| | | | | STATE DESIGN ENGINEER - RDWY |
| | | | | DRAWING NO. 1 OF 1 INDEX NO. 17503 |



DETAIL "A"
AERIAL FEED

1. PHOTO ELECTRIC CONTROL AS REQUIRED.
2. ALL NEUTRAL WIRES TO HAVE WHITE INSULATION, DO NOT USE WHITE OR GREEN INSULATED WIRES FOR UNDERGROUNDED CONDUCTORS.



DETAIL "B"
UNDERGROUND FEED

- SERVICE SPECIFICATIONS**
1. THE ENCLOSURE SHALL BE NEMA 3R, POLE MOUNTED, RAIN-TIGHT, RATED 480 VAC.
 2. THE ENCLOSURE DOOR SHALL BE LOCKABLE BY PADLOCK AND FOUR KEYS PROVIDED TO THE MAINTAINING AGENCY. THE DOOR SHALL HAVE A CONTINUOUS HINGE AND DRAW DOWN LATCHES.
 3. 480V BOLT-IN TYPE BREAKERS SHALL BE USED, ALL COMPONENTS TO BE INTERCHANGABLE WITH MAJOR MANUFACTURERS.
 4. ALL BUS TO BE COPPER-225 A RATED. ENCLOSED COPPER GROUND BUS INCLUDED.
 5. LOCATE CONTACTOR, TRANSFORMER, AND H.O.A. SWITCH INSIDE ENCLOSURE.
 6. A 600V LIGHTNING PROTECTOR SHALL BE WIRED INSIDE THE ENCLOSURE.
 7. ENCLOSURE TO BE SIZED TO ACCOMMODATE AS MANY BREAKERS AS CALLED FOR AND OTHER SERVICE EQUIPMENT.
 8. ENCLOSURE TO BE RIGIDLY ATTACHED TO THE POLE FACE.
 9. ALL SERVICE EQUIPMENT SHALL BE U.L. APPROVED.
 10. MAIN BREAKER REQUIRED IN ALL SERVICE PANELS WITH 2 OR MORE FEEDER BREAKERS.

FLORIDA DEPARTMENT OF TRANSPORTATION
TRAFFIC DESIGN

SERVICE POINT DETAILS

| DATE | REVISIONS | INITIALS | DATES | |
|------|---|---------------|--------------|------|
| 8-84 | EQUIPMENT NOTES ADDED | Designed by | G.K. | 8-78 |
| 9-85 | ADDED SERVICE POLE DIMENSIONS | Checked by | | |
| 8-86 | CHANGED GROUND ROD LENGTH FROM 10' TO 20' | Quantities by | | |
| | | Checked by | | |
| | | Supervised by | LESTER JONES | |
| | | | | |


Approved by *De Kavel*
STATE DESIGN ENGINEER-RDWY

DRAWING NO. INDEX NO.
1 OF 1 17504

SIGN LIGHTING INSTALLATION

The Roadway Lighting Contractor shall provide a means for sign service entry into a pole base or a pull-box installed in Lighting circuit, and loop 2' of Lighting circuit conductors for connection by Sign Contractor. The sign contractor shall furnish and install luminaires, fused safety switches, conduit, conductors, and all other electrical equipment necessary for connection to Roadway Lighting circuit as provided by Roadway Lighting Contractor. Compression type connectors properly taped and waterproofed shall be used. See Roadway Lighting Plans for sign service locations.



When Roadway Lighting Circuits are not available it is the responsibility of the Sign Contractor to furnish Service Point Equipment, (as specified in Index 17504) PE Cell and any other equipment necessary for operation of Lighted Sign.



| WIDTH OF SIGN FACE | 10'-0" or LESS | 10'-1" to 21'-0" | 21'-1" to 32'-0" | 32'-1" to 43'-0" |
|---|---------------------|----------------------------|-----------------------------|-----------------------------|
| NUMBER OF FIXTURES | ONE | TWO | THREE | FOUR |
| EQUATIONS FOR PLACING FIXTURES ALONG SIGN WIDTH | $W = 2b$ $c = 0$ | $W = 2b + c$ $c = 2.2b$ | $W = 2b + 2c$ $c = 2.2b$ | $W = 2b + 3c$ $c = 2.2b$ |


PLACEMENT OF SIGN LIGHTS

- 1-Luminaire shall be mounted so that the Lamp Center is 4'-0" in Front of the Sign Face.
- 2-Luminaire shall be mounted so that the back of the Fixture is Placed 1'-0" below the Bottom Edge of the Sign Face
- 3-Luminaires from manufacturers who recommended that their Fixture be Tilted shall be Mounted on a Bracket which Provides this Recommended Tilt.
- 4-Photometric Data For The Mercury Vapor Luminaire Proposed for Sign Lighting shall be Submitted for Approval to the Lighting Engineer Florida Department of Transportation.



PLAN
OVERHEAD POWER SUPPLY





175



Splices to be made with Compression Sleeves Then Properly Insulated & Waterproofed.

FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN EXTERNAL LIGHTING FOR SIGNS (MERCURY VAPOR)

| DATE | REVISIONS | INITIALS | DATES | |
|--------------------|---|---------------|-------|------------------------------|
| 10-6-78 | Changed Index 17341-A to Index 17505 | Designed by | | Approved by <i>De Anish</i> |
| 8-84 | Revised Luminaire Wavelength and Installation Notes | Checked by | | STATE DESIGN ENGINEER - RDWY |
| 8-86 | Changed Fuse Type & Size in Switch Box | Quantified by | | |
| | | Checked by | | |
| | | Supervised by | | |
| DRAWING NO. 1 OF 2 | | | | INDEX NO. 17505 |




NOTES


- 1 - Dimension "A" To Be Established from Type and Make of Luminaire to be Purchased and Used on the Project.
- 2 - The Center Lines of Both Flange Plates and the 1 1/2 inch Pipe Luminaire Support Arm are to be Set Parallel to the Roadway Before the Set Screw is Seated.
- 3 - Minor Adjustments in the Horizontal Location of the Luminaire Support Arm along the Bottom Chord of the Truss will be allowed so that the Flange Plates will Clear the Truss Web Members.
- 4 - All Steel Pipe shall meet the Strength Requirements or ASTM Specification A-53 Grade "A" or Grade "B". Steel Plates shall meet the Requirements of A-36 and Bolts, Nuts and Washers shall meet the Requirements of ASTM A307.
- 5 - All Items shall be Hot Dip Galvanized after Fabrication in Accordance with the Requirements of ASTM A123 and/or A153.
- 6 - Luminaire Support Arm shall be free to rotate in a clockwise or counter clockwise direction. When service or maintenance is required for Sign Face or Vertical Face of Truss; Support Arm shall be capable of being locked in a Position 90° from Parallel to the Roadway for Unobstructed Working Clearance.

FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN EXTERNAL LIGHTING FOR SIGNS (MERCURY VAPOR)


| DATE | REVISIONS | INITIALS | DATES | |
|---------|-------------------------------------|---------------|-------|----------------------------|
| 10-6-78 | Changed Index 12270 to Index 17505 | Designed by | CK | Approved |
| 8-86 | Removed Set Screw & Added Thru Bolt | Checked by | CWB | by <i>De Kunkel</i> |
| | | Quantified by | | STATE DESIGN ENGINEER-RDWY |
| | | Checked by | | |
| | | Supervised by | | DRAWING NO. 2 OF 2 |
| | | | | INDEX NO. 17505 |




TYPICAL ELEVATION
(For Notes And Dimensions Not Shown, See Plans)




PARTIAL REAR ELEVATION



SIDE VIEW



BACKING STRIP DETAIL
(Maximum Spacing Of Clips 12")



STIFFENER DETAIL

WIND LOADING CHART
BY ZONES

The Following Values For Various Sections Of The Interstate Are In General Agreement With The 1968 Map And Are Appropriate For Use In The Design Of Sign Structures.

ZONE NO. 1
(60 m.p.h.)
ALACHUA, BRADFORD, BAKER, BAY CALHOUN, CLAY, COLUMBIA, ESCAMBA, GADSDON, GULCHRIE, HAMILTON, HOLMES, JACKSON, JEFFERSON, LAFAYETTE, LAKE, LEON, LINCOLN, MADISON, MANON, OKALOOSA, PUTNAM, SANTA ROSA, SUWATER, SUWANNEE, UNION, WALTON AND WASHINGTON COUNTIES.

ZONE NO. 2
(70 m.p.h.)
CITRUS, DESSA, DIXIE, DUVAL, FLAGLER, FRANKLIN, GLADES, GULF, HARDEE, HENRY, HERNANDO, HIGHLANDS, HILLSBOROUGH, LEVY, NAHSAU, OCECHOBEE, ORANGE, ORCELA, PARGO, PINELLAS, POLK, SEMINOLE, ST. JOHNS, TAYLOR AND WAKULLA COUNTIES.

ZONE NO. 3
(80 m.p.h.)
BREVARD, CHARLOTTE, COLLIER, INDIAN RIVER, LEE, MANATEE, MARTIN, PALM BEACH, SANSABA, ST. LUCIE AND VOLUSIA COUNTIES.

ZONE NO. 4
(90 m.p.h.)
BROWARD, DADE AND MONROE COUNTIES.

| NUMBER OF WIND BEAMS FOR GIVEN DEPTH & WIND | | | | | |
|---|-----------|------------|------|-----------|------------|
| WIND | NO. BEAMS | MAX. DEPTH | WIND | NO. BEAMS | MAX. DEPTH |
| 60 | 2 | 10'-3" | 80 | 2 | 8'-3" |
| 60 | 3 | 14'-9" | 80 | 3 | 11'-9" |
| 60 | 4 | 20'-0" | 80 | 4 | 15'-9" |
| 60 | 5 | 25'-3" | 80 | 5 | 20'-0" |
| 70 | 2 | 9'-0" | 90 | 2 | 7'-3" |
| 70 | 3 | 13'-0" | 90 | 3 | 10'-6" |
| 70 | 4 | 17'-6" | 90 | 4 | 14'-3" |
| 70 | 5 | 22'-3" | 90 | 5 | 18'-0" |

| SIZE OF WIND BEAMS | | | | |
|--------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| SIZE OF ZEE | LENGTH OF SIGN FOR 2 POSTS | LENGTH OF SIGN FOR 3 POSTS | LENGTH OF SIGN FOR 4 POSTS | LENGTH OF SIGN FOR 5 POSTS |
| 1 1/2" Z 1.08 | 0' - 14'-0" | 14'-1" - 20'-0" | 20'-1" - 27'-0" | 27'-1" - 35'-0" |
| 3 Z 2.33 | 14'-1" - 27'-0" | 20'-1" - 38'-0" | 27'-1" - 51'-6" | 35'-1" - 65'-0" |
| 3 Z 3.38 | OVER 27'-0" | OVER 38'-0" | OVER 51'-6" | OVER 65'-0" |

DESIGN SPECIFICATION: Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals. A.A.S.H.O. Latest Edition.

***SHEETS AND PLATES:** Material Used Shall Meet The Requirements of Aluminum Association Alloy 6061-T6 And ASTM Specification B-209. Sheets Are To Be Degreased, Etched, Neutralized And Treated With Aldine 1200, Iridite 14-2, Bonderite 721, or Equal, No Stenciling Permitted on Sheets.

***MATERIALS:** All Aluminum Materials Shall Meet The Requirements of The Aluminum Association Alloy 6061-T6 And Also The Following ASTM Specifications For The Following: Sheet And Plates B209; Extruded Tube, Bars, Rods & Shapes B221 And Standard Structural Shapes 6308.

WELDING RODS: Aluminum Association Alloy No 5556 Filler Wire

TOLERANCE: All Above Materials Shall Be In Keeping With The ASTM Specifications Governing

STEEL BOLTS, NUTS & WASHERS: All Steel Bolts, Nuts And Washers Shall Meet The Requirements of ASTM A325 And Shall Have An Electroplated Zinc Coating Type LS Applied In Accordance With Standard Specifications 962-7.

***ALTERNATE MATERIAL:** Material used for Sheet and Plate shall also meet the requirements of Aluminum Assoc. Alloy 5154-H38 and A.S.T.M. Specifications B209. Material used for Extruded Bars, Rods, Shapes and Tubes shall also meet the requirements of Aluminum Assoc. Alloy 6351-T5 and A.S.T.M. Specification B221.

BASE CONNECTION: High Strength Bolts in The Base Connection Shall Be Tightened Only To The Torque Shown in The Table. Overtightened Base Connections Will Not Be Accepted.

ALUMINUM BOLTS, NUTS & LOCKWASHERS: Aluminum Bolts Shall Meet The Requirements of Aluminum Association Alloy 2024-T4 Or 6061-T6 (ASTM Spec. B-211). The Bolts Shall Have An Anodic Coating of At Least 0.0002" Thick And Be Chromate Sealed. Lockwashers Shall Meet The Requirements of Aluminum Association Alloy 7075-T6 (ASTM Specification B-221). Nuts Shall Meet The Requirements of Aluminum Association Alloy 6262-T9 Or 6061-T6.

SIGN FACE: All Sign Face Corners Shall Be Rounded. See Sign Layout Sheet.

MATERIAL STRESSES: Are In Accordance With The Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals. A.A.S.H.O. Latest Edition For All Materials Shown in The Plans.

DESIGN WIND LOAD: See Wind Loading Chart By Zones For Wind in Miles Per Hour On Flat Sign Area. The Allowable Working Stress Shall Be Increased By 40% For Combination Dead Load And Wind Load.

SHOP DRAWINGS: When Ground Signs Supports are Fabricated in accordance with these Plans NO SHOP DRAWINGS are Required. In the Event the Column Length Exceeds 2 ft. Above the Length as shown in the Plans, SHOP DRAWINGS WILL BE REQUIRED for Those Signs Only for Approval. However, Shop Drawings for Sign Panels, Messages, Lettering and Quantities shall be Submitted to Traffic PLANS for Approval.

FABRICATOR NOTE IMPORTANT

All Stiffened Base Plate Flanges And Fuse Plates Shall Be Bolted To Posts Using High Strength Bolts. Bolts Shall Be Tightened in The Shop Following A Method Approved By The Engineer. Tightening Shall Be To Such A Degree So As To Obtain The Following Minimum Residual Tension in Each Bolt:

HIGH STRENGTH BOLTS (A-325)
BOLT SIZE MIN. RES. BOLT TENSION

| | |
|--------|-------------|
| 3/8" | 19,200 Lbs. |
| 3/4" | 28,400 Lbs. |
| 7/8" | 36,050 Lbs. |
| 1" | 47,250 Lbs. |
| 1 1/8" | 56,450 Lbs. |
| 1 1/4" | 71,700 Lbs. |

ALUMINUM

STATE ROAD DEPARTMENT OF FLORIDA BRIDGE DIVISION

STANDARD ROADSIDE SIGN BREAK-AWAY PANEL DETAIL

| | | | | | | |
|-------|---|-----------|--|------------|--------|-------------|
| 12-71 | REV LENGTH OF WIND BEAMS | 6-70 | REV SIZE OF WIND BEAMS | ROAD NO. | COUNTY | PROJECT NO. |
| 6-73 | Rev. Shop Draw. Note | REVISIONS | | | | APPROVED BY |
| 5-74 | Rev. Round HD. Bolts to Flat and Wash. Specs. | | | | | |
| 1-76 | REV WIND LOADING | 6-78 | REV. BOLT & WIND PRESSURE REDUCTION NOTE REMOVED A.A.S.H.O. 1958 | Checked by | HHJ | 1-67 |
| 5-78 | Design Spec. Date Rev. to 1975 | 6-80 | REV. DESIGN LOADS NOTE | Checked by | CWB | 1-67 |
| 11-77 | Rev. Design Load Note | 6-82 | REV. WIND LOADING SUMMARY | Checked by | | |
| 7-82 | 4 Post & 5 Post Wind Beam Details | 6-88 | REV. MATERIAL ALLOY NOTE | Checked by | | |
| 11-88 | Added Hinge Plate All | 10-89 | | Trained by | | |

Drawing No. 1 of 4
Scale No. 9535






Diagram illustrating the geometry of a rectangular plate with a central slot and six holes. The plate has overall width A and height D . The central slot has width f and depth t . There are six holes, each with diameter D_h , arranged in two vertical columns of three. The distance from the left edge to the first hole is b , and from the last hole to the right edge is b . The distance between the two columns of holes is c . The distance from the top edge to the first row of holes is a , and from the last row to the bottom edge is a . The plate thickness is labeled as $t/2$.

Diagram illustrating the base plate detail for I-beams. The diagram shows a cross-section of an I-beam with a base plate. Dimensions include: A (total width), a (flange width), b (web width), B (total height), b₁ (web height), b₂ (flange height), and b₃ (flange thickness). The base plate has a thickness of 1/2 inch. The I-beam has a web thickness of 1/2 inch and a flange thickness of 3/16 inch. The base plate is labeled "DIRECT OF TRAFFIC".

The diagram shows a rectangular plate with four circular holes arranged in a 2x2 grid. The plate is subjected to a uniform tensile load P applied horizontally. The total width of the plate is labeled t . The distance between the centers of the two holes in a row is labeled n . The distance from the center of a hole to the nearest vertical edge is labeled d . On the left side, four horizontal lines represent the load application points, each labeled $P/2$.



Direction of Traffic

Fuse Plate (Install With Notches Toward Base) For Dimensions, See Detail This Sheet.

H.S. Bolts (See Table For Size) For Bolt Tension, See Sheet For 4, Index No. 9335

Flat Washer

Column

Hinge Plate (Provide for Alternate Detail Only) For Dimensions, See Detail This Sheet.













Flange Holes For Fuse (Hinge) Plate Shall Be Drilled or Sub-Punched and Reamed

Beveled Washers For 3I-196 & 4I-2.64 Columns. Flat Washers On Others.

Technical drawing of a 1/2 inch diameter bolt hole in a 1/2 inch thick plate. The drawing shows a side view of the plate with a U-shaped hole. Dimensions include: total width 1 1/2 inches, total height 2 inches, hole diameter 1/2 inch, hole depth 1 1/2 inches, and various spacing dimensions for the hole and the plate edges. A note indicates the plate thickness is .012 inches.


Furnish 2—.012" ± Thick and 2—.032" ± Thick Shims
Per Post

STANDARD ROADSIDE SIGN

| 11-55 Address Mailing Name, Address | | BREAK-AWAY POST DETAILS | | | |
|-------------------------------------|------------------------|-------------------------|----------|---|---|
| REVIEWS | | ROAD NO. | COUNTY | PROJECT NO. | |
| Date | Description | Name | Date | APPROVED BY | |
| 1-15-56 | Boh Sta. Turner & Din. | | |  T. W. C. W. B. | |
| 1-22-56 | Boh Keeper Wheeler | | | | |
| 1-27-56 | Boh Keeper Wheeler | | | | |
| 1-27-56 | Boh Keeper Wheeler | | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | H. H. J. | 1-67 |  C. W. B. |
| 1-27-56 | Boh Keeper Wheeler | Checked by | C. W. B. | 1-67 | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | |  C. W. B. |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | |  C. W. B. |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | |  C. W. B. |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | |  C. W. B. |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | |  C. W. B. |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | |  C. W. B. |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | |  C. W. B. |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | |  C. W. B. |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | |  C. W. B. |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | |  C. W. B. |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | C. W. B. |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | C. W. B. |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | C. W. B. |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | C. W. B. |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | | | |
| 1-27-56 | Boh Keeper Wheeler | Checked by | </ | | |


| SECTION | BASE CONNECTION DATA TABLE | | | | | | | | | | FUSE (HINGE) PLATE DATA TABLE | | | | | | | | | | FOUNDATION DATA TABLE | | | | | | | | | | | | | | |
|-----------|----------------------------|--------|--------|---------|--------|--------|--------------------------|----------------|----------------|----------------|-------------------------------|--------|--------|--------|--------|--------|--------|----------------|------|-----------|-----------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------------|----------------|--------|-------|---------|
| | A | B | C | D | E | L | BOLT SIZE & TORQUE (LBS) | M ₁ | M ₂ | D ₂ | R | x | b | f | h | k | l | l ₃ | w | BOLT SIZE | E | P | D | d | γ | r | s | t | DIA. | DEPTH | STUB LENGTH | REINFORC. BARS | | | |
| 3 I 196 | 7 1/4" | 3" | | | | | | 1 1/2" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 1" | 1/4" | 3/8" | 3" | 1 1/4" | 3/4" | 3/4" | 1 1/4" | 3/4" | 3/8" | 3/8" | 1'-6" | 1'-6" | 1'-6" | 8-7-4 | |
| 4 I 264 | 7 1/4" | 3" | | | | | | 1 1/2" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 1" | 1/4" | 3/8" | 3" | 1 1/4" | 3/4" | 3/4" | 1 1/4" | 3/4" | 3/8" | 3/8" | 1'-6" | 1'-6" | 1'-6" | 8-8-4 | |
| 6 W 416 | 4" | 3 1/2" | 5" | 5 1/2" | 2 1/2" | 3 1/2" | 3/8" B-640# | 1 1/2" | 1 1/2" | 3/8" | 3/8" | 1" | 3/8" | 2 1/2" | 3/8" | 1 1/2" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 4" | 1 1/4" | 1 1/4" | 3/4" | 2 1/4" | 1" | 3/8" | 1/2" | 2'-0" | 2'-3" | 2'-0" | 8-4-4 | | |
| 8 W 590 | 5 1/2" | 3 1/2" | 5" | 5 1/2" | 2 1/2" | 3 1/2" | 3/8" B-640# | 1 1/2" | 1 1/2" | 3/8" | 3/8" | 1" | 1 1/2" | 2 1/2" | 3/8" | 1 1/2" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" | 5 1/2" | 2" | 1 1/4" | 1 1/4" | 3/4" | 1 1/2" | 3/4" | 2'-0" | 3'-3" | 2'-6" | 8-5-5 | | | |
| 8 W 832 | 6 1/2" | 3 1/2" | 6 1/2" | 7" | 2 1/2" | 3 1/2" | 3/8" B-640# | 1 1/2" | 1 1/2" | 3/8" | 3/8" | 1 1/4" | 1 1/2" | 3 1/2" | 3/8" | 2" | 1/2" | 3/8" | 3/8" | 3/8" | 6 1/2" | 2 1/4" | 1 1/4" | 1 1/4" | 3/4" | 1 1/2" | 1" | 3/8" | 2'-0" | 4'-6" | 2'-5" | 8-7-7 | | | |
| 10 W 1141 | 8" | 3 1/2" | 8" | 8 1/2" | 2 1/2" | 3 1/2" | 3/8" B-940# | 2" | 1 3/4" | 1 3/4" | 3/8" | 1 1/2" | 2 1/2" | 3 1/2" | 3/8" | 2 1/2" | 1 1/2" | 3/8" | 3/8" | 1" | 1" | 7" | 2 1/4" | 1 1/4" | 1 1/4" | 3/4" | 1 1/2" | 1 1/2" | 3/4" | 2'-0" | 6'-3" | 3'-0" | 8-8-10 | | |
| 12 W 1384 | 8" | 3 1/2" | 8 1/2" | 9 1/2" | 3" | 1" B | 3/8" B-1290# | 2 1/2" | 1 3/4" | 1 1/4" | 1 1/4" | 1 3/4" | 4 1/2" | 3/8" | 2 1/2" | 3/8" | 3/8" | 3/8" | 3/8" | 1 1/2" | 8" | 3" | 1 1/4" | 1 1/4" | 3/4" | 1 1/4" | 1 1/4" | 3/4" | 2'-0" | 8'-0" | 3'-6" | 9-8-11 | | | |
| 12 W 1834 | 10" | 3 1/2" | 10" | 10 1/2" | 3 1/4" | 1" B | 3/8" B-1290# | 2 1/2" | 2" | 1 1/4" | 1 1/4" | 1 3/4" | 2 1/2" | 5" | 1" | 3 1/4" | 3/8" | 3/8" | 3/8" | 1 1/2" | 9" | | | | | | | | 3 1/4" | 1 1/4" | 1 1/4" | 5 1/2" | 10'-9" | 4'-0" | 15-8-11 |







1. Assemble post to stub with bolts and with one flat washer on each bolt between plates.
2. Shim as required to plumb post (See Shim Detail)
3. Tighten all bolts the maximum possible with 12" to 15" wrench to bed washers and shims and to clean bolt threads then loosen each bolt in turn and retighten in a systematic order to the prescribed torque (See Table)
4. Burr threads at junction with nut using a center punch to prevent nut loosening.



ALTERNATE BOLT KEEPER WASHER
DETAIL FOR I-BEAM AND WF SHAPES

NOTE: To Prevent Galvanic Corrosion, Reinforcing Steel Shall Not Be In Contact With The Aluminum Stud Column.





| NUMBER OF WIND BEAMS FOR GIVEN DEPTH & WIND | | | | | |
|---|-----------|-----------|------|-----------|-----------|
| WIND | NO. BEAMS | MAX DEPTH | WIND | NO. BEAMS | MAX DEPTH |
| 60 | 2 | 10'-3" | 80 | 2 | 8'-3" |
| 60 | 3 | 14'-9" | 80 | 3 | 11'-9" |
| 60 | 4 | 20'-0" | 80 | 4 | 15'-9" |
| 60 | 5 | 25'-3" | 80 | 5 | 20'-0" |
| 70 | 2 | 9'-0" | 90 | 2 | 7'-3" |
| 70 | 3 | 13'-0" | 90 | 3 | 10'-6" |
| 70 | 4 | 17'-6" | 90 | 4 | 14'-3" |
| 70 | 5 | 22'-3" | 90 | 5 | 18'-0" |

* NOTE: Aluminum Zee ~ No Steel Equivalent Available.

| SIZE OF WIND BEAMS | | | | |
|--------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| SIZE OF ZEE | LENGTH OF SIGN FOR 2 POSTS | LENGTH OF SIGN FOR 3 POSTS | LENGTH OF SIGN FOR 4 POSTS | LENGTH OF SIGN FOR 5 POSTS |
| 1 1/2" x 1.08 | 0' ~ 14'-0" | 14'-1" ~ 20'-0" | 20'-1" ~ 27'-0" | 27'-1" ~ 35'-0" |
| 2 3/4" x 6.7 | 14'-1" ~ 27'-0" | 20'-1" ~ 38'-0" | 27'-1" ~ 51'-6" | 35'-1" ~ 65'-0" |
| 2 3/4" x 9.8 | OVER 27'-0" | OVER 38'-0" | OVER 51'-6" | OVER 65'-0" |

DESIGN SPECIFICATION: Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals. A.A.S.H.O. Latest Edition-Welding-Latest Edition A.W.S. Structural Welding Code, Latest A.A.S.H.O. Standard Specifications for Welding of Structural Steel Highway Bridges and FLA D.O.T. Standard Specifications with Supplement.

DESIGN LOADS: See Wind Loading Chart By Zones For Wind In Miles Per Hour On Flat Sign Area. The Allowable Working Stress Shall Be Increased By 40% For Combination Dead Load And Wind Load.

STRUCTURAL STEEL: All Structural Steel Shall Meet The Requirements of A.S.T.M. A-36

STEEL BOLTS, NUTS AND LOCK WASHERS: Steel Bolts, Nuts And Lock Washers Shall Meet The Following A.S.T.M. Requirements; High Strength Bolts, Nuts And Washers A.S.T.M. A-325; All Other Steel Bolts, Nuts And Washers, A.S.T.M. A-307.

GALVANIZING OR METALIZING: All Steel Shapes, Angles, Tees, Plates, A.S.T.M. A307 Bolts, Nuts And Washers Shall Be Hot Dip Galvanized or Metalized After Fabrication, Hot Dip Galvanizing Shall Be In Accordance With The Requirements Of A.S.T.M. A-123 and/or A-153.

SIGN PANELS: The Material Used Shall Meet The Requirements of The Aluminum Association Alloy, 6061-T6 And A.S.T.M. Specification B209. The Sheets Are To Be Degreased, Etched, Neutralized And Treated With Alodine 1200, Iridite 14-2, Bonderite 721, Or Equal. No Stenciling Permitted On Sheets.

ALUMINUM BOLTS, NUTS AND LOCK WASHERS: Aluminum Bolts Shall Meet The Requirements of The Aluminum Association Alloy 2024-T4 or 6061-T6 (A.S.T.M. Specification B-211). The Bolts Shall Have An Anodic Coating of At Least 0.0002" Thick And Be Chromate Sealed. Lock Washers Shall Meet The Requirements of Aluminum Association Alloy 7075-T6 (A.S.T.M. Specification B-221). Nuts Shall Meet The Requirements of Aluminum Association Alloy 6262-T9 or 6061-T6.

TOLERANCE: All Above Materials Shall Be In Keeping With The A.S.T.M. Specifications Governing.

MATERIAL STRESSES: All Allowable Stresses Are In Accordance With The Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals. A.A.S.H.O. Latest Edition For All Materials Shown in the Plans.

SHOP DRAWINGS: See Shop Drawing Note Sheet 1 of 4, 9535.

BASE CONNECTION: High Strength Bolts In The Base Connection Shall Be Tightened Only To The Torque Shown In The Table Overlaid. Base Connections Will Not Be Accepted.

FRICTION FUSE PLATE: Notched Steel Fuse Plates Shall Conform To The Requirements of A.S.T.M. Specification A-36. All Holes Shall Be Drilled. All Plate Cuts Shall, Preferably, Be Saw Cuts; However, Flame Cutting Will Be Permitted Provided All Edges Are Ground. Metal Projecting Beyond The Plane of The Plate Face Will Not Be Tolerated.

SIGN FACE: All Sign Face Corners Shall Be Rounded. See Sign Layout Sheet.

ALUMINUM MATERIALS: All Aluminum Materials Other Than Bolts, Nuts And Lock Washers Shall Meet The Requirements of The Aluminum Association Alloy 6061-T6 And Also The Following A.S.T.M. Specifications For The Following; Sheet And Plates B209; Extruded Tube, Bars, Rod And Shapes B221 And Standard Structural Shapes B309.

HIGH STRENGTH BOLTS (A-325) Shall Have An Electroplated Zinc Coating Type LS Applied In Accordance With Standard Specifications 982-7.






FABRICATOR NOTE: IMPORTANT
All Friction Fuse Bolts Shall Be Tightened In The Shop Following A Method Approved By The Engineer. Tightening Shall Be To Such Degree As To Obtain The Following Minimum Residual Tension In Each Bolt, (See Table Below).

NOTE A-1
At The Contractor's Option, Aluminum Zees And Stiffener May Be Used In Lieu of Structural Steel Zees And Stiffeners See Drawing No. 1 of 4, Index No. 9535. For Aluminum Zee And Stiffener







HIGH STRENGTH BOLTS (A-325) MINIMUM RESIDUAL TENSION

| BOLT SIZE | TENSION |
|-----------|-------------|
| 3/8" | 19,200 Lbs. |
| 3/4" | 28,400 Lbs. |
| 1" | 47,250 Lbs. |
| 1 1/8" | 56,450 Lbs. |
| 1 1/4" | 71,700 Lbs. |
| 1 3/8" | 85,450 Lbs. |



| STEEL | | | | |
|--|--------|-------------|---------------|----------------|
| STATE ROAD DEPARTMENT OF FLORIDA BRIDGE DIVISION | | | | |
| STANDARD ROADSIDE SIGN BREAK-AWAY PANEL DETAIL | | | | |
| ROAD NO. | COUNTY | PROJECT NO. | APPROVED BY | |
| | | | Name | Date |
| | | | Checked by | |
| | | | Quantities by | |
| | | | Checked by | |
| | | | Traced by | |
| Drawing No. 3 of 4 | | | | Index No. 9535 |



SHIM DETAIL
Furnish 2 $\pm .012"$ Thick &
2 $\pm .032"$ Thick Shims Per Column



NOTE: Two Separate Beams are Indicated as Required for Alternate Detail. For the Typical Detail a Sawcut is Required. Extent of this Sawcut is Shown on the Side View Detail on Sheet 3 of 4, Index No. 9535




| BASE CONNECTION DATA | | | | | | | | | | | | | | | FUSE (HINGE) PLATE DATA | | | | | | | | | | FOUNDATION DATA | | | | | SHIM | |
|----------------------|-----------|--------|--------|--------|--------------------|--------|--------|--------|--------|----------------|----------------|------|--------|--------|-------------------------|---|--------|--------|----------------|-----------|-------|--------|-------------|--------------|-----------------|--------|--------|--|--|------|--|
| SECTION | DIMENSION | | | | Bolt Size & Torque | R | d | f | s | l ₁ | l ₂ | W | E | n | d | g | h | k | t ₂ | Bolt Size | Dia | Depth | Stub Length | Reinf Bars V | L | M | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 I 5.7 | | | | | 3/4"-640# | 7/8" | | | | | 1" | 1/4" | 3" | 1 1/4" | 3/4" | | 2 1/4" | 3/4" | 3/4" | 1/2" | 3/4" | 1'-6" | 1'-6" | 1'-6" | 8 #4 | 1 1/4" | 1 1/4" | | | | |
| 4 I 7.7 | | | | | 3/4"-640# | 7/8" | | | | | 1" | 1/4" | 3 1/4" | 1 3/8" | 3/4" | | 2 1/4" | 3/4" | 1/2" | 3/4" | 1'-6" | 2'-0" | 2'-0" | 8 #4 | 1 1/4" | 1 1/4" | | | | | |
| 6 B 12 | 4" | 2" | 4" | 2" | 3/4"-640# | 7/8" | 1/4" | 2 1/4" | 1 1/4" | 1/2" | 1/2" | 1/4" | 1/4" | 1/4" | 1/4" | | 2 1/4" | 3/4" | 1/2" | 3/4" | 2'-0" | 2'-9" | 2'-3" | 8 #5 | 1 1/4" | 1 1/4" | | | | | |
| 8WF 18 | 5 1/4" | 2" | 5 1/4" | 2" | 3/4"-640# | 1 1/2" | 1 1/4" | 2 3/4" | 1 1/4" | 1/2" | 1/2" | 1/4" | 5 1/4" | 2 3/4" | 1 1/4" | | 2 1/4" | 3/4" | 1/2" | 3/4" | 2'-0" | 4'-0" | 2'-9" | 9 #7 | 1 1/2" | 1 1/4" | | | | | |
| 8WF 24 | 6 1/2" | 2 1/4" | 6 1/2" | 2 1/4" | 3/4"-990# | 1 1/2" | 1 1/4" | 3 1/4" | 1 1/4" | 1/2" | 1/2" | 1/4" | 6 1/4" | 3 1/4" | 1 1/4" | | 3 1/4" | 1 1/4" | 1 1/2" | 3/4" | 1" | 2'-0" | 5'-6" | 3'-9" | 8 #9 | 1 3/4" | | | | | |
| 10WF 33 | 8" | 2 1/2" | 8" | 2 1/2" | 1"-1240# | 1 1/2" | 1 1/4" | 5 1/4" | 1 1/4" | 1/2" | 1/2" | 1/4" | 8" | 4" | 2" | | 4 1/4" | 1 3/4" | 3/4" | 1 1/2" | 2'-0" | 7'-9" | 3'-9" | 9 #11 | 2" | 1 3/4" | | | | | |
| 12WF 40 | 8" | 2 3/4" | 8" | 2 3/4" | 1"-1580# | 1 1/2" | 1 1/4" | 5 1/4" | 1 1/4" | 1/2" | 1/2" | 1/4" | 8" | 4" | 2" | | 4 1/4" | 1 3/4" | 1 1/2" | 1 1/2" | 2'-0" | 10'-0" | 4'-6" | 14 #11 | 2 1/4" | 1 1/2" | | | | | |
| 12WF 45 | 8" | 3" | 8" | 3" | 1"-1580# | 1 1/2" | 1 1/4" | 5 1/4" | 1 1/4" | 1/2" | 1/2" | 1/4" | 8" | 4" | 2" | | 4 1/4" | 1 3/4" | 1 1/2" | 1 1/2" | 2'-0" | 10'-0" | 4'-6" | 14 #11 | 2 1/4" | 1 1/2" | | | | | |


PROCEDURE FOR ASSEMBLY OF BASE CONNECTION

1. Assemble Post To Slab With Bolts And With One Flat Washer On Each Bolt Between Plates.
2. Shim As Required To Plumb Post (See Shim Detail)
3. Tighten All Bolts The Maximum Possible With 12" To 15" Wrench To Bed Washers And Shims And To Clean Bolt Threads Then Loosen Each Bolt In Turn And Retighten In A Systematic Order To The Prescribed Torque (See Table)
4. Burr Threads At Junction With Nut Using A Center Punch To Prevent Nut Loosening.

| REVISIONS | |
|-----------|--------------------------------|
| Date | Description |
| 8-7-78 | TORQUE |
| 8-78 | Clear X Concrete Add |
| 8-78 | Design Spec. Date Rev. 1978 |
| 9-80 | GENERAL REVISION |
| 7-83 | SW17 to SW18 |
| 11-86 | Added Hinge Plate A |

| REVISIONS | |
|-----------|-------------------------|
| Date | Description |
| 4-1-68 | TORQUE |
| 4-1-68 | SECTION & DIM |
| 6-18-68 | BOLT SIZE, TORQ AND DM. |
| 6-20-68 | BOLT KEEPER |

| | | | | | |
|--------------|--------|--------|---|-------------|--|
| ROAD NO. | | COUNTY | | PROJECT NO. | |
| | | | | | |
| | Name | Date | APPROVED BY | | |
| Detailled by | H.H.J. | 1-67 |  Assistant State Highway Engineer | | |
| Cheeked by | C.W.B. | 1-67 | | | |
| Quoted by | | | | | |
| Observed by | | | Drawing No. 4 of 4 Index No. 9535 | | |
| Transm. by | | | | | |



| SPLICE PLATE FLANGE TABLE | | | |
|--------------------------------|--------|---------------|--|
| TUBE SIZE | T | BOLT SIZE "D" | |
| 2 1/4" x 1/8" to 6 1/2" x 1/8" | 1 1/4" | 3/8" | |
| 7" x 1/8" to 9" x 1/8" | 1 1/4" | 3/4" | |
| 7 1/2" x 1/8" to 9 1/2" x 1/8" | 1 1/4" | 7/8" | |



NOTE:
The number of Chord Splices may be changed or omitted as necessary to facilitate fabrication and/or erection.

SPLICE PLATE FLANGE DETAILS

Aluminum Alloy 5081-T6 or 5154-H36 or Alloy 356-T7



GENERAL NOTES

- (1) For "General Notes" Covering Specifications and Materials, see Sheet 1 of 4 Index 9535
- (2) SHOP DRAWINGS: Contractor shall submit complete shop drawings before fabrication for approval.
- (3) COLUMN LENGTHS: It shall be the Contractor's responsibility to determine the length of column supports.
- (4) Any Truss Member, Steel or Aluminum over 1/2" Thick Must meet the Longitudinal CHARTER V-NOTCH TEST.
- (5) This Dimension Has to Be Adjusted for Porcelain Examined SIGN PANELS.



Stockbridge-Type Damper Cat. 1708-200.1 damper placed at mid span or at the Contractor's option in lieu of this Stockbridge-Type Damper Sign Panels shall be attached at the time the structure is erected, or a temporary sign panel placed at time of erection or the overhead sign truss shall be wrapped in canvas.

| SCHEDULE FILLET WELD SIZE | | | |
|---------------------------|-----------|--------------|-----------|
| TRUSS MEMBERS | | POST MEMBERS | |
| THICKNESS | WELD SIZE | THICKNESS | WELD SIZE |
| 1/4" | 3/16" | 1/4" | 3/16" |
| 5/16" | 1/4" | 5/16" | 1/4" |
| 3/8" | 1/4" | 3/8" | 1/4" |
| 1/2" | 1/2" | 1/2" | 1/2" |
| 5/8" | 3/8" | 5/8" | 3/8" |
| 3/4" | 3/8" | 3/4" | 3/8" |



An Alternate Cast Base of Alloy 356 and Heat Treated to T6 Temper may be submitted for consideration in lieu of the Fabricated Base for approval by the Engineer.

See Drawing 1 of 1 Index No. 11926 For detail of Post Base and Anchor Bolts.

Minimum Grout = Height of Nut


Concrete Footing see Index No. 11201


ELEVATION

ALUMINUM TRUSSES ASSEMBLY DETAILS FOR TYPE A, B or C TRUSS


STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION STRUCTURES

BRIDGE SPAN TRUSS FOR OVERHEAD SIGNS





| REVISIONS | | ROAD NO. | COUNTY | PROJECT NO. | |
|--------------|--|----------|---------|---|-----------|
| Date | Description | Drawn | Checked | APPROVED BY | |
| 4-72 | Upper Col. Strut No. 10 Rev. to No. 9 | HA V | 11-71 |  | |
| 5-74 | Sign Face & Truss Connection | CH B | 11-71 | | |
| 6-74 | INDEX TRUSS 1505D | CH B | 11-71 | | |
| 6-81 | Sherry Test & Add | | | | |
| 7-82 | Small Diameter + 1/16" Added | | | | |
| 9-83 | NOTE NO. 5 Added | | | Drawing No. | Index No. |
| 1-88 | Rev. Bolt "D" Note | | | 1 of 1 | 10965 |
| Submitted by | | A J M | | | |



| Number of 3 Z 2.33 Horizontal Wind Beams for Sign Depth and Wind | | | Number of 4 Z 3.58 Vertical Hanger Beams for Sign Length | | | |
|--|-----------|------------|--|-----------------------|-----------------------|-----------------------|
| WIND M.P.H. | NO. BEAMS | MAX. DEPTH | 2 HANGERS SIGN LENGTH | 3 HANGERS SIGN LENGTH | 4 HANGERS SIGN LENGTH | 5 HANGERS SIGN LENGTH |
| 110 | 2 | 7'-3" | 0-15'-0" | 15'-1" - 30'-0" | 30'-1" - 45'-0" | |
| 110 | 3 | 10'-6" | 0-15'-0" | 15'-1" - 30'-0" | 30'-1" - 45'-0" | |
| 110 | 4 | 14'-3" | 0-13'-0" | 13'-1" - 18'-3" | 18'-4" - 24'-9" | 24'-10" - 31'-4" |
| 110 | 5 | 18'-0" | 0-13'-0" | 13'-1" - 18'-3" | 18'-4" - 24'-9" | 24'-10" - 31'-4" |
| 100 | 2 | 8'-3" | 0-15'-0" | 15'-1" - 30'-0" | 30'-1" - 45'-0" | |
| 100 | 3 | 11'-9" | 0-15'-0" | 15'-1" - 22'-3" | 22'-4" - 30'-0" | 30'-1" - 38'-0" |
| 100 | 4 | 15'-9" | 0-15'-0" | 15'-1" - 22'-3" | 22'-4" - 30'-0" | 30'-1" - 38'-0" |
| 100 | 5 | 20'-0" | 0-11'-7" | 11'-8" - 16'-4" | 16'-5" - 22'-2" | 22'-3" - 28'-0" |
| 90 | 2 | 9'-0" | 0-15'-0" | 15'-1" - 30'-0" | 30'-1" - 45'-0" | |
| 90 | 3 | 13'-0" | 0-15'-0" | 15'-1" - 27'-3" | 27'-4" - 37'-0" | |
| 90 | 4 | 17'-6" | 0-15'-0" | 15'-1" - 27'-3" | 27'-4" - 37'-0" | |
| 90 | 5 | 22'-6" | 0-14'-3" | 14'-4" - 20'-0" | 20'-1" - 27'-0" | 27'-1" - 34'-3" |
| 80 | 2 | 10'-3" | 0-15'-0" | 15'-1" - 30'-0" | 30'-1" - 45'-0" | |
| 80 | 3 | 14'-9" | 0-15'-0" | 15'-1" - 30'-0" | 30'-1" - 45'-0" | |
| 80 | 4 | 20'-0" | 0-15'-0" | 15'-1" - 25'-9" | 25'-10" - 34'-10" | |



TYPICAL SIGN FACE ELEVATION FOR O.H. TRUSS
 * NOTE: SPACING OF VERTICAL HANGERS MAY BE VARIED SLIGHTLY OR AS NECESSARY TO CLEAR THE TRUSS STRUTS AND DIAGONALS AT PANEL POINTS.







DETAILS OF SIGN FACE & TRUSS CONNECTION
 STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
 STRUCTURES
 FOR ALUMINUM & STEEL OVERHEAD SIGN STRUCTURES

| REVISIONS | | ROAD NO. | COUNTY | PROJECT NO. |
|-----------|--------------------------------------|---------------|--------|-------------|
| Date | Description | Revised | By | Date |
| 5-74 | Rev Round HD Bolts to Flat HD. Match | | | |
| 5-78 | REV. WIND LOADING | Designed by | C.W.B. | 5-72 |
| 1-78 | REV. Truss Connection Note | Checked by | A.J.H. | 5-72 |
| | | Quantity by | | |
| | | Checked by | | |
| | | Supervised by | | |

GENERAL NOTES:
 (1) For "General Notes" Covering Specification, Materials and Wind Loads; see Sheets 1 of 4 and 3 of 4, Index 9535

| FOOTING DESIGNATION | FOOTING DIMENSIONS | | | BILL OF VARYING REINFORCING | | | | | | | |
|---------------------|--------------------|--------|-------|-----------------------------|--------|---------|------------|--------|--------|---------|------------|
| | DIMENSIONS | | | BARS A | | | | BARS B | | | |
| | A | B | C | SIZE | LENGTH | SPACING | NO. REQ'D. | SIZE | LENGTH | SPACING | NO. REQ'D. |
| T-1 | 9'-0" | 3'-6" | 1'-6" | 6 | 8'-6" | 9" | 5 | 6 | 3'-0" | 17" | 7 |
| T-2 | 11'-6" | 4'-3" | 1'-6" | 6 | 11'-0" | 9" | 6 | 5 | 3'-9" | 12" | 12 |
| T-3 | 13'-0" | 5'-0" | 1'-6" | 6 | 12'-6" | 9" | 7 | 6 | 4'-0" | 15" | 11 |
| T-4 | 14'-6" | 5'-6" | 1'-6" | 7 | 14'-0" | 12" | 6 | 5 | 5'-0" | 12" | 15 |
| T-5 | 15'-6" | 6'-0" | 1'-9" | 8 | 15'-0" | 11" | 7 | 5 | 5'-6" | 12" | 16 |
| T-6 | 16'-6" | 6'-3" | 1'-9" | 8 | 16'-0" | 11½" | 7 | 5 | 5'-9" | 12" | 17 |
| T-7 | 17'-6" | 6'-6" | 1'-9" | 8 | 17'-0" | 12" | 7 | 5 | 6'-0" | 12" | 18 |
| T-8 | 18'-6" | 6'-9" | 1'-9" | 7 | 18'-0" | 12" | 11 | 5 | 6'-3" | 12" | 19 |
| T-9 | 19'-0" | 7'-3" | 1'-9" | 8 | 18'-6" | 9" | 10 | 6 | 6'-9" | 17" | 14 |
| T-10 | 19'-6" | 7'-9" | 1'-9" | 8 | 19'-0" | 7½" | 13 | 5 | 7'-3" | 12" | 20 |
| T-11 | 20'-0" | 7'-9" | 2'-0" | 8 | 19'-6" | 7½" | 13 | 6 | 7'-3" | 18" | 14 |
| T-12 | 20'-6" | 8'-0" | 2'-0" | 10 | 20'-0" | 12" | 9 | 5 | 7'-6" | 12" | 21 |
| T-13 | 21'-0" | 8'-3" | 2'-0" | 8 | 20'-6" | 7½" | 13 | 5 | 7'-9" | 10½" | 25 |
| T-14 | 21'-6" | 8'-6" | 2'-0" | 10 | 21'-0" | 12" | 9 | 5 | 8'-0" | 12" | 22 |
| T-15 | 22'-0" | 8'-9" | 2'-0" | 10 | 21'-6" | 11" | 10 | 5 | 8'-3" | 10½" | 25 |
| T-16 | 22'-6" | 9'-0" | 2'-0" | 8 | 22'-0" | 6" | 18 | 5 | 8'-6" | 12" | 23 |
| T-17 | 23'-0" | 9'-0" | 2'-0" | 10 | 22'-6" | 8½" | 13 | 5 | 8'-6" | 10" | 28 |
| T-18 | 23'-6" | 9'-3" | 2'-0" | 10 | 23'-0" | 8½" | 13 | 5 | 8'-9" | 12" | 24 |
| T-19 | 24'-0" | 9'-3" | 2'-0" | 11 | 23'-6" | 8½" | 13 | 5 | 8'-9" | 11½" | 25 |
| T-20 | 24'-6" | 9'-6" | 2'-0" | 11 | 24'-0" | 9" | 13 | 5 | 9'-0" | 12" | 25 |
| T-21 | 25'-0" | 9'-6" | 2'-0" | 11 | 24'-6" | 9" | 13 | 6 | 9'-0" | 14" | 22 |
| T-22 | 25'-0" | 9'-9" | 2'-0" | 11 | 24'-6" | 9½" | 13 | 6 | 9'-3" | 14" | 22 |
| T-23 | 25'-0" | 10'-0" | 2'-0" | 11 | 24'-6" | 9½" | 13 | 6 | 9'-6" | 14" | 22 |
| T-24 | 25'-6" | 9'-9" | 2'-0" | 10 | 25'-0" | 6½" | 17 | 5 | 9'-3" | 12" | 26 |
| T-25 | 25'-6" | 10'-0" | 2'-0" | 10 | 25'-0" | 6" | 20 | 5 | 9'-6" | 12" | 26 |
| T-26 | 26'-0" | 9'-9" | 2'-0" | 11 | 25'-6" | 6½" | 17 | 6 | 9'-3" | 18" | 18 |
| T-27 | 26'-0" | 10'-0" | 2'-0" | 10 | 25'-6" | 6" | 20 | 6 | 9'-6" | 18" | 18 |
| T-28 | 26'-6" | 10'-0" | 2'-0" | 10 | 26'-0" | 6" | 20 | 5 | 9'-6" | 12" | 27 |
| T-29 | 27'-0" | 10'-0" | 2'-0" | 10 | 26'-6" | 6" | 20 | 5 | 9'-6" | 13½" | 25 |
| T-30 | 27'-6" | 10'-0" | 2'-0" | 11 | 27'-0" | 6" | 20 | 5 | 9'-6" | 12" | 28 |
| T-31 | 28'-0" | 9'-9" | 2'-0" | 11 | 27'-6" | 6½" | 18 | 5 | 9'-3" | 10" | 34 |
| T-32 | 28'-0" | 10'-0" | 2'-0" | 11 | 27'-6" | 6" | 20 | 5 | 9'-6" | 10" | 34 |
| T-33 | 28'-6" | 9'-9" | 2'-0" | 10 | 28'-0" | 4½" | 25 | 5 | 9'-3" | 12" | 29 |
| T-34 | 28'-6" | 10'-0" | 2'-0" | 11 | 28'-0" | 6" | 20 | 5 | 9'-6" | 12" | 29 |
| T-35 | 29'-0" | 9'-9" | 2'-0" | 10 | 28'-6" | 4½" | 25 | 6 | 9'-3" | 18" | 20 |
| T-36 | 29'-0" | 10'-0" | 2'-0" | 11 | 28'-6" | 6" | 20 | 6 | 9'-6" | 18" | 20 |
| T-37 | 29'-6" | 9'-9" | 2'-0" | 10 | 29'-0" | 4½" | 25 | 5 | 9'-3" | 12" | 30 |
| T-38 | 29'-6" | 10'-0" | 2'-0" | 11 | 29'-0" | 6" | 20 | 5 | 9'-6" | 12" | 30 |
| T-39 | 30'-0" | 9'-9" | 2'-0" | 11 | 29'-6" | 5½" | 21 | 6 | 9'-3" | 14½" | 25 |
| T-40 | 30'-0" | 10'-0" | 2'-0" | 11 | 29'-6" | 5½" | 22 | 6 | 9'-6" | 14½" | 25 |

| BENDING DIAGRAMS | | BILL OF CONSTANT REINFORCING | | | |
|---|--|------------------------------|------|--------|------------|
| NOTE: All dimensions are out-to-out. | | MARK | SIZE | LENGTH | NO. REQ'D. |
|  | | C | 4 | VARIES | 6 |
|  | | D | 4 | 19'-8" | 4 |





- NOTES:
- All Reinforcing Steel shall have a 3" Minimum of Concrete Cover and shall be of Grade 60.
 - All exposed edges to be chamfered 1/2" unless otherwise shown.
 - All Concrete shall be Class II. The Minimum Specified Compressive Strength at 28 days (f'c) shall be 3,400 p.s.i.
 - If Contractor elects to furnish a cast base in lieu of D.O.I. Standard Detail, he shall furnish an Anchor Bolt Spacing Plan for field use.

| | |
|---|-----------------------------|
| OVERHEAD TYPE A,B or C TRUSSES | |
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION STRUCTURES | |
| FOOTINGS FOR OVERHEAD SIGN TRUSSES | |
| REVISIONS | ROAD NO. COUNTY PROJECT NO. |
| 7-73 Class II Concrete Added | |
| 8-73 Rev. TITLE | Desig. Date |
| 9-74 Rev. Anchor Bolt Note | 4/73 |
| 11-78 Rev. Concrete Strength | 4/73 |
| Designed by D.K.S. | Checked by C.H.B. |
| Quantity by | Checked by |
| Supervised by A.J.H. | 1 of 2 11,201 |


| FOOTING DESIGNATION | FOOTING DIMENSION | | | BILL OF VARYING REINFORCING | | | | | | | |
|---------------------|-------------------|--------|-------|-----------------------------|--------|---------|------------|--------|--------|---------|------------|
| | DIMENSION | | | BARS A | | | | BARS B | | | |
| | A | B | C | SIZE | LENGTH | SPACING | NO. REQ'D. | SIZE | LENGTH | SPACING | NO. REQ'D. |
| C-1 | 10'-0" | 8'-6" | 1'-6" | 5 | 9'-6" | 6" | 17 | 5 | 8'-0" | 9 1/2" | 13 |
| C-2 | 11'-0" | 8'-6" | 1'-6" | 7 | 10'-6" | 12" | 9 | 6 | 8'-0" | 14" | 10 |
| C-3 | 12'-0" | 9'-3" | 1'-6" | 6 | 11'-6" | 8 1/2" | 13 | 5 | 8'-9" | 11 1/2" | 13 |
| C-4 | 13'-0" | 9'-3" | 1'-6" | 6 | 12'-6" | 9 1/2" | 13 | 6 | 9'-3" | 15" | 11 |
| C-5 | 14'-0" | 9'-3" | 1'-6" | 6 | 13'-6" | 9 1/2" | 13 | 6 | 9'-3" | 18" | 10 |
| C-6 | 15'-0" | 10'-0" | 1'-6" | 6 | 14'-6" | 9 1/2" | 13 | 6 | 9'-6" | 14 1/2" | 13 |
| C-7 | 16'-0" | 10'-0" | 1'-6" | 7 | 15'-6" | 9 1/2" | 13 | 5 | 9'-6" | 11 5/8" | 17 |
| C-8 | 17'-0" | 9'-9" | 1'-6" | 8 | 16'-6" | 9 1/2" | 13 | 6 | 9'-3" | 18" | 12 |
| C-9 | 17'-6" | 9'-9" | 1'-9" | 8 | 17'-0" | 9 1/2" | 13 | 5 | 9'-3" | 12" | 18 |
| C-10 | 18'-0" | 10'-0" | 1'-9" | 8 | 17'-6" | 9 1/2" | 13 | 5 | 9'-6" | 10" | 22 |
| C-11 | 19'-0" | 10'-0" | 1'-9" | 7 | 18'-6" | 7 1/2" | 17 | 6 | 9'-6" | 17" | 14 |
| C-12 | 20'-0" | 9'-9" | 1'-9" | 9 | 19'-6" | 9 1/2" | 13 | 6 | 9'-3" | 18" | 14 |
| C-13 | 20'-6" | 9'-9" | 1'-9" | 8 | 20'-0" | 6 1/8" | 17 | 5 | 9'-3" | 12" | 21 |
| C-14 | 21'-0" | 10'-0" | 1'-9" | 8 | 20'-6" | 6" | 20 | 5 | 9'-6" | 10 1/2" | 25 |
| C-15 | 22'-0" | 9'-9" | 1'-9" | 9 | 21'-6" | 6 1/8" | 17 | 5 | 9'-3" | 10 1/2" | 25 |
| C-16 | 22'-6" | 10'-0" | 1'-9" | 9 | 22'-0" | 6" | 20 | 5 | 9'-6" | 12" | 23 |
| C-17 | 23'-0" | 10'-0" | 1'-9" | 9 | 22'-6" | 6" | 20 | 5 | 9'-6" | 10" | 28 |
| C-18 | 24'-0" | 9'-9" | 1'-9" | 10 | 23'-6" | 6 1/8" | 17 | 5 | 9'-3" | 11 1/2" | 25 |
| C-19 | 24'-6" | 9'-9" | 2'-0" | 10 | 23'-6" | 6 1/8" | 17 | 5 | 9'-3" | 11 1/2" | 25 |
| C-20 | 24'-6" | 9'-9" | 2'-0" | 10 | 24'-0" | 6 1/8" | 17 | 5 | 9'-3" | 12" | 25 |
| C-21 | 24'-6" | 10'-0" | 2'-0" | 9 | 24'-0" | 6" | 20 | 5 | 9'-6" | 12" | 25 |
| C-22 | 25'-0" | 10'-0" | 2'-0" | 10 | 24'-6" | 6" | 20 | 6 | 9'-6" | 14" | 22 |
| C-23 | 25'-6" | 9'-9" | 2'-0" | 9 | 25'-0" | 4 5/8" | 25 | 5 | 9'-3" | 12" | 26 |
| C-24 | 25'-6" | 10'-0" | 2'-0" | 10 | 25'-0" | 6" | 20 | 5 | 9'-6" | 12" | 26 |
| C-25 | 26'-0" | 9'-9" | 2'-0" | 9 | 25'-6" | 4 5/8" | 25 | 6 | 9'-3" | 18" | 18 |
| C-26 | 26'-0" | 10'-0" | 2'-0" | 10 | 25'-6" | 6" | 20 | 6 | 9'-6" | 18" | 18 |
| C-27 | 26'-6" | 9'-9" | 2'-0" | 11 | 26'-0" | 6 1/8" | 17 | 5 | 9'-3" | 12" | 27 |
| C-28 | 26'-6" | 10'-0" | 2'-0" | 10 | 26'-0" | 6" | 20 | 5 | 9'-6" | 12" | 27 |
| C-29 | 27'-0" | 9'-9" | 2'-0" | 11 | 26'-6" | 6 1/8" | 17 | 6 | 9'-3" | 16 1/8" | 20 |
| C-30 | 27'-0" | 10'-0" | 2'-0" | 11 | 26'-6" | 6" | 20 | 6 | 9'-6" | 16 1/8" | 20 |
| C-31 | 27'-6" | 9'-9" | 2'-0" | 10 | 27'-0" | 4 5/8" | 25 | 5 | 9'-3" | 12" | 28 |
| C-32 | 27'-6" | 10'-0" | 2'-0" | 11 | 27'-0" | 6" | 20 | 5 | 9'-6" | 12" | 28 |
| C-33 | 28'-0" | 9'-9" | 2'-0" | 10 | 27'-6" | 4 5/8" | 25 | 5 | 9'-3" | 10" | 34 |
| C-34 | 28'-0" | 10'-0" | 2'-0" | 11 | 27'-6" | 6" | 20 | 5 | 9'-6" | 10" | 34 |
| C-35 | 28'-6" | 9'-9" | 2'-0" | 10 | 28'-0" | 4 5/8" | 25 | 5 | 9'-3" | 12" | 29 |
| C-36 | 28'-6" | 10'-0" | 2'-0" | 11 | 28'-0" | 6" | 20 | 5 | 9'-6" | 12" | 29 |
| C-37 | 29'-0" | 9'-9" | 2'-0" | 10 | 28'-6" | 4 5/8" | 25 | 6 | 9'-3" | 18" | 20 |
| C-38 | 29'-0" | 10'-0" | 2'-0" | 10 | 28'-6" | 4 5/8" | 25 | 6 | 9'-6" | 18" | 20 |
| C-39 | 29'-6" | 9'-9" | 2'-0" | 10 | 29'-0" | 4 5/8" | 25 | 5 | 9'-3" | 12" | 30 |
| C-40 | 29'-6" | 10'-0" | 2'-0" | 11 | 29'-0" | 4 5/8" | 25 | 5 | 9'-6" | 12" | 30 |

| BILL OF CONSTANT REINFORCING | | | |
|------------------------------|------|---------------|------------|
| MARK | SIZE | LENGTH | NO. REQ'D. |
| C | 4 | 3'-0" x Dim A | 22 |
| D | 4 | 9'-0" | 12 |
| E | 4 | 7'-0" | 13 |




- NOTES:
- All Reinforcing Steel shall have a 3" Minimum of Concrete Cover and shall be of Grade 60.
 - All exposed edges to be Chamfered 3/8" unless otherwise shown.
 - All Concrete shall be Class II. The Minimum Specified Compressive Strength at 28 days (1'c) shall be 3,400 p.s.i. If Contractor elects to furnish a cast base in lieu of D.O.T. Standard Detail, he shall furnish an Anchor Bolt Spacing Plan for field use.


| OVERHEAD CANTILEVER TRUSSES | | | |
|--|-------------------------|--------|-------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION STRUCTURES | | | |
| FOOTINGS FOR OVERHEAD SIGN TRUSSES | | | |
| REVISIONS | ROAD NO. | COUNTY | PROJECT NO. |
| 7-73 Class II Concrete Added | | | |
| 8-73 Rev Anchor Bolt Note | | | |
| 8-73 Rev TITLE | Designed by D.K.S. | 4/73 | |
| 11-73 Rev Footing Dimension & Bill of Constant Reinforcing | Checked by C.W.B. | 4/73 | |
| 11-78 Rev Concrete Strength | Quantity by | | |
| | Checked by | | |
| | Superintended by A.J.H. | | |
| APPROVED BY | | | Index No. |
| [Signature] | | | 2 of 2 |
| | | | 11,201 |




| SCHEDULE FILLET WELD SIZE | | | |
|---------------------------|-----------|--------------|-----------|
| TRUSS MEMBERS | | POST MEMBERS | |
| THICKNESS | WELD SIZE | THICKNESS | WELD SIZE |
| 1/8" | 3/16" | 1/8" | 1/4" |
| 3/16" | 1/4" | 3/16" | 3/16" |
| 1/4" | 5/16" | 1/4" | 1/2" |
| | | 5/16" | 3/4" |
| | | 3/4" | 1" |
| | | 1" | 1 1/4" |




PARTIAL PLAN VIEW



END VIEW



PARTIAL ELEVATION



SPLICE PLATE FLANGE DETAILS
Aluminum Alloy 6061-T6 or 5154-H38 or Alloy 356-T6

For Detail of Aluminum Base Pl. & Anchor Bolt, See Drawing 1 of 1, Index No. 11926.

An Alternate Cast Base of Alloy 356 and T6 Temper may be submitted for consideration in lieu of the Fabricated Base for approval by the Engineer.

Concrete Footing see Index No. 11201





























GENERAL NOTES

- (1) For "General Notes" Covering Specifications and Materials, see Sheet 1 of 4 Index 9535
- (2) SHOP DRAWINGS: Contractor shall submit complete shop drawings before fabrication for approval.
- (3) COLUMN LENGTHS: It shall be the Contractor's responsibility to determine the length of Column Supports.
- (4) DETAIL OF SIGN FACE & TRUSS CONNECTION: see Drawing 1 of 1 Index No. 11037
- (5) Any Truss Member, Steel or Aluminum over 1/2" Thick Must meet the Longitudinal CHARPY V-NOTCH TEST.

| SPLICE PLATE FLANGE TABLE | | | |
|---------------------------------|------|---------------|--|
| TUBE SIZE | T | BOLT SIZE "D" | |
| 2 1/2" x 1/8" to 6 1/2" x 1/4" | 1/4" | 3/8" | |
| 7" x 1/4" to 9" x 1/2" | 1/2" | 3/4" | |
| 7 1/2" x 5/16" to 9 1/2" x 3/4" | 3/4" | 7/8" | |

| REVISIONS | | | |
|-----------|-----------------------------------|-----|-------|
| Date | Description | By | Check |
| 3-73 | DIMENSION & ADOPTED | | |
| 6-74 | Bolts & Anchor Bolt Details Added | HAV | 3-73 |
| 3-77 | Walkway Detail Note Added | | |
| 7-78 | Walkway Note Removed | | |
| 8-81 | Charpy Test Added | | |
| 7-82 | Bolt Diameter + 1/16 Added | | |

| ALUMINUM CANTILEVER | | | |
|---|--------|-------------|-------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
| STRUCTURES | | | |
| TRUSSES FOR OVERHEAD SIGNS | | | |
| ROAD NO. | COUNTY | PROJECT NO. | |
| | | | |
| Designed by | HAV | 3-73 | APPROVED BY |
| Checked by | CWB | 3-73 | |
| Quantity by | | | |
| Checked by | | | |
| Supervised by | AJH | 1 of 1 | 11226 |

| Sign Identification Number | SIGN | | TYPE OF SIGN BRACKET | | | |
|--|---|---------|----------------------|-------------------|-------------------|-------------------|
| | PROFILE - SIZE | SQ. FT. | WIND ZONE | | | |
| | | | 60 | 70 | 80 | 90 |
| BID ITEM NO. 700-1-1 YIELD | | | | | | |
| 1 |  24x24 | 1.7 | 2-I | 2-I | 2-I | 2-I |
| 2 |  30x30 | 2.7 | 2-I | 2-I | 2-I | 2-I |
| 3 |  36x36 | 3.9 | 2-I | 2-I | 2-I | 2-I |
| 4 |  48x48 | 6.9 | 2-I | 2-II | 2-II | 2-II |
| 5 |  60x60 | 10.8 | 2-II | 2-II | 3-II | 3-II |
| BID ITEM NO. 700-1-2 RAILROAD | | | | | | |
| 6 |  36"φ | 7.1 | 2-I | 2-I | 2-I | 2-I |
| 7 |  48"φ | 12.6 | 2-I | 2-II | 2-II | 2-II |
| BID ITEM NO. 700-1-3 STOP | | | | | | |
| 8 |  18x18 | 1.9 | 2-I | 2-I | 2-I | 2-I |
| 9 |  24x24 | 3.3 | 2-I | 2-I | 2-I | 2-I |
| 10 |  30x30 | 9.2 | 2-I | 2-I | 2-I | 2-I |
| 11 |  36x36 | 7.5 | 2-I | 2-I | 2-I | 2-I |
| 12 |  48x48 | 13.3 | 2-I | 2-II | 2-II | 2-II |
| BID ITEM NO. 700-1-4 RT. MARKER SINGLE | | | | | | |
| 13 |  12x24 24x24 | 5.4 | 1-I 2-I | 1-I 2-I | 1-I 2-I | 1-I 2-I |
| 14 |  15x30 24x24 | 6.5 | 1-I 2-I | 1-I 2-I | 1-I 2-I | 1-I 2-I |
| 15 |  12x24 24x30 | 6.3 | 1-I 2-I | 1-I 2-I | 1-I 2-I | 1-I 2-I |
| 16 |  15x30 24x30 | 7.4 | 1-I 2-I | 1-I 2-I | 1-I 2-I | 1-I 2-I |
| 17 |  15x30 36x36 | 10.8 | 1-I 2-I | 1-I 2-I | 1-I 2-I | 1-I 2-I |
| 18 |  15x30 36x45 | 12.6 | 1-I 2-I | 1-I 2-I | 1-I 2-II | 1-I 2-II |
| 19 |  15x30 48x48 | 16.7 | 1-I 2-I | 1-I 2-II | 1-I 2-II | 1-I 2-II |
| 20 |  15x30 48x60 | 20.1 | 1-I 2-II | 1-I 2-II | 1-I 2-II | 1-I 2-II |
| 21 |  12x24 24x24 15x21 | 7.6 | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I |
| 22 |  15x30 24x24 15x21 | 8.7 | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I |
| 23 |  12x24 24x30 15x21 | 8.5 | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I |
| 24 |  15x30 24x30 15x21 | 9.6 | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I |
| 25 |  12x24 24x24 | 6.0 | 1-I 2-I | 1-I 2-I | 1-I 2-I | 1-I 2-I |
| 26 |  24x24 15x21 | 6.2 | 2-I 1-I | 2-I 1-I | 2-I 1-I | 2-I 1-I |
| 27 |  15x30 24x24 | 7.1 | 1-I 2-I | 1-I 2-I | 1-I 2-I | 1-I 2-I |
| 28 |  12x24 24x30 | 7.0 | 1-I 2-I | 1-I 2-I | 1-I 2-I | 1-I 2-I |

| SIGN IDENTIFICATION NUMBER | SIGN | | TYPE OF SIGN BRACKET | | | |
|--|---|---------|--|--|--|--|
| | PROFILE - SIZE | SQ. FT. | WIND ZONE | | | |
| | | | 60 | 70 | 80 | 90 |
| 29 | □ 24x30 15x21 | 7.2 | 2-I 1-I | 2-I 1-I | 2-I 1-I | 2-I 1-I |
| 30 | □ 15x30 24x30 | 8.1 | 1-I 2-I | 1-I 2-I | 1-I 2-I | 1-I 2-I |
| 31 | □ 15x21 36x30 | 9.7 | 1-I 2-I | 1-I 2-I | 1-I 2-I | 1-I 2-I |
| 32 | □ 15x30 36x30 | 10.6 | 1-I 2-I | 1-I 2-I | 1-I 2-I | 1-I 2-I |
| 33 | □ 12x24 24x24 15x21 | 8.2 | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I |
| 34 | □ 15x30 24x24 15x21 | 9.3 | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I |
| 35 | □ 12x24 24x30 15x21 | 9.2 | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I |
| 36 | □ 15x30 24x30 15x21 | 10.3 | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I | 1-I 2-I 1-I |
| BID ITEM NO. 700-1-5 RT. MARKER DOUBLE | | | | | | |
| 37 | □ 12x24, 12x24 24x24, 24x24 15x21 | 13.6 | 1-II 2-II 1-I | 1-II 2-II 1-I | 1-II 2-II 1-I | 1-II 2-II 1-I |
| 38 | □ 12x24, 12x24 24x24, 24x24 15x21, 15x21 | 15.2 | 1-II 2-II 1-II | 1-II 2-II 1-II | 1-II 2-II 1-II | 1-II 2-II 1-II |
| 39 | □ 12x24, 12x24 24x24, 24x24 15x21, 15x21 | 16.4 | 1-II 2-II 1-II | 1-II 2-II 1-II | 1-II 2-II 1-II | 1-II 2-II 1-II |
| 40 | □ 15x30, 15x30 24x30, 24x30 15x21, 15x21 | 19.2 | 1-II 2-II 1-II | 1-II 2-II 1-II | 1-II 2-II 1-II | 1-II 2-II 1-II |
| 41 | □ 12x24, 12x24 24x24, 24x24 15x21, 15x21 | 20.4 | 1-II 2-II 1-II | 1-II 2-II 1-II | 1-II 2-II 1-II | 1-II 2-II 1-II |
| 42 | □ 15x21 12x24, 12x24 24x24, 24x24 15x21, 15x21 | 22.6 | 1-I 1-II 2-II 1-II | 1-I 1-II 2-II 1-II | 1-I 1-II 2-II 1-II | 1-I 1-II 2-II 1-II |
| 43 | □ 12x24 24x30 15x21 12x24, 12x24 24x24, 24x24 15x21, 15x21 | 25.6 | 1-I 2-I 1-I 1-I 2-II 1-II | 1-I 2-I 1-I 1-I 2-II 1-II | 1-I 2-I 1-I 1-I 2-II 1-II | 1-I 2-I 1-I 1-I 2-II 1-II |
| BID ITEM NO. 700-1-10, 3 SQ. FT. OR LESS | | | | | | |
| 44 | □ 18x12 | 1.5 | 2-I | 2-I | 2-I | 2-I |
| 45 | □ 12x36 | 3.0 | 1-I | 1-I | 1-I | 1-I |
| 46 | □ 18x24 | 3.0 | 2-I | 2-I | 2-I | 2-I |
| 47 | □ 24x18 | 3.0 | 2-I | 2-I | 2-I | 2-I |
| 48 | □ 18x18 9x12 | 3.0 | 2-I 1-I | 2-I 1-I | 2-I 1-I | 2-I 1-I |
| BID ITEM NO. 700-1-11, 3" TO 4 SQ. FT. | | | | | | |
| 49 | □ 18x30 | 3.8 | 2-I | 2-I | 2-I | 2-I |
| 50 | □ 30x40 | 3.9 | 2-I | 2-I | 2-I | 2-I |
| 51 | □ 24x24 | 4.0 | 2-I | 2-I | 2-I | 2-I |

| SIGN IDENTIFICATION NUMBER | SIGN | | TYPE OF SIGN BRACKET | | | |
|---|----------------------|---------|----------------------|-------------|-------------|-------------|
| | PROFILE - SIZE | SQ. FT. | WIND ZONE | | | |
| | | | 60 | 70 | 80 | 90 |
| 52 | ◇ 24x24 | 4.0 | 2-I | 2-I | 2-I | 2-I |
| BID ITEM NO. 700-1-12, 4" TO 5 SQ. FT. | | | | | | |
| 53 | □ 18x36 | 4.5 | 2-I | 2-I | 2-I | 2-I |
| 54 | □ 30x30 | 4.7 | 2-I | 2-I | 2-I | 2-I |
| 55 | □ 30x24 | 5.0 | 2-I | 2-I | 2-I | 2-I |
| BID ITEM NO. 700-1-13, 5" TO 6 SQ. FT. | | | | | | |
| 56 | □ 36x48 | 5.6 | 2-II | 3-II | 3-II | 3-II |
| 57 | □ 24x36 | 6.0 | 2-I | 2-I | 2-I | 2-I |
| 58 | □ 36x24 | 6.0 | 2-I | 2-I | 2-I | 2-I |
| BID ITEM NO. 700-1-14, 6" TO 6.25 SQ. FT. | | | | | | |
| 59 | □ 30x30 | 6.3 | 2-I | 2-I | 2-I | 2-I |
| 60 | ◇ 30x30 | 6.3 | 2-I | 2-I | 2-I | 3-II |
| BID ITEM NO. 700-1-15, 6.25" TO 9 SQ. FT. | | | | | | |
| 61 | □ 36x36 | 6.75 | 2-I | 2-I | 2-I | 2-I |
| 62 | □ 30x36 | 7.5 | 2-I | 2-I | 2-I | 2-I |
| 63 | □ 36x30 | 7.5 | 2-I | 2-I | 2-I | 2-I |
| 64 | □ 24x48 | 8.0 | 2-II | 2-II | 2-II | 2-II |
| 65 | □ 12x36 30x30 | 8.2 | 1-I 2-I | 1-I 2-I | 1-I 2-I | 1-I 2-I |
| 66 | □ 30x42 | 8.8 | 2-I | 2-I | 2-I | 2-II |
| 67 | □ 36x36 | 9.0 | 2-I | 2-I | 2-I | 2-I |
| 68 | ◇ 36x36 | 9.0 | 3-II | 3-II | 3-II | 3-II |
| BID ITEM NO. 700-1-16, 9" TO 12 SQ. FT. | | | | | | |
| 69 | □ 12x36 30x30 | 9.3 | 1-I 2-I | 1-I 2-I | 1-I 2-I | 1-I 2-I |
| 70 | □ 30x30 18x24 | 9.3 | 2-I 2-I | 2-I 2-I | 2-I 2-I | 3-II 2-I |
| 71 | □ 48x64 | 9.9 | 3-II | 3-II | 3-II | 3-II |
| 72 | □ 30x48 | 10.0 | 2-I | 2-II | 2-II | 2-II |
| 73 | □ 12x36 36x36 | 10.5 | 1-I 2-I | 1-I 2-I | 1-I 2-I | 1-I 2-I |
| 74 | □ 30x54 (2-6x4-6) | 11.3 | 2-II | 2-II | 2-II | 2-II |
| 75 | □ 36x48 (3-0x4-0) | 12.0 | 2-I | 2-II | 2-II | 2-II |
| 76 | □ 48x36 (4-0x3-0) | 12.0 | 2-I | 2-I | 2-I | 2-I |
| 77 | ◇ 36x36 18x24 | 12.0 | 3-II 2-I | 3-II 2-I | 3-II 2-I | 3-II 2-I |
| 78 | □ 48x48 | 12.0 | 2-I | 2-II | 2-II | 2-II |
| BID ITEM NO. 700-1-17, 12" TO 16 SQ. FT. | | | | | | |
| 79 | □ 30x60 (2-6x5-0) | 12.5 | 2-II | 2-II | 2-II | 2-II |
| 80 | □ 48x48 (4-0x4-0) | 16.0 | 2-I | 2-II | 2-II | 2-II |
| 81 | ◇ 48x48 (4-0x4-0) | 16.0 | 3-II | 3-II | 3-II | 3-II |
| BID ITEM NO. 700-1-18, 16" TO 20 SQ. FT. | | | | | | |
| 82 | □ 30x78 (2-6x6-6) | 16.3 | 2-II | 2-II | 2-II | 2-II |
| 83 | □ 30x84 (2-6x7-0) | 17.5 | 2-II | 2-II | 2-II | 2-II |
| 84 | □ 48x54 (4-0x4-6) | 18.0 | 2-II | 2-II | 2-II | 2-II |
| 85 | □ 42x66 (3-6x8-6) | 19.3 | 2-II | 2-II | 2-II | 2-II |
| 86 | □ 60x48 (5-0x4-0) | 20.0 | 2-II | 2-II | 3-II | 3-II |

SHOP DRAWING NOTE: When Type "C" Ground Sign Supports are Furnished and Fabricated in Accordance with These Plans, Shop Drawings Will Not be Required for Approval by the Engineer.

| SIGN IDENTIFICATION NUMBER | SIGN | | TYPE OF SIGN BRACKET | | | |
|--|----------------------|---------|----------------------|------|------|------|
| | PROFILE - SIZE | SQ. FT. | WIND ZONE | | | |
| | | | 60 | 70 | 80 | 90 |
| 87 | □ 66x48 (5-6x4-0) | 22.0 | 2-II | 3-II | 3-II | 3-II |
| 88 | □ 60x72 (5-0x6-0) | 30.0 | 2-II | 2-II | 3-II | 3-II |
| 89 | □ 96x48 (8-0x4-0) | 32.0 | 3-II | 3-II | 3-II | 3-II |
| BID ITEM NO. 700-1-20 DESTINATION, 1-LINE | | | | | | |
| 90 | □ 24x78 (2-0x6-6) | 13.0 | 2-II | 2-II | 2-II | 2-II |
| BID ITEM NO. 700-1-21 DESTINATION, 2-LINE | | | | | | |
| 91 | □ 36x78 (3-0x6-6) | 19.5 | 2-II | 2-II | 2-II | 2-II |
| DESIGN NOTES | | | | | | |
| DESIGN SPECIFICATION: Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals A. A. S. H. T. O. 1975 | | | | | | |
| MATERIALS: Aluminum Materials shall, in General, Meet the Requirements of Aluminum Association Alloy 6061-T6 (ASTM B209, B221, or B308) Permissible Alternates shall be: For sheets and Plates - Aluminum Association Alloy 5154-H 3B1 (ASTM B209) and for Extruded Bars, Rods, Shapes and Tubes - Aluminum Association Alloy 6351-T5 (ASTM B221) | | | | | | |
| CONCRETE: All Concrete shall be Class I, The Specified Compressive Strength at 28 Days (f'c) Shall be 3,000 p.s.i. min. | | | | | | |
| SIGN PANEL: Sign Panel shall be 0.08 in. Min. Thick Aluminum Plate with all Corners Rounded. See Sign Layout Sheet. Panels are to be Degreased, Etched, Neutralized and Treated with Alodine 1200, Iridine 14-2, Bondrite 721 or Equal. No Stenciling Permitted on Panels. | | | | | | |
| ALUMINUM BOLTS, NUTS & LOCKWASHERS: Aluminum Bolts shall meet the Requirements of Aluminum Association Alloy 2024-T4 or 6061-T6 (ASTM B221). The Bolts shall have an Anodic Coating of at least 0.0002 in. Thick and be Chromate Sealed. Lockwashers shall meet the Requirements of Aluminum Association Alloy 7075-T6 (ASTM B221). Nuts shall meet the Requirements of Aluminum Association Alloy 6262-T9 or 6061-T6. | | | | | | |
| GENERAL NOTES | | | | | | |
| HOW TO USE THIS TABLE: Select the Appropriate Sign Profile and Sign Size to Determine the Sign Identification Number. If the Exact Sign Size of All Components is Not Listed, Select the Appropriate Profile and Larger Component Sizes. This Table Also Gives the Quantity and Type of Sign Brackets Required for Each Sign for Each Wind Zone. | | | | | | |
| Where the Sign Size is Given as a Vertical and Horizontal Dimension, The Vertical Dimension (Depth) is Given First and the Horizontal Dimension (Length) is Given Last. Signs 16" and Less in Depth will be Mounted with One Bracket at the E. Signs 18" in Depth and Over Require Two Sign Brackets. | | | | | | |
| For Column Sizes, Heights and Footings See Appropriate (Wind Zone) Sheet Titled "Column Sizes, Column Height and Column Footings." | | | | | | |
| No Shop or Field Splice Allowed in Sign Panels. All Panels to be Furnished in One Piece. | | | | | | |
| U-Bolt, Nut and Lockwasher of ASTM A-307 and shall be Galvanized in Accordance with ASTM - A193 | | | | | | |
| ALTERNATE TYPE "C" SINGLE COLUMN GROUND SIGN ATTACHMENT TO BE USED IN LIEU OF SIGN BRACKETS TYPE I AND TYPE II. TO BE USED ONLY ON 4 1/2" and LARGER LUMINAIRE TUBE COLUMNS. | | | | | | |
| WIND LOADING | | | | | | |
| ZONE NO. 1 (60 M.P.H.) | | | | | | |
| Alachua, Bradford, Baker, Bay, Colhoun, Clay, Columbia, Escambia, Gadsden, Gilchrist, Hamilton, Holmes, Jackson, Jefferson, Lafayette, Lake, Leon, Liberty, Madison, Marion, Okaloosa, Putnam, Santa Rosa, Sumter, Suwannee, Union, Walton and Washington Counties. | | | | | | |
| ZONE NO. 2 (70 M.P.H.) | | | | | | |
| Citrus, DeSoto, Dixie, Duval, Flagler, Franklin, Glades, Gulf, Hardee, Hendry, Hernando, Highlands, Hillsborough, Levy, Nassau, Okeechobee, Orange, Osceola, Pasco, Pinellas, Polk, Seminole, St. Johns, Taylor and Wakulla Counties. | | | | | | |
| ZONE NO. 3 (80 M.P.H.) | | | | | | |
| Brevard, Charlotte, Collier, Indian River, Lee, Manatee, Martin, Palm Beach, Sarasota, St. Lucie and Volusia Counties. | | | | | | |
| ZONE NO. 4 (90 M.P.H.) | | | | | | |
| Broward, Dade and Monroe Counties. | | | | | | |


NOTE: "A" - See Traffic Plans Standard Index 17302

TYPICAL SECTION

| COL. SIZE | 2 x ½ | 2 ½ x ½ | 3 x ½ | 3 ½ x ½ | 4 x ¾ | 4 x 1 | 4 ½ x ½ | 5 x ½ | 5 ½ x ½ | 6 x 1 | 6 ½ x ½ | 7 x 1 | 7 ½ x 1 | 8 x 1 | COL. SIZE | 2 x ½ | 2 ½ x ½ | 3 x ½ | 3 ½ x ½ | 4 x ¾ | 4 x 1 | 4 ½ x ½ | 5 x ½ | 5 ½ x ½ | 6 x 1 | 6 ½ x ½ | 7 x 1 | 7 ½ x 1 | 8 x 1 |
|----------------------------|--------------|---------|---------|---------|---------|-----------|-----------|-----------|-----------|-----------|------------|---------|------------|---------|----------------------------|--------------|---------|---------|---------|---------|-----------|-----------|-----------|-----------|-----------|------------|---------|------------|---------|
| FOOTING | O x 2-0 | O x 2-3 | O x 2-6 | O x 3-4 | O x 3-9 | 1-6 x 2-1 | 1-6 x 2-5 | 1-6 x 2-9 | 1-6 x 3-0 | 1-6 x 3-3 | 2-O x 3-02 | O x 3-4 | 2-O x 3-62 | O x 4-0 | FOOTING | O x 2-0 | O x 2-3 | O x 2-6 | O x 3-4 | O x 3-9 | 1-6 x 2-1 | 1-6 x 2-5 | 1-6 x 2-9 | 1-6 x 3-0 | 1-6 x 3-3 | 2-O x 3-02 | O x 3-4 | 2-O x 3-62 | O x 4-0 |
| Sign Identification Number | HEIGHT (FT.) | | | | | | | | | | | | | | Sign Identification Number | HEIGHT (FT.) | | | | | | | | | | | | | |
| 1 | To 14' | 14'-19" | 19'-25" | | | | | | | | | | | | 53 | To 11' | 11'-14" | 14'-18" | 18'-25" | | | | | | | | | | |
| 2 | To 13' | 13'-18" | 18'-22" | 22'-25" | | | | | | | | | | | 54 | To 10' | 10'-14" | 14'-17" | 17'-25" | | | | | | | | | | |
| 3 | To 13' | 13'-16" | 16'-21" | 21'-25" | | | | | | | | | | | 55 | To 10' | 10'-13" | 13'-17" | 17'-25" | | | | | | | | | | |
| 4 | To 6' | 6'-11" | 11'-13" | 13'-23" | 23'-25" | | | | | | | | | | 56 | To 8' | 8'-13" | 13'-15" | 15'-25" | | | | | | | | | | |
| 5 | To 6' | 6'-10" | 10'-16" | 16'-21" | 21'-25" | | | | | | | | | | 57 | To 8' | 8'-13" | 13'-15" | 15'-25" | | | | | | | | | | |
| 6 | To 6' | 6'-11" | 11'-13" | 13'-23" | 23'-25" | | | | | | | | | | 58 | To 8' | 8'-13" | 13'-15" | 15'-25" | | | | | | | | | | |
| 7 | To 6' | 6'-10" | 10'-16" | 16'-21" | 21'-25" | | | | | | | | | | 59 | To 8' | 8'-13" | 13'-15" | 15'-25" | | | | | | | | | | |
| 8 | To 15' | 15'-20" | 20'-25" | | | | | | | | | | | | 60 | To 7' | 7'-12" | 12'-14" | 14'-24" | 24'-25" | | | | | | | | | |
| 9 | To 14' | 14'-18" | 18'-22" | 22'-25" | | | | | | | | | | | 61 | To 6' | 6'-10" | 10'-13" | 13'-22" | 22'-25" | | | | | | | | | |
| 10 | To 10' | 10'-13" | 13'-17" | 17'-25" | | | | | | | | | | | 62 | To 6' | 6'-10" | 10'-13" | 13'-22" | 22'-25" | | | | | | | | | |
| 11 | To 6' | 6'-11" | 11'-13" | 13'-23" | 23'-25" | | | | | | | | | | 63 | To 6' | 6'-11" | 11'-13" | 13'-23" | 23'-25" | | | | | | | | | |
| 12 | To 8' | 8'-14" | 14'-18" | 18'-23" | 23'-25" | | | | | | | | | | 64 | To 6' | 6'-10" | 10'-14" | 14'-21" | 21'-25" | | | | | | | | | |
| 13 | To 9' | 9'-13" | 13'-17" | 17'-25" | | | | | | | | | | | 65 | To 6' | 6'-10" | 10'-13" | 13'-22" | 22'-25" | | | | | | | | | |
| 14 | To 8' | 8'-13" | 13'-16" | 16'-25" | | | | | | | | | | | 66 | To 9' | 9'-13" | 13'-20" | 20'-25" | | | | | | | | | | |
| 15 | To 7' | 7'-12" | 12'-14" | 14'-24" | 24'-25" | | | | | | | | | | 67 | To 9' | 9'-13" | 13'-20" | 20'-25" | | | | | | | | | | |
| 16 | To 7' | 7'-11" | 11'-14" | 14'-23" | 23'-25" | | | | | | | | | | 68 | To 9' | 9'-12" | 12'-21" | 21'-25" | | | | | | | | | | |
| 17 | To 7' | 7'-10" | 10'-17" | 17'-21" | 21'-25" | | | | | | | | | | 69 | To 8' | 8'-13" | 13'-19" | 19'-25" | | | | | | | | | | |
| 18 | To 9' | 9'-14" | 14'-19" | 19'-23" | 23'-25" | | | | | | | | | | 70 | To 7' | 7'-11" | 11'-18" | 18'-23" | 23'-25" | | | | | | | | | |
| 19 | To 7' | 7'-12" | 12'-14" | 16'-20" | 20'-25" | | | | | | | | | | 71 | To 8' | 8'-12" | 12'-19" | 19'-23" | 23'-25" | | | | | | | | | |
| 20 | To 11' | 11'-12" | 12'-16" | 16'-20" | 20'-25" | | | | | | | | | | 72 | To 8' | 8'-12" | 12'-18" | 18'-23" | 23'-25" | | | | | | | | | |
| 21 | To 8' | 8'-12" | 12'-19" | 19'-25" | | | | | | | | | | | 73 | To 7' | 7'-11" | 11'-18" | 18'-22" | 22'-25" | | | | | | | | | |
| 22 | To 7' | 7'-11" | 11'-17" | 17'-22" | 22'-25" | | | | | | | | | | 74 | To 7' | 7'-11" | 11'-17" | 17'-21" | 21'-25" | | | | | | | | | |
| 23 | To 8' | 8'-12" | 12'-19" | 19'-25" | | | | | | | | | | | 75 | To 6' | 6'-10" | 10'-16" | 16'-20" | 20'-24" | 24'-25" | | | | | | | | |
| 24 | To 7' | 7'-11" | 11'-17" | 17'-22" | 22'-25" | | | | | | | | | | 76 | To 6' | 6'-10" | 10'-16" | 16'-21" | 21'-25" | | | | | | | | | |
| 25 | To 8' | 8'-13" | 13'-15" | 15'-25" | | | | | | | | | | | 77 | To 9' | 9'-15" | 15'-20" | 20'-25" | | | | | | | | | | |
| 26 | To 7' | 7'-11" | 11'-14" | 14'-23" | 23'-25" | | | | | | | | | | 78 | To 6' | 6'-10" | 10'-16" | 16'-20" | 20'-24" | 24'-25" | | | | | | | | |
| 27 | To 7' | 7'-11" | 11'-14" | 14'-23" | 23'-25" | | | | | | | | | | 79 | To 6' | 6'-10" | 10'-15" | 15'-20" | 20'-24" | 24'-25" | | | | | | | | |
| 28 | To 6' | 6'-11" | 11'-13" | 13'-23" | 23'-25" | | | | | | | | | | 80 | To 7' | 7'-13" | 13'-18" | 18'-20" | 20'-25" | | | | | | | | | |
| 29 | To 6' | 6'-11" | 11'-13" | 13'-22" | 22'-25" | | | | | | | | | | 81 | To 6' | 6'-12" | 12'-15" | 15'-19" | 19'-24" | 24'-25" | | | | | | | | |
| 30 | To 6' | 6'-10" | 10'-13" | 13'-22" | 22'-25" | | | | | | | | | | 82 | To 7' | 7'-13" | 13'-16" | 16'-20" | 20'-24" | 24'-25" | | | | | | | | |
| 31 | To 8' | 8'-12" | 12'-19" | 19'-23" | 23'-25" | | | | | | | | | | 83 | To 6' | 6'-13" | 13'-15" | 15'-19" | 19'-23" | 23'-25" | | | | | | | | |
| 32 | To 7' | 7'-11" | 11'-18" | 18'-22" | 22'-25" | | | | | | | | | | 84 | To 6' | 6'-13" | 13'-14" | 14'-18" | 18'-22" | 22'-25" | | | | | | | | |
| 33 | To 9' | 9'-12" | 12'-20" | 20'-25" | | | | | | | | | | | 85 | To 12' | 12'-13" | 13'-17" | 17'-21" | 21'-25" | | | | | | | | | |
| 34 | To 7' | 7'-11" | 11'-18" | 18'-23" | 23'-25" | | | | | | | | | | 86 | To 12' | 12'-13" | 13'-17" | 17'-21" | 21'-25" | | | | | | | | | |
| 35 | To 9' | 9'-12" | 12'-20" | 20'-25" | | | | | | | | | | | 87 | To 10' | 10'-12" | 12'-15" | 15'-19" | 19'-24" | 24'-25" | | | | | | | | |
| 36 | To 7' | 7'-11" | 11'-18" | 18'-23" | 23'-25" | | | | | | | | | | 88 | To 7' | 7'-10" | 10'-12" | 12'-14" | 14'-17" | 17'-21" | 21'-25" | | | | | | | |
| 37 | To 7' | 7'-13" | 13'-17" | 17'-21" | 21'-25" | | | | | | | | | | 89 | To 8' | 8'-11" | 11'-12" | 12'-16" | 16'-20" | 20'-24" | 24'-25" | | | | | | | |
| 38 | To 6' | 6'-12" | 12'-16" | 16'-20" | 20'-24" | 24'-25" | | | | | | | | | 90 | To 6' | 6'-9" | 9'-15" | 15'-19" | 19'-23" | 23'-25" | | | | | | | | |
| 39 | To 6' | 6'-12" | 12'-19" | 19'-23" | 23'-25" | | | | | | | | | | 91 | To 12' | 12'-13" | 13'-17" | 17'-21" | 21'-25" | | | | | | | | | |
| 40 | To 11' | 11'-12" | 12'-16" | 16'-20" | 20'-25" | | | | | | | | | | | | | | | | | | | | | | | | |
| 41 | To 10' | 10'-12" | 12'-14" | 14'-18" | 18'-23" | 23'-25" | | | | | | | | | | | | | | | | | | | | | | | |
| 42 | To 9' | 9'-11" | 11'-13" | 13'-18" | 18'-22" | 22'-25" | | | | | | | | | | | | | | | | | | | | | | | |
| 43 | To 7' | 7'-11" | 11'-12" | 12'-15" | 15'-19" | 19'-23" | 23'-25" | | | | | | | | | | | | | | | | | | | | | | |
| 44 | To 18' | 18'-23" | 23'-25" | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 45 | To 14' | 14'-17" | 17'-22" | 22'-25" | | | | | | | | | | | | | | | | | | | | | | | | | |
| 46 | To 14' | 14'-17" | 17'-22" | 22'-25" | | | | | | | | | | | | | | | | | | | | | | | | | |
| 47 | To 14' | 14'-18" | 18'-22" | 22'-25" | | | | | | | | | | | | | | | | | | | | | | | | | |
| 48 | To 13' | 13'-17" | 17'-21" | 21'-25" | | | | | | | | | | | | | | | | | | | | | | | | | |
| 49 | To 12' | 12'-15" | 15'-20" | 20'-25" | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50 | To 13' | 13'-16" | 16'-20" | 20'-25" | | | | | | | | | | | | | | | | | | | | | | | | | |
| 51 | To 12' | 12'-15" | 15'-20" | 20'-25" | | | | | | | | | | | | | | | | | | | | | | | | | |
| 52 | To 12' | 12'-15" | 15'-19" | 19'-25" | | | | | | | | | | | | | | | | | | | | | | | | | |

SLIP BASE NOTES

- Inside Diameter (I.D.) of Sleeve to be no more than $\frac{1}{16}$ " Larger than Outside Diameter (O.D.) of Column.
- Sleeve Bolts to be $\frac{1}{2}$ " # with Locknuts, Steel A. S.T.M.-A 307 Galvanized or Aluminum Assoc. Alloy 2024-T4 or 6061-T6 (ASTM B-211).
- Base Bolts, Nuts and Washers to be ASTM -A 325 High Strength Electroplated Zinc Coating Type LS Applied in Accordance with AST
- An Alternate Cast Base of Aluminum Alloy 356 and T6 Temper in Lieu of the Fabricated Base may be Submitted for Approval by the E
- Used the Stub will be the Same Size as the Column and will be Bolted to the Casting.
- Assemble the Slip Base Connection in the Following Manner: (a) Connect Column to Sleeve Using Two (2) $\frac{1}{2}$ " # Machine Bolts (b) Assemble Plate Using High Strength Bolts with Three (3) Hardened Washers Per Bolt. One Washer Per Bolt and Two (2) Bolt Keeper Plates Go Betw Shim Stack as Required to Plumb the Column (d) Tighten All Bolts The Maximum Possible With a 12" to 15" Wrench to Bed the Washers and Threads. Loosen Each Bolt in Turn and Retighten to the Prescribed Torque (See Table). Bolts Shall be Tightened with Properly Calib Supervision of the Project Engineer (e) Burr Threads at Junction with Nut Using a Center Punch to Prevent Nut Loosening.
- Using Galvanized Steel Shims that are "H" (See Sleeve & Base Plate Details) Minus One Inch (1") Long, Shim a Tight Fit Between the C Face of the Sleeve. Place Shims in all Four Quadrants between the $\frac{1}{2}$ " # Sleeve Bolts.



GENERAL NOTES


1-For Sign Identification Numbers See Sheet Titled "Sign Profile and Identification Numbers." Use the Sign Identification Number and the Required Column Height to Determine The Support Column Size and Footing Size. The Heights Given in the Table are the Maximum Height (From Ground to Bottom of Sign) That A Column Size Can Be Used For A Particular Sign Profile. If the Required Column Height is Not Listed in the Table, The Sign Will Have to be Supported On Multiple Column Type "A" Breakaway Supports.

2-All Columns in the Table Are Aluminum Tube, Given as Outside Diameter Times the Wall Thickness. Size $2 \times \frac{1}{8}$ Thru $4 \times \frac{3}{8}$ Tube are Frangible Supports and Will Be Driven Into The Ground. $4 \times \frac{1}{2}$ Tube is the Maximum Size Frangible Support. Size $4 \times \frac{1}{2}$ Thru $8 \times \frac{1}{2}$ Are Breakaway Supports and Will Have Poured Concrete Footings and Slip Bases.

3-FOOTINGS: Frangible Supports-No Concrete Footing is Required. The Support Column Shall Be Driven Into The Ground To The Depth Indicated. The Portion of The Support Column Which is Driven Into The Ground Shall Be Painted With Cutback Asphalt.

Breakaway Supports-Footings to be Poured Concrete, Size as Shown in Table. The First Dimension Indicates The Diameter of the Footing and the Second Dimension The Depth of the Footing into The Ground. In all Cases the Ground is to be Considered as Undisturbed Earth, Road Material or Properly Compacted Fill.

| COLUMN SIZE | SLEEVE I.D. (MAX) | SLEEVE WALL "T" | SLEEVE HEIGHT | WELD "W" | BASE PLATE L x L x T | RADIUS "R" | BASE BOLT SIZE | BASE BOLT TORQUE FT - lbs | TORQUE INCH - lbs | HOLE SIZE "A" |
|-------------|-------------------|-----------------|---------------|----------|----------------------|------------|----------------|---------------------------|-------------------|---------------|
| 4 x 4 | 4 1/8 | 3/8 | 6" | 3/8 | 8 x 8 x 3/8 | 1/2 | 3/8" x 3" | 53" # | 640" # | 1 1/8 |
| 4 1/2 x 4 | 4 1/8 | 3/8 | 6" | 3/8 | 8 x 8 x 7/8 | 1/2 | 3/8" x 3 1/2" | 53" # | 640" # | 1 1/8 |
| 5 x 4 | 5 1/8 | 3/8 | 7" | 3/8 | 8 x 8 x 7/8 | 1/2 | 3/8" x 3 1/2" | 53" # | 640" # | 1 1/8 |
| 5 1/2 x 4 | 5 1/8 | 3/8 | 7" | 1 1/8 | 8 1/2 x 8 1/2 x 7/8 | 1/2 | 3/4" x 3 1/2" | 78" # | 940" # | 1 3/8 |
| 6 x 4 | 6 1/8 | 3/8 | 8" | 1 1/8 | 9 x 9 x 1 | 1/2 | 3/4" x 3 1/2" | 78" # | 940" # | 1 3/8 |
| 6 1/2 x 4 | 6 1/8 | 3/8 | 8" | 3/4 | 9 1/2 x 9 1/2 x 1 | 1/2 | 3/4" x 3 1/2" | 78" # | 940" # | 1 3/8 |
| 7 x 4 | 7 1/8 | 3/8 | 9" | 3/4 | 10 x 10 x 1 | 1/2 | 3/4" x 3 1/2" | 78" # | 940" # | 1 3/8 |
| 7 1/2 x 4 | 7 1/8 | 3/8 | 9" | 3/4 | 10 1/2 x 10 1/2 x 1 | 1/2 | 7/8" x 3 3/4" | 108" # | 1290" # | 1 3/8 |
| 8 x 4 | 8 1/8 | 3/8 | 10" | 3/4 | 11 x 11 x 1 | 1/2 | 7/8" x 3 3/4" | 108" # | 1290" # | 1 3/8 |



SLIP BASE NOTES

1- Inside Diameter (I.D.) of Sleeve to be no more than Larger than Outside Diameter (O.D.) of Column.
2- Sleeve Bolts to be 3/8" w/ Locknuts, Steel A.S.T.M.-A307 Galvanized or Aluminum Alloy, Alloy 2024-T4 or 6061-T6 (ASTM B-211).
3- Base Bolts, Nuts and Washers to be ASTM-A325 High Strength Electroplated Zinc Coating Type LS Applied in Accordance with ASTM-A164.
4- An Alternate Cost Base of Aluminum Alloy 556 and T6 Temper in Lieu of the Fabricated Base may be Submitted for Approval by the Engineer. If a Cast Base is used, it shall be the responsibility of the Contractor to provide all required testing and certification.
5- Assemble the Slip Base Connection in the Following Manner: (a) Connect Column to Sleeve Using Two (2) 1/2" Machine Bolts; (b) Assemble Top Base Plate to Stub Bolt Using High Strength Bolts with Three (3) Hardened Washers Per Bolt. One Washer Per Bolt and Two (2) Bolt Keeper Plates Go Between the Base Plate(s); (c) Use Shim Stock as Required to Plumb the Column; (d) Tighten All Bolts The Maximum Possible With a 12 to 15" Wrench to Bed the Washers and Shims and to Close the Bolt Keepers; (e) Loosen the Stub Bolt at the Column end and the Top Bolt at the Column End. The Stub Bolt Shall Be Tightened to Bed Properly Calibrated Wrenches Under the Supervision of the Project Engineer; (f) Burr Threads at Junction with Nut Using a Center Punch to Prevent Nut Loosening.
6- Using Galvanized Steel Shims that are "H" (See Sleeve & Base Plate Details) Minus One Inch (1") Long, Shim a Tight Fit Between the Column Face and the Inside Face of the Sleeve. Place Shims in all Four Quadrants between the 3/8" x 1" Sleeve Bolts.

| COL. SIZE | 2 x 1/8 | 2 1/2 x 1/8 | 3 x 1/8 | 3 1/2 x 1/8 | 4 x 1/8 | 4 1/2 x 1/8 | 5 x 1/8 | 5 1/2 x 1/8 | 6 x 1/8 | 6 1/2 x 1/8 | 7 x 1/8 | 7 1/2 x 1/8 | 8 x 1/8 | COL. SIZE | 2 x 1/8 | 2 1/2 x 1/8 | 3 x 1/8 | 3 1/2 x 1/8 | 4 x 1/8 | 4 1/2 x 1/8 | 5 x 1/8 | 5 1/2 x 1/8 | 6 x 1/8 | 6 1/2 x 1/8 | 7 x 1/8 | 7 1/2 x 1/8 | 8 x 1/8 |
|----------------------------|--------------|-------------|---------|-------------|---------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|----------------------------|--------------|-------------|---------|-------------|---------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|
| FOOTING | 0 x 2-0 | 0 x 2-3 | 0 x 2-6 | 0 x 3-4 | 0 x 3-9 | 1-6 x 2-1 | 1-6 x 2-5 | 1-6 x 2-9 | 1-6 x 3-0 | 1-6 x 3-3 | 2-0 x 3-0 | 2-0 x 3-4 | 2-0 x 3-6 | FOOTING | 0 x 2-0 | 0 x 2-3 | 0 x 2-6 | 0 x 3-4 | 0 x 3-9 | 1-6 x 2-1 | 1-6 x 2-5 | 1-6 x 2-9 | 1-6 x 3-0 | 1-6 x 3-3 | 2-0 x 3-0 | 2-0 x 3-4 | 2-0 x 3-6 |
| Sign Identification Number | HEIGHT (FT.) | | | | | | | | | | | | | Sign Identification Number | HEIGHT (FT.) | | | | | | | | | | | | |
| 1 | To 13' | 13'-15' | 15'-19' | 19'-25' | | | | | | | | | | 53 | To 8' | 8'-12' | 12'-14' | 14'-23' | 23'-25' | | | | | | | | |
| 2 | To 11' | 11'-14' | 14'-18' | 18'-25' | | | | | | | | | | 54 | To 7' | 7'-11' | 11'-14' | 14'-22' | 22'-25' | | | | | | | | |
| 3 | To 10' | 10'-13' | 13'-16' | 16'-25' | | | | | | | | | | 55 | To 7' | 7'-11' | 11'-13' | 13'-22' | 22'-25' | | | | | | | | |
| 4 | To 8' | 8'-11' | 11'-18' | 18'-22' | 22'-25' | | | | | | | | | 56 | To 6' | 6'-10' | 10'-13' | 13'-20' | 20'-25' | | | | | | | | |
| 5 | To 6' | 6'-12' | 12'-15' | 15'-19' | 19'-24' | 24'-25' | | | | | | | | 57 | To 6' | 6'-10' | 10'-13' | 13'-20' | 20'-25' | | | | | | | | |
| 6 | To 8' | 8'-12' | 12'-18' | 18'-22' | 22'-25' | | | | | | | | | 58 | To 6' | 6'-10' | 10'-13' | 13'-20' | 20'-25' | | | | | | | | |
| 7 | To 7' | 7'-13' | 13'-15' | 15'-19' | 19'-25' | | | | | | | | | 59 | To 6' | 6'-10' | 10'-13' | 13'-20' | 20'-25' | | | | | | | | |
| 8 | To 14' | 14'-16' | 16'-20' | 20'-25' | | | | | | | | | | 60 | To 9' | 9'-13' | 13'-19' | 19'-23' | 23'-25' | | | | | | | | |
| 9 | To 11' | 11'-14' | 14'-18' | 18'-25' | | | | | | | | | | 61 | To 8' | 8'-11' | 11'-17' | 17'-21' | 21'-25' | | | | | | | | |
| 10 | To 7' | 7'-11' | 11'-13' | 13'-22' | 22'-25' | | | | | | | | | 62 | To 8' | 8'-11' | 11'-17' | 17'-21' | 21'-25' | | | | | | | | |
| 11 | To 8' | 8'-12' | 12'-18' | 18'-22' | 22'-25' | | | | | | | | | 63 | To 8' | 8'-12' | 12'-18' | 18'-22' | 22'-25' | | | | | | | | |
| 12 | To 6' | 6'-13' | 13'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | | 64 | To 7' | 7'-11' | 11'-16' | 16'-20' | 20'-25' | | | | | | | | |
| 13 | To 6' | 6'-11' | 11'-13' | 13'-22' | 22'-25' | | | | | | | | | 65 | To 7' | 7'-11' | 11'-17' | 17'-21' | 21'-25' | | | | | | | | |
| 14 | To 6' | 6'-10' | 10'-13' | 13'-21' | 21'-25' | | | | | | | | | 66 | To 6' | 6'-10' | 10'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | |
| 15 | To 9' | 9'-13' | 13'-19' | 19'-23' | 23'-25' | | | | | | | | | 67 | To 6' | 6'-10' | 10'-15' | 15'-19' | 19'-24' | 24'-25' | | | | | | | |
| 16 | To 8' | 8'-12' | 12'-18' | 18'-22' | 22'-25' | | | | | | | | | 68 | To 6' | 6'-10' | 10'-16' | 16'-20' | 20'-24' | 24'-25' | | | | | | | |
| 17 | To 7' | 7'-12' | 12'-16' | 16'-20' | 20'-24' | 24'-25' | | | | | | | | 69 | To 6' | 6'-9' | 9'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | |
| 18 | To 6' | 6'-12' | 12'-14' | 14'-17' | 17'-22' | 22'-25' | | | | | | | | 70 | To 8' | 8'-14' | 14'-17' | 17'-22' | 22'-25' | | | | | | | | |
| 19 | To 11' | 11'-12' | 12'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | | 71 | To 8' | 8'-14' | 14'-18' | 18'-22' | 22'-25' | | | | | | | | |
| 20 | To 8' | 8'-11' | 11'-12' | 12'-15' | 15'-18' | 18'-22' | 22'-25' | | | | | | | 72 | To 9' | 9'-14' | 14'-18' | 18'-21' | 21'-25' | | | | | | | | |
| 21 | To 9' | 9'-14' | 14'-18' | 18'-22' | 22'-25' | | | | | | | | | 73 | To 8' | 8'-13' | 13'-17' | 17'-21' | 21'-25' | | | | | | | | |
| 22 | To 7' | 7'-13' | 13'-17' | 17'-21' | 21'-25' | | | | | | | | | 74 | To 8' | 8'-13' | 13'-16' | 16'-20' | 20'-24' | 24'-25' | | | | | | | |
| 23 | To 9' | 9'-14' | 14'-18' | 18'-22' | 22'-25' | | | | | | | | | 75 | To 7' | 7'-13' | 13'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | |
| 24 | To 7' | 7'-13' | 13'-17' | 17'-21' | 21'-25' | | | | | | | | | 76 | To 7' | 7'-13' | 13'-15' | 15'-19' | 19'-24' | 24'-25' | | | | | | | |
| 25 | To 6' | 6'-10' | 10'-13' | 13'-20' | 20'-25' | | | | | | | | | 77 | To 6' | 6'-12' | 12'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | |
| 26 | To 8' | 8'-12' | 12'-18' | 18'-22' | 22'-25' | | | | | | | | | 78 | To 7' | 7'-13' | 13'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | |
| 27 | To 8' | 8'-12' | 12'-18' | 18'-22' | 22'-25' | | | | | | | | | 79 | To 7' | 7'-13' | 13'-15' | 15'-18' | 18'-22' | 22'-25' | | | | | | | |
| 28 | To 8' | 8'-12' | 12'-18' | 18'-22' | 22'-25' | | | | | | | | | 80 | To 11' | 11'-13' | 13'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | |
| 29 | To 8' | 8'-11' | 11'-17' | 17'-21' | 21'-25' | | | | | | | | | 81 | To 10' | 10'-12' | 12'-14' | 14'-18' | 18'-22' | 22'-25' | | | | | | | |
| 30 | To 7' | 7'-11' | 11'-17' | 17'-21' | 21'-25' | | | | | | | | | 82 | To 11' | 11'-13' | 13'-15' | 15'-18' | 18'-22' | 22'-25' | | | | | | | |
| 31 | To 8' | 8'-14' | 14'-18' | 18'-22' | 22'-25' | | | | | | | | | 83 | To 10' | 10'-13' | 13'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | |
| 32 | To 8' | 8'-13' | 13'-17' | 17'-21' | 21'-25' | | | | | | | | | 84 | To 9' | 9'-12' | 12'-13' | 13'-17' | 17'-20' | 20'-24' | 24'-25' | | | | | | |
| 33 | To 6' | 6'-9' | 9'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | | 85 | To 9' | 9'-12' | 12'-13' | 13'-16' | 16'-19' | 19'-23' | 23'-25' | | | | | | |
| 34 | To 8' | 8'-14' | 14'-17' | 17'-22' | 22'-25' | | | | | | | | | 86 | To 8' | 8'-11' | 11'-12' | 12'-16' | 16'-19' | 19'-23' | 23'-25' | | | | | | |
| 35 | To 6' | 6'-9' | 9'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | | 87 | To 7' | 7'-10' | 10'-12' | 12'-14' | 14'-18' | 18'-21' | 21'-25' | | | | | | |
| 36 | To 8' | 8'-14' | 14'-17' | 17'-22' | 22'-25' | | | | | | | | | 88 | To 6' | 6'-9' | 9'-12' | 12'-13' | 13'-15' | 15'-19' | 19'-22' | 22'-25' | | | | | |
| 37 | To 11' | 11'-12' | 12'-16' | 16'-20' | 20'-24' | 24'-25' | | | | | | | | 89 | To 8' | 8'-11' | 11'-12' | 12'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | |
| 38 | To 10' | 10'-12' | 12'-14' | 14'-18' | 18'-22' | 22'-25' | | | | | | | | 90 | To 7' | 7'-13' | 13'-14' | 14'-18' | 18'-22' | 22'-25' | | | | | | | |
| 39 | To 9' | 9'-12' | 12'-13' | 13'-17' | 17'-21' | 21'-25' | | | | | | | | 91 | To 9' | 9'-12' | 12'-13' | 13'-16' | 16'-19' | 19'-23' | 23'-25' | | | | | | |
| 40 | To 8' | 8'-11' | 11'-12' | 12'-15' | 15'-18' | 18'-22' | 22'-25' | | | | | | | | | | | | | | | | | | | | |
| 41 | To 6' | 6'-9' | 9'-12' | 12'-13' | 13'-17' | 17'-20' | 20'-24' | 24'-25' | | | | | | | | | | | | | | | | | | | |
| 42 | To 6' | 6'-9' | 9'-11' | 11'-12' | 12'-16' | 16'-20' | 20'-24' | 24'-25' | | | | | | | | | | | | | | | | | | | |
| 43 | To 7' | 7'-10' | 10'-11' | 11'-13' | 13'-17' | 17'-21' | 21'-24' | 24'-25' | | | | | | | | | | | | | | | | | | | |
| 44 | To 15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | | | | | | | | | | | | | | | | | |
| 45 | To 11' | 11'-14' | 14'-18' | 18'-25' | | | | | | | | | | | | | | | | | | | | | | | |
| 46 | To 11' | 11'-14' | 14'-18' | 18'-25' | | | | | | | | | | | | | | | | | | | | | | | |
| 47 | To 11' | 11'-14' | 14'-18' | 18'-25' | | | | | | | | | | | | | | | | | | | | | | | |
| 48 | To 10' | 10'-13' | 13'-17' | 17'-25' | | | | | | | | | | | | | | | | | | | | | | | |
| 49 | To 9' | 9'-14' | 14'-16' | 16'-25' | | | | | | | | | | | | | | | | | | | | | | | |
| 50 | To 9' | 9'-13' | 13'-16' | 16'-25' | | | | | | | | | | | | | | | | | | | | | | | |
| 51 | To 9' | 9'-14' | 14'-16' | 16'-25' | | | | | | | | | | | | | | | | | | | | | | | |
| 52 | To 9' | 9'-13' | 13'-15' | 15'-24' | 24'-25' | | | | | | | | | | | | | | | | | | | | | | |

SLIP BASE NOTES

1- Inside Diameter (I.D.) of Sleeve to be no more than 1/8" Larger than Outside Diameter (O.D.) of Column.

2- Sleeve Bolts to be 1/2" #4 with Locknuts, Steel, A 316, A 307, Galvanized or Aluminum Assoc. Alloy 2024-T4 or 5061-T6 (ASTM B-211).


3- Base Bolts, Nuts and Washers to be ASTM A 325 High Strength Electroplated Zinc Coating Type 1-5 Applied in Accordance with A STI.

4- An Alternate Cast Base of Aluminum Alloy 356 and T6 Temper in Lieu of the Fabricated Base may be Submitted for Approval by the E.

Used the Stub will be the Same Size as the Column and will be Bolted to the Casting.

5- Assemble the Slip Base Connection in the Following Manner (a) Connect Column to Sleeve Using Two (2) 1/2" #4 Machine Bolts (b) Assemble Plate Using High Strength Bolts with Three (3) Hardened Washers Per Bolt, One Washer Per Bolt and Two (2) Bolt Keeper Plates Go Between Shim Stock as Required to Plumb the Column (d) Tighten All Bolts The Maximum Possible With a 12" to 15" Wrench to Bed the Washers and Threads, Loosen Each Bolt in Turn and Re-tighten to the Prescribed Torque (See Table). Bolts Shall be Tightened with Properly Calibrated Supervision of the Project Engineer (e) Burr Threads at Junction with Nut Using a Center Punch to Prevent Nut Loosening.

6- Using Galvanized Steel Shims that are 1/4" (See Sleeve & Base Plate Details) Minus One Inch (1") Long, Shim a Tight Fit Between the Column Face of the Sleeve. Place Shims in all Four Quadrants between the 1/2" #4 Sleeve Bolts.




GENERAL NOTES

- For Sign Identification Numbers See Sheet Titled "Sign Profile and Identification Numbers". Use the Sign Identification Number and the Required Column Height to Determine the Support Column Size and Footing Size. The Heights Given in the Table are the Maximum Height (From Ground to Bottom of Sign) That a Column Size Can Be Used For a Particular Sign Profile. If the Required Column Height is Not Listed in the Table, the Sign Will Have to be Supported on Multiple Column Type "A" Breakaway Supports.
 - All Columns in the Table are Aluminum Tube, Given as Outside Diameter Times the Wall Thickness. Size 2 x 1/8 Thru 4 x 1/8 Tube are Frangible Supports and Will be Driven into the Ground. 4 x 1/8 Tube is the Maximum Size Frangible Support. Size 4 x 1/8 Thru 8 x 1/8 are Breakaway Supports and Will Have Poured Concrete Footings and Slip Bases.
 - FOOTINGS: Frangible Supports-No Concrete Footing is Required. The Support Column Shall be Driven into the Ground To the Depth Indicated. The Portion of the Support Column Which is Driven into the Ground Shall be Painted With Outback Asphalt - Grade RC-70.
- Breakaway Supports - Footings to be Poured Concrete. Size as Shown in Table. The First Dimension Indicates The Diameter of the Footing and the Second Dimension the Depth of the Footing into the Ground. In all Cases the Ground is to be Considered as Undisturbed Earth, Road Material or Properly Compacted Fill.

SLIP BASE DETAILS

| COLUMN SIZE | SLEEVE I.D. (MAX) | SLEEVE WALL THICK | SLEEVE HEIGHT | WELD "W" | BASE PLATE L x L x T | RADIUS "R" | BASE BOLT SIZE | BASE BOLT TORQUE FT-LBS | HOLE SIZE "A" |
|-------------|-------------------|-------------------|---------------|----------|----------------------|------------|----------------|-------------------------|---------------|
| 4 x 1/8 | 4 1/8 | 3/8 | 6" | 3/8 | 8 x 8 x 1/2 | 1/2 | 3/4" x 3" | 53'* | 640"* |
| 4 1/2 x 1/8 | 4 1/2 | 3/8 | 6" | 3/8 | 8 x 8 x 1/2 | 1/2 | 3/4" x 3 1/2" | 53'* | 640"* |
| 5 x 1/8 | 5 1/8 | 3/8 | 7" | 3/8 | 8 x 8 x 1/2 | 1/2 | 3/4" x 3 1/2" | 53'* | 640"* |
| 5 1/2 x 1/8 | 5 1/2 | 3/8 | 7" | 3/8 | 8 1/2 x 8 1/2 x 1/2 | 1/2 | 3/4" x 3 1/2" | 78'* | 940"* |
| 6 x 1/8 | 6 1/8 | 3/8 | 8" | 3/8 | 9 x 9 x 1 | 1/2 | 3/4" x 3 1/2" | 78'* | 940"* |
| 6 1/2 x 1/8 | 6 1/2 | 3/8 | 8" | 3/8 | 9 1/2 x 9 1/2 x 1 | 1/2 | 3/4" x 3 1/2" | 78'* | 940"* |
| 7 x 1/8 | 7 1/8 | 3/8 | 9" | 3/8 | 10 x 10 x 1 | 1/2 | 3/4" x 3 1/2" | 78'* | 940"* |
| 7 1/2 x 1/8 | 7 1/2 | 3/8 | 9" | 3/8 | 10 1/2 x 10 1/2 x 1 | 1/2 | 3/4" x 3 1/2" | 106'* | 1290"* |
| 8 x 1/8 | 8 1/8 | 3/8 | 10" | 3/8 | 11 x 11 x 1 | 1/2 | 3/4" x 3 1/2" | 106'* | 1290"* |



BASE DETAIL

SLIP BASE NOTES

- Inside Diameter (I.D.) of Sleeve to be no more than 1/8" Larger than Outside Diameter (O.D.) of Column.
- Sleeve Bolts to be 1/2" with Locknuts, Steel A.S.T.M.-A307 Galvanized or Aluminum Assoc. Alloy 2024-T4 or 6061-T6 (ASTM B-211).
- Base Bolts, Nuts and Washers to be ASTM - A325 High Strength Electroplated Zinc Coating Type LS Applied in Accordance with ASTM - A164.
- An Alternate Cast Base of Aluminum Alloy 356 and T5 Temper in Lieu of the Fabricated Base may be Submitted for Approval by the Engineer. If a Cast Base is Used the Stub will be the Same Size as the Column and will be Bolted to the Casting.
- Assemble the Slip Base Connection

| COL. SIZE | 2 x 1/2 | 2 1/2 x 1/2 | 3 x 1/2 | 3 1/2 x 1/2 | 4 x 1/2 | 4 1/2 x 1/2 | 5 x 1/2 | 5 1/2 x 1/2 | 6 x 1/2 | 6 1/2 x 1/2 | 7 x 1/2 | 7 1/2 x 1/2 | 8 x 1/2 | COL. SIZE | 2 x 1/2 | 2 1/2 x 1/2 | 3 x 1/2 | 3 1/2 x 1/2 | 4 x 1/2 | 4 1/2 x 1/2 | 5 x 1/2 | 5 1/2 x 1/2 | 6 x 1/2 | 6 1/2 x 1/2 | 7 x 1/2 | 7 1/2 x 1/2 | 8 x 1/2 | | |
|----------------------------|--------------|-------------|---------|-------------|---------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|----------------------------|--------------|-------------|---------|-------------|---------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-----------|-----------|
| FOOTING | 0 x 2-0 | 0 x 2-3 | 0 x 2-6 | 0 x 3-4 | 0 x 3-9 | 1-6 x 2-1 | 1-6 x 2-5 | 1-6 x 2-9 | 1-6 x 3-0 | 1-6 x 3-3 | 2-0 x 3-0 | 2-0 x 3-4 | 2-0 x 3-6 | 2-0 x 4-0 | FOOTING | 0 x 2-0 | 0 x 2-3 | 0 x 2-6 | 0 x 3-4 | 0 x 3-9 | 1-6 x 2-1 | 1-6 x 2-5 | 1-6 x 2-9 | 1-6 x 3-0 | 1-6 x 3-3 | 2-0 x 3-0 | 2-0 x 3-4 | 2-0 x 3-6 | 2-0 x 4-0 |
| Sign Identification Number | HEIGHT (FT.) | | | | | | | | | | | | | Sign Identification Number | HEIGHT (FT.) | | | | | | | | | | | | | | |
| 1 | To 10' | 10'-13' | 13'-16' | 16'-25' | | | | | | | | | | 53 | To 6' | 6'-10' | 10'-13' | 13'-19' | 19'-22' | 22'-25' | | | | | | | | | |
| 2 | To 8' | 8'-13' | 13'-15' | 15'-23' | 23'-25' | | | | | | | | | 54 | To 9' | 9'-12' | 12'-18' | 18'-21' | 21'-25' | | | | | | | | | | |
| 3 | To 7' | 7'-11' | 11'-13' | 13'-21' | 21'-25' | | | | | | | | | 55 | To 9' | 9'-12' | 12'-18' | 18'-22' | 22'-25' | | | | | | | | | | |
| 4 | | To 9' | 9'-14' | 14'-18' | 18'-21' | 21'-25' | | | | | | | | 56 | To 7' | 7'-11' | 11'-16' | 16'-20' | 20'-24' | 24'-25' | | | | | | | | | |
| 5 | | To 11' | 11'-12' | 12'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | 57 | To 7' | 7'-10' | 10'-16' | 16'-19' | 19'-23' | 23'-25' | | | | | | | | | |
| 6 | To 6' | 6'-9' | 9'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | | 58 | To 7' | 7'-11' | 11'-16' | 16'-20' | 20'-24' | 24'-25' | | | | | | | | | |
| 7 | | To 11' | 11'-13' | 13'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | 59 | To 7' | 7'-10' | 10'-16' | 16'-20' | 20'-23' | 23'-25' | | | | | | | | | |
| 8 | To 11' | 11'-14' | 14'-17' | 17'-25' | | | | | | | | | | 60 | To 7' | 7'-10' | 10'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | | | |
| 9 | To 9' | 9'-13' | 13'-15' | 15'-23' | 23'-25' | | | | | | | | | 61 | To 6' | 6'-8' | 8'-13' | 13'-17' | 17'-21' | 21'-24' | 24'-25' | | | | | | | | |
| 10 | To 9' | 9'-12' | 12'-18' | 18'-22' | 22'-25' | | | | | | | | | 62 | To 6' | 6'-8' | 8'-13' | 13'-17' | 17'-21' | 21'-24' | 24'-25' | | | | | | | | |
| 11 | To 6' | 6'-9' | 9'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | | 63 | To 6' | 6'-9' | 9'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | | | |
| 12 | | To 9' | 9'-13' | 13'-14' | 14'-17' | 17'-20' | 20'-24' | 24'-25' | | | | | | 64 | To 8' | 8'-14' | 14'-16' | 16'-20' | 20'-24' | 24'-25' | | | | | | | | | |
| 13 | To 8' | 8'-12' | 12'-18' | 18'-21' | 21'-25' | | | | | | | | | 65 | To 8' | 8'-13' | 13'-16' | 16'-20' | 20'-24' | 24'-25' | | | | | | | | | |
| 14 | To 7' | 7'-11' | 11'-17' | 17'-20' | 20'-24' | 24'-25' | | | | | | | | 66 | To 7' | 7'-13' | 13'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | | | |
| 15 | To 7' | 7'-10' | 10'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | | 67 | To 7' | 7'-13' | 13'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | | | |
| 16 | To 6' | 6'-9' | 9'-15' | 15'-18' | 18'-22' | 22'-25' | | | | | | | | 68 | To 7' | 7'-12' | 12'-16' | 16'-19' | 19'-23' | 23'-25' | | | | | | | | | |
| 17 | | To 11' | 11'-12' | 12'-16' | 16'-19' | 19'-23' | 23'-25' | | | | | | | 69 | To 7' | 7'-13' | 13'-15' | 15'-18' | 18'-22' | 22'-25' | | | | | | | | | |
| 18 | To 9' | 9'-12' | 12'-13' | 13'-17' | 17'-21' | 21'-25' | | | | | | | | 70 | To 6' | 6'-12' | 12'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | | | |
| 19 | To 8' | 8'-11' | 11'-12' | 12'-15' | 15'-18' | 18'-22' | 22'-25' | | | | | | | 71 | To 6' | 6'-13' | 13'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | | | |
| 20 | | To 8' | 8'-10' | 10'-12' | 12'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | 72 | To 6' | 6'-13' | 13'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | | | |
| 21 | To 6' | 6'-12' | 12'-14' | 14'-18' | 18'-22' | 22'-25' | | | | | | | | 73 | To 6' | 6'-12' | 12'-13' | 13'-17' | 17'-20' | 20'-24' | 24'-25' | | | | | | | | |
| 22 | | To 12' | 12'-13' | 13'-16' | 16'-20' | 20'-24' | 24'-25' | | | | | | | 74 | To 12' | 12'-13' | 13'-16' | 16'-19' | 19'-23' | 23'-25' | | | | | | | | | |
| 23 | To 6' | 6'-12' | 12'-14' | 14'-18' | 18'-22' | 22'-25' | | | | | | | | 75 | To 11' | 11'-13' | 13'-15' | 15'-18' | 18'-22' | 22'-25' | | | | | | | | | |
| 24 | | To 12' | 12'-13' | 13'-16' | 16'-20' | 20'-24' | 24'-25' | | | | | | | 76 | To 11' | 11'-13' | 13'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | | | |
| 25 | To 7' | 7'-11' | 11'-16' | 16'-20' | 20'-24' | 24'-25' | | | | | | | | 77 | To 10' | 10'-12' | 12'-14' | 14'-18' | 18'-22' | 22'-25' | | | | | | | | | |
| 26 | To 6' | 6'-9' | 9'-15' | 15'-18' | 18'-22' | 22'-25' | | | | | | | | 78 | To 11' | 11'-13' | 13'-15' | 15'-18' | 18'-22' | 22'-25' | | | | | | | | | |
| 27 | To 6' | 6'-9' | 9'-15' | 15'-18' | 18'-22' | 22'-25' | | | | | | | | 79 | To 10' | 10'-13' | 13'-14' | 14'-18' | 18'-22' | 22'-25' | | | | | | | | | |
| 28 | To 6' | 6'-9' | 9'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | | 80 | To 8' | 8'-11' | 11'-13' | 13'-15' | 15'-18' | 18'-22' | 22'-25' | | | | | | | | |
| 29 | To 8' | 8'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | | | 81 | To 7' | 7'-10' | 10'-12' | 12'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | | |
| 30 | To 8' | 8'-13' | 13'-17' | 17'-20' | 20'-24' | 24'-25' | | | | | | | | 82 | To 8' | 8'-11' | 11'-13' | 13'-14' | 14'-18' | 18'-21' | 21'-25' | | | | | | | | |
| 31 | To 6' | 6'-13' | 13'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | | 83 | To 7' | 7'-10' | 10'-13' | 13'-14' | 14'-17' | 17'-20' | 20'-24' | 24'-25' | | | | | | | |
| 32 | To 6' | 6'-12' | 12'-13' | 13'-17' | 17'-20' | 20'-24' | 24'-25' | | | | | | | 84 | To 6' | 6'-9' | 9'-12' | 12'-13' | 13'-16' | 16'-19' | 19'-23' | 23'-25' | | | | | | | |
| 33 | To 7' | 7'-12' | 12'-15' | 15'-19' | 19'-22' | 22'-25' | | | | | | | | 85 | To 6' | 6'-9' | 9'-11' | 11'-13' | 13'-15' | 15'-19' | 19'-22' | 22'-25' | | | | | | | |
| 34 | To 6' | 6'-12' | 12'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | | 86 | To 6' | 6'-8' | 8'-11' | 11'-12' | 12'-15' | 15'-18' | 18'-22' | 22'-25' | | | | | | | |
| 35 | To 7' | 7'-12' | 12'-15' | 15'-19' | 19'-22' | 22'-25' | | | | | | | | 87 | To 7' | 7'-10' | 10'-12' | 12'-13' | 13'-17' | 17'-20' | 20'-24' | 24'-25' | | | | | | | |
| 36 | To 6' | 6'-12' | 12'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | | 88 | To 6' | 6'-9' | 9'-12' | 12'-13' | 13'-14' | 14'-17' | 17'-20' | 20'-23' | 23'-25' | | | | | | |
| 37 | To 8' | 8'-11' | 11'-12' | 12'-15' | 15'-19' | 19'-23' | 23'-25' | | | | | | | 89 | To 7' | 7'-10' | 10'-11' | 11'-13' | 13'-16' | 16'-19' | 19'-22' | 22'-25' | | | | | | | |
| 38 | To 7' | 7'-10' | 10'-13' | 13'-16' | 16'-20' | 20'-24' | 24'-25' | | | | | | | 90 | To 10' | 10'-13' | 13'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | | | |
| 39 | To 7' | 7'-10' | 10'-12' | 12'-13' | 13'-17' | 17'-20' | 20'-24' | 24'-25' | | | | | | 91 | To 6' | 6'-9' | 9'-11' | 11'-13' | 13'-15' | 15'-18' | 18'-22' | 22'-25' | | | | | | | |
| 40 | | To 8' | 8'-10' | 10'-12' | 12'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | | | | | | | | | | | | | | | | | |
| 41 | | To 7' | 7'-9' | 9'-12' | 12'-13' | 13'-16' | 16'-19' | 19'-23' | 23'-25' | | | | | | | | | | | | | | | | | | | | |
| 42 | | To 6' | 6'-8' | 8'-11' | 11'-12' | 12'-15' | 15'-18' | 18'-22' | 22'-25' | | | | | | | | | | | | | | | | | | | | |
| 43 | | To 7' | 7'-9' | 9'-11' | 11'-13' | 13'-16' | 16'-19' | 19'-22' | 22'-25' | | | | | | | | | | | | | | | | | | | | |
| 44 | To 13' | 13'-16' | 16'-19' | 19'-25' | | | | | | | | | | | | | | | | | | | | | | | | | |
| 45 | To 9' | 9'-13' | 13'-15' | 15'-22' | 22'-25' | | | | | | | | | | | | | | | | | | | | | | | | |
| 46 | To 9' | 9'-13' | 13'-15' | 15'-22' | 22'-25' | | | | | | | | | | | | | | | | | | | | | | | | |
| 47 | To 9' | 9'-13' | 13'-15' | 15'-23' | 23'-25' | | | | | | | | | | | | | | | | | | | | | | | | |
| 48 | To 8' | 8'-12' | 12'-14' | 14'-22' | 22'-25' | | | | | | | | | | | | | | | | | | | | | | | | |
| 49 | To 7' | 7'-11' | 11'-14' | 14'-21' | 21'-25' | | | | | | | | | | | | | | | | | | | | | | | | |
| 50 | To 7' | 7'-11' | 11'-13' | 13'-21' | 21'-25' | | | | | | | | | | | | | | | | | | | | | | | | |
| 51 | To 7' | 7'-11' | 11'-14' | 14'-20' | 20'-25' | | | | | | | | | | | | | | | | | | | | | | | | |
| 52 | To 6' | 6'-10' | 10'-13' | 13'-20' | 20'-25' | | | | | | | | | | | | | | | | | | | | | | | | |

SLIP BASE NOTES

1- Inside Diameter (I.D.) of Sleeve to be no more than 1/8" Larger than Outside Diameter (O.D.) of Column.

2- Sleeve Bolts to be 1/2" #8 with Locknuts, Steel A.S.T.M.-A307 Galvanized or Aluminum Assoc. Alloy 2024-T4 or 6061-T6 (ASTM B-211).


3- Base Bolts, Nuts and Washers to be ASTM-A325 High Strength Electroplated Zinc Coating Type L.S. Applied in Accordance with A.S.T.M. A-153.

4- An Alternate Cast Base of Aluminum Alloy 356 and T6 Temper in Lieu of the Fabricated Base may be Submitted for Approval by the Engineer.

5- Use the Slip will be the Same Size as the Column and will be Bolted to the Casting.

6- Assemble the Slip Base Connection in the Following Manner: (a) Connect Column to Sleeve Using Two (2) 1/2" #8 Machine Bolts (b) Assemble Plate Using High Strength Bolts with Three (3) Hardened Washers Per Bolt. One Washer Per Bolt and Two (2) Bolt Keeper Plates Go Between Shim Stock as Required to Plumb the Column (d) Tighten All Bolts The Maximum Possible With a 12" to 15" Wrench to Bed the Washers and Threads, Loosen Each Bolt in Turn and Retighten to the Prescribed Torque (See Table). Bolts Shall be Tightened with Properly Calibrated Supervision of the Project Engineer (e) Burr Threads at Junction with Nut Using a Center Punch to Prevent Nut Loosening.

7- Using Galvanized Steel Shims that are "H" (See Sleeve & Base Plate Details) Minus One Inch (1") Long, Shim a Tight Fit Between the End Face of the Sleeve. Place Shims in all Four Quadrants between the 1/2" #8 Sleeve Bolts.



GENERAL NOTES

1-For Sign Identification Numbers See Sheet Titled "Sign Profile and Identification Numbers". Use the Sign Identification Number and the Required Column Height to Determine the Support Column Size and Footing Size. The Heights Given in the Table are the Maximum Height (From Ground to Bottom of Sign) That A Column Size Can Be Used For A Particular Sign Profile. If the Required Column Height is Not Listed in the Table, The Sign Will Have to be Supported on Multiple Column Type "A" Breakaway Supports.

2-All Columns in the Table Are Aluminum Tube, Given as Outside Diameter Times the Wall Thickness. Size 2 x 1/2 Thru 4 x 1/2 Tube are Frangible Supports and Will Be Driven into the Ground. 4 x 1/2 Tube is The Maximum Size Frangible Support. Size 4 x 1/2 Thru 8 x 1/2 Are Breakaway Supports and Will Have Poured Concrete Footings and Slip Bases.

3-FOOTINGS: Frangible Supports-No Concrete Footing is Required. The Support Column Shall Be Driven into the Ground To The Depth Indicated. The Portion of the Support Column Which is Driven into the Ground Shall Be Painted With Cutback Asphalt - Grade RC-70.

Breakaway Supports - Footings to be Poured Concrete. Size as Shown in Table. The First Dimension Indicates The Diameter of the Footing and the Second Dimension the Depth of the Footing into the Ground. In all Cases the Ground is to be Considered as Undisturbed Earth, Road Material or Properly Compacted Fill.

| SLIP BASE DETAILS | | | | | | | | | |
|-------------------|-------------------|-----------------|---------------|----------|----------------------|------------|----------------|-------------------------|---------------|
| COLUMN SIZE | SLEEVE I.D. (MAX) | SLEEVE WALL "T" | SLEEVE HEIGHT | WELD "W" | BASE PLATE L x L x T | RADIUS "R" | BASE BOLT SIZE | BASE BOLT TORQUE FT-lbs | HOLE SIZE "A" |
| 4 x 1/2 | 4 1/8 | 3/8 | 6" | 3/8 | 8 x 8 x 3/8 | 1/2 | 3/4" x 3" | 53" | 640" |
| 4 1/2 x 1/2 | 4 7/8 | 3/8 | 6" | 3/8 | 8 x 8 x 3/8 | 1/2 | 3/4" x 3 1/2" | 53" | 640" |
| 5 x 1/2 | 5 1/8 | 3/8 | 7" | 3/8 | 8 x 8 x 3/8 | 1/2 | 3/4" x 3 1/2" | 53" | 640" |
| 5 1/2 x 1/2 | 5 5/8 | 3/8 | 7" | 3/8 | 8 x 8 x 3/8 | 1/2 | 3/4" x 3 1/2" | 78" | 940" |
| 6 x 1/2 | 6 1/8 | 3/8 | 8" | 3/8 | 9 x 9 x 1 | 1/2 | 3/4" x 3 1/2" | 78" | 940" |
| 6 1/2 x 1/2 | 6 5/8 | 3/8 | 8" | 3/8 | 9 x 9 x 1 1/2 | 1/2 | 3/4" x 3 1/2" | 78" | 940" |
| 7 x 1/2 | 7 1/8 | 3/8 | 9" | 3/8 | 10 x 10 x 1 | 1/2 | 3/4" x 3 1/2" | 78" | 940" |
| 7 1/2 x 1/2 | 7 5/8 | 3/8 | 9" | 3/8 | 10 x 10 x 1 1/2 | 1/2 | 3/4" x 3 1/2" | 108" | 1290" |
| 8 x 1/2 | 8 1/8 | 3/8 | 10" | 3/8 | 11 x 11 x 1 | 1/2 | 3/4" x 3 1/2" | 108" | 1290" |

BASE DETAIL

High Strength Base Bolt
 Add Shims as Req'd. - See Note #6
 High Strength Washer
 Sleeve Bolt
 Base Plate
 Keeper Plate
 Stub
 Depth of Footing
 Diameter

SLEEVE & BASE PLATE DETAILS

Column
 Add Shims as Req'd. - See Note #6
 Sleeve Bolt
 Sleeve
 Base Plate
 Keeper Plate
 Radius "R"
 15°
 Slots - Left Shoulder
 Direction of Traffic
 Slots - Right Shoulder
 Stub Length Equals Depth of Footing
 Stub Size Equals Min. Sleeve Size or Larger

STUB DETAIL


20 GA. or 0.040" Thick Alum. Strip - 2 Req'd. Per Base

80 M.P.H. WIND LOADING

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
 STRUCTURES

SINGLE COLUMN G

| COL. SIZE | | | | | | | | | | | | | | | | | COL. SIZE | | | | | | | | | | | | | | | | | |
|--------------|----|-----|---------|---------|---------|---------|---------|---------|---------|---------|--|--|--|--|--|--|--------------|----|----|--------|---------|---------|---------|---------|---------|---------|---------|---------|--|--|--|--|--|--|
| FOOTING | | | | | | | | | | | | | | | | | FOOTING | | | | | | | | | | | | | | | | | |
| HEIGHT (FT.) | | | | | | | | | | | | | | | | | HEIGHT (FT.) | | | | | | | | | | | | | | | | | |
| 1 | To | 8' | 8'-12" | 12'-14" | 14'-21" | 21'-25" | | | | | | | | | | | 53 | To | 8' | 8'-11" | 11'-16" | 16'-19" | 19'-22" | 22'-25" | | | | | | | | | | |
| 2 | To | 7' | 7'-10" | 10'-13" | 13'-19" | 19'-22" | 22'-25" | | | | | | | | | | | 54 | To | 7' | 7'-10" | 10'-15" | 15'-18" | 18'-21" | 21'-25" | | | | | | | | | |
| 3 | To | 9' | 9'-12" | 12'-18" | 18'-21" | 21'-25" | | | | | | | | | | | | 55 | To | 7' | 7'-10" | 10'-15" | 15'-18" | 18'-22" | 22'-25" | | | | | | | | | |
| 4 | To | 6' | 6'-12" | 12'-14" | 14'-18" | 18'-21" | 21'-25" | | | | | | | | | | | 56 | To | 6' | 6'-8" | 8'-13" | 13'-17" | 17'-20" | 20'-24" | 24'-25" | | | | | | | | |
| 5 | To | 8' | 8'-11" | 11'-12" | 12'-15" | 15'-19" | 19'-23" | 23'-25" | | | | | | | | | | 57 | To | 6' | 6'-8" | 8'-14" | 14'-16" | 16'-20" | 20'-23" | 23'-25" | | | | | | | | |
| 6 | To | 7' | 7'-13" | 13'-14" | 14'-18" | 18'-21" | 21'-25" | | | | | | | | | | | 58 | To | 6' | 6'-8" | 8'-13" | 13'-17" | 17'-20" | 20'-24" | 24'-25" | | | | | | | | |
| 7 | To | 8' | 8'-11" | 11'-13" | 13'-15" | 15'-19" | 19'-23" | 23'-25" | | | | | | | | | | 59 | To | 8' | 8'-13" | 13'-16" | 16'-20" | 20'-23" | 23'-25" | | | | | | | | | |
| 8 | To | 9' | 9'-13" | 13'-15" | 15'-21" | 21'-25" | | | | | | | | | | | | 60 | To | 8' | 8'-13" | 13'-16" | 16'-19" | 19'-23" | 23'-25" | | | | | | | | | |
| 9 | To | 7' | 7'-11" | 11'-14" | 14'-19" | 19'-23" | 23'-25" | | | | | | | | | | | 61 | To | 7' | 7'-13" | 13'-14" | 14'-17" | 17'-21" | 21'-25" | | | | | | | | | |
| 10 | To | 7' | 7'-10" | 10'-15" | 15'-18" | 18'-22" | 22'-25" | | | | | | | | | | | 62 | To | 7' | 7'-13" | 13'-14" | 14'-17" | 17'-21" | 21'-25" | | | | | | | | | |
| 11 | To | 7' | 7'-13" | 13'-14" | 14'-18" | 18'-21" | 21'-25" | | | | | | | | | | | 63 | To | 7' | 7'-13" | 13'-14" | 14'-18" | 18'-21" | 21'-25" | | | | | | | | | |
| 12 | To | 7' | 7'-10" | 10'-13" | 13'-14" | 14'-17" | 17'-20" | 20'-24" | 24'-25" | | | | | | | | | 64 | To | 6' | 6'-12" | 12'-14" | 14'-16" | 16'-20" | 20'-24" | 24'-25" | | | | | | | | |
| 13 | To | 6' | 6'-9" | 9'-14" | 14'-18" | 18'-21" | 21'-25" | | | | | | | | | | | 65 | To | 6' | 6'-12" | 12'-13" | 13'-17" | 17'-20" | 20'-24" | 24'-25" | | | | | | | | |
| 14 | To | 6' | 6'-9" | 9'-14" | 14'-17" | 17'-20" | 20'-24" | 24'-25" | | | | | | | | | | 66 | To | 11' | 11'-13" | 13'-15" | 15'-19" | 19'-23" | 23'-25" | | | | | | | | | |
| 15 | To | 8' | 8'-13" | 13'-16" | 16'-19" | 19'-23" | 23'-25" | | | | | | | | | | | 67 | To | 11' | 11'-13" | 13'-16" | 16'-19" | 19'-23" | 23'-25" | | | | | | | | | |
| 16 | To | 7' | 7'-13" | 13'-15" | 15'-18" | 18'-22" | 22'-25" | | | | | | | | | | | 68 | To | 12' | 12'-13" | 13'-16" | 16'-19" | 19'-24" | 24'-25" | | | | | | | | | |
| 17 | To | 9' | 9'-12" | 12'-13" | 13'-16" | 16'-20" | 20'-24" | 24'-25" | | | | | | | | | | 69 | To | 11' | 11'-13" | 13'-15" | 15'-18" | 18'-22" | 22'-25" | | | | | | | | | |
| 18 | To | 7' | 7'-10" | 10'-12" | 12'-14" | 14'-17" | 17'-21" | 21'-25" | | | | | | | | | | 70 | To | 10' | 10'-12" | 12'-14" | 14'-17" | 17'-21" | 21'-25" | | | | | | | | | |
| 19 | To | 6' | 6'-8" | 8'-11" | 11'-12" | 12'-15" | 15'-18" | 18'-22" | 22'-25" | | | | | | | | | 71 | To | 10' | 10'-13" | 13'-14" | 14'-18" | 18'-21" | 21'-25" | | | | | | | | | |
| 20 | To | 6' | 6'-8" | 8'-11" | 11'-12" | 12'-14" | 14'-17" | 17'-20" | 20'-24" | 24'-25" | | | | | | | | 72 | To | 10' | 10'-13" | 13'-14" | 14'-17" | 17'-21" | 21'-25" | | | | | | | | | |
| 21 | To | 10' | 10'-12" | 12'-14" | 14'-18" | 18'-22" | 22'-25" | | | | | | | | | | | 73 | To | 9' | 9'-12" | 12'-13" | 13'-17" | 17'-21" | 21'-25" | | | | | | | | | |
| 22 | To | 9' | 9'-12" | 12'-13" | 13'-17" | 17'-20" | 20'-24" | 24'-25" | | | | | | | | | | 74 | To | 9' | 9'-12" | 12'-13" | 13'-16" | 16'-19" | 19'-23" | 23'-25" | | | | | | | | |
| 23 | To | 10' | 10'-12" | 12'-14" | 14'-18" | 18'-22" | 22'-25" | | | | | | | | | | | 75 | To | 8' | 8'-11" | 11'-13" | 13'-15" | 15'-18" | 18'-22" | 22'-25" | | | | | | | | |
| 24 | To | 9' | 9'-12" | 12'-13" | 13'-17" | 17'-20" | 20'-24" | 24'-25" | | | | | | | | | | 76 | To | 8' | 8'-11" | 11'-13" | 13'-15" | 15'-19" | 19'-23" | 23'-25" | | | | | | | | |
| 25 | To | 6' | 6'-8" | 8'-13" | 13'-17" | 17'-20" | 20'-24" | 24'-25" | | | | | | | | | | 77 | To | 8' | 8'-11" | 11'-12" | 12'-15" | 15'-18" | 18'-22" | 22'-25" | | | | | | | | |
| 26 | To | 7' | 7'-13" | 13'-15" | 15'-18" | 18'-22" | 22'-25" | | | | | | | | | | | 78 | To | 8' | 8'-11" | 11'-13" | 13'-15" | 15'-18" | 18'-22" | 22'-25" | | | | | | | | |
| 27 | To | 7' | 7'-13" | 13'-15" | 15'-18" | 18'-22" | 22'-25" | | | | | | | | | | | 79 | To | 8' | 8'-11" | 11'-13" | 13'-15" | 15'-18" | 18'-22" | 22'-25" | | | | | | | | |
| 28 | To | 7' | 7'-13" | 13'-14" | 14'-18" | 18'-21" | 21'-25" | | | | | | | | | | | 80 | To | 6' | 6'-8" | 8'-11" | 11'-13" | 13'-15" | 15'-18" | 18'-22" | 22'-25" | | | | | | | |
| 29 | To | 6' | 6'-13" | 13'-14" | 14'-17" | 17'-21" | 21'-25" | | | | | | | | | | | 81 | To | 8' | 8'-10" | 10'-12" | 12'-14" | 14'-17" | 17'-21" | 21'-25" | | | | | | | | |
| 30 | To | 6' | 6'-12" | 12'-13" | 13'-17" | 17'-20" | 20'-24" | 24'-25" | | | | | | | | | | 82 | To | 6' | 6'-8" | 8'-11" | 11'-13" | 13'-14" | 14'-18" | 18'-21" | 21'-25" | | | | | | | |
| 31 | To | 10' | 10'-13" | 13'-14" | 14'-18" | 18'-21" | 21'-25" | | | | | | | | | | | 83 | To | 8' | 8'-10" | 10'-13" | 13'-14" | 14'-17" | 17'-20" | 20'-23" | 23'-25" | | | | | | | |
| 32 | To | 9' | 9'-12" | 12'-13" | 13'-17" | 17'-21" | 21'-25" | | | | | | | | | | | 84 | To | 7' | 7'-9" | 9'-12" | 12'-13" | 13'-16" | 16'-19" | 19'-22" | 22'-25" | | | | | | | |
| 33 | To | 11' | 11'-12" | 12'-15" | 15'-19" | 19'-23" | 23'-25" | | | | | | | | | | | 85 | To | 7' | 7'-9" | 9'-12" | 12'-13" | 13'-15" | 15'-18" | 18'-21" | 21'-25" | | | | | | | |
| 34 | To | 10' | 10'-12" | 12'-14" | 14'-17" | 17'-21" | 21'-25" | | | | | | | | | | | 86 | To | 6' | 6'-8" | 8'-11" | 11'-12" | 12'-15" | 15'-18" | 18'-21" | 21'-25" | | | | | | | |
| 35 | To | 11' | 11'-12" | 12'-15" | 15'-19" | 19'-23" | 23'-25" | | | | | | | | | | | 87 | To | 7' | 7'-10" | 10'-12" | 12'-13" | 13'-16" | 16'-19" | 19'-23" | 23'-25" | | | | | | | |
| 36 | To | 10' | 10'-12" | 12'-14" | 14'-17" | 17'-21" | 21'-25" | | | | | | | | | | | 88 | To | 6' | 6'-9" | 9'-11" | 11'-12" | 12'-13" | 13'-16" | 16'-19" | 19'-22" | | | | | | | |
| 37 | To | 6' | 6'-9" | 9'-11" | 11'-12" | 12'-15" | 15'-19" | 19'-23" | 23'-25" | | | | | | | | | 89 | To | 7' | 7'-10" | 10'-11" | 11'-12" | 12'-15" | 15'-17" | 17'-20" | | | | | | | | |
| 38 | To | 8' | 8'-12" | 12'-13" | 13'-16" | 16'-20" | 20'-24" | 24'-25" | | | | | | | | | | 90 | To | 6' | 6'-11" | 11'-13" | 13'-14" | 14'-18" | 18'-21" | 21'-25" | | | | | | | | |
| 39 | To | 7' | 7'-10" | 10'-12" | 12'-13" | 13'-16" | 16'-20" | 20'-23" | 23'-25" | | | | | | | | | 91 | To | 7' | 7'-9" | 9'-12" | 12'-13" | 13'-15" | 15'-18" | 18'-21" | 21'-24" | 24'-25" | | | | | | |
| 40 | To | 6' | 6'-8" | 8'-11" | 11'-12" | 12'-14" | 14'-17" | 17'-20" | 20'-24" | 24'-25" | | | | | | | | | | | | | | | | | | | | | | | | |
| 41 | To | 7' | 7'-9" | 9'-12" | 12'-13" | 13'-15" | 15'-18" | 18'-22" | 22'-25" | | | | | | | | | | | | | | | | | | | | | | | | | |
| 42 | To | 6' | 6'-9" | 9'-11" | 11'-12" | 12'-14" | 14'-17" | 17'-21" | 21'-24" | 24'-25" | | | | | | | | | | | | | | | | | | | | | | | | |
| 43 | To | 7' | 7'-9" | 9'-11" | 11'-12" | 12'-15" | 15'-18" | 18'-21" | 21'-24" | | | | | | | | | | | | | | | | | | | | | | | | | |
| 44 | To | 11' | 11'-14" | 14'-17" | 17'-24" | 24'-25" | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 45 | To | 7' | 7'-10" | 10'-14" | 14'-19" | 19'-22" | 22'-25" | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 46 | To | 7' | 7'-10" | 10'-14" | 14'-19" | 19'-22" | 22'-25" | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 47 | To | 7' | 7'-11" | 11'-14" | 14'-19" | 19'-23" | 23'-25" | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 48 | To | 6' | 6'-10" | 10'-13" | 13'-19" | 19'-22" | 22'-25" | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 49 | To | 6' | 6'-9" | 9'-12" | 12'-17" | 17'-21" | 21'-24" | 24'-25" | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50 | To | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



GENERAL NOTES



1-For Sign Identification Numbers See Sheet Titled "Sign Profile and Identification Numbers". Use the Sign Identification Number and the Required Column Height to Determine The Support Column Size and Footing Size. The Heights Given in the Table are the Maximum Height (From Ground to Bottom of Sign) That A Column Size Can Be Used For A Particular Sign Profile. If the Required Column Height is Not Listed in the Table, The Sign Will Have to be Supported on Multiple Column Type "A" Breakaway Supports.

2-All Columns in the Table Are Aluminum Tube, Given as Outside Diameter Times the Wall Thickness. Size 2 x 1/2 Thru 4 x 1/2 Tube are

| COLUMN SIZE (O.D. x WALL) | PLATE SIZE A | PLATE THICKNESS B | F I N S | | FILLET WELD SIZE | SLEEVE HEIGHT DIMENSION D | ANCHOR BOLT LOCATION | | ANCHOR BOLT HOLE DIAMETER | ANCHOR BOLT DIAMETER & LENGTH | DIMENSION M (NOMINAL) | SLEEVE BOLT DIAMETER |
|---|--------------------|-------------------------|-----------------|------------------|------------------------|------------------------------------|-------------------------|------------------|------------------------------------|----------------------------------|-----------------------------|----------------------------|
| | | | THICKNESS T | DIMENSION C | | | DIMENSION E | DIMENSION F | | | | |
| 12" ϕ x $\frac{3}{4}$ " | 2'-0" | $\frac{1}{8}$ " | $\frac{1}{4}$ " | 9" | $\frac{7}{16}$ " | 1'-0" | 3" | $3\frac{1}{2}$ " | $2\frac{3}{8}$ " | $2\frac{1}{2}$ " ϕ x 6'-6" | $9\frac{3}{4}$ " | $\frac{7}{8}$ " |
| 12" ϕ x $\frac{1}{2}$ " | 1'-11" | $\frac{1}{4}$ " | $\frac{1}{4}$ " | 8" | $\frac{7}{16}$ " | 1'-0" | 3" | $3\frac{1}{2}$ " | $2\frac{3}{8}$ " | 2" ϕ x 5'-10" | 9" | $\frac{3}{4}$ " |
| 12" ϕ x $\frac{3}{8}$ " | 1'-10" | $\frac{1}{8}$ " | 1" | $7\frac{1}{2}$ " | $\frac{7}{16}$ " | 1'-0" | 3" | $3\frac{1}{2}$ " | $2\frac{3}{8}$ " | 2" ϕ x 5'-10" | 9" | $\frac{3}{4}$ " |
| 12" ϕ x $\frac{1}{4}$ " | 1'-9" | 1" | 1" | $7\frac{1}{2}$ " | $\frac{7}{16}$ " | 1'-0" | 2" | $3\frac{1}{2}$ " | $2\frac{1}{8}$ " | $1\frac{3}{4}$ " ϕ x 5'-1" | $7\frac{3}{4}$ " | $\frac{3}{4}$ " |
| 11" ϕ x $\frac{1}{2}$ " | 1'-10" | $\frac{1}{8}$ " | 1" | 8" | $\frac{7}{16}$ " | 1'-0" | 2" | $3\frac{1}{2}$ " | $2\frac{3}{8}$ " | 2" ϕ x 5'-10" | 9" | $\frac{3}{4}$ " |
| 11" ϕ x $\frac{3}{8}$ " | 1'-8" | 1" | 1" | 7" | $\frac{7}{16}$ " | 1'-0" | 2" | $3\frac{1}{2}$ " | $2\frac{3}{8}$ " | $1\frac{3}{4}$ " ϕ x 5'-1" | $7\frac{3}{4}$ " | $\frac{3}{4}$ " |
| 11" ϕ x $\frac{1}{4}$ " | 1'-7" | 1" | $\frac{7}{8}$ " | $6\frac{1}{2}$ " | $\frac{7}{8}$ " | 1'-0" | 2" | $3\frac{1}{2}$ " | $1\frac{1}{8}$ " | $1\frac{1}{2}$ " ϕ x 4'-4" | $6\frac{1}{2}$ " | $\frac{3}{4}$ " |
| 10 $\frac{1}{2}$ " ϕ x $\frac{1}{2}$ " | 1'-9" | 1" | 1" | $7\frac{1}{2}$ " | $\frac{7}{16}$ " | 1'-0" | 2" | $3\frac{1}{2}$ " | $2\frac{3}{8}$ " | $1\frac{3}{4}$ " ϕ x 5'-1" | $7\frac{3}{4}$ " | $\frac{3}{4}$ " |
| 10 $\frac{1}{2}$ " ϕ x $\frac{3}{8}$ " | 1'-7" | 1" | $\frac{7}{8}$ " | $6\frac{1}{2}$ " | $\frac{7}{16}$ " | 1'-0" | 2" | $3\frac{1}{2}$ " | $2\frac{3}{8}$ " | $1\frac{3}{4}$ " ϕ x 5'-1" | $7\frac{3}{4}$ " | $\frac{3}{4}$ " |
| 10 $\frac{1}{2}$ " ϕ x $\frac{1}{4}$ " | 1'-6" | $\frac{7}{8}$ " | $\frac{3}{4}$ " | 6" | $\frac{3}{8}$ " | 11" | 2" | 3" | $1\frac{1}{8}$ " | $1\frac{1}{2}$ " ϕ x 4'-4" | $6\frac{1}{2}$ " | $\frac{3}{4}$ " |
| 10" ϕ x $\frac{1}{2}$ " | 1'-8" | 1" | 1" | 7" | $\frac{7}{16}$ " | 11" | 2" | 3" | $2\frac{1}{8}$ " | $1\frac{3}{4}$ " ϕ x 5'-1" | $7\frac{3}{4}$ " | $\frac{3}{4}$ " |
| 10" ϕ x $\frac{3}{8}$ " | 1'-7" | 1" | $\frac{7}{8}$ " | 7" | $\frac{7}{8}$ " | 11" | 2" | 3" | $1\frac{1}{8}$ " | $1\frac{1}{2}$ " ϕ x 4'-4" | $6\frac{1}{2}$ " | $\frac{3}{4}$ " |
| 10" ϕ x $\frac{1}{4}$ " | 1'-6" | $\frac{7}{8}$ " | $\frac{3}{4}$ " | 6" | $\frac{3}{8}$ " | 11" | 2" | 3" | $1\frac{1}{8}$ " | $1\frac{1}{2}$ " ϕ x 4'-0" | $6\frac{1}{2}$ " | $\frac{3}{4}$ " |
| 9 $\frac{1}{2}$ " ϕ x $\frac{1}{2}$ " | 1'-7" | 1" | $\frac{7}{8}$ " | 7" | $\frac{7}{16}$ " | 11" | 2" | 3" | $2\frac{1}{8}$ " | $1\frac{3}{4}$ " ϕ x 5'-1" | $7\frac{3}{4}$ " | $\frac{3}{4}$ " |
| 9 $\frac{1}{2}$ " ϕ x $\frac{3}{8}$ " | 1'-6" | $\frac{7}{8}$ " | $\frac{3}{4}$ " | $6\frac{1}{2}$ " | $\frac{3}{8}$ " | 11" | 2" | 3" | $1\frac{1}{8}$ " | $1\frac{1}{2}$ " ϕ x 4'-4" | $6\frac{1}{2}$ " | $\frac{3}{4}$ " |
| 9 $\frac{1}{2}$ " ϕ x $\frac{1}{4}$ " | 1'-5" | $\frac{7}{8}$ " | $\frac{3}{4}$ " | 6" | $\frac{3}{8}$ " | 11" | 2" | 3" | $1\frac{1}{8}$ " | $1\frac{3}{8}$ " ϕ x 4'-0" | $6\frac{1}{4}$ " | $\frac{3}{4}$ " |
| 9" ϕ x $\frac{1}{2}$ " | 1'-7" | 1" | $\frac{7}{8}$ " | 7" | $\frac{3}{8}$ " | 10" | 2" | 3" | $1\frac{1}{8}$ " | $1\frac{1}{2}$ " ϕ x 4'-4" | $6\frac{1}{2}$ " | $\frac{3}{4}$ " |
| 9" ϕ x $\frac{3}{8}$ " | 1'-6" | $\frac{7}{8}$ " | $\frac{3}{4}$ " | $6\frac{1}{2}$ " | $\frac{3}{8}$ " | 10" | 2" | 3" | $1\frac{1}{8}$ " | $1\frac{3}{8}$ " ϕ x 4'-0" | $6\frac{1}{4}$ " | $\frac{3}{4}$ " |
| 9" ϕ x $\frac{1}{4}$ " | 1'-5" | $\frac{7}{8}$ " | $\frac{3}{4}$ " | 6" | $\frac{3}{8}$ " | 10" | 2" | 3" | $1\frac{1}{8}$ " | $1\frac{1}{4}$ " ϕ x 3'-8" | $5\frac{3}{4}$ " | $\frac{3}{8}$ " |
| 8 $\frac{1}{2}$ " ϕ x $\frac{1}{2}$ " | 1'-7" | 1" | $\frac{7}{8}$ " | 7" | $\frac{3}{8}$ " | 10" | 2" | 3" | $1\frac{1}{8}$ " | $1\frac{1}{2}$ " ϕ x 4'-4" | $6\frac{1}{2}$ " | $\frac{3}{4}$ " |
| 8 $\frac{1}{2}$ " ϕ x $\frac{3}{8}$ " | 1'-6" | $\frac{7}{8}$ " | $\frac{3}{4}$ " | 7" | $\frac{3}{8}$ " | 10" | 2" | 3" | $1\frac{1}{8}$ " | $1\frac{3}{8}$ " ϕ x 4'-0" | $6\frac{1}{4}$ " | $\frac{3}{4}$ " |
| 8 $\frac{1}{2}$ " ϕ x $\frac{1}{4}$ " | 1'-4" | $\frac{3}{4}$ " | $\frac{3}{8}$ " | $5\frac{3}{4}$ " | $\frac{3}{8}$ " | 10" | 2" | $2\frac{1}{2}$ " | $1\frac{3}{8}$ " | $1\frac{1}{4}$ " ϕ x 3'-8" | $5\frac{3}{4}$ " | $\frac{3}{8}$ " |
| 8" ϕ x $\frac{1}{2}$ " | 1'-6" | $\frac{7}{8}$ " | $\frac{3}{4}$ " | 7" | $\frac{3}{8}$ " | 9 $\frac{1}{2}$ " | 2" | 3" | $1\frac{1}{8}$ " | $1\frac{3}{8}$ " ϕ x 4'-0" | $6\frac{1}{4}$ " | $\frac{3}{4}$ " |
| 8" ϕ x $\frac{3}{8}$ " | 1'-5" | $\frac{7}{8}$ " | $\frac{3}{4}$ " | 6" | $\frac{3}{8}$ " | 9 $\frac{1}{2}$ " | 2" | $2\frac{1}{2}$ " | $1\frac{3}{8}$ " | $1\frac{1}{4}$ " ϕ x 3'-8" | $5\frac{3}{4}$ " | $\frac{3}{8}$ " |
| 8" ϕ x $\frac{1}{4}$ " | 1'-4" | $\frac{3}{4}$ " | $\frac{3}{8}$ " | $5\frac{3}{4}$ " | $\frac{3}{8}$ " | 9 $\frac{1}{2}$ " | 2" | $2\frac{1}{2}$ " | $1\frac{3}{8}$ " | $1\frac{1}{4}$ " ϕ x 3'-8" | $5\frac{3}{4}$ " | $\frac{3}{8}$ " |
| 7 $\frac{1}{2}$ " ϕ x $\frac{1}{2}$ " | 1'-6" | $\frac{7}{8}$ " | $\frac{3}{4}$ " | 7" | $\frac{3}{8}$ " | 9" | 2" | 3" | $1\frac{1}{8}$ " | $1\frac{3}{8}$ " ϕ x 4'-0" | $6\frac{1}{4}$ " | $\frac{3}{4}$ " |
| 7 $\frac{1}{2}$ " ϕ x $\frac{3}{8}$ " | 1'-5" | $\frac{7}{8}$ " | $\frac{3}{4}$ " | 6" | $\frac{3}{8}$ " | 9" | 2" | $2\frac{1}{2}$ " | $1\frac{3}{8}$ " | $1\frac{1}{4}$ " ϕ x 3'-8" | $5\frac{3}{4}$ " | $\frac{3}{8}$ " |
| 7 $\frac{1}{2}$ " ϕ x $\frac{1}{4}$ " | 1'-3" | $\frac{3}{4}$ " | $\frac{3}{8}$ " | $5\frac{1}{2}$ " | $\frac{3}{8}$ " | 9" | 2" | $2\frac{1}{2}$ " | $1\frac{7}{8}$ " | $1\frac{1}{4}$ " ϕ x 3'-4" | $5\frac{1}{2}$ " | $\frac{3}{8}$ " |
| 6 $\frac{1}{2}$ " ϕ x $\frac{1}{2}$ " | 1'-4" | $\frac{3}{4}$ " | $\frac{3}{8}$ " | $5\frac{3}{4}$ " | $\frac{3}{8}$ " | 8" | 2" | $2\frac{1}{2}$ " | $1\frac{7}{8}$ " | $1\frac{1}{4}$ " ϕ x 3'-8" | $5\frac{3}{4}$ " | $\frac{3}{8}$ " |
| 6 $\frac{1}{2}$ " ϕ x $\frac{3}{8}$ " | 1'-3" | $\frac{3}{4}$ " | $\frac{3}{8}$ " | $5\frac{1}{2}$ " | $\frac{3}{8}$ " | 8" | 2" | $2\frac{1}{2}$ " | $1\frac{7}{8}$ " | $1\frac{1}{8}$ " ϕ x 3'-4" | $5\frac{1}{2}$ " | $\frac{3}{8}$ " |
| 6 $\frac{1}{2}$ " ϕ x $\frac{1}{4}$ " | 1'-2" | $\frac{3}{4}$ " | $\frac{3}{8}$ " | $5\frac{1}{4}$ " | $\frac{3}{8}$ " | 8" | 2" | 2" | $1\frac{7}{8}$ " | 1" ϕ x 2'-11" | 5" | $\frac{3}{8}$ " |
| 6" ϕ x $\frac{1}{2}$ " | 1'-3" | $\frac{3}{4}$ " | $\frac{3}{8}$ " | $5\frac{1}{2}$ " | $\frac{3}{8}$ " | 8" | 2" | $2\frac{1}{4}$ " | $1\frac{7}{8}$ " | $1\frac{1}{8}$ " ϕ x 3'-4" | $5\frac{1}{2}$ " | $\frac{3}{8}$ " |
| 6" ϕ x $\frac{3}{8}$ " | 1'-3" | $\frac{3}{4}$ " | $\frac{3}{8}$ " | $5\frac{1}{2}$ " | $\frac{3}{8}$ " | 8" | 2" | $2\frac{1}{4}$ " | $1\frac{7}{8}$ " | $1\frac{1}{8}$ " ϕ x 3'-4" | $5\frac{1}{2}$ " | $\frac{3}{8}$ " |
| 6" ϕ x $\frac{1}{4}$ " | 1'-2" | $\frac{3}{4}$ " | $\frac{3}{8}$ " | $5\frac{1}{4}$ " | $\frac{3}{8}$ " | 8" | 2" | 2" | $1\frac{7}{8}$ " | 1" ϕ x 2'-11" | 5" | $\frac{3}{8}$ " |
| 5 $\frac{1}{2}$ " ϕ x $\frac{1}{2}$ " | 1'-3" | $\frac{3}{4}$ " | $\frac{3}{8}$ " | $5\frac{1}{2}$ " | $\frac{3}{8}$ " | 7" | 2" | 2" | $1\frac{7}{8}$ " | $1\frac{1}{8}$ " ϕ x 3'-4" | $5\frac{1}{2}$ " | $\frac{3}{8}$ " |
| 5 $\frac{1}{2}$ " ϕ x $\frac{3}{8}$ " | 1'-1" | $\frac{3}{4}$ " | $\frac{3}{8}$ " | 5" | $\frac{3}{8}$ " | 7" | 2" | $1\frac{3}{4}$ " | $1\frac{7}{8}$ " | $\frac{7}{8}$ " ϕ x 2'-7" | $4\frac{3}{4}$ " | $\frac{3}{8}$ " |
| 5" ϕ x $\frac{1}{2}$ " | 1'-2" | $\frac{3}{4}$ " | $\frac{3}{8}$ " | $5\frac{1}{4}$ " | $\frac{3}{8}$ " | 7" | 2" | 2" | $1\frac{7}{8}$ " | 1" ϕ x 2'-11" | 5" | $\frac{3}{8}$ " |
| 5" ϕ x $\frac{3}{8}$ " | 1'-1" | $\frac{3}{4}$ " | $\frac{3}{8}$ " | 5" | $\frac{3}{8}$ " | 7" | 2" | $1\frac{3}{4}$ " | $1\frac{7}{8}$ " | $\frac{7}{8}$ " ϕ x 2'-7" | $4\frac{3}{4}$ " | $\frac{1}{2}$ " |
| 4 $\frac{3}{4}$ " ϕ x $\frac{1}{2}$ " | 1'-0" | $\frac{3}{4}$ " | $\frac{3}{8}$ " | $4\frac{3}{4}$ " | $\frac{3}{8}$ " | 7" | 2" | $1\frac{3}{4}$ " | $1\frac{7}{8}$ " | $\frac{7}{8}$ " ϕ x 2'-7" | $4\frac{3}{4}$ " | $\frac{1}{2}$ " |
| 4 $\frac{1}{2}$ " ϕ x $\frac{1}{2}$ " | 1'-0" | $\frac{1}{2}$ " | $\frac{1}{2}$ " | $4\frac{1}{2}$ " | $\frac{7}{16}$ " | 7" | 2" | $1\frac{1}{2}$ " | $1\frac{7}{8}$ " | $\frac{3}{4}$ " ϕ x 2'-3" | $4\frac{1}{2}$ " | $\frac{1}{2}$ " |
| 4 $\frac{1}{4}$ " ϕ x $\frac{1}{2}$ " | 1'-0" | $\frac{1}{2}$ " | $\frac{1}{2}$ " | $4\frac{1}{4}$ " | $\frac{7}{16}$ " | 7" | 2" | $1\frac{1}{2}$ " | $1\frac{7}{8}$ " | $\frac{3}{4}$ " ϕ x 2'-3" | $4\frac{1}{2}$ " | $\frac{1}{2}$ " |
| 4" ϕ x $\frac{1}{2}$ " | 1'-0" | $\frac{1}{2}$ " | $\frac{1}{2}$ " | $4\frac{1}{4}$ " | $\frac{7}{16}$ " | 7" | 2" | $1\frac{1}{2}$ " | $1\frac{7}{8}$ " | $\frac{3}{4}$ " ϕ x 2'-3" | $4\frac{1}{2}$ " | $\frac{1}{2}$ " |

NOTE: For Column Size not Tabulated use next Larger Diameter and Wall Thickness.

NOTE:
Thickness of Sleeve shall match
that of Column. Inside diameter of
the sleeve shall provide for a slip
fit of the Column.



SPECIFICATIONS

EXTRUDED TUBING: The material used shall meet the requirements of the Aluminum Association Alloy 6061-T6 and also the A.S.T.M. Specifications B-221.

WELDING RODS: Aluminum Association Alloy No. 5556 Filler Wire.

TOLERANCE: All above materials shall be in keeping with the A.S.T.M. Specifications.

ALUMINUM BOLTS, NUTS, AND LOCKWASHERS: Aluminum Bolts shall meet the requirements of the Aluminum Association Alloy 2024-T4 or 6061-T6 (A.S.T.M. Specification B-221). The Bolts shall have an anodic coating at least 0.0002" thick and Cramate Sealed Lockwashers shall meet the requirements of the Aluminum Association Alloy 7075-T6 (A.S.T.M. Specification B-221). Nuts shall meet the requirements of the Aluminum Association Alloy 6262-T9 or 6061-T6.

MATERIAL STRESSES: All allowable stresses are in accordance with the "Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals," A.A.S.H.O., 1975 and approved revisions for all materials shown on the Plans.

SHEETS AND PLATES: The material used shall meet the requirements of the Aluminum Association Alloy 6061-T6 and also the A.S.T.M. Specifications B-209.


SHOP DRAWINGS: The Contractor shall submit complete Shop Drawings before fabrication for approval by the Engineer.

STEEL BOLTS, NUTS & LOCKWASHERS: All Anchor Bolts, Nuts and Lockwashers shall meet the requirements of A.S.T.M. Specification A-307 and shall be hot dip galvanized in accordance with the requirements of A.S.T.M. Specification A-153.

BASES FOR
OVERHEAD BRIDGE TRUSS
4 POST CANTILEVER TRUSS
SINGLE POST CANTILEVER

| | | | |
|---|----------|--------|-------------|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION STRUCTURES | | | |
| ALUMINUM BASES FOR COLUMN SUPPORTS | | | |
| REVISED | ROAD NO. | COUNTY | PROJECT NO. |
| DESIGNED BY | HAV | 5-76 | APPROVED BY |
| CHECKED BY | CWB | 6-76 | |
| QUANTITY BY | | | |
| CHECKED BY | | | |
| SUPERVISOR BY | AJH | | |
| 1 of 1 | | 11926 | |


| FED. ROAD DIV. NO. | STATE | PROJECT NO. | FISCAL YEAR | S |
|-----------------------|-------|-------------|----------------|---|
| 3 | FLA. | | | |



ELEVATION

Mounting of Exit Numbering Panels To Highway Signs

Bolt Sign to Zee using $\frac{1}{4}$ "
Aluminum Flat Head Nuts
and Lock Washers (Typ.)



SECTION A-A

GENERAL NOTES

DESIGN SPECIFICATION: Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals, A.A.S.H.O., 1975.


SHEETS AND PLATES: Material used shall meet the requirements of Aluminum Association Alloy 6061-T6 and ASTM Specification B-209. Sheets are to be degreased, etched, neutralized and treated with Alodine 1200, Iridite 14-2, Bonderite 721, or equal. No stenciling permitted on Sheets.

MATERIALS: All Aluminum Materials shall meet the requirements of the Aluminum Association Alloy 6061-T6 and also the following ASTM Specifications for the following ; Sheet and Plates B-209; Extruded Shapes B-221 and Standard Structural Shapes B-308.

ALUMINUM BOLTS, NUTS & LOCKWASHERS: Aluminum Bolts shall meet the requirements of Aluminum Association Alloy 2024-T4 or 6061-T6 (ASTM Spec. B-211). The Bolts shall have an Anodic Coating of at least 0.0002" thick and be Chromate Sealed. Lockwashers shall meet the requirements of Aluminum Association Alloy 7075-T6 (ASTM Specification B-221). Nuts shall meet the requirement of Aluminum Association Alloy 6262-T9 or 5061-T6.


MATERIAL STRESSES: All allowable stresses are in accordance with the Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals. A.A.S.H.O., 1975, for all materials shown in the Plans.

FOR MOUNTING DETAILS REFER TO DRAWING NO. 1 OF 1, INDEX 11037.

| | | | | | | | | | |
|--|------------------|--|--|----------------|--|--------|--|--|--|
| STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION | | | | | | | | | |
| STRUCTURES | | | | | | | | | |
| DETAILS FOR MOUNTING EXIT NUMBERING PANELS TO HIGHWAY SIGNS | | | | | | | | | |
| REVISIONS | | | | ROAD NO. | | COUNTY | | PROJECT NO. | |
| Dates | Descriptions | | | | | | | | |
| | | | | Name | | Dates | | APPROVED BY | |
| | | | | Designed by CK | | 7-82 | |  C. W. B. District Engineer, Eastern District | |
| | | | | Checked by CK | | 7-82 | | | |
| | Drawn/Revised by | | | | | | | Drawing No. | |
| | Checked by | | | | | | | 1 of 1 | |
| | Schematic No. | | | A-11M | | | | Index No. | |
| | | | | | | | | 1417 | |

CASE I


FOR USE IN ALL RURAL ROADS AND ON FREEWAY AND EXPRESSWAY RAMP.



14' HORIZONTAL CLEARANCE STANDARD ON ALL FREEWAY AND EXPRESSWAY RAMP

CASE II


FOR USE IN ALL RURAL ROADS AND ON FREEWAY AND EXPRESSWAY RAMP.



14' HORIZONTAL CLEARANCE STANDARD ON ALL FREEWAY AND EXPRESSWAY RAMP

CASE III

FOR USE IN ALL RURAL ROADS AND ON FREEWAY AND EXPRESSWAY RAMP




14' HORIZONTAL CLEARANCE STANDARD ON ALL FREEWAY AND EXPRESSWAY RAMP

CASE IV


FOR USE ON ALL FREEWAY AND EXPRESSWAY SYSTEMS FOR SIGNS ON MAINLINE

* IF A SECONDARY SIGN IS MOUNTED BELOW THE MAJOR SIGN, THE MAJOR SIGN SHALL BE AT LEAST 8' AND THE SECONDARY SIGN AT LEAST 5' ABOVE THE PAVEMENT EDGE




CASE V

FOR USE IN BUSINESS OR RESIDENTIAL AREAS ONLY



CASE VI


SIGN ON ISLAND



CENTER SIGN COLUMN ON ISLAND

CASE VII (MERGE SIGN)


FOR USE ON ALL RURAL, FREEWAY AND EXPRESSWAY SYSTEMS



14' MIN. HORIZONTAL CLEARANCE SHALL BE MAINTAINED ON ALL FREEWAY AND EXPRESSWAY SYSTEMS

CASE VIII


FOR USE ON ALL FREEWAY AND EXPRESSWAY SYSTEMS FOR SIGNS MOUNTED IN THE MEDIAN.



SIGN COLUMN TO BE CENTERED BETWEEN DRIVING LANES WHERE POSSIBLE


CASE IX (REST AREA & EXIT GORE SIGNS)

FOR USE ON ALL FREEWAY AND EXPRESSWAY SYSTEMS





CASE X

FOR USE ON ALL FREEWAY AND EXPRESSWAY SYSTEMS WITH SIGNS BEHIND GUARDRAIL



CASE XI (MILE POST MARKER)


FOR MORE INFORMATION REFER TO PART 2D-47 OF THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES



CASE XIV (BICYCLE LANE SIGNING)


CASE XII

FOR USE ON ALL ROADS WITH SIGNS MOUNTED IN SIDEWALK



CASE XIII

FOR USE ON ALL ROADS WITH SIGNS MOUNTED BEHIND SIDEWALK.



NOTE

STOP & YIELD IF REQUIRED FOR VISIBILITY STOP & YIELD SIGNS MAY BE SET 3' MINIMUM FROM DRIVING LANE IN BUSINESS OR RESIDENTIAL SECTIONS WITH NO CURB AND SPEED LIMIT OF 30 MPH OR LESS.


GENERAL NOTES:

- The Typical sections shown hereon serve as a guide for use in locating the traffic signs required under various roadside conditions. For size and details of sign construction and footing, refer to the appropriate standard index drawing for roadside sign.
- It shall be the CONTRACTORS responsibility to verify the length of sign supports in the field prior to fabrication.
- SIGN DISTANCE FROM EDGE OF ROADWAY

| SIGN DISTANCE FROM EDGE OF ROADWAY | ANGLE |
|------------------------------------|-------|
| LESS THAN 20' | 0° |
| ≤ 30' | 3° |
| ≤ 40' | 4° |
| ≤ 50' | 5° |

Where lanes divide or on curves, sign faces shall be oriented so as to be most effective both day and night, and

- to avoid the possibility of specular reflection.
- Horizontal clearance may be altered in the field by the PROJECT ENGINEER to better fit existing terrain.











REVISIONS

| DATE | INITIALS | DESCRIPTION |
|---------|----------|--------------------------------|
| 11/75 | WB-KRRM | MTG. H1 + OTHER CLARIFICATIONS |
| 1-27-76 | WB-KRRM | REVISE SPACING |
| 7-10-78 | PR | REVISED CLEARANCE CASE X |
| 9-15-85 | M.C. | REVISED CLEARANCE CASE IX |
| 8-86 | R.L. | REVISED R/W LINE |

FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN

TYPICAL SECTIONS FOR ONE COLUMN SIGN PLACEMENT

| INITIALS | DATES |
|--------------------|------------------------------|
| GN | 3-75 |
| Detailed by | Checked by |
| Quantity by | Checked by |
| Supervised by | Approved |
| K.R. | by <i>P. C. Smith</i> |
| 3-75 | STATE DESIGN ENGINEER - RDW1 |
| DRAWING NO. 1 of 1 | INDEX NO. 17302 |











ARROWS - A - G For Guide Sign Use
ARROWS - I - VI For Destination Sign Use


| REVISIONS | | |
|-----------|----------|--|
| DATE | INITIALS | DESCRIPTION |
| 6-7-66 | | INDEX NO. CHANGE 7326 TO 17320 |
| 7-10-78 | P.B. | CHANGED TITLE BLOCK & GENERAL REVISION |
| 8-80 | K.H. | DESTINATION ARROWS ADDED |
| | | |
| | | |

| FLORIDA DEPARTMENT OF TRANSPORTATION | | |
|---|-----------|----------------------------|
| TRAFFIC DESIGN | | |
| ARROW LAYOUTS FOR GROUND AND OVERHEAD SIGNS | | |
| INITIALS | DATES | |
| K.G.G. | 4-25-62 | |
| Approved <i>[Signature]</i> | | STATE DESIGN ENGINEER-RDWY |
| DRAWING NO. | INDEX NO. | |
| 1 OF 1 | 17320 | |


FOR FREEWAY USE



FOR OTHER THAN FREEWAY USE




NOTE
SIGN NO. FTP-11 TO BE USED WITH SIGNS NO. FTP-5A & B, FTP-15A & B.




NOTE
SIGN NO. FTP-12 TO BE USED WITH SIGN NO. FTP-9.

NOTE:
ALL SIGNS TO HAVE GREEN REFLECTORIZED BACKGROUND WITH WHITE LEGEND AND BORDER EXCEPT SIGNS NOS. FTP-4 & FTP-8, WHICH SHALL HAVE WHITE BACKGROUND WITH BLACK LEGEND AND BORDER
ALL DIMENSIONS SHOWN ARE IN INCHES AND EIGHTHS


| REVISIONS | | | | FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN TYPICAL SIGNING FOR TRUCK WEIGH AND INSPECTION STATIONS | | | |
|-----------|----------|--------------------|--|--|-------------|---|--|
| DATE | INITIALS | DESCRIPTION | | INITIALS | DATES | Approved by <i>[Signature]</i> STATE DESIGN ENGINEER - RDWY | |
| 8-86 | M.C. | Changed FTO to FTP | | DETAILED BY | M.F.M. 1-75 | | |
| | | | | CHECKED BY | K.R. 1-75 | | |
| | | | | QUANTITIES BY | | | |
| | | | | CHECKED BY | | DRAWING NO. 1 of 3 INDEX NO. 17328 | |
| | | | | SUPERVISED BY | K.R. 1-75 | | |




SIGN NO. FTP-13
15'-0" X 8'-6"
2" BORDER - 9" RAD.




SIGN NO. FTP-14A
15'-0" X 7'-0"
2" BORDER - 9" RAD.




SIGN NO. FTP-14B
15'-0" X 7'-6"
2" BORDER - 9" RAD.



SIGN NO. FTP-15A
12'-6" X 7'-0"
2" BORDER - 9" RAD.



SIGN NO. FTP-15B
12'-6" X 7'-0"
2" BORDER - 9" RAD.



SIGN NO. FTP-16
15'-0" X 7'-0"
2" BORDER - 9" RAD.

NOTE:
FTP-16A - RIGHT ARROW
FTP-16B - LEFT ARROW

NOTE

ALL SIGNS SHALL HAVE GREEN REFLECTORIZED BACKGROUND WITH WHITE LEGEND AND BORDER, EXCEPT SIGNS FTP-14A&B WHICH SHALL HAVE A WHITE BACKGROUND WITH BLACK LEGEND AND BORDER.


ALL DIMENSIONS SHOWN ARE IN INCHES AND EIGHTHS

ALL GUIDE SIGN CORNER RADIUS SHALL HAVE THE OUTSIDE CORNERS OF SIGN FACE CUT CONCENTRIC WITH BORDER. BORDER TO BE MOUNTED TANGENT TO AND WITH EDGE OF SIGN.


| REVISIONS | | |
|-----------|----------|----------------------------|
| DATE | INITIALS | DESCRIPTION |
| 10-15-79 | K.R. | REVISED SIGN NOS. 10A & 12 |
| 9-15-85 | M.C. | ADDED NOTE |
| 8-86 | M.C. | CHANGED FTP TO FTP |

| FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
|---|----------|-------|------------------------------------|
| TRAFFIC DESIGN | | | |
| TYPICAL SIGNING FOR TRUCK WEIGH AND INSPECTION STATIONS | | | |
| DATE | INITIALS | DATES | |
| 10-15-79 | K.R. | 1-75 | Approved by <i>[Signature]</i> |
| 9-15-85 | M.C. | 1-75 | STATE DESIGN ENGINEER - RDWY |
| 8-86 | M.C. | | |
| | | | |
| | | | |
| SUPERVISED BY | K.R. | 1-75 | DRAWING NO. 2 of 3 INDEX NO. 17328 |


4-LANE DIVIDED INSTALLATION



2-LANE INSTALLATION




MEDIAN INSTALLATION



| REVISIONS | | | |
|-----------|----------|-----------------------|--|
| DATE | INITIALS | DESCRIPTION | |
| 10-15-79 | M.C. | REVISE SIGN LOCATIONS | |
| 8-80 | K.H. | UPDATE SIGN NUMBERS | |
| 8-86 | M.C. | CHANGED FTO TO FTP | |

| FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
|--|------|--------------------------------|-----------------|
| TRAFFIC DESIGN | | | |
| TYPICAL SIGNING FOR TRUCK WEIGHT AND INSPECTION STATIONS | | | |
| INITIALS | DATE | | |
| DETAILED BY M.F.M. | 1-75 | Approved by <i>[Signature]</i> | |
| CHECKED BY K.R. | 1-75 | STATE DESIGN ENGINEER-RDWY | |
| QUANTITIES BY | | | |
| CHECKED BY | | | |
| SUPERVISED BY K.R. | 1-75 | DRAWING NO. 3 of 3 | INDEX NO. 17328 |


| APPROACH SPEED (MPH) | DISTANCE A |
|-------------------------|---------------|
| 25 TO 35 | 275 FT. |
| 36 TO 45 | 350 FT. |
| 46 TO 55 | 500 FT. |



1. TRAFFIC CONTROL DEVICES FOR A SCHOOL CROSSWALK AT A SIGNALIZED INTERSECTION

2. TRAFFIC CONTROL DEVICES FOR A SCHOOL CROSSWALK AT A STOP CONTROLLED INTERSECTION

PAVEMENT MARKINGS



NOTE
WHEN COMPUTING PAVEMENT MESSAGES
QUANTITIES DO NOT INCLUDE TRANSVERSE
LINES.

NOTE
SIGNS ERRECTED AT THE SIDE OF THE ROAD IN RURAL DISTRICTS SHALL BE MOUNTED AT A HEIGHT OF AT LEAST 5 FEET, MEASURED FROM THE BOTTOM OF THE SIGN TO THE LEVEL OF THE ROADWAY EDGE. IN BUSINESS, COMMERCIAL AND RESIDENTIAL DISTRICTS WHERE PARKING AND/OR PEDESTRIAN MOVEMENT IS LIKELY TO OCCUR OR WHERE THERE ARE OTHER OBSTRUCTIONS TO VIEW, THE CLEARANCE TO THE BOTTOM OF THE SIGN SHALL BE AT LEAST 7 FEET.


NOTE
ALL SCHOOL SIGNS SHALL BE REFLECTORIZED

| |
|--|
| FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN |
| SCHOOL SIGNS & MARKINGS |


| REVISIONS | | | INITIALS | DATES | Approved by <u><i>[Signature]</i></u> STATE DESIGN ENGINEER-RUYU | |
|-----------|------|--|---------------|--------|---|-----------|
| DATE | BY | DESCRIPTION | Checked by | | | |
| 9-79 | SWR | Added note, B Changed size of transverse plate | Checked by | CEJ KR | | 7-76 7-76 |
| 9-79 | JMC | Deleted File System Note | Checked by | | | |
| 8-80 | K.H. | Deleted Educational Plate | Checked by | | | |
| 9-81 | R.L. | Added Reinforcement Drawing | Supervised by | | | |
| | | | | | DRAWING NO. | INDEX NO. |
| | | | | | 1 of 6 | 17344 |

| APPROACH SPEED MPH | SUGGESTED DISTANCE IN FEET | |
|-----------------------|-------------------------------|----|
| | A | B |
| 25 TO 35 | 275 | 50 |
| 36 TO 45 | 350 | 65 |
| 46 TO 55 | 500 | 80 |

A & B DISTANCES SHALL BE INCREASED BY ADDING THE INTERSECTING STREET WIDTH (CURB RETURNS INCLUDED) TO DIMENSIONS GIVEN IN TABLE ABOVE.




3. TRAFFIC CONTROL DEVICES WITH FLASHING BEACON FOR REDUCED SPEED ZONE AT A SCHOOL CROSSWALK (2 LANES - 2 WAY TRAFFIC) (MIDBLOCK OR ON THRU STREET AT AN INTERSECTION)



4. TRAFFIC CONTROL DEVICES FOR A REDUCED SPEED ZONE AT A SCHOOL CROSSWALK (NO FLASHING BEACON) (2 LANES - 2 WAY TRAFFIC) (MIDBLOCK OR ON THRU STREET AT AN INTERSECTION)


5. TRAFFIC CONTROL DEVICES FOR A REDUCED SPEED ZONE AT A SCHOOL CROSSWALK WITH OVERHEAD FLASHING BEACON SPEED LIMIT SIGNS (4 LANES UNDIVIDED - 2 WAY TRAFFIC) (MIDBLOCK OR ON THRU STREET AT AN INTERSECTION)



FLORIDA DEPARTMENT OF TRANSPORTATION
TRAFFIC DESIGN

SCHOOL SIGNS & MARKINGS


| REVISIONS | | | INITIALS | DATES | APPROVED |
|-----------|--------|------------------------------|---------------|-------|---|
| DATE | BY | DESCRIPTION | DESIGNED BY | DATE | |
| 8-78 | S.M.R. | Changed crosswalk dimensions | Checked by KR | 7-76 | by <i>[Signature]</i> STATE DESIGN ENGINEER-RDWY |
| 9-79 | J.M.C. | Deleted Florida Statute | Quantities by | | |
| 8-80 | K.H. | Deleted Educational Plaque | Checked by | | |
| 8-86 | M.C. | Changed FTOF T.P. | Supervised by | | |
| | | | | | DRAWING NO. 2 of 6 |
| | | | | | INDEX NO. 17344 |



A & B DISTANCES SHALL BE INCREASED BY ADDING THE INTERSECTING STREET WIDTH (CURB RETURNS INCLUDED) TO DIMENSIONS GIVEN IN TABLE.




| | | | | | | | |
|-----------|------|------------------------------|---------------|--------------------------------------|-------|-----------|--|
| | | | | FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
| | | | | TRAFFIC DESIGN | | | |
| | | | | SCHOOL SIGNS & MARKINGS | | | |
| REVISIONS | | | | INITIALS | DATES | | |
| DATE | BY | DESCRIPTION | Detailed by | CEJ | 7-76 | | |
| 7-10 | WB | REVISED PAVEMENT ON | Checked by | KR | 7-76 | | |
| 9-78 | SWR | Changed crosswalk dimensions | Quantities by | | | | |
| 9-79 | JMC | Deleted Florida Statute | Checked by | | | | |
| 8-80 | K.H. | Deleted Educational Plaque | Supervised by | | | | |
| 8-86 | M.C. | Change d. FTO to F.T.P. | | | | | |
| | | | | Approved by <i>[Signature]</i> | | | |
| | | | | STATE DESIGN ENGINEER-RDW | | | |
| | | | | DRAWING NO. | | INDEX NO. | |
| | | | | 3 of 6 | | 17344 | |



9. TRAFFIC CONTROL DEVICES AT SCHOOL ENTRANCES WHERE THERE ARE LITTLE OR NO WALKING STUDENTS

These Signs Are Intended For Use Only At Those Few Locations Where The School Entrance Is Not Evident To The Motorist, And Must Be Approved In Advance By The Responsible Traffic Engineering Authority.






10. TRAFFIC CONTROL DEVICES FOR A TYPICAL SCHOOL ZONE FRONTING THE SCHOOL PROPERTY




II. SCHOOL BUS STOP

NOTE
THE SCHOOL BUS STOP AHEAD SIGN IS TO BE USED IN ADVANCE OF LOCATIONS WHERE A SCHOOL BUS, WHEN STOPPED TO PICK UP OR DISCHARGE PASSENGERS, IS NOT VISIBLE FOR A DISTANCE OF 500' IN ADVANCE. IT SHALL HAVE A MIN. SIZE OF 30" x 30". IT IS NOT INTENDED THAT THESE SIGNS BE USED WHEREVER A SCHOOL BUS STOPS TO PICK UP OR DISCHARGE PASSENGERS. THESE SIGNS ARE INTENDED FOR USE ONLY WHERE TERRAIN AND ROADWAY FEATURES LIMIT THE APPROACH SIGHT DISTANCE AND WHERE THERE IS NO OPPORTUNITY TO RELOCATE THE STOP TO ANOTHER LOCATION WITH ADEQUATE VISIBILITY.

| FLORIDA DEPARTMENT OF TRANSPORTATION | | | | | |
|--------------------------------------|------|----------------------------|---------------|-------|---|
| TRAFFIC DESIGN | | | | | |
| SCHOOL SIGNS & MARKINGS | | | | | |
| REVISIONS | | | INITIALS | DATES | APPROVED by <i>[Signature]</i> STATE DESIGN ENGINEER-RDWY |
| DATE | BY | DESCRIPTION | Detailed by | CEJ | |
| 8-6-79 | JMC | Deleted Florida Statute | Checked by | KR | |
| 8-80 | K.H. | Deleted Educational Plaque | Quantities by | | |
| 8-86 | M.C. | Changed FTO to FTP | Checked by | | |
| | | | Supervised by | | |
| | | | DRAWING NO. | | INDEX NO. |
| | | | 4 of 6 | | 17344 |






FLASHER UNIT AND CABINET TO BE PLACED ON THE STRAIN POLE SUPPORTING OVERHEAD SIGN ASSEMBLY OR ON SERVICE POLE. THE FLASHER UNIT NOT TO OVERHANG PRIVATE PROPERTY OR SIDEWALK.




| FLORIDA DEPARTMENT OF TRANSPORTATION | | | | | |
|--------------------------------------|--------|-------------------------|---------------|-------------|-----------|
| TRAFFIC DESIGN | | | | | |
| SCHOOL SIGNS & MARKINGS | | | | | |
| REVISIONS | | | INITIALS | DATE | |
| DATE | BY | DESCRIPTION | DETAILED BY | CEJ | 7-76 |
| 9-79 | J.M.C. | Deleted Florida Statute | CHECKED BY | KR | 7-76 |
| 8-80 | K.H. | Revise Details | QUANTITIES BY | | |
| | | | CHECKED BY | | |
| | | | SUPERVISED BY | | |
| | | | | DRAWING NO. | INDEX NO. |
| | | | | 5 of 6 | 17344 |

SPEED LIMIT ASSEMBLY




NOTES:


1. ALL SIGNS SHALL BE REFLECTORIZED.
2. STANDARD SIZE SIGNS SHOULD BE USED WHENEVER POSSIBLE. MINIMUM SIZES MAY BE USED ONLY ON LOW VOLUME, LOW SPEED (LESS THAN 35 M.P.H.) STREETS. SPECIAL SIZES SHOULD BE USED ON EXPRESSWAY FACILITIES WHERE SPECIAL EMPHASIS IS NEEDED.
3. THE VALUE OF THE ACTUAL SCHOOL ZONE SPEED LIMIT SHALL BE DETERMINED BY THE DISTRICT TRAFFIC OPERATIONS ENGINEER IN COOPERATION WITH LOCAL SCHOOL SUPERINTENDENTS. IN NO CASE SHALL IT BE LESS THAN THE 15 M.P.H. MIN. SET BY LAW.



NOTE: GROUND MOUNT STANDARD EXISTING SCHOOL SPEED LIMIT SIGNS (GROUND MOUNT) UTILIZING A SINGLE 8\"/>



COLOR—BLACK ON REFL YELLOW BACKGROUND






NOTE

ALL SIGNS SHALL BE REFLECTORIZED


| REVISIONS | | |
|-----------|----------|-------------------------------|
| DATE | INITIALS | DESCRIPTION |
| 8-8-79 | J.M.C. | Deleted Florida Statute |
| 8-80 | K.H. | Deleted Ground Mount Standard |
| 9-9-81 | R.L. | Added Note |
| 8-86 | M.C. | Changed FTD to FTP |

| FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN | | | |
|--|------|----------------------------|-----------|
| SCHOOL SIGNS & MARKINGS | | | |
| INITIALS | DATE | | |
| CEJ | 7-76 | APPROVED | |
| KR | 7-76 | by | |
| | | STATE DESIGN ENGINEER-RDWY | |
| | | DRAWING NO. | INDEX NO. |
| | | 6 of 6 | 17344 |






NORMAL TAPERED ENTRANCE



**NORMAL TAPERED ENTRANCE
WITH ADDED LANE**



DETAIL D





COLORLESS-RED REFLECTIVE PAVEMENT MARKERS TO BE PLACED ON EVERY STRIPE BEGINNING AT NOSE.

REFLECTIVE PAVEMENT MARKERS SHALL BE PLACED OUTSIDE OF THE STRIPE IF PAINT IS USED.

| REVISIONS | | | FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN | |
|-----------|----------|-------------------------------------|--|------------------------------|
| DATE | INITIALS | DESCRIPTIONS | INTERCHANGE MARKINGS | |
| 7-11-78 | PB | REVISED NOTES & CHANGED TITLE BLOCK | INITIALS | DATES |
| 9-7-79 | J.M.C. | REVISED 10:11 DIMENSION | CHECKED BY | APPROVED BY |
| 9-80 | K.H. | REMOVE DETAIL & REVISE DRAWINGS | INITIALS | DATE |
| | | | CHECKED BY | STATE DESIGN ENGINEER - ROWY |
| | | | SUPERVISED BY | DRAWING NO. 2 OF 4 |
| | | | | INDEX NO. 17345 |




PARALLEL ACCELERATION AND DECELERATION LANE



WRONG WAY ARROWS

| REVISIONS | | |
|-----------|----------|-----------------------------|
| DATE | INITIALS | DESCRIPTIONS |
| 7-11-78 | PB | REVISED NOTES & TITLE BLOCK |
| 9-7-79 | J.M.C. | REVISED IOTI. DIMENSION |
| 8-80 | K.H. | ARROW DETAIL ADDED |
| 9-9-81 | R.L. | ADD DOWEL |

| | | | |
|--------------------------------------|----------|--------|---------------------------------|
| FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
| TRAFFIC DESIGN | | | |
| INTERCHANGE MARKINGS | | | |
| | INITIALS | DATES | |
| DETAILED BY | W.R.B. | 9-6-73 | |
| CHECKED BY | K.R. | | Approved by <i>De. Smith</i> |
| QUANTITIES BY | | | STATE DESIGN ENGINEER—RDW |
| CHECKED BY | | | DRAWING NO. INDEX NO. |
| SUPERVISED BY | | | 7 OF 4 17345 |



BASIC COLOR RULE
WHITE LINES SEPARATE FLOWS IN
THE SAME DIRECTION
YELLOW LINES SEPARATE FLOWS
IN THE OPPOSITE DIRECTION
YELLOW DOTTED LINES
SHALL BE PERMITTED IN
SPECIAL CASES

TRAFFIC FLOW

USE AMBER DELINEATORS ON SIDES FACING CROSS-OVER, USE GALVANIZED STEEL POSTS

USE GREEN DELINEATORS ON SIDES AWAY FROM CROSS-OVER.

GENERALLY TOP OF POST SHOULD BE 48" ABOVE THE EDGE OF PAVEMENT GRADE

4" WHITE EDGE LINE

4" YELLOW (6'-10' SKIP)

6' TO 10' EXTENSION

PAST RADIUS POINT


BEGIN EXTENSION AT RADIUS POINT

4" YELLOW EDGE LINE


4" WHITE SKIP

TRAFFIC FLOW






4" WHITE EDGE LINE



NOTE
WHEN ARROW AND PAVEMENT MESSAGE ARE USED TOGETHER, THE ARROW SHALL BE LOCATED DOWN-STREAM OF THE PAVEMENT MESSAGE AND SHALL BE SEPARATED FROM THE PAVEMENT MESSAGE BY A DISTANCE OF 25' (BASE OF THE ARROW TO THE BASE OF THE MESSAGE).




| | | | |
|----------|---|--------------------------------------|--------------------|
| | | FLORIDA DEPARTMENT OF TRANSPORTATION | |
| | | TRAFFIC DESIGN | |
| | | SPECIAL MARKING AREAS | |
| REVISONS | | INITIALS | DATES |
| Dates | Descriptions | Detailed by | <i>SMR</i> 8-15-78 |
| 8-16-78 | REDRAFTED | Checked by | K. R. 8-16-78 |
| 8-27-79 | PMV MESSAGES & ARROW ADDED. INTERSECTION DETAIL ADDED. | Quantities by | |
| | | Checked by | |
| 8-80 | REVERSE MARKINGS FOR INTERSECTION | Supervised by | K R |
| 8-88 | REVISED DETAIL | | |
| | | Approved by <i>[Signature]</i> | |
| | | STATE DESIGN ENGINEER - ROAD | |
| | | DRAWING NO. | INDEX NO. |
| | | 1 OF 8 | 17346 |



TAPER LENGTH EQUATION
 $TL = \frac{M}{2} \times S$
 TL = TAPER LENGTH (ft.)
 M = MEDIAN WIDTH (ft.)
 S = SPEED (M.P.H.)




| SPEED LIMIT | IN FT. |
|-------------|---------|
| 55 | 400 |
| 50 | 350 |
| 40 | 275 |
| 30 | 200 |
| URBAN | 50 MIN. |



BEGINNING OF A DIVIDED HIGHWAY


| POSTED (DAY) SPEED LIMIT M.P.H. | "X" FT. |
|---------------------------------|---------|
| 25 OR LESS | 10 |
| 30 | 20 |
| 35 | 20 |
| 40 | 40 |
| 45 | 40 |
| 50 | 60 |
| 55 | 60 |

TAPER LENGTH EQUATION
 $TL = 12S$
 TL = TAPER LENGTH (ft.)
 S = SPEED (m.p.h.)




4-LANE-2-LANE TRANSITION-NO MEDIAN


DETAIL A



NOTE
 RAISED PAVEMENT MARKERS SHALL BE SET IN THERMOPLASTIC AS SHOWN BELOW, OR SET TWO (2) INCHES INSIDE PAINTED LINE AS SHOWN IN DETAIL A



PAVEMENT MARKINGS FOR TRAFFIC CHANNELIZATION AT GORE
 (TRAFFIC FLOWS IN SAME DIRECTION)




| POSTED (DAY) SPEED LIMIT M.P.H. | "X" FT. |
|---------------------------------|---------|
| 30 OR LESS | 10 |
| 35 | 20 |
| 40 | 20 |
| 45 | 30 |
| 50 OR MORE | 40 |

PAVEMENT MARKING FOR TRAFFIC SEPARATION
 (TRAFFIC FLOWS IN OPPOSITE DIRECTION)

FLORIDA DEPARTMENT OF TRANSPORTATION
 TRAFFIC DESIGN
 SPECIAL MARKING AREAS

| REVISIONS | INITIALS | DATES |
|----------------------|---------------|------------------------------|
| Dates Descriptions | Detailed by | 8-19-78 |
| 8-19-78 Redrafted | Checked by | 8-19-78 |
| 8-80 Revised Details | Quantities by | |
| 9-86 Revised Detail | Checked by | |
| | Supervised by | |
| | | Approved |
| | | STATE DESIGN ENGINEER - RDWY |
| | | DRAWING NO. 4 OF 8 |
| | | INDEX NO. 17346 |



| POSTED (DAY) SPEED LIMIT M.P.H. | "Y" F.T. |
|---------------------------------|----------|
| 30 OR LESS | 10 |
| 35 | 20 |
| 40 | 20 |
| 45 | 30 |
| 50 OR MORE | 40 |

WHITE DELINEATORS SHALL BE USED THROUGHOUT THE TRANSITION WHERE 85th PERCENTILE APPROACH SPEEDS* ARE GREATER THAN 30 M.P.H.

| SPEED (MPH) | TRANSITION DISTANCE L ₁ | | | | | | | | | | | | | |
|-------------|---------------------------------------|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|--|--|
| | LATERAL OFFSET (L ₁ = 8xW) | | | | | | | | | | | | | |
| | 8 | 9 | 10 | 11 | 12 | 13 | 14 | "x" | | | | | | |
| 30 | 240 | 270 | 300 | 330 | 360 | 390 | 420 | 20 | | | | | | |
| 35 | 280 | 315 | 350 | 385 | 420 | 455 | 490 | 20 | | | | | | |
| 40 | 320 | 360 | 400 | 440 | 480 | 520 | 560 | 40 | | | | | | |
| 45 | 360 | 405 | 450 | 495 | 540 | 585 | 630 | 40 | | | | | | |
| 50 | 400 | 450 | 500 | 550 | 600 | 650 | 700 | 60 | | | | | | |
| 55 | 440 | 495 | 550 | 605 | 660 | 715 | 770 | 60 | | | | | | |
| 60 | 480 | 540 | 600 | 660 | 720 | 780 | 840 | 80 | | | | | | |
| 65 | 520 | 585 | 650 | 715 | 780 | 845 | 910 | 80 | | | | | | |
| 70 | 560 | 630 | 700 | 770 | 840 | 910 | 980 | 80 | | | | | | |

* PASSENGER CAR, DAYTIME, POSTED SPEEDS OR 85th PERCENTILE (USE HIGHER VALUE)

** LATERAL OFFSET

PAVEMENT WIDTH TRANSITION (L₂)

ENDPOINTS OF L₂ ARE THE PHYSICAL NOSE AND POINT AT WHICH PAVED SURFACE BEGINS TO TAPER TO ONE LANE. ON NEWER ROADS L₂ WILL USUALLY BE SIMILAR TO L₁, BUT ON OLDER ROADS MAY BE MUCH LESS. FOR THE RIGHT ROADWAY L₂ BEGINS AT POINT WHERE PAVEMENT WIDTH BEGINS TO NARROW AND CONTINUES TO POINT OF UNIFORM LANE WIDTH.

NOTE

RAISED PAVEMENT MARKERS ON EDGE LINES THROUGH TRANSITION AREA ARE OPTIONAL.

SCHEMES FOR TRANSITION FROM 2-LANE TO 4-LANE ROADWAY

| SPEED (MPH) | "X" (FT.) |
|-------------|-----------|
| 60 | 775 |
| 50 | 625 |
| 40 | 475 |
| 30 | 325 |
| 20 | 175 |

* PASSENGER CAR, DAYTIME POSTED SPEEDS OR 85th PERCENTILE (USE HIGHER VALUE)



FLORIDA DEPARTMENT OF TRANSPORTATION
TRAFFIC DESIGN

SPECIAL MARKING AREAS


| REVISIONS | | INITIALS | | DATES | |
|-----------|---------------------|---------------|--------|---------|----------------------------|
| Dates | Descriptions | Detailed by | S.W.R. | 8-28-78 | Approved by |
| 8-28-78 | REDRAFTED | Checked by | K.R. | 8-28-78 | by <i>[Signature]</i> |
| 10-15-79 | ADDED MERGE | Quantities by | | | |
| 8-80 | REVISE DETAILS | Checked by | | | STATE DESIGN ENGINEER—ROWY |
| 8-86 | Relocated Sign W6-3 | Supervised by | K.R. | | |
| | | | | | DRAWING NO. 5 C 8 |
| | | | | | INDEX NO. 17346 |

| SPEED mph | A in ft |
|--------------|------------|
| 55 | 425 |
| 50 | 350 |
| 40 | 275 |
| 30 | 200 |
| URBAN | 50 MIN. |

"A" VALUE IS BASED ON
AASHTO MIN. SSD.


DO NOT
STOP
ON
TRACKS

RS-8
FOR USE NEAR
SIGNALIZED INTERSECTION



WIDTH MAY VARY ACCORDING
TO LANE WIDTH

PAVEMENT
MESSAGE
WHITE



89 s.f.*

* DOES NOT INCLUDE 2' BARS.



W10-1
See notes 3 & 4 for sign placement.

RAILROAD CROSSING AT 2-LANE ROADWAY

| SPEED mph | A in ft |
|--------------|------------|
| 55 | 425 |
| 50 | 350 |
| 40 | 275 |
| 30 | 200 |
| URBAN | 50 MIN. |


"A" VALUE IS BASED ON
AASHTO MIN. SSD.

STOP BAR PERPENDICULAR TO EDGE
OF TRAVEL WAY OR 8 FT. FROM &
PARALLEL TO GATE WHEN PRESENT

4" DBL YELLOW


DO NOT
STOP
ON
TRACKS

RS-8
FOR USE NEAR
SIGNALIZED INTERSECTIONS



WIDTH MAY VARY ACCORDING
TO LANE WIDTH

PAVEMENT
MESSAGE
WHITE



89 s.f.*

* DOES NOT INCLUDE 2' BARS.


W10-1 See note 3 & 4 for sign placement.

THE RAILROAD TRAFFIC CONTROL
DEVICE IS TO BE LOCATED A MINIMUM
OF 12' FROM THE RAILROAD CENTERLINE
SEE STANDARD INDEX 17882 FOR PROTECTION DEVICES

RAILROAD CROSSING AT 4-LANE ROADWAY

NOTES

- WHEN COMPUTING PAVEMENT MESSAGES, QUANTITIES DO NOT INCLUDE TRANSVERSE LINES.
- WHEN DYNAMIC DEVICES ARE NOT PRESENT OR ARE TO BE INSTALLED, THE CROSSBUCK SHALL BE LOCATED AT THE FUTURE LOCATION OF THE RR GATE OR SIGNAL AND GATE IN ACCORDANCE WITH INDEX 17882.
- PLACEMENT OF THE W10-1 SIGN SHALL NORMALLY BE PLACED 750 FEET OR 1000 FEET IN ADVANCE OF THE CROSSING IN RURAL AREAS AND 250 FEET IN ADVANCE OF THE CROSSING IN URBAN AREA EXCEPT THAT IN A RESIDENTIAL OR BUSINESS DISTRICT, WHERE LOW SPEEDS ARE PREVALENT, THE SIGN MAY BE PLACED A MINIMUM DISTANCE OF 100 FEET FROM THE CROSSING. WHERE STREET INTERSECTIONS OCCUR BETWEEN THE RR PAVEMENT MESSAGE AND THE TRACKS AN ADDITIONAL W10-1 SIGN & ADDITIONAL PAVEMENT MESSAGE SHOULD BE USED.
- RECOMMENDED LOCATION FOR FTO-38 SIGN, 100 ft. URBAN & 300 ft. RURAL IN ADVANCE OF THE CROSSING.






PLACEMENT OF EDGELINES FOR NON INTERSTATE

FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN SPECIAL MARKING AREAS

| REVISED | | INITIALS | | DATES | |
|---------|--------------------------------|---------------|------------------------------|----------------------------|------------|
| Dates | Descriptions | Dates | Descriptions | Detailed by | Checked by |
| 9/86 | Added 4" DBL Yellow to Details | 8-16-78 | REDRAFTED | TL | 9-1-78 |
| | | 8-27-79 | PAVT. MARKING REMOVED | K.R. | |
| | | 8-80 | REVISE "R" | | |
| | | 9-85 | DELETED DETAIL & MOVED NOTES | | |
| | | Supervised by | | K.R. | |
| | | Approved by | | STATE DESIGN ENGINEER—RDWY | |
| | | DRAWING NO. | | INDEX NO. | |
| | | 6 OF 8 | | 17346 | |

- GENERAL NOTES -

1. FOR TRAFFIC AND PEDESTRIAN SIGNAL INSTALLATION, SEE STANDARD INDEXES [772] THROUGH [7890].
2. FOR HANDICAP CURB CUT, SEE ROADWAY DESIGN STANDARD INDEXES 304 SHEETS 1 OF 2 AND 2 OF 2
3. FOR PAVEMENT MARKING AND SIGN INSTALLATION, SEE TRAFFIC DESIGN STANDARD INDEXES 9535 THROUGH [7356].



SPECIAL EMPHASIS CROSS WALK
MID-BLOCK- SIGNALIZED

SPECIAL EMPHASIS CROSS WALK
TWO LANE - NON SIGNALIZED

SPECIAL EMPHASIS CROSS WALK
SIGNALIZED OR STOP SIGN CONTROLLED INTERSECTION

| APPROACH SPEED MPH. | A* SUGGESTED DISTANCE IN FEET |
|---------------------|-------------------------------|
| 25 TO 35 | 275 |
| 36 TO 45 | 350 |
| 46 TO 55 | 500 |

| REVISIONS | | |
|-----------|----------|-------------|
| DATE | INITIALS | DESCRIPTION |
| | | |
| | | |
| | | |
| | | |

| | | | |
|--|-----|-----------|---------------------------|
| FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN | | | |
| SPECIAL MARKINGS | | | |
| DETAILED BY | CEB | 9-6-85 | Approved |
| CHECKED BY | JDS | 9-6-85 | by <i>J. C. Hill</i> |
| QUANTITIES BY | | | STATE DESIGN ENGINEER-RDW |
| CHECKED BY | | | |
| SUPERVISED BY | | | |
| DRAWING NO. | | INDEX NO. | |
| 7 OF 8 | | 17346 | |







Diagram of a diamond-shaped rug with the following dimensions and labels:

- Overall height: 6'-0"
- Overall width: 3' 0"
- Inner diamond width: 2' 0"
- Inner diamond height: 6"
- Material label: WHITE




| | |
|-------------|-----------|
| DRAWING NO. | INDEX NO. |
| 8 OF 8 | 17346 |

| REVISIONS | | | | | | | | | | | | NAME | | DATE | | NAME | | DATE | | FLORIDA DEPARTMENT OF TRANSPORTATION | | BICYCLE SPECIAL MARKING AREAS & DETAILS |
|-----------|----|--|-------------|------|----|--|-------------|------|----|--|-------------|---------------|-------|---------------|------------|-------|--------|-------------|--|--------------------------------------|--|---|
| DATE | BY | | DESCRIPTION | DATE | BY | | DESCRIPTION | DATE | BY | | DESCRIPTION | DESIGNED BY | MICK | 8 / 84 | DRAWN BY | MICK | 8 / 84 | APPROVED BY | | | | |
| | | | | | | | | | | | | CHECKED BY | K. R. | 8 / 84 | CHECKED BY | K. R. | 8 / 84 | | | | | |
| | | | | | | | | | | | | SUPERVISED BY | | Kermit Ranson | | | | | | DATE | | |

BICYCLE SPECIAL MARKING AREAS & DETAILS


3/8" ALUMINUM (ASTM B211) OR STAINLESS
STEEL (ASTM A320) BUTTON HEAD BOLT
WITH NUT AND WASHER



CASE I... REFLECTOR SHALL HAVE A YELLOW REFLECTIVE
BACKGROUND, AND YELLOW REFLECTIVE BUTTONS. (SIGN SHOP #812-170)

CASE II... REFLECTOR SHALL HAVE A RED REFLECTIVE
BACKGROUND, AND RED REFLECTIVE BUTTONS. (SIGN SHOP #812-171)


NO CONCRETE FOOTING IS REQUIRED FOR
REFLECTOR SUPPORTS. SUPPORTS SHALL BE
DRIVEN 3' INTO THE GROUND.



CASE II
RED REFLECTORS

DEAD END SIGN SHALL BE POSTED A
SUFFICIENT ADVANCE DISTANCE TO
PERMIT THE VEHICLE OPERATOR TO
AVOID THE DEAD END BY TURNING
OFF IF POSSIBLE, AT THE NEAREST
INTERSECTING STREET

YELLOW REFLECTORS
CASE I



YELLOW REFLECTORS
CASE I

NOTE: For Pavement Marking See Index No. 17346
NO GUARDRAIL IS REQUIRED UNLESS SPECIAL
FIELD CONDITIONS REQUIRE ITS USE

CASE II
RED REFLECTORS

CASE I
YELLOW REFLECTORS



SUPPLEMENTAL SIGN, WITH
DISTANCE PANEL, TO BE
USED AS NEEDED


| REVISIONS | | | |
|-----------|----------|---------------------|--|
| DATE | INITIALS | DESCRIPTION | |
| 8-80 | K.H. | DELETE SIGN DETAILS | |
| | | | |
| | | | |
| | | | |

| FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN | | | |
|--|--------|-----------|--------------------------------|
| TRAFFIC CONTROLS FOR STREET TERMINATIONS | | | |
| INITIALS | DATES | | |
| DETAILED BY | GW | 11-4-74 | Approved |
| CHECKED BY | | | by <i>De Kahl</i> |
| QUANTITIES BY | | | STATE DESIGN ENGINEER, ROADWAY |
| CHECKED BY | KR | 11-4-74 | |
| SUPERVISED BY | KR | 11-4-74 | |
| DRAWING NO. | 1 of 1 | INDEX NO. | 17349 |


NOTE

WHEN APPROVED FOR ATTACHMENT TO THE ADVANCE GUIDE SIGNS, UP TO 3 SERVICES MAY BE USED FOR AN EXIT. THE SYMBOL SIGNS SHALL BE SUSPENDED FROM THE GUIDE SIGN PANEL OR EXISTING WIND BEAMS. SYMBOL SIGNS ARE NOT TO BE CONNECTED TO EXISTING SIGN POSTS.


THE MOUNTING HEIGHT OF THE ADVANCE GUIDE SIGN SHALL BE INCREASED WHERE NECESSARY TO PROVIDE 8 FEET BETWEEN THE LEVEL OF THE PAVEMENT EDGE AND THE BOTTOM OF THE GUIDE SIGN, PRIOR TO MOUNTING THE SUPPLEMENTARY PANEL.




DETAIL "A"
(1 TO 3 SYMBOLS ON SEPARATE PANELS)



DETAIL "B"
(4 TO 6 SYMBOLS)



DETAIL "C"
(4 SYMBOLS)





DETAIL "D"
(EACH SYMBOL ON SEPARATE PANEL)

- NOTES:
1. SIGNS SHALL BE LOCATED ON THE SIDE OF THE RAMP FOR SERVICES IN THAT PARTICULAR DIRECTION. IF THERE ARE SERVICES IN BOTH DIRECTIONS, THEN SIGNS SHALL BE INSTALLED ON BOTH SIDES.
 2. "RAMP MOUNTED SIGNS SHALL BE INSTALLED TO AVOID CONFLICT WITH EXISTING SIGNS AND IN NO CASE SHOULD THEY BE PLACED WITHIN 100' OF ANOTHER SIGN."
 3. SINGLE PANEL ARROW SIZE WILL BE 18"x9'.
 4. DUAL PANEL ARROW SIZE WILL BE 36"x9'.

GENERAL NOTES

- 1- ONLY THOSE SERVICES MEETING CRITERIA ESTABLISHED BY THE DEPARTMENT AND APPROVED BY THE STATE TRAFFIC OPERATIONS ENGINEER FOR EACH INTERCHANGE SHALL BE SHOWN. SYMBOL SIGNS FOR MOTORIST SERVICES SHALL ALWAYS APPEAR IN THE FOLLOWING ORDER READING FROM LEFT TO RIGHT AND TOP TO BOTTOM: GAS, FOOD, LODGING, PHONE*, HOSPITAL, CAMPING.
- * THE PHONE SYMBOL SHALL NOT BE SHOWN WHENEVER ANY GAS, FOOD, LODGING OR CAMPING SYMBOL APPEARS.
- 2 ON SUPPLEMENTAL SIGNS (DETAILS "B" & "C"), SYMBOLS SHALL APPEAR IN THE SPECIFIC LOCATION SHOWN. BLANK SPACES SHALL BE LEFT FOR SERVICES NOT AVAILABLE.
- 3- ALL MOTORIST SERVICE SIGNS TO HAVE WHITE REFLECTIVE LEGEND AND BORDER WITH BLUE REFLECTIVE BACKGROUND.
- 4 WHEN GAS AND DIESEL ARE BOTH AVAILABLE, ONLY THE DIESEL PANEL WILL BE USED.
- 5 FOR MOUNTING DETAILS SEE INDEX 9535 FOR TYPE "A" BREAKAWAY OR INDEX 11860 FOR TYPE "C" FRANGIBLE.

NOTE
FOR ATTACHMENT DETAILS TO
ADVANCE GUIDE SIGN SEE INDEX
NO. 13417




WHEN AN ODD NUMBER OF SYMBOL PANELS ARE USED THE TOP PANEL SHALL BE CENTERED


** RAMP MOUNTED SIGNS SHALL BE INSTALLED TO AVOID CONFLICT WITH EXISTING SIGNS

| REVISIONS | | |
|-----------|----------|--|
| DATE | INITIALS | DESCRIPTION |
| 8-30-76 | T.L. | RELOCATED SERVICE SIGNS |
| 9-27-76 | T.L. | RELOCATED SIGN & ADD NOTE (Detail "D") |
| 10-4-79 | K.H. | ADDED NOTES AND DETAIL |


| FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN | | |
|--|---|-----------------|
| SIGNING FOR MOTORIST SERVICES | | |
| INITIALS | DATES | |
| DETAILED BY | W.B. | 3-76 |
| CHECKED BY | | |
| QUANTITIES BY | | |
| CHECKED BY | K.R. | 3-76 |
| SUPERVISED BY | K.R. | |
| Approved | by <i>De Hall</i> STATE DESIGN ENGINEER, ROADWAY | |
| DRAWING NO. | 1 of 1 | INDEX NO. 17350 |




SIGN NO. FTP-17
 6'-6" x 19'-0"
 3" BOR. 9" RAD.
 BLUE REFL. BACKGROUND
 WHITE REFL. LEGEND &
 BORDER



SIGN NO. FTP-18
 7'-0" x 19'-0"
 3" BOR. 9" RAD.
 BLUE REFL. BACKGROUND
 WHITE REFL. LEGEND &
 BORDER




SIGN NO. FTP-19
 4'-6" x 12'-6"
 2" BOR. 9" RAD.
 BLUE REFL. BACKGROUND
 WHITE REFL. LEGEND & BORDER
 ORANGE REFL. STATE SILHOUETTE
 (SIGN NO. FTP-19 TO BE PAID FOR WITH FUNDS
 OTHER THAN D.O.T.)




SIGN NO. FTP-20
 5'-6" x 7'-0"
 2" BOR. 9" RAD.
 BLUE REFL. BACKGROUND
 WHITE REFL. LEGEND &
 BORDER

NOTE
 DISTANCE MESSAGE OF 1/2 MILE MAY BE USED TO KEEP
 THIS SIGN WITHIN THE STATE LINE.



- NOTES:**
1. SIGNS AND SIGN STRUCTURES SHALL BE ERECTED IN ACCORDANCE WITH THE DETAILS SHOWN ON INDEX 9535.
 2. SIGN FTP-19 SHALL BE LOCATED ON THE WELCOME CENTER GROUNDS IN PROXIMITY TO THE BUILDING AND AS FAR FROM THE MAIN LINE ROADWAYS AS POSSIBLE (2 SIGNS BACK TO BACK).
 3. SIGN FTP-19 SHALL BE LOCATED ON LIMITED ACCESS HIGHWAYS ONLY.
 4. DETAIL OF FLORIDA SYMBOL IS AVAILABLE ON REQUEST FROM TRAFFIC OPERATIONS OFFICE OF D.O.T.

NOTE:
 ROADWAY NOT DRAWN TO SCALE
 DISTANCES SHOWN ARE APPROPRIATE
 FOR ADEQUATE DRIVER COMMUNICATION
 BUT MAY BE ALTERED SLIGHTLY IF FIELD
 CONDITIONS REQUIRE.




SIGN NO. FTP-21
 7'-0" x 20'-6"
 3" BOR. 9" RAD.

NOTE: SIGN SHALL HAVE BLUE REFLECTORIZED BACKGROUND WITH WHITE REFLECTORIZED LEGEND & BORDER. SIGN FTP-21 SHALL BE USED AS A SUPPLEMENTAL GUIDE SIGN AT INTERCHANGES WHICH HAVE A TOURIST INFORMATION CENTER APPROVED FOR SUCH SIGNING (LOCATE HALF-WAY BETWEEN NORMAL GUIDE SIGNS)


| REVISIONS | | |
|-----------|----------|--------------------|
| DATE | INITIALS | DESCRIPTION |
| 8-86 | M.C. | Changed FTO To FTP |
| | | |
| | | |
| | | |
| | | |

| FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
|--------------------------------------|----------|-------|--|
| TRAFFIC DESIGN | | | |
| WELCOME CENTER SIGNING | | | |
| FOR LIMITED ACCESS HIGHWAYS | | | |
| DATE | INITIALS | DATES | |
| 8-86 | M.C. | 6-75 | |
| | | | |
| | | | |
| | | | |
| | | | |


Approved by *[Signature]*
 STATE DESIGN ENGINEER-ROADWAY
 SUPERVISED BY K.R. 6-75
 DRAWING NO. 1 OF 2
 INDEX NO. 17351




SIGN NO. FTP-22A
 4'-6" x 12'-6"
 2" BOR.-9" RAD.
 BLUE REFL. BACKGROUND
 WHITE REFL. LEGEND & BORDER



SIGN NO. FTP-19
 4'-6" x 12'-6"
 2" BOR.-9" RAD.
 BLUE REFL. BACKGROUND
 WHITE REFL. LEGEND & BORDER
 ORANGE REFL. STATE SILHOUETTE
 (SIGN NO. FTO-19 TO BE PAID FOR WITH FUNDS
 OTHER THAN D.O.T.)




SIGN NO. FTP-22B
 5'-0" x 12'-6"
 2" BOR.-9" RAD.



SIGN NO. FTP-24
 5'-6" x 12'-6"
 2" BOR.-9" RAD.

NOTES

- (1) SIGNS AND SIGN STRUCTURES SHALL BE ERECTED IN ACCORDANCE WITH THE DETAILS SHOWN ON INDEX 9535.
- (2) SIGN FTP-19 SHALL BE LOCATED ON THE WELCOME CENTER GROUNDS IN PROXIMITY TO THE BUILDING AND AS FAR FROM THE MAIN LINE ROADWAYS AS POSSIBLE (2 SIGNS BACK TO BACK)
- (3) DETAIL OF FLORIDA SYMBOL IS AVAILABLE ON REQUEST FROM TRAFFIC OPERATIONS OFFICE OF D.O.T.



NOTE
 ROADWAY NOT DRAWN TO SCALE


* 800' MAXIMUM FOR RURAL CONDITIONS
 50' MINIMUM FOR CONGESTED AREAS

NOTE


EITHER ONE BUT NOT BOTH OF SIGNS FTP-22A OR B SHOULD BE USED DEPENDING ON SPEED, ROADSIDE DEVELOPMENT & GEOMETRIC CONDITIONS.

| REVISIONS | | | | FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN WELCOME CENTER SIGNING FOR PRIMARY HIGHWAYS | | | |
|-----------|----------|--------------------|---------------|--|-------|---|--------------------|
| DATE | INITIALS | DESCRIPTION | DETAILED BY | INITIALS | DATES | Approved by <i>De Anil</i> STATE DESIGN ENGINEER - RDWY | |
| 8-86 | M.C. | Changed FTO To FTP | CHECKED BY | W.B. | 6-75 | | |
| | | | QUANTITIES BY | | | | |
| | | | CHECKED BY | | | | |
| | | | SUPERVISED BY | K.R. | 6-75 | DRAWING NO. 2 OF 2 | INDEX NO. 17351 |


Alternating Skip Line




Double Solid Line




Solid Line With Alternating Skip



Skip Line




Solid Line With Skip




NOTE: ON TWO-WAY TRAFFIC MARKERS MAY BE INSTALLED EITHER ON THE LEADING EDGE OR TRAILING EDGE OF THE STRIPE



Skip Line With Two Way Left Turn Lane



Alternating Skip Line With Two Way Left Turn Lane





* Note:
Reflective Pavement Markers shall be placed 40' c/c on all projects, however on sharp curves less than 40' may be used, if specified by the plans.
For Pavement Arrow Requirements see Index 17346.




| REVISIONS | | |
|-----------|----------|-------------------|
| DATE | INITIALS | DESCRIPTIONS |
| 9-27-85 | M.C. | ADDED LANE DETAIL |
| | | |
| | | |
| | | |
| | | |

| FLORIDA DEPARTMENT OF TRANSPORTATION | | |
|---|-------|---|
| TRAFFIC DESIGN | | |
| TYPICAL PLACEMENT OF REFLECTIVE PAVEMENT MARKERS IN THERMOPLASTIC | | |
| INITIALS | DATES | |
| DETAILED BY K.H. | 10-79 | Approved by <i>De Buhl</i> STATE DESIGN ENGINEER - RDWY Drawing No. 1 of 2 / Index No. 17352 |
| CHECKED BY K.R. | 10-79 | |
| QUANTITIES BY | | |
| CHECKED BY | | |
| SUPERVISED BY | | |




- NOTES
1. FOR LANE LINES SEPARATING ONE-WAY TRAFFIC, RAISED REFLECTIVE MARKERS SHALL BE MONO-DIRECTIONAL (COLORLESS.)
 2. FOR CENTER LANE MARKINGS, FOR TWO-WAY TRAFFIC, RAISED REFLECTIVE MARKERS SHALL BE BI-DIRECTIONAL (AMBER & AMBER), EXCEPT WHERE PASSING IS RESTRICTED IN ONE DIRECTION ONLY.
 3. RAISED REFLECTIVE MARKERS SHALL BE PLACED 40' C/C ON ALL PROJECTS, HOWEVER ON SHARP CURVES LESS THAN 40' MAY BE USED, IF SPECIFIED BY THE PLANS.
 4. ALL MARKINGS SHALL BE APPLIED BEFORE RAISED MARKERS ARE INSTALLED.




| REVISIONS | | |
|-----------|----------|---------------------------|
| DATE | INITIALS | DESCRIPTION |
| 1-27-76 | W.B. | ADDITIONAL NOTE |
| 7-13-78 | P.B. | REVISED NOTES |
| 10-2-79 | K.H. | REVISED NOTES AND DETAILS |
| 8-80 | K.H. | REVISE DETAIL |



| FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN | | | |
|---|-------|------------------------------|-----------------|
| TYPICAL PLACEMENT OF REFLECTIVE PAVEMENT MARKERS (PAINT) | | | |
| INITIALS | DATES | | |
| DETAILED BY G.W. | 10-75 | | |
| CHECKED BY K.R. | 10-75 | Approved | |
| QUANTITIES BY | | by <i>De Paul</i> | |
| CHECKED BY | | STATE DESIGN ENGINEER - PDWY | |
| SUPERVISED BY K.R. | 10-75 | DRAWING NO. 2 of 2 | INDEX NO. 17352 |




PLACEMENT OF DELINEATOR
PANEL




ENERGITE SYSTEM




G-R-E-A-T SYSTEM



SECTION A-A




BRACKET AND DELINEATOR DETAIL




DELINATOR &
ATTENUATOR

HI-DRO SYSTEM


| FLORIDA DEPARTMENT OF TRANSPORTATION | | | | | |
|--------------------------------------|----------|--------------|---------------|--------|--|
| TRAFFIC DESIGN | | | | | |
| MARKINGS FOR ATTENUATION SYSTEMS | | | | | |
| REVISIONS | | | INITIALS | DATES | Approved by <i>R. G. L.</i> STATE DESIGN ENGINEER - ROWY DRAWING NO. 17353 INDEX NO. 1 of 1 |
| Date | Initials | Descriptions | Detailed by | R.G.L. | |
| 8-19-81 | R.G.L. | | Checked by | | |
| | | | Quantities by | | |
| | | | Supervised by | | |




**COUNTY ROUTE MARKER DETAIL
(3 & 4 DIGIT MARKER)**



The color of the sign shall be silver-white reflectorized background with black opaque border and legend.



**COUNTY ROUTE MARKER DETAIL
(1 & 2 DIGIT MARKER)**



**EXIT PANEL
(GORE INSTALLATION)**

| REVISIONS | | |
|-----------|----------|---------------------------------|
| DATE | INITIALS | DESCRIPTION |
| 8-80 | K.H. | REDRAFTED, COUNTY SHLD. REVISED |
| 9-85 | M.C. | ADDED COUNTY NAME NOTE |
| 8-86 | M.C. | CHANGED FTO TO FTP |

| FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN | | |
|--|-------|--|
| SPECIAL SIGN DETAILS | | |
| INITIALS | DATES | |
| DETAILED BY | | |
| CHECKED BY | | |
| QUANTITIES BY | | |
| CHECKED BY | | |
| SUPERVISED BY | | |

Approved by *De Hall*
STATE DESIGN ENGINEER - ROWY
DRAWING NO. 1 OF 4
INDEX NO. 17355

3" SERIES 'C'



FTP 911

LEGEND, BORDER AND SYMBOL SHALL BE REFLECTIVE WHITE ON A BLUE BACKGROUND.


SIGNS USED AS PER FLORIDA STATUTES
FTP 25, FTP 26 PER FS 316.1955, FS 316.1956
FTP 38A, FTP 38B PER FS 351.03
FTP 39 PER FS 316.212

NOTES

1. EDUCATIONAL PLAQUES FOR FTP 38A, 39 & 10 AND ALL DIAMOND SHAPED WARNING SIGNS WILL HAVE A REFLECTIVE YELLOW BACKGROUND WITH BLACK OPAQUE LEGEND & BORDER.
2. FOR GOLF CART WARNING SIGN, REMOVE THE TWO CROSS WALK STRIPES.

NOTES



1. TOP PORTION OF FTP 25 & 26 SHALL HAVE A REFLECTIVE BLUE BACKGROUND WITH WHITE REFLECTIVE SYMBOL AND BORDER.
2. BOTTOM PORTION SHALL HAVE A REFLECTIVE WHITE BACKGROUND WITH BLACK OPAQUE LEGEND AND BORDER.
3. FTP 25 & 26 MAY BE FABRICATED ON ONE PANEL OR TWO.
4. FTP 25 IS FOR USE IN AREAS WHERE SPACE IS LIMITED.



FTP 24

COLOR = GREEN ON WHITE
SIGN FTP 24 TO BE USED IN REST AREAS

EDUCATIONAL PLAQUE FOR
FTP 38A




FTP 38A




FTP 38B


EDUCATIONAL PLAQUE FOR
FTP 10



ALL LETTERS SERIES 'C' 2"




FTP 10



FTP 39


EDUCATIONAL PLAQUE FOR
FTP 39




| | | | |
|-------------|-----------|------|-----------|
| DESIGNED BY | R.L. 9/86 | DATE | R.L. 9/86 |
| CHECKED BY | J.G. 9/86 | DATE | J.G. 9/86 |
| APPROVED BY | R.L. | | |

Special Sign Details

Index No. Sheet No.
17355 2 of 4




FTP-28



| | A | B | C | D | E | F | G | H |
|-----|-----|-----|-----|-----|----|-------------------|-----|-------------------|
| 24° | 24° | 28° | 26° | 10° | 1° | 4 $\frac{3}{4}$ ° | 10° | 1 $\frac{1}{2}$ ° |
| 30° | 30° | 38° | 36° | 12° | 1° | 5° | 11° | 1 $\frac{1}{2}$ ° |
| 36° | 36° | 45° | 41° | 15° | 2° | 7° | 12° | 2° |

Notes:


1. Type 'B' arrow to be positioned as indicated on Signing Plans.
2. Green reflectorized background with White reflectorized legend and border.




| | | | |
|---|-----------------|---|-------------|
|  | ARROW VERTICAL |  | ARROW LEFT |
|  | ARROW 45° LEFT |  | ARROW RIGHT |
|  | ARROW 45° RIGHT | | NO ARROW |

DETAIL LAYOUT OF FLORIDA TURNPIKE TRAILBLAZER

FTP-27

| <div style="text-align: center;">R E V I S I O N S</div> <table border="1"><thead><tr><th>DATE</th><th>INITIALS</th><th>DESCRIPTION</th></tr></thead><tbody><tr><td>8-86</td><td>M.C.</td><td>Changed FTO To FTP</td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table> | | | DATE | INITIALS | DESCRIPTION | 8-86 | M.C. | Changed FTO To FTP | | | | | | | | | | | | | | | | | | | FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN | |
|--|-------|---|------|----------|-------------|------|------|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | DATE | INITIALS | DESCRIPTION | | | | | | | | | | | | | | | | | | | | | | | |
| 8-86 | M.C. | Changed FTO To FTP | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SPECIAL SIGN DETAILS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| INITIALS | DATES | Approved  by | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DETAILED BY K. H. | 8-80 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CHECKED BY K. R. | 8-80 | STATE DESIGN ENGINEER-RDY | | | | | | | | | | | | | | | | | | | | | | | | | | |
| QUANTITIES BY | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CHECKED BY | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SUPERVISED BY | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DRAWING NO. 3.25 | | INDEX NO. 173.54 | | | | | | | | | | | | | | | | | | | | | | | | | | |

COLOR
Black non reflective
legend and border with
white reflective background



R2-1S

*Optically spaced at
vertical center

| SIGN | DIMENSIONS (INCHES) | | | | | | | | | | | | |
|-------|---------------------|----|-----|-------|---|----|---|-----|-------|--------|--------|--------|----|
| | A | B | C | D | E | F | G | H | J | K | L | M | N |
| STD | 24 | 36 | 3/8 | 5/8 | 4 | 4E | 2 | 10E | 1 1/2 | 9 9/16 | 7 1/16 | 5 1/8 | 4E |
| EXPWY | 36 | 60 | 5/8 | 7/8 | 7 | 6E | 5 | 14E | 2 1/4 | 14 3/8 | 11 | 9 1/8 | 6E |
| FWY | 48 | 72 | 3/4 | 1 1/4 | 8 | 8E | 6 | 16E | 3 | 19 1/8 | 14 5/8 | 12 1/4 | 6E |


SPEED LIMIT BREAKDOWN

| MPH | km/h |
|-----|------|
| 20 | 30 |
| 25 | 40 |
| 30 | 40 |
| 35 | 50 |
| 40 | 60 |
| 45 | 70 |
| 50 | 80 |
| 55 | 88 |

NOTE

In compliance with Senate Bill 306 all speed limit signs shall be installed with the metric speed limit signs mounted below. both sign panels shall be installed on the same support.

The 24", 36" and 48" signs shall be installed with the corresponding size speed limit sign



R2-1A

*Optically spaced at
vertical center

| SIGN | DIMENSIONS (INCHES) | | | | | | | | | | |
|-------|---------------------|-----|-------|----|-----|---|---|--------|--------|-------|--|
| | A | B | C | D | E | F | G | H | J | K | |
| STD | 24 | 3/8 | 5/8 | 7 | 7E | 2 | 2 | 10 1/2 | 8 1/2 | 1 1/2 | |
| EXPWY | 36 | 5/8 | 7/8 | 10 | 10E | 3 | 3 | 15 3/4 | 12 3/4 | 2 1/4 | |
| FWY | 48 | 3/4 | 1 1/4 | 12 | 12E | 4 | 4 | 21 | 17 | 3 | |

COLORS

Black non reflective
legend and border, red reflective
circle and white reflective
background.

Refer to standard index
11860 for bracket TYPE I
or TYPE II

See table for column size

See table for
footing type

| TABLE | | | | | | | | | | | | | |
|--------------------------------------|-------------|-----------|-------------|-----------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| COLUMN SIZE | 2 1/2 x 1/2 | 3 x 1/2 | 3 1/2 x 1/2 | 4 x 1/2 | 4 x 1/2 | 4 1/2 x 1/2 | 5 x 1/2 | 5 1/2 x 1/2 | 6 x 1/2 | 6 1/2 x 1/2 | 7 x 1/2 | 7 1/2 x 1/2 | 8 x 1/2 |
| FOOTING | 0 x 2'-3" | 0 x 2'-6" | 0 x 3'-4" | 0 x 3'-9" | 1'-6" x 2'-1" | 1'-6" x 2'-5" | 1'-6" x 2'-9" | 1'-6" x 3'-0" | 1'-6" x 3'-3" | 2'-0" x 3'-0" | 2'-0" x 3'-4" | 2'-0" x 3'-6" | 2'-0" x 4'-0" |
| HEIGHT (FT) GROUND TO BOTTOM OF SIGN | | | | | | | | | | | | | |
| 60 M.P.H. WIND ZONE | | | | | | | | | | | | | |
| STANDARD | TO 7' | 7'-11' | 11'-18' | 18'-23' | 23'-25' | | | | | | | | |
| EXPRESSWAY | | | TO 8' | 8'-11' | 11'-13' | 13'-17' | 17'-21' | 21'-25' | | | | | |
| FREEWAY | | | | TO 6' | 6'-9' | 9'-11' | 11'-12' | 12'-16' | 16'-19' | 19'-23' | 23'-25' | | |
| 70 M.P.H. WIND ZONE | | | | | | | | | | | | | |
| STANDARD | | TO 8' | 8'-14' | 14'-17' | 17'-22' | 22'-26' | 26'-29' | | | | | | |
| EXPRESSWAY | | | | TO 8' | 8'-11' | 11'-12' | 12'-15' | 15'-19' | 19'-23' | 23'-25' | | | |
| FREEWAY | | | | | TO 8' | 8'-11' | 11'-12' | 12'-14' | 14'-17' | 17'-20' | 20'-23' | 23'-25' | |
| 80 M.P.H. WIND ZONE | | | | | | | | | | | | | |
| STANDARD | | | TO 6' | 6'-12' | 12'-14' | 14'-17' | 17'-21' | 21'-25' | | | | | |
| EXPRESSWAY | | | | | TO 8' | 8'-11' | 11'-12' | 12'-14' | 14'-18' | 18'-21' | 21'-25' | | |
| FREEWAY | | | | | | TO 7' | 7'-10' | 10'-11' | 11'-12' | 12'-15' | 15'-18' | 18'-21' | |
| 90 M.P.H. WIND ZONE | | | | | | | | | | | | | |
| STANDARD | | | | TO 10' | 10'-12' | 12'-14' | 14'-17' | 17'-21' | 21'-25' | | | | |
| EXPRESSWAY | | | | | | | TO 8' | 8'-11' | 11'-12' | 12'-14' | 14'-17' | 17'-20' | 20'-23' |
| FREEWAY | | | | | | | | TO 7' | 7'-9' | 9'-11' | 11'-12' | 12'-13' | 13'-16' |

Frangible supports
Driven into ground

Breakaway supports
Poured concrete footings


Work this sheet with the "Single Column Ground Signs"
Standards, Index 11860 through 11864

SPECIAL SPEED LIMIT SIGNS
Km/h and MPH

FLORIDA DEPARTMENT OF TRANSPORTATION
TRAFFIC DESIGN


SPECIAL SIGN DETAILS

| REVISIONS | | | SPECIAL SIGN DETAILS | | |
|-----------|----------|--------------|----------------------|-----------|--|
| DATE | INITIALS | DESCRIPTIONS | INITIALS | DATES | Approved by <u><i>De. Anshul</i></u> STATE DESIGN ENGINEER - RDWY |
| | | | DETAILED BY | K.R. 7-83 | |
| | | | CHECKED BY | C.S. 7-83 | |
| | | | QUANTITIES BY | | |
| | | | CHECKED BY | | |
| | | | SUPERVISED BY | C.S. 7-83 | |
| | | | Drawing No. | | Index No. |
| | | | 4 OF 4 | | 17355 |




- NOTES:
1. OTHER METHODS FOR ATTACHMENT OF THE SIGN TO THE DROP PIPE MAY BE APPROVED BY TALLAHASSEE TRAFFIC OPERATIONS.
 2. LOWER ELEVATIONS OF SIGNS SHALL BE APPROXIMATELY THE SAME.
 3. TYPE A SHALL BE USED FOR CENTER SIGN OF SPAN ONLY.
 4. TYPE A SHALL NOT HAVE WIND BEAMS.
 5. TYPE B & C SHALL HAVE WIND BEAMS.


DETAIL/SIGN CLAMP





DETAIL / OPPOSING SIGNS ON SINGLE DROP PIPE



DETAIL / SINGLE PANEL ON DROP PIPE AND SPAN WIRE




DETAIL / ATTACHMENT OF DROP PIPE TO MESSENGER WIRE





TYPICAL SPAN WIRE INSTALLATION

DETAIL / OPPOSING SIGNS SPAN WIRE MOUNTED



* IN ORDER TO EASE INSTALLATION SIGN FACE NO. 2 SHOULD BE INSTALLED AFTER MOUNTING TO SPAN WIRE


DETAIL / SINGLE PANEL ON DROP PIPE







DETAIL / SIGN FACE ON BOTH SIDES OF DROP PIPE

**FLORIDA DEPARTMENT OF TRANSPORTATION
TRAFFIC DESIGN
SPAN WIRE MOUNTING DETAILS**

| REVISIONS | | | INITIALS | DATES | APPROVED by <i>[Signature]</i> STATE DESIGN ENGINEER-RDWY |
|-----------|--|---------------|----------|----------|---|
| Dates | Descriptions | Detailed by | T.L. | 12-14-76 | |
| 8-80 | Delete Structure Details & Notes, Add Mounting Details | Checked by | K.R. | 12-14-76 | |
| 9-85 | Changed to 10" on detail | Checked by | | | |
| 8-86 | Added "Min" to 10" | Supervised by | K.R. | | |
| | | | | | DRAWING NO. 1 OF 1 |
| | | | | | INDEX NO 17356 |



Sign Locations Typical




- NOTE:
- SEE FHWA STANDARD HIGHWAY SIGNS BOOK DATED 1979 FOR SIGN R12-5 DETAIL.
 - SIGN LOCATION NO. 3 MAY REQUIRE SOME FIELD ADJUSTMENT.
 - SIGNS FTP-41, FTP-42 & FTP-43 SHALL HAVE A 1/2" EDGE AND 3/4" BORDER WITH A 4" RADI.

Sign Details

| REVISIONS | | | | | | | | | | | | TRAFFIC PLANS & STANDARDS | | | | | | FLORIDA DEPARTMENT OF TRANSPORTATION | | Bridge Weight Restrictions | Index No. 17357 | Sheet No. 1 of 1 |
|-----------|----|-------------|------|----|-------------|------|----|-------------|------|----|-------------|-----------------------------|-------|------|------------|-------|------|--------------------------------------|------|----------------------------|-----------------|------------------|
| DATE | BY | DESCRIPTION | DATE | BY | DESCRIPTION | DATE | BY | DESCRIPTION | DATE | BY | DESCRIPTION | DESIGNED BY | NAME | DATE | DRAWN BY | NAME | DATE | APPROVED BY | DATE | | | |
| | | | | | | | | | | | | CHECKED BY | K. R. | 8/86 | CHECKED BY | K. R. | 8/86 | | | | | |
| | | | | | | | | | | | | SUPERVISED BY Kermil Ranson | | | | | | | | | | |

- NOTES:
- BRIDGES SHOULD BE MARKED AS NARROW BRIDGES UNDER THE FOLLOWING CONDITIONS:
 - FOR APPROACH ROADWAYS WITH PAVED SHOULDERS WHEN THE BRIDGE WIDTH INCLUDING SHOULDERS IS LESS THAN THE WIDTH OF THE APPROACH ROADWAY INCLUDING PAVED SHOULDERS.
 - FOR APPROACH ROADWAYS WITHOUT PAVED SHOULDERS WHEN THE BRIDGE SHOULDER WIDTH IS LESS THAN 2'.
 - NO PASSING ZONE SHOULD BE EXTENDED 1500' IN ADVANCE OF NARROW BRIDGE.
 - THE POST MOUNTED DELINEATORS SHALL BE INSTALLED ON BOTH SIDES OF THE ROADWAY (WHITE ON RIGHT - YELLOW ON LEFT) FOR A DISTANCE OF 1500' IN ADVANCE OF A NARROW BRIDGE IF THE BRIDGE OR THE APPROACH IS ON A CURVE.
 - DELINEATORS ON BOTH SIDES OF ROADWAY SHALL FACE TRAFFIC APPROACHING BRIDGE.



INDEX NO. 17359

| DATE | BY | DESCRIPTION | DATE | BY | DESCRIPTION | DATE | BY | DESCRIPTION | DATE | BY | DESCRIPTION | DATE | BY | DESCRIPTION |
|------|----|-------------|------|----|-------------|------|----|-------------|------|----|-------------|------|----|-------------|
| | | | | | | | | | | | | | | |

| | | | | | | |
|---------------|------|------|---------------|------|------|--------------------------------------|
| DESIGNED BY | NAME | DATE | DRAWN BY | NAME | DATE | FLORIDA DEPARTMENT OF TRANSPORTATION |
| CHECKED BY | NAME | DATE | CHECKED BY | NAME | DATE | APPROVED BY |
| SUPERVISED BY | NAME | DATE | SUPERVISED BY | NAME | DATE | DATE |

RURAL NARROW BRIDGE TREATMENT TWO-WAY BRIDGES




FIGURE - A

FOR USE IN AREAS NOT EXPOSED TO VEHICULAR TRAFFIC AND UNDER DRIVEWAYS

• MAY BE ADJUSTED IN FIELD DUE TO FIELD CONDITIONS UPON APPROVAL OF PROJECT ENGINEER.




FIGURE - B

FOR USE IN ASPHALT ROADWAY ADJACENT TO GUTTER WHEN PLACEMENT OUTSIDE OF THE PAVEMENT IS NOT FEASIBLE.

NOTE:

1. TRENCH NOT TO BE OPEN MORE THAN 250' AT A TIME WHEN CONSTRUCTION AREA IS SUBJECT TO VEHICULAR OR PEDESTRIAN TRAFFIC.
2. ASPHALT TO BE SAWCUT AND REMOVED TO LEAVE NEAT LINES ON BOTH SIDES OF THE 12" PAVEMENT CUT.
3. SEE NOTE 3 FIGURE C.




FIGURE - C

FOR USE IN INSTALLING CONDUIT UNDER EXISTING ASPHALT PAVEMENT NOT ADJACENT TO GUTTER WHEN JACKING IS NOT FEASIBLE

NOTE:

1. RIGID CONDUIT MUST BE USED WHEN JACKING UNDER EXISTING PAVEMENT AT 3 FT. MINIMUM DEPTH.
2. ASPHALT TO BE SAWCUT AT THE EDGES OF THE TRENCH.
3. THE REMOVAL AND REPLACEMENT OF THE ADDITIONAL PAVEMENT WIDTH (6") WILL NOT BE REQUIRED WHEN THE TRENCH CAN BE CONSTRUCTED WITHOUT DISTURBING THE ASPHALT SURFACE ON EITHER SIDE.




FIGURE - D

FOR USE INSTALLING CONDUIT UNDER A NEW ROADWAY PRIOR TO INSTALLATION OF CURBS, BASE AND PAVEMENT




FIGURE - E

FOR USE IN INSTALLING CONDUIT UNDER SIDEWALK

NOTE:

1. SIDEWALK PATCHES TO MATCH EXISTING JOINTS.
2. ENTIRE SIDEWALK SLAB MUST BE REPLACED WHEN SPECIFIED IN THE PLANS.
3. BACKFILL AND TAMP WITH MATERIAL FROM TRENCH EXCEPT AT DRIVEWAYS. AT DRIVEWAYS, BACKFILL A LENGTH OF TRENCH WITHIN THE DRIVEWAY ENTIRELY WITH CLASS I CONCRETE.

FLORIDA DEPARTMENT OF TRANSPORTATION
TRAFFIC DESIGN

CONDUIT INSTALLATION DETAILS

| REVISIONS | | | REVISIONS | | | INITIALS | DATES | Approved by <i>[Signature]</i> STATE DESIGN ENGINEER - RDWY |
|-----------|----------|-------------------------------------|-----------|----------|--|---------------|------------|--|
| DATE | INITIALS | DESCRIPTION | DATE | INITIALS | DESCRIPTION | Designed by | | |
| 7-13-88 | CEB | CHANGED CONDUIT DEPTH IN FIGURE - E | 4-6-76 | CG | ADDITION TO GENERAL NOTE NO. 6 NOTE NO. 3 OF FIGURE E REVISED | Checked by | CG 2-26-75 | |
| | | | 8-1-76 | CJ | NOTE ADDED: REVISED GENERAL NOTES 1 & 2, REVISED TITLE BLOCK | Quantities by | RK 2-26-75 | |
| | | | 10-31-79 | JMC | CHANGED AND REVISED NOTES 2 & 3, DELETED ITEM NO. 4 AND GROUND ROD IN PULL BOX | Checked by | | |
| | | | 08-18-80 | JMC | DELETED FIGURE "F" & GENERAL NOTES | Supervised by | | DRAWING NO. 1 OF 2 |
| | | | 09-02-80 | JMC | DELETED GROUND WIRE WITH CONDUIT | | | INDEX NO. 17721 |



* NOTE
CONDUIT DEPTH TO BE AT R/R REQUIREMENT
BUT NOT LESS 4FT.

| | | | | | |
|-----------|----------|---|--------------------------------------|-------|---------|
| | | | FLORIDA DEPARTMENT OF TRANSPORTATION | | |
| | | | TRAFFIC DESIGN | | |
| | | | CONDUIT INSTALLATION DETAILS | | |
| REVISIONS | | | INITIALS | DATES | |
| DATE | INITIALS | DESCRIPTION | Redrawn By | Mick | 9-05-80 |
| 9-7-83 | L.W. | REMOVED DIMENSION LINES ADDED CONDUIT DEPTH | | | |
| 9-20-85 | M.C. | REVISED CONDUIT DEPTH UNDER R.R. | | | |
| | | | | | |
| | | | | | |
| | | | Supervised by | | |
| | | | DRAWN NO. INDEX NO. | | |
| | | | 2 OF 2 | | 17721 |




FIGURE A
CABLE DROP AND
TERMINATION DETAIL
AERIAL INTERCONNECT FIGURE "8"




FIGURE B
CABLE DROP AND
TERMINATION DETAIL
AERIAL INTERCONNECT MESSENGER
WIRE WITH CLAMPS




FIGURE C
CABLE DROP DETAIL
AERIAL INTERCONNECT MESSENGER
WIRE WITH CLAMPS

NOTES:

1. THE MESSENGER WIRE OF THE INTERCONNECT CABLES SHALL BE GROUNDED TO THE COPPER GROUND WIRE OF THE POLE OR TO THE EXTERNAL WIRE EXTENDING DOWN THE POLE.
2. WHEN UTILIZING THE EXTERNAL GROUND WIRE TO THE POLE, A PIECE OF 1/2" RIGID CONDUIT SHALL EXTEND UP THE POLE EXTERNALLY TO A POINT EIGHT (8) FEET ABOVE FINISH GRADE TO PROTECT THE GROUND WIRE CONNECTING THE MESSENGER WIRE TO THE GROUND ROD.
3. LOCKING CABLE TIES OR LASHING WIRE WHEN USED SHALL BE PLACED NO FURTHER THAN ONE (1) FOOT APART EXCEPT AT THE POINT OF CABLE DROP OR TERMINATIONS WHERE ONE (1) SHALL BE PLACED AT THE POINT WHERE THE CABLES SEPARATE FROM THE MESSENGER WIRE AND ANOTHER PLACED FOUR (4) INCHES (MAX) FROM THAT TIE. WHEN USING FIGURE "8" INTERCONNECT CABLE ONLY THE LOCKING CABLE TIES SHALL BE USED.
4. IF ACCESSIBLE THE INTERNAL GROUND WIRE OF THE SUPPORT POLE MAY BE USED TO GROUND THE MESSENGER WIRE.
5. LASHING WIRE SHOULD NORMALLY BE USED FOR DISTANCES OF 12 FEET OR GREATER.

FLORIDA DEPARTMENT OF TRANSPORTATION
TRAFFIC DESIGN
AERIAL INTERCONNECT

| REVISIONS | | | INITIALS | DATES | APPROVED by <i>[Signature]</i> STATE DESIGN ENGINEER-RDWY |
|-----------|----------|--------------------------|---------------|-------------|---|
| DATE | INITIALS | DESCRIPTION | Redrawn by | Mick | |
| 9-7-83 | LW | ADDED LASHING WIRE NOTES | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | Supervised by | | |
| | | | | DRAWING NO. | INDEX NO. |
| | | | | 1 OF 1 | 17733 |




FIGURE A
AERIAL FEED
(NO METER USED)

FIGURE B
AERIAL FEED
(METER USED)




FIGURE C
UNDERGROUND FEED
(NO METER USED)




FIGURE D
TYPE "B" UNDERGROUND FEED
(METER USED)






FIGURE E
UNDERGROUND CABINET MOUNTED
(METER USED)

| FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
|--------------------------------------|--------|-------------|--------------------------------|
| TRAFFIC DESIGN | | | |
| ELECTRIC POWER | | SERVICE | |
| INITIALS | DATES | | |
| Redrawn by | Mick | 09-22-80 | Approved by <i>[Signature]</i> |
| | | | STATE DESIGN ENGINEER - RDWY |
| Supervised by | J.R.M. | DRAWING NO. | INDEX NO. |
| | | 1 OF 1 | 17736 |



- NOTES:**

1. AS AN OPTION, THE CONTRACTOR WILL BE ALLOWED TO INSTALL PEDESTRIAN SIGNALS ON CONCRETE POLES AND PEDESTALS WITH THE USE OF LEAD ANCHORS (TWO BOLTS SAME SIZE PER HUB.) IN LIEU OF THE STANDARD STEEL BANDS.
2. HOLES DRILLED OR PUNCHED IN METAL POLES OR PEDESTALS SHALL BE THOROUGHLY REAMED, CLEANED OF ALL BURRS AND COVERED WITH TWO (2) COATS OF ZINC RICH PAINT. AS SPECIFIED IN THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTIONS. GROMMETS OR BUSHINGS SHALL BE INSTALLED IN HOLES.
3. GROUNDING TO BE IN ACCORDANCE WITH SECTION 620 OF THE STANDARD SPECIFICATIONS.

FIGURE A

FIGURE B






FIGURE C


FIGURE D

FIGURE E


| | | | |
|--|----------|----------|--|
| FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
| TRAFFIC DESIGN | | | |
| PEDESTRIAN CONTROL SIGNALS INSTALLATION DETAIL | | | |
| | INITIALS | DATE | Approved <i>[Signature]</i> by STATE DESIGN ENGINEER-RDW |
| Redrawn by | Mick | 09-15-80 | |
| | | | |
| | | | |
| | | | |
| Supervised by | | | DRAWING NO. INDEX NO. 1 OF 1 17764 |

DETAILS FOR SPLICING
LOOP WIRE TO LEAD-IN WIRE


STEP 1




STEP 2




STEP 3



STEP 4



STEP 5



GENERAL NOTES


- 1 IF THE LOOP LEAD-IN IS 75' OR LESS FROM THE EDGE OF THE LOOP TO THE DETECTOR OR CONTROLLER CABINET, CONTINUE THE TWISTED PAIR TO THE CABINET. IF THE LOOP LEAD-IN IS GREATER THAN 75', CONTINUE THE TWISTED PAIR TO THE SPECIFIED PULL BOX, SPLICE TO SHIELDED LEAD-IN WIRE AND CONTINUE TO THE DETECTOR OR CONTROLLER CABINET. (THIS NOTE DOES NOT APPLY TO TYPE H)
- 2 THE MAXIMUM SAW CUT DEPTH SHALL BE 1 1/2" ON RESURFACING OR NEW ROADWAY CONSTRUCTION PROJECTS REQUIRING LOOP INSTALLATIONS. LOOP AND LEAD-INS MAY BE INSTALLED IN THE ASPHALT BASE PRIOR TO THE PLACEMENT OF THE FINAL ASPHALT WEARING SURFACE, PROVIDED THAT THE BOTTOM OF THE LOOP WIRE IS NOT GREATER THAN 2" BELOW THE FINAL WEARING SURFACE.
- 3 THE WIDTH OF SAW CUTS SHALL BE SUFFICIENT TO ALLOW UNFORCED PLACEMENT OF LOOP WIRES OR LEAD-INS INTO THE SAW CUT BUT NOT GREATER THAN 1 1/2"

- 4 A NONMETALLIC HOLD DOWN MATERIAL SHALL BE USED TO SECURE LOOP WIRES AND LEAD-INS TO THE BOTTOM OF SAW CUTS. HOLD DOWN MATERIAL SHALL BE PLACED AT APPROXIMATELY ONE FOOT INTERVALS AROUND LOOPS AND TWO FOOT INTERVALS ON LEAD-INS.
- 5 A MINIMUM COVER OF 3/4" TO 1" OF SEALANT MATERIAL SHALL BE PROVIDED IN THE SAW CUT BETWEEN THE UPPER MOST LOOP WIRE OR LEAD-IN AND THE ROADWAY WEARING SURFACE EXCLUDING THE OVERLAY.
- 6 THE MINIMUM DISTANCE BETWEEN THE TWISTED PAIRS OF LOOP LEAD-IN WIRE IS 6" FROM EDGE OF CURB OR ROADWAY TO LOOP.

TWISTED PAIR AND LOOP LEAD-IN
INSTALLATION WITH CURB & GUTTER


ALTERNATIVE 1

DRILL A HOLE THROUGH THE CURB AT THE POINT WHICH THE REQUIRED SAW CUT DEPTH IS OBTAINED JUST PRIOR TO CUTTING THE TOP INSIDE EDGE OF THE CURB. SLIDE A SECTION OF FLEXIBLE CONDUIT AT LEAST 6" INTO THE HOLE FROM THE BACK SIDE OF THE CURB BUT NOT WITHIN 2" OF THE TOP OF THE HOLE. THE CONDUIT SHALL FIT SNUG WITHIN THE DRILLED HOLE. FILL THE TOP OF THE HOLE WITH LOOP SEALANT TO THE LEVEL OF THE CURB SURFACE. A NONMETALLIC MATERIAL SHOULD BE USED TO PREVENT EXCESSIVE LOOP SEALANT FROM ENTERING THE FLEXIBLE CONDUIT.



ALTERNATIVE 2


DRILL A HOLE, 1/2" TO 1" LARGER IN DIAMETER THAN THE RIGID CONDUIT TO BE USED, THROUGH THE ROADWAY ASPHALT (OR CONCRETE) SURFACE AND BASE AT AN APPROPRIATE ANGLE TO INTERCEPT THE TRENCH OR PULL BOX HOLE. PLACE A PREDETERMINED LENGTH OF RIGID CONDUIT IN THE HOLE AND DRIVE THE CONDUIT INTO THE TRENCH OR HOLE. INSTALL A MOLDED BUSHING (NONMETALLIC) ON THE ROADWAY END OF THE RIGID CONDUIT. THE TOP OF THE RIGID CONDUIT SHALL BE APPROXIMATELY 2" BELOW THE ROADWAY SURFACE. FILL THE HOLE WITH LOOP SEALANT TO THE LEVEL OF THE ROADWAY SURFACE. A NONMETALLIC MATERIAL SHOULD BE USED TO PREVENT EXCESSIVE LOOP SEALANT FROM ENTERING THE RIGID CONDUIT.



NOTE X
OTHER ALTERNATIVES MAY BE APPROVED BY THE STATE TRAFFIC OPERATIONS ENGINEER

TWISTED PAIR AND LOOP LEAD-IN
INSTALLATION WITHOUT CURB & GUTTER

CUT A SLOT IN THE EDGE OF THE ROADWAY OF SUFFICIENT SIZE AND DEPTH TO SNUGLY PLACE THE END OF THE FLEXIBLE CONDUIT. THE END OF THE CONDUIT SHALL BE AT LEAST 6" INTO THE ROADWAY AND 2" BELOW THE TOP OF THE ROADWAY SURFACE. THE DEPARTURE ANGLE OF THE CONDUIT FROM THE ROADWAY SHALL BE 30° TO 45°.









NOTE *
OTHER ALTERNATIVES MAY BE APPROVED BY THE STATE TRAFFIC OPERATIONS ENGINEER


FLORIDA DEPARTMENT OF TRANSPORTATION
TRAFFIC DESIGN

VEHICLE LOOP INSTALLATION DETAILS




| REVISIONS | | | INITIALS | DATES |
|-----------|----------|-------------------------------------|--------------------------------|------------|
| DATE | INITIALS | DESCRIPTION | Designed by | Checked by |
| 06-16-80 | J. M. C. | Revised General Notes 4 & 6 | | |
| 08-24-81 | J. M. C. | Revised Notes 586, Added PVC Coated | | |
| | | | Quantities by | |
| | | | Checked by | |
| | | | Supervised by | |
| | | | Approved by <i>[Signature]</i> | |
| | | | STATE DESIGN ENGINEER - RDWY | |
| | | | DRAWING NO. | INDEX NO. |
| | | | 1 of 2 | 17781 |



NOTE: LOOP CONDUCTORS MUST FOLLOW SAW CUT TO BOTTOM FORMING SLACK SECTION AT JOINT.



CONCRETE PAVEMENT EXPANSION JOINTS



LOOP CORNER AND LEAD-IN DETAILS

- NOTES:
1. THE "NUMBER OF TURNS" INDICATED AT THE SPECIFIED POINT ON THE LOOP REFERS TO THE NUMBER OF PASSES OF LOOP WIRES WHICH ARE PLACED IN THE SAW CUT IN FORMING THE COMPLETE LOOP.
 2. LOOP TYPES OR DETAILS NOT DRAWN TO SCALE.
 3. LOOP TYPES ARE CENTERED IN A SINGLE LANE EXCEPT TYPE E WHICH IS CENTERED IN TWO LANES.
 4. THE NUMBER OF INDIVIDUAL LOOPS IN THE TYPE G LOOP MAY VARY UP TO A MAXIMUM OF FOUR (4).

| FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
|--------------------------------------|-------|-------------------------------|-----------|
| TRAFFIC DESIGN | | | |
| VEHICLE LOOP INSTALLATION DETAILS | | | |
| INITIALS | DATES | | |
| Designed by | | Approved by <i>Jc. Smith</i> | |
| Checked by | | STATE DESIGN ENGINEER - RDWY. | |
| Quantities by | | | |
| Checked by | | | |
| Supervised by | | DRAWING NO. | INDEX NO. |
| | | 2 of 2 | 17781 |




FIGURE A
POLE MOUNTED
DETECTOR STATION




FIGURE B
PEDESTAL STATION
DETECTOR STATION




FIGURE C
WOOD POLE MOUNTED
DETECTOR STATION





FIGURE D
POST DETECTOR STATION
DETECTOR STATION




FIGURE E




FIGURE F


NOTES

1. SIGNS (RIO-3a & RIO-4a) SHALL BE MOUNTED ABOVE DETECTORS, EXPLAINING THEIR PURPOSE AND USE.
2. THE POSITIONING OF PEDESTRIAN PUSH BUTTON SHOULD CLEARLY INDICATE WHICH CROSSWALK SIGNAL IS ACTUATED BY EACH PUSH BUTTON.
3. PUSH BUTTONS AND SIGNS ARE TO BE MOUNTED IN ACCORDANCE WITH STANDARD SPECIFICATIONS.
4. GROUND TO BE IN ACCORDANCE WITH SECTION B620 OF STANDARD SPECIFICATIONS.



**FLORIDA DEPARTMENT OF TRANSPORTATION
TRAFFIC DESIGN
PEDESTRIAN DETECTOR ASSEMBLY INSTALLATION DETAILS**

| REVISIONS | | | INITIALS | DATES |
|-----------|----------|---|---------------|----------------|
| DATE | INITIALS | DESCRIPTION | DESIGNED BY | DATES |
| 10-31-75 | J.M.C. | DELETED ITEM NO. 6 ADDED FIGURE F | Designed by | J.M.C. 7-13-77 |
| 06-27-80 | J.M.C. | DELETED NOTES 4 & 5, AND REVISED FIGURE F | Checked by | |
| 8-86 | J.G. | Changed Conduit Sweep, Figure "B" | Quantities by | |
| | | | Checked by | |
| | | | Supervised by | |


Approved by *[Signature]*
STATE DESIGN ENGINEER-RDWY.
DRAWING NO. 1 OF 1 INDEX NO. 17784



POLE MOUNTED CABINET




- NOTES:**
1. THE NUMBER, SIZE AND ORIENTATION OF CONDUIT SWEEP WILL VARY ACCORDING TO SITE CONDITION OR LOCATIONS. ONE SPARE 2" PVC CONDUIT SHALL BE PROVIDED IN ALL BASES. THE SPARE SHALL EXIT IN THE DIRECTION OF THE CENTER REAR OF THE CABINET BASE, INTO A PULL BOX AND CAPPED WITH A WEATHER TIGHT FITTING. IF OBSTRUCTIONS PREVENT THE SPARE CONDUIT FROM EXITING TO THE REAR, OR THE REAR OF THE CABINET IS LOCATED ON THE R/W LINE, A SIDE EXIT OF THE SPARE CONDUIT WILL HAVE TO BE APPROVED BY THE PROJECT ENGINEER. ALL SPARE CONDUIT SWEEPS SHALL BE CAPPED WITH A WEATHER PROOF FITTING.
 2. GROUNDING TO BE IN ACCORDANCE WITH SECTION 620 OF THE STANDARD SPECIFICATIONS.




| REVISIONS | | |
|-----------|----------|--|
| DATE | INITIALS | DESCRIPTION |
| 8-86 | J.M.C. | REVISED BASE MOUNTED CABINET & NOTE 1. |

| FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
|--------------------------------------|----------|----------|--------------------------------|
| TRAFFIC DESIGN | | | |
| CABINET INSTALLATION DETAIL | | | |
| | INITIALS | DATES | |
| Redrawn by | Mick | 09-17-80 | Approved by <i>[Signature]</i> |
| Revised by | Mick | 08-24-81 | STATE DESIGN ENGINEER-RDWY. |
| Supervised by | | | DRAWING NO. INDEX NO. |
| | | | 1 OF 1 17841 |



LEGEND

- ☒ Vehicle Movement Number
☒ Pedestrian Movement Number
 TF ☒ Timing Function Number
☒ Phase Number
☒ Green Arrow (Left or Right)
☒ Red Arrow
☒ Yellow Arrow



SIGNAL CLEARANCE TABLE

(Blank indicates No Clearance Required)

| From | | SIGNAL INDICATIONS | | | | | | | |
|---------------------------|--------------|--------------------|---|--------------|----------------|--------------|------|------------------|--|
| To | R | R | G | G | G ^M | G | WALK | DON WALK | |
| SIGNAL INDICATIONS | R | | Y | Y | Y | Y | | | |
| | R | | Y | Y | Y | Y | | | |
| | G | | | Y | Y | | | | |
| | G | | | | | | | | |
| | G* | | | | | | | | |
| | G | | | | | | | | |
| | WALK | | | | | | | | |
| | DON T WALK | | | | | | | Flesh DON'T WALK | |
| | | | | | | | | | |



* CLEARANCE INDICATION WHEN YELLOW ARROW IS USED.

[illegible]



FLORIDA DEPARTMENT OF TRANSPORTATION
TRAFFIC-DESIGN

STANDARD SIGNAL OPERATING PLANS



| | | | | |
|--|------------|----------|------------|---|
| | | INITIALS | DATE'S | Approved by <u>[Signature]</u> STATE DESIGN ENGINEER-ROWY. |
| | Drawn by | J.M.C | 4-26-79 | |
| | Checked by | J.W.J | | |
| | | | | |
| | | | | |
| | | | | |
| | | | DRAWING NO | INDEX NO |
| | | | 1 OF 2 | 17870 |





SOP 11





SOP 12





SOP 13
(ONE-WAY STREET INTERSECTION)





SOP 14
(DIAMOND INTERCHANGE OPERATION)





SOP 15
(DIAMOND INTERCHANGE OPERATION)



SOP 16





SOP 17
(MID-BLOCK)



NOTE :
Only 02 or 04 used, Not both to obtain
ABC, Or ACB operation.

SOP 18


(DIAMOND INTERCHANGE OPERATIONS)




NOTE:
Only Ø2 or Ø4 used, Not both to obtain
ABC, Or ACB operation.

SOP 19

(DIAMOND INTERCHANGE OPERATIONS)



POP I



POP 2




POP 3

| | | | | | | FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
|-----------|----------|----------------------|--|--|--|---|----------|---------|--|
| | | | | | | TRAFFIC DESIGN | | | |
| | | | | | | STANDARD SIGNAL OPERATING PLANS | | | |
| REVISIONS | | | | | | | INITIALS | DATES | Approved by <u><i>[Signature]</i></u> STATE DESIGN ENGINEER-RDWY. DRAWING NO. INDEX NO. 2 OF 2 17870 |
| DATE | INITIALS | DESCRIPTION | | | | Drawn by | J.M.C. | 9-28-79 | |
| 08-21-80 | J.M.C. | ADDED S.O.P. 16 | | | | Checked by | J.W.J. | | |
| 08-24-81 | J.M.C. | ADDED S.O.P. 18 & 19 | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

PASSIVE STATE

(TRAIN CIRCUIT NOT ACTUATED)




FRONT VIEW

SIDE VIEW

ACTIVE STATE

(TRAIN CIRCUIT ACTUATED)




FRONT VIEW


LOCATION OF THE ADVANCE WARNING SIGN

| SPEED M.P.H. | DISTANCE FEET |
|--------------|---------------|
| 30 | 200 |
| 40 | 275 |
| 50 | 350 |
| 55 | 425 |

THE DISTANCE IS MEASURED ALONG RIGHT EDGE OF PAVEMENT FROM R/R STOP BAR TO THE ADVANCE WARNING SIGN.



TYPICAL PLAN



FUNCTIONAL BLOCK DIAGRAM



NOTE:
1. "STOP AHEAD" IS STANDARD AND PREFERRED SIGN MESSAGE. ANOTHER MESSAGE MAY BE APPROVED WHEN APPROPRIATE FOR SPECIFIC SITUATIONS.

FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN



ADVANCE WARNING FOR R.R. CROSSING

| REVISIONS | | | | INITIALS | DATES | |
|-----------|----------|--|---------------|----------|----------|----------------------------------|
| DATE | INITIALS | DESCRIPTION | Designed by | CG | 12/12/75 | Approved by <u>S. C. Paul</u> |
| 8/28/78 | J.M.C. | DELETED NOTE NO. 2 | Checked by | | 12/12/75 | |
| 10/30/79 | J.R.M. | DELETED L.P.L. CATER NOTES AND CLARIFIED OTHER NOTES | Quantities by | | | STATE DESIGN ENGINEER - PDWY. |
| 09-04-80 | MICK | ADDED PULL BOX, REVISED 4" PEDESTAL | Checked by | | | |
| 9-7-83 | LW | JUNCTION BOX NOTE ADDED | Supervised by | | | |
| | | | | | | DRAWING NO. 1 OF 1 |
| | | | | | | INDEX NO. 17881 |


DRAWING NO. 1 OF 1 INDEX NO. 17661



NOTE:
IT IS INTENDED THAT THE FULL SHOULDER WIDTH OF THE EXISTING ROADWAY BE PAVED. WHERE AN EXISTING SHOULDER IS SUBSTANTIALLY SUBSTANDARD FOR THE FACILITY INVOLVED, THE SHOULDER WIDTH SHOULD BE UPGRADED TO MEET CURRENT STANDARDS.



TYPICAL LOCATION PLAN FOR GATE OR FLASHING SIGNAL WITH GATE WHEN TRACKS ARE AT OBTUSE ANGLE.



NOTE:
ARROWS DENOTE DIRECTION OF TRAVEL, NOT LANE INDICATION


FIGURE 1

GATE LENGTH REQUIREMENTS

GENERAL NOTES


1. NO GUARDRAIL IS PROPOSED FOR SIGNALS; HOWEVER, SOME FORM OF IMPACT ATTENUATION DEVICE MAY BE SPECIFIED FOR CERTAIN LOCATIONS.
2. ADVANCE FLASHER TO BE INSTALLED WHEN AND IF CALLED FOR IN PLANS OR SPECIFICATIONS.
3. TOP OF FOUNDATION SHALL BE NO GREATER THAN 4" ABOVE FINISHED SHOULDER GRADE.
4. TYPE OF TRAFFIC CONTROL DEVICES
 - I FLASHING SIGNALS
 - II FLASHING SIGNALS WITH CANTILEVER
 - III FLASHING SIGNALS WITH GATE
 - IV FLASHING SIGNALS WITH CANTILEVER & GATE
 - V GATE
5. CLASS OF TRAFFIC CONTROL DEVICES
 - I FLASHING SIGNALS-ONE TRACK
 - II FLASHING SIGNALS-MULTIPLE TRACKS
 - III FLASHING SIGNALS AND GATES-ONE TRACK
 - IV FLASHING SIGNALS AND GATES-MULTIPLE TRACKS

SIGNAL PLACEMENT AT RAILROAD CROSSING (2-LANE DESIGN)



TYPE I

SIGNAL PLACEMENT AT RAILROAD CROSSING (4-LANE DESIGN)



TYPE IV

TYPE III

TYPE II

NOTE:
TWO SEPARATE FOUNDATIONS MAY BE REQUIRED (ONE FOR SIGNALS, ONE FOR GATE), DEPENDING ON TYPE OF EQUIPMENT USED.

| REVISIONS | | | REVISIONS | | |
|-----------|----------|---------------------------------------|-----------|----------|--|
| DATE | INITIALS | DESCRIPTION | DATE | INITIALS | DESCRIPTION |
| 7-19-77 | J.J. | ADDED GONG TYPE HIGHWAY CROSSING BELL | 7-19-77 | J.J. | ADDED GONG TYPE HIGHWAY CROSSING BELL |
| 9-7-83 | L.W. | CHANGED DIMENSIONS OF FLASHER UNITS | 11-9-77 | J.J. | ADDED SHEET 3043 TO INDEX |
| 10-15-85 | J.G. | ADDED SHEET 4 OF 4 TO INDEX | 8-27-78 | J.M.C. | REVISED NOTE 3, ADDED NOTE TO NO. OF TRACKS SIGN |
| 10-15-85 | J.G. | DELETE NOTE 6, DELETE 8 & REF TO 8 | 10-31-79 | J.M.C. | REVISED TYPE III & IV OVERHEAD SIGNAL PLACEMENT TO 1/2 APPROACH WIDTH |
| | | | | | ADDED GATES TO RAILROAD & SIGNAL AND REVISED NOTE ON TYPICAL LOCATIONS AND NOTE 8. |

| FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN | | | |
|--|----------|-----------|---|
| RAILROAD GRADE CROSSING TRAFFIC CONTROL DEVICES | | | |
| | INITIALS | DATES | |
| Designed by | CG | 4-8-76 | Approved by <i>J. C. Smith</i> STATE DESIGN ENGINEER - RDWY |
| Checked by | RM | 4-8-76 | |
| Quantities by | | | |
| Checked by | | | |
| Supervised by | | | |
| DRAWING NO. | 1 OF 4 | INDEX NO. | 17882 |




7. THE LOCATION OF FLASHING SIGNALS AND STOP LINES SHALL BE ESTABLISHED BASED ON FUTURE (OR PRESENT) INSTALLATION OF GATES WITH APPROPRIATE TRACK CLEARANCES.
8. WHERE PLANS CALL FOR RAILROAD TRAFFIC CONTROL DEVICES TO BE INSTALLED IN CURBED MEDIANS, THE MINIMUM MEDIAN WIDTH SHALL BE 12.5 FEET.
9. THE LOCATION OF RAILROAD TRAFFIC CONTROL DEVICE IS BASED ON THE DISTANCE AVAILABLE BETWEEN FACE OF CURB & SIDEWALK.
0' TO 6' - LOCATE DEVICE OUTSIDE SIDEWALK.
OVER 6' - LOCATE DEVICE BETWEEN FACE OF CURB AND SIDEWALK.
10. STOP LINE TO BE PERPENDICULAR TO EDGE OF ROADWAY, APPROX. 15' FROM NEAREST RAIL; OR 8' FROM AND PARALLEL TO GATE WHEN PRESENT



| | | | |
|---|---------------|-------------|--|
| FLORIDA DEPARTMENT OF TRANSPORTATION | | | |
| TRAFFIC DESIGN | | | |
| RAILROAD GRADE CROSSING TRAFFIC CONTROL DEVICES | | | |
| | INITIALS | DATES | Approved: <i>D. A. Bell</i> by _____ STATE DESIGN ENGINEER - RDWY. |
| Designed by | CG | 4 - 8 - 76 | |
| Checked by | RM | 4 - 8 - 76 | |
| Quantities by | | | |
| Checked by | | | |
| ENT | Supervised by | DRAWING NO. | INDEX NO. |
| SA | | 2 OF 4 | 17882 |

RAILROAD CROSSING AT
TWO (2)-LANE ROADWAY




| SPEED M.P.H. | "A" IN FT. |
|-----------------|---------------|
| 55 | 425 |
| 50 | 350 |
| 40 | 275 |
| 30 | 200 |
| URBAN | 50 MIN. |



*"A" VALUE IS BASED ON A.A.S.H.O. MIN SSD.

* WHERE STREET INTERSECTIONS OCCUR BETWEEN THE R.R. PAVEMENT MESSAGE & THE TRACKS AN ADDITIONAL W10-1 & AN ADDITIONAL PAVEMENT MESSAGE SHOULD BE USED.


** RECOMMENDED LOCATION FOR FTP-38A or B SIGNS, 100' URBAN AND 300' RURAL. SEE INDEX 17355 FOR SIGN DETAILS.



RELATIVE LOCATION OF CROSSING TRAFFIC
CONTROL DEVICES




RAILROAD CROSSING AT
MULTI-LANE ROADWAY



* PLACEMENT OF THE W10-1 SIGN SHALL NORMALLY BE PLACED 750 FEET OR MORE IN ADVANCE OF THE CROSSING IN RURAL AREAS AND 250 FEET IN ADVANCE OF THE CROSSING IN URBAN AREAS EXCEPT THAT IN A RESIDENTIAL OR BUSINESS DISTRICT, WHERE LOW SPEEDS ARE PREVALENT, THE SIGN MAY BE PLACED A MINIMUM DISTANCE OF 100 FEET FROM THE CROSSING. IF THERE IS A STREET INTERSECTION WITHIN 100 FEET AN ADDITIONAL SIGN OR SIGNS MAY BE PLACED TO WARN TRAFFIC APPROACHING THE CROSSING FROM EACH INTERSECTED STREET.



** RECOMMENDED LOCATION FOR FTP-38A or B SIGNS, 100' URBAN AND 300' RURAL. SEE INDEX 17355 FOR SIGN DETAILS.

| FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN | | | |
|--|----------|--|-----------------|
| RAILROAD GRADE CROSSING TRAFFIC CONTROL DEVICES | | | |
| REVISIONS | | INITIALS | DATES |
| DATE | INITIALS | DESCRIPTION | |
| 11-9-77 | J.J. | ADDED TO INDEX | |
| 8-27-78 | J.M.C. | REALIGN STOP BARS & RELOCATE SIGN R8-B. | |
| | | RELOCATE SIGN & ADDED NOTE TO W10-1 | |
| 09-22-80 | J.M.C. | REVISED R/R "R" DEMENSIONS | |
| 8-86 | J.M.C. | Changed FTO to FTP And Added A or B to Sign 38 | |
| | | Designed by | J.M.C. 10/28/77 |
| | | Checked by | |
| | | Quantities by | |
| | | Checked by | |
| | | Supervised by | |
| | | Approved by | <i>De Kahl</i> |
| | | STATE DESIGN ENGINEER-RDWY. | |
| | | DRAWING NO. | INDEX NO. |
| | | 3 OF 4 | 17882 |



RAILROAD GATE ARM LIGHT SPACING

| SPECIFIED LENGTH OF GATE ARM | DIMENSION "A" | DIMENSION "B" | DIMENSION "C" |
|------------------------------|---------------|---------------|---------------|
| 14 FT. | 6" | 36" | 5'-0" |
| 15 FT. | 18" | 36" | 5'-0" |
| 16-17 FT. | 24" | 36" | 5'-0" |
| 18-19 FT. | 28" | 41" | 5'-0" |
| 20-23 FT. | 28" | 4'-0" | 5'-0" |
| 24-28 FT. | 28" | 5'-0" | 5'-0" |
| 29-31 FT. | 36" | 6'-0" | 6'-0" |
| 32-34 FT. | 36" | 7'-6" | 7'-0" |
| 35-37 FT. | 36" | 9'-0" | 9'-0" |
| 38 AND OVER | 36" | 10'-0" | 10'-0" |



MEDIAN SECTION AT SIGNAL GATES

NOTE:

FOR ADDITIONAL INFORMATION SEE THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES", PART VIII; THE "TRAFFIC CONTROL DEVICES HANDBOOK", PART VIII; AND AASHTO "A POLICY ON GEOMETRIC DESIGN OF STREETS AND HIGHWAYS", 1984.


MEDIAN SIGNAL GATES FOR
MULTI LANE UNDIVIDED URBAN SECTIONS
(FOUR OR MORE DRIVING LANES IN ONE DIRECTION, 45 M.P.H. OR LESS)

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
TRAFFIC DESIGN

RAILROAD GRADE CROSSING TRAFFIC CONTROL DEVICES

| Designed by | Drawn by | Checked by | Approved By | Revision No. | Drawing No. | Index No. |
|-------------|----------|------------|---------------------------------|--------------|-------------|-----------|
| J. G. | J. G. | | <i>[Signature]</i> | | | |
| | | | State Design Engineer, Roadways | | | |
| | | | | | 4 OF 4 | 17882 |


Typical Bridge Mounts



TYPE I

TO BE USED WHERE BRIDGE OPERATORS ARE FULL TIME OR ON A DAILY BASIS


* FIELD CONDITIONS MAY REQUIRE ADJUSTMENT OF THIS STANDARD DISTANCE.



TYPE II

TO BE USED WHERE TYPE I IS NOT APPLICABLE (USUALLY WHEN THE BRIDGE OPERATOR IS "ON CALL")

SEQUENCE CHART



NOTES:

1. A Bypass Switch shall be installed to override each Timing Interval in case of a malfunction.
2. "STOP HERE ON RED" is omitted in Type I operation and "TRAFFIC SIGNALS" are omitted in Type II operation.
3. The time between beginning of flashing yellow on "Drawbridge Ahead" sign and the clearance of traffic signal to red, or beginning of flashing red, should not be less than the travel time of a passenger car, from the sign location to the stop line, traveling at the 85 percentile approach speed.
4. Beginning of operation of drawbridge gates shall not be less than 15 seconds after steady red or 20 seconds after flashing red (Actual time may be determined by the bridge tender).
5. Time of gate lowering and raising is dependant upon gate type.
6. Time of bridge opening is determined by the bridge tender.
7. Each gate shall be operated by a separate switch.
8. On each approach (Type II), all four red signals shall be on the same two circuit flasher, with the two top signals on one circuit, and the two bottom signals on the alternately flashing circuit.
9. A drawbridge ahead sign is required for both types of signal operation. However a flashing beacon shall be added to the sign when physical conditions prevent a driver traveling at the 85% approach speed from having a continuous view of at least one signal indication for approximately 10 sec.
10. Requirements on Gate Installation Are Contained In Section 4E-13 through 4E-17 of the Manual on Uniform Traffic Control Devices as revised by Official Rulings, Volume VII Ruling sg 67

FLORIDA DEPARTMENT OF TRANSPORTATION TRAFFIC DESIGN TRAFFIC CONTROL DEVICES FOR MOVEABLE SPAN BRIDGE SIGNALS

| REVISIONS | | | INITIALS | DATES |
|-----------|----------|--|---------------|-------|
| DATE | INITIALS | DESCRIPTION | Designed by | CG |
| 7-20-76 | CEJ | ADDED ITEM TO LEGEND AND PLAN AND ADDED PAYMENT FOR SIGNAL AND GATE ASSEMBLIES & REVISED TITLE BLOCK | Checked by | RK |
| 10-6-78 | JMC | ADDED NOTES 8 & 9 | Quantities by | |
| | | | Checked by | |
| | | | Supervised by | |

Approved by *De H. Hall*

STATE DESIGN ENGINEER-ROWY.

DRAWING NO. 1 OF 3 INDEX NO. 17890





FIGURE - A
MONOTUBE SUPPORT MOUNTING



SIGN PANEL MOUNTING
ASSEMBLY

FIGURE - B




FIGURE - C




FIGURE - D




FIGURE - E

SIGNAL HEAD MOUNTING
ASSEMBLY




FIGURE - F

FLORIDA DEPARTMENT OF TRANSPORTATION
TRAFFIC DESIGN
TRAFFIC CONTROL DEVICES FOR
MOVABLE SPAN BRIDGE SIGNALS

| REVISIONS | | | INITIALS | DATES |
|-----------|----------|--------------------------------------|---------------|-------------|
| DATE | INITIALS | DESCRIPTION | Designed by | C.G. 4-7-75 |
| 7-20-76 | CEJ | REMOVE HEADERS & REVISED TITLE BLOCK | Checked by | R.K. 4-7-75 |
| 09-04-80 | MICK | REVISED 4 1/2" PEDESTAL TO 4" | Quantities by | |
| | | | Checked by | |
| | | | Supervised by | |

Approved
by *De Anish*
STATE DESIGN ENGINEER-RDWAY.

DRAWING NO. INDEX NO.
2 OF 3 17890

