#### 311 General Notes

#### 311.1 General

General notes provide information and direction to the contractor by clarifying design details or construction practices. General notes are project-specific and must not restate, broaden or curtail requirements in the **Standard Specifications** or **Standard Plans**.

Place general notes on a standard plan sheet available in the FDOT CADD Software. Place the General Notes sheet before the first roadway plan-profile sheet in the plans set. See *Exhibit 311-1* for an example of a General Notes sheet.

### 311.2 Writing General Notes

It is important to choose words carefully when writing general notes; i.e., be precise and concise. Use terminology and abbreviations commonly used in the <u>Standard Specifications</u> and <u>Standard Plans</u>.

When a general note requires an action by the contractor, the note is written as a command. Do not include "Contractor must", "by the Contractor", or similar phrases in general notes. The following are examples of general notes written as a command:

- (1) Sawcut existing pavement at a 1" depth at the limits of milling operations.
- (2) Erect new overhead signs and sign supports before removing existing sign structures.
- (3) Remove memorial markers that are in conflict with construction. Provide an inventory that includes the name on the marker and the location (station and offset) from where it was removed. Deliver the markers and inventory to the FDOT Maintenance Engineer at 888 Poppy Seed Lane, Ft. Lauderdale.
- (4) Do not stage equipment or stock pile materials adjacent to Lake Worth Drainage District canals.

# 311.2.1 Required General Notes

Place the following notes on the General Notes sheet:

(1) Benchmark elevations shown on the plans are {note the bench mark datum used in the plans; e.g., North American Vertical Datum of 1988 (NAVD 88)}.

(2) All survey information was obtained from a licensed Florida Professional Surveyor and Mapper and utilized as supporting data in the production of design plans and for construction on subject project. The professional surveyor and mapper of record is:

{Surveyor name, P.S.M.} {P.S.M. NO: #} {Company Name} {Company Address} {Certificate of Authorization: #}

- (3) The location(s) of the utilities shown in the plans (including those designated Vv, Vh, and Vvh) are based on limited investigation techniques and should be considered approximate only. The verified locations/elevations apply only at the points shown. Interpolations between these points have not been verified.
- (4) Utility/Agency Owners Company Contact Telephone Numbers {Company Name} {Contact Name} (XXX) XXX-XXXX
- (5) Special event days for this project include:

{List special events}

## 311.2.2 Bridge Clearance

For projects affecting an existing bridge (e.g., bridge widenings or resurfacing) that propose a minimum design vertical clearance between 16'-0" and 16'-2" or if a Design Variation or Design Exception is required, place the following general note in the plans:

"When construction is complete, submit a certified survey confirming the asbuilt minimum vertical clearance is equal to or greater than the minimum design vertical clearance called for in the plans."

#### **GENERAL NOTES**

- 1. BENCHMARK ELEVATIONS SHOWN ON THE PLANS ARE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88).
- 2. ALL SURVEY INFORMATION WAS OBTAINED FROM A LICENSED FLORIDA PROFESSIONAL SURVEYOR AND MAPPER AND UTILIZED AS SUPPORTING DATA IN THE PRODUCTION OF DESIGN PLANS AND FOR CONSTRUCTION ON SUBJECT PROJECT. THE PROFESSIONAL SURVEYOR AND MAPPER OF RECORD IS: ANNA KING, P.S.M. P.S.M. NO.: 99993 MAPS R US, INC. 678 COMPASS ROAD

MIAMI, FL 33179 CERTIFICATE OF AUTHORIZATION: 99699

3. THE LOCATION(S) OF THE UTILITIES SHOWN IN THE PLANS (INCLUDING THOSE DESIGNATED Vv, Vh, AND Vvh) ARE BASED ON LIMITED INVESTIGATION TECHNIQUES AND SHOULD BE CONSIDERED APPROXIMATE ONLY. THE VERIFIED LOCATIONS/ELEVATIONS APPLY ONLY AT THE POINTS SHOWN. INTERPOLATIONS BETWEEN THESE

POINTS HAVE NOT BEEN VERIFIED. 4. UTILITY/AGENCY OWNERS: COMPANY CONTACT TELEPHONE NUMBERS

> SPRINT/FLORIDA, INC. CHERYL FLORES (904) 555-1234 QWEST JIM WEST (904) 555-2345 MCI WORLDCOM ANDY WORLEY (904) 555-3456 SPRINT COMMUNICATIONS ROB SPRINTER (904) 555-4567 CITY OF TALLAHASSEE UTILITIES CHESTER DIGGER (904) 555-5678

5. SPECIAL EVENT DAYS FOR THIS PROJECT INCLUDE:

JACKSONVILLE JAZZ FESTIVAL JACKSONVILLE JAGUARS FOOTBALL GAMES FLORIDA VS. GEORGIA FOOTBALL GAME THE GATOR BOWL PARADE THE MONSTER TRUCK SHOW THE GATE RIVER RUN

> Exhibit 311-1 Date: 1/1/20

REVISIONS LUKE S. WALKER, P.E. STATE OF FLORIDA DESCRIPTION DATE DESCRIPTION DATE P.E. NO.: 99991 DEPARTMENT OF TRANSPORTATION ROADWAY ENGINEERS, INC. ROAD NO. COUNTY 123 MAIN STREET TALLAHASSEE, FL 32301 SR 22 BAY 123456-1-52-01

FINANCIAL PROJECT ID

GENERAL NOTES

SHEET NO.

12