

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = DESOTO																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
04010000	0.000	1.280	C	1	1	60	CRACKING	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	
31			2	20.9	5300	RIDE		8.1	7.9	8.5	8.5	8.5	8.6	7.7	8.2	7.8	7.4	7.3	6.8	8.1	
NOTTS DAIRY RD(0.6L)																					
4042011	0.000	5.966	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
BETTER ROADS INC.				(2008)		SPRIDE		8.1	8.2	8.1	8.1	8.1	8.1	7.9	7.5	8.1	8.1	8.0	8.0	8.0	7.9
04010000	1.280	1.580	C	1	1	60	CRACKING	10.0	10.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
31			2	20.9	5300	RIDE		8.1	7.9	8.5	8.5	8.5	8.0	7.8	8.5	8.1	7.9	8.1	8.0	7.9	
FC125																					
				(2001)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
						RIDE		7.4	7.9	7.6	7.7	7.5	7.0	7.0	6.5	7.1	7.2	7.1	7.1	7.4	6.6
04010000	1.580	5.933	C	1	1	60	CRACKING	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	
31			2	20.9	5400	RIDE		8.1	7.9	8.5	8.5	8.5	8.4	7.5	8.4	7.8	7.6	7.3	6.9	8.1	
CR 763(2.3L)																					
4042011	0.000	5.966	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.4
BETTER ROADS INC.				(2008)		SPRIDE		8.0	8.1	8.1	8.1	8.0	8.0	7.9	7.6	8.1	8.1	8.0	7.9	8.0	7.9
04010000	5.933	13.198	C	1	1	60	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5		10.0	
31			2	20.9	8600	RIDE		7.9	7.8	8.0	8.7	8.6	8.8	8.2	8.6	7.8	7.8	7.8		8.4	
FC95																					
4042031	5.966	12.903	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	5.4
BETTER ROADS INC.				(2008)		SPRIDE		8.0	8.4	8.2	8.2	8.0	7.9	7.4	7.9	7.9	7.9	7.9	7.8	7.8	7.5
04020000	0.000	3.557	R	1	1	60	CRACKING	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	
35 17			2	19.1	8500	RIDE		8.1	8.0	8.2	8.7	8.7	8.6	8.4	8.6	8.0	8.0	7.8	7.9	7.8	
FC5																					
ENTERPRISE BLVD(0.7R)						SPRIDE		6.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
4154901	0.000	3.878	C	2011	0218	CRACKING		7.7	7.7	7.6	7.5		8.4	8.4	8.4	8.4	8.4	8.5	8.5	8.3	8.3
BETTER ROADS INC.				(2014)																	
04020000	3.557	8.885	R	1	1	60	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	
35 17			2	19.1	9800	RIDE		8.1	8.0	8.0	8.2	8.0	8.0	7.6		8.1	8.1	8.0	7.8	8.0	
FC5M																					
KENTUCKY ST SW(3.6C)						SPRIDE		10.0	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.0	8.8
4178761	3.847	9.512	C	2013	0213	CRACKING		7.6	7.8	7.7	7.9	7.6	7.8	6.8	8.6	8.6	8.6	8.7	8.5	8.4	8.3
AJAX PAVING INDUSTRIES OF				(2016)																	
04020000	8.885	9.513	R	1	1	55	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	
35 17			2	19.1	9400	RIDE		8.1	8.0	8.0	8.2	8.0	8.0	7.6		8.1	8.1	8.0	7.8	8.0	
FC5A																					
4178761	3.847	9.512	C	2013	0213	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.0	6.7
AJAX PAVING INDUSTRIES OF				(2019)		SPRIDE		7.6	7.8	7.7	7.9	7.6	7.8	6.8	8.6	8.6	8.6	8.4	8.4	8.3	8.1
04020000	9.513	11.092	R	1	1	45	CRACKING	8.0	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
35 17			2	17.2	13900	RIDE		7.8	7.9	8.2	7.7		8.5	7.9	8.6	8.1	8.0	8.0	8.0	7.9	
FC125A																					
CR-760A(9.6R)						SPRIDE		9.5	9.5	9.5	8.0	8.0	7.5	7.5	7.5			10.0	10.0	10.0	10.0
1938982	9.513	13.693	C	2015	0218	CRACKING		7.8	7.8	7.7	7.7	7.3	7.3	6.4	7.1			8.5	8.4	8.4	8.1
CNA				(2019)																	
04020000	11.092	13.375	R	1	1	50	CRACKING	10.0	10.0	9.0	9.0		10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	
35 17			2	17.2	13900	RIDE		8.8	8.6	8.4	8.1		8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	
FC5A																					
FLETCHER ST SW(11.3C)						SPRIDE		7.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		10.0	10.0	9.0	6.7
1938982	9.513	13.693	C	2015	0218	CRACKING		7.4	8.2	8.2	8.1	8.1	8.0	6.8	7.8	7.9		8.5	8.5	8.5	8.5
CNA				(2019)																	
04020000	13.375	14.021	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0		10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0	
35 17			2	14.3	16600	RIDE		8.1	7.9	8.4	8.1		8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7	
FC125A																					
LOU'S DR SW(13.4R)						SPRIDE		7.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0
1938982	9.513	13.693	C	2015	0218	CRACKING		7.4	8.2	8.2	8.1	8.1	8.0	6.8	7.8	7.9		8.0	8.0	8.1	8.1
CNA				(2019)																	
04020000	14.021	15.780	C	1	1	35	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	
35 17			2	19.3	9300	RIDE		8.1	7.9	8.4	8.3	8.2	8.2	7.1	8.0	7.3	7.2	7.0	7.1	6.8	
FC125A																					
E PINE ST(14.2C)						SPRIDE		7.0	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0
4291101	14.470	15.780	C	2015	0012	CRACKING		6.4	6.9	6.6	6.8	7.1	7.0	6.4	6.5			8.0	7.9	7.8	7.3
CNA				(2019)																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = DESOTO																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
04020000	15.780	16.693	R	1	1 45	CRACKING		9.0	9.0	7.5	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0		
35 17			2	16.9	10900	RIDE		8.3	8.3	8.3	8.3	8.2	8.1	7.7	8.4	7.9	8.1	7.7	7.8	8.0		
BEGIN EXCEPTION(16.7C)					FC125																	
1939061	16.112	16.858	C	2001	0213	CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	
FREEDOM PIPELINE CORP				(2003)	SPRIDE			7.7	7.9	7.9	8.0	7.8	7.7	7.4	7.2	7.3	7.4	7.4	7.3	7.2	7.0	
04020000	15.780	16.693	L	1	1 45	CRACKING		9.0	9.0	7.5	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0		
35 17			2	16.9	10900	RIDE		8.3	8.3	8.3	8.3	8.2	8.1	7.7	7.9	7.8	7.8	7.9	7.7	7.9		
DESOTO AVE N(15.8L)					FC125																	
1939061	16.112	16.858	C	2001	0213	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.2	
FREEDOM PIPELINE CORP				(2003)	SPRIDE			7.6	7.1	7.7	7.9	7.8	7.8	7.9	7.1	7.1	7.1	7.0	7.0	7.1	6.9	
04020000	13.375	14.021	L	1	1 40	CRACKING		9.0	9.0	9.0	9.0		10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0		
35 17			2	14.3	16600	RIDE		8.1	7.9	8.4	8.1		8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7		
M L KING ST(13.7L)					FC125A																	
1938982	9.513	13.693	C	2015	0218	CRACKING		7.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	
CNA				(2019)	SPRIDE			7.4	8.2	8.2	8.1	8.1	8.0	6.8	7.8	7.9		8.0	8.0	8.0	8.0	
04020000	11.092	13.375	L	1	1 50	CRACKING		10.0	10.0	9.0	9.0		10.0	10.0	8.0	8.0	8.0	7.0	7.0	7.0		
35 17			2	17.2	13900	RIDE		8.8	8.6	8.4	8.1		8.1	7.5	8.4	7.9	7.8	7.8	7.7	7.7		
FLETCHER ST SW(11.3C)					FC5A																	
1938982	9.513	13.693	C	2015	0218	CRACKING		7.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	
CNA				(2019)	SPRIDE			7.4	8.2	8.2	8.1	8.1	8.0	6.8	7.8	7.9		8.6	8.6	8.6	8.6	
04020000	9.513	11.092	L	1	1 45	CRACKING		8.0	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
35 17			2	17.2	13900	RIDE		7.8	7.9	8.2	7.7		8.5	7.9	8.6	8.1	8.0	8.0	8.0	7.9		
CR 760A(9.6L)					FC125A																	
1938982	9.513	13.693	C	2015	0218	CRACKING		9.5	9.5	9.5	8.0	8.0	7.5	7.5	7.5			10.0	10.0	10.0	10.0	
CNA				(2019)	SPRIDE			7.8	7.8	7.7	7.7	7.3	7.3	6.4	7.1			8.4	8.4	8.3	8.1	
04020000	3.759	9.513	L	1	1 60	CRACKING		5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0		
35 17			2	19.1	9800	RIDE		8.1	8.0	8.0	8.2	8.0	8.0	8.0	7.6		8.1	8.1	8.0	7.8	8.0	
COLLINS ST SW(4.3L)					FC5M																	
4178761	3.847	9.512	C	2013	0213	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.0	8.8	
AJAX PAVING INDUSTRIES OF				(2016)	SPRIDE			7.6	7.8	7.7	7.9	7.6	7.8	6.8	8.6	8.6	8.5	8.5	8.4	8.3	8.0	
04020000	0.000	3.759	L	1	1 60	CRACKING		5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5		
35 17			2	19.1	8500	RIDE		8.1	8.0	8.2	8.7	8.7	8.6	8.4	8.6	8.0	8.0	7.8	7.9	7.8		
GARDEN ACRES(0.8L)					FC5																	
4154901	0.000	3.878	C	2011	0218	CRACKING		6.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
BETTER ROADS INC.				(2014)	SPRIDE			7.7	7.7	7.6	7.5		8.2	8.1	8.3	8.4	8.4	8.4	8.4	8.4	8.4	
04020101	0.000	1.400	C	1	1 35	CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
35 17			3	18.3	8500	RIDE						8.5	8.6	8.2	8.6	8.0	7.9	7.7	7.7	7.6		
SR 35(0.0C)					FC125A																	
4291091	0.195	1.204	C	2015	0012	CRACKING		10.0	9.5	9.5	7.0	7.0	6.5	6.5	6.5			10.0	10.0	10.0	10.0	
CNA				(2019)	SPRIDE			7.5	7.2	7.6	7.9	7.6	7.5	7.6	7.6			8.5	8.5	8.4	8.2	
04020101	1.400	1.736	C	1	1 35	CRACKING									10.0	10.0	10.0	10.0	10.0	10.0		
35 17			2	15.4	8300	RIDE									8.6	8.0	7.9	7.7	7.7	7.6		
MAGNOLIA ST(1.4C)					FC125A																	
4291091	1.430	1.736	C	2015	0012	CRACKING		10.0	9.5	9.5	8.0	8.0	9.5	9.5	9.5			10.0	10.0	10.0	10.0	
CNA				(2019)	SPRIDE			7.5	7.2	6.7	6.9	6.9	7.5	6.7	7.2			8.3	8.4	8.2	8.0	
04020102	0.000	6.971	R	1	1 65	CRACKING														10.0		
35 17			2	20.1	9800	RIDE														7.9		
LIVINGSTON ST(0.0C)					FC5M																	
4369201	0.000	6.627	C	2017	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.0	8.0	8.0			10.0	10.0		
AJAX PAVING INDUSTRIES OF				(2020)	SPRIDE			7.8	8.0	8.0	7.9	7.9	7.9	7.7	7.8	7.9			8.6	8.6		
04020102	0.000	6.971	L	1	1 65	CRACKING														10.0		
35 17			2	20.1	9800	RIDE														7.6		
LIVINGSTON ST(0.0C)					FC5M																	
4369201	0.000	6.627	C	2017	0012	CRACKING		10.0	10.0	10.0	10.0	9.5	9.0	8.0	8.0	6.5			10.0	10.0		
AJAX PAVING INDUSTRIES OF				(2020)	SPRIDE			7.4	7.6	7.6	7.5	7.4	7.2	7.0	7.4	7.4			8.6	8.5		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = DESOTO																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
04040000	0.000	12.105	C	1	1	60	CRACKING	8.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5		10.0	10.0	10.0	10.0	
70			2	24.7		4804	RIDE	7.8	7.7	7.9	7.9	7.9	7.8	7.8	7.6		8.0	7.9	8.0	7.8	
COUNTY LINE RD(0.0R)							FC125														
1938891	6.101	11.731	C	2002		0221	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*	5.4
BETTER ROADS INC				(2005)			SPRIDE	7.9	7.9	7.9	7.9	7.9	7.7	7.3	7.6	7.6	7.4	7.2	7.3	7.3	7.0
4454731	0.000	12.105	C	2023		0012															
04040000	12.105	12.601	R	1	1	45	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	
70			2	16.7		14600	RIDE	8.0	8.2	8.1	7.5	7.2	7.5	6.9	7.2	6.7	7.8	7.3	7.8	7.5	
N PARKER AVE(12.4C)							FC125														
1939121	11.760	14.701	C	2002		0012	CRACKING	10.0	10.0	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	6.0*	5.5*	5.5*	4.1
AJAX PAVING INDUSTRIES INC(2005)				(2005)			SPRIDE	7.8	7.7	7.7	7.6	7.7	7.7	7.3	7.1	7.3	7.0	7.3	7.2	7.1	7.0
4415621	12.313	14.180	C	2022		0005															
04040000	12.601	14.167	C	1	1	40	CRACKING	8.0	7.5	7.5	7.5	7.5	4.5*	4.5*	1.0*	1.0*	10.0	10.0	9.0	9.0	
70			2	13.8		12000	RIDE	6.9	6.8	6.9	5.9*	5.3*	5.1*	3.2*	5.0*	4.9*	7.1	6.4	6.3	6.2	
HICKORY ST(12.6L)							DGFC														
1939121	11.760	14.701	C	2002		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	3.8
AJAX PAVING INDUSTRIES INC(2005)				(2005)			SPRIDE	6.2	6.5	6.6	6.1	6.1	6.1	6.0	5.7	5.4*	5.3*	5.0*	5.3*	5.2*	4.6
4415621	12.313	14.180	C	2022		0005															
04040000	14.167	14.663	R	1	7	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	5.0*	10.0	9.0	9.0	9.0	
70			2	16.5		22000	RIDE	8.1	8.0	7.7	6.7	7.0	7.1	6.1*	6.6	6.2*	7.4	6.0	6.1	5.8	
BAKER ST(14.2R)							FC125M														
4365801	14.108	14.689	C	2018		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	5.5*	5.5*		10.0	
AJAX PAVING INDUSTRIES OF (2021)				(2021)			SPRIDE	6.5	7.5	7.6	7.2	6.9	6.5	6.5	6.5					8.0	
04040000	14.663	15.863	R	1	1	45	CRACKING	9.5	9.5	9.0	9.0	9.0	9.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	3.5*	
70			2	12.7		13200	RIDE	8.4	8.4	8.0	8.3	8.2	7.8	8.1	8.3	7.5	7.4	7.2	6.0	6.6	
CANAL ST NE(15.1R)							FC5M														
1938961	14.681	15.733	C	2009		0213	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	6.5	6.5	5.3
BETTER ROADS INC.				(2011)			SPRIDE	8.4		7.9	7.9	7.9	7.8	7.8	8.1	8.0	8.0	8.0	8.0	7.9	7.9
4462021	14.663	15.863	C	2024		0012															
04040000	15.863	22.843	C	1	1	60	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	
70			2	12.7		13200	RIDE	8.8	8.7	8.2	8.4	8.4	8.2	8.1	8.3	7.5	7.4	7.2		8.7	
SE TOWNSEND AVE(16.7R)							FC95														
1938482	15.632	31.790	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	8.6
BETTER ROADS INC.				(2008)			SPRIDE	8.4	8.8	8.8	8.8	8.8	8.7	8.1	8.3	8.6	8.5	8.4	8.5	8.4	8.3
04040000	22.843	23.910	C	1	1	60	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	
70			3	24.7		4600	RIDE	8.8	8.7	8.2	8.4	8.4	8.2	8.1	8.3	7.5	7.4	7.2		8.7	
FOUR MILE GRADE(23.7L)							FC95														
1938482	15.632	31.790	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	8.7	
BETTER ROADS INC.				(2008)			SPRIDE	8.4	8.8	8.8	8.7	8.6	8.5	8.3	8.4	8.5	8.5	8.5	8.4	8.4	8.3
04040000	23.910	28.619	C	1	1	60	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	
70			2	24.7		4600	RIDE	8.8	8.7	8.2	8.4	8.4	8.2	8.1	8.3	7.5	7.4	7.2		8.7	
ORANGE CO ENT(24.8L)							FC95														
1938482	15.632	31.790	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.1
BETTER ROADS INC.				(2008)			SPRIDE	8.4	8.8	8.8	8.6	8.6	8.5	8.2	7.6	8.5	8.4	8.3	8.4	8.3	8.0
04040000	28.619	29.656	C	1	1	60	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*		10.0	
70			3	24.7		4600	RIDE	8.8	8.7	8.2	8.4	8.4	8.2	8.1	8.3	7.5	7.4	7.2		8.7	
							FC95														
1938482	15.632	31.790	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
BETTER ROADS INC.				(2008)			SPRIDE	8.4	8.8	8.8	8.7	8.6	8.5	8.7	7.9	8.5	8.5	8.4	8.5	8.4	8.2
04040000	14.663	15.863	L	1	1	45	CRACKING	9.5	9.5	9.0	9.0	9.0	9.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	3.5*	
70			2	12.7		13200	RIDE	8.4	8.4	8.0	8.3	8.2	7.8	8.1	8.3	7.5	7.4	7.2	6.0	6.6	
EIGHTEENTH AVE(14.7L)							FC5M														
1938961	14.681	15.733	C	2009		0213	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.5	4.5*	4.5
BETTER ROADS INC.				(2011)			SPRIDE	8.4		7.8	7.6	7.5	7.4	7.2	7.5	7.6	7.5	7.6	7.6	7.4	7.4
4462021	14.663	15.863	C	2024		0012															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = DESOTO																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)
04040000	14.167	14.663	L	1	7 45	CRACKING		9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	4.5*	10.0	10.0	10.0	9.0	
70			2	16.5	22000	RIDE		7.8	7.7	7.6	6.3*	6.0*	6.2*	5.8*	6.2*	4.9*	7.8	7.4	6.9	6.0	
TENTH AVE(14.2L)					FC125M																
4365801	14.108	14.689	C	2018	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	6.0*		10.0	
AJAX PAVING INDUSTRIES OF (2021)					SPRIDE			6.9	7.5	7.7	7.5	7.3	7.4	6.4						8.0	
04040000	12.105	12.601	L	1	1 45	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	10.0	10.0	10.0	10.0	10.0	
70			2	16.7	14600	RIDE		8.3	8.5	8.0	7.5	7.4	7.4	6.9	7.3	6.0*	7.9	7.4	7.5	7.8	
N PARKER AVE(12.4C)					FC125																
1939121	11.760	14.701	C	2002	0012	CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.0*	6.0*	6.0*	5.9
AJAX PAVING INDUSTRIES INC(2005)					SPRIDE			7.8	7.7	7.8	7.8	7.5	7.4	7.2	6.5	6.6	6.6	6.5	6.7	6.6	6.1
4415621	12.313	14.180	C	2022	0005																
04040101	0.000	1.503	C	1	1 35	CRACKING		4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
70			2	17.8	11000	RIDE		7.1	6.8	6.9	5.1*	5.8*	5.7*	7.4	7.4	7.0	6.9	6.9	6.6	5.8	
N ROGER AVE(0.0R)					FC125																
1939091	0.000	1.544	C	2000	0005	CRACKING		9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	5.5*		4.5*	4.5
BETTER ROADS INC					SPRIDE			6.5	6.4	6.4	6.1	6.2	6.0	5.6	5.1*	5.3*	5.1*	4.7*		6.0	4.4
4415621	0.000	1.503	C	2022	0005																
04060000	0.000	4.119	C	1	1 60	CRACKING		7.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	
72			2	18.8	2100	RIDE		7.1	7.0	6.9	7.0		8.6	8.4	8.6	8.2	8.2	8.0	8.1	6.9	
FLINT RD NW(0.2L)					FC3																
1938851	0.000	10.977	C	1999	0221	CRACKING		8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	5.7	
GATOR ASPHALT PAVING INC					S RIDE			7.5	7.8	7.5	7.5	7.5	7.2	7.4	7.4	7.3	7.5	7.5	7.4	7.3	6.8
4462031	0.000	4.119	C	2023	0226																
04060000	4.564	10.991	C	1	1 60	CRACKING		4.0*	4.0*	4.0*	4.0*		10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	
72			2	18.8	5200	RIDE		7.0	7.0	6.8	6.4*		8.6	8.4	8.6	8.2	8.2	8.0	8.1	6.9	
BARROW AVE(5.4L)					FC3																
1938851	0.000	10.977	C	1999	0221	CRACKING		8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.2	
GATOR ASPHALT PAVING INC					S RIDE			7.5	7.9	7.7	7.7	7.6	7.5	7.6	7.1	7.6	7.7	7.6	7.5	7.5	7.0
04060101	0.000	0.442	C	1	1 60	CRACKING															
72			2	18.8	2300	RIDE															
RODGERS AVE SW(0.0C)					FC3																
						CRACKING		8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		7.0	7.0	
						RIDE		7.6	7.5	7.4	7.4	7.3	7.4	6.8	7.2	7.4	7.6		7.4	7.3	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).