

**FLORIDA DEPARTMENT OF TRANSPORTATION****ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = HIGHLANDS																			
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
INTERSECT AT (MP SIDE)																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P														
CONTRACTOR (AGE_ONE YEAR)					ASTYPE														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F														
																			FUTURE
								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
																			2021
																			2026
																			(REG)
09010000	0.000	6.527	R	1	1	65	CRACKING	7.5	7.5	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0
25 27			2	31.0		8776	RIDE	7.9	7.7	7.7	7.9	7.7	7.5	7.1	7.2	6.3*	8.1	8.0	8.0
TURKEY TRACK RD(	1.7R)						OGFC												7.7
1944352	0.000	6.528	C	2003		0012	CRACKING	10.0	10.0	8.0	8.0	8.0	8.0	7.0	7.0	6.5	5.5*	5.5*	3.5*
APAC-FLORIDA INC				(2005)			RIDE	7.5	7.4	7.2	7.3	7.2	7.0	6.8	7.5	7.3	7.4	7.6	1.0*
4415191	0.000	6.528	C	2021		0012													7.5
09010000	6.527	16.317	R	1	1	65	CRACKING	10.0	10.0	9.5	9.5	8.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	10.0
25 27			2	31.0		8776	RIDE	9.2	8.9	9.2	9.1	9.1	9.0	8.5	8.8	8.1	8.0	7.9	8.3
HORN RD(	6.6R)						FC5												
1944472	6.528	16.323	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5
BETTER ROADS INC.				(2008)			RIDE	8.5	8.2	8.2	8.5	8.5	8.5	8.2	8.6	8.5	8.6	8.9	8.9
09010000	16.317	22.730	R	1	1	55	CRACKING	5.5*	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0
25 27			2	18.1		19600	RIDE	7.8	7.9	7.9	8.5	8.5	8.4	8.0	8.3	8.2	8.3	8.3	8.0
CAMP FLORIDA RD	R(16.3R)						FC5												
1945131	16.325	22.747	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	6.5	4.5*
BETTER ROADS INC				(2004)			SPRIDE	8.1	7.9	7.9	8.1	8.0	7.9	7.6	8.3	8.2	8.2	8.4	8.2
4462071	16.317	22.730	C	2024		0012													8.4
09010000	22.730	28.650	R	1	1	65	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0
25 27			2	17.2		21500	RIDE	7.9	8.0	7.9	8.3	8.3	8.4	8.6	8.9	8.4	8.4	8.3	7.9
LYKES RD(23.4R)							FC5												
1945011	22.742	28.684	C	2000		0012	CRACKING	9.0	9.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	6.5	5.5*	3.5*
APAC-FLORIDA, INC				(2002)			SPRIDE	8.2	7.9	7.8	8.0	8.0	7.9	7.5	8.4	8.3	8.3	8.5	8.1
4394341	22.740	28.686	C	2021		0012													8.4
09010000	28.650	28.970	R	1	6	55	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0
25 27			3	17.2		21500	RIDE	7.9	8.0	7.9	8.3	8.3	8.4	8.4	8.8	8.5	8.5	8.4	7.9
SR 66(29.0C)							FC2												
				(2002)			CRACKING	9.0	9.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5
							RIDE	8.2	7.9	8.5	8.5	8.2	8.4	7.8	7.8	7.2	7.6		
09010000	28.650	28.970	L	1	1	55	CRACKING	3.0*	3.0*	3.0*	3.0*	3.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0
25 27			3	17.2		21500	RIDE	7.7	8.2	7.8	8.4	8.3	8.1	8.8	9.0	7.8	7.7	8.3	7.8
SR-66(29.0L)							FC2												
				(2002)			CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0
							RIDE	8.6	8.6	8.6	8.5	8.6	8.5	8.5	8.2	7.9	8.2	8.3	8.2
09010000	22.730	28.650	L	1	1	65	CRACKING	3.0*	3.0*	3.0*	3.0*	3.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0
25 27			2	17.2		21500	RIDE	7.7	8.2	7.8	8.4	8.3	8.1	8.7	8.8	8.4	8.3	8.3	7.9
LAKE FRANCIS RD(23.4L)							FC5												
1945011	22.742	28.684	C	2000		0012	CRACKING	10.0	10.0	10.0	9.5	8.0	8.0	8.0	6.5	6.5	6.5	5.5*	3.5*
APAC-FLORIDA, INC				(2002)			SPRIDE	8.2	8.2	7.9	8.1	8.0	8.0	7.8	8.4	8.3	8.4	8.6	8.3
4394341	22.740	28.686	C	2021		0012													8.6
09010000	16.317	22.730	L	1	1	55	CRACKING	7.5	7.5	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0
25 27			2	18.1		19600	RIDE	7.7	7.9	7.9	8.5	8.4	8.0	7.7	7.7	8.3	8.3	8.2	8.0
TURNOUT(16.5L)							FC5												
1945131	16.325	22.747	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.0	8.0	8.0	8.0	6.5	4.5*
BETTER ROADS INC				(2004)			SPRIDE	8.2	8.2	7.9	8.2	8.1	8.0	8.0	8.3	8.4	8.4	8.5	8.5
4462071	16.317	22.730	C	2024		0012													8.5
09010000	6.527	16.317	L	1	1	65	CRACKING	10.0	10.0	9.5	9.5	9.5	8.0	7.5	7.5	7.5	7.5	7.5	10.0
25 27			2	31.0		8776	RIDE	8.9	8.9	9.4	9.1	9.0	8.8	8.5	8.8	8.3	8.2	8.0	7.5
FIESTA CT(	7.1L)						FC5												
1944472	6.528	16.323	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	6.5
BETTER ROADS INC.				(2008)			RIDE	8.1	8.6	8.1	8.5	8.5	8.5	8.4	8.7	8.6	8.7	8.8	8.8
09010000	0.000	6.527	L	1	1	65	CRACKING	7.5	7.5	4.5*	3.5*	1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0
25 27			2	31.0		8776	RIDE	7.7	7.5	8.1	7.0	7.0	6.3*	6.0*	5.6*		8.2	8.1	7.7
CR 731(	2.4L)						OGFC												
1944352	0.000	6.528	C	2003		0012	CRACKING	10.0	10.0	9.5	9.0	9.0	7.5	7.5	7.5	5.5*	5.5*	5.5*	1.0
APAC-FLORIDA INC				(2005)			RIDE	7.7	8.0	7.6	7.8	7.7	7.5	7.1	7.8	7.7	7.6	7.7	7.4
4415191	0.000	6.528	C	2021		0012													7.6
09030000	0.000	4.520	R	1	1	50	CRACKING	9.0	9.0	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0
25 27			3	11.4		29000	RIDE	8.6	8.3	8.7	8.6	8.5		8.9	9.0	8.6	8.6	8.6	8.7
SR 66(	0.0C)						FC3												
1944551	0.000	2.693	C	1999		0218	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5
BERGERON LAND DEVELOPMENT				(2002)			S RIDE	8.3	8.5	8.7	8.6	8.6	8.5	8.3	8.3	8.5	8.5	8.4	8.2
4394331	0.257	2.690	C	2021		0012													

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

**FLORIDA DEPARTMENT OF TRANSPORTATION****ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

								DISTRICT = 1			COUNTY = HIGHLANDS													
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE			
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008				
INTERSECT AT (MP SIDE)							=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																			
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)			
09030000	4.520	6.811	R	1	1 50	CRACKING		9.5	9.5	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
25 27			3	7.1	39000	RIDE		8.5	8.4	8.5		9.0	8.8	8.9	9.0	8.6	8.6	8.6	8.5	8.6				
LAKEVIEW DR SW( 6.1R)																								
1945071	4.516	6.870	C	1996	0218	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0			
APAC-FLORIDA, INC				(2000)	S	RIDE		8.6	8.5	8.6	8.6	8.5	8.4	8.3	8.1	8.1	8.2	8.2	8.2	8.2	7.9			
09030000	6.811	11.560	R	1	1 55	CRACKING		7.5	7.5	7.5		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5				
25 27			3	8.1	40500	RIDE		8.0	7.8	8.2		8.5	8.4	8.3	8.5	8.3	8.2	8.2	8.2	8.1				
JERI KAY LN( 6.9R)																								
4252251	8.200	11.320	R	2011	0012	CRACKING		8.5	6.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0			
BETTER ROADS INC.				(2013)		RIDE		7.9	8.0	8.3	8.2	8.2	8.2	8.0	8.4	8.3	8.4	8.4	8.4	8.3	8.3			
09030000	11.560	13.704	R	1	1 55	CRACKING		7.5	7.5	7.5	7.5	7.5	4.5*	4.5*			10.0	10.0	10.0	10.0				
25 27			3	9.1	31000	RIDE		8.0	7.8	8.2	8.3	8.2	8.1	7.9			8.4	8.4	8.3	8.4				
ROBINETTE RD(12.0R)																								
1945101	11.536	13.453	C	2001	0218	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0			
BETTER ROADS INC				(2005)	SPRIDE			8.3	8.4	8.3	8.3	8.3	8.2	7.4	7.8	7.6	8.0	7.9	8.0	7.8	7.5			
09030000	13.704	14.296	R	1	7 45	CRACKING		9.5	9.5	7.5	7.5	7.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0				
25 27			3	9.1	31000	RIDE		8.5	8.2	8.3	7.9	7.7	6.5	7.6		7.5	7.9	7.8	7.8	7.8				
W CORNELL ST(13.7R)																								
				(2021)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0				
						RIDE		7.8	7.5	7.5	7.7	7.4	7.4	6.6	5.6					7.3				
09030000	14.296	14.739	R	1	7 45	CRACKING		5.5*		10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0		10.0	10.0				
25 27			3	11.0	29000	RIDE		7.5		8.4	8.8	8.8	8.5	8.5	8.8	8.4	8.4		8.4	7.8				
W LOCKE ST(14.3R)																								
				(2021)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0				
						RIDE		7.8	8.1	8.1	7.8	7.9	7.9	7.6	6.7	7.1	7.1	6.8		7.8				
09030000	14.739	15.286	R	1	1 45	CRACKING		5.5*		10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0		10.0	10.0				
25 27			3	11.0	29000	RIDE		7.5		8.4	8.8	8.8	8.5	8.5	8.8	8.4	8.4		8.4	7.8				
MAXWELL ST(14.8R)																								
4084691	14.224	15.228	C	2005	0547	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		7.0	7.0			
CAROLINA CONSULTING CORP.				(2007)	SPRIDE			7.8	8.1	8.1	7.8	7.9	7.9	7.6	6.7	7.1	7.1	6.8		6.6	6.1			
09030000	15.286	18.041	R	1	1 50	CRACKING		5.5*		10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0	7.0				
25 27			3	13.7	24500	RIDE		7.5		8.4	8.8	8.8	8.5	8.5	8.8	8.4	8.4	8.1	8.3	8.1				
WOODMERE DR(15.3R)																								
1944851	15.286	18.038	C	2011	0218	CRACKING		7.0	7.0	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
BETTER ROADS INC.				(2015)	SPRIDE			8.1	8.1	8.1	7.9	7.7		8.2	8.4	8.2	8.2	8.2	8.1	8.1	7.9			
09030000	15.286	18.041	L	1	1 50	CRACKING		2.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.5				
25 27			3	13.7	24500	RIDE		7.6		8.7	8.9	8.8	8.4	8.5	8.8	8.4	8.4	8.2	8.2	8.1				
AVON PARK CITY LIMITS(15.7L)																								
1944851	15.286	18.038	C	2011	0218	CRACKING		7.5	7.5	7.5	7.5	5.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3			
BETTER ROADS INC.				(2015)	SPRIDE			7.9	8.0	8.0	7.8	7.5		8.0	8.3	8.0	8.1	8.1	8.1	8.1	8.1			
09030000	14.725	15.286	L	1	1 45	CRACKING		2.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0				
25 27			3	11.0	29000	RIDE		7.6		8.7	8.9	8.8	8.4	8.5	8.8	8.4	8.4		8.2	8.2				
WALMART ENT(15.0L)																								
4084691	14.224	15.228	C	2005	0547	CRACKING		10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0		7.0	5.0			
CAROLINA CONSULTING CORP.				(2007)	SPRIDE			7.8	8.0	8.1	8.0	8.0	8.0	7.4	7.4	7.1	7.6	7.6		6.5	6.5			
09030000	14.471	14.725	L	1	7 45	CRACKING		2.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0				
25 27			3	11.0	29000	RIDE		7.6		8.7	8.9	8.8	8.4	8.5	8.8	8.4	8.4		8.2	8.2				
CIRCLE ST E(14.5L)																								
				(2021)		CRACKING		10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0		10.0				
						RIDE		7.8	8.0	8.1	8.0	8.0	8.0	7.4	7.4	7.1	7.6	7.6		7.7				
09030000	13.690	14.471	L	1	7 45	CRACKING		9.5	8.0	7.5	7.5	5.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0				
25 27			3	9.1	31000	RIDE		8.7	8.4	8.3	8.4	8.2	7.8	7.7		8.2	8.1	7.6	8.3	8.0				
CORNELL ST W(13.7L)																								
				(2021)		CRACKING		9.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0		10.0				
						RIDE		7.9	8.0	8.1	8.0	8.0	8.0	7.4	7.4	7.1	7.6	7.6		7.5				

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

**FLORIDA DEPARTMENT OF TRANSPORTATION****ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 1 COUNTY = HIGHLANDS -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
09030000	11.560	13.690	L	1	1	55	CRACKING	7.5	7.5	7.5	7.5	5.5*	5.5*	5.5*			10.0	10.0	10.0	9.0	
25 27			3	9.1	31000	RIDE		8.2	7.9	8.4	8.4	8.3	8.0	7.9			8.4	8.2	8.3	8.3	
ROBINETTE RD(12.0L)					FC125																
1945101	11.536	13.453	C	2001	0218	CRACKING		9.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	5.6
BETTER ROADS INC				(2005)	SPRIDE			8.2	8.0	8.1	8.0	8.0	8.0	7.4	7.4	7.1	7.6	7.6	8.0	7.9	7.3
09030000	6.811	11.560	L	1	1	55	CRACKING	7.5	7.5	7.5		10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	
25 27			3	8.1	40500	RIDE		8.2	7.9	8.4		8.6	8.2	8.2	8.5	8.3	8.2	8.2	8.1	8.0	
SPARROW AVE( 6.9L)					FC5M																
				(2013)		CRACKING		6.5	6.5	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	8.8
						RIDE		7.4	8.0	8.2	8.2	8.1	8.1	8.0	8.2	8.2	8.3	8.3	8.3	8.2	8.2
09030000	4.495	6.811	L	1	1	50	CRACKING	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			3	7.1	39000	RIDE		8.6	8.5	8.7		8.9	8.7	8.5	8.8	8.4	8.4	8.3	8.3	8.3	
TUBB RD L( 4.5L)					FC3																
1945071	4.516	6.870	C	1996	0218	CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0
APAC-FLORIDA, INC				(2000)	S	RIDE		7.3	8.1	8.2	8.1	8.0	8.0	7.2	7.6	7.5	7.8	7.8	7.9	7.8	7.2
09030000	2.967	4.495	L	1	1	50	CRACKING	7.5	7.5		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	
25 27			3	8.0	38000	RIDE		8.6	8.2		8.7	8.9	8.6	8.8	8.9	8.5	8.4	8.5	8.5	8.5	
COOPER RD( 3.1L)					FC3																
1944891	2.755	4.516	C	1996	0218	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5
APAC-FLORIDA INC				(1999)	S	RIDE		7.5	8.5	8.5	8.5	8.4	8.4	7.8	8.0	7.8	8.2	8.2	8.1	8.1	7.8
09030000	0.000	2.967	L	1	1	55	CRACKING	7.5	7.5	7.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			3	11.4	29000	RIDE		8.6	8.2	8.3	8.8	8.7		9.0	9.0	8.6	8.6	8.6	8.6	8.6	
SR 66( 0.0C)					FC3																
1944551	0.000	2.693	C	1999	0218	CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	6.0	
BERGERON LAND DEVELOPMENT				(2002)	S	RIDE		7.5	8.4	8.4	8.3	8.0	8.2	8.0	8.2	8.1	8.5	8.5	8.3	8.5	8.0
4394331	0.257	2.690	C	2021	0012																
09030001	0.000	0.073	C	1	6	35	CRACKING	9.5	8.0	9.5	10.0	10.0	10.0	10.0	10.0	10.0	7.0	10.0	10.0	10.0	
17			2	3.0	14300	RIDE		8.1	8.1	8.8							6.0	7.5	7.1	7.5	
LAKEVIEW DR( 0.0C)					FC4																
				(2018)		CRACKING		9.5	9.5	9.0	8.0	8.0	6.5	6.5	6.5	5.5*	9.0	9.0	8.0	7.0	3.7
						RIDE		6.7	6.6	7.0	7.0	6.9	6.7	6.4	6.1	5.7					
09030001	0.073	1.058	C	1	1	35	CRACKING	9.5	8.0	9.5	9.5	10.0	10.0	8.0	8.0	8.0	7.0	10.0	10.0	10.0	
17			2	3.0	14300	RIDE		8.1	8.1	8.8	7.9	8.6	8.5				6.0	7.5	7.1	7.5	
LAKE SHORE DR( 0.4L)					FC4																
1944252	0.426	0.927	C	2016	0012	CRACKING		9.5	9.5	9.0	8.0	8.0	6.5	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0
LANE CONSTRUCTION CORPORAT				(2018)	SPRIDE			6.7	6.6	7.0	7.0	6.9	6.7	6.4	6.1	5.7	7.8	7.6	7.6	7.6	7.3
09040000	0.000	0.685	C	1	1	40	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	
17			4	3.2	12600	RIDE		8.1	8.1	8.1	7.8	8.0	7.7	7.7	7.6	7.1	7.1	7.1	6.8	7.0	
CR17/KENILWORTH BLVD( 0.0R)					FC125M																
4223941	0.000	0.329	C	2010	0012	CRACKING		7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.0*	4.7
BETTER ROADS INC.				(2012)		RIDE		6.4	6.7	6.7	7.9	7.9	7.8	7.0	7.1	6.9	6.8	6.9	6.9	7.0	6.1
09040000	0.685	0.752	C	1	6	30	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	
17			2	12.4	7700	RIDE		7.7	7.3	7.8	7.3	7.0	7.5	7.4	6.8	6.8	6.5	6.3	6.4	5.8	
N COMMERCE AVE( 0.7L)					FC125M																
				(2016)		CRACKING		8.0							10.0	10.0	10.0	10.0	10.0	9.0	8.8
						RIDE		5.6													
09040000	0.752	1.313	C	1	1	30	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	9.5	9.5	8.0	
17			2	12.4	5300	RIDE		7.7	7.3	7.8	7.3	7.0	7.5	7.4	6.8	6.8	6.5	6.1	6.1	6.1	
WALL ST( 0.8R)					FC125M																
4223941	0.756	1.302	C	2010	0012	CRACKING		8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.0	7.0
BETTER ROADS INC.				(2012)		RIDE		5.7	5.8	6.1	7.2	7.2	7.1	6.9	6.6	6.5	6.5	6.3	6.3	6.3	5.6
09040000	1.313	3.969	C	1	1	45	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	
17			2	12.4	5400	RIDE		7.5	7.4	7.5	7.6	7.6	7.3	7.4		8.0	8.0	8.0	7.8	7.8	
POMEGRANATE AVE( 1.4L)					FC125																
1944741	1.300	10.092	C	2002	0012	CRACKING		10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.0*	6.0
APAC-FLORIDA INC				(2004)	SPRIDE			6.7	7.6	7.4	7.4	7.3	7.1	6.5	7.1	7.0	7.0	7.0	6.9	6.8	6.3

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @\* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

**FLORIDA DEPARTMENT OF TRANSPORTATION****ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = HIGHLANDS																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																			
CONTRACTOR (AGE_ONE YEAR)								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																	2026 (REG)		
09040000	3.969	10.095	C	1	1	55	CRACKING	5.5*	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0					
17			2	9.2		7200	RIDE	7.4	7.3	7.4	7.2	7.2	7.1	6.5		8.2	8.2	8.2	8.1	8.2					
MAXCY GROVE RD( 4.1L)																									
1944741	1.300	10.092	C	2002		0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.0			7.0		
APAC-FLORIDA INC				(2004)		SPRIDE		6.9	7.4	7.7	7.7	7.6	7.4	7.0	7.3	7.1	7.1	7.2	7.1	7.1	7.1	7.1	6.6		
FC125																									
09040000	10.095	11.147	R	1	1	30	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0					
17			2	5.5		12100	RIDE	7.7	7.8	7.8	7.2	6.5	6.7	6.7	6.6	6.0	6.1	6.0	6.0	5.8					
N VERONA AVE(10.3R)																									
1944262	10.170	11.134	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	6.0*	6.0				
PREFERRED MATERIALS, INC.				(2009)		RIDE		6.8	7.7	7.1	7.7	7.2	7.3	6.8	6.6	6.2	6.5	6.5	6.5	6.5	6.4	6.4	5.8		
FC95																									
09040000	10.095	11.147	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0						
17			2	5.5		12100	RIDE	7.7	7.6	7.7	7.3	6.9	6.5	6.6	6.4	5.8	6.0	6.0	6.0	5.8					
DELANCY AVE(10.2L)																									
1944262	10.170	11.134	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.0*	6.0				
PREFERRED MATERIALS, INC.				(2009)		RIDE		7.0	7.7	7.5	7.6	7.4	7.4	7.3	6.3	6.4	6.8	7.1	6.6	6.9	6.9	6.9	6.3		
FC95																									
09060000	0.000	14.460	C	1	1	60	CRACKING	9.0	9.0	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0					
70			2	31.0		3600	RIDE	7.9	7.8	8.0	8.3	8.4	8.2	7.9	8.0	6.8	6.7	8.5	8.5	8.6					
ROBERT MCGEE RD( 6.6C)																									
1944362	0.000	14.451	C	2004		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0		
BETTER ROADS INC				(2006)		RIDE		8.4	8.4	8.4	8.5	8.5	8.4	7.9	8.0	7.8	8.2	8.2	8.2	8.2	8.2	8.2	7.9		
FC125																									
09060000	14.460	18.680	C	1	1	60	CRACKING	10.0	9.5	8.0	8.0	8.0	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		10.0					
70			2	31.0		4400	RIDE	8.2	7.9	8.5	8.6	8.3	8.1	7.4	7.8	7.2	6.8	6.6		8.4					
SR 25(14.5C)																									
1944372	14.581	22.243	C	2005		0012	CRACKING	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.0	7.0	6.0				
BETTER ROADS INC.				(2008)		RIDE		8.3	8.3	8.2	8.2	8.1	8.3	7.7	7.7	7.4	8.1	8.0	8.0	8.0	8.0	8.0	7.6		
DGFC																									
09060000	18.680	20.798	C	1	1	60	CRACKING	10.0	9.5	8.0	8.0	8.0	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0					
70			2	31.0		4400	RIDE	8.2	7.9	8.5	8.6	8.3	8.1	7.4	7.8	7.2	6.8	6.6	5.6*	8.4					
LONESOME ISLAND RD(19.8L)																									
				(2020)			CRACKING	10.0	10.0	9.5	9.5	9.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	10.0	0.0*					
4145066	17.266	21.649	C	2021		0012	RIDE	8.3	8.3	8.2	8.2	8.1	7.3	6.7	6.4*	5.8*	6.2*	6.0*	8.0	7.7					
DGFC																									
09060000	20.798	22.232	C	1	1	60	CRACKING	10.0	9.5	8.0	8.0	8.0	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0					
70			2	31.0		4400	RIDE	8.2	7.9	8.5	8.6	8.3	8.1	7.4	7.8	7.2	6.8	6.6	5.6*	8.4					
SOUTHWIND RD(21.0R)																									
1944372	14.581	22.243	C	2005		0012	CRACKING	10.0	10.0	9.5	9.5	9.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.6		
BETTER ROADS INC.				(2008)		RIDE		8.3	8.3	8.2	8.2	8.1	8.2	7.8	7.8	7.4	8.2	8.2	8.0	7.8	7.8	7.8	7.6		
4145066	17.266	21.649	C	2021		0012																			
09060000	22.232	29.472	C	1	1	60	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	4.5*					
70			2	31.0		4400	RIDE	7.7	7.3		9.0	9.0	8.8	8.4	8.8	8.4	8.4	8.0	8.0	7.5					
GREENBRIAR FARM RD(23.3L)																									
4252261	22.232	30.101	C	2011		0012	CRACKING	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	9.5	8.5	8.5	7.5	7.0	5.4				
BETTER ROADS INC.				(2013)		RIDE		7.2	7.2	6.9	6.7	8.7	8.6	7.9	7.9	7.5	8.2	8.2	8.1	7.8	7.5	7.5	7.5		
FC125M																									
09060000	29.472	36.334	C	1	1	60	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5					
70			2	31.0		3900	RIDE			9.0	9.0	9.0	8.9	8.4	8.9	8.2	8.1	7.8	8.0	7.8					
CR 721(32.0L)																									
4252271	30.136	36.334	C	2012		0012	CRACKING	6.5	6.5	5.5*	5.5*	3.5*	10.0	10.0	10.0	9.5	8.5	8.5	7.0	7.0	4.6				
LAWRENCE-LYNCH CORP.				(2014)		RIDE		7.5	7.6	7.3	7.4	7.3	8.4	8.4	7.7	7.4	8.1	8.1	8.0	8.0	8.0	8.0	7.7		
FC125M																									
09080000	0.000	3.082	C	1	2	60	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
64			2	21.0		8700	RIDE	7.6	7.5	7.4	7.0	6.6	6.7	8.5	8.5	8.2	8.1	8.0	8.0	8.1					
BALLARD RD( 0.1L)																									
1944751	0.000	3.074	C	2001		0012	CRACKING	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.1				
BETTER ROADS				(2002)		SPRIDE		8.1	8.1	7.9	8.0	7.9	7.8	7.6	6.9	6.8	7.6	7.5	7.6	7.5	7.5	7.5	7.0		
FC125																									
09110000	0.000	4.677	C	1	1	55	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0					
700 98			2	31.0		6600	RIDE	8.3	8.2	8.4	7.9	7.9	7.9	7.5		8.5	8.2	8.1	8.2	8.1	8.1				
US-27/SR-25( 0.0R)																									
1944731	0.045	4.695	C	2001		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	6.1				
BETTER ROADS INC				(2003)		SPRIDE		7.7	7.7	8.1	8.1	8.1	8.1	7.5	7.3	7.5	7.6	7.8	7.9	7.7	7.7	7.7	7.4		

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

**FLORIDA DEPARTMENT OF TRANSPORTATION****ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = HIGHLANDS																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P		=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																
09110000	4.677	10.074	C	1	1	55	CRACKING	6.5	4.5*	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
700 98			2	31.0		6600	RIDE	8.4	8.3	8.4	8.0	8.0	7.7	7.6	7.6	6.7	8.4	8.3	8.3	8.1	
SPRING LAKE BLVD( 5.2L)						FC125															
1944991	4.711	10.154	C	2003		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.0	7.0	7.0	5.5*	5.1	
BETTER ROADS INC				(2005)			RIDE	8.0	8.0	8.0	8.0	8.1	7.9	7.5	7.5	7.5	7.8	7.9	7.9	7.4	
09110000	10.074	14.560	C	1	1	60	CRACKING	6.5	4.5*	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	
700 98			2	31.0		3400	RIDE	8.4	8.3	8.4	8.0	8.0	7.7	7.6		8.4	8.5	8.5	8.4	8.3	
ARBUCKLE CREEK RD(10.4L)						FC125															
1945151	10.154	14.572	C	2002		0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	
APAC-FLORIDA INC				(2004)			SPRIDE	8.0	8.0	8.0	7.9	7.8	7.7	7.3	7.5	7.4	7.8	7.7	7.8	7.2	
09110000	14.560	24.521	C	1	1	60	CRACKING	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	
700 98			2	31.0		2200	RIDE	8.4	8.2	8.4	8.4	8.4	8.2	8.0	8.2	7.5	8.5	8.4	8.3	8.0	
MCAURTHUR 2 RD(16.1L)						FC125															
1945141	14.572	24.396	C	2003		0012	CRACKING	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	5.5*	
BETTER ROADS INC				(2005)			RIDE	7.7	7.7	7.7	7.7	7.6	7.5	6.9	7.2	7.3	7.5	7.4	7.3	7.1	
4462081	14.560	24.521	C	2023		0226														6.6	
09140000	0.000	9.342	C	1	1	60	CRACKING	7.5	4.5*	4.5*	4.5*	4.0*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	
66			2	20.6		6116	RIDE	8.4	8.2	8.3	7.9	7.8	7.6	7.4	7.5	8.4	8.2	8.3	8.1	8.0	
SPRING VALLEY LN( 2.0L)						FC125M															
4366001	0.000	7.500	C	2017		0012	CRACKING	10.0	9.0	9.0	8.0	7.0	6.0*	6.0*	5.5*	3.5*	3.5*		10.0	10.0	
LAWRENCE-LYNCH CORP.				(2020)			SPRIDE	6.9	7.8	7.9	7.8	7.7	7.5	6.7	7.2	7.3	7.3		8.2	8.2	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).