

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	W_KMX-P		=====															
ITMSEG-P	(AGE_ONE YEAR)				ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)	
CONTRACTOR	ITMSEG-F	W_BMP	W_EMP	RW	FY-F	W_KMX-F																
13010000	45 41	0.000	2.094	R 3	1 3.1	1 50 39500	CRACKING RIDE	9.0 8.1	6.5 7.9	4.5* 7.6	4.5* 8.0	3.5* 8.2	3.5* 8.2	3.5* 8.1	3.5* 8.0	3.5* 7.0	10.0 8.2	10.0 8.0	10.0 7.9	10.0 8.1		
BOMB SQUAD RD R(0.3R)						FC5																
1958932	0.000	2.090	C 2003	(2005)	0012	0012	CRACKING RIDE	10.0 8.0	9.0 8.1	9.0 8.0	9.0 7.9	9.0 7.7	8.0 7.6	8.0 7.3	7.5 7.7	6.5 7.8	4.5* 7.7	4.5* 7.6	4.5* 7.5	4.5* 7.3	2.6 7.2	
APAC-FLORIDA INC 4446121	0.000	2.035	C 2022			0012																
13010000	45 41	2.094	3.017	R 3	1 3.1	1 45 45000	CRACKING RIDE	9.0 8.3	9.0 8.2	9.0 8.3	9.0 7.4	9.0 7.2	9.0 7.2	9.0 6.9	8.0 6.8	8.0 5.8*	7.5 5.8*	10.0 7.5	10.0 7.1	10.0 7.5		
BAY DR(2.3C)						FC125																
1958132	2.116	3.017	C 2004	(2006)	0012	0012	CRACKING RIDE	10.0 7.6	10.0 7.6	10.0 7.3	10.0 7.3	10.0 7.3	10.0 7.4	10.0 7.3	10.0 6.8	9.0 6.9	9.0 6.6	9.0 6.6	9.0 6.8	7.5 6.6	7.5 6.3	
AJAX PAVING INDUSTRIES, IN(2006)																						
13010000	45 41	3.017	5.284	R 3	1 3.1	1 45 44500	CRACKING RIDE	9.0 8.3	9.0 8.2	9.0 8.3	9.0 7.4	9.0 7.2	9.0 7.2	9.0 6.9	8.0 6.8	8.0 5.8*	7.5 5.8*	6.5 5.7	6.5 5.6	4.5* 5.9		
BAYSHORE GARDENS PKW(3.1C)						FC125																
1958133	3.017	5.068	C 2008	(2010)	0012	0012	CRACKING RIDE		10.0 8.2	10.0 8.1	10.0 8.0	10.0 8.0	10.0 7.9	10.0 7.8	10.0 7.6	10.0 7.5	10.0 7.5	9.0 7.3	9.0 7.3	9.0 7.3	9.0 6.8	
PREFERRED MATERIALS, INC. (2010)																						
13010000	45 B41	5.284	6.331	R 2	1 2.9	1 40 30000	CRACKING RIDE	10.0 8.8	10.0 8.8	10.0 8.9	10.0 8.5	10.0 8.4	10.0 8.5	10.0 8.4	10.0 8.3	9.0 7.4	9.0 7.7	9.0 7.6	9.0 7.3	9.0 7.4		
SR684/US41/CORTEZ RD(5.3R)						FC125A																
4290961	5.284	6.298	C 2015	(2017)	0012	0012	CRACKING RIDE	9.0 7.4	6.5 7.3	6.5 7.3	6.5 7.3	6.5 7.0	6.5 7.3	6.5 6.9	6.5 7.0	10.0 8.0	10.0 7.9	10.0 7.8	10.0 7.8	9.0 7.9	8.4 7.7	
SUPERIOR ASPHALT, INC. (2017)																						
13010000	45 B41	6.331	7.552	C 4	1 2.4	2 35 16400	CRACKING RIDE	6.5 5.3*	6.5 5.3*	10.0 7.5	10.0 7.5	10.0 6.8	10.0 6.8	10.0 6.7	10.0 6.5	8.5 6.2	8.5 6.2	8.5 5.9	8.5 5.7	5.5* 5.6		
23RD AVE W(6.4R)						FC125R																
4252321	6.240	7.388	C 2011	(2013)	0012	0012	CRACKING RIDE	5.5* 5.4*	5.5* 5.2*	5.5* 5.0*	5.5* 4.7*	10.0 7.1	10.0 7.1	10.0 6.7	9.0 6.2	8.5 6.0	8.5 5.9	8.5 5.6		7.0 5.5	5.4 4.1	
AJAX PAVING INDUSTRIES OF (2013)																						
13010000	45 B41	8.878	9.498	C 4	1 3.6	1 30 29500	CRACKING RIDE	3.5* 4.8*	3.5* 4.8*	3.5* 5.8*		10.0 8.2	10.0 8.2	10.0 7.7	10.0 7.7	10.0 7.3	10.0 7.3	10.0 7.1	10.0 6.9	10.0 6.8		
THIRD ST(8.9R)						FC3																
1959771	9.022	9.483	C 1998	(2000)	0004	0004	CRACKING S	9.5 7.2	9.5 6.7	9.5 6.6	9.5 6.6	9.5 6.6	9.5 6.6	9.5 6.9	9.5 7.0	9.5 6.8	9.5 6.9	9.5 6.8	9.5 6.5	9.5 6.7	9.2 6.1	
GATOR ASPHALT COMPANY (2000)																						
13010000	45 B41	5.284	6.331	L 2	1 2.9	1 40 30000	CRACKING RIDE	10.0 8.6	10.0 8.7	10.0 8.8	10.0 8.3	10.0 8.0	10.0 8.3	10.0 8.0	10.0 8.0	9.0 7.8	9.0 7.7	9.0 7.6	9.0 7.0	9.0 7.2		
CORTEZ RD(5.3L)						FC125A																
4290961	5.284	6.298	C 2015	(2017)	0012	0012	CRACKING RIDE	9.0 7.3	7.0 7.2	7.0 7.2	7.0 7.1	7.0 7.1	7.0 7.1	7.0 6.7	6.5 6.8	10.0 7.8	10.0 7.5	10.0 7.6	10.0 7.5	9.0 7.5	8.4 7.2	
SUPERIOR ASPHALT, INC. (2017)																						
13010000	45 41	3.017	5.284	L 3	1 3.1	1 45 44500	CRACKING RIDE	10.0 8.5	10.0 8.3	10.0 8.4	10.0 7.9	10.0 7.7	10.0 7.7	9.0 7.6	9.0 7.3	9.0 6.6	9.0 6.5	9.0 6.5	7.5 6.7	4.5* 6.5		
BAYSHORE GARDENS PKW(3.1C)						FC125																
1958133	3.017	5.068	C 2008	(2010)	0012	0012	CRACKING RIDE		10.0 8.2	10.0 8.1	10.0 8.0	10.0 8.0	10.0 7.9	10.0 7.1	10.0 7.6	10.0 7.6	10.0 7.6	10.0 7.4	10.0 7.4	10.0 7.4	10.0 6.9	
PREFERRED MATERIALS, INC. (2010)																						
13010000	45 41	2.094	3.017	L 3	1 3.1	1 45 45000	CRACKING RIDE	10.0 8.5	10.0 8.3	10.0 8.4	9.0 6.2*	9.0 6.5	9.0 6.5	9.0 6.2*	9.0 6.0*	7.5 5.6*	7.5 6.1*	10.0 6.6	10.0 6.3	10.0 6.4		
BAY DR(2.3C)						FC125																
1958132	2.116	3.017	C 2004	(2006)	0012	0012	CRACKING RIDE	10.0 6.6	10.0 6.4	10.0 6.5	10.0 6.3	10.0 6.3	10.0 6.2	10.0 6.0	10.0 5.7	10.0 5.6	7.5 5.5	7.5 5.2*	7.5 5.2*	7.0 5.2*	7.0 4.7	
AJAX PAVING INDUSTRIES, IN(2006)																						
13010000	45 41	0.000	2.094	L 3	1 3.1	1 50 39500	CRACKING RIDE	6.5 8.1	6.5 7.9	6.5 7.9	3.5* 8.3	3.5* 8.2	3.5* 8.2	3.5* 8.1	3.5* 8.0	3.5* 7.1	10.0 8.2	10.0 8.0	10.0 7.9	10.0 8.0		
SEAGATE DR(0.1L)						FC5																
1958932	0.000	2.090	C 2003	(2005)	0012	0012	CRACKING RIDE	10.0 8.0	9.0 8.0	9.0 7.8	9.0 8.0	8.0 7.8	8.0 7.9	8.0 7.5	7.5 7.9	6.5 8.0	6.5 8.0	4.5* 7.9	4.5* 7.5	4.5* 7.5	3.0 7.5	
APAC-FLORIDA INC 4446121	0.000	2.035	C 2022			0012																
13010001	45 B41	0.000	0.480	R 2	1 3.6	1 35 36000	CRACKING RIDE	9.0 8.1	9.0 8.2	9.0 8.2	9.0 7.4	9.0 7.4	7.0 6.3*	7.0 6.3	7.0 6.0	7.0 5.7	6.5 5.4*	6.5 5.2*	10.0 7.7	10.0 7.8		
TENTH ST W(0.0C)						DGFC																
4067541	0.012	0.486	C 2005	(2007)	0012	0012	CRACKING RIDE	10.0 7.4	10.0 7.9	10.0 7.9	10.0 7.1	10.0 7.3	10.0 7.5	10.0 7.4	10.0 7.4	10.0 7.4	10.0 7.3	10.0 7.0	9.0 7.3	9.0 7.2	9.0 6.9	
PREFERRED MATERIALS, INC. (2007)																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																				
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)				
13010001	1.204	1.379	R	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.5	4.5*					
45 B41			2	3.6	36000	RIDE		8.6	8.6	8.9	8.7	8.5	8.5	8.7	8.6	7.5	6.4	6.6	6.7	6.1					
RIVERSIDE DR(1.4C)					FC4																				
				(2010)		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
						RIDE			8.0	7.9	7.9	7.8	7.7	7.0	7.4	7.3	7.3	7.2	7.2	7.1	6.6				
13010001	1.204	1.379	L	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	6.5	4.5*					
45 B41			2	3.6	36000	RIDE		8.7	8.6	8.7	8.0	8.4	8.5	8.2	7.7	7.2	7.3	6.9	6.4	6.3					
RIVERSIDE DR(1.4C)					FC4																				
				(2010)		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
						RIDE			7.4	7.4	7.3	7.4	7.2	7.1	6.9	6.8	7.0	6.9	6.8	6.7	6.4				
13010001	0.000	0.480	L	1	1 35	CRACKING		10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0					
45 B41			2	3.6	36000	RIDE		8.0	7.6	8.3	6.6	6.7	6.0*	6.6	6.6	5.0*	3.9*	4.3*	7.3	7.1					
TENTH ST W(0.0C)					DGFC																				
4067541	0.012	0.486	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0				
PREFERRED MATERIALS, INC. (2007)						RIDE		7.2	7.3	7.3	7.1	7.3	7.2	6.6	6.6	6.9	7.1	6.6	7.2	7.1	6.7				
13020000	0.000	0.569	C	1	7 40	CRACKING		9.0	9.0	9.0	9.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.5					
43			3	4.1	19600	RIDE		7.8	7.3	7.5	6.0*	4.7*	6.4*	5.9	5.9	5.6	6.2	5.8	5.6	5.6					
SR 45(0.0C)					FC95MR																				
				(2021)		CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	10.0	5.2*				
						RIDE		4.9*	5.5	5.1*	5.2*	4.9*	5.0*	5.1*	3.7*	3.7*	3.8*								
13020000	0.569	3.866	R	1	8 45	CRACKING		6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	8.5					
43 301			2	6.3	40000	RIDE		7.9	7.8	7.8	7.2	7.2	7.5	7.0	8.5	8.1	8.2	8.1	7.9	8.1					
PALM BAY MOBIL HM PK(0.9R)					FC125																				
1960691	0.019	3.901	C	2001	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	3.5*	3.5*	3.5*						
APAC-FLORIDA, INC (2003)					SPRIDE			8.0	8.0	7.9	7.8	7.7	7.7	7.7	7.5	7.4	7.3	7.2	7.2						
4380621	0.573	3.855	C	2019	0012																				
13020000	3.866	4.542	R	1	1 45	CRACKING		3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0					
43 301			3	7.8	38000	RIDE		7.5	7.1	7.7	7.9	7.9	7.9	6.9	6.7	8.0	7.6	7.5	7.5	7.5					
					FC5M																				
4312121	3.885	4.341	C	2016	0012	CRACKING		9.0	9.0	7.0	7.0	7.0	6.5	5.5*	5.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
AJAX PAVING INDUSTRIES OF (2018)						RIDE		7.0	7.4	7.6	7.7	7.5	7.4	7.1	7.4	7.7	8.2	8.2	8.1	8.3	8.3				
13020000	4.542	6.437	R	1	2 45	CRACKING		9.0	7.5	7.5	7.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0					
43 301			2	4.7	39000	RIDE		8.0	7.8	7.8	7.1	6.9	6.8			8.1	8.1	8.1	7.8	7.8					
60TH AVE E(4.5R)					FC3																				
1960581	4.540	6.595	C	2001	0213	CRACKING		10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.4				
HUBBARD CONSTRUCTION COMPA(2004)					S RIDE			7.7	7.6	7.5	7.1	7.2	7.2	6.5	7.3	7.2	7.2	7.1	7.0	7.0	7.0	6.5	6.5	6.5	
4415341	4.548	6.441	C	2022	0012																				
13020000	6.437	10.457	R	1	1 50	CRACKING		1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.5	7.0	6.0*	10.0					
43 301			2	6.2	12500	RIDE		5.8*	7.8	7.8	8.9	8.9	8.9	8.9	8.7	8.1	7.9	7.8	7.6	8.0					
FOY RD/96TH AVE E(7.1R)					DGFC																				
4226031	6.318	10.441	C	2009	0213	CRACKING		10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
				(2012)		RIDE		7.9		8.7	8.7	8.5	8.4	8.2	8.1	8.2	8.1	8.1	8.1	8.0	7.5				
13020000	10.457	11.669	R	1	1 45	CRACKING		1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.0*					
43 301			2	13.5	11800	RIDE		5.8*	8.6	8.7	8.5	8.6	8.6	8.6	8.5	8.0	8.0	7.8	7.9	7.8					
PARRISH CEMETERY RD(10.8R)					FC95AR																				
4279951	10.457	11.669	C	2015	0213	CRACKING		6.0*	9.0	9.0	10.0	8.5	8.5	8.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RUSSELL ENGINEERING, INC (2018)					SPRIDE			7.8	7.6	7.8	7.5	7.4	7.4	7.1	7.5		7.9	7.7	7.7	7.7	7.7	7.7	7.7	7.4	
13020000	11.669	16.066	C	1	7 60	CRACKING		1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
43 301			2	18.7	5800	RIDE		5.8*	5.8*		9.0	9.0	9.0	8.9	8.9	8.6	8.7	8.5	8.6	8.6					
DICKEY RD(13.3R)					FC125M																				
4394321	11.696	16.066	C	2020	0012	CRACKING		9.5	9.0	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0					
AJAX PAVING INDUSTRIES OF (2021)						RIDE		8.5	8.4	8.5	8.4	8.4	8.2	7.9	8.2	8.2	8.2	8.2	8.1	8.4					
13020000	10.457	11.669	L	1	1 45	CRACKING		1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
43 301			2	13.5	11800	RIDE		5.8*	8.6	8.7	8.5	8.6	8.6	8.6	8.5	8.0	8.0	7.8	7.9	7.8					
71 ST E(10.5L)					FC95AR																				
4279951	10.457	11.669	C	2015	0213	CRACKING		10.0	9.0	9.0	10.0	8.5	8.5	8.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RUSSELL ENGINEERING, INC (2018)					SPRIDE			7.7	7.6	7.8	7.5	7.4	7.4	7.1	7.5		7.7	7.6	7.6	7.5	7.2				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE			
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008				
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P		=====																	
ITMSEG-P	(AGE_ONE YEAR)				ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)			
13020000	6.437	10.457	L	1	1 50	CRACKING		1.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	6.5	7.0	6.0*	10.0				
43 301			2	6.2	12500	RIDE		5.8*	7.8	7.8	8.9	8.9	8.9	8.9	8.7	8.1	7.9	7.8	7.6	7.8				
91ST AVE E(6.9L)																								
4226031	6.318	10.441	C	2009	0213	CRACKING		10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
				(2012)		RIDE		7.8			8.6	8.6	8.4	7.7	8.0	8.0	8.0	7.9	7.8	7.8	7.3			
13020000	4.542	6.437	L	1	1 45	CRACKING		9.0	7.5	7.5	7.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0				
43 301			2	4.7	39000	RIDE		8.0	7.8	7.8	7.1	6.9	6.8			8.2	8.1	7.9	7.7	7.9				
19TH ST E(4.5L)																								
1960581	4.540	6.595	C	2001	0213	CRACKING		10.0	10.0	10.0	9.0	8.5	7.5	7.5	6.5	6.5	6.5	6.5	5.5*	3.5*	3.5			
HUBBARD CONSTRUCTION COMPA(2004)								7.7	7.6	7.6	7.5	7.3	7.1	6.8	7.3	7.2	7.1	7.0	6.9	7.0	6.4			
4415341	4.548	6.441	C	2022	0012																			
13020000	3.866	4.542	L	1	1 45	CRACKING		6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0				
43 301			3	7.8	38000	RIDE		7.2	7.1	8.1	8.8	8.7	8.6	8.9	8.5	8.1	7.9	7.8	7.8	7.9				
4312121	3.885	4.341	C	2016	0012	CRACKING		9.0	9.0	7.5	7.5	7.5	7.0	7.0	7.0	4.5*	10.0	10.0	10.0	10.0	10.0			
AJAX PAVING INDUSTRIES OF (2018)						RIDE		7.3	7.7	7.5	7.5	7.7	7.6	7.3	7.7	7.7	8.3	8.1	8.4	8.4	8.4			
13020000	1.066	3.866	L	1	8 45	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0				
43 301			2	6.3	40000	RIDE		7.9	7.9	7.8	7.4	7.4	7.3	7.3	8.6	8.2	8.2	8.1	7.8	8.2				
HABEN BLVD(1.3L)																								
1960691	0.019	3.901	C	2001	0012	CRACKING		10.0	9.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.5					
APAC-FLORIDA, INC								8.2	8.1	8.1	8.0	7.9	7.8	7.5	7.8	7.8	7.7	7.6	7.7					
4380621	0.573	3.855	C	2019	0012																			
13020000	0.569	1.066	L	1	8 40	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0				
43 301			2	6.3	40000	RIDE		7.9	7.9	7.8	7.4	7.4	7.3	7.3	8.6	8.2	8.2	8.1	7.8	7.2				
HASKOS RD(0.9L)																								
1960691	0.019	3.901	C	2001	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.5	7.5	6.5	6.5	6.5					
APAC-FLORIDA, INC								7.1	7.4	7.1	7.1	5.5	6.9	6.9	6.2	6.4	6.0	6.2	6.1					
4380621	0.573	3.855	C	2019	0012																			
13030000	0.000	0.508	C	1	1 35	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5				
45 B41			4	3.4	24000	RIDE			7.6	7.9	7.7	7.4	7.6	7.4	7.3	6.8	6.7	6.7	6.4	6.8				
SR 43/10TH ST E(0.0R)																								
4290941	0.168	0.435	C	2014	0226	CRACKING		7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5			
SUPERIOR ASPHALT, INC.								6.7	6.6	6.5	6.5	6.7	6.4	8.0	7.5	7.5	7.5	7.3	7.2	7.3	6.6			
13030000	0.508	1.309	R	1	1 50	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0				
45 B41			2	4.4	23500	RIDE		7.8	7.6	7.6	7.9	7.9	7.9	7.7	7.6	6.7	6.6	7.6	7.6	7.6				
NINETEENTH ST W(0.6R)																								
1959022	0.508	1.830	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	4.5*	3.5*	3.5*	3.5*	3.5*	1.2			
AJAX PAVING INDUSTRIES, IN(2006)								7.6	7.6	7.4	7.4	7.3	7.3	7.0	6.9	7.1	6.8	6.7	6.7	6.4*	6.2			
4444401	0.527	1.305	C	2022	0012																			
13030000	2.225	2.582	C	1	1 55	CRACKING		8.5	8.5	8.5	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0				
45 41			2	8.5	16000	RIDE		8.4	8.5	8.4	8.6	8.6	8.2	7.6	8.6	8.2	8.2	8.2	8.2	8.1				
TURNOUT(2.3R)																								
1960941	2.257	4.997	C	2002	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5			
APAC-FLORIDA INC								8.1	8.1	8.2	8.2	8.2	8.1	7.9	8.2	8.3	8.2	8.2	8.3	8.3	8.2			
13030000	2.582	5.093	R	1	1 60	CRACKING		7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0				
45 41			2	8.3	27500	RIDE		7.5	7.5	7.8	7.8	7.7	7.8	7.6	8.7	8.2	8.1	8.1	8.1	8.0				
45 ST E(2.6R)																								
1960941	2.257	4.997	C	2002	0012	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5			
APAC-FLORIDA INC								8.1	8.1	8.1	8.1	8.0	8.0	7.8	8.0	8.1	8.1	8.0	8.1	8.1	7.9			
13030000	5.093	8.228	R	1	1 60	CRACKING		4.5*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0				
45 41			2	12.1	13200	RIDE		7.8	7.8	8.0	7.4	9.0	9.1	9.0	9.0	8.5	8.5	8.3	8.3	8.2				
ROCK PAYNE RD(5.6R)																								
1961142	6.432	8.242	C	2015	0012	CRACKING		6.5	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0			
PCS CIVIL INC. F/K/A PEPPE(2018)								8.1	8.1	7.9	7.8	7.7	7.6	7.3	8.0		8.5	8.4	8.5	8.5	8.5			
13030000	8.228	8.864	R	1	4 60	CRACKING		4.5*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0				
45 41			2	8.7	12000	RIDE		7.8	7.8	8.0	7.4	9.0	9.1	9.0	9.0	8.5	8.5	8.3	8.3	8.2				
INLAND TRANSPORT ST(8.5R)																								
1961143	8.229	8.884	C	2015	0233	CRACKING		6.5	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		9.4	9.4	9.4	9.5	9.5			
PCS CIVIL INC. F/K/A PEPPE(2018)								8.1	8.1	7.9	7.8	7.7	7.6	7.3	8.0		8.2	8.2	8.3	8.3	8.3			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	=====																		
ITMSEG-P	(AGE_ONE YEAR)				ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026				
CONTRACTOR																					(REG)				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																			
13030000	8.864	9.782	R	1	1	60	CRACKING	4.5*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0					
45 41			2	8.7	12000	RIDE		7.8	7.8	8.0	7.4	9.0	9.1	9.0	9.0	8.5	8.5	8.3	8.3	8.2					
ENT TO ROYSTER R(9.2R)					FC5M																				
1961142	9.263	9.779	C	2015	0012	CRACKING		6.5	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
PCS CIVIL INC. F/K/A PEPPE(2018)					SPRIDE			8.1	8.1	7.9	7.8	7.7	7.6	7.3	8.0		8.5	8.4	8.5	8.6	8.6	8.6	8.6	8.6	
13030000	8.864	9.782	L	1	1	60	CRACKING	1.5*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0					
45 41			2	8.7	12000	RIDE		7.7	7.6	7.8	8.0	8.9	9.0	8.9	8.7	7.8	8.4	8.3	8.3	8.2					
					FC5M																				
1961142	9.263	9.779	C	2015	0012	CRACKING		6.5	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
PCS CIVIL INC. F/K/A PEPPE(2018)					SPRIDE			8.2	8.1	7.9	7.8	7.7	7.8	7.7	8.0		8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	
13030000	8.228	8.864	L	1	4	60	CRACKING	1.5*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0					
45 41			2	8.7	12000	RIDE		7.7	7.6	7.8	8.0	8.9	9.0	8.9	8.7	7.8	8.4	8.3	8.3	8.2					
DOCK ST S(8.3L)					LGD																				
1961143	8.229	8.884	C	2015	0233	CRACKING		6.5	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*		9.4	9.3	9.4	9.4	9.4	9.4	9.4	9.4	
PCS CIVIL INC. F/K/A PEPPE(2018)					RIDE			8.2	8.1	7.9	7.8	7.7	7.8	7.7	8.0		8.0	8.1	8.2	8.2	8.2	8.2	8.2	8.2	
13030000	5.093	8.228	L	1	1	60	CRACKING	1.5*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0					
45 41			2	12.1	13200	RIDE		7.7	7.6	7.8	8.0	8.9	9.0	8.9	8.7	7.8	8.4	8.3	8.3	8.2					
85 ST E(5.6L)					FC5M																				
1961142	6.432	8.242	C	2015	0012	CRACKING		6.5	6.0*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
PCS CIVIL INC. F/K/A PEPPE(2018)					SPRIDE			8.2	8.1	7.9	7.8	7.7	7.8	7.7	8.0		8.5	8.4	8.5	8.5	8.5	8.5	8.5	8.5	
13030000	2.582	5.093	L	1	1	60	CRACKING	6.5	6.5	4.5*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 41			2	8.3	27500	RIDE		7.4	7.6	7.7	7.2	7.1	7.3	6.8	8.6	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.2	8.1	
SR 55(2.6L)					FC5																				
1960941	2.257	4.997	C	2002	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	
APAC-FLORIDA INC				(2003)	SPRIDE			8.1	8.1	8.2	8.1	8.1	8.0	8.1	8.1	8.2	8.2	8.2	8.1	8.2	8.2	8.2	8.2	8.1	
13030000	0.508	1.309	L	1	1	50	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
45 B41			2	4.4	23500	RIDE		7.6	7.5	7.7	7.9	7.7	8.0	7.7	7.7	8.2	6.6	8.0	8.0	8.0					
8TH AVE(0.8L)					FC5																				
1959022	0.508	1.830	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	2.2	
AJAX PAVING INDUSTRIES, IN(2006)					RIDE			8.0	7.9	7.8	7.7	7.7	7.5	7.6	7.8	7.9	7.9	7.7	7.8	7.7	7.7	7.7	7.7	7.6	
4444401	0.527	1.305	C	2022	0012																				
13030101	0.000	0.560	C	1	1	50	CRACKING																		
45 B41			2	5.1	12500	RIDE																			
26TH ST W(0.0L)					OGFC																				
				(2010)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	6.5	5.8	7.7	7.7	
							RIDE		8.0	8.0	8.0	8.0	8.0	7.9	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.8	7.8	7.7	
13030102	0.000	0.457	C	1	1	55	CRACKING																		
45 41			2	6.1	16000	RIDE																			
SR 45 NB(0.0C)					OGFC																				
				(2010)			CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.8	
							RIDE		7.6	7.7	7.7	7.5	7.3	7.4	7.4	7.6	7.6	7.4	7.5	7.5	7.5	7.5	7.4	7.4	
4473841	0.000	0.457	C	2024	0012																				
13030103	0.000	0.385	C	1	1	50	CRACKING																		
45 B41			2	4.2	11500	RIDE																			
SR 45(0.0C)					OGFC																				
							CRACKING																	7.5	
							RIDE																	8.4	
13040000	0.000	0.113	C	1	6	35	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
684			4	3.8	15000	RIDE		7.4	6.6	6.9	6.6	5.7*	5.3*	6.0	5.7	3.7*	3.8*	2.9*	2.2*						
GULF DR(0.0C)					DGFC																				
4172421	0.000	0.121	C	2007	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	6.0*	4.8				
AJAX PAVING INDUSTRIES, IN(2009)					RIDE																				
13040000	0.611	1.214	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	10.0	10.0					
684			1	3.8	28000	RIDE		8.3	8.5	8.7	8.6	8.5	8.7	8.5	8.5	8.1	8.1	8.0	7.0	7.2					
CORTEZ MHP ENT(0.7R)					DGFC																				
				(2007)																					
							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.1	
							RIDE	6.2	6.3	6.4	6.1	6.3	6.4	6.4	6.6	6.5	6.4	6.4	6.4	6.4	6.0	6.0	6.0	6.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP)	(SIDE)						=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																
CONTRACTOR	(AGE_ONE YEAR)				ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
13040000	1.214	3.974	R	1	2 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
684			2	3.8	28000	RIDE	8.4	8.5	8.8	8.7	8.4	8.6	8.4	8.5	8.0	8.0	7.7	7.9	8.0		
116 ST W(1.3R)					FC4																
1959821	2.536	3.946	C	1993	0213	CRACKING	10.0	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	6.5	6.0*	5.4
FREDERICK DERR & COMPANY, (1996)					S	RIDE	7.9	7.7	8.0	7.7	7.7	7.8	7.5	7.8	7.8	7.7	7.6	7.7	7.6	7.6	7.3
13040000	3.974	7.025	R	1	2 45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	10.0	10.0	10.0	
684			2	3.2	28000	RIDE	7.4	7.0	7.3	5.9*	6.1*	6.0*	6.4*	6.1*	5.8*	5.8*	8.3	7.9	8.1		
71 ST W(4.2C)					FC125																
4067551	5.073	6.857	C	2004	0012	CRACKING	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5	5.7	
PREFERRED MATERIALS, INC. (2006)						RIDE	7.9	7.8	7.7	7.3	7.2	7.6	7.3	7.4	7.4	7.3	7.2	7.2	7.1	6.7	
13040000	7.025	7.546	R	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	
684			3	3.6	55000	RIDE	7.7	7.9	7.9	7.1	6.6	6.9	6.8	6.3*	5.6*	5.8*	5.5	6.6	6.6		
TWENTYLETH ST W(7.3C)					FC125																
1960762	7.025	7.546	C	2009	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	
SUPERIOR ASPHALT, INC. (2010)						RIDE	6.5	7.9	7.5	7.2	7.1	7.2	7.2	6.6	6.6	6.4	6.2	6.4	6.0	5.3	
13040000	7.546	8.015	R	1	1 35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5		10.0		
684 41			3	3.5	41500	RIDE	7.7	7.9	7.9	7.1	6.6	6.9	6.8	6.3	5.6	5.8	5.5		7.5		
K-MART ENT(7.7R)					FC3																
1960911	7.730	8.003	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
PREFERRED MATERIALS, INC. (2008)					SPRIDE		7.3	7.4	7.7	7.3	7.4	7.5	7.1	6.6	7.1	6.8	7.1	6.8	6.6	6.4	
13040000	8.015	8.440	R	1	1 35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
684 41			2	3.5	41500	RIDE	8.4	8.5	8.7	8.3	8.2	8.2	8.2	8.2	7.8	7.7	7.8	7.6	7.4		
					FC3																
1960761	6.843	8.566	C	1994	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	7.0	
GATOR ASPHALT CO (1996)					S	RIDE	7.5	7.5	7.5	7.7	7.4	7.5	7.6	7.3	7.5	7.4	7.4	7.4	7.3	6.9	
13040000	8.440	8.574	C	1	6 35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
684 41			1	7.0	7000	RIDE	8.4	8.7	8.6	8.3	8.2	8.2	8.1	8.2	7.7	7.7	7.8	7.6	7.5		
CORTEZ RD(8.4L)					FC3																
1960761	6.843	8.566	C	1994	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
GATOR ASPHALT CO (1996)					S	RIDE	7.5	7.6													
13040000	8.015	8.440	L	1	1 35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
684 41			2	3.5	41500	RIDE	8.5	8.7	8.6	7.0	8.1	7.9	8.1	8.0	7.7	7.7	7.8	7.3	7.5		
					FC3																
1960761	6.843	8.566	C	1994	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	
GATOR ASPHALT CO (1996)					S	RIDE	7.4	7.6	7.7	7.7	7.6	7.6	7.5	7.3	7.3	7.1	7.0	7.3	7.0	6.8	
13040000	7.546	8.015	L	1	1 35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5		10.0		
684 41			3	3.5	41500	RIDE	8.1	8.2	8.1	8.0	6.8	7.3	6.8	6.7	5.9	5.3*	5.9		7.1		
SR45/BUS US41(7.8L)					FC3																
1960911	7.730	8.003	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
PREFERRED MATERIALS, INC. (2008)					SPRIDE		7.4	7.6	7.5	7.5	7.6	7.8	7.3	7.1	7.1	7.0	7.0	6.8	6.9	6.7	
13040000	7.025	7.546	L	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	
684			3	3.6	55000	RIDE	8.1	8.2	8.1	8.0	6.8	7.3	6.8	6.7	5.9*	5.3*	5.9	7.4	7.6		
24 ST W(7.1L)					FC125																
1960762	7.025	7.546	C	2009	0012	CRACKING	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
SUPERIOR ASPHALT, INC. (2010)						RIDE	7.6	8.0	7.8	7.8	7.7	7.6	7.6	7.7	7.7	7.7	7.7	7.7	7.6	7.5	
13040000	3.974	7.025	L	1	1 45	CRACKING	9.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
684			2	3.2	28000	RIDE	7.5	7.5	7.7	6.5	6.6	6.7	6.9	6.8	6.1*	6.3*	8.2	7.8	7.7		
71 ST W(4.2C)					FC125																
4067551	5.073	6.857	C	2004	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.2	
PREFERRED MATERIALS, INC. (2006)						RIDE	7.6	7.6	7.6	7.4	7.3	7.6	7.5	7.6	7.5	7.6	7.3	7.4	7.4	7.2	
13040000	1.244	3.974	L	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
684			2	3.8	28000	RIDE	8.3	8.5	8.7	8.4	8.4	8.5	8.2	8.4	8.1	7.9	7.9	7.8	7.7		
SUNNY SHORES RD(1.4L)					FC4																
1959821	2.536	3.946	C	1993	0213	CRACKING	8.0	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	4.5*	4.5*	4.5*	4.1	
FREDERICK DERR & COMPANY, (1996)					S	RIDE	7.8	7.6	7.7	7.7	7.6	7.5	7.5	7.6	7.6	7.6	7.4	7.4	7.4	7.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====															
ITMSEG-P	(AGE_ONE YEAR)							2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																	
13040000	0.611	1.244	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	10.0	10.0		
684			1	3.8	28000		RIDE	8.3	8.5	8.7	8.6	8.5	8.7	8.5	8.5	8.1	8.1	8.0	7.4	7.8		
127 ST W(0.7L)					DGFC																	
					(2007)		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	
							RIDE	6.5	6.3	6.4	6.1	6.2	6.4	6.3	6.7	6.6	6.7	6.6	6.6	6.5	6.2	
13040001	0.000	0.158	R	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
684 41			2	3.5	32500		RIDE	10.0														
44 AVE E(0.0R)							CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	
					(1988)		RIDE															
13040001	0.000	0.158	L	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
684 41			2	3.5	32500		RIDE	10.0														
CORTEZ AVE E(0.0C)							CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.7	
					(1989)		RIDE															
13040002	0.000	0.073	C	1	6	35	CRACKING												10.0	10.0		
684			3	4.5	5000		RIDE															
T/O FROM CORTEZ RD(0.0L)							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
					(2007)		RIDE															
13050000	0.000	1.122	C	1	1	35	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
64			3	3.5	17500		RIDE			7.4	6.6	6.5	6.9	6.4	6.7	5.7	5.5	6.0	5.9	5.6		
10TH ST W(0.0C)					FC3		CRACKING	9.0	9.0	9.0	9.0	9.0		9.0	9.0	8.5	7.0	7.0	7.0	7.0	4.5	
					(2015)		RIDE	5.9	5.6	5.7	5.7	5.7		5.6	5.1*	5.0*	5.0*	4.7*	4.7*	4.6*	3.8	
4415351	0.000	1.122	C	2022	0012																	
13050000	1.808	3.522	R	1	2	45	CRACKING	10.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	4.5*	3.5*		10.0	10.0		
64			3	4.5	44000		RIDE	7.8	7.9	8.3	8.2	8.1	8.0	7.8	7.9	6.7	6.7		7.9	8.0		
EIGHTEENTH ST(1.9C)					FC125																	
4067581	1.808	5.800	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.0	7.0	6.0*	5.5*	4.5		
AJAX PAVING INDUSTRIES, INC(2007)					SPRIDE		7.9	7.9	7.6	7.5	7.3	7.5	7.4	7.5	7.5	7.4	7.3	7.4	7.3	7.0		
4473781	1.808	3.522	C	2024	0012																	
13050000	3.522	5.941	R	1	1	50	CRACKING	10.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	4.5*	3.5*		10.0	10.0		
64			3	4.5	44000		RIDE	7.8	7.9	8.3	8.2	8.1	8.0	7.8	7.9	6.7	6.7		7.9	8.0		
OAK LEAF BLVD(4.0R)					FC125M																	
4161201	3.742	5.773	C	2012	0213	CRACKING	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
BETTER ROADS INC.					(2015)	SPRIDE	7.9	7.9	8.2	8.1			7.9	7.3	7.3	7.3	6.9	7.0	7.0	7.0	6.2	
13050000	5.941	6.831	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0		
64			3	6.4	46500		RIDE	7.9	8.2	8.0	8.6	8.6	8.6	8.6	8.3	7.9	7.8		7.8	8.1		
					FC5M		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0		
					(2020)		RIDE	8.0	7.8	8.0	8.0	8.0	8.0	7.6	8.0	8.0	8.0		8.3	8.2		
13050000	6.831	7.382	R	1	1	50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0		
64			3	6.4	46500		RIDE		8.0	8.1	8.8	8.8	8.7	8.6	8.6	8.1	8.1		7.8	8.1		
TIMBER OAK LANE(7.0R)					FC2																	
1960222	6.888	7.613	C	2001	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	
					(2007)	RIDE	8.0	7.8	8.0	8.0	8.0	8.0	8.0	7.6	8.0	8.0	8.0	8.1	8.2	8.3	8.2	
13050000	7.382	8.972	R	1	1	50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5		
64			3	4.5	47000		RIDE		8.0	8.1	8.8	8.8	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8		
HERITAGE GREENWAY(7.4R)					FC5																	
1960223	7.382	9.300	C	2007	0213	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RUSSELL ENGINEERING, INC					(2011)	SPRIDE			8.2	8.2	8.1	8.2	7.7	8.1	8.1	8.1	8.1	8.0	8.0	8.0	7.9	
13050000	8.972	11.866	R	1	8	50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5		
64			2	10.4	32000		RIDE		8.0	8.1	8.8	8.8	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8		
BLUE CYPRESS ST(9.5R)					FC5																	
1960224	9.300	11.866	C	2006	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.5				
PRINCE CONTRACTING, LLC					(2009)	SPRIDE	8.4	8.2	8.3	8.3	8.3	8.3	7.8	8.2	8.2	8.2	8.2	8.2				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008			
INTERSECT AT (MP SIDE)							=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																		
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)		
13050000	11.866	16.835	C	1	1 60	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5			
64			2	14.7	5984	RIDE			8.0	8.1	8.8	8.8	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8			
UNSIGN(12.3R)					FC125M																		
4252351	11.812	16.727	C	2012	0012	CRACKING	6.5	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
SUPERIOR ASPHALT, INC.			(2014)			RIDE	7.9	7.9	7.7	7.7	7.6	8.6	8.2	8.3	8.3	8.3	8.1	8.2	8.2	7.9			
13050000	22.134	30.759	C	1	1 60	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5	5.5*	5.5*			
70			2	11.2	8400	RIDE	8.4	8.4	7.8	8.3	8.1	8.2	8.3	8.3	8.1	7.5	7.0	6.7	7.1	6.7			
CR 675(22.3L)					FC95M																		
4223991	22.134	30.759	C	2010	0012	CRACKING	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5		
AJAX PAVING INDUSTRIES OF			(2012)			RIDE	6.8	6.7	6.6	8.7	8.7	8.7	8.4	8.4	8.3	8.2	8.1	8.0	7.9	7.4			
13050000	30.759	37.039	C	1	1 60	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	6.5	4.5*	4.5*			
70			2	11.2	6400	RIDE	6.6	6.4*		9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.3	8.2	8.0			
BRENDLE RD(30.8R)					FC125R																		
4224031	30.785	37.039	C	2010	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5		
PREFERRED MATERIALS, INC.			(2011)			RIDE	8.0	7.9	8.5	8.4	8.4	8.3	8.0	8.0	8.0	7.9	8.0	7.9	7.9	7.5			
13050000	37.039	39.483	C	1	1 60	CRACKING	6.5	6.5	6.5	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0			
70			2	11.2	6400	RIDE	7.9	7.6	7.7	7.5	7.6	7.9		8.4	8.1	8.0	8.0	7.9	8.0				
CURTIS RD(37.8L)					FC125																		
1961251	37.021	39.483	C	2001	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	6.0*	3.5*	3.0*	3.0*	3.0*	2.2			
AJAX PAVING INDUSTRIES INC			(2003)			SPRIDE	8.0	8.0	8.0	7.8	7.6	7.8	7.6	7.4	7.3	7.3	7.1	7.2	7.1	6.8			
4447771	37.003	39.466	C	2022	0012																		
13050000	9.650	11.866	L	1	8 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5			
64			2	10.4	32000	RIDE		8.0	8.1	8.8	8.8	8.7	8.6	8.6	8.1	8.1	8.1	8.0	7.8	7.8			
GREYHAWK BLVD(10.1L)					FC5																		
1960224	9.300	11.866	C	2006	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0				
PRINCE CONTRACTING, LLC			(2009)			SPRIDE	8.3	8.2	8.4	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5				
13050000	7.382	9.650	L	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5			
64			3	4.5	47000	RIDE		8.0	8.1	8.8	8.8	8.7	8.6	8.6	8.1	8.1	8.0	7.8	7.8				
HERITAGE GREEN WAY(7.4L)					FC5																		
1960223	7.382	9.300	C	2007	0213	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
RUSSELL ENGINEERING, INC			(2011)			SPRIDE			8.3	8.2	8.2	8.1	8.1	8.1	8.1	8.1	8.0	8.0	8.0	7.9			
13050000	6.814	7.382	L	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0			
64			3	6.4	46500	RIDE		8.0	8.1	8.8	8.8	8.7	8.6	8.6	8.1	8.1		7.7	8.1				
GRAND HARBOUR PKW(6.8L)					FC2																		
1960222	6.888	7.613	C	2001	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5		
			(2007)			RIDE	8.0	8.1	8.2	8.2	8.2	8.2	8.2	8.0	8.1	8.1	8.0	8.1	7.8	7.8			
13050000	5.917	6.814	L	1	1 50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5		10.0	10.0				
64			3	6.4	46500	RIDE	8.3	8.3	8.1	8.4	8.5	8.3	7.9	7.8	6.9	7.5		7.7	8.1				
66TH ST CT E(5.9L)					FC5M																		
			(2020)			CRACKING	10.0	10.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	0.0*		10.0	10.0				
						RIDE	8.0	8.1	7.1	6.8	6.8	6.6	6.5	6.9	6.6	6.4*		7.9	7.9				
13050000	3.522	5.917	L	1	1 50	CRACKING	10.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0			
64			3	4.5	44000	RIDE	7.9	7.8	7.6	8.0	8.0	7.9	8.0	7.9	8.0	7.1	7.0		7.8	7.9			
CARLTON ARMS BLVD(3.6L)					FC125M																		
4161201	3.742	5.773	C	2012	0213	CRACKING	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
BETTER ROADS INC.			(2015)			SPRIDE	7.8	8.0	8.2	8.1				8.2	7.6	7.5	7.5	7.3	7.4	7.2	6.5		
13050000	1.808	3.522	L	1	1 45	CRACKING	10.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0			
64			3	4.5	44000	RIDE	7.9	7.8	7.6	8.0	8.0	7.9	8.0	7.9	8.0	7.1	7.0		7.8	7.9			
EIGHTEENTH ST(1.9C)					FC125																		
4067581	1.808	5.800	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	6.5	6.0			
AJAX PAVING INDUSTRIES, IN			(2007)			SPRIDE	7.8	8.0	7.6	7.5	7.5	7.4	7.4	7.5	7.5	7.5	7.4	7.3	7.2	7.2	7.0		
4473781	1.808	3.522	C	2024	0012																		
13050002	0.000	0.576	C	1	1 35	CRACKING	10.0	9.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5		10.0			
64			3	4.2	20000	RIDE	7.3	7.2	6.4*	5.8*	6.1*	5.4*	5.4*	6.6	5.8	6.0	5.7		7.0				
OLD ALIGN(0.0R)					FC3																		
1958092	0.000	0.576	C	2006	0012	CRACKING	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5	6.5	4.5		
PREFERRED MATERIALS, INC.			(2008)			RIDE	6.8	6.9	6.7	6.4	6.1	6.4	5.8	6.7	6.4	6.5	6.6	6.4	6.2	6.1			
4473781	0.000	0.576	C	2024	0012																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE																			
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
INTERSECT AT (MP SIDE)																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE													
CONTRACTOR (AGE_ONE YEAR)																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F														
																			FUTURE
								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
																			2021
																			2026
																			(REG)
13050101	0.189	1.510	C	1	1 35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*
64			3	3.5	19500	RIDE	7.9	5.2*	5.1*	5.3*	5.0*	4.6*	4.9*	5.1*	4.4*	3.8*	3.8*	3.9*	4.0*
11TH ST E(0.3R)				FC125R														
4224041	0.189	1.232	C	2010	0012	CRACKING	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
			(2013)			RIDE	4.0*	3.8*	4.0*		7.0	6.6	6.6	6.5	6.9	6.6	6.0	6.4	5.9
13050102	0.000	0.372	C	1	1 35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0
64			3	4.7	20500	RIDE	7.8	8.0	7.7	6.9	7.5	6.4*	6.3	6.4	6.4	6.1	6.1		7.8
SEVENTEENTH ST *(0.0C)				FC95														
1958093	0.000	0.372	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	7.0	6.9
PREFERRED MATERIALS, INC.			(2008)			RIDE	7.4	7.6	7.3	7.5	7.6	7.3	7.4	7.2	7.3	7.3	7.0	6.9	6.7
4473781	0.000	0.372	C	2024	0012														
13060000	0.000	6.931	C	1	2 60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5
62			2	5.6	4800	RIDE	7.9	7.8	7.9	8.7	8.6	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7
SR 43(0.0C)				FC125														
1959682	0.006	6.931	C	2009	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
SUPERIOR ASPHALT, INC.			(2010)			RIDE	7.7	8.1	8.7	8.6	8.5	8.3	8.0	8.0	8.0	8.0	8.1	8.1	7.8
13060000	6.931	14.146	C	1	1 60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5
62			2	5.6	4800	RIDE	7.9	7.8	7.9	8.7	8.6	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7
CR 579(8.3L)				FC125														
1959683	6.931	14.146	C	2009	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
SUPERIOR ASPHALT, INC.			(2010)			RIDE	7.7	8.3	8.7	8.5	8.5	8.3	8.3	8.1	8.1	8.0	8.2	8.1	7.8
13060000	14.146	19.376	C	1	1 60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.5	6.5	6.5
62			2	5.6	4800	RIDE	7.9	7.8	7.9	8.7	8.6	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.7
BUNKER HILL RD(14.2L)					FC125														
1959684	14.146	19.376	C	2009	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
SUPERIOR ASPHALT, INC.			(2010)			RIDE	7.7	8.0	8.6	8.5	8.5	8.3	8.3	8.0	8.0	8.0	8.0	7.9	7.6
13060000	19.376	23.240	C	1	1 60	CRACKING	3.5*	3.5*	3.5*	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
62			2	5.6	4900	RIDE	6.9	6.6	6.8	6.6	6.6	8.9	8.9	8.8	8.3	8.4	8.3	8.3	8.2
DUETTE RD(20.2R)					FC3														
1959931	19.199	23.215	C	1998	0221	CRACKING	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.0*
GATOR ASPHALT COMPANY			(2001)		S	RIDE	8.2	8.2	8.2	8.1	8.1	8.0	7.9	7.9	7.9	7.9	7.9	7.9	7.5
13070000	0.000	5.534	C	1	2 60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.0
37			2	5.6	2700	RIDE	8.8	8.9	8.6	8.3	8.3	8.5	8.3	8.3	7.8	7.7	7.5	7.5	7.7
SR 62(0.0C)				FC125														
1959832	0.023	5.432	C	2009	0012	CRACKING	6.0*	6.0*	10.0	10.0	10.0	9.0	9.0	9.0	8.5	6.5	6.5	6.5	3.5*
AJAX PAVING INDUSTRIES OF			(2011)			RIDE	7.6	7.4	8.4	8.3	8.3	8.1	7.8	7.6	7.5	7.4	7.4	7.1	2.4
13075000	0.000	6.600	R	4	8 70	CRACKING	7.8	7.6			10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0
93 175	213.2	219.8	3	9.2	134500	RIDE	7.1	6.6			8.8	8.9	9.0	9.0	8.5	8.3	8.2	8.0	7.9
4224951	0.046	3.697	C	2010	0012	CRACKING	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
AJAX PAVING INDUSTRIES OF			(2011)			RIDE	7.8	7.8	8.4	8.4	8.4	8.4	8.4	8.6	8.5	8.4	8.4		
13075000	6.600	8.235	R	4	7 70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5
93 175	219.8	221.4	3	12.3	120000	RIDE	8.8	8.8	8.6	8.9	9.0	9.1	9.0	9.0	8.5	8.3	8.1	7.9	7.9
					FC5M														
			(2021)			CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		10.0
						RIDE	7.6	7.6	8.0	8.0	8.0	8.2	8.0	8.3	8.2	8.2	8.1		8.6
13075000	8.235	10.307	R	4	1 70	CRACKING	9.3		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5
93 175	221.4	223.5	3	12.3	120000	RIDE	7.8		8.2	9.0	9.0	9.0	8.8	8.9	8.4	8.3	8.2	8.0	7.9
					FC5M														
4224981	8.234	12.736	C	2010	0012	CRACKING	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.4
AJAX PAVING INDUSTRIES OF			(2011)			RIDE	7.6	7.6	8.5	8.5	8.5	8.5	8.4	8.7	8.6	8.6	8.6	8.7	8.8
13075000	11.049	12.380	R	4	1 70	CRACKING	0.1*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
93 175	224.2	225.6	3	11.2	104000	RIDE	7.7		8.0	8.9	9.0	8.9	9.0	8.9	8.4	8.3	8.2	8.1	7.9
					FC5M														
4224981	8.234	12.736	C	2010	0012	CRACKING	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0
AJAX PAVING INDUSTRIES OF			(2011)			RIDE	7.8	7.6	8.2	8.2	8.2	8.3	8.2	8.4	8.4	8.4	8.3	8.4	8.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
13075000	12.380	12.963	R	4	1	70	CRACKING	0.1*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	10.0	
93 I75	225.6	226.1	3	11.2	104000	RIDE	7.7		8.0	8.9	9.0	8.9	9.0	9.0	8.9	8.4	8.3	8.2	8.1	8.0	
					FC5M																
4332561	12.451	12.995	R	2016	0012	CRACKING	10.0	9.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0
AJAX PAVING INDUSTRIES OF (2017)						RIDE	7.7	8.0	8.2	7.9	7.8	7.8	7.9	8.2	8.6	8.6	8.6	8.5	8.6	8.6	8.6
13075000	12.963	15.700	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	
93A I75	226.1	228.9	3	11.2	104000	RIDE	8.5	8.4	8.3	8.9	8.9	8.9	8.9	8.9	8.9	8.4	8.1	8.1	8.0	8.0	
					FC5M																
4202531	12.963	15.714	C	2009	0012	CRACKING	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.4
AJAX PAVING INDUSTRIES OF (2011)						RIDE	7.6	7.8	8.1	8.1	8.2	8.2	8.2	8.2	8.3	8.3	8.3	8.2	8.4	8.4	8.4
13075000	15.700	20.571	R	4	1	70	CRACKING	10.0	10.0	9.0	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	
93A I75	228.9	233.7	3	12.7	74000	RIDE	8.4	8.2	7.8	8.9	8.9	8.9	8.8	8.7	8.1	8.2	8.2	8.2	8.2	8.1	
					FC5M																
4349291	17.006	20.571	C	2017	0012	CRACKING	10.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	2.0*		10.0	10.0	10.0	10.0	
AJAX PAVING INDUSTRIES OF (2019)						SPRIDE	8.1	7.9	7.8	7.6	7.4	7.2	6.9	7.6	7.3		8.7	8.7	8.9	8.9	
13075000	15.756	20.571	L	4	1	70	CRACKING	10.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	
93A I75	228.9	233.7	3	12.7	74000	RIDE	8.2	7.8	7.8	8.8	8.8	8.8	8.6	8.7	8.1	8.1	8.1	8.1	8.1	8.1	
					FC5M																
4349291	17.006	20.571	C	2017	0012	CRACKING	8.5	7.5	9.0	9.0	7.5	7.5	7.5	4.5*	2.0*		10.0	10.0	10.0	10.0	
AJAX PAVING INDUSTRIES OF (2019)						SPRIDE	7.9	7.9	7.8	7.7	7.6	7.3	6.8	7.6	7.4		8.6	8.7	8.8	8.8	
13075000	13.376	15.756	L	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	
93A I75	226.6	228.9	4	11.2	104000	RIDE	8.4	8.2	8.1	9.0	9.0	9.0	9.0	8.9	8.8	8.3	8.2	8.0	7.9	7.7	
					FC5M																
4202531	12.963	15.714	C	2009	0012	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.4	
AJAX PAVING INDUSTRIES OF (2011)						RIDE	7.7	7.7	8.0	8.1	8.1	8.2	7.9	8.4	8.4	8.4	8.3	8.5	8.5	8.5	
13075000	12.736	13.376	L	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	10.0	
93 I75	225.9	226.6	3	11.2	104000	RIDE	8.4	8.2	8.1	9.0	9.0	9.0	8.9	8.8	8.3	8.2	8.0	7.9	7.6		
					FC5M																
4332561	12.773	13.352	L	2016	0012	CRACKING	10.0	9.0	10.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0
AJAX PAVING INDUSTRIES OF (2017)						RIDE	7.6	7.9	8.0	7.3	7.4	7.7	7.3	7.9	8.6	8.6	8.6	8.5	8.6	8.5	
13075000	11.049	12.736	L	4	1	70	CRACKING	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
93 I75	224.2	225.9	3	11.2	104000	RIDE	8.0		7.8	9.0	9.0	9.0	8.9	8.8	8.4	8.3	8.0	8.0	7.9		
					FC5M																
4224981	8.234	12.736	C	2010	0012	CRACKING	7.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.4	
AJAX PAVING INDUSTRIES OF (2011)						RIDE	7.9	7.8	8.1	8.1	8.2	7.9	8.3	8.3	8.3	8.2	8.2	8.3	8.3	8.4	8.4
13075000	8.235	10.307	L	4	1	70	CRACKING	9.4		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	
93 I75	221.4	223.5	3	12.3	120000	RIDE	7.4		7.9	8.9	9.0	9.0	8.9	9.0	8.3	8.3	8.1	7.9	7.8		
					FC5M																
4224981	8.234	12.736	C	2010	0012	CRACKING	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.4	
AJAX PAVING INDUSTRIES OF (2011)						RIDE	7.8	7.8	8.0	8.0	8.0	7.9	7.7	8.3	8.3	8.2	8.1	8.3	8.4	8.4	
13075000	7.292	8.235	L	4	7	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	
93 I75	220.5	221.4	3	12.3	120000	RIDE	8.9	9.0	8.7	9.0	9.0	9.0	9.0	8.9	8.5	8.4	8.0	7.7	7.5		
					FC5M																
						CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		10.0		
(2021)						RIDE	7.5	7.5	7.9	7.9	7.9	7.9	7.6	8.2	8.2	8.1	8.0		8.7		
13075000	0.000	7.292	L	4	8	70	CRACKING	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	
93 I75	213.2	220.5	3	9.2	134500	RIDE	8.9	9.0	8.7		9.1	9.1	8.9	9.0	8.4	8.2	7.7	7.7	7.5		
					FC5M																
4224951	0.046	3.697	C	2010	0012	CRACKING	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0			
AJAX PAVING INDUSTRIES OF (2011)						RIDE	7.2	7.2	8.4	8.5	8.4	8.5	8.1	8.6	8.1	8.4	8.3				
13080000	0.000	4.545	C	1	1	45	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	5.5*	5.5*	
789			2	5.2	10500	RIDE		8.8	8.7	8.8	8.8	8.8	8.7	8.6	8.6	8.1	8.0	7.8	7.8	7.8	
					FC125																
SUTTON PL(0.3R)																					
1958082	0.000	4.545	C	2009	0226	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.0	6.0*	4.6
AJAX PAVING INDUSTRIES OF (2010)						RIDE	7.8	8.2	8.1	8.1	8.0	7.9	7.9	7.7	7.6	7.6	7.4	7.4	7.4	7.2	6.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE			
INTERSECT AT (MP SIDE)							=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																			
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)			
13080000	4.950	6.647	C	1	1 35	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.5				
789			2	4.5	11800	RIDE	8.2	8.2	8.1	7.6	7.9	7.6	7.4	7.5	7.2	6.7	6.4	6.6	6.7					
COQUINA PARK ENT(5.2C)					FC125R																			
4224061	4.950	6.647	C	2010	0012	CRACKING	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.0	6.2			
PREFERRED MATERIALS, INC. (2012)						RIDE	6.2	5.9	5.9	7.6	7.7	7.8	7.6	7.4	7.1	7.1	7.0	6.9	6.4	6.0				
13080000	6.647	6.835	C	1	1 35	CRACKING	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.5					
789			2	4.5	10000	RIDE	8.2	8.2	8.1	7.6	7.9	7.6	7.4	7.5	7.2	6.7	6.4	6.6	6.7					
TURNOUT(6.7R)					DGFC																			
						CRACKING	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	10.0	10.0	5.4*				
(2020)						RIDE	6.2	5.9	5.9	6.9	7.0	6.8	6.3											
13080000	6.835	8.717	C	1	1 35	CRACKING	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.5	6.5	6.5	6.5					
789			1	4.5	10000	RIDE	8.2	8.2	8.1	7.6	7.9	7.6	7.4	7.5	7.2	6.7	6.4	6.6	6.7					
TENTH ST N(6.9R)					FC4																			
4224051	6.835	8.717	C	2010	0012	CRACKING	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.0	7.0	7.0	5.1				
PREFERRED MATERIALS, INC. (2012)						RIDE	6.2	5.9	5.9	8.0	7.9	7.8	7.5	7.0	7.1	7.0	6.9	6.7	6.4	5.6				
13120001	0.000	0.589	C	1	1 45	CRACKING	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0				
70			2	8.4	7900	RIDE	7.1	6.3*	8.5	8.5	7.9	7.8	7.5	8.5	8.0	8.0	8.0	8.0	7.7	7.6				
CR 683(0.0L)					DGFC																			
4224091	0.058	0.573	C	2010	0226	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	8.0	7.5	7.5	6.0*	5.5*	3.2				
SUPERIOR ASPHALT, INC. (2012)						RIDE	7.6	7.5	7.2	8.1	8.1	8.2	8.2	7.8	7.3	7.5	6.8	6.6	7.0	5.8				
4473811	0.000	0.589	C	2024	0012																			
13120001	0.589	0.857	C	1	1 45	CRACKING	0.0*	0.0*	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0				
70			2	7.0	9800	RIDE	7.1	6.3*	8.5	8.5	7.9	7.8	7.5	8.5	8.0	8.0	8.0	8.0	7.7	7.6				
44 AVE E(0.7C)					FC3																			
(2016)						CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	8.5	8.5	8.5	6.4				
						RIDE	7.6	7.5	7.2	7.2	7.3	7.0	5.8	7.8	7.5	7.6	7.3	7.4	7.3	6.8				
13120001	0.857	1.597	C	1	1 40	CRACKING	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0				
70			2	7.0	9800	RIDE	7.5	7.4	7.9	7.1	7.9	7.8	7.3	7.2	6.0	5.8	5.3*	8.1	7.6					
38 AVE E(0.9R)					FC95																			
1959702	0.849	1.557	C	2005	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.5	6.5	6.5	6.0*	5.5*	4.3				
PREFERRED MATERIALS, INC. (2007)						SPRIDE	7.7	7.7	7.7	7.6	7.6	7.7	7.5	7.4	7.6	7.6	7.4	7.4	7.4	7.2				
4473801	0.857	1.597	C	2024	0012																			
13120001	1.597	3.030	C	1	1 40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	6.0*	6.0*	6.0*					
70			2	4.9	10200	RIDE	7.7	7.7	7.4	6.5	6.0*	6.5	6.2	6.5	5.7	5.8	5.5	5.3*	5.9					
SR 683(1.6C)					FC125M																			
1959703	1.798	2.986	C	2009	0012	CRACKING	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.7				
PREFERRED MATERIALS, INC. (2010)						RIDE	6.5	7.4	7.3	7.2	7.0	7.0	7.0	6.9	6.6	6.7	6.4	6.3	6.5	5.9				
13121000	0.000	0.409	R	1	1 55	CRACKING	9.0	7.5	7.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*		6.5	6.5						
683 301			2	8.1	37500	RIDE	8.5	8.5	8.5	8.2	8.1	7.9	7.7	7.3	6.2*		6.0*	6.6						
UNIVERSITY PKWY(0.0C)					FC5																			
(2009)						CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5				
						RIDE	7.7	7.6	7.9	7.8	7.0	7.5	7.4	7.7	7.6	7.2	7.4	7.0	7.3	7.0				
13121000	0.409	7.908	R	1	1 55	CRACKING	9.0	7.5	7.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0					
683 301			2	8.1	37500	RIDE	8.5	8.5	8.5	8.2	8.1	7.9	7.7	7.3	6.2*		8.2	8.2	8.2					
25TH CT E(0.6R)					FC5																			
4040441	0.139	7.667	C	2003	0224	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	3.9				
AJAX PAVING INDUSTRIES, IN(2006)						SPRIDE	8.2	8.2	8.2	8.1	8.0	8.1	8.0	7.9	8.1	8.1	8.0	8.2	8.1	8.0				
4451441	0.392	7.908	R	2023	0012																			
13121000	0.409	7.908	L	1	1 55	CRACKING	7.5	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0					
683 301			2	8.1	37500	RIDE	8.3	8.4	8.3	8.0	8.1	8.1	8.0	7.7	6.5		8.1	8.1	8.2					
NB TURN LANE TO TALLEVAS(1.0C)					FC5																			
4040441	0.139	7.667	C	2003	0224	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	3.5*	3.5*	3.5*	2.3				
AJAX PAVING INDUSTRIES, IN(2006)						SPRIDE	8.2	8.2	8.2	8.1	7.9	8.0	7.9	8.1	8.0	8.0	7.9	8.1	8.0	7.9				
13121000	0.000	0.409	L	1	1 55	CRACKING	7.5	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*		6.5	6.5						
683 301			3	8.1	37500	RIDE	8.3	8.4	8.3	8.0	8.1	8.1	8.0	7.7	6.5		6.3*	6.2*						
UNIVERSITY PKWY(0.0C)					FC5																			
(2009)						CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
						RIDE	7.8	7.7	7.6	7.6	7.8	7.6	7.6	7.8	7.7	7.1	7.4	7.4	7.4	7.2				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																				
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																			2026 (REG)	
13130000	0.115	1.258	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0					
55 41			3	4.0	41500	RIDE		8.3	8.5	8.2	8.0	7.9	7.7	7.8	7.3	6.8	6.9	6.9	6.4	7.1					
CR 683(0.2C)					FC125R																				
4273631	0.220	1.080	C	2013	0012	CRACKING		7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
SUPERIOR ASPHALT, INC.				(2015)		RIDE		6.6	6.8	7.0	6.8	6.8	6.8	8.2	8.0	7.9	7.9	7.9	7.6	7.8				10.0	
																								7.3	
13130000	1.661	2.208	R	1	1 45	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5		10.0	10.0					
55 41			4	4.2	68000	RIDE		7.4	8.2	8.0	7.8	7.1	8.0	6.8	6.4*	5.1*	4.9*		6.6	6.7					
13TH AV(1.8C)					FC125R																				
4067561	1.765	2.617	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.2				
AJAX PAVING INDUSTRIES, IN(2007)						RIDE		7.0	7.0	7.1	6.9	7.0	6.9	6.4	6.2	6.8	6.6	7.0	6.6	6.3	6.3				
13130000	2.208	2.617	R	1	1 50	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*		10.0	10.0					
55 41			2	6.1	62000	RIDE		8.2	7.9	8.2	7.9	8.5	7.6	7.6	7.8	6.4*	7.0		7.9	7.9					
TURNOUT(2.3R)					FC125R																				
4067561	1.765	2.617	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	6.0*	6.0				
AJAX PAVING INDUSTRIES, IN(2007)						RIDE		7.9	7.8	7.9	7.9	7.8	7.7	7.6	7.5	7.5	7.4	7.3	7.1	7.1	6.9				
13130000	3.038	6.013	R	1	1 50	CRACKING		6.5	4.5*	1.0*	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
55 41			2	7.8	35000	RIDE		7.7	7.6	7.6	7.5		8.9	8.8	8.6	8.2	8.2	8.1	8.1	8.2					
1 ST E(3.4R)					FC3																				
1961261	3.038	6.061	C	1998	0012	CRACKING		10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.5	6.5				
GATOR ASPHALT PAVING INC				(2001)	S	RIDE		8.2	8.2	8.1	8.0	8.1	8.1	8.1	8.0	8.0	8.0	7.9	8.0	7.8	7.6				
13130000	6.013	6.500	C	1	1 55	CRACKING		7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	8.5					
55 19			2	5.5	12000	RIDE		8.2	7.9	7.9	8.3	8.4	8.5	8.2	8.3	7.9	7.9	7.8	7.8	7.3					
MENDOZA RD(6.0R)					FC5M																				
4291171	6.095	6.500	C	2014	0012	CRACKING		7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
AJAX PAVING INDUSTRIES OF (2015)						RIDE		7.3	7.0	7.2	7.2	6.9	7.0	8.4	8.3	8.2	8.2	8.2	8.2	8.1	7.9				
13130000	6.500	8.478	R	1	1 55	CRACKING		9.0	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	9.0					
55 19			2	6.7	23500	RIDE		7.5	7.5	7.6	8.1	8.1	8.1	8.0	7.9	7.9	7.9	7.7	7.9	7.9					
49 ST E(6.7R)					FC5																				
4040351	6.114	8.510	C	2003	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5				
APAC-FLORIDA INC				(2004)	SPRIDE			7.8	7.9	7.9	7.8	7.8	7.8	7.8	8.0	8.0	8.0	7.9	8.1	8.0	8.0				
4394231	6.500	8.505	C	2020	0012																				
13130000	8.478	9.194	C	1	1 55	CRACKING		7.5	6.5	4.5*	3.5*	3.5*	3.5*	6.5	3.5*	4.5*	4.5*	4.5*	4.5*	10.0					
55 19			2	7.3	10500	RIDE		8.2	7.9	7.9	8.3	8.4	8.5	8.0	8.3	7.7	7.5	7.6	7.4	7.8					
4172411	8.483	9.194	C	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5				
AJAX PAVING INDUSTRIES, IN(2008)						RIDE		7.8	7.8	7.8	7.7	7.6	7.7	7.4	7.6	7.5	7.4	7.3	7.5	7.4	7.2				
13130000	9.194	10.005	R	4	1 65	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0					
55 1275			4	6.8	66000	RIDE		7.8	8.1	7.8	8.6	8.4	8.7	8.6	8.5	7.9	7.8	7.7	7.4	7.4					
4202381	9.194	10.005	C	2009	0012	CRACKING		9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
AJAX PAVING INDUSTRIES OF (2011)						RIDE		7.5	7.7	7.3	7.5	7.5	7.3	7.5	7.7	7.6	7.5	7.4	7.5	7.8	7.8				
13130000	10.005	11.982	R	4	1 65	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5					
55 1275			2	6.8	66000	RIDE		8.1	8.6	8.4	8.7	8.6	8.8	8.6	8.7	8.3	8.4	8.2	8.1	8.3					
4202381	10.005	11.982	C	2009	0012	CRACKING		6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
AJAX PAVING INDUSTRIES OF (2011)						RIDE		8.3	8.2	7.9	7.9	7.9	7.9	8.0	8.1	8.0	8.0	8.0	8.0	8.1	8.1				
13130000	10.005	11.982	L	4	1 65	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	6.5	6.5	6.5	6.5	4.5*					
55 1275			2	6.8	66000	RIDE		8.4	8.4	8.5	8.6	8.5	8.4	8.4	8.3	8.0	7.9	7.7	7.2	7.5					
4202381	10.005	11.982	C	2009	0012	CRACKING		4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
AJAX PAVING INDUSTRIES OF (2011)						RIDE		7.2	7.2	7.9	7.9	7.9	7.8	8.0	8.1	8.0	8.0	7.9	8.0	8.1	8.1				
13130000	9.194	10.005	L	4	1 65	CRACKING		10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0					
55 1275			4	6.8	66000	RIDE		8.7			8.8	8.8	8.9	8.8	8.8	8.1	8.1	8.0	7.7	7.9					
4202381	9.194	10.005	C	2009	0012	CRACKING		7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
AJAX PAVING INDUSTRIES OF (2011)						RIDE		7.8	7.5	7.7	7.8	7.8	7.8	7.7	8.1	8.1	8.1	8.1	8.2	8.2	8.2				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																			
CONTRACTOR (AGE_ONE YEAR)								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																			(REG)
13130000	6.500	8.478	L	1	1	55	CRACKING	7.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0					
55 19			2	6.7		23500	RIDE	8.2	7.9	7.9	8.3	8.4	8.5	8.2	8.3	7.9	7.9	7.8	7.8	7.8					
SR 55 SB(6.5L)						FC5																			
4040351	6.114	8.510	C	2003		0012	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.0				
APAC-FLORIDA INC				(2004)		SPRIDE		7.7	7.8	7.7	7.7	7.6	7.6	7.5	7.8	7.8	7.8	7.7	7.9	7.8	7.8				
4394231	6.500	8.505	C	2020		0012																			
13130000	3.038	6.013	L	1	1	50	CRACKING	4.5*	4.5*	1.0*	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
55 41			2	7.8		35000	RIDE	7.7	7.7	7.7	7.7		8.9	8.9	8.7	8.2	8.3	8.3	8.2	7.8					
CR 55(3.8L)						FC3																			
1961261	3.038	6.061	C	1998		0012	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0	6.0*	6.0				
GATOR ASPHALT PAVING INC				(2001)		S	RIDE	8.2	8.2	8.2	8.1	7.7	8.1	7.7	8.0	8.0	7.9	8.0	8.0	8.0	7.6				
13130000	1.661	2.617	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5		10.0	10.0					
55 41			3	4.2		68000	RIDE	7.4	7.4	7.5	6.4*	6.6	6.4*	6.4*	6.3*	5.5*	5.2*		6.8	6.2					
13TH AV(1.8C)						FC125R																			
4067561	1.765	2.617	C	2004		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	7.0	7.0	7.0	6.0*	5.1				
AJAX PAVING INDUSTRIES,				(2007)			RIDE	6.8	6.7	6.8	6.7	6.3	6.6	6.4	6.4	6.3	6.0	6.1	6.2	6.0	5.8				
13130000	0.115	1.258	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
55 41			3	4.0		41500	RIDE	8.2	8.5	8.5	8.5	7.8	7.8	7.8	7.7	7.2	7.2	7.2	6.6	6.9					
CR 683(0.2C)						FC125R																			
4273631	0.220	1.080	C	2013		0012	CRACKING	9.0	6.5	6.5	6.5	6.5	6.0*	10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.9				
SUPERIOR ASPHALT, INC.				(2015)			RIDE	6.8	7.1	7.2	7.0	7.1	7.0	8.2	8.1	8.0	8.0	8.0	7.9	7.9	7.6				
13130101	0.000	0.654	C	1	1	45	CRACKING																		
55 19			2	5.9		12000	RIDE																		
SR 55 NB(0.0C)						OGFC																			
				(2010)			CRACKING		10.0	8.5	8.5	8.5	8.5	7.0	7.0	4.5*	4.5*	4.5*	4.5*	4.5*	1.0				
4394231	0.000	0.391	C	2020		0012	RIDE		8.3	8.1	8.1	8.0	7.9	7.9	8.2	8.2	8.1	8.0	8.2	8.2	8.1				
13130401	0.000	0.403	C	1	2	45	CRACKING	10.0	10.0	10.0	10.0	7.5	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0					
55 41			2	3.4		18500	RIDE	8.0	8.5	8.4	7.9	6.3*	7.9	6.6	6.7	5.7*	5.4*	7.6	7.7	7.7					
21ST AVE W(0.0L)						FC125																			
4067571	0.000	0.638	C	2004		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.0	7.0	7.0	5.4					
PREFERRED MATERIALS, INC.				(2006)			RIDE	7.5	7.3	7.3	6.9	6.9	7.2	7.3	7.1	7.0	7.0	6.7	6.9	6.7	6.4				
13130403	0.000	0.403	C	1	1	45	CRACKING																		
55 41			2	3.7		17000	RIDE																		
RR #624712B(0.0C)						FC125																			
				(2007)			CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.5	7.0	7.0	5.5*	5.5*	4.2				
4473791	0.000	0.403	C	2024		0012	RIDE	7.6	7.3	7.5	7.2	7.0	7.2	7.1	6.6	6.5	6.6	6.3	6.3	6.3	5.7				
13140000	0.000	4.947	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*					
64			2	18.7		6000	RIDE	8.3	8.4	8.7	8.5	8.6	8.4	8.6	8.5	7.7	7.8	7.6	7.6	7.5					
CR 675(0.0R)						FC125M																			
4224011	0.000	4.947	C	2010		0012	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	5.3					
SUPERIOR ASPHALT, INC.				(2012)			RIDE	7.2	7.4		8.4	8.4	8.5	8.4	8.1	8.1	8.0	7.8	7.8	7.7	7.2				
13140000	4.947	10.744	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5*					
64			2	18.7		6000	RIDE	8.3	8.4	8.7	8.5	8.6	8.4	8.6	8.5	7.7	7.8	7.6	7.6	7.5					
BEAR BAY RD(8.7L)						DGFC																			
4223981	4.947	10.735	C	2010		0012	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.0	7.0	5.0					
SUPERIOR ASPHALT, INC.				(2012)			RIDE	7.2	7.4		8.3	8.3	8.3	8.1	7.9	7.8	7.7	7.5	7.4	7.3	6.7				
13140000	10.744	16.071	C	1	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5					
64			2	18.7		6000	RIDE	7.5	7.6	7.9	8.6	8.4	8.5	8.4	8.3	7.8	7.8	7.4	7.6	7.5					
401 ST E(11.1R)						FC125M																			
4252361	10.744	16.026	C	2012		0012	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
PREFERRED MATERIALS, INC.				(2014)			RIDE	7.3	7.2	7.1	6.8	6.7	8.4	8.4	8.2	8.2	8.1	8.1	8.0	8.0	7.7				
13150000	0.000	0.304	C	1	6	35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
64			2	5.4		17000	RIDE		7.3	7.4	6.9	7.3	6.7	7.3	7.3	6.8	6.5	6.8	6.6	7.2					
CR 789(0.0C)						DGFC																			
				(2016)			CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0					
							RIDE	6.8	7.2	6.8	6.8	6.8	6.8	6.8	6.5										

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE

DOWNYID		BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)		SURFTYPE						=====															
ITMSEG-P		W_BMP	W_EMP	RW	FY-P	W_KMX-P		ASTYPE															
CONTRACTOR (AGE ONE YEAR)									2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F		W_BMP	W_EMP	RW	FY-F	W_KMX-F																(REG)	
13150000	0.304	0.698	C	1	1	35	CRACKING		10.0	7.5	4.5*	4.5*	3.5*		3.5*	3.5*	10.0	10.0	10.0	10.0			
64			2	5.4	17000	DGFC	RIDE		7.6	7.9	6.7	6.6	6.3*		6.5	6.3	7.9	7.7	7.7	7.7			
1960722	0.000	0.698	C	2003		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	
PREFERRED MATERIALS, INC.			(2005)				RIDE	7.8	7.8	7.8	7.6	7.8	7.8	7.8	7.7	7.1	7.1	7.1	7.0	6.9	6.9	6.7	
13150000	1.294	1.714	C	1	1	45	CRACKING		6.5	6.5	6.5	6.5	6.5		7.0	7.0	10.0	10.0	10.0	10.0			
64			2	5.4	17000	DGFC	RIDE		7.3	7.6	7.5	7.5	7.4		7.3	6.1*	7.9	7.8	7.7	7.8			
PENCO HARBOR L(1.5L)						FC125																	
1960722	1.294	1.714	C	2003		0012	CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	8.5	8.5	7.5	7.0	7.0	7.0	6.2		
PREFERRED MATERIALS, INC.			(2005)				RIDE	8.0	8.0	7.9	7.8	7.8	7.7	7.8	7.5	7.3	7.5	7.3	7.2	7.2	7.1		
13150000	1.714	2.394	C	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0		10.0	8.5	8.5	7.0	6.5	6.5			
64			2	5.4	17000	DGFC	RIDE		8.4	8.5	8.6	8.6	8.4		8.2	7.9	7.8	7.7	7.5	7.5			
PERICO BAY CLUB(2.2R)						FC95R																	
4252391	1.714	2.400	C	2012		0012	CRACKING	6.5	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
SUPERIOR ASPHALT, INC.			(2013)				RIDE	7.3	7.3	7.0	7.1	8.6	8.7	8.6	8.1	8.0	8.0	7.8	7.6	7.5	6.7		
13150000	2.394	4.051	C	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0		8.5	8.5	8.5	8.5	7.5	7.5			
64			2	4.4	19000	DGFC	RIDE		8.4	8.5	8.6	8.6	8.4		8.2	7.9	7.9	7.8	7.6	7.7			
UNSIGNED(2.5R)						FC125A																	
4291301	2.394	4.032	C	2014		0012	CRACKING	6.5	6.5	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
AJAX PAVING INDUSTRIES OF			(2015)				RIDE	7.7	7.6	7.7	7.5	7.4	7.4	8.6	8.2	8.1	8.1	8.0	8.0	8.0	7.5		
13150000	4.051	6.576	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5			
64			2	3.6	33500	DGFC	RIDE	8.2	8.2	8.2	7.8	7.8	7.8	7.7	7.6	6.8	6.7	6.6	6.4	6.4			
PALMA SOLA BLVD(4.2R)						FC4																	
1958402	4.051	6.576	C	2009		0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
SUPERIOR ASPHALT, INC.			(2011)				RIDE	6.6	6.6	8.3	8.2	8.1	8.1	8.1	7.9	7.8	7.8	7.8	7.8	7.7	7.4		
13150000	6.576	8.305	R	1	1	40	CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0			
64			2	3.6	42000	DGFC	RIDE	7.6	7.5		7.8	7.5	7.4	7.6	7.5	6.6	6.9	6.7	6.1	6.6			
43 ST W(6.6C)						FC4																	
1960701	6.880	8.298	C	1996		0005	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	5.3		
GATOR ASPHALT CO			(1999)			S	RIDE	6.3	6.3	6.5	6.3	6.3	6.2	6.0	6.4	6.4	6.4	6.8	6.8	6.8	6.7		
4415511	6.576	8.305	C	2022		0012																	
13150000	8.305	8.613	C	1	6	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0			
64			3	3.3	18000	DGFC	RIDE	4.8*	6.1*	4.8*	4.6*	5.4*	5.8*	5.2*	5.0*	4.0*	4.3*	3.6*	3.6*	3.5*			
FIFTEENTH ST W *(8.3L)						FC4																	
4233701	8.408	8.597	C	2011		0012	CRACKING	6.5	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	5.1		
BETTER ROADS INC.			(2012)				RIDE	3.7*	3.4*	4.0*	5.6	5.3*											
13150000	6.576	8.305	L	1	1	40	CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0			
64			2	3.6	42000	DGFC	RIDE	7.6	7.5		8.0	7.7	7.9	7.9	7.8	7.2	7.3	7.1	6.7	7.0			
43 ST W(6.6C)						FC4																	
1960701	6.880	8.298	C	1996		0005	CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	8.0	7.0	6.5	6.5	6.5	6.5	6.5	5.6		
GATOR ASPHALT CO			(1999)			S	RIDE	7.0	7.0	7.1	6.9	6.9	6.8	6.7	7.0	6.9	6.9	6.8	6.5	6.7	6.3		
4415511	6.576	8.305	C	2022		0012																	
13150000	4.051	6.576	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*			
64			2	3.6	33500	DGFC	RIDE	8.2	8.3	8.2	8.1	7.9	7.8	7.7	6.9	6.9	6.9	6.7	6.3	6.5			
81 ST W(4.2L)						FC4																	
1958402	4.051	6.576	C	2009		0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
SUPERIOR ASPHALT, INC.			(2011)				RIDE	6.2	6.4	8.4	8.2	8.1	8.2	8.2	8.0	8.0	7.9	7.9	7.9	7.8	7.6		
13150101	0.000	0.235	C	1	6	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0		
64			2	4.1	23000	DGFC	RIDE																
TENTH ST W(0.0C)						DGFC																	
								CRACKING	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
								RIDE					6.7										
13160000	0.000	2.495	R	1	1	45	CRACKING	8.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5			
70			3	6.7	46000	DGFC	RIDE	8.2	8.2				8.5	8.5	8.4	7.9	7.8	7.5	7.4	7.6			
CR 683(0.0C)						FC125A																	
4312071	0.015	2.495	C	2016		0012	CRACKING	7.5	7.5	7.5	7.5	7.0	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0		
SUPERIOR ASPHALT, INC.			(2019)			SPRIDE		7.5	7.7	7.4	7.3	7.0	7.3	6.6	7.4	7.3		8.1	8.0	7.9	7.4		

```

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR			1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998											
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
13160000	2.495	4.793	R	1	1	50	CRACKING	10.0	10.0	8.5			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
70			3	7.1	50604	RIDE		7.7	7.8	7.7			8.5	8.5	8.4	7.9	7.8	7.5	7.4	7.6	
LOCKWOOD RIDGE RD(2.5R)					FC5A																
4313731	2.495	4.793	C	2016	0012	CRACKING	7.5	7.5	7.5	7.5	7.0	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	
SUPERIOR ASPHALT, INC.				(2019)	SPRIDE		7.5	7.7	7.4	7.3	7.0	7.3	6.6	7.4	7.3		8.1	8.1	8.1	8.1	
13160000	4.793	7.481	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5			
70			3	6.0	45500	RIDE		7.9	8.0	8.2	8.4	8.4	8.4	8.4	7.9	7.8	7.9				
CREEK WOOD(4.8R)					FC5																
1961211	4.811	7.481	C	2005	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0
RUSSELL ENGINEERING, INC				(2009)	SPRIDE		8.0	7.9	8.0	8.0	7.9	8.0	7.6	8.0	8.0	8.0	7.9	7.8	7.7	7.7	
13160000	7.481	9.728	R	1	1	50	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5		10.0	10.0	
70			3	7.2	30500	RIDE		8.6	8.7	8.5	8.3	8.5	8.5	8.4	8.2	8.0	7.9		8.2	8.0	
PALMBRUSH TRAIL(7.6R)					FC5																
4043232	7.448	9.470	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	
PREFERRED MATERIALS, INC.				(2007)	RIDE		8.1	8.1	8.2	8.1	8.1	8.2	7.8	8.1	8.1	8.1	8.0	8.1	8.1	8.1	
13160000	9.728	15.567	C	1	1	60	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	
70			2	15.2	17100	RIDE		8.4	8.2	8.5	8.8	8.7	8.7	8.6	8.6	8.0	8.0	7.8	7.8	7.8	
GARNET TR(9.9L)					FC125M																
4252341	9.681	15.541	C	2013	0012	CRACKING	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.1	
AJAX PAVING INDUSTRIES OF				(2014)	RIDE		7.8	7.6	7.5	7.4	7.3	8.5	7.9	8.3	8.3	8.1	8.0	7.9	7.9	7.9	
13160000	7.938	9.728	L	1	1	50	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5		10.0	10.0	
70			3	7.2	30500	RIDE		8.6	8.7	8.5	8.3	8.5	8.5	8.4	8.2	8.0	7.9		8.0	8.1	
POPE RD(8.5L)					FC5																
4043232	7.448	9.470	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	4.5*	4.5	
PREFERRED MATERIALS, INC.				(2007)	RIDE		8.1	8.0	8.0	8.1	8.0	8.0	7.7	7.9	7.9	7.8	7.8	8.0	7.9	7.8	
13160000	4.793	7.938	L	1	1	50	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	6.5	6.5	6.5				
70			3	6.0	45500	RIDE		8.6	8.7	8.5	8.3	8.5	8.5	8.4	8.2	8.0	7.9				
CREEKWOOD(4.8L)					FC5																
1961211	4.811	7.481	C	2005	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	7.5	7.5	
RUSSELL ENGINEERING, INC				(2009)	SPRIDE		7.9	7.9	7.9	7.9	7.9	8.0	7.5	8.0	7.9	8.0	7.9	8.0	8.0	8.0	
13160000	2.495	4.793	L	1	1	50	CRACKING	10.0	10.0	8.5			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
70			3	7.1	50604	RIDE		7.7	7.8	7.7			8.7	8.6	8.5	7.8	7.7	7.6	7.4	7.4	
LOCKWOOD RIDGE RD(2.5L)					FC5A																
4313731	2.495	4.793	C	2016	0012	CRACKING	8.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	
SUPERIOR ASPHALT, INC.				(2019)	SPRIDE		7.5	7.4	7.1	7.2	7.1	7.2	6.7	7.2	7.2		8.1	8.1	8.1	8.1	
13160000	0.000	2.495	L	1	1	45	CRACKING	8.5	7.5				10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
70			3	6.7	46000	RIDE		8.2	8.2				8.7	8.6	8.5	7.8	7.7	7.6	7.4	7.4	
CR 683(0.0C)					FC125A																
4312071	0.015	2.495	C	2016	0012	CRACKING	8.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	
SUPERIOR ASPHALT, INC.				(2019)	SPRIDE		7.5	7.4	7.1	7.2	7.1	7.2	6.7	7.2	7.2		8.0	8.0	7.9	7.7	
13162000	0.000	1.761	C	1	1	40	CRACKING	9.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	
70			4	6.1	29000	RIDE		6.1*		8.4	7.5	8.2	8.2	8.1	7.8	7.3	7.4	7.0	6.8	6.5	
FORTENTH ST(0.0C)					FC125M																
4291041	0.011	1.155	C	2014	0226	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	
SUPERIOR ASPHALT, INC.				(2016)	RIDE		6.6	6.6	6.5	6.1	6.1	6.2	5.9	7.6	7.3	7.3	7.3	7.0	7.1	7.1	
13175000	0.000	1.347	C	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	
93 1275	0.0	1.3	2	6.4	17500	RIDE		8.2	8.2	8.1	8.7	8.8	8.7	8.8	8.6	8.4	8.3	8.2	8.2	8.2	
BRIDGE #89(0.0C)					FC5M																
4202531	0.000	1.488	C	2009	0012	CRACKING	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
				(2011)	RIDE		8.1	8.0	8.2	8.2	8.3	8.3	8.4	8.6	8.5	8.5	8.5	8.5	8.6	8.8	8.8
13175000	1.347	3.553	R	4	1	70	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	
93 1275	1.3	3.6	2	7.8	45000	RIDE		8.5	8.2	8.1	8.9	8.8	8.8	8.8	8.7	7.9	7.6	7.6	7.5	8.1	
					FC2																
2010152	1.347	3.566	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5
AJAX PAVING INDUSTRIES, IN				(2008)	RIDE		8.1	8.1	8.1	8.0	7.9	7.9	7.7	8.1	8.1	8.1	8.0	8.1	8.2	8.1	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 1 COUNTY = MANATEE																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)	
13175000	3.898	5.233	R	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.5	6.5	6.5	3.5*		
93 I275	3.9	5.2	2	7.8	45000		RIDE	8.8	8.4	8.1	9.0	8.8	9.0	8.9	8.8	8.2	8.1	8.1	8.0	7.8		
					FC5M																	
4202411	3.884	5.233	C	2009	0012		CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
AJAX PAVING INDUSTRIES OF (2010)							RIDE	7.7	8.4	8.4	8.4	8.4	8.4	8.3	8.6	8.6	8.5	8.6	8.7	8.9	8.9	
13175000	3.884	5.233	L	4	1	65	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	6.5	6.5	6.5	6.5	6.5		
93 I275	3.9	5.2	2	7.8	45000		RIDE	9.0	8.7	8.4	8.8	8.7	8.2	8.8	8.7	8.1	7.4	7.7	7.7	7.6		
					FC5M																	
4202411	3.884	5.233	C	2009	0012		CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
AJAX PAVING INDUSTRIES OF (2010)							RIDE	7.5	8.4	8.4	8.4	8.3	8.3	8.3	8.5	8.6	8.5	8.5	8.6	8.9	8.9	
13175000	1.347	3.566	L	4	1	70	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0		
93 I275	1.3	3.6	2	7.8	45000		RIDE	8.8	8.7	8.4	8.9	8.9	8.9	8.8	8.7	7.9	7.8	7.6	7.4	8.1		
					FC2																	
2010152	1.347	3.566	C	2006	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	
AJAX PAVING INDUSTRIES, IN(2008)							RIDE	8.2	8.2	8.2	8.1	8.1	8.1	7.9	8.2	8.2	8.1	8.0	8.2	8.3	8.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).