

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 3 COUNTY = HOLMES																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
52002000	0.000	8.370	R 4	1 70	CRACKING	7.5	6.8	6.6	6.4*	4.9*	4.0*				10.0	10.0	10.0	10.0	10.0	10.0	
8 I10	94.5	102.8	2 32.1	21500	RIDE	7.7	7.4	6.9	6.2*	5.9*	5.4*				8.9	8.4	8.2	8.2	8.3	8.3	
				FC5																	
4252772	0.000	8.370	C 2012	0012	CRACKING	9.5	9.5	9.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.0
ANDERSON COLUMBIA CO., INC(2014)				SPRIDE		8.2	7.7	7.9	7.8			8.2	8.2	8.5	8.5	8.7	8.6	8.5	8.7	8.7	
52002000	14.195	16.683	R 4	1 70	CRACKING	7.7	7.7	7.1	7.0	6.6				10.0	10.0	10.0	10.0	10.0	10.0	10.0	
8 I10	108.7	111.2	2 31.6	21500	RIDE	8.3	7.9	7.7	7.2	6.7				9.0	8.8	8.4	8.3	8.3	7.9	8.3	
				FC5M																	
4327382	14.195	16.683	C 2016	0012	CRACKING	9.5	9.5	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	9.5	8.9
OLDCASTLE MATERIALS SOUTHE(2018)				SPRIDE		8.2	8.1	8.0	7.7	7.6	7.5	7.4	8.0			8.9	8.9	9.0	9.1	9.1	
52002000	16.683	21.276	R 4	1 70	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
8 I10	111.2	115.7	2 33.5	19700	RIDE	8.6	8.8	8.8	8.5	8.5	8.2	8.8	8.8	8.8	8.3	8.2	8.2	8.2	8.1	8.2	
				FC5M																	
4289381	17.243	19.448	C 2014	0012	CRACKING	9.5	9.5	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
(2015)				RIDE		8.1	7.9	7.7	7.6	7.3	7.3	8.5	8.8	8.8	8.9	8.8	8.9	8.9	8.9	8.9	
52002000	16.683	21.276	L 4	1 70	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
8 I10	111.2	115.7	2 33.5	19700	RIDE	8.1	8.2	8.7	8.4	8.5	8.3	8.9	8.8	8.8	8.3	8.2	8.2	8.1	8.2	8.1	
				FC5M																	
4289381	17.243	19.448	C 2014	0012	CRACKING	9.5	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
(2015)				RIDE		7.9	7.8	7.7	7.5	7.2	6.9	8.5	8.8	8.7	8.9	8.9	8.9	8.8	8.8	9.0	9.0
52002000	14.195	16.683	L 4	1 70	CRACKING	6.7	6.5	5.6*	5.4*	3.8*	4.3*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
8 I10	108.7	111.2	2 31.6	21500	RIDE	8.2	7.4	7.4	6.5	5.8*	6.0*	8.9	8.8	8.5	8.4	8.4	8.4	8.4	8.6	8.4	
				FC5M																	
4327382	14.195	16.683	C 2016	0012	CRACKING	10.0	10.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0
OLDCASTLE MATERIALS SOUTHE(2018)				SPRIDE		8.3	8.2	8.0	7.8	7.6	7.3	7.2	7.9	7.7	8.8	8.7	8.7	8.8	8.9	8.9	8.9
52002000	0.000	8.370	L 4	1 70	CRACKING	8.2	6.9	7.1	7.1	5.0*	5.3*			10.0	10.0	10.0	10.0	10.0	9.5	9.5	
8 I10	94.5	102.8	2 32.1	21500	RIDE	7.9	7.7	7.4	6.8	6.3*	6.0*			8.9	8.4	8.3	8.2	8.3	8.3	8.2	
				FC5																	
4252772	0.000	8.370	C 2012	0012	CRACKING	9.5	9.5	9.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5
ANDERSON COLUMBIA CO., INC(2014)				SPRIDE		8.1	7.8	7.6	7.6			8.3	8.4	8.6	8.6	8.8	8.6	8.6	8.8	8.8	8.8
52010000	0.000	7.463	C 1	1 55	CRACKING	6.0*	4.0*	4.0*	3.5*	3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
10 90			2 11.3	2100	RIDE	7.9	7.8	8.1	8.5	8.4	8.2	8.6	8.5	8.3	8.3	8.3	8.1	8.3	8.3	8.2	
				FC125																	
MORROW RD(3.8R)				0012	CRACKING	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	5.5*	4.3	
2191611	0.000	6.240	C 2001	0012	SPRIDE	8.0	8.0	7.9	7.8	7.5	7.7	7.6	7.6	7.6	7.7	7.7	7.6	7.6	7.6	7.6	7.2
ANDERSON COLUMBIA CO., INC(2002)																					
4377601	0.000	7.463	C 2024	0012																	
52010000	7.463	14.030	C 1	1 55	CRACKING	3.5*	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
10 90			2 11.2	1950	RIDE	8.1	8.4	8.4	7.6	8.5	8.3	8.9	8.8	8.4	8.4	8.4	8.3	8.4	8.4	8.3	
				FC95MR																	
E MAIN ST(7.5R)				CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.4	
(2015)				RIDE		8.2	8.0	8.0	7.9	7.7	7.6	8.8	8.4	8.3	8.1	7.9	7.7	7.7	7.7	6.7	
52010000	19.069	21.824	C 1	1 55	CRACKING	8.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
10 90			2 10.0	3100	RIDE	8.8	8.8	8.8	8.4	8.9	8.2	8.8	8.8	8.4	8.4	8.4	8.3	8.5	8.5	8.5	
				FC125M																	
MARSH RD(19.1R)				0012	CRACKING	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	
4362691	19.069	21.824	C 2018	0012	SPRIDE	8.4	8.4	8.3	8.2	8.2	8.1	8.0	8.0	8.0	8.0	8.0	8.3	8.3	8.1	7.6	
ANDERSON COLUMBIA CO., INC(2019)																					
52010000	21.824	23.214	R 1	1 55	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	7.0	6.0*	4.5*	4.5*		
10 90			2 7.6	5700	RIDE	9.0	9.0	8.9	8.7	8.6	8.4	8.4	8.4	8.4	8.0	7.9	7.7	7.9	8.0		
				FC95M																	
SIEG LN(22.2R)				0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	6.0*	5.5
4169321	21.814	23.130	C 2009	0012	SPRIDE	7.7	8.7	8.7	8.6	8.1	8.5	8.4	8.3	8.3	8.3	8.2	8.1	8.0	7.9	7.9	7.6
PREFERRED MATERIALS, INC. (2010)																					
52010000	23.214	23.813	R 1	1 45	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	4.5*	4.5*		
10 90			2 9.7	6000	RIDE	8.7	8.8	8.6	8.4	8.0	7.4	7.1	7.2	7.1	7.1	7.1	7.0	6.9	6.7		
				FC95M																	
DEPOT ST(23.3C)				CRACKING		4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	
(2010)				RIDE		6.0	7.9	7.5	7.8	7.6	7.5	7.4	7.5	7.4	7.4	7.4	7.4	7.3	7.0	6.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 3 COUNTY = HOLMES																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																	
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)	
52010000	23.813	27.386	C	1	1 55	CRACKING		8.0	8.0	7.0	4.5*	3.5*	3.5*	1.0*		10.0	10.0	10.0	10.0	10.0		
10 90			2	9.7	6000	RIDE		8.7	8.7	8.6	7.6	7.5	7.0	6.0*		8.2	8.1	8.2	8.3	8.4		
MAGNOLIA ST(23.8L)					FC125																	
2191641	23.762	27.354	C	2002	0012	CRACKING		9.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.0*	6.0*	5.5*	3.8	
ANDERSON COLUMBIA CO., INC(2004)					SPRIDE			8.3	8.3	8.3	8.2	8.1	8.0	7.9	7.7	7.8	7.8	7.6	7.6	7.5	7.4	
4436441	23.790	27.216	C	2022	0012																	
52010000	23.214	23.813	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0	6.0*	6.0*	4.5*	4.5*		
10 90			2	9.7	6000	RIDE		8.3	8.4	8.2	7.8	7.5	7.1	6.9	7.0	6.4*	6.3*	6.3	6.2	6.3		
DEPOT ST(23.3C)					FC95M																	
					(2010)	CRACKING		4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	9.0	6.0*	6.0	
						RIDE		6.0	8.0	7.9	7.7	7.3	7.2	7.4	7.4	7.3	7.3	7.0	7.3	6.8	6.5	
52010000	21.824	23.214	L	1	1 55	CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	4.5*	4.5*		
10 90			2	7.6	5700	RIDE		9.1	9.1	8.8	8.8	8.7	8.5	8.5	8.4	7.9	7.8	7.8	7.9	7.8		
DYKES RD(22.5L)					FC95M																	
4169321	21.814	23.130	C	2009	0012	CRACKING		4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	5.5*	5.3	
PREFERRED MATERIALS, INC. (2010)					SPRIDE			7.6	8.7	8.6	8.5	8.5	8.4	8.1	8.3	8.1	8.1	7.8	7.9	7.8	7.4	
52030000	0.000	1.080	C	1	8 55	CRACKING		7.0	6.0*	3.5*	4.0*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.0		
79			2	7.2	5000	RIDE		8.4	8.3	8.2	7.3	8.2	7.6	7.7	8.1	8.0	8.1	8.1	8.2	8.1		
PINE OAK LN(0.2L)					FC125																	
2191571	0.000	1.380	C	1999	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	6.0*	6.0*								
COUCH CONSTRUCTION LP (2000)					SPRIDE			8.0	7.8	7.8	7.5	7.4	7.2	7.0								
52030000	1.080	1.380	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5		
79			2	7.4	12000	RIDE		8.6	8.8	8.6	8.2	8.9	8.2	8.8	8.8	8.5	8.6	8.6	8.7	8.7		
					FC95MR																	
4269361	0.954	1.386	C	2015	0012	CRACKING		9.5	9.5	9.5	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
C. W. ROBERTS CONTRACTING, (2016)					SPRIDE			8.4	8.4	8.2	8.2	8.1	7.9	7.9	8.4	8.4	8.4	8.3	8.3	8.3	8.2	
52030000	1.380	3.054	R	1	7 45	CRACKING		9.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	3.5*	10.0	10.0	10.0		
79			2	7.4	12000	RIDE		8.7	8.8	8.6	8.3	8.3	7.7	8.0	7.9	7.0	6.6	8.0	8.2	8.2		
SON IN LAW RD(1.5R)					FC125M																	
4373671	1.632	3.054	R	2019	0012	CRACKING		10.0	9.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0		
C. W. ROBERTS CONTRACTING, (2021)					SPRIDE			8.1	8.1	8.1	8.0	7.9	7.7	7.3	7.4	7.4	7.3	7.1	7.1	7.7		
52030000	3.054	4.115	C	1	1 25	CRACKING		10.0	9.0	8.5	7.5	7.0	7.0	6.0*	5.5*	3.5*	3.5*	3.5*	1.0*	10.0		
79			2	7.4	11000	RIDE		8.0	7.8	7.7	7.0	6.8	6.2*	6.1	5.7	5.2*	5.0*	4.5*	4.9*	7.5		
SR 10(3.1C)					FC125M																	
2191652	3.272	4.070	C	2007	0012	CRACKING		10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	7.0	6.7	
PREFERRED MATERIALS, INC. (2008)					SPRIDE			7.2	7.4	7.3	7.3	7.4	7.2	6.9	6.9	6.7	6.8	6.4	6.8	6.2	6.0	
52030000	4.115	5.617	C	1	1 55	CRACKING		8.5	7.0	7.0	6.0*	5.5*	5.5*	5.5*	3.5*		10.0	10.0	10.0	10.0		
79			2	11.5	5700	RIDE		8.7	8.7	8.4	8.0	8.1	7.7	7.3	7.0		8.7	8.7	8.7	8.6		
NIMES DR(4.3L)					FC125																	
2191651	4.500	17.767	C	2003	0012	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5	7.5	6.5	6.1	
APAC-FLORIDA INC (2005)					SPRIDE			8.6	8.5	8.5	8.5	8.5	8.4	8.4	8.3	8.3	8.3	8.1	8.0	8.1	7.9	
52030000	5.617	17.674	C	1	7 55	CRACKING		7.0	7.0	7.0	6.0*	5.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0		
79			2	11.5	3600	RIDE		8.8	8.9	8.7	8.4	8.3	8.0	7.9	7.7		8.7	8.7	8.7	8.8		
STEVERSON RD(7.2R)					FC95MR																	
4377521	5.594	17.673	C	2019	0012	CRACKING		10.0	9.0	8.5	8.5	7.5	7.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0		
C. W. ROBERTS CONTRACTING, (2021)					SPRIDE			8.7	8.7	8.6	8.5	8.4	8.5	8.3	8.3	8.2	8.3	8.2	8.2	8.6		
52030000	1.380	3.054	L	1	7 45	CRACKING		9.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	5.5*	3.5*	10.0	10.0	10.0		
79			2	7.4	12000	RIDE		8.7	8.8	8.6	8.3	8.3	7.7	8.0	7.9	7.0	6.6	8.0	8.2	8.2		
ST JOHNS RD(1.5L)					FC125M																	
4373671	1.632	3.054	L	2019	0012	CRACKING		10.0	9.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0		
C. W. ROBERTS CONTRACTING, (2021)					SPRIDE			8.1	8.1	8.1	8.0	7.9	7.7	7.3	7.4	7.4	7.3	7.1	7.1	7.9		
52030000	1.080	1.380	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
79			2	7.4	12000	RIDE		8.6	8.8	8.6	8.4	8.8	8.2	8.7	8.7	8.4	8.2	8.5	8.4	8.6		
					FC95MR																	
4269361	0.954	1.386	C	2015	0012	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
C. W. ROBERTS CONTRACTING, (2016)					SPRIDE			8.5	8.4	8.2	8.0	8.2	7.9	8.0	8.3	8.2	8.2	8.1	8.1	8.1	7.9	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 3 COUNTY = HOLMES																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
52040000	0.000	0.435	C	1	1 45	CRACKING		9.0	9.0	8.0	7.0	5.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	
81			2	10.9	2700	RIDE		7.5	7.4	7.8	8.0	7.8	7.7		8.4	8.0	7.9	7.8	8.2	8.2	
HOGANS DR(0.0L)					FC95MR																
4325371	0.000	0.406	C	2016	0012	CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	8.0	7.5		10.0	10.0	10.0	10.0	10.0
C. W. ROBERTS CONTRACTING,(2018)					SPRIDE			8.2	8.2	8.1	8.0	7.9	7.9	7.8	7.7		8.7	8.7	8.7	8.6	8.5
52040000	0.435	1.006	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	10.0	10.0	9.5	
81			1	10.9	2700	RIDE		7.5	7.7	8.4	8.3	8.3	8.0		8.3	8.1	8.0	8.0	8.2	8.2	
					FC95MR																
4325371	0.406	1.006	C	2016	0012	CRACKING		9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.5		10.0	8.5	8.5	8.5	6.0
C. W. ROBERTS CONTRACTING,(2018)					SPRIDE			8.0	8.0	7.9	7.8	7.6	7.5	7.5	7.3		8.0	7.9	7.9	7.9	7.7
52040000	1.006	21.576	C	1	1 55	CRACKING		1.0*	1.0*	1.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
81			2	9.7	2400	RIDE		7.0	6.9	7.0			8.3	8.9	8.9	8.5	8.5	8.5	8.6	8.5	
JOE MANNING LN(1.0R)					FC95MR																
4325371	7.325	21.576	C	2016	0012	CRACKING		8.0	8.0	8.0	7.0	7.0	6.5	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0
C. W. ROBERTS CONTRACTING,(2017)					SPRIDE			8.4	8.3	8.4	8.0	8.1	7.9	7.7	7.9	8.9	8.8	8.8	8.8	8.7	8.5
52040000	0.435	1.006	L	1	1 45	CRACKING		9.0	9.0	9.0	8.5	7.5	7.0		10.0	10.0	10.0	10.0	10.0	10.0	
81			1	10.9	2700	RIDE		7.6	7.6	8.0	7.9	7.9	7.7		8.4	8.2	8.1	7.7	8.2	8.0	
NB TO WB SR 9(0.8L)					FC95MR																
4325371	0.406	1.006	C	2016	0012	CRACKING		9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	8.5	8.5	8.5	6.0
C. W. ROBERTS CONTRACTING,(2017)					SPRIDE			7.8	7.7	7.6	7.5	7.2	7.0	7.0	7.0	8.1	8.1	8.1	8.0	7.9	7.7
52050000	6.711	14.318	C	1	1 60	CRACKING		7.0	7.0	7.0	6.0*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	
2			2	21.5	600	RIDE		8.5	8.5	8.5	7.7	7.6	7.5		8.8	8.4	8.4	8.3	8.6	8.5	
MYRTLE RD(8.3R)					FC95MR																
432671	6.714	13.916	C	2018	0012	CRACKING		10.0	10.0	10.0	9.5	8.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	10.0	10.0	
C. W. ROBERTS CONTRACTING,(2020)					SPRIDE			8.4	8.3	8.3	7.7	8.1	8.1	8.0	7.9	7.9	7.9	7.8	8.7	8.6	
52050000	14.802	16.110	C	1	1 55	CRACKING		4.0*	4.0*	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	
2			2	17.9	1500	RIDE		6.6	6.2*	9.0	9.0	9.0			8.9	8.7	8.5	8.4	8.6	8.6	
CHOCTAWHATCHEE LN(14.9R)					FC3																
						CRACKING		9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	5.0
4455371	14.802	20.872	C	2023	0012	RIDE		8.6	8.5	8.5	8.1	8.2	7.9	7.8	8.0	7.9	8.0	7.9	7.8	7.8	7.4
52050000	16.110	20.872	C	1	1 55	CRACKING		10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	
2			2	17.9	1500	RIDE		9.0	9.0	8.9	8.8	8.7	8.5	8.5	8.4	7.9	7.8	7.6	8.9	8.8	
BERRY LN(16.2R)					FC95																
4114021	16.085	20.872	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	9.0	8.5	7.5	7.5	7.5	6.5	6.0*	5.5*	3.5*	2.9
PREFERRED MATERIALS, INC. (2007)					RIDE			8.7	8.6	8.5	8.3	8.2	8.0	7.8	8.0	7.9	7.9	7.9	7.8	7.6	7.2
4455371	14.802	20.872	C	2023	0012																
52050000	20.872	24.837	C	1	1 55	CRACKING		8.5	8.0	6.5	5.5*	5.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	
2			2	14.2	1400	RIDE		8.5	8.5	8.3	7.8	7.9	7.5	7.5	8.4	8.2	8.1	8.1	8.2	8.2	
NEW BAYVIEW CHURCH(21.3L)					FC125M																
4325561	20.872	24.795	C	2017	0012	CRACKING		9.5	9.5	8.0	7.0	7.0	6.5	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0
C. W. ROBERTS CONTRACTING,(2018)					RIDE			8.1	8.1	8.0	7.6	7.7	7.6	7.4	7.3	7.1	8.4	8.3	8.3	8.3	8.1
52050000	24.837	31.056	C	1	1 55	CRACKING		10.0	10.0	10.0	9.5	8.5	8.0	7.0	6.0*	6.0*	6.0*	6.0*		10.0	
2			2	15.6	2276	RIDE		9.2	9.2	9.1	8.9	8.9	8.6	8.8	8.7	8.2	7.9	7.9		8.6	
TEN MILE RD(25.0L)					FC95																
4134261	24.842	29.225	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.0*	5.5*	5.5*	5.5*	3.8
ANDERSON COLUMBIA CO., INC(2008)					SPRIDE			8.6	8.5	8.4	8.2	8.2	8.1	8.0	7.9	7.9	7.9	7.7	7.7	7.6	7.2
4455391	24.873	33.915	C	2023	0012																
52050000	31.056	33.915	C	1	1 55	CRACKING		10.0	10.0	10.0	9.5	8.5	8.0	7.0	6.0*	6.0*	6.0*	6.0*		10.0	
2			2	15.6	3700	RIDE		9.2	9.2	9.1	8.9	8.9	8.6	8.8	8.7	8.2	7.9	7.9		8.6	
CULBRETH RD(31.3L)					FC95																
						CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.0*	8.5	8.5	6.0*	0.2
						RIDE		8.6	8.5	8.4	8.2	8.2	8.1	8.0	7.9	7.9	7.9	7.8	7.8	7.6	7.1
4455391	24.873	33.915	C	2023	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).