

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	=====																		
ITMSEG-P	(AGE_ONE YEAR)				ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026				
CONTRACTOR																					(REG)				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																				
70001000	0.000	4.406	R	1	1	55	CRACKING	3.0*	3.0*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0					
405			2	4.1	21500	RIDE		7.8	7.3		8.4	8.6	8.5	8.3	8.3	7.9	7.8	7.6	8.0	7.9					
ACCESS RD(0.0C)					FC5																				
4233501	0.068	4.461	C	2010	0012	CRACKING		7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0				
HALIFAX PAVING, INC.				(2012)	SPRIDE			7.9	7.7	7.7	8.1	8.0	8.0	7.9	8.2	8.1	8.0	7.9	8.0	8.0	8.0				
70001000	0.000	4.406	L	1	1	55	CRACKING	3.0*	3.0*		10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0					
405			2	4.1	21500	RIDE		8.0	7.3		8.5	8.6	8.4	8.4	8.4	7.8	7.7	7.7	7.9	7.6					
ACCESS RD(0.0C)					FC5																				
4233501	0.068	4.461	C	2010	0012	CRACKING		6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5				
HALIFAX PAVING, INC.				(2012)	SPRIDE			7.5	7.4	7.3	7.9	7.8	7.8	7.8	8.0	8.0	7.8	7.8	7.9	7.9	7.9				
70002000	0.000	2.005	R	1	1	40	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0					
406			2	4.0	17200	RIDE		7.8	8.2	8.2	7.1	7.7	7.6	7.5	7.5	6.6	7.8	7.5	7.9	7.7					
CR 406(0.0C)					FC125																				
2376321	0.000	2.949	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.0	8.0	8.0	6.5	6.5				
P & S PAVING				(2005)	SPRIDE			7.8	7.6	7.5	7.5	7.4	7.0	6.9	7.3	7.2	7.1	6.9	6.7	6.9	6.5				
70002000	2.005	2.949	R	1	7	40	CRACKING	7.0	7.0	7.0	7.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	9.5					
406			2	9.4	13800	RIDE		6.8	6.8	6.7	5.9*	5.3*	6.8	6.3	6.3	6.2	6.1	5.5	6.2	5.7					
DIXIE AVE(2.2C)					FC4																				
4323991	2.005	2.949	C	2019	0012	CRACKING		9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0					
MASCI GENERAL CONTRACTORS				(2021)	RIDE			5.4*	5.1*	5.5	5.6	5.5	5.4*	5.1*	5.0*	4.8*	4.6*	4.6*	4.4*	6.2					
70002000	2.005	2.949	L	1	7	40	CRACKING	7.0	7.0	7.0	7.0	9.5	9.5	10.0	10.0	9.5	9.5	10.0	10.0	9.5					
406			2	9.4	13800	RIDE		6.8	6.8	6.7	5.9*	5.7*	6.6	6.3	6.3	6.2	6.8	6.7	6.8	6.7					
PETTY CIR(2.1L)					FC4																				
4323991	2.005	2.949	C	2019	0012	CRACKING		9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0					
MASCI GENERAL CONTRACTORS				(2021)	RIDE			6.6	6.4	6.3	6.0	6.1	5.8	5.8	4.8*	4.9*	4.9*	5.0*	4.5*	5.8					
70002000	0.000	2.005	L	1	1	40	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0					
406			2	4.0	17200	RIDE		8.3	8.4	8.5	8.1	8.0	7.9	7.7	7.7	7.0	8.0	7.8	7.7	8.0					
CR 406(0.0C)					FC125																				
2376321	0.000	2.949	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.0	8.0	7.0	6.5	6.4				
P & S PAVING				(2005)	SPRIDE			8.1	7.5	7.8	7.5	7.3	7.4	7.4	7.6	7.4	7.3	7.2	7.0	6.9	6.8				
70004000	0.451	1.139	R	1	1	50	CRACKING	7.5	7.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	5.5*	10.0	10.0	10.0					
404			2	7.1	53500	RIDE		8.0	7.3	7.6	7.8	7.6	7.5	7.2	7.4	6.5	6.6	7.9	8.1	7.9					
					FC5																				
4091651	0.451	4.590	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5				
PREFERRED MATERIALS, INC.				(2006)	RIDE			8.0	8.1	8.1	8.0	8.0	7.9	7.9	8.0	8.0	8.0	7.9	8.2	8.3	8.1				
70004000	1.571	4.590	R	1	1	55	CRACKING	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	6.0*	10.0	10.0	10.0					
404			2	11.0	54000	RIDE		8.2	7.3	7.5	8.2	8.2	8.2	7.9	7.9	6.9	6.9	7.8	8.0	8.0					
SIDE ROAD(4.1C)					FC5																				
4091651	0.451	4.590	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5				
PREFERRED MATERIALS, INC.				(2006)	RIDE			8.0	8.0	8.0	7.8	7.8	7.7	7.7	7.9	7.8	7.9	7.8	7.8	7.8	7.7				
70004000	1.571	4.590	L	1	1	55	CRACKING	8.0	8.0	7.0	7.0	6.0*	8.0	8.0	7.5	6.5		10.0	10.0	10.0					
404			2	11.0	54000	RIDE		7.7	7.5	8.2	8.1	7.7	8.2	7.9	8.0	6.7		7.7	8.0	8.0					
SIDE ROAD(4.1C)					FC5																				
4091651	0.451	4.590	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5				
PREFERRED MATERIALS, INC.				(2006)	RIDE			8.1	8.0	7.9	7.9	7.9	7.8	7.8	8.0	7.9	7.9	7.8	8.0	8.0	7.9				
70004000	0.451	1.139	L	1	1	50	CRACKING	10.0	9.5	8.0	8.0	8.0	8.0	7.0	7.0		10.0	10.0	10.0						
404			2	7.1	53500	RIDE		7.9	7.4	7.6	8.0	7.8	7.9	7.8	7.5	7.0		7.8	8.1	8.0					
					FC5																				
4091651	0.451	4.590	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5				
PREFERRED MATERIALS, INC.				(2006)	RIDE			8.0	8.0	7.9	7.8	7.9	7.8	7.7	7.9	7.8	7.8	7.8	7.7	7.9	7.7				
70008000	0.000	0.886	R	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
513			2	8.7	23000	RIDE		8.6	8.7	8.7	8.2	8.3	8.1	8.1	7.6	7.3	7.4	6.9	7.3	6.9					
EAU GALLIE BLVD(0.0C)					FC4																				
2374471	0.000	1.221	C	1993	0213	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	4.5*	4.5			
D.A.B. CONSTRUCTORS, INC				(1995)	S RIDE			7.3	7.5	7.3	7.0	7.0	7.2	7.1	6.8	6.5	6.7	6.5	6.5	6.6	5.9				

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

							DISTRICT = 5				COUNTY = BREVARD														
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																			
CONTRACTOR (AGE_ONE YEAR)								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)				
70008000	0.886	1.908	C	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5					
513			2	10.0		22000	RIDE	8.9	8.7	8.7	8.6	8.5	8.1	8.1	8.1	7.4	7.3	7.3	7.6	7.5					
BANANA RIVER DR(0.9R)							FC3																		
2374531	0.786	1.988	C	1998		0213	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.6				
GOLDEN EAGLE ENGINEERING (1999)							S RIDE	7.4	7.8	7.8	7.6	7.4	7.4	7.4	7.3	7.2	7.1	6.8	6.9	6.9	6.6				
70008000	1.908	4.985	C	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5					
513			2	3.2		17000	RIDE	9.0	8.8	8.8	8.3	8.2	8.1	8.1	8.1	7.4	7.3	7.3	7.6	7.5					
DESOTO PKWY(1.9R)							FC125																		
2375651	1.913	5.069	C	2009		0218	CRACKING	8.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.6				
RANGER CONSTRUCTION INDUST(2011)							SPRIDE	7.4		8.0	7.9	7.8	7.6	7.6	7.3	7.1	7.1	7.0	6.7	6.8	6.0				
70008000	4.985	5.253	R	1	1	45	CRACKING	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
513			2	10.0		16300	RIDE	6.5	6.4*	6.5	6.0*	8.5	7.7												
IBIS LN(5.1R)							FC125																		
2376921	4.369	5.253	C	1999		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	6.5	6.5				
RANGER CONSTRUCTION INDUST(2000)							SPRIDE	7.5	7.5	7.1	6.8	6.3	6.1	6.3	6.6	6.7	6.3	6.3	6.0	6.0	5.5				
70008000	4.985	5.253	L	1	1	45	CRACKING	7.0	7.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
513			2	10.0		16300	RIDE	7.4	7.5	7.9	7.2	8.2	7.9												
IBIS LN(5.1L)							FC125																		
2376921	4.369	5.253	C	1999		0012	CRACKING	10.0	9.5	9.5	8.0	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	5.5*	5.0				
RANGER CONSTRUCTION INDUST(2000)							SPRIDE	7.7	7.3	7.6	7.4	7.3	7.1	7.0	6.7	7.0	7.0	7.1	6.9	6.8	6.7				
70008000	0.000	0.886	L	1	1	40	CRACKING	9.5	10.0	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0					
513			2	8.7		23000	RIDE	8.2	8.2	8.4	8.1	8.0	7.7	7.8	7.6	7.0	7.1	6.3	5.7	5.7					
EAU GALLIE BLVD(0.0C)							FC4																		
2374471	0.000	1.221	C	1993		0213	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.4				
D.A.B. CONSTRUCTORS, INC (1995)							S RIDE	6.1	6.2	6.2	6.1	6.1	6.3	6.2	5.7	5.9	5.8	5.3*	5.3*	5.2*	4.5				
70010000	0.000	8.835	R	1	1	55	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0					
5			2	5.5		17016	RIDE	8.2	8.5	8.8	8.5	8.5	8.4	8.3	8.1	7.1	6.9	7.9	8.1	8.1					
BEG OF BRIDGE 700224(0.0C)							FC5																		
4091661	0.181	11.281	R	2004		0012	CRACKING	10.0	10.0	10.0	9.5	8.5	7.0	7.0	7.0	6.5	6.5	6.5	6.5	5.5*	3.9				
RANGER CONSTRUCTION INDUST(2006)							SPRIDE	8.0	8.0	7.8	7.8	7.7	7.7	7.6	7.9	7.8	7.8	7.7	7.8	7.7	7.6				
4356571	0.186	5.710@	C	2022		0012																			
70010000	8.835	11.600	R	1	1	50	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0					
5			2	5.5		17016	RIDE	8.2	8.5	8.8	8.5	8.5	8.4	8.3	8.2	7.0	7.1	7.6	7.8	7.5					
HUGGINS DR(9.7R)							FC5																		
4091661	0.181	11.281	R	2004		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	7.5				
RANGER CONSTRUCTION INDUST(2006)							SPRIDE	7.6	7.8	7.7	7.7	7.6	7.5	7.5	7.7	7.6	7.7	7.5	7.5	7.5	7.5				
4470921	8.811	11.244	C	2024		0012																			
70010000	11.600	15.071	R	1	1	45	CRACKING	9.0	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	4.5*	10.0					
5			2	8.7		23500	RIDE	9.1	9.0	8.9	8.8	8.9	8.6	8.6	8.6	7.9	7.9	7.6	7.8	7.8					
GRAN AVE(12.3R)							FC5																		
4135891	11.390	15.010	C	2006		0012	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5	5.5*	4.1				
PREFERRED MATERIALS, INC. (2008)							SPRIDE	7.8	8.0	7.9	7.9	7.8	7.8	7.8	7.9	7.9	7.9	7.8	7.9	7.9	7.9				
70010000	15.071	16.256	R	1	1	50	CRACKING	9.0	8.5	7.5	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
5			3	5.5		35500	RIDE	9.1	9.0	8.9	8.8		8.7	9.0	9.1	8.4	8.4	8.3	8.4	7.6					
RIVERVIEW DR(15.8R)							FC3																		
2374801	15.071	16.177	C	1998		0213	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.0	7.0				
RANGER CONSTRUCTION INDUST(2001)							S RIDE	7.3	7.9	7.7	7.6	7.6	7.4	7.3	7.8	7.9	7.8	7.7	7.8	7.9	7.1				
70010000	16.256	17.198	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5					
5			3	5.5		38000	RIDE	9.0	9.0	8.9	8.6	8.6	8.1	8.4	8.3	7.5	7.6	7.2	7.5	6.9					
ROOSEVELT AVE(16.3R)							FC125R																		
4272251	16.256	17.054	C	2012		0012	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5				
RANGER CONSTRUCTION INDUST(2015)							SPRIDE	6.6	7.0	6.8	6.9	6.9		8.6	8.2	8.4	8.3	7.7	8.2	8.2	7.7				
70010000	16.256	17.198	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5					
5			3	5.5		38000	RIDE	8.8	8.8	8.8	8.3	8.6	8.3	8.3	8.2	7.5	7.0	6.7	7.0	6.7					
POWELL AVE(16.3C)							FC125R																		
4272251	16.256	17.054	C	2012		0012	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
RANGER CONSTRUCTION INDUST(2015)							SPRIDE	6.3	6.8	6.9	6.7	6.9		8.2	8.3	8.2	8.1	8.1	8.2	8.0	7.9				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
70010000	15.472	16.256	L	1	50	CRACKING		9.0	8.5	7.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1			4	5.5	35500	RIDE		8.9	9.0	9.0	8.8		8.8	9.1	9.0	8.5	8.7	8.0	8.8	8.7	
SHENANDOAH RD(15.5L)																					
2374801	15.071	16.177	C	1998	0213	CRACKING		10.0	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5
RANGER CONSTRUCTION INDUST(2001)						S RIDE		8.7	8.5	8.4	8.3	7.9	8.0	7.5	7.8	7.8	7.5	7.6	7.4	7.4	7.0
70010000	14.991	15.472	L	1	50	CRACKING		9.0	8.5	7.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1			3	4.8	22500	RIDE		8.9	9.0	9.0	8.8		8.5	8.7	8.7	8.2	8.3	8.2	8.1	8.1	
APOLLO BLVD(15.2L)																					
2374801	15.071	16.177	C	1998	0213	CRACKING		10.0	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.4
RANGER CONSTRUCTION INDUST(2001)						S RIDE		7.9	7.8	7.7	7.6	7.6	7.5	7.3	7.6	7.6	7.4	7.3	7.3	7.2	6.8
70010000	11.365	14.991	L	1	45	CRACKING		9.0	8.5	7.5	6.5	6.0*	6.0*	5.5*	5.5*	3.5*	3.5*	3.5*	1.0*	10.0	
5 1			2	8.7	23500	RIDE		8.9	9.0	9.0	8.8	8.9	8.7	8.6	8.6	7.9	7.7	7.5	7.7	7.7	
MALABAR RD(11.4L)																					
4135891	11.390	15.010	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	6.5
PREFERRED MATERIALS, INC. (2008)						SPRIDE		7.4	7.8	7.7	7.7	7.6	7.7	7.6	7.8	7.8	7.9	7.7	7.9	7.9	7.9
70010000	8.804	11.365	L	1	50	CRACKING		9.0	8.5	7.5	6.5	6.0*	6.0*	5.5*	5.5*	3.5*	3.5*	3.5*	1.0*	3.5*	
5 1			2	5.5	17016	RIDE		8.9	9.0	9.0	8.8	8.9	8.7	8.6	8.6	7.9	7.7	7.5	7.7	7.4	
JORDON BLVD(9.8L)																					
4219901	8.809	11.390	L	2009	0012	CRACKING		1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.5	6.5	6.5
PREFERRED MATERIALS, INC. (2010)						RIDE		6.9	8.2	8.2	8.2	7.9	8.1	8.0	8.1	8.0	8.0	7.9	7.9	7.9	7.8
4470921	8.811	11.244	C	2024	0012																
70010000	5.686	8.804	L	1	55	CRACKING		8.5	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	
5 1			2	5.5	17016	RIDE		7.4	7.7	8.6	8.7	8.7	8.6	8.5	8.5	8.0	8.1	7.8	8.1	7.9	
FIRST ST(5.7C)																					
4288601	5.693	8.809	L	2015	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	8.8
ENGECON CONSTRUCTION INC (2016)						RIDE		7.2	7.7	7.6	7.7	7.5	7.5	7.2	8.4	8.3	8.3	8.2	8.4	8.4	8.4
70010000	0.000	5.686	L	1	55	CRACKING		9.0	9.0	9.0	8.0	7.0	7.0	6.0*	6.0*	5.5*	5.5*	5.5*	3.5*	3.5*	
5 1			2	5.5	17016	RIDE		8.5	8.9	8.9	8.8	8.8	8.6	8.5	8.4	7.7	7.7	7.3	7.6	7.5	
BEG OF BRIDGE 700224(0.0C)																					
4171661	0.282	5.678	C	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	7.5	7.5
RANGER CONSTRUCTION INDUST(2009)						RIDE		8.1	8.0	8.0	8.0	7.9	7.9	7.9	8.1	8.1	8.0	8.0	8.1	8.1	8.1
4356571	0.186	5.710	C	2022	0012																
70011000	0.000	1.123	R	1	45	CRACKING		6.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
501			2	9.6	19900	RIDE		6.8	6.5	6.7	4.6*	7.3	7.6	6.9	6.5	6.2*	5.9*	5.5	5.5	7.8	
COCOA WEST CITY LIMITS(0.0C)																					
						CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.5	5.5*	5.5
(2000)						RIDE		7.7	7.5	7.3	7.4	6.6	7.1	7.3	6.8	6.9	6.8	6.7	6.7	6.6	6.6
70011000	1.123	2.372	R	1	45	CRACKING		8.0	8.0	7.0	7.0	7.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	
501			2	9.1	24000	RIDE		6.8	7.0	6.9	5.9*	5.9*	5.8*	5.1*	5.4*	4.8*	4.8*	4.5*	5.0*	7.4	
CR 503(1.2C)																					
2375671	0.011	2.372	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.5
PREFERRED MATERIALS, INC. (2008)						RIDE		7.3	6.9	6.9	6.9	6.8	6.6	6.7	6.3	6.1	6.4	5.9	5.9	5.7	5.2
70011000	2.372	2.856	C	1	40	CRACKING		9.0	9.0	9.0	8.0	8.0	8.0	8.5	8.5	8.5		10.0	10.0	10.0	
501			3	7.1	19300	RIDE		7.1	7.1	7.2	5.9*	6.0*	6.3*	5.8	5.6	5.4*		6.0	6.6	6.6	
LA MARCHE RD(2.5L)																					
						CRACKING		9.5	8.0	9.5	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.6
(2011)						RIDE		6.5	6.6	6.4	6.4	6.3	6.4	6.3	5.2*	5.2*	5.4*	5.1*	5.0*	5.1*	4.0
70011000	2.856	3.358	C	1	6 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	
501			2	7.1	19300	RIDE		8.3	9.0	9.0	8.6	8.7	8.4	8.1	8.2	7.7		7.5	7.8	7.4	
SIDE ROAD(3.1C)																					
2375671	2.372	3.158	C	2006	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	4.7
PREFERRED MATERIALS, INC. (2006)						RIDE		7.7	7.3	6.7	7.4	7.3	7.3	7.1	6.4	6.4	6.8	6.2	5.7		
70011000	1.123	2.372	L	1	45	CRACKING		8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	
501			2	9.1	24000	RIDE		7.7	8.0	8.0	6.9	6.8	7.0	6.4*	6.4*	5.9*	6.0*	5.8	6.1	7.6	
CR 503(1.2C)																					
2375671	0.011	2.372	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	8.5	8.3
PREFERRED MATERIALS, INC. (2008)						RIDE		7.6	7.2	6.9	6.9	6.8	6.6	6.7	6.3	6.1	6.4	5.9	5.9	6.9	5.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008			
INTERSECT AT (MP SIDE)							=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																		
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)		
70011000	0.000	1.123	L	1	1 45	CRACKING		10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
501			2	9.6	19900	RIDE		8.2	8.2	8.3	7.7	8.9	8.8	8.7	8.6	8.0	7.9	7.6	7.8	7.7			
COCOA WEST CITY LIMITS(0.0C)							FC125M																
					(2000)			9.5	9.5	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.5	5.5*	5.5		
								7.5	7.3	7.3	7.4	6.6	7.1	7.3	6.8	6.9	6.8	6.7	6.7	6.6	5.9		
70012000	0.000	2.275	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0			
507			2	13.2	36500	RIDE		8.6	8.6	8.7	8.6	8.5	8.3	8.2	8.4	7.7	7.6	7.3	7.9	7.8			
MALABAR RD(0.0C)							FC125																
4219911	0.021	2.270	C	2009	0012	CRACKING		9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0		
PREFERRED MATERIALS, INC. (2011)								7.8		7.9	7.8	7.7	8.0	7.8	7.5	7.5	7.5	7.4	7.4	7.3	7.0		
70012000	2.275	2.900	R	1	1 45	CRACKING		8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5			
507			3	2.3	30031	RIDE		7.7	7.6	7.5	6.4*	6.4*	6.2*	5.7*	5.3*	5.2*	5.1*	5.6	5.8	5.5			
CR 516(2.5C)							FC125M																
					(2011)					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5		
										7.6	7.6	7.5	7.5	7.5	6.9	7.0	7.0	6.9	6.9	6.7	6.2		
70012000	2.900	4.936	R	1	1 45	CRACKING			10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5			
507			2	9.4	30000	RIDE			8.7	8.7	8.0	8.5	7.8	8.3	8.1	7.6	7.6	7.5	7.7	7.6			
SUN LAKE RD(3.0R)							FC3																
2376201	2.625	5.520	C	1995	0012	CRACKING		7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	7.0	6.5	5.5*	5.5		
RANGER CONSTRUCTION INDUST(1997)							S RIDE	7.7	7.6	7.4	7.6	7.4	7.5	7.3	7.4	7.5	7.4	7.4	7.3	7.1	6.9		
70012000	4.936	5.528	R	1	1 35	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
507			2	9.4	30000	RIDE			8.6	8.6	8.6	8.3	8.1	8.1	8.0	7.5	7.7	7.5	7.6	7.4			
DEVONSHIRE DR(5.3C)							FC3																
2376201	2.625	5.520	C	1995	0012	CRACKING		9.5	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0		
RANGER CONSTRUCTION INDUST(1997)							S RIDE	6.9	7.3	7.1	6.3	6.8	6.8	7.0	7.0	7.1	7.0	6.8	6.5	6.6	6.0		
70012000	4.936	5.528	L	1	1 35	CRACKING			10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0			
507			2	9.4	30000	RIDE			8.5	8.6	7.8	7.7	7.3	7.3	7.2	6.8	6.6	6.0	6.5	6.4			
VIDA AVE L(4.9L)							FC3																
2376201	2.625	5.520	C	1995	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.3		
RANGER CONSTRUCTION INDUST(1997)							S RIDE	6.5	6.3	6.6	6.6	6.4	6.2	6.6	6.4	6.4	6.5	6.0	6.0	5.9	5.4		
70012000	2.900	4.936	L	1	1 45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
507			2	9.4	30000	RIDE			8.6	8.7	8.7	8.6	8.2	8.3	8.4	7.7	7.7	7.7	7.9	7.8			
LAKE IN THE WOODS DR(3.0L)							FC3																
2376201	2.625	5.520	C	1995	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	7.0	7.0		
RANGER CONSTRUCTION INDUST(1997)							S RIDE	7.8	7.2	7.5	7.6	7.5	7.5	7.4	7.3	7.2	7.3	7.0	7.1	7.1	6.6		
70012000	2.275	2.900	L	1	1 45	CRACKING		9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5			
507			3	2.3	30031	RIDE		7.9	8.0	8.0	7.3	7.4	7.3	7.1	6.8	6.3*	6.3*	6.3	6.5	6.4			
PALM BAY CNTR(2.3L)							FC125M																
					(2011)					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5		
										7.5	7.5	7.5	7.5	7.4	6.9	6.8	6.8	6.8	6.7	6.6	6.0		
70012000	0.000	2.275	L	1	1 45	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			
507			2	13.2	36500	RIDE		8.5	8.5	8.5	8.2	8.2	8.0	7.7	7.7	7.2	7.1	7.0	7.1	7.1			
MALABAR RD(0.0C)							FC125																
4219911	0.021	2.270	C	2009	0012	CRACKING		9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0		
PREFERRED MATERIALS, INC. (2011)								7.1		7.8	7.5	7.7	7.8	7.8	7.4	7.5	7.5	7.4	7.3	7.3	7.1		
70014000	0.000	4.604	R	1	1 45	CRACKING		9.0	9.0	7.0	7.0	7.0	7.0	6.0*	6.0*	5.5*	4.0*	10.0	10.0	10.0			
519			2	9.4	27000	RIDE		7.2	7.4	7.3	7.0	7.0	6.9	6.6	6.5	5.9*	5.8*	7.0	7.3	7.2			
70220065 SB ON(0.0R)							FC125																
4091671	0.000	4.604	C	2004	0012	CRACKING		9.5	9.5	8.0	8.0	8.0	8.0	7.0	4.0*	4.0*	4.0*	4.0*	4.0*	4.0*	0.7		
RANGER CONSTRUCTION INDUST(2006)							SPRIDE	7.2	7.0	6.8	6.9	6.6	6.7	6.5	6.1	6.0	6.0	5.9	5.9	5.8	5.2		
4410201	0.000	4.604	C	2021	0012																		
70014000	0.000	4.604	L	1	1 45	CRACKING		6.5	6.5	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	4.0*	10.0	10.0			
519			2	9.4	27000	RIDE		7.3	7.6	7.5	6.8	7.0	7.0	7.0	6.4*	6.4*	5.8*	5.8*	7.3	7.4	7.5		
I 95(0.0C)							FC125																
4091671	0.000	4.604	C	2004	0012	CRACKING		10.0	10.0	8.0	8.0	8.0	8.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	1.0		
RANGER CONSTRUCTION INDUST(2006)							SPRIDE	7.4	7.3	7.2	7.1	7.0	7.0	7.0	6.5	6.6	6.4	6.2	6.2	6.2	5.7		
4410201	0.000	4.604	C	2021	0012																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

[illegible]

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																			
CONTRACTOR (AGE_ONE YEAR)								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																		(REG)	
70020000	35.496	35.699	R	1	1	45	CRACKING	6.5	6.5	6.5	6.0*	6.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		2	9.4	19700	RIDE	7.8	7.7	8.2	8.1	8.0	7.8	8.0	7.9	7.6	7.1	7.3	7.9	7.8						
CH(35.7C)					FC95M																				
4116671	35.496	35.699	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.2				
V. A. PAVING, INC.				(2007)	SPRIDE		8.2	7.7	8.1	7.9	7.7	7.7	7.6	7.7	7.5	7.3	7.4	7.4	7.2	7.4	7.0				
70020000	35.496	35.699	L	1	6	45	CRACKING	6.5	6.0*	5.5*	3.5*	3.5*	3.0*	10.0	9.5	9.5	9.5	9.5	10.0	10.0					
5	1		2	9.4	19700	RIDE	7.8	7.6	8.5	7.9	8.0	7.7	8.6	8.6	8.0	6.7	6.9	7.8	7.7						
SR-50/CHENEY HWY(35.7L)					FC95M																				
4116671	35.496	35.699	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.2				
V. A. PAVING, INC.				(2007)	SPRIDE		7.2	7.2	7.6	7.5	7.6	7.6	7.5												
70020000	32.497	35.496	L	1	1	55	CRACKING	6.5	6.0*	5.5*	3.5*	3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		2	9.4	19700	RIDE	7.8	7.6	8.5	7.9	8.0	7.7	8.6	8.5	7.7	7.8	7.7	7.8	7.7	7.9	7.9				
					FC5M																				
4324371	32.504	35.496	C	2017	0012	CRACKING	10.0	10.0	9.5	7.0	7.0	7.0	6.5	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
RANGER CONSTRUCTION INDUST				(2018)	SPRIDE		7.6	7.6	7.7	7.7	7.7	7.6	7.5	7.8	7.8	8.6	8.6	8.6	8.7	8.7	8.7				
70020000	25.193	32.497	L	1	1	55	CRACKING	7.0	4.0*	4.0*	4.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5					
5	1		2	9.4	35000	RIDE	8.4	8.5	8.7	8.4	8.3	8.2	8.6	8.5	8.0	8.1	8.0	8.2	8.2						
CROSS RD(25.4L)					FC5M																				
4288761	25.290	32.504	C	2014	0012	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.5	9.4					
V. A. PAVING, INC.				(2016)	RIDE		7.7	7.7	7.9	7.8	7.8	7.8		8.4	8.4	8.5	8.4	8.4	8.4	8.4					
70020000	21.351	25.193	L	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5		
5	1		3	5.7	38000	RIDE	8.9	8.9	8.9	8.5	8.5	8.0	8.0	8.0	8.0	7.6	7.5	7.3	7.6	7.4					
MITCHELL ST(21.4L)					FC125A																				
2375922	21.351	25.193	C	2013	0213	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
ASTALDI CONSTRUCTION CORP.				(2018)	SPRIDE		7.2	7.0	7.3	7.3	7.2					7.7	7.6	7.5	7.5	7.1					
70020000	18.277	21.351	L	1	1	45	CRACKING	8.0	7.0	7.0	7.0	5.0*	4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		3	7.8	42500	RIDE	8.5	8.2	8.7	8.3	8.1	7.9	7.6	8.2	7.8	7.8	7.8	7.8	8.0	8.0					
EYSTER BLVD(18.6L)					FC125																				
2375762	18.382	20.546	C	2008	0221	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5				
POSEN CONSTRUCTION				(2012)	SPRIDE		7.4		8.5	8.4	8.3	8.3	8.1	7.9	8.2	8.0	7.9	8.0	7.9	8.0	7.6				
70020000	16.311	18.277	L	1	1	55	CRACKING	7.0	6.0*	6.0*	4.0*	4.0*	3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		2	5.1	33500	RIDE	7.8	7.7	8.4	8.2	8.2	8.0	7.6	8.2	7.8	7.8	7.8	7.8	8.0	8.0					
GUS HIPP BLVD(17.1L)					FC5M																				
4347421	16.311	18.277	C	2017	0012	CRACKING	10.0	9.5	7.0	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*		10.0	10.0					
MASCI GENERAL CONTRACTORS				(2020)	SPRIDE		7.4	7.4	7.7	7.6	7.4	7.6	7.5	7.4	7.4	7.4	7.4		8.4	8.3					
70020000	14.185	16.311	L	1	1	55	CRACKING	4.0*	3.5*	3.5*	3.5*	3.5*	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		2	2.9	40000	RIDE	8.1	8.1	8.5	8.1	8.0	7.8	7.6	7.5	8.1	8.1	8.0	8.3	8.3						
ANSIN RD(14.8L)					FC5A																				
4248871	14.185	16.076	C	2014	0012	CRACKING	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	8.0				
RANGER CONSTRUCTION INDUST				(2016)	RIDE		7.8	7.8	8.0	7.9	7.9	7.8	7.7	8.3	8.1	8.0	8.0	7.8	7.8	7.3					
70020000	9.924	14.185	L	1	1	55	CRACKING	7.0	6.0*	4.0*	4.0*	3.5*	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		2	2.9	40000	RIDE	8.2	8.3	8.9	8.4	8.3	8.0	7.7	7.4	8.1	8.1	8.0	8.3	8.3						
OTTER CREEK LN(9.9L)					FC5M																				
4347411	9.924	14.185	L	2016	0012	CRACKING	9.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
PREFERRED MATERIALS, INC.				(2018)	RIDE		7.8	7.8	8.0	7.9	7.9	7.8	7.7	8.1	8.0	8.6	8.5	8.5	8.5	8.3					
70020000	9.514	9.924	L	1	1	50	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*		
5	1		2	2.9	40000	RIDE	8.0	8.2	8.3	7.7	7.8	7.3	7.5	7.5	6.7	6.5	6.4*	6.5	6.7						
					FC5																				
4233511	9.515	9.924	C	2011	0012	CRACKING	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
COMMUNITY ASPHALT CORP.				(2013)	SPRIDE		6.0*	5.8*	5.7*	5.6*	7.8	7.8	7.8	7.6	7.8	7.8	7.7	7.7	7.6	7.6					
70020000	7.249	9.514	L	1	1	50	CRACKING	3.0*	3.0*	10.0	10.0	10.0	9.5	8.5	8.5		10.0	10.0	10.0						
5	1		3	9.4	42500	RIDE	8.0	8.0	8.8	8.7	8.7	8.6	8.6	8.5											
POST RD(7.2L)					FC5																				
2375501	7.300	9.924	C	2002	0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	3.8				
RKT CONSTRUCTORS, INC.				(2006)	SPRIDE		7.0	7.1	7.2	7.1	7.1	6.9	6.9	7.0	7.2	7.2	7.0	7.0	7.1	7.1	6.9				
4452151	7.278	9.525	C	2023	0012																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
70020000	4.408	7.249	L	1	1	45	CRACKING	5.0*	5.0*	5.0*	5.0*	4.0*	4.0*				10.0	10.0	10.0	10.0	
5 1			3	3.6		48500	RIDE	8.4	8.1	8.5	8.2	8.1	7.8				7.8	7.7	7.8	7.8	
CR-511(4.5L)						FC125M															
4306571	4.408	7.249	C	2017		0012	CRACKING	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0
PREFERRED MATERIALS, INC. (2018)							RIDE	7.3	6.9	7.8	7.7	7.6	7.6	7.6	7.4	7.3	8.4	8.2	8.2	8.2	7.9
70020000	0.000	4.408	L	1	1	45	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	8.0	8.0	
5 1			3	5.5		39000	RIDE	9.0	8.9	8.9	8.7	8.6	8.4	8.5	8.5	7.8	7.8	7.6	7.9	8.0	
NEW HAVEN AVE(0.0L)						FC125R															
4248861	0.000	4.408	C	2012		0012	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
RANGER CONSTRUCTION INDUST(2015)							SPRIDE	7.2	7.2	7.4	7.4	7.5		8.5	8.4	8.3	8.4	8.2	8.3	8.2	8.0
70022000	38.636	40.000	R	1	1	35	CRACKING	7.0	7.0	6.0*	5.5*	5.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.5	8.0	
508			2	6.8		16800	RIDE	6.8	6.7	6.9	6.0*	5.8*	5.8*	7.5	7.4	7.0	7.0	6.7	7.1	6.9	
TED HUFF RD(38.8C)						FC125M															
4306581	38.987	39.971	C	2015		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2018)							SPRIDE	6.8	6.7	6.0	6.0	6.0	6.0	5.6	5.1*		7.3	7.0	6.8	7.0	6.3
70022000	38.636	40.000	L	1	1	35	CRACKING	7.0	6.0*	6.0*	5.5*	5.5*	4.5*	10.0	10.0	10.0	10.0	10.0	8.0	7.0	
508			2	6.8		16800	RIDE	6.3*	6.4*	6.4*	5.1*	4.6*	4.8*	7.3	7.1	6.7	6.8	6.4	6.6	6.5	
TED HUFF RD(38.8C)						FC125M															
4306581	38.987	39.971	C	2015		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2018)							SPRIDE	6.2	6.2	5.9	5.8	5.5	5.5	4.9*	4.5*		7.3	7.0	7.0	6.9	6.3
70030000	0.000	3.065	R	1	1	45	CRACKING	8.5	7.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	10.0	10.0	
5 1			2	4.2		25000	RIDE	8.7	8.9	8.8	8.4	8.5	8.1	7.6	7.4	6.1*	5.8*	5.8	8.3	8.2	
CHENEY HWY(0.0C)						FC95															
4116671	0.000	3.078	C	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.4
V. A. PAVING, INC. (2007)							SPRIDE	8.2	8.2	8.0	7.9	8.0	8.0	7.9	7.6	7.6	7.6	7.4	7.4	7.3	7.0
70030000	3.065	4.117	C	1	1	30	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
5 1			2	9.4		14000	RIDE	7.4	7.9	7.9	7.0	7.1	7.0	6.9	6.7	6.3	6.3	6.0	6.3	6.4	
GRACE ST(3.1C)						FC125															
4186471	3.087	4.084	C	2009		0012	CRACKING	3.5*	3.5*		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.4
HALIFAX PAVING, INC. (2012)							SPRIDE	6.2	6.1		7.1	7.0	7.2	7.0	6.3	6.2	6.2	5.9	5.7	5.8	4.7
70030000	4.117	4.472	C	1	4	35	CRACKING	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	5.5*	5.6*	6.1*	6.4*	6.3*	5.6*	5.1*	
5 1			2	9.4		8700	RIDE	7.2	7.6	7.9	7.6	7.3	7.0	6.7	5.9	4.9*	4.7*	4.4*	5.0*	5.4*	
FROM CR-402(4.1R)						LGD															
							CRACKING	4.8*	5.3*		7.2	6.1*	6.1*	6.1*	4.9*	4.2*	4.8*	4.5*	4.7*	4.3*	4.3
(1982)							RIDE	5.4*	5.0*		6.7	7.4	7.4	7.4	7.1	7.2	6.9	7.2	6.9	6.8	6.1
70030000	4.472	6.947	R	1	1	55	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.0	6.5	
5 1			2	5.9		20500	RIDE	9.0	9.0	9.0	8.7	8.7	8.4	8.5	8.4	8.0	8.0	7.8	8.0	7.9	
BUFFALO RD(5.3C)						FC5															
4248891	4.652	6.947	R	2013		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
HALIFAX PAVING, INC. (2014)							RIDE	8.0	7.7	7.9	7.7	7.7	8.1	8.2	8.3	8.3	8.2	8.2	8.2	8.1	8.1
70030000	6.947	8.210	R	1	7	55	CRACKING	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1			2	7.4		15900	RIDE	7.9	8.0	8.3	6.9	7.0	6.6	8.8	8.8	8.2	8.3	8.1	8.4	8.4	
E PARRISH RD(7.5C)						FC5M															
4344041	6.310	8.816	C	2018		0012	CRACKING	9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	6.5			10.0	
HALIFAX PAVING, INC. (2021)							RIDE	8.3	8.3	8.2	8.1	8.1	8.1	8.0	8.2	8.2	8.2	8.1		8.6	
70030000	8.210	8.816	R	1	7	45	CRACKING	4.5*	4.5*	4.5*	4.5*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1			2	9.0		15600	RIDE	8.2	8.4	8.4	7.2	7.4	7.3	7.6	7.5	7.2	7.1	7.1	7.4	7.5	
CARVER ST(8.3R)						FC125M															
4344041	6.310	8.816	C	2018		0012	CRACKING	10.0	10.0	9.0	9.0	9.0	8.5	8.5	7.5	7.5	7.5	7.5	7.5	10.0	
HALIFAX PAVING, INC. (2021)							RIDE	7.2	7.2	7.2	7.0	7.1	7.1	6.8	7.1	6.9	6.8	6.7	6.7	7.6	
70030000	8.816	17.528	R	1	1	60	CRACKING	2.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	4.5*	
5 1			2	10.8		3800	RIDE	7.9	8.2	8.4		9.1	9.0	8.9	8.7	8.2	8.0	7.8	7.9	7.7	
VERNON AV(8.9R)						FC5															
4195921	8.828	17.528	C	2009		0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5
HALIFAX PAVING, INC. (2010)							SPRIDE	7.6	8.3	8.4	8.3	8.2	8.3	8.2	8.2	8.2	8.2	8.1	8.1	8.1	8.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
70030000	8.816	17.528	L	1	1 60	CRACKING	0.0*	0.0*	0.0*			10.0	10.0	9.5	9.5	7.0	6.5	6.5	4.5*	4.5*	
5 1			2	10.8	3800	RIDE	7.8	8.1	8.3			8.9	8.8	8.7	8.7	8.1	8.0	7.7	7.9	7.8	
MINNIE LN(8.9L)					FC5																
4195921	8.828	17.528	C	2009	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	7.5	6.5	6.5
HALIFAX PAVING, INC.				(2010)	SPRIDE		7.5	8.1	8.1	8.1	8.0	8.0	8.0	7.8	7.9	7.9	7.9	7.8	7.8	7.8	7.6
70030000	8.210	8.816	L	1	7 45	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1			2	9.0	15600	RIDE	8.3	8.4	8.4	6.5	7.5	7.5	7.3	7.9	8.0	7.7	7.6	7.5	7.8	7.7	
DAVIS ST(8.3L)					FC125M																
4344041	6.310	8.816	C	2018	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	
HALIFAX PAVING, INC.				(2021)	RIDE		7.6	7.5	7.6	7.4	7.5	7.5	7.5	7.3	7.0	7.1	7.2	6.6	6.8	7.7	
70030000	6.310	8.210	L	1	7 55	CRACKING	4.5*	4.0*	4.0*	3.5*	1.0*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5 1			2	5.9	20500	RIDE	8.2	8.5	8.4	6.8	6.1*	7.9	8.7	8.7	8.1	8.1	8.1	8.1	8.3	8.3	
DAIRY RD(6.6L)					FC5M																
4344041	6.310	8.816	C	2018	0012	CRACKING	9.5	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5			10.0	
HALIFAX PAVING, INC.				(2021)	RIDE		8.3	8.2	8.1	8.0	7.9	7.9	7.9	8.1	8.0	8.1	8.0			8.5	
70030000	5.211	6.310	L	1	1 55	CRACKING	7.0	7.0	7.0	7.0	7.0	6.0*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
5 1			2	5.9	20500	RIDE	7.4	7.8	7.9	7.4	7.4	7.3	7.0	7.3	6.4*	6.4*	5.7*	6.2*	6.1*		
BUFFALO RD(5.3C)					FC5																
4116661	4.644	6.310	L	2009	0012	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
HALIFAX PAVING, INC.				(2012)	SPRIDE		5.9*	5.4*		8.4	8.3	8.3	8.3	8.3	8.1	8.2	8.2	8.2	8.2	8.1	8.0
70030000	4.798	5.211	L	1	4 45	CRACKING	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	0.0*	
5 1			2	5.9	20500	RIDE	5.6*	6.1*	6.1*	6.2*	6.2*	5.9*	5.9*	5.8*	5.1*	5.1*	4.8*	5.5	5.7		
NORWOOD AVE(5.1L)					LGD																
4116661	4.644	6.310	L	2009	0012	CRACKING	0.0*	0.0*		6.9	8.7	8.7	8.7	8.6	7.3	7.2	7.4	7.8	7.7	6.4	
HALIFAX PAVING, INC.				(2013)	RIDE		5.4*	5.4*		7.0	7.3	7.3	7.3	7.1	7.4	7.1	7.1	7.2	7.1	7.0	
70030000	4.472	4.798	L	1	1 45	CRACKING	6.0*	6.0*	6.0*	6.0*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	4.0*	3.5*	
5 1			2	5.9	20500	RIDE	7.2	7.6	7.9	7.6	7.3	7.0	6.7	6.9	5.9*	6.3*	6.2	6.6	6.3		
ELAINE DR(4.7L)					FC125R																
4116661	4.472	4.644	C	2009	0012	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
HALIFAX PAVING, INC.				(2012)	SPRIDE		6.5	6.6		8.5	8.5	8.5	8.3	8.0	8.0	7.9	7.9	7.7	7.9	7.2	
70030000	0.000	3.065	L	1	1 45	CRACKING	8.5	8.5	8.5	7.5	7.0	6.0*	6.0*	5.5*	4.5*	4.5*	4.5*	10.0	10.0		
5 1			2	4.2	25000	RIDE	8.9	8.9	8.9	8.4	8.3	8.0	8.1	8.1	7.1	6.7	6.4	8.2	8.1		
SR-50(0.0L)					FC95																
4116671	0.000	3.078	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.8	
V. A. PAVING, INC.				(2007)	SPRIDE		8.1	8.0	8.0	7.9	7.8	7.9	7.6	7.7	7.7	7.6	7.5	7.5	7.5	7.2	
70030101	0.000	1.397	C	1	1 40	CRACKING	7.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	3.5*	3.5*		
5 1			2	8.5	12500	RIDE	7.9	7.8	7.9	6.9	6.7	6.8	6.6	6.4	5.5	5.3*	5.0*	5.7	5.5		
SR-5(0.0L)					FC125																
4186471	0.385	1.389	C	2009	0012	CRACKING	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0	
HALIFAX PAVING, INC.				(2012)	SPRIDE		5.6	5.5		7.6	7.4	7.2	7.2	6.7	6.5	6.4	6.3	6.2	6.2	5.2	
70050000	0.000	0.532	R	1	1 65	CRACKING	0.0*	0.0*		10.0	10.0	10.0	9.5	9.0					10.0	10.0	
500 192			2	16.4	7700	RIDE	6.9	6.8		9.1	9.1	9.0	8.9	8.8					8.2	7.9	
					FC5																
2377301	0.000	3.787	C	2002	0213	CRACKING	10.0	10.0	10.0	9.5	9.5	8.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	2.5	
RANGER CONSTRUCTION INDUST(2007)					SPRIDE		8.3	8.0	8.1	8.0	8.0	7.7	7.3	7.8	7.8	7.8	7.5	7.9	7.9	7.5	
4428821	0.000	9.676	C	2022	0012																
70050000	0.532	3.998	R	1	1 65	CRACKING	0.0*	0.0*		10.0	10.0	10.0	9.5	9.0				10.0	10.0	9.5	
500 192			2	16.4	7700	RIDE	6.9	6.8		9.1	9.1	9.0	8.9	8.8				7.9	8.1	8.1	
OCEAN PRAIRIE LN(3.4R)					FC5																
2377301	0.000	3.787	C	2002	0213	CRACKING	10.0	10.0	9.5	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*	3.0	
RANGER CONSTRUCTION INDUST(2006)					SPRIDE		8.2	8.1	8.1	8.1	8.0	7.8	7.7	7.9	7.9	8.0	7.8	8.1	8.1	7.9	
4428821	0.000	9.676	C	2022	0012																
70050000	3.998	5.010	R	1	1 65	CRACKING		10.0	10.0	10.0	9.5	8.0	8.0	7.0				10.0	10.0	9.5	
500 192			2	16.4	7700	RIDE		8.9	9.0	9.0	9.0	9.0	8.7	8.5				7.9	8.1	8.1	
					FC5M																
4306591	4.038	5.012	R	2015	0012	CRACKING	8.5	7.0	5.5*	5.0*	5.0*	5.0*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	8.8	
ATLANTIC CIVIL CONSTRUCTOR(2016)					RIDE		7.0	6.4*	5.7*	5.6*	5.3*	5.1*	4.8*	8.5	8.4	8.4	8.4	8.3	8.4	8.2	
4428821	0.000	9.676	C	2022	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

```

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																			
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
INTERSECT AT (MP SIDE)																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P														
CONTRACTOR (AGE_ONE YEAR)					ASTYPE														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F														
																			FUTURE
								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
																			2021
																			2026
																			(REG)
70050000	0.000	0.530	L 1	1 65	CRACKING	0.0*	0.0*				10.0	10.0	10.0	9.5	9.0			10.0	10.0
500 192			2 16.4	7700	RIDE	6.9	6.8				9.1	9.1	9.0	8.9	8.8			8.2	8.1
				FC5															
2377301	0.000	3.787	C 2002	0213	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.0	8.0	8.0	6.5	4.5*	3.5*
RANGER CONSTRUCTION INDUST(2007)				SPRIDE		8.1	7.7	7.9	8.0	7.9	7.8	7.6	7.8	7.8	7.7	7.6	7.9	7.9	7.6
4428821	0.000	9.676	C 2022	0012															
70050001	0.000	0.228	C 1	6 30	CRACKING	6.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*			3.5*	1.0*
500			2 5.5	15100	RIDE	7.2	6.7	7.4	6.1*	6.4*	7.0	6.3	5.8	4.8*	5.3*			5.3*	5.2*
HARBOR CITY(0.0C)				FC125R															
4272251	0.000	0.228	C 2012	0012	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
RANGER CONSTRUCTION INDUST(2015)				SPRIDE		5.3*	5.4*	4.6*	4.1*	3.9*		6.7							
70060000	0.000	14.360	C 1	1 45	CRACKING	10.0	9.0	8.5	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*
ALA			2 7.1	6400	RIDE	8.8	8.9	9.1	8.9	9.0	8.9	8.6	8.5	7.8	7.6	7.4	7.8	7.7	
PARK ENT(0.2L)				FC95															
4171881	0.100	14.345	C 2009	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.0	7.1
RANGER CONSTRUCTION INDUST(2010)				SPRIDE		7.4	8.7	8.6	8.5	8.5	8.4	8.3	8.1	8.0	8.0	7.8	7.6	7.7	7.1
70060000	14.360	15.882	C 1	1 40	CRACKING	6.0*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ALA			2 7.1	14900	RIDE	8.2	8.1	8.5	8.0	7.9	7.7	7.4	8.1	7.8	7.8	7.8	8.0	7.9	
CHERRY DR(15.0L)				FC125															
2377151	14.287	17.537	C 2001	0012	CRACKING	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	7.0	7.0
APAC-FLORIDA INC			(2003)	SPRIDE		7.7	7.8	7.5	7.7	7.7	7.3	7.5	7.3	7.6	7.4	7.1	7.0	7.1	6.9
70060000	15.882	17.552	C 1	1 35	CRACKING	9.0	4.0*	4.0*	3.5*	3.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ALA			2 7.1	19200	RIDE	8.2	8.1	8.5	8.0	7.9	7.6	7.2	8.0	7.7	7.5	7.6	7.9	7.8	
INDIALANTIC CITY LIMITS(15.9L)				FC125															
2377151	14.287	17.537	C 2001	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0
APAC-FLORIDA INC			(2003)	SPRIDE		7.8	7.7	7.7	7.5	7.2	7.5	7.5	7.3	7.1	7.4	7.2	7.2	7.1	6.9
70060000	17.552	20.738	R 1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0
ALA			2 6.8	28500	RIDE		8.8	9.1	8.8	8.8	8.7	8.6	8.6	8.3	8.2	8.2	8.4	8.4	
WATSON AVE(17.8C)				FC125M															
4287531	17.552	26.226	C 2016	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5		10.0	10.0	10.0	10.0
MASCI GENERAL CONTRACTORS (2019)				RIDE		8.2	8.1	8.1	8.0	8.0	7.9	7.8	8.0	8.0		8.0	7.9	7.8	7.3
70060000	20.738	26.099	R 1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0
ALA			2 7.1	19600	RIDE		8.8	9.1	8.8	8.8	8.7	8.6	8.6	8.3	8.2	8.2	8.4	8.4	
EAU GALLIE BLVD(20.9C)				FC125M															
4287531	17.552	26.226	C 2016	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0
MASCI GENERAL CONTRACTORS (2020)				RIDE		8.2	8.1	8.1	8.0	8.0	7.9	7.8	8.0	8.0	8.1	8.0	8.0	8.0	7.9
70060000	26.099	27.892	R 1	1 55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ALA			2 8.3	21500	RIDE		8.8	9.1	8.8	8.8	8.7			8.7	8.3	8.3	8.2	8.4	8.4
				FC2															
			(2003)																
4452141	26.245	30.162	C 2024	0012	CRACKING	9.5	9.5	9.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5
					RIDE	8.1	7.9	8.0	7.9	7.9	7.8	7.5	7.7	7.6	7.8	7.7	7.6	7.7	7.2
70060000	27.892	30.153	R 1	1 55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5
ALA			2 8.3	21500	RIDE	8.9	8.7	8.9	8.9	8.9	8.5			8.7	8.3	8.3	8.2	8.4	8.4
FIRST ST(29.2R)				DGFC															
2374821	27.065	30.162	C 1991	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	6.5	6.5	6.5	6.5
APAC-FLORIDA INC			(1993)	S	RIDE	8.3	8.2	8.1	8.0	8.0	8.0	8.0	7.9	7.9	7.8	7.7	7.6	7.6	7.4
4452141	26.245	30.162	C 2024	0012															
70060000	30.153	31.032	R 1	1 45	CRACKING	6.5	6.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ALA			2 8.3	21500	RIDE	7.3	7.4	7.7	8.9	8.8	8.4	8.5	8.6	8.3	8.3	8.2	8.4	8.4	
35TH ST(30.3C)				FC125A															
			(2018)																
					CRACKING	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0
					RIDE	8.2	8.1	8.2	8.0	8.0	7.8	7.8	7.8	7.8	7.8	8.3	8.2	8.1	7.7
70060000	31.032	33.999	C 1	1 35	CRACKING	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5
ALA			2 5.2	9700	RIDE	6.4*	6.3*	6.5	8.8	8.9	8.5	8.5	8.5	8.0	7.8	7.7	8.0	8.0	
FERN ST(31.1R)				UNKW															
4306671	31.032	33.999	C 2016	0012	CRACKING	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	10.0	10.0	10.0	10.0
MASCI GENERAL CONTRACTORS (2018)				RIDE		7.9	7.7	7.7	7.6	7.5	7.4	7.2	7.2	7.2	8.0	7.8	7.7	7.7	7.2

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

.....

```

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)
70070000	4.649	5.200	C	1	1 55	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	10.0	10.0	
524			1	9.1	8300	RIDE		8.7	8.7	8.4	7.3	7.2	7.3	6.9	7.6	7.2	7.0	7.0	7.7	7.6	
(ONE WAY PAIR)(4.8L)																					
4135861	0.181	5.200	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
V. A. PAVING, INC.				(2007)	SPRIDE			7.6	7.4	7.5	7.4	7.5	7.5	7.4	7.4	7.3	7.4	7.4	7.3	7.4	7.2
70070000	5.200	6.160	R	1	1 55	CRACKING		10.0	10.0	9.5	9.5	8.0	8.0	7.0	7.0			6.5	6.5	6.5	
528	45.7	46.7	2	7.1	53008	RIDE		8.2	8.2	8.9	8.8	8.8	8.6	8.6	8.4	7.6		7.3	7.4	7.2	
FC5																					
				(2014)		CRACKING		3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	7.7
						RIDE		7.1	7.2	7.0	6.5	6.5	7.6	7.5	7.8	7.8	7.9	8.0	7.8	8.1	8.1
70070000	6.880	9.021	R	1	1 60	CRACKING		10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	6.0*	6.0*	4.5*	4.5*	
528	47.4	49.6	2	7.1	53008	RIDE		8.1	8.9	8.9	8.8	8.6	8.5	8.6	8.3	7.7	7.6	7.4	7.6	7.5	
FC5																					
				(2019)		CRACKING		3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	9.0	9.0	9.0	9.0
4410161	5.877	12.897	R	2023	0012			7.4	8.4	8.3	8.3	8.4	8.3	8.3	8.4	8.4	8.4	8.3	8.3	8.3	8.3
70070000	9.021	12.985	R	1	1 60	CRACKING		10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	6.0*	6.0*	4.5*	4.5*	
528	49.6	53.5	2	4.4	40500	RIDE		8.1	8.9	8.9	8.8	8.6	8.5	8.6	8.3	7.7	7.6	7.4	7.6	7.5	
FC5																					
4195631	7.175	12.968	C	2009	0012	CRACKING		3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	6.5	6.5	6.5	4.7
RANGER CONSTRUCTION INDUST(2010)					SPRIDE			7.4	8.4	8.3	8.3	8.4	8.3	8.3	8.4	8.4	8.4	8.4	8.5	8.4	8.4
4410161	5.877	12.897	R	2023	0012																
70070000	6.747	12.985	L	1	1 60	CRACKING		7.0	4.0*	4.0*	4.0*	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	
528	47.3	53.5	2	4.4	34000	RIDE		8.1	7.7	8.2	8.0	8.0	7.8	7.3	8.4	7.9	7.9	7.9	8.0	8.1	
FC5																					
RAMP 70080120(12.6L)					0012	CRACKING		8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*	5.5*	4.0
2376971	5.200	12.950	L	2001	0012	CRACKING		8.0	8.0	7.8	7.7	7.8	7.8	7.7	7.7	7.7	7.6	7.5	7.6	7.5	7.3
RANGER CONSTRUCTION INDUST(2003)					SPRIDE																
70070000	5.200	6.312	L	1	1 55	CRACKING		7.0	4.0*	3.5*	3.5*	3.5*	3.5*	3.0*	10.0	10.0		10.0	10.0	10.0	
528	45.7	46.8	2	7.1	53008	RIDE		8.3	7.6	8.0	7.7	7.6	7.3	6.4*	8.1	7.5		7.5	7.8	7.5	
FC2																					
SR 524(5.2L)				(2006)		CRACKING		10.0	10.0	10.0	10.0	9.5	8.0	8.0	6.5	6.5	6.5	3.5*	3.5*	3.5*	1.7
						RIDE		7.7	7.7	7.2	7.4	7.4	7.4	7.3	7.4	7.2	7.1	7.4	7.7	7.8	7.4
4410161	5.445	6.312	L	2023	0012																
70070000	1.439	1.977	L	1	1 45	CRACKING		9.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	6.0*	4.5*	4.5*	10.0	10.0	
524			1	12.3	12300	RIDE		8.5	8.8	8.5	8.2	8.1	8.0	7.6	7.6	7.3	6.7	7.1	8.9	8.0	
MISSING DESCRIPTION I(1.5L)																					
4135861	0.181	5.200	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.2
V. A. PAVING, INC.				(2007)	SPRIDE			7.8	8.1	7.9	7.7	7.6	7.7	7.6	7.4	7.5	7.3	7.0	7.1	7.0	6.5
70070002	0.000	0.381	R	1	8 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	6.5	6.5	
524			2	9.1	22100	RIDE		7.4	7.4	7.7	6.8	6.5	6.7	6.4*	6.5	5.8*	5.8*	5.5	5.8	5.8	
DGFC																					
4272291	0.045	0.381	C	2013	0012	CRACKING		4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
HALIFAX PAVING, INC.				(2015)		RIDE		5.8	5.8	5.6	5.4*	5.4*		8.1	7.4						
70070002	0.000	0.381	L	1	8 45	CRACKING		9.0	8.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	
524			2	9.1	22100	RIDE		7.6	7.7	7.8	7.2	7.1	7.4	7.2	6.6	6.6	6.7	6.6	7.0	7.0	
DGFC																					
4272291	0.045	0.381	C	2013	0012	CRACKING		6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.0		
HALIFAX PAVING, INC.				(2015)		RIDE		7.0	7.0	6.8	6.7	6.7		8.0	7.0						
70080000	0.000	3.149	R	1	1 40	CRACKING		10.0	10.0	9.5	8.0	7.5	6.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	10.0	
ALA			2	11.1	34500	RIDE		8.2	8.4	8.4	8.0	8.0	7.8	7.5	7.6	7.1	7.0	6.9	7.1	7.6	
MISSING DESCRIPTION I(0.0R)																					
4171591	0.000	3.200	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	5.0
COMMUNITY ASPHALT CORP.				(2008)		RIDE		7.5	7.4	7.3	7.3	7.4	7.4	7.3	7.0	6.8	6.9	6.8	6.8	6.6	6.3
70080000	3.149	3.645	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	
ALA			2	9.8	32000	RIDE		8.7	8.9	8.9	8.6	8.6			8.4	8.1	7.9	7.9	8.0	7.9	
CR 401(3.5R)																					
4344171	3.140	4.114	C	2017	0012	CRACKING		9.5	9.5	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5		10.0	10.0	
MASCI GENERAL CONTRACTORS (2020)						RIDE		7.9	7.9	8.0	7.8	7.8	7.8	7.6	7.5	7.3	7.4		8.0	8.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)						ASTYPE															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
70080000	3.645	4.114	R	1	1 55	CRACKING		10.0	9.0	8.0	7.0	7.0	6.0*	6.0*	10.0	10.0	9.0	9.0	7.5	7.5	
ALA			3	7.2	37500	RIDE		7.7	7.5	8.1	7.9	8.0	8.0	7.7	8.1	7.4	6.9	7.4	7.1	7.1	
4344171	3.140	4.114	C	2017	0012	CRACKING		7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	5.5*	5.5*		10.0	10.0	
MASCI GENERAL CONTRACTORS (2020)						RIDE		7.3	8.0	7.6	7.1	7.1	7.1	7.1	7.7	7.7	7.4		8.1	8.0	
70080000	4.114	4.368	C	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
401			2	4.4	2900	RIDE		8.8	9.0	9.1	8.9	9.0	8.5	8.8	8.6	8.0	8.0	9.0	7.8	7.8	8.0
SR 528(4.1L)						OGFC															
						CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.4
						RIDE		7.7	7.6		7.4	7.5	7.6	7.5	7.1	6.9	6.9	6.9	7.1	6.9	6.3
70080000	4.368	6.314	R	1	1 50	CRACKING		7.0	7.0	7.0	6.0*	6.0*	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	
401			2	15.2	11700	RIDE		7.2	7.2	7.8	7.4	7.6	7.6	7.2	6.9	6.3*	6.5	5.8*	7.8	7.8	
CHARLES ROWLAND DR(5.4R)						FC5															
4135871	4.511	6.314	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0
RANGER CONSTRUCTION INDUST(2007)						RIDE		7.8	7.8	7.7	7.6	7.6	7.6	7.5	7.6	7.5	7.5	7.5	7.4	7.4	7.2
70080000	4.368	6.314	L	1	1 50	CRACKING		8.5	8.5	8.5	7.0	6.0*	6.0*	5.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	
401			2	15.2	11700	RIDE		7.4	7.3	7.9	7.9	7.8	7.6	7.1	6.8	6.0*	6.0*	5.7*	7.8	7.8	
BEACHLINE EXP EXIT(4.6L)						FC5															
4135871	4.511	6.314	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5
RANGER CONSTRUCTION INDUST(2007)						RIDE		7.8	7.8	7.7	7.6	7.7	7.7	7.7	7.5	7.4	7.5	7.1	7.2	7.1	7.0
70080000	3.149	4.114	L	1	1 45	CRACKING		10.0	10.0	10.0	9.5	8.0			10.0	10.0	10.0	10.0	10.0	10.0	
ALA			2	7.2	37500	RIDE		8.4	8.6	8.7	8.3	8.2			8.6	8.3	7.8	7.2	7.8	8.0	
RAMP 004(4.0L)						OGFC															
4344171	3.140	4.114	C	2017	0012	CRACKING		9.5	9.5	9.5	9.5	8.0	8.0	8.0	7.5	6.5	6.5		10.0	10.0	
MASCI GENERAL CONTRACTORS (2020)						RIDE		7.6	8.0	7.9	7.9	8.2	7.9	8.1	7.9	7.8	7.8		8.2	8.2	
70080000	0.000	3.149	L	1	1 40	CRACKING		10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	6.0*	5.5*	3.5*	3.5*	10.0	
ALA			2	11.1	34500	RIDE		8.3	8.4	8.4	7.9	7.8	7.7	7.6	7.5	7.0	6.7	6.5	6.8	7.9	
MISSING DESCRIPTION I(0.0L)						FC125M															
4171591	0.000	3.200	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	5.0
COMMUNITY ASPHALT CORP. (2008)						RIDE		7.6	7.3	7.6	7.5	7.5	7.6	7.5	7.2	7.1	7.2	7.0	7.1	7.0	6.7
70100000	0.000	2.799	R	1	1 65	CRACKING		3.5*	10.0	10.0	10.0	10.0	8.0	9.5	9.5	9.5				10.0	
520			2	6.9	19800	RIDE		7.6	8.9	9.0	8.9	8.9	8.8	8.7	8.6	8.2				8.1	
2374661	0.000	2.850	C	2004	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	4.5*	4.5*	3.5*	3.4
WESTWIND CONTRACTING, INC.(2008)						SPRIDE		8.1	8.1	8.0	7.9	7.9	7.8	7.7	7.8	7.8	7.8	7.5	7.6	7.4	7.3
4439571	0.038	2.748	C	2022	0012																
70100000	2.799	4.700	R	1	1 55	CRACKING		5.0*	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0			10.0	10.0	
520			2	7.4	24500	RIDE		7.9	8.8	9.0	9.0	9.0	8.8	8.8	8.7	8.3			7.7	7.7	
HUNTER HILLS FARM(3.8R)						OGFC															
2374741	3.070	4.169	C	2004	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5
WESTWIND CONTRACTING, INC.(2007)						SPRIDE		7.7	7.6	7.5	7.3	7.4	7.4	7.2	7.3	7.3	7.4	7.1	7.2	7.1	6.9
70100000	4.700	7.740	R	1	1 55	CRACKING		6.0*	4.0*	3.5*	3.5*	3.5*	4.0*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
520			2	19.5	24500	RIDE		7.8	7.9	8.1	7.7	7.5	7.3	8.7	8.6	8.0	8.0	7.8	8.0	8.0	
TUCKER LN(4.7R)						FC5M															
4324431	4.700	7.740	C	2017	0012	CRACKING		8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5			10.0	10.0	
P & S PAVING, INC. (2020)						RIDE		7.9	7.8	7.6	7.6	7.5	7.5	7.2	7.7	7.8			8.3	8.3	
70100000	7.740	8.831	R	1	1 40	CRACKING		9.0	8.0	8.0	8.0	7.0	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
520			2	13.2	30500	RIDE		7.9	8.0	7.9	6.3*	6.4*	6.0*	7.7	7.6	7.2	6.5	6.7	6.9	6.7	
VARR AVE(8.0C)						FC125															
4034281	7.809	8.655	C	2001	0008	CRACKING		9.0	9.0	8.5	8.5	8.5	8.5	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.0
APAC-FLORIDA, INC (2002)						SPRIDE		6.2	6.1	6.2	6.3	6.2	5.6	6.0	5.8	5.9	6.1	5.8	5.5	5.7	5.0
70100000	8.831	9.390	C	1	1 35	CRACKING		10.0	9.0	9.0	8.0	7.0	5.5*	5.5*	5.5*	3.5*	3.5*	3.5*	3.5*	1.0*	
520			3	12.7	28000	RIDE		7.7	7.9	7.8	7.1	6.8	6.9	6.9	6.2	4.7*	4.9*	4.6*	4.3*	4.3*	
SR 520 WB(8.8L)						FC125															
4135761	8.844	9.390	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	6.5	6.5	5.8
COMMUNITY ASPHALT CORP. (2009)						RIDE		6.7	6.6	6.5	6.4	6.2	6.2	6.1	5.6	5.2*	5.7	5.5	5.4*	5.3*	4.6
4428851	7.700	9.390	L	2023	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 5 COUNTY = BREVARD -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR			1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE			
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	W_KMX-P	ASTYPE	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026				
ITMSEG-P	(AGE_ONE YEAR)	ASTYPE																		(REG)				
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	W_KMX-F																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	W_KMX-F																			
70100000	9.830	9.955	C	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5					
520			3	12.7	28000	RIDE	7.8	8.2	8.1	8.0	8.0	7.7	7.9	8.1	7.7	7.7	7.5	7.8	7.8					
KING ST(10.0L)					FC125																			
			(2015)			CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
						RIDE	7.3	7.8	7.7	7.3	7.5	7.5	8.1	7.6	7.6	7.6	7.4	7.5	7.2	6.7				
70100000	9.955	10.836	R	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0					
520			3	8.7	43000	RIDE	8.8	8.8	8.8	8.7	8.5	8.2	8.4	8.4	7.9	7.9	7.8	7.8	7.8					
SIDE ROAD(10.1C)					FC125R																			
			(2015)			CRACKING	8.0	8.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0					
						RIDE	7.7	7.8	7.6	7.2	7.3	7.0	8.1	7.9	7.5	7.9	7.7	7.5	7.7	7.2				
70100000	10.836	13.116	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0					
520			3	4.3	25000	RIDE		9.0	8.9	8.8	8.7	8.2	8.4	8.4	7.9	7.9	7.8	7.8	7.8					
GOODWIN DR(10.9R)					FC125A																			
4311391	10.836	13.116	C	2014	0012	CRACKING	8.0	8.0	7.0	7.0	7.0	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	9.0	8.4				
COMMUNITY ASPHALT CORP.			(2017)			RIDE	7.7	7.8	7.6	7.2	7.3	7.0	7.0	7.3	8.0	7.9	8.0	7.9	8.0	8.0				
70100000	13.116	14.333	R	1	1 55	CRACKING	7.0	7.0	5.0*	4.0*	3.5*	3.5*	10.0	10.0	10.0				10.0					
520			2	4.4	27000	RIDE	7.6	7.9	8.0	7.8	7.9	7.5	8.0	8.0	7.5				7.5					
					FC5																			
			(2008)			CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	6.5	6.5	6.5	6.5	6.5	6.5	4.2				
4428731	13.161	15.684	C	2022	0012	RIDE	7.7	7.6	7.5	7.4	7.4	7.4	7.3	7.7	7.7	7.7	7.4	7.5	7.5	7.5				
70100000	14.333	15.684	R	1	1 55	CRACKING	6.0*	6.0*	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5					
520			2	4.4	27000	RIDE	6.4*	7.0	6.6	6.9	6.9	6.8	8.0	8.0	7.5	7.3	7.3	7.4	7.2					
					FC2																			
2376962	13.124	15.700	C	2000	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	5.4				
RANGER CONSTRUCTION INDUST(2002)					SPRIDE		7.4	7.4	7.2	7.3	7.1	7.2	6.9	7.2	7.1	7.3	7.2	7.2	7.2	6.9				
4428731	13.161	15.684	C	2022	0012																			
70100000	15.684	16.316	R	1	1 35	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0					
520			2	4.4	27000	RIDE	6.8	8.2	8.0	7.6	7.2	7.1	7.4	7.4	6.7	6.7	6.6	7.0	6.8					
WEST END DR(16.0R)					FC125M																			
4344172	15.685	16.316	C	2017	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0				
MASCI GENERAL CONTRACTORS			(2019)			RIDE	6.8	6.8	6.3	6.5	6.4	6.4	6.6	6.2	6.3	6.7	7.7	7.1	7.4	6.5				
70100000	15.684	16.316	L	1	1 35	CRACKING	8.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0					
520			2	4.4	27000	RIDE	7.0	8.2	8.3	7.6	7.8	7.3	7.7	7.4	7.2	6.7	6.6	7.2	7.1					
BANANA RIVER BLVD N(16.2L)					FC125M																			
4344172	15.685	16.316	C	2017	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0				
MASCI GENERAL CONTRACTORS			(2019)			RIDE	7.2	7.1	6.9	7.0	6.9	6.8	6.7	5.9	5.8	5.4*	6.5	6.7	6.7	6.7				
70100000	14.285	15.684	L	1	1 55	CRACKING	6.0*	4.0*	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
520			2	4.4	27000	RIDE	7.4	7.6	7.0	7.8	7.7	7.5	8.6	8.6	8.0	7.3	7.3	7.4	7.5					
					FC2																			
2376962	13.124	15.700	C	2000	0012	CRACKING	9.5	9.5	9.5	9.5	8.5	7.0	7.0	7.0	7.0	6.5	6.5	5.5*	5.5*	4.5				
RANGER CONSTRUCTION INDUST(2002)					SPRIDE		7.5	7.5	7.6	7.3	6.8	6.9	6.6	7.4	7.5	7.6	7.4	7.4	7.4	6.9				
4428731	13.161	15.684	C	2022	0012																			
70100000	13.116	14.285	L	1	1 55	CRACKING	8.0	4.0*	4.0*	4.0*	4.0*	4.0*	10.0	10.0	10.0				10.0					
520			2	4.4	27000	RIDE	8.0	8.1	8.2	8.0	7.8	7.3	8.6	8.6	8.0				6.8					
SIDE ROAD L(13.5L)					FC5																			
			(2008)			CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	5.0				
4428731	13.161	15.684	C	2022	0012	RIDE	6.9	6.9	6.9	6.7	6.7	6.6	6.8	6.5	6.5	6.6	6.5	6.9	6.9	6.6				
70100000	10.836	13.116	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5					
520			3	4.3	25000	RIDE		8.9	8.8	8.5	8.5	8.2	8.1	8.1	7.6	7.2	7.3	7.2	7.5					
SHOPPING PLZ(11.1C)					FC125A																			
4311391	10.836	13.116	C	2014	0012	CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0				
COMMUNITY ASPHALT CORP.			(2017)			RIDE	7.3	7.2	7.1	6.9	6.8	6.8	6.9	7.4	8.3	7.8	8.2	8.1	8.1	8.0				
70100000	9.955	10.836	L	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5					
520			3	8.7	43000	RIDE	8.7	8.7	8.6	8.4	8.4	8.2	8.1	8.1	7.6	7.2	7.3	7.2	7.5					
SIDE ROAD(10.1C)					FC125R																			
			(2015)			CRACKING	8.0	8.0	8.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
						RIDE	7.3	7.2	7.1	6.9	6.8	6.8	8.0	7.6	7.5	7.7	7.8	7.6	7.7	7.5				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)
70100000	7.740	8.831	L	1	1 40	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
520			2	13.2	30500	RIDE		8.3	8.2	8.2	6.9	6.8	6.9	7.3	6.8	6.7	6.6	6.2	6.7	6.5	
LAKE AVE(8.0L)																					
4034281	7.809	8.655	C	2001	0008	CRACKING		9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	7.0	6.7
APAC-FLORIDA, INC				(2002)		SPRIDE		6.4	6.4	5.9	6.3	6.2	6.0	5.7	5.6	5.7	5.6	5.3*	5.3*	5.3*	4.8
4428851	7.700	9.390	L	2023	0012																
70100000	4.700	7.740	L	1	1 55	CRACKING		6.0*	4.0*	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
520			2	19.5	24500	RIDE		8.2	8.1	8.3	7.8	7.8	7.6	8.6	8.5	8.0	7.9	7.6	8.1	8.0	
TOWNSEND AVE L(5.0L)																					
4324431	4.700	7.740	C	2017	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	5.5*			10.0	10.0	
P & S PAVING, INC.				(2020)		RIDE		7.8	7.8	7.5	7.5	7.5	7.2	7.2	7.1	7.1			8.2	8.3	
70100000	2.799	4.700	L	1	1 55	CRACKING		5.0*	10.0	10.0	10.0	10.0	9.5	9.5	8.0	7.0			10.0	10.0	
520			2	7.4	24500	RIDE		7.9	8.8	9.0	9.0	9.0	8.8	8.8	8.7	8.3			7.9	8.1	
SR 524(2.9L)																					
2374741	3.070	4.169	C	2004	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	7.5	7.5
WESTWIND CONTRACTING, INC.				(2007)		SPRIDE		8.1	8.1	7.8	8.0	7.8	7.8	7.9	7.7	7.7	7.6	7.5	7.4	7.4	7.2
70100000	0.000	2.799	L	1	1 65	CRACKING		3.5*	10.0	10.0	10.0	10.0	8.0	9.5	9.5	9.5				10.0	
520			2	6.9	19800	RIDE		7.6	8.9	9.0	8.9	8.9	8.8	8.7	8.6	8.2				8.0	
CANAVARAL GROVE BLVD(1.7L)																					
2374661	0.000	2.850	C	2004	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.5	7.5	7.5	6.5	6.5	4.5*	3.8
WESTWIND CONTRACTING, INC.				(2008)		SPRIDE		8.0	8.0	7.9	7.9	7.9	7.8	7.8	7.9	7.9	7.9	7.9	8.0	8.0	7.9
4439571	0.038	2.748	C	2022	0012																
70100001	0.000	0.134	C	1	1 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
520			2	8.7	29000	RIDE		8.5	8.8	8.6	8.4	7.9	7.9	8.0	8.1	7.3	7.4	7.3	7.5	7.4	
SR-520 EAST BOUND(0.0L)																					
				(2015)		CRACKING		9.5	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
						RIDE		7.6	7.4	7.2	7.4	7.1		8.5	8.1	8.0	8.0	7.9	7.9	7.9	7.4
70100001	0.582	1.142	C	1	1 35	CRACKING		9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	6.5	4.5*	3.5*	
520			3	8.7	29000	RIDE		7.6	7.6	7.6	6.5	6.3*	6.2*	5.9	5.8	5.1*	5.2*	5.1*	4.4*	4.4*	
RIVEREDGE DR(0.7L)																					
4135761	0.639	1.193	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5
COMMUNITY ASPHALT CORP.				(2009)		RIDE		7.3	7.0	6.7	6.3	6.3	6.2	5.9	4.7*	4.7*	4.7*	4.3*	4.1*	4.1*	2.4
4428851	0.578	1.142	C	2023	0012																
70110000	0.000	5.061	R	1	7 65	CRACKING		10.0	10.0	10.0	10.0	9.5	8.0	7.0	6.0*		10.0	10.0	10.0	10.0	
50			2	4.9	12600	RIDE		8.7	8.7	8.7	8.9	8.8	8.7	8.6	8.5		7.9	7.9	8.2	8.0	
GREAT OUTDOORS RESORT(4.5R)																					
4373451	0.040	5.101	C	2019	0012	CRACKING		10.0	10.0	10.0	9.5	9.5	8.0	8.0	7.0	6.5	6.5	6.5	6.5	10.0	
RANGER CONSTRUCTION INDUST				(2021)		RIDE		7.7	7.9	7.9	7.6	7.6	7.4	7.3	7.8	7.7	7.6	7.6	7.9	8.7	
70110000	5.061	8.540	R	1	1 50	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
50			2	5.8	21000	RIDE		7.9	8.2	8.4	8.1	7.9	7.7	7.5	7.7	7.2	7.1	7.0	7.0	7.2	
WINDOVER WAY(5.3R)																					
4248901	5.235	8.462	C	2012	0012	CRACKING		9.0	9.0	9.0	9.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
P & S PAVING, INC.				(2014)		RIDE		6.2*	6.9	7.0	6.8	6.9	8.2	8.0	7.8	7.9	7.7	7.7	7.6	7.6	7.1
70110000	5.061	8.540	L	1	1 50	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	
50			2	5.8	21000	RIDE		7.7	7.9	8.1	7.4	7.5	7.4	7.1	7.1	6.6	6.2*	6.2*	7.0	6.9	
SERPENTINE RD(5.4L)																					
4248901	5.235	8.462	C	2012	0012	CRACKING		6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
P & S PAVING, INC.				(2014)		RIDE		5.5*	6.8	6.7	6.6	6.6	8.0	7.8	7.7	7.7	7.6	7.5	7.5	7.3	6.9
70110000	0.000	5.061	L	1	7 65	CRACKING		10.0	9.0	8.0	7.0	5.0*	4.0*	4.0*	3.5*		10.0	10.0	10.0	10.0	
50			2	4.9	12600	RIDE		7.9	8.0	8.7	8.2	8.1	7.6	7.9	7.6		8.0	7.9	8.2	8.2	
HACIENDA DR(2.8L)																					
4373451	0.040	5.101	C	2019	0012	CRACKING		10.0	10.0	10.0	9.5	8.0	7.0	7.0	6.5	6.5	5.5*	3.5*	10.0		
RANGER CONSTRUCTION INDUST				(2021)		RIDE		7.8	8.0	7.9	7.7	7.7	7.4	7.2	7.7	7.7	7.4	7.6	7.6	8.6	
70120000	0.000	0.506	R	1	1 45	CRACKING		6.0*	6.0*	3.5*	3.5*	3.5*	10.0	10.0	9.5	9.5	9.5	9.5	8.0	6.5	
518			2	10.7	42500	RIDE		7.4	7.6	7.7	6.8	6.8	7.4	7.1	6.4*	5.7*	6.3*	5.9	6.4	5.9	
JONES RD(0.0C)																					
				(2012)		CRACKING		6.5	6.5	6.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	8.0	7.0	7.0
						RIDE		7.8	7.2	7.7	7.9	7.8	7.8	7.9	7.1	6.5	7.0	7.1	6.9	7.1	6.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD

HWYID		BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											FUTURE		
SR	US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)		SURFTYPE							=====													
ITMSEG-P		W_BMP	W_EMP	RW	FY-P	WKMX-P	ASTYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
CONTRACTOR (AGE_ONE_YEAR)		W_BMP	W_EMP	RW	FY-F	WKMX-F															(REG)	
ITMSEG-F		W_BMP	W_EMP	RW	FY-F	WKMX-F																
70120000		0.923	2.258	C	1	1	45	CRACKING	6.0*	4.0*	3.5*	3.5*	10.0	9.5	10.0	10.0	10.0	10.0	10.0	9.5	7.0	
5054				2	14.1	16200		RIDE	7.4	7.4	7.5	6.4*	8.5	7.8	8.2	8.0	7.7	7.6	7.1	7.6	7.4	
PEPSI COLA DR(1.1R)						FC125M																
					(2014)			CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.3
								RIDE	6.9	7.2	7.1	7.0	6.6	7.8	7.7	7.5	7.4	7.3	7.1	7.0	7.0	6.3
70120000		5.257	5.715	C	1	1	30	CRACKING	6.0*	6.0*	5.5*	3.5*	3.5*	3.0*	3.0*	3.0*	10.0	10.0	10.0	10.0	10.0	
518				2	9.1	20500		RIDE	6.3*	6.6	7.0	5.7*	5.8*	5.2*	5.1*	5.2*	4.9*	6.9	6.4	7.0	6.9	
N HARBOR CITY BLVD(5.3C)						FC125																
4041252		5.261	5.715	C	2002	0012		CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	6.5	5.5*	3.5*	3.5*	1.0*	1.0
COMMUNITY ASPHALT CORP.					(2004)	SPRIDE			6.9	6.8	6.8	6.7	6.4	6.4	6.5	6.0	5.9	6.0	6.4	5.9	5.8	5.8
4428811		5.274	5.590	C	2022	0012																
70120000		5.715	5.836	R	1	6	45	CRACKING	10.0	10.0	9.0	9.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	
518				2	3.5	38000		RIDE	8.5	8.2	8.6	8.8	8.7	8.6	8.4	8.4	7.7	7.2	7.2	6.7	7.1	
						DGFC																
4119971		5.592	8.390	C	2009	0012		CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
PREFERRED MATERIALS, INC.					(2010)			RIDE	7.0	7.9												
70120000		6.385	7.032	R	1	1	45	CRACKING	9.0	9.0	9.0	8.0	8.0	7.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*	3.5*	
518				2	3.5	38000		RIDE	8.4	8.1	8.6	8.4	8.3	8.2	8.1	8.0	6.6	7.2	6.1	6.3	6.1	
						DGFC																
4119971		5.592	8.390	C	2009	0012		CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
PREFERRED MATERIALS, INC.					(2010)			RIDE	5.9	8.4	8.1	8.2	8.1	8.1	8.0	8.1	8.0	7.9	7.9	7.7	7.8	7.5
70120000																						

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
70120004	0.000	3.087	R	1	1 50	CRACKING		10.0	9.0	8.0	7.0	5.0*	4.0*	4.0*	4.0*	4.5*	10.0	10.0	10.0	10.0	
518			2	5.8	20200	RIDE		8.5	8.4	8.4	7.4	7.2	7.0	6.9	6.6	5.8*	8.2	8.0	8.3	8.2	
CR 511(0.0C)					FC125																
4116721	0.100	3.038	C	2003	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	5.0
PREFERRED MATERIALS, INC. (2005)						RIDE		8.1	8.0	7.9	7.9	7.7	7.6	7.3	7.7	7.5	7.6	7.4	7.3	7.4	7.0
70120004	3.087	3.755	C	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.5	9.5	9.5	9.5	10.0	10.0	10.0	9.5	
518			4	15.8	19500	RIDE		7.9	8.0	8.0	7.1	7.0	6.1*	6.0*	6.1*	5.6*	7.3	7.0	7.3	7.0	
ISABELLA DR(3.3L)					FC95MR																
4323421	3.087	4.452	C	2016	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0
MASCI GENERAL CONTRACTORS (2017)						RIDE		6.6	6.6	6.1	6.4	6.1	5.9	5.9		6.9	7.1	6.8	6.6	6.6	6.0
70120004	3.755	4.452	C	1	1 35	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	9.5	
518			4	15.8	19500	RIDE		7.2	7.1	7.3	5.7*	5.7*	6.1*	6.0	6.1	5.6	7.3	7.0	7.3	7.0	
MOSSWOOD DR(3.8R)					FC125M																
4323421	3.087	4.452	C	2016	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0
MASCI GENERAL CONTRACTORS (2019)						RIDE		6.6	6.6	6.1	6.4	6.1	5.9	5.9	5.3*	5.2*	4.9*	5.9	5.2*	5.5	4.3
70120004	0.000	3.087	L	1	1 50	CRACKING		9.0	9.0	7.5	6.5	6.0*	4.0*	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	
518			2	5.8	20200	RIDE		8.5	8.4	8.4	7.7	7.4	7.4	7.1	6.8	5.9*	8.3	8.2	8.3	8.2	
CR 511(0.0C)					FC125																
4116721	0.100	3.038	C	2003	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	5.0
PREFERRED MATERIALS, INC. (2005)						RIDE		8.1	7.9	7.8	7.8	7.5	7.4	7.3	7.3	7.3	7.0	7.1	6.9	7.2	6.4
70140000	0.000	1.010	R	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	
3			2	10.3	26000	RIDE		8.1	8.2	8.2	7.2	7.3	7.2	6.9	6.9	6.1	6.2	5.8	6.1	6.2	
MISSING DESCRIPTION I(0.0R)					FC125A																
4306681	0.010	0.999	C	2015	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0
MASCI GENERAL CONTRACTORS (2017)						RIDE		6.0	6.3	5.8	5.7	5.2*	5.7	5.5	5.7	6.6	6.6	6.5	6.4	6.1	5.6
70140000	1.010	3.368	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	
3			2	4.2	35000	RIDE		8.5	8.5	8.6	8.3	8.3	8.0	8.0	7.9	7.6	7.5	7.5	7.7	7.7	
CATALINA ISLES(1.1R)					FC125																
4233521	0.902	3.387	C	2010	0012	CRACKING		7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
P & S PAVING, INC. (2012)						RIDE		7.7	7.7	7.5	7.6	7.5	7.5	7.5	7.2	7.1	6.9	7.0	6.9	6.8	6.3
70140000	3.368	3.858	R	1	1 45	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
3			2	2.9	29000	RIDE					8.1	8.0	7.8	7.8	7.8	6.8	6.8	6.5	7.4	7.4	
MISSING DESCRIPTION I(3.4R)					FC3																
(1999)						CRACKING		9.5	9.5	9.5	7.0	7.0	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.0*	3.8
4410131	3.385	9.653	C	2021	0012	RIDE		7.5	7.4	7.0	6.5	7.1	6.6	6.0	6.9	6.6	6.6	6.6	6.1	6.2	5.8
70140000	3.858	9.755	R	1	1 50	CRACKING				10.0	10.0	9.0	8.0	7.0	7.0	6.0*	4.5*	4.5*	4.5*	3.5*	
3			2	4.4	14800	RIDE				9.0	8.6	8.7	8.4	8.4	8.1	7.4	7.1	7.1	7.1	6.7	
SMITH RD(3.9R)					FC5																
4171531	3.875	9.753	C	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.8
PREFERRED MATERIALS, INC. (2009)					SPRIDE			7.9	7.9	7.8	7.8	7.7	7.6	7.6	7.9	7.8	7.8	7.7	7.6	7.7	7.6
4410131	3.385	9.653	C	2021	0012																
70140000	3.858	9.755	L	1	1 50	CRACKING					4.0*	3.5*	4.0*	4.0*		10.0	10.0	10.0	10.0	10.0	
3			2	4.4	14800	RIDE					8.6	8.0	7.9	7.8		8.5	7.8	7.8	7.7	7.9	7.9
GRANT RD(3.9L)					FC5																
4041111	3.869	9.755	L	2001	0012	CRACKING		9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	3.5*	3.5*	2.5*	2.0
RANGER CONSTRUCTION INDUST(2003)					SPRIDE			7.8	7.7	7.6	7.5	7.4	7.1	7.2	7.4	7.3	7.2	7.2	7.2	7.3	6.8
4410131	3.385	9.653	C	2021	0012																
70140000	3.368	3.858	L	1	1 45	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
3			2	2.9	29000	RIDE					8.1	8.2	7.9	7.8	7.8	7.5	7.6	7.2	7.6	7.5	
TINGEY DR(3.4L)					FC3																
(1999)						CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5	7.0	7.0
4410131	3.385	9.653	C	2021	0012	RIDE		7.6	7.6	7.5	7.2	7.5	7.2	7.1	6.6	6.8	6.5	6.4	6.2	5.3*	5.3
70140000	1.010	3.368	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	
3			2	4.2	35000	RIDE		8.5	8.5	8.5	8.1	8.1	7.8	7.7	7.7	7.4	7.4	7.2	7.5	7.5	
NEVINS CT(1.1L)					FC125																
4233521	0.902	3.387	C	2010	0012	CRACKING		7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
P & S PAVING, INC. (2012)						RIDE		7.5	7.4	7.3	7.5	7.5	7.4	7.5	7.3	7.3	7.3	7.1	6.9	7.1	6.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD

ID	SR	US	BMP	G_EMP	W_EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE												
											1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2026									
INTERSECT AT (MP SIDE)														SURFTYPE		=====																	
ITMSEG-P														W_BMP	W_EMP	RW	FY-P	P	WKMX-F														
CONTRACTOR (AGE ONE YEAR)														ASTYPE				2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026		
ITMSEG-F														W_BMP	W_EMP	RW	FY-F	X	WKMX-F			(REG)											
70140000			0.000		1.010	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0					
3	MERRITT ISLAND CSWY(0.0C)														2	10.3	26000	RIDE	8.1	8.1	8.1	7.4	7.5	7.2	7.1	7.0	6.6	6.4	6.1	6.8	6.7		
4306681			0.010		0.999	C	2015		0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
MASCI GENERAL CONTRACTORS														(2017)			RIDE	6.4	6.4	5.8	5.7	6.0	6.1	6.2	5.7	7.1	7.2	6.9	6.6	6.6	6.6	5.8	
70150000			0.000		5.702	C	1	7	55	CRACKING	9.0	8.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5						
46	PIT BULL LN(0.8L)														2	12.8	8100	RIDE	8.2	8.4	8.0	7.3	7.3	6.9	6.5	6.2*	8.2	8.2	8.2	8.4	8.3		
4356581			0.000		4.995	C	2018		0012	CRACKING	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	5.5*					10.0					
HALIFAX PAVING, INC.														(2021)			RIDE	8.3	8.1	8.0	7.8	7.6	7.3	7.2	7.4	7.0	6.8	6.9			8.2		
70150000			5.702		6.230	C	1	1	45	CRACKING	8.5	8.5	8.5	7.5	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0						
46	HAMMOCK TRL(6.0R)														2	8.3	9300	RIDE	8.0	8.8	9.0	8.9	8.8	8.6	8.6	8.3	7.9	7.9	7.6	7.6	8.5	8.4	
									FC95																								
										CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	10.0	9.0	10.0	10.0	10.0	10.0	9.0				8.5						
										RIDE	8.3	8.1	8.1	7.9	7.9	7.8	7.8	7.6	7.4	7.3	7.0	7.0	7.0				7.2						
70150000			6.230		7.392	C	1	7	45	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	6.5						
46	PALM AVE(6.3L)														2	8.3	9300	RIDE	7.5	7.8		8.6	8.7	8.0	8.2	8.1	7.8	7.7	7.7	7.8	7.1		
4323981			6.230		7.392	C	2018		0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*				10.0						
HALIFAX PAVING, INC.														(2021)			RIDE	7.2	7.5	7.1	7.0	7.1	6.9	6.6	7.2	7.1	7.0	6.5			8.0		
70160000			0.000		0.425	C	1	1	55	CRACKING	7.0	7.0		7.0	10.0	5.5*	10.0	5.5*	5.5*	9.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*					
405	BREVARD SERVICE COMP(0.0C)														4	10.0	15500	RIDE	7.7	7.2		7.4	6.4*	7.2	6.9	6.8	6.0*	6.3*	5.4*	5.4*	5.3*		
4155181			0.000		0.247	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0					
V. A. PAVING, INC.														(2009)			SPRIDE	8.3	8.1	7.9	7.3	7.5	7.9	7.3	7.6	7.5	7.6	7.6	6.5	6.5	6.3		
70160000			0.425		1.537	C	1	1	55	CRACKING	7.0	10.0	10.0	10.0	10.0	8.5	7.0	6.0*	4.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*	2.0*						
405	LILLIAN BLVD(0.6R)														2	10.0	15500	RIDE	7.6	8.3	8.3	8.0	8.0	7.8	7.5	7.4	6.2*	6.3*	5.9*	6.0*	5.9*		
4155181			0.247		4.359	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0						
V. A. PAVING, INC.														(2009)			SPRIDE	8.2	8.1	8.0	7.9	7.9	7.9	7.7	7.3	7.3	7.2	7.1	7.1	7.1	7.1	6.5	
70160000			1.537		2.937	C	1	1	55	CRACKING	8.0	7.0	7.0	6.0*	6.0*	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	4.5*	4.5*	4.5*	4.5*							
405	BOBBI LN N(1.7L)														2	2.3	13900	RIDE	7.8	7.2	7.5	7.6	7.6	7.7	7.4	7.4	7.0	6.6	6.6	6.6	6.6	6.6	
4155181			0.247		4.359	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.5	7.5	6.5	6.5	6.5	5.5						
V. A. PAVING, INC.														(2009)			SPRIDE	8.0	7.8	7.8	7.6	7.7	7.6	7.6	7.1	7.1	7.1	7.0	7.1	7.1	6.5		
4431691			1.540		2.950	C	2024		0012																								
70160000			2.937		4.359	C	1	1	55	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5							
405	SINGLETON AVE(3.4L)														2	10.0	8500	RIDE	8.0	7.2	7.3	7.9	7.9	7.8	7.6	7.6	7.3	7.3	7.1	7.3	7.2		
4155181			0.247		4.359	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	8.4							
V. A. PAVING, INC.														(2009)			SPRIDE	8.2	8.1	8.0	7.9	8.0	7.9	7.8	7.6	7.5	7.5	7.4	7.4	7.4	7.0		
70160000			4.359		5.422	R	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0						
405	LANE AVE(4.5R)														2	10.0	6400	RIDE	6.6	6.9	6.7	5.6*	5.0*	6.4*	5.8	5.7	5.1*	4.8*	4.8*	4.9*	5.0*		
4155181			4.359		5.422	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.1						
V. A. PAVING, INC.														(2009)			SPRIDE	7.8	7.3	7.6	7.4	7.1	7.0	6.8	6.7	6.7	6.3	6.4	6.4	6.7	5.7		
70160000			4.359		5.422	L	1	1	35	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0							
405	COLLINS AVE(4.4L)														2	10.0	6400	RIDE	7.6	7.6	7.3	7.3	7.2	7.1	6.7	7.1	6.2	6.0	5.2*	5.8	5.9		
4155181			4.359		5.422	C	2007		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	8.9							
V. A. PAVING, INC.														(2009)			SPRIDE	7.7	7.3	7.5	7.1	7.1	7.0	6.7	6.1	6.2	6.0	5.9	6.4	5.9	5.0		
70160001			0.000		0.332	R	1	1	30	CRACKING																							
406	SR 5(0.0C)														2	7.7	3600	RIDE															
										CRACKING																							
										RIDE																							

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD

SR	US	BMP		RW	SYS	TYP	SPD	DISTRESS RATINGS	SURVEYED YEAR										FUTURE						
		G_BMP	G_EMP						LN	%T	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
INTERSECT AT (MP SIDE)		W_BMP	W_EMP	FW	FY-P	WKMX-P	ASTYPE	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)				
CONTRACTOR (AGE_ONE YEAR)		W_BMP	W_EMP	RW	FY-F	WKMX-F																			
ITMSEG-F		W_BMP	W_EMP	RW	FY-F	WKMX-F																			
70160001 406	1.114	1.732	C	1	2	410	CRACKING RIDE												3.5* 6.4	3.5* 6.2					
GATOR CREEK RD(1.5R)																									
								CRACKING RIDE	1.0* 6.2			4.5* 5.6	4.5* 6.2	4.5* 6.1	4.5* 6.3	3.5* 6.6	3.5* 6.6	3.5* 6.4	0.0* 6.6	0.0* 6.4	0.0* 6.8				
70160001 406	0.000	0.332	L	1	1	30	CRACKING RIDE																		
SR 5(0.0C)																									
								CRACKING RIDE											10.0 5.1*	9.5 5.0*					
(2020)																									
70160002 406	0.609	0.784	C	1	6	30	CRACKING RIDE																		
								CRACKING RIDE				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
(2013)																									
70180000 514	2.480	3.218	R	1	1	45	CRACKING RIDE	10.0 7.6	10.0 7.8			10.0 8.9	10.0 8.3	10.0 8.6	10.0 8.6	10.0 8.1	10.0 7.7	10.0 8.1	10.0 7.6	9.5 8.4					
FRONTAGE RD NW(2.7R)																									
2375911	2.612	3.060	C	1997	FC3	0213	CRACKING RIDE	9.5 8.4	9.5 8.2	9.5 7.9	9.5 8.2	9.5 7.9	9.5 8.0	9.5 7.8	9.5 7.8	9.5 7.6	9.5 7.6	9.0 7.6	8.0 7.6	8.0 7.3					
RANGER CONSTRUCTION INDUST(2000)																									
70180000 514	3.218	6.742	C	1	1	50	CRACKING RIDE	3.5* 7.8	3.5* 7.6	3.5* 8.0	10.0 8.9	10.0 8.8	10.0 8.5	10.0 8.8	10.0 8.6	9.5 8.3	9.5 8.2	9.5 8.1	9.5 7.5	9.5 8.1					
ENTERPRISE AVE(3.3R)																									
2376721	3.218	6.698	C	1998	FC3	0012	CRACKING RIDE	8.0 7.9	8.0 7.9	8.0 7.7	8.0 7.8	7.0 7.6	7.0 7.5	7.0 7.5	7.0 7.7	7.0 7.7	7.0 7.7	7.0 7.7	6.0* 7.6	5.3 7.1					
RANGER CONSTRUCTION INDUST(1999)																									
70180000 514	2.480	3.218	L	1	1	45	CRACKING RIDE	10.0 7.8	10.0 7.7			10.0 8.8	10.0 8.2	10.0 8.6	10.0 8.2	10.0 7.7	10.0 7.9	10.0 8.2	10.0 8.3	9.5 8.2					
UNSIGNED(2.7L)																									
2375911	2.612	3.060	C	1997	FC3	0213	CRACKING RIDE	9.5 8.1	9.5 8.1	9.5 7.9	9.5 8.0	8.0 7.7	8.0 7.8	8.0 7.9	7.0 7.8	7.0 7.9	7.0 7.9	7.0 7.7	6.0* 7.6	5.7 7.4					
RANGER CONSTRUCTION INDUST(2000)																									
70220000 9	0.000	12.500	R	4	1	70	CRACKING RIDE	8.5 8.3	7.0 8.6	7.0 8.8		10.0 8.9	10.0 8.8	10.0 8.7	9.5 8.6	9.5 8.0	7.5 7.8	6.5 7.7	6.5 7.9	6.5 7.8					
4130721	0.000	12.442	C	2012 (2016)	FC5M	0218	CRACKING RIDE	6.5 7.8	10.0 8.2	10.0 8.3	10.0 8.3				10.0 8.6	10.0 8.6	10.0 8.6	10.0 8.4	10.0 8.7	9.0 8.6	8.8 8.6				
70220000 9	12.500 195	16.485 172.4	R	4 10.1	1	70 64500	CRACKING RIDE	3.5* 8.6	3.5* 8.5	1.0* 8.5		10.0 9.0	10.0 8.8	10.0 8.7	9.5 8.6	9.5 8.0	7.5 7.8	6.5 7.7	6.5 7.9	6.5 7.8					
4055063	12.415	16.588	C	2010 (2012)	FC5M	0218	CRACKING RIDE	6.5 7.8	6.5 7.5		10.0 8.1	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.4	10.0 8.4	9.5 8.3	9.0 8.3	9.0 8.6	7.5 8.6	7.4 8.6				
70220000 9	16.485 195	21.360 176.4	R	4 21.6	1	70 80000	CRACKING RIDE	3.5* 8.6	3.5* 8.5	1.0* 8.5		10.0 9.0	10.0 8.8	10.0 8.7	9.5 8.6	9.5 8.0	7.5 7.8	6.5 7.7	6.5 7.9	6.5 7.8					
4055068	16.588	34.669	C	2008 (2013)	FC5M	0218	CRACKING RIDE					10.0 8.2	10.0 8.2	10.0 8.1	10.0 8.3	10.0 8.3	9.0 8.3	9.0 8.3	9.0 8.4	9.0 8.3	8.1 8.3				
70220000 9	21.360 195	22.498 182.4	R	4 10.1	7	70 84500	CRACKING RIDE	5.5* 8.8	5.5* 8.7	5.5* 8.7		10.0 9.0	10.0 8.8	10.0 8.7	9.5 8.6	9.5 8.0	7.5 7.8	6.5 7.7	6.5 7.9	6.5 7.8					
(2021)								CRACKING RIDE				10.0 8.2	10.0 8.2	10.0 8.1	10.0 8.3	10.0 8.3	9.0 8.3	9.0 8.3	9.0 8.4	10.0 9.1					
70220000 9	22.498 195	34.615 194.5	R	4 10.1	2	70 86000	CRACKING RIDE	3.5* 8.8	3.5* 8.7	3.5* 8.6		10.0 9.0	10.0 8.8	10.0 8.8	10.0 8.7	10.0 8.1	10.0 8.0	10.0 8.0	9.5 8.2	9.5 8.0					
4055068	16.588	34.669	C	2008 (2013)	FC5M	0218	CRACKING RIDE					10.0 8.2	10.0 8.2	10.0 8.1	10.0 8.3	10.0 8.3	9.0 8.3	9.0 8.3	9.0 8.4	6.5 8.5	6.3 8.5				

```

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD

DAILY		BMP		EMP		RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR		FUTURE																						
SR	US	G_BMP	G_EMP	LN	%T						AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
INTERSECT AT		(MP SIDE)				SURFTYPE		=====																											
ITMSEG-P		W_BMP		W_EMP		RW	FY-P	P	WKMX-P	ASTYPE																									
CONTRACTOR		(AGE, ONE YEAR)									FY-F		WKMX-F																						
ITMSEG-F		W_BMP		W_EMP		RW	FY-F	P	WKMX-F																										
70220000 9 I95		34.615 194.5	36.618 196.5	R 3	4 10.5	1 88673 FC5M	70	CRACKING RIDE	4.0* 7.9		10.0 9.0	10.0 9.0	10.0 9.0	10.0 8.9	10.0 8.9	10.0 8.9	10.0 8.4	10.0 8.3	10.0 8.2	10.0 8.0	10.0 8.0	10.0 8.4	10.0 8.3	10.0 8.2	10.0 8.4	10.0 8.9	10.0 8.9	10.0 8.9	10.0 8.4	10.0 8.3	10.0 8.2	10.0 8.4	10.0 7.7		
4055065		34.669	41.503	C 2007	(2010)	0218		CRACKING RIDE		10.0 8.4	10.0 8.3	10.0 8.3	10.0 8.3	10.0 8.3	10.0 8.2	10.0 8.1	10.0 8.0	9.5 8.0	9.0 7.8	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	8.6 7.7		
70220000 9 I95		36.618 196.5	41.517 201.4	R 3	4 10.5	4 88673 LGD	70	CRACKING RIDE	3.5* 8.6		10.0 9.0	10.0 9.0	10.0 9.0	10.0 8.9	10.0 8.9	10.0 8.9	10.0 8.4	10.0 8.3	10.0 8.2	10.0 8.0	10.0 8.0	10.0 8.4	10.0 8.3	10.0 8.2	10.0 8.4	10.0 8.9	10.0 8.9	10.0 8.9	10.0 8.4	10.0 8.3	10.0 8.2	10.0 8.4	10.0 7.7		
BRIDGE #127 4055065		R(41.5C) 34.669	41.503	C 2007	(2010)	0218		CRACKING RIDE		9.5 8.2	9.5 8.6	9.4 8.7	9.4 8.7	9.4 8.7	9.4 8.7	9.4 8.9	9.4 8.9	9.4 8.9	9.4 8.9	9.4 8.9	9.4 8.9	9.4 8.9	9.4 8.9	9.4 8.9	9.4 8.9	9.4 8.9	9.4 8.9	9.4 8.9	9.4 8.9	9.4 8.9	9.4 8.9	9.4 8.9	9.3 8.9		
70220000 9 I95		36.618 196.5	41.517 201.4	L 3	4 10.5	4 88673 LGD	70	CRACKING RIDE	3.5* 8.6		10.0 8.9	10.0 9.0	10.0 9.0	10.0 9.0	10.0 8.8	9.5 8.8	9.5 8.3	9.5 8.2	9.5 8.2	9.5 8.0	9.5 8.0	9.5 8.0	9.5 8.0	9.5 8.0	9.5 8.0	9.5 8.0	9.5 8.0	9.5 8.0	9.5 8.0	9.5 8.0	9.5 8.0	9.5 8.0	9.5 8.0		
BRIDGE #127 4055065		R(41.5C) 34.669	41.503	C 2007	(2010)	0218		CRACKING RIDE		9.5 8.1	9.5 8.5	9.4 8.4	9.4 8.4	9.4 8.6	9.4 8.8	9.4 9.0	9.4 9.0	9.4 9.0	9.4 9.0	9.4 9.0	9.4 9.0	9.4 9.0	9.4 9.0	9.4 9.0	9.4 9.0	9.4 9.0	9.4 9.0	9.4 9.0	9.4 9.0	9.4 9.0	9.4 9.0	9.4 9.0	8.6 9.1		
70220000 9 I95		34.615 194.5	36.618 196.5	L 3	4 10.5	1 88673 FC5M	70	CRACKING RIDE	4.0* 8.1		10.0 8.9	10.0 9.0	10.0 9.0	10.0 9.0	10.0 8.8	9.5 8.8	9.5 8.3	9.5 8.2	9.5 8.2	9.5 8.0	9.0 7.9	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	7.5 7.8		
4055065		34.669	41.503	C 2007	(2010)	0218		CRACKING RIDE		10.0 8.2	10.0 8.2	10.0 8.2	10.0 8.2	10.0 8.2	10.0 8.1	10.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 7.9	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	9.0 8.0	7.5 7.8		
70220000 9 I95		22.623 182.5	34.615 194.5	L 3	4 10.1	1 86000 FC5M	70	CRACKING RIDE	10.0 9.2	10.0 9.1	10.0 9.0	9.0 9.0	8.0 9.1	7.0 8.9	6.0* 8.7	5.5* 8.6	5.5* 7.8	5.5* 7.6	5.5* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	3.5* 7.3			
4055068		16.588	34.669	C 2008	(2013)	0218		CRACKING RIDE					10.0 8.1	10.0 8.1	10.0 8.0	10.0 8.2	10.0 8.2	9.5 8.2	9.0 8.1	9.0 8.3	9.0 8.3	6.5 8.3	6.4 8.3												
70220000 9 I95		21.134 181.0	22.623 182.5	L 3	4 10.1	7 84500 FC5M	70	CRACKING RIDE	10.0 9.0	10.0 9.1	10.0 9.0	10.0 9.1	9.5 9.0	7.0 8.9	6.0* 8.7	5.5* 8.6	5.5* 7.8	5.5* 7.6	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	4.0* 7.3	3.5* 7.3			
								CRACKING RIDE					10.0 8.1	10.0 8.1	10.0 8.0	10.0 8.2	10.0 8.2	9.5 8.2	9.0 8.1	9.0 8.3	9.0 8.3	10.0 8.9													
70220000 9 I95		16.485 176.4	21.134 181.0	L 3	4 21.6	1 80000 FC5M	70	CRACKING RIDE	9.0 9.2	7.5 9.2	6.5 9.1	4.0* 8.8	4.0* 8.8	4.0* 8.4	3.5* 8.1	3.5* 7.9	10.0 7.8	10.0 7.9	10.0 7.8	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	9.0 7.9			
4055068		16.588	34.669	C 2008	(2013)	0218		CRACKING RIDE					10.0 8.1	10.0 8.1	10.0 8.0	10.0 8.2	10.0 8.2	9.5 8.2	9.0 8.1	9.0 8.3	9.0 8.3	6.5 8.3	6.4 8.3												
70220000 9 I95		12.473 172.4	16.485 176.4	L 3	4 10.1	1 64500 FC5M	70	CRACKING RIDE	9.0 9.2	7.5 9.2	6.5 9.1	4.0* 8.8	4.0* 8.8	4.0* 8.4	3.5* 8.1	3.5* 7.9	10.0 7.8	10.0 7.9	10.0 7.8	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.0	9.0 7.9			
4055063		12.415	16.588	C 2010	(2012)	0218		CRACKING RIDE	7.0 7.8	6.5 7.6		10.0 8.1	10.0 8.0	10.0 8.0	10.0 8.0	10.0 8.4	10.0 8.3	10.0 8.3	9.0 8.3	9.0 8.5	9.0 8.5	7.5 8.5	7.5 8.5												
70220000 9 I95		0.000 159.9	12.473 172.4	L 3	4 15.8	1 48615 FC5M	70	CRACKING RIDE	10.0 8.7	10.0 9.1	10.0 9.0	10.0 8.9	9.5 9.0	9.5 8.7	8.0 8.6	7.0 8.6	7.0 7.8	7.0 7.6	6.5 7.4	4.5* 7.5	4.5* 7.4														
4130721		0.000	12.442	C 2012	(2016)	0218		CRACKING RIDE	10.0 8.3	10.0 8.2	10.0 8.2	10.0 8.1				10.0 8.6	10.0 8.6	10.0 8.5	10.0 8.5	10.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	8.0 8.6			
70225000 9 I95		0.000 201.4	3.060 204.5	R 3	4 15.6	4 69000 LGD	70	CRACKING RIDE	4.5* 8.4	4.0* 7.7		10.0 8.9	10.0 9.0	10.0 9.0	10.0 8.8	10.0 8.8	10.0 8.4	9.5 8.2	9.5 8.3	8.5 8.4															
KING ST(0.0C) 4055065		0.000	3.298	C 2007	(2010)	0218		CRACKING RIDE		9.5 8.0	9.5 8.3	9.4 8.4	9.4 8.5	9.4 8.5	9.4 8.5	9.4 8.6	9.4 8.6	9.4 8.6	9.4 8.6	9.4 8.6	9.4 8.6	9.4 8.6	9.4 8.6	9.4 8.6	9.4 8.6	9.4 8.6	9.4 8.6	9.4 8.6	9.4 8.6	9.4 8.6	9.4 8.6	8.9 8.7	8.9 8.7		
70225000 9 I95		3.060 204.5	18.075 219.5	R 3	4 19.8	1 41000 FC5M	70	CRACKING RIDE	10.0 8.2	10.0 8.9	6.5 9.0	4.5* 8.3	4.5* 8.2	3.5* 7.7	10.0 8.3	10.0 8.3	9.5 7.7	9.5 7.6	9.5 7.5	8.0 7.7	6.5 7.5	6.5 7.5													
4055062		3.396	18.408	C 2011	(2015)	0218		CRACKING RIDE	4.5* 7.4	4.5* 7.1	4.5* 6.7				10.0 8.4	10.0 8.5	10.0 8.5	10.0 8.4	10.0 8.4	10.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6	9.0 8.6			

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = BREVARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
70225000	18.075	31.190	R	4	1	70	CRACKING	9.0	9.0	9.0	8.0	8.0	7.0	6.0*	6.0*	4.0*	10.0	10.0	10.0	10.0	
9 I95	219.5	232.6	3	19.8	36146	RIDE		7.9	9.1	9.1	9.0	9.1	9.0	8.8	8.5	7.9	7.9	7.9	8.2	8.2	
					FC5M																
4068698	18.309	31.190	C	2012	0218	CRACKING		9.5	9.5	9.5	10.0	10.0				10.0	10.0	9.0	9.0	9.0	7.3
				(2017)		RIDE		8.2	8.1	8.0	8.4	8.2				8.4	8.4	8.4	8.4	8.4	8.4
70225000	17.900	31.190	L	4	1	70	CRACKING	7.5	9.0	9.0	8.0	7.0	6.0*	6.0*	4.0*	3.5*	10.0	10.0	10.0	10.0	
9 I95	219.3	232.6	3	19.8	36146	RIDE		7.9	9.1	9.1	9.0	8.9	8.8	8.5	8.4	7.5	8.0	7.9	8.2	8.2	
					FC5M																
4068698	18.309	31.190	C	2012	0218	CRACKING		10.0	10.0	10.0	10.0	10.0				10.0	10.0	9.0	9.0	9.0	7.3
				(2017)		RIDE		8.2	8.1	8.0	8.5	8.4				8.4	8.4	8.3	8.4	8.4	8.4
70225000	3.060	17.900	L	4	1	70	CRACKING	10.0	10.0	6.5	6.5	4.5*	3.5*	10.0	10.0	9.5	9.5	9.5	7.0	6.0*	
9 I95	204.5	219.3	3	19.8	41000	RIDE		8.1	8.9	9.2	8.9	8.6	8.0	8.6	8.7	7.9	7.9	7.7	7.7	7.5	
					FC5M																
4055062	3.396	18.408	C	2011	0218	CRACKING		5.5*	5.5*	3.5*				10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.4
				(2015)		RIDE		7.2	6.8	7.3				8.4	8.5	8.4	8.4	8.4	8.5	8.4	8.4
70225000	0.000	3.060	L	4	4	70	CRACKING	4.0*	4.0*		10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	6.5		
9 I95	201.4	204.5	3	15.6	69000	RIDE		8.2	7.9		8.9	8.9	8.8	8.7	8.7	8.2	8.1	7.9	8.0		
					LGD																
4055065	0.000	3.298	C	2007	0218	CRACKING			9.5	9.5	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.4	9.5	9.4
				(2010)		RIDE			7.7	8.1	8.2	8.1	8.3	8.4	8.6	8.6	8.6	8.6	8.7	8.7	8.7
70470000	0.000	0.815	R	5	8	70	CRACKING														
528	35.8	36.6	2	12.8	50000	RIDE															
					FC5M																
BRIDGE #84	L(0.0C)						CRACKING								6.5	5.5*	5.5*	5.5*			
							RIDE								7.4	7.3	7.2	6.9			
4394791	0.000	9.956	C	2018	0012																
70470000	0.815	1.670	C	5	8	70	CRACKING														
528	36.6	37.4	2	12.8	20000	RIDE															
					FC5M																
SR 407 NB(1.2L)							CRACKING								6.5	5.5*	5.5*	3.5*			
							RIDE								7.8	7.8	7.8	7.7			
4394791	0.000	9.956	C	2018	0012																
70470000	1.670	6.500	R	5	8	70	CRACKING														
528	37.4	42.3	2	12.8	41000	RIDE															
					FC5M																
							CRACKING								6.5	6.5	6.5	4.5*			
4394791	0.000	9.956	C	2018	0012										7.9	7.9	8.0	7.7			
70470000	6.500	9.956	R	5	8	70	CRACKING														
528	42.3	45.7	2	10.3	31700	RIDE															
					FC5																
							CRACKING								6.5	6.5	6.5	6.5			
4394791	0.000	9.956	C	2018	0012										8.0	8.0	8.0	8.0			
70470000	6.500	9.956	L	5	8	70	CRACKING														
528	42.3	45.7	2	10.3	31700	RIDE															
					FC5																
							CRACKING								6.5	6.5	6.5	4.5*			
4394791	0.000	9.956	C	2018	0012										8.1	8.0	8.1	7.9			
70470000	1.670	6.500	L	5	8	70	CRACKING														
528	37.4	42.3	2	12.8	41000	RIDE															
					FC5M																
							CRACKING								6.5	5.5*	5.5*	3.5*			
4394791	0.000	9.956	C	2018	0012										7.8	7.7	7.9	7.5			
70470000	0.000	0.815	L	5	8	70	CRACKING														
528	35.8	36.6	2	12.8	50000	RIDE															
					FC5M																
BRIDGE #84	L(0.0C)						CRACKING								6.5	5.5*	5.5*	5.5*			
							RIDE								8.0	7.8	7.7	7.7			
4394791	0.000	9.956	C	2018	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

