

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = FLAGLER																			
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
INTERSECT AT (MP SIDE)																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P														
CONTRACTOR (AGE_ONE YEAR)					ASTYPE														
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F														
																			FUTURE
																			2026
																			(REG)
73001000	0.000	11.553	R	4	8	70	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	5.5*	
9 I95	278.3	289.9	3	4.6	81401	RIDE		8.2	9.0	9.1	9.0	9.0	8.8	8.7	8.5	7.8	7.7	7.2	
					FC5M														
2423401	0.000	11.553	C	2005	0218	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*
SUPERIOR CONSTRUCTION COMP(2009)					SPRIDE			8.1	8.1	8.0	8.0	8.0	7.8	7.7	8.1	8.0	8.3	8.1	8.1
4380031	0.000	11.738	C	2019	0012														
73001000	11.553	18.729	R	4	8	70	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0		10.0
9 I95	289.9	297.1	3	4.6	53000	RIDE		8.2	9.0	9.1	9.0	9.0	8.8	8.7	8.5	7.8	7.7		7.8
					FC5M														
2423411	11.070	18.729	C	2005	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	6.5	6.5	
SUPERIOR CONSTRUCTION COMP(2008)					SPRIDE			7.5	7.9	7.9	7.9	7.9	7.8	7.6	8.1	8.0	8.4	8.2	
4380032	11.738	18.671	C	2019	0012														
73001000	11.553	18.729	L	4	8	70	CRACKING	10.0	9.5	9.5	9.5	8.0	8.0	7.5	7.5	6.5	6.5		10.0
9 I95	289.9	297.1	3	4.6	53000	RIDE		8.4	9.1	9.1	8.9	8.8	8.6	8.6	8.4	7.8	7.6		7.8
					FC5M														
2423411	11.070	18.729	C	2005	0218	CRACKING	10.0	10.0	10.0	9.5	9.5	9.0	7.5	6.5	6.5	5.5*	3.5*		
SUPERIOR CONSTRUCTION COMP(2008)					SPRIDE			7.6	8.0	7.9	7.7	7.7	7.5	7.4	8.0	7.8	8.1	7.7	
4380032	11.738	18.671	C	2019	0012														
73001000	0.000	11.553	L	4	8	70	CRACKING	10.0	9.5	9.5	9.5	8.0	8.0	7.5	7.5	6.5	6.5	4.5*	
9 I95	278.3	289.9	3	4.6	81401	RIDE		8.4	9.1	9.1	8.9	8.8	8.6	8.6	8.4	7.8	7.6	7.1	
					FC5M														
2423401	0.000	11.553	C	2005	0218	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	5.5*	3.5*	3.5*	
SUPERIOR CONSTRUCTION COMP(2009)					SPRIDE			8.0	8.1	7.9	7.9	7.9	7.6	7.4	8.0	7.9	8.0	7.7	7.7
4380031	0.000	11.738	C	2019	0012														
73010000	0.000	9.657	R	1	1	65	CRACKING	0.0*	0.0*	0.0*	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5
5 1			2	9.9	12936	RIDE		8.0	7.8	7.6	8.4	8.8	8.8	8.8	8.9	7.9	8.0	7.9	7.7
					FC5AW														
ALDENHAM LN(0.3R)					0012	CRACKING	7.5	7.5	7.0	6.5	6.5	6.5			10.0	10.0	10.0	9.0	6.3
4272771	0.000	8.990	C	2013	0012	RIDE		7.8	7.8	7.7	7.7	7.6	7.3		8.3	8.3	8.5	8.4	8.4
P & S PAVING, INC.				(2016)															8.4
73010000	9.657	10.870	R	1	1	35	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0	6.0*
5 1			2	9.9	20000	RIDE		8.2	8.2	8.2	8.3	8.1	8.1	8.0	8.1	7.4	7.4	7.0	6.7
					FC125R														
HIBISCUS AVE(9.7R)					0012	CRACKING	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0
4220011	9.657	10.870	C	2010	0012	RIDE		7.1	7.1	7.2	8.2	8.1	8.1	7.6	7.6	7.5	7.2	7.2	6.2
COMMERCIAL INDUSTRIAL CORP(2012)																			
73010000	10.870	23.673	R	1	1	65	CRACKING	10.0	9.5	9.5	9.5	8.0	8.0	7.5	7.5	7.5	7.5	10.0	10.0
5 1			2	8.1	12000	RIDE		8.7	8.1	8.5	9.0	8.9	8.9	8.9	8.9	8.3	8.2	8.1	7.7
					FC5M														
GRAND RESERVE BLVD(11.9R)					0012	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	7.5	6.5
4135711	10.890	23.673	C	2005	0012	SPRIDE		8.0	8.1	8.1	8.1	8.2	8.0	7.9	8.3	8.2	8.5	8.4	8.4
ANDERSON COLUMBIA CO., INC(2007)																			8.4
73010000	10.870	23.673	L	1	1	65	CRACKING	9.5	8.0	7.5	7.5	7.5	7.5	4.5*	4.5*	3.0*	3.0*	3.0*	10.0
5 1			2	8.1	12000	RIDE		8.2	8.2	8.3	8.6	8.5	8.5	8.4	8.3	7.6	7.5	7.3	8.2
					FC5M														7.8
CHURCH ST(10.9L)					0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5
4135711	10.890	23.673	C	2005	0012	SPRIDE		8.1	8.2	8.1	8.1	8.2	8.1	8.0	8.3	8.2	8.4	8.3	8.3
ANDERSON COLUMBIA CO., INC(2007)																			8.3
73010000	9.657	10.870	L	1	1	35	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	7.0	7.0	6.5
5 1			2	9.9	20000	RIDE		8.4	8.6	8.8	8.4	8.5	8.2	8.1	8.2	7.6	7.7	7.2	6.8
					FC125R														
RAILROAD ST L(9.9L)					0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0
4220011	9.657	10.870	C	2010	0012	RIDE		7.4	7.1	7.1	7.9	7.8	7.8	7.6	6.8	6.8	7.2	7.1	6.9
COMMERCIAL INDUSTRIAL CORP(2012)																			6.1
73010000	0.000	9.657	L	1	1	65	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	9.0
5 1			2	9.0	12936	RIDE		8.4	8.0	8.2	8.6	8.5	8.4	8.2	9.0	8.4	8.4	8.3	7.9
					FC5AW														
CIRCLE S RD(0.3L)					0012	CRACKING	6.5	6.5	6.0*	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	9.5	8.0
4272771	0.000	8.990	C	2013	0012	RIDE		8.1	8.2	8.1	8.0	8.0	7.8		8.1	8.2	8.3	8.1	8.1
P & S PAVING, INC.				(2016)															8.0
73020000	0.000	0.620	R	1	1	35	CRACKING	8.0	7.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	9.5	9.5	10.0
100			1	4.5	12600	RIDE		8.9	8.8	8.6	8.4	8.3	8.2	7.7	8.2	7.9	7.5	7.7	8.4
					FC125														
US-1/SR-5(0.0R)					0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
2379651	0.000	2.237	C	2005	0213	SPRIDE		7.2	8.0	8.0	8.0	7.6	7.4	7.3	6.7	7.1	7.1	7.0	6.9
P & S PAVING, INC.				(2008)															6.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

							DISTRICT = 5 COUNTY = FLAGLER																
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008			
INTERSECT AT (MP SIDE)							=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																	
CONTRACTOR (AGE_ONE YEAR)								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)		
73020000	0.620	2.400	R	1	1 50	CRACKING	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	9.5	9.5		10.0			
100			2	13.3	12600	RIDE	8.2	8.2	8.0	8.1	8.1	8.1	8.0	8.4	8.5	8.0	8.0	7.9		7.7			
COMMERCE PKWY(0.9R)					OGFC																		
2379651	0.000	2.237	C	2005	0213	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	7.5	7.5	4.5*	4.5*	4.5		
P & S PAVING, INC.				(2008)	SPRIDE		7.2	7.7	7.7	7.8	7.7	7.6	7.1	7.3	7.5	7.5	7.5	7.5	7.4	7.4	7.3		
4452191	0.615	5.166	C	2024	0012																		
73020000	2.400	4.662	R	1	1 50	CRACKING	7.0	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0		10.0	10.0	10.0				
100			2	7.9	21500	RIDE	8.2	8.2	8.0	8.0	8.2	8.0	8.4	8.5	8.0		7.9	7.9	7.8				
BELLE PKWY(2.4R)					OGFC																		
2379251	2.324	4.488	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5		
				(2006)	SPRIDE		7.7	8.1	8.0	8.0	8.1	8.0	7.6	7.8	7.8	8.1	8.0	7.9	8.0	8.0	8.0		
4452191	0.615	5.166	C	2024	0012																		
73020000	4.662	4.920	R	1	1 45	CRACKING	7.0	4.5*	9.5	9.5	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	7.0			
100			2	4.9	28000	RIDE	8.2	8.2	8.0	6.4*	8.7	8.7	8.6	8.5	7.9	7.9	7.9	7.4	7.4	7.1			
					OGFC																		
				(2012)	CRACKING		6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	3.5*	3.5*	0.9			
4452191	0.615	5.166	C	2024	0012	RIDE	7.0	7.1	7.0	6.6	6.7	6.7	6.7	6.2	6.1	6.2	6.1	5.9	6.0	5.4			
73020000	4.920	7.325	R	1	1 55	CRACKING	7.0	4.5*	4.5*		10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	7.0			
100			2	4.4	21007	RIDE	8.2	8.2	8.1		8.7	8.7	8.6	8.5	7.9	7.9	7.4	7.4	7.1				
CR 2001(5.0R)					FC5																		
4272321	4.920	8.191	C	2013	0012	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	9.0	9.0	9.0	7.6			
HALIFAX PAVING, INC.				(2016)	RIDE		7.0	7.1	7.0	7.0	7.0	6.6		8.0	7.9	8.2	8.1	8.1	8.1	8.1	8.1		
73020000	7.850	8.191	R	1	6 35	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0			
100			2	4.5	16200	RIDE				7.6	6.8	6.7	6.6	7.0	6.4	6.7	6.4	6.3	6.5				
PALMETTO AVE(7.9C)					FC125R																		
4272321	4.920	8.191	C	2013	0012	CRACKING	9.0	7.5	7.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
HALIFAX PAVING, INC.				(2016)	RIDE		6.3	6.3	6.7	6.2	6.4	6.3											
73020000	7.850	8.191	L	1	6 35	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0			
100			2	4.5	16200	RIDE				7.5	6.4*	6.1*	7.3	8.0	6.9	6.7	6.7	6.7	6.7				
PALMETTO AVE(7.9C)					FC125R																		
4272321	4.920	8.191	C	2013	0012	CRACKING	8.0	8.0	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
HALIFAX PAVING, INC.				(2016)	RIDE		6.5	6.6	6.6	6.5	6.5	6.4	6.1										
73020000	4.920	7.325	L	1	1 55	CRACKING	7.0	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.5	7.5	7.5	6.5				
100			2	4.4	21007	RIDE	8.2	8.2	8.1		8.8	8.5	8.6	8.6	8.0	8.0	7.6	7.6	7.2				
FROM OLD KINGS RD(5.0L)					FC5																		
4272321	4.920	8.191	C	2013	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	9.0	9.0	8.0	6.3			
HALIFAX PAVING, INC.				(2016)	RIDE		6.8	7.3	7.1	7.1	7.3	6.9		8.2	8.1	8.3	8.3	8.2	8.3	8.3	8.3		
73020000	4.662	4.920	L	1	1 45	CRACKING	7.0	4.5*	9.5	9.5	10.0	10.0	10.0	10.0	10.0	9.5	7.5	7.5	6.5				
100			2	4.9	28000	RIDE	8.2	8.2	8.0	6.4*	8.8	8.5	8.6	8.6	8.0	8.0	7.6	7.6	7.2				
					OGFC																		
				(2012)	CRACKING		4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	4.5*	2.1			
4452191	0.615	5.166	C	2024	0012	RIDE	6.8	7.3	7.1	6.4	6.3	6.6	6.5	5.9	5.8	5.9	5.8	5.9	5.9	5.3			
73020000	2.400	4.662	L	1	1 50	CRACKING	7.0	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0		10.0	10.0	10.0				
100			2	7.9	21500	RIDE	8.2	8.2	8.0	8.0	8.2	8.0	8.4	8.5	8.0		7.8	7.9	7.9				
BELLE TERRE PKWY(2.4L)					OGFC																		
2379251	2.324	4.488	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0			
				(2006)	SPRIDE		7.7	8.1	8.1	8.1	8.1	8.2	7.9	8.0	7.9	8.1	8.1	8.0	8.1	8.1			
4452191	0.615	5.166	C	2024	0012																		
73020000	0.620	2.400	L	1	1 50	CRACKING	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	9.5	9.5		10.0				
100			2	13.3	12600	RIDE	8.2	8.2	8.0	8.1	8.1	8.0	8.4	8.5	8.0	8.0	7.9		7.9				
CITRUS BLVD(0.7L)					OGFC																		
2379651	0.000	2.237	C	2005	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	4.5*	4.5*	4.4			
P & S PAVING, INC.				(2008)	SPRIDE		7.4	8.0	8.0	8.0	8.0	7.7	7.7	7.5	7.7	7.7	7.8	7.7	7.7	7.7	7.6		
4452191	0.615	5.166	C	2024	0012																		
73020000	0.000	0.620	L	1	1 35	CRACKING	8.0	7.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	9.5	9.5	9.5	10.0				
100			1	4.5	12600	RIDE	8.9	8.8	8.6	8.4	8.3	8.2	7.7	8.2	7.9	7.5	7.7	7.8	8.4				
US-1/SR-5/SR-100(0.0L)					FC125																		
2379651	0.000	2.237	C	2005	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC.				(2008)	SPRIDE		7.2	8.0	7.9	7.4	7.5	7.8	7.3	7.1	6.9	7.1	7.1	7.1	7.1	7.1	6.5		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

```

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = FLAGLER																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P		=====															
ITMSEG-P	(AGE_ONE YEAR)				ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
73030001	0.000	0.940	R	1	1 55	CRACKING		10.0	9.5	9.5	9.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0		
A1A			2	2.5	5400	RIDE		8.4	7.5	7.4	8.0	8.6	8.5	8.4	7.4	7.2	7.6	7.3	7.5	7.3		
SR A1A(0.0C)					FC125R																	
4272531	0.053	0.879	C	2013	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
DUVAL ASPHALT PRODUCTS, IN(2014)						RIDE		7.2	7.2	7.3	7.1	7.3	8.0	7.4	7.4	7.2	7.6	7.4	7.6	7.7	7.5	
73030001	0.000	0.940	L	1	1 55	CRACKING		9.5	8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0		
A1A			2	2.5	5400	RIDE		7.6	7.6	7.6	8.1	8.8	8.7	8.5	8.3	7.4	7.4	7.4	7.3	7.1		
SR A1A(0.0C)					FC125R																	
4272531	0.053	0.879	C	2013	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
DUVAL ASPHALT PRODUCTS, IN(2014)						RIDE		7.0	7.1	7.0	6.6	7.5	8.0	8.0	7.4	7.3	7.7	7.7	7.7	7.7	7.5	
73040000	0.000	16.978	C	1	1 60	CRACKING		4.0*		10.0	10.0	10.0	10.0	8.0	8.0	6.5	6.5	6.5	6.5	5.5*		
20			2	13.3	4200	RIDE		8.7		8.8	9.0	9.0	8.9	8.6	8.8	7.9	7.7	7.5	7.2	6.7		
ANDALUSIA TR(3.1R)					FC95																	
4171831	0.000	16.978	C	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.3	
HALIFAX PAVING, INC.				(2009)		SPRIDE		7.7	8.9	8.8	8.9	8.8	8.8	8.2	8.2	8.3	8.4	8.3	8.2	8.3	8.1	
73040000	16.978	17.684	C	1	1 40	CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0		
20			2	12.1	9100	RIDE		8.5	8.5	8.5	8.0	8.0	7.7	7.8	8.1	7.3	7.6	7.3	7.1	7.3		
E WOODLAND AVE(17.5C)					FC125M																	
4323461	16.978	17.684	C	2017	0012	CRACKING		10.0	9.5	8.0	7.0	7.0	7.0	7.0	6.0*	6.0*	6.5	6.5	10.0	10.0		
CHEYENNE ASSOCIATES, INC				(2020)		SPRIDE		6.1	7.0	7.0	6.9	6.4	6.0	6.2	6.0	5.8	7.1	6.9	6.9	6.8		
73050000	0.000	15.477	C	1	1 60	CRACKING		9.0	8.0	7.0	7.0	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		
11			2	14.5	3800	RIDE		8.1	7.9	8.0	8.5	8.4	8.0	8.3	8.2	7.6	7.4	7.1	6.8	6.8		
CR 304(6.0C)					FC125																	
4171411	0.000	15.507	C	2008	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	6.0*	6.0*	5.4	
P & S PAVING, INC.				(2009)		SPRIDE		8.4	8.4	8.5	8.3	8.2	8.3	7.6	7.7	7.8	8.1	8.0	7.9	7.9	7.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).