

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

SR	US	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																FUTURE
INTERSECT	AT	(MP)	(SIDE)		T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008				
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																				
CONTRACTOR	(AGE)	(ONE YEAR)			ASTYPE																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	(REG)			
79001000	0.000	1.812	R	1	1	55	CRACKING	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0				
400			2	5.0		31500	RIDE	8.4	8.0	8.0	8.6	8.6	8.5	8.6			8.2	8.1	8.1	7.9	8.3				
BEGIN SECTION(0.0C)				FC5																				
4041241	0.000	4.216	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	5.4			
P & S PAVING				(2004)		SPRIDE		8.3	8.3	8.3	8.3	8.3	8.2	8.2	8.2	8.4	8.2	8.3	8.4	8.2	8.2	8.2			
4429061	0.250	1.812	C	2023		0012																			
79001000	1.812	4.196	R	1	1	45	CRACKING	8.0	8.0	7.0	4.5*	4.5*	4.5*	4.5*			10.0	10.0	10.0	10.0	10.0				
400			2	4.0		24500	RIDE	8.3	8.4	8.4	8.0	8.0	7.9	7.7			7.7	7.6	7.5	7.5	7.6				
WOODCREST DR(2.0R)				DGFC																				
4306771	1.812	4.161	C	2016		0012	CRACKING	8.5	8.5	7.5	7.5	7.5	7.5	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
P & S PAVING, INC.				(2017)		RIDE		7.7	7.7	7.1	7.7	7.5	7.6	7.5	7.3	8.1	8.0	8.0	8.0	7.9	7.9	7.6			
79001000	1.812	4.196	L	1	1	45	CRACKING	8.5	7.0	7.0	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0				
400			2	4.0		24500	RIDE	8.3	8.5	8.3	7.8	7.8	7.8	7.8			7.8	7.7	7.2	7.7	7.7				
WOODCREST DR(2.0L)				DGFC																				
4306771	1.812	4.161	C	2016		0012	CRACKING	8.5	7.5	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
P & S PAVING, INC.				(2017)		RIDE		7.8	7.8	7.4	7.7	7.7	7.7	7.5	7.4	8.0	8.0	7.8	7.8	7.8	7.7	7.3			
79001000	0.000	1.812	L	1	1	55	CRACKING	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0				
400			2	5.0		31500	RIDE	8.5	8.6	8.0	8.8	8.7	8.7	8.6			8.2	8.2	8.1	8.2	8.1				
BEGIN SECTION(0.0C)				FC5																				
4041241	0.000	4.216	C	2002		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	5.4			
P & S PAVING				(2004)		SPRIDE		8.1	8.2	8.1	8.2	8.1	8.2	8.1	8.3	8.2	8.3	8.3	8.3	8.2	8.2	8.2			
4429061	0.250	1.812	C	2023		0012																			

```

**" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
**" INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P		=====															
ITMSEG-P	(AGE_ONE YEAR)				ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																	
79002000	26.000	30.086	L	4	7 65	CRACKING		3.5*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0		
9 I95	258.6	262.7	3	7.8	68000	RIDE		7.5	7.3	8.0	9.2	9.1	9.0	8.9	9.0		8.0	8.0	8.0	7.9		
					FC5M																	
2427152	16.899	30.755	C	2015	0213	CRACKING		8.0	7.5	7.0	7.0	7.0	7.0	6.5	6.5					10.0		
				(2021)		RIDE		7.7	7.9	7.9	7.8	7.6	7.5	7.3	7.7					8.5		
79002000	16.899	26.000	L	4	1 70	CRACKING			10.0	10.0	10.0	10.0	7.0	6.0*	3.5*	3.5*	3.5*		10.0	10.0		
9 I95	249.5	258.6	3	7.8	24000	RIDE			8.9	8.8	9.1	9.0	9.0	8.9	8.8	8.0	7.7		8.4	8.3		
					FC5M																	
2427152	16.899	30.755	C	2015	0213	CRACKING		8.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5			10.0	10.0	10.0	10.0	
				(2019)		RIDE		8.4	8.3	8.3	8.3	8.3	8.2	8.3				8.4	8.3	8.4	8.4	
79002000	0.000	16.899	L	4	1 70	CRACKING			10.0	10.0	10.0	10.0	7.0	6.0*	3.5*	3.5*	3.5*		10.0	10.0		
9 I95	232.6	249.5	3	19.8	33000	RIDE			8.9	8.8	9.1	9.0	9.0	8.9	8.8	8.0	7.7		8.4	8.3		
					FC5M																	
4068698	0.000	16.896	C	2013	0218	CRACKING		8.0	7.5	7.5	7.5	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	
				(2017)		RIDE		8.4	8.3	8.3	8.3	8.3	8.2			8.6	8.6	8.6	8.6	8.7	8.7	
79010000	0.000	6.646	R	1	1 65	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	6.5	6.5		10.0		
5 I			2	4.4	4200	RIDE		8.7	8.4	8.1	8.9	8.6	8.9	8.8	8.8	8.1	8.1	7.9		8.1		
					FC5																	
CO LINE DITCH RD(0.0R)																						
4135951	0.000	6.646	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	2.9	
RANGER CONSTRUCTION INDUST(2008)					SPRIDE			8.0	7.9	8.0	7.9	7.8	7.6	7.7	7.8	7.9	7.7	7.8	7.7	7.6	7.5	
4438131	0.000	6.663	C	2022	0012																	
79010000	6.646	14.746	R	1	1 55	CRACKING		9.0	6.5	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	9.0	9.0	9.0		
5 I			2	3.6	14348	RIDE		8.2	7.9	7.9	8.3	8.1	7.9		8.8	8.0	8.0	8.0	8.0	7.9		
					FC5M																	
CANAL AVE(7.0R)																						
4306781	6.646	14.746	R	2016	0012	CRACKING		9.0	9.0	9.0	7.5	7.5	7.5	6.5	6.0*			10.0	10.0	10.0	10.0	
P & S PAVING, INC.				(2019)		RIDE		7.8	7.7	7.8	7.6	7.6	7.4	7.4	7.6			8.6	8.5	8.5	8.2	
79010000	14.746	20.040	R	1	1 40	CRACKING		7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5		
5 I			2	4.4	26000	RIDE		7.7		8.8	8.8	8.7	8.7	8.7	8.6	8.0	8.0	7.9	7.9	8.0		
					FC125R																	
ORANGE AVE(14.8R)																						
4220181	14.746	20.040	C	2010	0012	CRACKING		7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	
HALIFAX PAVING, INC.				(2012)		RIDE		8.0	7.8		8.2	8.1	8.2	8.1	7.9	7.9	7.8	7.8	7.6	7.7	7.3	
79010000	20.040	24.229	R	1	1 55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5		
5 I			2	4.4	24500	RIDE		9.2	9.0	8.8	8.8	8.9	8.9	8.8	8.8	8.3	8.3	8.2	8.2	8.1		
					OGFC																	
INLET SHORES DR(20.6R)																						
4220191	20.040	24.234	C	2010	0012	CRACKING		6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
HALIFAX PAVING, INC.				(2011)		RIDE		8.1	8.0	8.3	8.3	8.3	8.3	8.3	8.4	8.4	8.3	8.3	8.3	8.3	8.3	
79010000	24.229	26.882	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5		
5 I			2	7.1	15900	RIDE		9.0	8.9	8.8	8.8	8.7	8.7	8.6	8.0	8.0	8.0	7.7	7.9	7.8		
					FC125A																	
HARBOR RD(24.5R)																						
4286881	24.229	26.879	C	2015	0012	CRACKING		7.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	
HALIFAX PAVING, INC.				(2017)		RIDE		7.7	7.8	7.8	7.6	7.6	7.6	7.2		7.9	7.8	7.8	7.7	7.7	7.4	
79010000	26.882	28.722	R	1	2 40	CRACKING		9.1	9.0	9.0	9.0	9.0	8.9	8.9	8.8	8.8	8.8	8.7	8.6	8.5		
5 I			2	4.4	25000	RIDE		7.8	8.0	7.9	7.4	7.4	7.2	7.2	7.3	6.8	6.7	6.6	6.6	6.8		
					B																	
CARLTON PL(26.9R)																						
				(2021)		CRACKING		7.9	8.3	8.7	8.6	8.6	8.0	8.2	8.0	8.1	8.3	8.2		9.3		
						RIDE		6.7	6.5	6.8	6.7	6.7	6.6	6.5	6.4	6.3	6.4	6.3		6.4		
79010000	28.722	29.400	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5		
5 I			2	4.4	27500	RIDE		8.9	8.8	8.8	8.6	8.5	8.4	8.5	8.2	7.8	7.7	7.6	7.5	7.5		
					FC3																	
SANDY CIR(28.7R)																						
2409311	28.676	32.696	C	1994	0012	CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	6.5	
MARTIN PAVING CO				(1995)	S	RIDE		7.4	7.4	6.9	7.7	7.4	7.7	7.8	7.9	7.9	7.8	7.7	7.5	7.7	7.0	
79010000	29.400	30.564	R	1	1 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5		
5 I			2	4.4	24500	RIDE		8.9	8.8	8.8	8.6	8.5	8.4	8.5	8.2	7.8	7.7	7.6	7.5	7.5		
					DGFC																	
RIDGE BLVD(29.4C)																						
				(2015)		CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3	
						RIDE		7.4	7.4	6.9	7.7	7.4	7.7	7.8	7.6	7.6	7.6	7.5	7.4	7.4	7.1	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																				
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																				(REG)
79010000	30.564	32.540	R	1	1 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5					
5 1			2	6.0	33000	RIDE		8.9	8.8	8.8	8.6	8.5	8.4	8.5	8.2	7.8	7.7	7.6	7.5	7.5					
BEVILLE RD(30.6R)					FC125R																				
			(2012)			CRACKING		8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.0					5.7
						RIDE		7.4	7.4	6.9	7.6	7.6	7.5	7.5	7.4	7.3	7.3	7.2	7.1	7.1					6.8
79010000	32.540	32.696	R	1	6 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5					
5 1			2	4.0	31000	RIDE		8.9	8.8	8.8	8.6	8.5	8.4	8.5	8.2	7.8	7.7	7.6	7.5	7.5					
MAGNOLIA AVE(32.6C)					FC125R																				
			(2017)			CRACKING		8.5	8.5	8.5	8.0	8.0	8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0					10.0
						RIDE		7.4	7.4	6.9	6.5	6.1	6.1												
79010000	32.540	32.696	L	1	6 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5					
5 1			2	4.0	31000	RIDE		9.0	9.1	9.1	8.8	8.8	8.8	8.7	8.5	8.0	7.9	7.9	7.3	7.8					
MAGNOLIA AVE(32.6C)					DGFC																				
4324421	32.557	32.696	L	2016	0012	CRACKING		7.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0					10.0
ATLANTIC CIVIL CONSTRUCTOR(2017)						RIDE		7.8	7.6	7.4	5.0*	5.0*	4.8*												
79010000	30.564	32.540	L	1	1 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5					
5 1			2	6.0	33000	RIDE		9.0	9.1	9.1	8.8	8.8	8.8	8.7	8.5	8.0	7.9	7.9	7.3	7.8					
RUTLEDGE AVE(30.6L)					FC125R																				
			(2012)			CRACKING		7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0					7.0
						RIDE		7.8	7.6	7.4	8.2	8.1	8.1	8.1	7.9	7.9	7.8	7.8	7.7	7.8					7.4
79010000	29.400	30.564	L	1	2 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5					
5 1			2	4.4	24500	RIDE		9.0	9.1	9.1	8.8	8.8	8.8	8.7	8.5	8.0	7.9	7.9	7.3	7.8					
RIDGE BLVD(29.4C)					DGFC																				
			(2015)			CRACKING		7.5	7.5	7.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0					8.3
						RIDE		7.8	7.6	7.4	7.9	7.8	7.9	7.9	7.8	7.7	7.7	7.7	7.6	7.6					7.3
79010000	28.722	29.400	L	1	2 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5					
5 1			2	4.4	27500	RIDE		9.0	9.1	9.1	8.8	8.8	8.8	8.7	8.5	8.0	7.9	7.9	7.3	7.8					
REED CANAL RD(28.7L)					FC3																				
2409311	28.676	32.696	C	1994	0012	CRACKING		7.5	7.5	7.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.5				6.0	
MARTIN PAVING CO			(1995)		S	RIDE		7.8	7.6	7.4	7.9	7.8	7.9	8.0	7.8	7.8	7.7	7.7	7.5	7.5					7.0
79010000	26.882	28.722	L	1	2 40	CRACKING		8.9	8.9	8.9	8.8	8.8	8.7	8.6	8.6	8.6	8.6	8.5	7.8	7.1					
5 1			2	4.4	25000	RIDE		7.7	7.9	7.8	7.2	7.3	7.2	7.3	7.2	6.6	6.6	6.4	6.3	6.5					
WHITE PL(27.0C)					B																				
			(2021)			CRACKING		8.1	7.9	8.1	8.0	8.0	7.0	7.0	6.8	6.7	6.7	6.7		9.2					
						RIDE		6.4	6.5	6.6	6.5	6.4	6.1	6.5	6.3	6.3	6.3	6.2		6.2					
79010000	24.229	26.882	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0					
5 1			2	7.1	15900	RIDE		9.1	9.1	9.1	8.8	8.4	8.7	8.5	8.6	8.1	8.0	8.1	8.0	8.1					
BAYSHORE DR L(24.8L)					FC125A																				
4286881	24.229	26.879	C	2015	0012	CRACKING		8.5	8.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	8.5				7.6	
HALIFAX PAVING, INC.			(2017)			RIDE		7.9	7.9	7.9	7.9	7.8	7.8	7.5	7.5	7.8	7.7	7.7	7.6	7.6					7.3
79010000	20.040	24.229	L	1	1 55	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0					
5 1			2	4.4	24500	RIDE		9.2	9.1	9.0	8.9	8.9	9.0	8.8	8.8	8.2	8.2	7.9	7.9	8.0					
SKYLINE DR(20.7L)					OGFC																				
4220191	20.040	24.234	C	2010	0012	CRACKING		6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0				9.0	
HALIFAX PAVING, INC.			(2011)			RIDE		7.8	7.8	8.2	8.2	8.2	8.2	8.2	8.1	8.3	8.3	8.2	8.2	8.2					8.2
79010000	14.746	20.040	L	1	1 40	CRACKING		8.5		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0					
5 1			2	4.4	26000	RIDE		7.9		9.0	8.8	8.8	8.7	8.7	8.6	8.2	8.2	7.9	7.9	8.0					
TURGOT AVE(14.9L)					FC125R																				
4220181	14.746	20.040	C	2010	0012	CRACKING		6.5	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				8.9	
HALIFAX PAVING, INC.			(2012)			RIDE		7.8	7.8		8.3	8.2	8.2	8.2	8.0	8.0	7.9	7.9	7.8	7.8					7.5
79010000	11.467	14.746	L	1	1 55	CRACKING		7.5	6.5	4.5*	1.0*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0					
5 1			2	4.4	23500	RIDE		8.6	8.0	8.0	8.3	8.1	8.0		8.7	7.8	8.0	7.9	8.0	7.9					
EAST WIND DR(11.5L)					FC5M																				
4306781	11.467	14.746	L	2016	0012	CRACKING		10.0	7.5	6.5	6.5	6.5	6.5	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0					10.0
P & S PAVING, INC.			(2018)			RIDE		7.9	7.9	7.8	7.8	7.7	7.6	7.6	7.9	7.9	8.2	8.6	8.5	8.6					8.6

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

.....

```

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																			
CONTRACTOR (AGE_ONE YEAR)								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																		(REG)	
79040000	3.805	6.050	R	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0					
15 17			2	4.0	25000		RIDE	7.7	7.8	7.8	7.3	7.7			8.4	7.9	8.0	7.8	7.8	7.9					
N PINE MEADOW DR(4.2R)					FC3																				
2407921	3.854	5.959	C	2000	0213		CRACKING	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.1			
JONES BROS., INC.				(2003)	S		RIDE	7.9	7.8	7.8	7.7	7.7	7.6	7.6	7.4	7.4	7.4	7.4	7.2	7.2	7.2	7.0			
79040000	6.050	9.689	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0					
15 17			2	4.4	32000		RIDE	8.6	8.5	8.7	8.3	8.2	8.3	8.3	8.2	7.8	7.8	7.7	7.6	7.6					
LEG TO ENTERPRISE RD(6.1R)					FC95R																				
4220201	6.050	9.689	C	2010	0012		CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.5	6.2			
RANGER CONSTRUCTION INDUST(2011)				(2011)			RIDE	7.6	7.6	8.4	8.2	8.2	8.1	8.0	8.1	8.0	7.9	7.9	7.9	7.9	7.9	7.6			
79040000	9.689	10.236	R	1	1	50	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5	6.5					
15 17			3	3.3	54500		RIDE	8.5	8.4	8.6	8.7	8.6	8.6	8.6	8.9	7.7	8.2	8.2	7.4	8.2					
2408871	9.407	11.322	C	2007	0213		CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.4				
P & S PAVING, INC.				(2010)	SPRIDE			7.6	8.1	8.0	8.0	8.0	8.0	7.9	8.0	8.0	7.8	7.7	8.0	7.8	7.7				
4453011	8.577	11.429	C	2024	0012																				
79040000	10.236	11.420	R	1	1	50	CRACKING	4.5*	4.5*	7.5	7.5	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0					
15 17			3	3.3	54500		RIDE	8.5	8.4	8.7	8.2	8.1	8.2	8.0	8.0	7.7	7.8	7.6	7.6	7.6					
ORANGE CAMP RD(10.3R)					FC125M																				
2408871	9.407	11.322	C	2007	0213		CRACKING	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.5	6.5				
P & S PAVING, INC.				(2010)	SPRIDE			6.9	8.1	8.0	8.0	8.0	8.0	7.9	7.5	7.5	7.4	7.4	7.2	7.2	6.7				
4453011	8.577	11.429	C	2024	0012																				
79040000	11.420	12.404	R	1	1	40	CRACKING	4.5*	4.5*	7.5	7.5	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0					
15 17			2	3.6	32000		RIDE	8.5	8.4	8.7	8.2	8.1	8.2	8.0	8.0	7.7	7.8	7.6	7.6	7.6					
ANDOVER ST(11.7R)					FC125M																				
4306791	11.426	12.244	C	2015	0012		CRACKING	9.5	9.5	8.5	8.5	8.5	8.5	8.5	7.0	10.0	10.0	10.0	10.0	10.0	10.0				
HALIFAX PAVING, INC.				(2017)	RIDE			6.9	7.5	7.2	7.0	6.9	6.8	6.7	6.9	7.6	7.2	7.1	7.1	7.1	6.5				
79040000	12.404	14.345	C	1	4	30	CRACKING	8.8	8.7	8.7	8.6	8.7	8.8	8.8	8.8	8.7	8.7	8.7	8.4	8.1					
15 17			2	4.4	19300		RIDE	7.8	7.8	7.8	7.3			6.3	6.2	5.6	5.7	5.3*	5.3*	5.3*					
CHELSEA AVE R(12.4R)					LGD																				
(1977)							CRACKING	7.7	8.1	8.3	8.4	8.3	8.4	8.4	8.5	8.4	8.3	8.4	8.6	8.7	8.2				
							RIDE	5.3*	5.2*	5.4*	5.2*	5.6	5.6	5.3*	5.7	5.5	5.3*	5.5	5.4*	5.4*	4.4				
79040000	14.345	15.172	R	1	1	45	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5					
15 17			2	5.3	23000		RIDE	7.9	8.0	7.9	7.6	7.3	7.2	6.9	7.3	7.1	6.8	6.7	6.7	6.8					
E PLYMOUTH AVE(14.4R)					FC125																				
4195941	14.345	15.172	C	2009	0012		CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5				
P & S PAVING, INC.				(2010)	SPRIDE			6.5	8.3	8.2	8.2	8.2	7.8	8.1	7.8	7.7	7.6	7.6	7.8	7.7	7.3				
79040000	14.345	15.172	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0					
15 17			2	5.3	23000		RIDE	8.4	8.4	8.4	8.0	7.4	8.0	8.0	7.7	7.3	7.6	7.4	7.3	7.4					
PLYMOUTH AVE(14.4L)					FC125																				
4195941	14.345	15.172	C	2009	0012		CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.3				
P & S PAVING, INC.				(2010)	SPRIDE			7.5	8.3	8.1	8.1	7.9	7.9	7.9	8.0	7.8	7.8	7.9	7.8	7.8	7.6				
79040000	11.420	12.404	L	1	1	40	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	8.5	7.5	7.5					
15 17			2	3.6	32000		RIDE	8.4	8.4	8.5	8.1	7.9	8.0	7.9	8.3	7.7	7.9	7.7	7.7	7.8					
CHIPOLA AVE L(11.6L)					FC125M																				
4306791	11.426	12.244	C	2015	0012		CRACKING	6.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	8.5	7.6				
HALIFAX PAVING, INC.				(2017)	RIDE			7.2	7.1	6.9	6.7	6.6	6.6	6.3	6.3	7.5	7.4	7.0	7.0	7.2	6.5				
79040000	10.236	11.420	L	1	1	50	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	8.5	7.5	7.5					
15 17			3	3.3	54500		RIDE	8.4	8.4	8.5	8.1	7.9	8.0	7.9	8.3	7.7	7.9	7.7	7.7	7.8					
CR 4116(10.3L)					FC125M																				
2408871	9.407	11.322	C	2007	0213		CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5	6.4					
P & S PAVING, INC.				(2010)	SPRIDE			8.1	8.1	8.0	8.0	8.0	8.0	7.9	7.6	7.5	7.5	7.4	7.3	7.3	6.8				
4453011	8.577	11.429	C	2024	0012																				
79040000	9.689	10.236	L	1	1	50	CRACKING	6.5	4.5*	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	6.5	4.5*	4.5*					
15 17			3	3.3	54500		RIDE	8.4	8.4	8.9	8.8	8.8	8.8	8.7	8.7	7.9	8.0	7.8	7.9	7.9					
FIREHOUSE RD(10.0L)					FC5M																				
2408871	9.407	11.322	C	2007	0213		CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	4.0				
P & S PAVING, INC.				(2010)	SPRIDE			8.1	8.1	8.0	8.0	8.0	8.0	7.9	8.0	8.0	7.9	7.9	7.9	7.9	7.8				
4453011	8.577	11.429	C	2024	0012																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)																									
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																			
CONTRACTOR (AGE_ONE YEAR)																									
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026				(REG)
79040000	6.050	9.689	L	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	6.5	6.5					
15 17			2	4.4	32000	RIDE	8.7	8.7	8.9	8.5	8.6	8.6	8.5	8.5	7.8	7.9	7.7	7.7	7.7						
HOLLY DR L(6.4L)					FC95R																				
4220201	6.050	9.689	C	2010	0012	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.0	7.0	7.0	5.3				
RANGER CONSTRUCTION INDUST(2011)						RIDE	7.6	7.6	8.3	8.2	8.2	8.1	8.0	8.1	8.1	8.0	8.0	8.0	7.9	7.9	7.9				
79040000	3.656	6.050	L	1	45	CRACKING	10.0	10.0	9.0	9.0					10.0	10.0	10.0	10.0	10.0	10.0					
15 17			2	4.0	25000	RIDE	7.7	7.8	7.8	7.3	7.7				8.3	7.8	7.8	7.7	7.8	7.9					
HIGHBANKS RD(3.8L)					FC3																				
2407921	3.854	5.959	C	2000	0213	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	7.0	7.0	6.4			
JONES BROS., INC. (2003)					S	RIDE	7.7	7.7	7.7	7.6	7.6	7.5	7.4	7.3	7.3	7.1	7.1	7.1	7.0	7.1	6.8				
79040000	2.549	3.656	L	1	40	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
15 17			2	4.4	25500	RIDE	8.2		8.4	8.0	7.8	8.0	7.7	7.6	7.4	7.5	7.1	7.1	7.1	7.2					
SANFORD AVE(2.7L)					FC3																				
2404931	2.522	3.854	C	1996	0213	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.3				
BERGERON LAND DEVELOPMENT (1998)					S	RIDE	7.1	7.0	7.0	7.0	6.8	6.6	6.5	6.9	6.9	6.7	6.8	6.6	6.7	6.1					
79040000	0.477	2.549	L	1	50	CRACKING	9.0	9.0	8.0	8.0	8.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0					
15 17			2	4.4	30000	RIDE	8.2	8.2	8.2	8.1	8.0			8.7	8.6	8.0	8.0	7.9	7.9	7.9					
BARWICK RD(0.5L)					FC3																				
2407931	0.367	2.522	C	1999	0213	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	7.0	7.0	7.0	6.3				
MARTIN K. EBY CONSTRUCTION(2002)					S	RIDE	7.9	7.9	7.8	7.8	7.7	7.7	7.6	7.4	7.3	7.2	7.2	7.0	7.1	6.7					
79040101	0.000	0.411	R	1	50	CRACKING		10.0	10.0	10.0	8.5			7.0	7.0	7.0	7.0	7.0	7.0	7.0					
15 17			2	5.1	33000	RIDE		8.0	8.2	7.8	7.6			8.3	8.0	7.1	7.3	6.7	6.4*	7.8					
LAKE MONROE PARK(0.1R)					FC125																				
4220221	0.000	0.411	C	2009	0012	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2				
P & S PAVING, INC. (2010)						RIDE	7.8	8.1	8.0	7.9	7.8	7.7	7.6	7.4	7.4	7.1	7.3	7.1	7.1	7.1	6.5				
79040101	0.000	0.411	L	1	50	CRACKING		10.0	10.0	10.0	8.5			7.0	7.0	7.0	7.0	7.0	7.0	3.5*					
15 17			2	5.1	33000	RIDE		8.7	8.8	8.2	8.3			8.3	7.7	7.1	7.3	6.9	7.1	6.7					
FPL SERVICE RD(0.2L)					FC125																				
4220221	0.000	0.411	C	2009	0012	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8				
P & S PAVING, INC. (2010)						RIDE	6.8	8.5	8.4	8.3	8.3	8.3	8.2	8.1	8.1	8.0	7.9	7.9	7.9	7.6					
79050000	0.000	5.951	R	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	4.5*					
15 17			2	6.4	18300	RIDE	8.9	9.1	9.0	8.8	8.9	8.5	8.6	8.8	8.4	8.3	7.8	8.2	8.2	8.2					
CR 92 / INTL SPDWY(0.0C)					FC5																				
4195961	0.000	5.951	C	2009	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	7.5				
P & S PAVING, INC. (2010)					SPRIDE		8.2	8.2	8.2	8.2	8.1	8.0	7.9	8.1	8.1	8.1	8.2	8.1	8.1	8.2	8.1				
79050000	5.951	16.180	C	1	60	CRACKING		10.0	10.0	10.0	8.5	8.5	7.0	4.5*	3.5*	3.5*				10.0	10.0				
15 17			2	4.4	9600	RIDE		8.7	8.6	9.1	9.1	9.0	8.9	8.7	7.7	7.3				8.6	8.7				
BRIDLELAND RD(6.3R)					FC95																				
4135961	5.951	16.180	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	6.2				
P & S PAVING, INC. (2007)					SPRIDE		8.6	8.6	8.6	8.6	8.5	8.4	8.4	8.2	8.1	8.1	8.1	8.1	7.9	8.0	7.7				
79050000	16.180	25.873	C	1	60	CRACKING	1.0*	0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.5	4.5*						
15 17			2	9.5	6100	RIDE	7.1	7.2	7.9	9.2	9.1	9.1	9.0	9.0	8.4	8.3	8.1	8.1	8.1	7.8					
E 4 TH AVE(16.3R)					FC125R																				
4220231	16.180	25.873	C	2010	0012	CRACKING	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	4.8					
P & S PAVING, INC. (2012)						RIDE	7.6	7.5		8.5	8.4	8.2	8.2	8.0	7.9	7.9	7.8	7.5	7.8	7.1					
79050000	0.000	5.951	L	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.0*	6.0*	6.0*	4.5*					
15 17			2	6.4	18300	RIDE	8.1	9.0	8.9	8.8	8.8	8.8	8.8	8.8	8.3	8.2	8.1	8.1	8.1	8.0					
CR 92 / INTL SPDWY(0.0C)					FC5																				
4195961	0.000	5.951	C	2009	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.0	7.0	7.0	7.0	5.7				
P & S PAVING, INC. (2010)					SPRIDE		8.0	8.2	8.2	8.1	8.0	8.0	7.7	8.2	8.0	8.1	8.1	8.1	8.1	8.1	8.0				
79060000	0.000	0.146	R	1	45	CRACKING	7.5	7.5	6.5	3.5*	3.5*	3.5*	0.0*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0					
600 92			2	5.1	24500	RIDE	8.5	8.4	8.4	8.1	8.1	7.7	7.8	7.4	7.2	7.0	7.7	7.7	7.7	7.9					
DELAND CITY LIMITS(0.0C)					DGFC																				
4324411	0.000	0.147	C	2016	0012	CRACKING	9.0	9.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0				
P & S PAVING, INC. (2018)						RIDE	7.8	7.9																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																				
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																2026 (REG)				
790600000	0.146	2.759	R	1	1 55	CRACKING		7.5	7.5	6.5	3.5*	3.5*	3.5*	0.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0					
600 92			2	2.3	25000	RIDE		8.5	8.4	8.4	8.1	8.1	7.7	7.8	7.4	7.2	7.0	7.7	7.7	7.9					
AMELIA AVE(0.3C)					OGFC																				
4117781	0.171	2.763	C	2004	0012	CRACKING		9.0	9.0	10.0	9.0	9.0	8.5	7.5	7.0	6.5	6.0*	5.5*	5.5*	5.5*	3.6				
P & S PAVING				(2006)	SPRIDE			7.8	7.9	8.2	8.0	8.0	8.0	8.0	8.2	8.2	8.1	8.2	8.2	8.1	8.1				
4434331	0.134	2.750	R	2022	0012																				
790600000	2.759	7.200	R	1	4 65	CRACKING		9.1	9.0	9.0	8.9	8.9	8.2	8.2	8.0	8.0	7.9	7.9	8.0	6.6					
600 92			2	5.4	16188	RIDE		7.2	7.2	6.9	6.8	6.9	6.8	6.6	6.5	5.9*	5.8*	5.6*	5.7*	5.6*					
4TH AVE(3.2R)					LGD																				
4220241	2.763	7.200	C	2011	0227	CRACKING		6.5	6.7	6.4*		8.8	8.8	8.3	8.1	8.1	7.9	7.8	7.4	7.3	6.4				
SUPERIOR CONSTRUCTION COMP(2013)				(2013)	RIDE			5.4*	5.4*	5.2*		7.6	7.9	7.7	8.0	7.9	7.9	8.0	7.8	7.7	7.7				
790600000	7.200	13.155	R	1	4 65	CRACKING		9.1	9.0	9.0	8.9	8.9	8.2	8.2	8.0	8.0	7.9	7.9	8.0	6.6					
600 92			2	6.8	19500	RIDE		7.2	7.2	6.9	6.8	6.9	6.8	6.6	6.5	5.9*	5.8*	5.6*	5.7*	5.6*					
WMA(8.3R)					LGD																				
4220242	7.200	13.156	R	2011	0227	CRACKING		6.5	6.7	6.4*			9.2	9.0	9.0	8.9	8.8	8.8	8.4	8.5	8.0				
SUPERIOR CONSTRUCTION COMP(2014)				(2014)	RIDE			5.4*	5.4*	5.2*			8.0	7.9	8.2	8.1	8.1	8.2	8.1	8.0	8.0				
790600000	13.155	15.444	R	1	1 55	CRACKING		7.5	7.5	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0					
600 92			2	4.7	31000	RIDE		8.7	8.5	8.6	8.1	8.8	8.8	8.7	8.7	7.7	7.4	7.3	8.5	8.5					
SIDE ROAD(13.2C)					FC5																				
4135821	13.175	15.464	R	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	2.3				
P & S PAVING, INC.				(2007)	RIDE			8.5	8.5	8.5	8.5	8.5	8.4	8.3	8.4	8.4	8.4	8.5	8.5	8.5	8.4				
4452081	13.149	15.410	R	2023	0012																				
790600000	15.444	18.634	R	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	6.5	6.5	4.5*					
600 92			3	5.1	46000	RIDE		8.7	8.8	8.6	8.6	8.6	8.5	8.5	8.3	7.5	7.8	7.6	7.4	7.3					
SIDE ROAD(15.6R)					FC95																				
4195951	15.444	18.656	C	2009	0012	CRACKING		4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.4				
P & S PAVING, INC.				(2011)	SPRIDE			7.3	7.1	8.7	8.5	8.4	8.5	8.5	8.2	8.1	8.0	7.9	8.0	7.9	7.4				
790600000	18.634	19.603	R	1	4 45	CRACKING			9.5	9.5	9.5	9.5	9.5	9.4	9.4	9.4	9.4	9.4	9.4	9.3					
600 92			3	4.9	41000	RIDE			7.5	8.2	7.2	7.3	7.5	7.3	7.5	7.2	6.7	6.7	6.2	7.0					
TO SR 483(18.7R)					LGD																				
2407211	18.630	19.611	C	1994	0213	CRACKING		9.3	9.3	9.2	9.3	9.2	9.2	9.2	9.1	9.1	9.2	8.9	8.9	8.9	8.9				
L.G. DEFELICE INC.				(1997)	RIDE			7.1	7.1	6.8	7.2	7.0	7.0	7.1	7.3	7.2	7.0	7.1	7.1	7.0	6.8				
790600000	19.603	20.206	R	1	1 40	CRACKING		4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0					
600 92			2	5.1	29000	RIDE		7.5	7.6	7.5	6.5	7.5	8.0	7.6	7.4	6.8	6.9	6.3	6.2	6.3					
NOVA RD(19.6C)					FC125																				
				(2020)	CRACKING			8.0	7.5	7.5	7.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0					
					RIDE			6.2	6.4	6.5	6.8	6.8	6.8	7.4	7.0	7.0	6.8	6.7	7.5	7.5					
790600000	20.206	20.597	R	1	1 40	CRACKING		4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0					
600 92			2	7.0	23500	RIDE		7.5	7.6	7.5	6.5	7.5	8.0	7.6	7.4	6.8	6.9	6.3	6.2	6.3					
LINCOLN AVE(20.2C)					FC125																				
				(2012)	CRACKING			8.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
					RIDE			6.2	6.4	6.5	6.7	6.7	6.5	6.7	7.3	7.1	7.0	6.9	5.6	5.3*	5.3				
790600000	20.597	20.766	R	1	6 35	CRACKING		4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0					
600 92			2	7.0	23500	RIDE		7.5	7.6	7.5	6.5	7.5	8.0	7.6	7.4	6.8	6.9	6.3	6.2	6.3					
S SEGRAVE ST(20.7R)					DGFC																				
4324421	20.625	20.766	C	2016	0012	CRACKING		8.0	7.5	7.5	7.5	7.0	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0				
ATLANTIC CIVIL CONSTRUCTOR(2017)				(2017)	RIDE			6.2	6.4	6.5	3.9*	4.3*	4.3*	4.4*	3.6*										
790600000	20.597	20.766	L	1	6 35	CRACKING		6.5	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5					
600 92			2	7.0	23500	RIDE		7.5	7.6	7.5	6.3*	8.0	7.5	7.5	7.6	7.1	7.0	6.7	6.3	6.7					
N SEGRAVE ST(20.7L)					DGFC																				
4324421	20.625	20.766	C	2016	0012	CRACKING		9.5	7.5	7.5	7.5	7.0	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0				
ATLANTIC CIVIL CONSTRUCTOR(2017)				(2017)	RIDE			6.6	6.6	6.7	5.2*	5.1*	5.1*	5.1*	4.3*										
790600000	20.206	20.597	L	1	1 40	CRACKING		6.5	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5					
600 92			2	7.0	23500	RIDE		7.5	7.6	7.5	6.3*	8.0	7.5	7.5	7.6	7.1	7.0	6.7	6.3	6.7					
LINCOLN AVE(20.2C)					FC125																				
				(2012)	CRACKING			9.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
					RIDE			6.6	6.6	6.7	6.7	6.4	6.6	6.8	7.3	7.5	7.2	7.1	6.2	5.9	5.9				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
79060000	19.603	20.206	L	1	1	40	CRACKING	6.5	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
600 92			2	5.1	29000	RIDE		7.5	7.6	7.5	6.3*	8.0	7.5	7.5	7.6	7.1	7.0	6.7	6.3	6.7	
NOVA RD(19.6C)					FC125																
				(2020)			CRACKING	9.5	7.5	7.5	7.5	7.5	7.5	7.5	7.0	6.5	6.5	6.5	10.0	10.0	
							RIDE	6.6	6.6	6.7	6.0	6.4	5.9	6.6	6.1	6.0	5.9	5.8	7.3	7.2	
79060000	18.634	19.603	L	1	4	45	CRACKING		9.5	9.5	0.0*	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.4	9.3	
600 92			3	4.9	41000	RIDE			7.5	8.4	7.7	7.6	7.9	7.8	7.4	7.0	6.9	6.8	5.3*	6.2	
FROM SR 483(18.7L)					LGD																
2407211	18.630	19.611	C	1994	0213	CRACKING		8.5	9.1	8.9	8.9	8.9	8.8	8.8	8.7	8.6	8.8	8.8	8.8	8.8	8.4
L.G. DEFELICE INC.				(2000)		RIDE		7.2	7.3	6.8	7.1	7.0	7.1	7.3	7.3	7.3	7.2	7.2	7.1	7.1	7.0
79060000	16.337	18.634	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	
600 92			3	5.1	46000	RIDE		8.9	8.9	8.7	8.5	8.5	8.4	8.5	8.3	7.9	7.9	7.7	7.5	7.6	
INDIGO DR(16.4L)					FC95																
4195951	15.444	18.656	C	2009	0012	CRACKING		3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
P & S PAVING, INC.				(2011)		SPRIDE		7.5	7.5	8.6	8.5	8.4	8.5	8.5	8.2	8.1	8.1	8.0	8.0	8.1	7.7
79060000	15.582	16.337	L	1	8	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	
600 92			3	4.7	31000	RIDE		8.9	8.9	8.7	8.5	8.5	8.4	8.5	8.3	7.9	7.9	7.7	7.5	7.6	
					FC125M																
4195951	15.444	18.656	C	2009	0012	CRACKING		3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
P & S PAVING, INC.				(2011)		SPRIDE		7.5	7.5	8.6	8.5	8.4	8.5	8.5	8.2	8.1	8.1	8.0	8.0	8.0	
79060000	15.412	15.582	L	1	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	6.5	6.5	4.5*	3.5*	
600 92			3	4.7	31000	RIDE		8.9	8.9	8.7	8.5	8.5	8.4	8.5	8.3	7.9	7.9	7.7	7.5	7.6	
CR 415(15.6C)					FC95																
4195951	15.444	18.656	C	2009	0012	CRACKING		3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC.				(2011)		SPRIDE		7.5	7.5	8.6	8.5	8.4	8.5	8.5	8.2	8.1	8.1	8.0	8.0	7.8	7.5
79060000	7.200	15.412	L	1	4	65	CRACKING	9.3	9.2	9.2	9.2	9.1	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	
600 92			2	6.8	19500	RIDE		7.0	7.1	6.8	6.4*	6.6	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	
BRICK RD(8.5L)					LGD																
4220242	7.200	15.426	L	2011	0227	CRACKING		6.1*	5.7*	5.7*			8.7	8.3	8.0	7.7	7.8	7.9	7.6	7.6	6.8
SUPERIOR CONSTRUCTION COMP				(2014)		RIDE		5.4*	5.1*	5.1*			7.7	7.4	8.0	7.9	7.8	7.7	7.6	7.6	7.6
79060000	2.759	7.200	L	1	4	65	CRACKING	9.3	9.2	9.2	9.2	9.1	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	
600 92			2	5.4	16188	RIDE		7.0	7.1	6.8	6.4*	6.6	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	
SIDE ROAD(3.9C)					LGD																
				(1977)		CRACKING		6.1*	5.7*	5.7*		8.2	7.2	7.1	6.6	5.9*	5.8*	5.4*	5.0*	4.8*	4.8
						RIDE		5.4*	5.1*	5.1*		7.4	7.6	7.3	7.6	7.5	7.3	7.1	7.0	6.9	6.2
79060000	0.137	2.759	L	1	4	55	CRACKING	9.3	9.2	9.2	9.2	9.1	8.8	8.9	8.5	8.5	8.4	8.4	8.4	6.3*	
600 92			2	2.3	25000	RIDE		7.0	7.1	6.8	6.4*	6.6	6.6	6.4*	6.3*	5.7*	5.5*	5.4*	5.3*	5.4*	
AMELIA AVE(0.3C)					LGD																
				(1977)		CRACKING		6.1*	5.7*	5.7*		5.3*	5.0*	4.8*	4.8*	4.4*	4.4*	4.3*	4.2*	4.2*	4.1
						RIDE		5.4*	5.1*	5.1*		6.6	6.7	6.6	7.1	6.9	7.0	7.0	6.9	6.9	5.8
79060000	0.000	0.137	L	1	6	45	CRACKING	9.3	9.2	9.2	9.2	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	
600 92			2	5.1	24500	RIDE		7.0	7.1	6.8	6.4*										
DELAND CITY LIMITS(0.0C)					DGFC																
4324411	0.000	0.147	C	2016	0012	CRACKING		6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC.				(2018)		RIDE															
79070000	0.000	1.193	C	1	1	55	CRACKING		10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.0*	6.0*	
44			2	9.1	12300	RIDE			9.0	9.0	8.2	8.2	8.3	8.4	8.3	8.2	8.3	8.3	8.1	8.2	
UNSIGN(0.1R)					FC95																
4195891	0.000	1.193	C	2009	0012	CRACKING		6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
P & S PAVING, INC.				(2010)		SPRIDE		8.1	8.1	8.4	8.4	8.4	8.4	8.4	8.0	7.9	7.9	7.9	7.9	7.9	7.6
79070000	2.466	4.113	C	1	1	40	CRACKING		10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	5.5*	5.5*	3.5*	3.5*	
44			2	9.3	14100	RIDE			9.0	9.0	8.2	8.2	8.3	7.8	8.0	7.0	7.3	6.8	6.5	7.0	
RIDGEWOOD AVE(2.9R)					FC95																
4195891	2.454	4.106	C	2009	0012	CRACKING		3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	6.6
P & S PAVING, INC.				(2010)		SPRIDE		6.8	8.3	8.1	7.9	7.8	7.8	7.9	7.5	7.5	7.3	7.1	7.1	7.1	6.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																				
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																				
79070000	4.113	6.372	C	1	4 40	CRACKING		6.9	6.4*	6.8	6.7	7.1	8.1	8.0	7.9	7.9	7.8	7.7	7.7	6.6					
44			2	6.9	12300	RIDE		6.3*	6.3*	8.6	7.6			7.6	7.3	7.2	6.8	6.5	6.6	6.7					
BOUNDARY AVE(4.1L)																									
				(1977)		CRACKING		5.6*	5.7*	6.2*	6.1*	5.8*	5.6*	5.4*	5.1*	4.7*	4.0*	5.9*	6.9	6.3*	5.1				
						RIDE		6.5	6.4	6.5	6.6	6.4	6.5	6.3	6.9	6.7	6.7	6.0	6.6	6.6	6.4				
79070000	6.372	8.773	C	1	1 45	CRACKING		6.5	6.5	4.5*	0.0*	0.0*	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0					
44			2	13.3	17300	RIDE		8.2	8.1	7.9	7.4	7.3	8.5	8.5	8.1	7.8	7.9	7.7	7.7	7.7					
HILL AVE(6.4R)																									
4220261	6.372	8.658	C	2009	0012	CRACKING		7.0	6.0*	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	5.5*	5.5*	5.5*	2.4				
HUBBARD CONSTRUCTION COMPA(2011)								7.6	7.4	7.5	7.4	7.2	7.3	7.2	7.2	7.1	7.1	6.9	6.9	7.0	6.6				
4453001	6.372	8.773	C	2023	0012																				
79070000	9.085	9.711	C	1	1 35	CRACKING		6.5	6.5	4.5*	0.0*	0.0*	10.0	10.0	10.0	8.5									
44A			2	5.4	22500	RIDE		8.2	8.1	7.9	7.4	7.3	8.5	8.5	8.1	7.8									
LAKE WINNEMISSETT DR(9.2L)																									
4373461	9.085	9.701	C	2019	0012	CRACKING		10.0	7.5	7.0	7.0	7.0	7.0	6.0*	6.0*	6.0*	4.0*	4.0*	10.0	10.0					
P & S PAVING, INC.								8.2	7.5	7.4	7.3	7.1	7.0	6.9	7.3	7.3	7.1	6.8	8.1	8.0					
79070000	10.200	15.937	R	1	1 65	CRACKING		6.5	6.5	3.5*	0.0*	0.0*	10.0	10.0	10.0	8.5				10.0					
44			2	16.6	15800	RIDE		8.1	7.9	7.9	7.9	7.8	8.7	8.4	8.6	7.8				8.2					
FLORAL PARK BLVD(10.3R)																									
2408052	9.734	15.937	C	2004	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	4.5*	4.5*	1.0*	1.0*	0.0				
THE MIDDLESEX CORPORATION (2008)								8.2	8.2	8.1	8.1	8.1	8.1	8.0	8.0	7.9	7.8	7.5	7.6	7.6	7.4				
4431681	10.200	16.166	C	2021	0012																				
79070000	15.937	16.155	R	1	1 65	CRACKING		6.5	6.5	3.5*	0.0*	0.0*	10.0	10.0	10.0					10.0					
44			2	16.6	15800	RIDE		8.1	7.9	7.9	7.9	7.8	8.7	8.4	8.6					8.2					
				(2008)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5				
4431681	10.200	16.166	C	2021	0012			8.2	8.2	8.2	8.2	8.1	8.2	8.1	7.7	7.4	7.6	7.5	7.6	7.5	7.1				
79070000	16.155	20.000	R	1	1 65	CRACKING		6.5	6.5	3.5*	0.0*	0.0*	10.0	10.0	10.0				10.0	10.0					
44			2	11.6	15200	RIDE		8.1	7.9	7.9	7.9	7.8	8.7	8.4	8.6				7.9	7.9	7.9				
RANCHETTE RD(16.6R)																									
2408053	16.139	20.100	C	2002	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*	4.5*	3.7				
HUBBARD CONSTRUCTION COMPA(2006)								7.8	8.0	7.9	7.9	7.9	7.9	7.9	7.8	7.7	7.7	7.7	7.8	7.7	7.7				
4411381	16.166	19.952	C	2021	0012																				
79070000	20.000	26.989	R	1	1 65	CRACKING		6.5	6.5	3.5*	0.0*	0.0*		10.0	10.0	10.0	10.0	9.0	8.5	8.5					
44			2	9.4	15800	RIDE		8.1	7.9	7.9	7.9	7.8		8.6	8.8	8.4	8.3	8.3	8.3	8.2					
CR 415(20.2R)																									
4272671	20.000	26.989	C	2013	0012	CRACKING		7.0	6.5	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
P & S PAVING, INC.								8.1	8.1	7.9	7.6	7.5	8.2	8.2	8.3	8.1	8.3	8.2	8.4	8.3	8.3				
79070000	26.989	29.289	R	1	1 45	CRACKING		9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5					
44			2	3.3	20500	RIDE		7.8	7.7	7.9	7.3	7.1	7.2	7.1	6.8	6.6	6.6	6.2	5.8	6.0					
CORBIN PARK RD(27.1R)																									
4220271	26.888	28.958	C	2009	0012	CRACKING		6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.1				
P & S PAVING, INC.								5.6	5.9	7.7	7.6	7.5	7.5	7.5	7.2	7.1	7.1	7.1	7.0	7.0	6.6				
79070000	29.752	31.310	R	1	1 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5					
44A			2	11.1	27500	RIDE		8.3	8.4	8.3	7.7	7.7	7.4	7.4	7.2	6.6	6.4	6.3	6.1	6.2					
SAXON DR(30.9R)																									
4220271	30.451	31.310	C	2009	0012	CRACKING		7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5				
P & S PAVING, INC.								6.3	6.4	7.9	7.5	7.4	7.5	7.2	7.2	6.9	6.9	6.8	6.8	6.7	6.1				
79070000	29.752	31.310	L	1	1 40	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	7.0	4.0*					
44A			2	11.1	27500	RIDE		8.4	8.5	8.3	8.2	8.1	8.1	8.0	7.9	7.3	7.3	7.2	7.2	7.2					
BOUCHELLE DR(30.0L)																									
4220271	30.451	31.310	C	2009	0012	CRACKING		4.0*	4.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5				
P & S PAVING, INC.								7.1	6.9	8.3	8.1	7.9	7.9	7.7	7.5	7.4	7.4	7.3	7.2	7.1	6.5				
79070000	26.989	29.289	L	1	1 45	CRACKING		9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0					
44			2	3.3	20500	RIDE		7.6	8.2	8.0	7.9	7.9	7.9	7.8	7.3	7.0	6.9	6.6	6.8	6.6					
LINDA RD(27.2L)																									
4220271	26.888	28.958	C	2009	0012	CRACKING		6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5				
P & S PAVING, INC.								6.7	6.5	8.3	8.1	8.0	8.0	8.0	7.6	7.5	7.5	7.5	7.4	7.3	6.8				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
79070000	20.000	26.989	L	1	1	65	CRACKING	6.5	6.5	3.5*	0.0*	0.0*		10.0	10.0	10.0	10.0	9.0	8.5	8.5	
44			2	9.4	15800	RIDE		8.1	7.9	7.9	7.9	7.8		9.0	9.0	8.6	8.6	8.5	8.5	8.4	
CR-415/TOMOKA FARMS(20.2L) FC5M																					
4272671	20.000	26.989	C	2013	0012	CRACKING		7.0	6.5	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.1
P & S PAVING, INC.			(2014)			SPRIDE		8.4	8.3	8.2	7.8	7.7	8.3	8.3	8.4	8.4	8.4	8.3	8.3	8.3	8.3
79070000	16.155	20.000	L	1	1	65	CRACKING	6.5	6.5	3.5*	0.0*	0.0*	10.0	10.0	10.0			10.0	10.0	10.0	
44			2	11.6	15200	RIDE		8.1	7.9	7.9	7.9	7.8	8.7	8.4	8.6			7.4	7.5	7.5	
CR 4118(16.6L) FC5																					
2408053	16.139	20.100	C	2002	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	3.3
HUBBARD CONSTRUCTION COMPA(2006)						SPRIDE		7.5	7.5	7.5	7.4	7.4	7.3	7.3	7.4	7.4	7.3	7.2	7.3	7.1	7.1
4411381	16.166	19.952	C	2021	0012																
79070000	15.937	16.155	L	1	1	65	CRACKING	6.5	6.5	3.5*	0.0*	0.0*	10.0	10.0	10.0					10.0	
44			2	16.6	15800	RIDE		8.1	7.9	7.9	7.9	7.8	8.7	8.4	8.6					8.1	
(2008) FC5																					
4431681	10.200	16.166	C	2021	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5
						RIDE		7.9	8.0	8.0	7.3	7.7	7.6	7.4	7.6	7.6	7.6	7.5	7.5	7.4	7.2
79070000	10.200	15.937	L	1	1	65	CRACKING	6.5	6.5	3.5*	0.0*	0.0*	10.0	10.0	10.0	8.5				10.0	
44			2	16.6	15800	RIDE		8.1	7.9	7.9	7.9	7.8	8.7	8.4	8.6	7.8				8.1	
DELAND CROSSING BLVD(10.4L) FC5																					
2408052	9.734	15.937	C	2004	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	4.5*	4.5*	4.5
THE MIDDLESEX CORPORATION (2008)						SPRIDE		8.1	8.1	8.2	8.1	8.1	8.1	8.0	8.1	8.0	7.9	7.9	8.0	8.0	7.9
4431681	10.200	16.166	C	2021	0012																
79070001	0.000	0.684	C	1	1	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
44B			2	6.6	12800	RIDE		7.3	7.3	7.1	6.1*	5.7*	6.2*	6.1	5.8	5.2*	5.4*	5.2*	5.0*	4.3*	
LYTLE ST(0.0C) FC125R																					
4220281	0.000	0.698	C	2009	0012	CRACKING		6.5	6.5		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0
P & S PAVING, INC.			(2012)			SPRIDE		5.2*	5.2*		7.3	7.2	7.2	7.2	7.1	7.1	6.9	6.8	6.7	6.5	6.2
79070001	0.684	0.934	C	1	7	35	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
44B			2	6.6	12800	RIDE		7.3	7.3	7.1	6.1*	5.7*	6.2*	6.1	5.8	5.2*	5.4*	5.2*	5.0*	4.3*	
LEWIS ST(0.7L) DGFC																					
			(2021)			CRACKING		6.5	6.5		10.0	10.0	8.5	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	10.0	
						RIDE		5.2*	5.2*		7.3	7.2									
79070002	0.000	0.142	C	1	6	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
44			2	3.3	10200	RIDE								6.0*							
4220281	0.000	0.090	C	2009	0012	CRACKING		8.5	8.5	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	5.5*	3.6
P & S PAVING, INC.			(2011)			SPRIDE															
79070005	0.000	1.286	C	1	1	50	CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0	
44			2	9.1	12300	RIDE								8.6	8.4	8.0	7.9	8.1	7.7	8.3	
SHELL RD(0.0C) FC95																					
4195891	0.000	1.261	C	2009	0012	CRACKING		9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
P & S PAVING, INC.			(2010)			SPRIDE		8.2	8.5	8.6	8.6	8.6	8.6	8.6	8.2	8.1	7.8	7.8	7.7	7.8	7.2
79070006	0.000	0.940	R	1	1	50	CRACKING														
44			2	3.8	22000	RIDE															
SR 44 BEFORE DITCH(0.0C) DGFC																					
			(2010)			CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	7.3
4453001	0.000	0.940	C	2023	0012				7.9	7.8	7.8	7.7	7.7	7.6	7.3	7.3	7.2	7.0	7.1	7.0	6.5
79070006	0.000	0.940	L	1	1	50	CRACKING														
44			2	3.8	22000	RIDE															
SR 44 BEFORE DITCH(0.0C) DGFC																					
			(2010)			CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3
4453001	0.000	0.940	C	2023	0012				8.0	8.0	7.8	7.8	7.7	7.7	7.7	7.6	7.6	7.6	7.6	7.4	7.2
79070007	0.000	0.089	C	1	6		CRACKING														
44A			2	9.5	600	RIDE															
SR 44(0.0C)																					
4373461	0.004	0.089	C	2019	0012	CRACKING												10.0	10.0	10.0	10.0
P & S PAVING, INC.			(2019)			RIDE															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																				
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)				
79070009	0.000	0.511	R	1	1 50	CRACKING																			
44			2	5.9	20700	RIDE																			
79110057	WB ON(0.0R)					OGFC																			
				(2010)		CRACKING																			
						RIDE																			
4453001	0.000	0.451	C	2023	0012																				
79070009	0.000	0.511	L	1	1 50	CRACKING																			
44			2	5.9	20700	RIDE																			
I-4 ONRMP(0.0C)						OGFC																			
				(2010)		CRACKING																			
						RIDE																			
4453001	0.000	0.451	C	2023	0012																				
79080000	0.000	0.230	R	1	6 30	CRACKING																			
600 92			2	4.4	23000	RIDE																			
DAYTONA BEACH CITY LIMIT(0.0C)						DGFC																			
4324421	0.000	0.230	C	2016	0012	CRACKING																			
ATLANTIC CIVIL CONSTRUCTOR(2017)						RIDE																			
79080000	1.059	1.375	C	1	1 30	CRACKING																			
600 92			4	4.4	14500	RIDE																			
HALIFAX AVE(1.1L)						WC2																			
				(2008)		CRACKING																			
						RIDE																			
79080000	1.375	2.691	R	1	1 35	CRACKING																			
ALA 92			2	5.9	18500	RIDE																			
ATLANTIC AVE(1.4R)						DGFC																			
				(2008)		CRACKING																			
						RIDE																			
4428841	1.448	5.114	C	2023	0012																				
79080000	2.691	6.790	R	1	1 35	CRACKING																			
ALA			2	8.8	18700	RIDE																			
UNIVERSITY BLVD(2.9C)						FC125																			
4119851	2.691	6.790	C	2009	0012	CRACKING																			
P & S PAVING, INC.				(2010)		SPRIDE																			
4428841	1.448	5.114	C	2023	0012																				
79080000	6.790	9.735	C	1	1 40	CRACKING																			
ALA			2	4.4	15200	RIDE																			
NEPTUNE AVE(7.4C)						FC125																			
2410281	6.790	9.800	C	2000	0012	CRACKING																			
RANGER CONSTRUCTION INDUST(2001)						SPRIDE																			
4428741	6.713	9.839	C	2023	0012																				
79080000	9.735	16.726	C	1	1 55	CRACKING																			
ALA			2	8.4	16700	RIDE																			
LAURIE DR(9.8L)						FC95																			
4071621	9.800	16.726	C	2003	0012	CRACKING																			
HALIFAX PAVING, INC.				(2005)		SPRIDE																			
79080000	2.691	6.790	L	1	1 35	CRACKING																			
ALA			2	8.8	18700	RIDE																			
JESSAMINE BLVD(2.8L)						FC125																			
4119851	2.691	6.790	C	2009	0012	CRACKING																			
P & S PAVING, INC.				(2010)		SPRIDE																			
4428841	1.448	5.114	C	2023	0012																				
79080000	1.375	2.691	L	1	1 35	CRACKING																			
ALA 92			2	5.9	18500	RIDE																			
FIFTH AVE(1.5L)						DGFC																			
				(2008)		CRACKING																			
						RIDE												</							

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																
79080001	0.000	0.033	R	1	6	30	CRACKING									10.0	10.0	10.0	10.0	10.0		
600 92			2	4.1	23000		RIDE															
BEACH ST(0.0C)					FC3																	
4324421	0.000	0.033	C	2016	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	10.0	10.0	10.0	10.0	10.0	10.0	
ATLANTIC CIVIL CONSTRUCTOR(2017)							RIDE															
79080001	0.604	0.770	R	1	6	30	CRACKING									10.0	10.0	10.0	10.0	10.0		
600 92			2	4.1	23000		RIDE															
HALIFAX DR(0.8C)					FC3																	
							CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.9	
(2004)							RIDE															
79080001	0.604	0.770	L	1	6	30	CRACKING									10.0	10.0	10.0	10.0	10.0		
600 92			2	4.1	23000		RIDE															
HALIFAX DR(0.8L)					FC3																	
							CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	
(2004)							RIDE															
79080001	0.000	0.033	L	1	6	30	CRACKING									10.0	10.0	10.0	10.0	10.0		
600 92			2	4.1	23000		RIDE															
BEACH ST(0.0C)					FC3																	
4324421	0.000	0.033	C	2016	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ATLANTIC CIVIL CONSTRUCTOR(2017)							RIDE															
79090000	0.000	0.218	C	1	1	35	CRACKING	6.5	6.5	3.5*	3.5*		7.0	7.0	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		
11			1	4.3	3100		RIDE	7.9	7.7	7.7	7.9		7.1	6.4	7.0	5.8	5.6	5.4*	4.9*	6.0		
MISSING DESCRIPTION I(0.0C)					OGFC																	
4195961	0.000	0.218	C	2009	0012		CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8	
P & S PAVING, INC.					SPRIDE			5.3*	7.7	7.6	7.5	7.5	7.5	7.6	8.0	7.9	7.9	7.6	7.8	7.8	7.8	
79090000	0.218	1.690	C	1	1	55	CRACKING	6.5	6.5	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5		
11			2	4.3	6700		RIDE	7.9	7.7	7.7	7.9		8.9	8.9	8.8	8.1	7.9	7.7	7.8	7.6		
DOLORES BLVD(0.3R)					FC125M																	
4306801	0.941	1.670	C	2015	0012		CRACKING	7.5	7.5	7.0	7.0	7.0	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	
HALIFAX PAVING, INC.							RIDE	7.3	7.0	6.9	6.7	6.6	6.4*	6.3*		8.0	8.0	7.9	7.6	7.6	7.0	
79090000	1.690	2.247	C	1	1	55	CRACKING	6.5	6.5	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5		
11			2	4.3	6700		RIDE	7.9	7.7	7.7	7.9		9.1	9.0	9.0	7.8	8.0	7.7	7.7	7.8		
OLD PERKINS HWY(1.9R)					DGFC																	
4233601	1.690	2.247	C	2010	0012		CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
P & S PAVING, INC.							RIDE	7.4	7.1	8.5	8.5	8.3	8.1	8.1	8.3	8.1	8.1	8.1	8.0	8.1	7.8	
79090000	2.247	2.645	C	1	1	55	CRACKING	7.0	7.0	6.5	6.5		7.0	5.5*	3.0*	3.0*	3.0*	3.0*	3.0*	3.5*		
11			2	10.7	3900		RIDE	7.1	7.6	7.3	7.7		7.6	7.5	7.6	6.7	6.7	6.2*	6.7	6.5		
GEMSTONE TR(2.3L)					OGFC																	
4195961	2.247	2.645	C	2009	0012		CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
P & S PAVING, INC.					SPRIDE			6.6	7.8	7.9	7.8	7.7	7.7	7.7	8.0	7.8	7.9	7.9	8.0	7.9	7.9	
79090000	2.645	14.316	C	1	1	60	CRACKING	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5		
11			2	10.7	3900		RIDE	8.0	7.7	7.7	8.0		9.1	9.1	9.0	8.3	8.2	7.9	8.0	7.5		
ISLAND GROVE DR(3.6R)					FC125R																	
4233601	2.645	14.316	C	2010	0012		CRACKING	6.5	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	7.5	
P & S PAVING, INC.							RIDE	7.5	7.0	8.7	8.5	8.3	8.1	8.0	8.0	7.8	7.8	7.5	7.6	7.6	6.9	
79100000	0.000	6.535	C	1	1	55	CRACKING		10.0	10.0	10.0	9.5	8.5	7.0	4.5*	4.5*	4.5*	3.5*		10.0		
40			2	7.8	8400		RIDE		8.3	8.2	9.0	9.0	8.9	8.9	8.6	8.1	7.7	7.4		8.6		
RIVEREDGE DR(0.1R)					FC95																	
4155261	0.000	6.535	C	2006	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.5	7.4	
P & S PAVING, INC.					SPRIDE			8.3	8.7	8.6	8.6	8.6	8.6	8.7	8.3	8.4	8.3	8.3	8.3	8.2	8.1	
79100000	6.535	19.529	C	1	1	60	CRACKING	10.0	10.0	9.0	9.0	9.0	8.0	7.0	7.0	5.5*	4.0*	3.5*	1.0*	10.0		
40			2	12.1	6900		RIDE	8.1	8.1	8.0	9.0	8.9	8.7	8.6	8.4	7.6	7.4	7.0	6.9	8.5		
PINE ST(6.6L)					FC95																	
4171541	6.543	19.529	C	2006	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	6.6	
ANDERSON COLUMBIA CO., INC(2008)							RIDE	8.5	8.5	8.5	8.4	8.3	8.2	8.3	8.1	8.1	8.1	8.0	8.0	8.0	7.7	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE			
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008				
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	ASTYPE	=====																	
ITMSEG-P	(AGE_ONE YEAR)							2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																			(REG)
79100000	19.529	19.871	R	1	1 60	CRACKING		10.0	10.0	9.0	9.0	9.0	8.0	7.0	7.0	5.5*	4.0*	3.5*	1.0*	10.0				
40			2	12.1	6900	RIDE		8.1	8.1	8.0	9.0	8.9	8.7	8.6	8.4	7.6	7.4	7.0	6.9	8.1				
COUNTRY ACRES BLVD(19.6R)																								
				(2008)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	3.5*	3.5*	3.1			
4438151	19.501	25.795	C	2022	0012	RIDE		8.3	8.1	8.2	8.1	8.2	8.0	8.0	7.9	7.9	7.8	7.8	7.8	7.8	7.6			
79100000	19.871	25.456	R	1	1 60	CRACKING		10.0	10.0	9.0	9.0	9.0	8.0	7.0	7.0	5.5*	4.0*	3.5*		10.0				
40			2	15.5	13700	RIDE		8.1	8.1	8.0	9.0	8.9	8.7	8.6	8.4	7.6	7.4	7.0		8.1				
RIMA RIDGE RD(21.2R)																								
2410091	19.871	25.429	C	2005	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	2.6			
ANDERSON COLUMBIA CO., INC(2008)																								
4438151	19.501	25.795	C	2022	0012	SPRIDE		8.1	8.1	8.1	8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.9	7.9	7.9	7.9	7.8		
79100000	25.456	30.240	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5				
40			2	4.5	35500	RIDE		8.7	8.8	8.7	8.4	8.4	8.3	8.1	8.2	7.9	7.9	7.7	7.7	7.7				
TYMBER CREEK RD(25.5R)																								
4249041	26.392	30.170	C	2014	0012	CRACKING		7.5	7.5	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
HALIFAX PAVING, INC.								7.5	7.6	7.6	7.4	7.3	7.2		7.8	7.8	7.7	7.6	7.6	7.5	7.2			
79100000	25.700	30.240	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5				
40			2	4.5	35500	RIDE		8.5	8.6	8.7	8.4	8.2	8.2	8.1	8.0	7.4	7.3	6.8	7.1	6.9				
BAYBERRY DR(25.7L)																								
4249041	26.392	30.170	C	2014	0012	CRACKING		7.0	7.0	7.0	7.0	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	9.0	8.8			
HALIFAX PAVING, INC.								7.0	6.8	6.9	6.6	6.4	6.7		7.8	7.7	7.7	7.6	7.6	7.6	7.6	7.4		
79100000	19.871	25.700	L	1	1 60	CRACKING		10.0	10.0	9.0	9.0	9.0	8.0	7.0	7.0	5.5*	4.0*	3.5*		10.0				
40			2	15.5	13700	RIDE		8.1	8.1	8.0	9.0	8.9	8.7	8.6	8.4	7.6	7.4	7.0		8.1				
PINTO LN(19.9L)																								
2410091	19.871	25.429	C	2005	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.0	6.5	3.5*	3.5*	3.5*	1.4			
ANDERSON COLUMBIA CO., INC(2008)																								
4438151	19.501	25.795	C	2022	0012	SPRIDE		8.1	8.1	8.1	8.0	8.0	8.0	7.9	7.9	7.9	7.8	7.8	7.9	7.8	7.7			
79100000	19.529	19.871	L	1	1 60	CRACKING		10.0	10.0	9.0	9.0	9.0	8.0	7.0	7.0	5.5*	4.0*	3.5*	1.0*	10.0				
40			2	12.1	6900	RIDE		8.1	8.1	8.0	9.0	8.9	8.7	8.6	8.4	7.6	7.4	7.0	6.9	7.9				
(2008)																								
4438151	19.501	25.795	C	2022	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	5.9			
								7.9	8.0	7.9	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.6	7.8	7.8	7.7			
79110000	0.486	5.886	R	4	1 65	CRACKING		6.5	6.5		10.0	10.0	10.0	10.0				10.0	10.0	10.0				
400 I4	104.4	109.8	3	6.5	111000	RIDE		9.0	9.2		9.1	8.9	9.1	9.1				8.3	8.3	8.3				
RANGER CONSTRUCTION INDUST(2018)																								
4324551	0.486	5.886	C	2016	0012	CRACKING		10.0	9.0	8.0	8.0	8.0	7.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
								8.3	8.2	8.2	8.1	8.0	7.7	7.5	8.0		8.7	8.8	8.8	8.9	8.9			
79110000	5.886	10.212	R	4	1 70	CRACKING		4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.5							
400 I4	109.8	114.1	3	12.7	99000	RIDE		7.7	7.9		9.1	8.9	9.1	9.1	8.8	8.4	8.4							
P & S PAVING, INC.																								
4380381	5.482	10.212	C	2018	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	1.0*	10.0	10.0				
								8.2	8.2	8.2	8.0	8.0	7.8	7.5	8.1	8.0	7.7	8.0	8.9	9.0				
79110000	10.212	13.733	R	4	1 70	CRACKING		4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5					
400 I4	114.1	117.6	3	9.8	80000	RIDE		7.7	7.9		9.1	8.9	9.1	9.1	8.8	8.4	8.4	8.1	7.9					
SEMA CONSTRUCTION, INC.																								
4084631	10.254	14.865	C	2007	0213	CRACKING		10.0	10.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5	6.5	4.5*	4.5*	3.3			
(2009)																								
4344111	9.875	15.023	C	2022	0012	SPRIDE		8.0	8.0	7.9	7.7	7.7	7.6	7.2	7.8	7.3	8.0	8.1	8.1	8.2	8.0			
79110000	13.733	15.027	R	4	1 70	CRACKING		4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5					
400 I4	117.6	118.9	3	15.7	66500	RIDE		7.7	7.9		9.1	8.9	9.1	9.1	8.8	8.4	8.4	8.1	7.9					
(2018)																								
4344111	9.875	15.023	C	2022	0012	CRACKING		10.0	9.5	8.0	8.0	8.0	8.0	8.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0		
								8.0	8.4	7.9	7.7	7.7	7.6	7.2	7.8		8.2	8.1	8.1	8.1	8.1	7.9		
79110000	15.027	26.944	R	4	4 70	CRACKING		10.0	10.0	8.5	7.5	7.0	7.0	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0				
400 I4	118.9	130.8	3	15.7	66500	RIDE		9.2	9.0	8.7	9.1	9.0	9.0	8.7	8.8	8.4	8.4	8.4	8.4	8.4				
LGD																								
4084641	14.821	27.373	C	2012	0213	CRACKING		9.5	9.5	7.5	7.5	7.5				9.4	9.4	9.4	9.5	9.5				
(2018)								8.4	8.4	8.5	8.4	8.4				8.5	9.1	9.1	9.2	9.2	9.2			

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
79110000	26.944	27.373	R	4	8 65	CRACKING		6.5	6.5			10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	
400 I4	130.8	131.3	3	6.5	48000	RIDE		8.0	8.3			9.1	9.1	9.1	8.8	8.5	8.3	8.2	8.1	7.9	
					FC5M																
2427121	25.279	28.020	C	1997	0012	CRACKING		6.5	6.0*	6.0*	6.0*	6.0*					6.5	4.5*			
RANGER CONSTRUCTION INDUST(2000)					S	RIDE		7.8	7.7	7.8	7.4	7.2					7.0	6.7			
79110000	27.373	28.013	R	4	8 65	CRACKING		6.5	6.5			10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	
400 I4	131.3	131.9	2	6.5	48000	RIDE		8.0	8.3			9.1	9.1	9.1	8.8	8.5	8.3	8.2	8.1	7.9	
					FC5M																
2427121	25.279	28.020	C	1997	0012	CRACKING		6.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	5.5*						
RANGER CONSTRUCTION INDUST(2000)					S	RIDE		7.8	7.7	7.8	7.4	7.2	7.0	7.1	7.2						
79110000	27.373	28.013	L	4	8 65	CRACKING		3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	
400 I4	131.3	131.9	1	6.5	48000	RIDE		8.3	7.6			9.0	9.0	9.1	8.7	8.1	8.3	8.3	8.1	7.9	
					FC5M																
2427121	25.279	28.020	C	1997	0012	CRACKING		7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*	5.0*	5.0*	1.0*	0.0*			
RANGER CONSTRUCTION INDUST(2000)					S	RIDE		8.0	8.1	8.1	7.9	7.9	7.7	7.5	7.9	7.8	7.6	7.5			
79110000	26.944	27.373	L	4	8 65	CRACKING		3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	
400 I4	130.8	131.3	3	6.5	48000	RIDE		8.3	7.6			9.0	9.0	9.1	8.7	8.1	8.3	8.3	8.1	7.9	
					FC5M																
2427121	25.279	28.020	C	1997	0012	CRACKING		7.0	6.0*	6.0*	6.0*	6.0*					6.5	4.5*	4.5*		
RANGER CONSTRUCTION INDUST(2000)					S	RIDE		8.0	8.2	7.7	7.9	7.7					6.4*	6.3*	6.6		
79110000	15.027	26.944	L	4	4 70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	10.0	10.0	10.0	10.0
400 I4	118.9	130.8	3	15.7	66500	RIDE		9.2	9.3	9.2	9.0	9.0	9.0	9.0	8.9	8.8	8.3	8.3	8.4	8.3	
					LGD																
4084641	14.821	27.373	C	2012	0213	CRACKING		9.0	9.0	9.0	9.0	9.0					9.4	9.4	9.4	9.4	9.4
(2018)					RIDE			8.4	8.4	8.4	8.4	8.3					8.6	8.9	8.8	8.9	8.9
79110000	9.810	15.027	L	4	1 70	CRACKING		7.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5		
400 I4	113.7	118.9	3	9.8	80000	RIDE		8.0	7.9		9.1	9.1	9.0	9.1	9.0	8.6	8.5	8.4	8.3		
					FC5M																
4084631	10.254	14.865	C	2007	0213	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	4.2
SEMA CONSTRUCTION, INC. (2009)					SPRIDE			8.3	8.3	8.3	8.3	8.3	8.0	8.1	7.9	8.2	7.8	8.5	8.5	8.5	8.3
4344111	9.875	15.023	C	2022	0012																
79110000	5.636	9.810	L	4	1 70	CRACKING		7.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0	8.5				
400 I4	109.5	113.7	3	12.7	99000	RIDE		8.0	7.9		9.1	9.1	9.0	9.1	9.0	8.6	8.5				
					FC5HP																
4380381	5.482	10.212	C	2018	0012	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.6	4.5*	4.5*	1.0*	0.0*	10.0	10.0
P & S PAVING, INC. (2020)					RIDE			8.2	8.1	8.1	8.0	7.9	7.8	7.9	7.6	7.9	7.5	7.5	7.7	9.0	9.1
79110000	0.486	5.636	L	4	1 65	CRACKING		9.0	9.0		10.0	10.0	10.0	10.0				10.0	10.0	10.0	
400 I4	104.4	109.5	3	6.5	111000	RIDE		9.0	9.1		9.1	9.1	9.0	9.1				8.4	8.4	8.4	
					FC5M																
4324551	0.486	5.886	C	2016	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	7.5	7.5	4.5*		10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST(2018)					RIDE			8.3	8.3	8.3	8.2	8.2	8.0	7.8	8.0		8.7	8.8	8.8	8.8	8.8
79120000	0.459	2.406	R	1	1 55	CRACKING		10.0	9.0	7.0	7.0	6.5	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	
415			2	9.4	24000	RIDE		8.5	8.4	8.1	8.3	8.2	8.0	7.8	7.7		8.0	7.9	7.9	8.1	
					FC5A																
4073553	0.000	2.406	C	2012	0213	CRACKING		8.5	7.5	7.0	7.0					10.0	10.0	10.0	10.0	10.0	10.0
UNITED INFRASTRUCTURE GROU(2017)					SPRIDE			8.0	7.9	7.9	7.6					8.4	8.1	8.0	8.0	8.0	7.5
79120000	2.406	7.446	R	1	1 45	CRACKING		7.5	4.5*	3.5*	3.5*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	
415			2	9.4	24000	RIDE		7.9	7.9	7.9	8.2	8.0	7.8		8.7	8.1	8.3	8.2	8.3	8.3	
LEMON BLUFF RD(3.1R)					FC125R																
4073554	2.406	7.446	C	2012	0213	CRACKING		8.5	8.5	8.0	8.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0
P & S PAVING, INC. (2016)					SPRIDE			8.3	8.2	8.2	8.1				8.0	7.9	7.8	7.8	7.8	7.8	7.6
79120000	7.446	17.590	C	1	1 55	CRACKING		7.5	4.5*	3.5*	3.5*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0	
415			2	14.2	12200	RIDE		7.9	7.9	7.9	8.2	8.0	7.8		8.7	8.1	8.3	8.2	8.3	8.3	
OSCEOLA TRAM RD(7.8L)					FC125																
2410411	4.883	17.366	C	2001	0012	CRACKING		8.5	8.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	5.4
P & S PAVING (2003)					SPRIDE			8.3	8.2	8.2	8.1	8.0	7.9	7.8	7.7	7.7	7.6	7.6	7.6	7.6	7.3
4429071	7.444	17.568	C	2023	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008			
INTERSECT AT (MP SIDE)																						
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																
CONTRACTOR (AGE_ONE YEAR)																						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)		
79120000	2.406	7.446	L 1	1 45	CRACKING		7.5	4.5*	3.5*	3.5*	1.0*	1.0*		10.0	10.0	10.0	10.0	10.0	10.0			
415			2 9.4	24000	RIDE		7.9	7.9	7.9	8.2	8.0	7.8		8.7	8.1	8.3	8.2	8.3	8.3			
RABBIT RUN(3.4L)				FC125R																		
4073554	2.406	7.446	C 2012	0213	CRACKING		8.5	8.5	8.0	8.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC.			(2016)	SPRIDE			8.3	8.2	8.2	8.1				8.2	8.2	8.1	8.0	8.0	8.0	7.7		
79120000	0.459	2.406	L 1	1 55	CRACKING		10.0	9.0	7.0	7.0	6.5	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0		
415			2 9.4	24000	RIDE		8.5	8.4	8.1	8.3	8.2	8.0	7.8	7.7		8.0	7.9	7.9	7.9	8.1		
DELTONA CITY LIMITS(2.3L)				FC5A																		
4073553	0.000	2.406	C 2012	0213	CRACKING		8.5	7.5	7.0	7.0					10.0	10.0	10.0	10.0	10.0	10.0		
UNITED INFRASTRUCTURE GROU(2017)			(2017)	SPRIDE			8.0	7.9	7.9	7.6					8.5	8.4	8.3	8.3	8.3	8.0		
79140000	0.000	5.436	C 1	1 55	CRACKING		9.0	7.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0		
46			2 12.8	8100	RIDE		8.2	8.2	8.0	7.7	7.6	7.4	7.2	7.1		8.2	8.2	8.1	8.2			
DUSTY LN(1.3R)				FC125																		
4091691	0.000	5.436	C 2003	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.0	7.0	7.0	6.6		
RANGER CONSTRUCTION INDUST(2005)			(2005)	SPRIDE			8.1	8.2	8.2	8.1	8.1	8.0	7.9	7.7	7.7	7.6	7.5	7.5	7.5	7.3		
79150000	0.000	0.509	C 1	1 35	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0		
40			4 1.8	39500	RIDE		8.0	8.1	7.8	7.0	7.5	7.2	7.3	7.2	6.0	5.9	5.7	5.4*	5.5			
MISSING DESCRIPTION I(0.0L)				FC95R																		
4220302	0.048	0.509	C 2013	0012	CRACKING		6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	8.5	7.0	6.0*	6.0*	2.5		
MASCI GENERAL CONTRACTORS(2014)			(2014)	SPRIDE			6.1	5.9	6.0	6.1	5.5	6.1	6.2	5.5	5.7	5.6	5.7	5.3*	5.3*	4.7		
4471051	0.015	0.509	C 2024	0012																		
79150000	0.873	1.481	C 1	1 35	CRACKING		10.0	10.0	10.0	7.0	7.0	6.5	6.5	10.0	10.0	8.5	7.0	6.5	6.5			
40			4 11.2	19200	RIDE		7.7	7.9	8.1	6.6	6.5	6.8	6.4	6.8	6.2	6.2	5.7	5.8	5.6			
JOHN ANDERSON DR(1.0L)				FC95R																		
4220301	0.506	1.471	C 2010	0012	CRACKING		6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.0		
P & S PAVING, INC.			(2012)	SPRIDE			5.6	5.4*	5.6	8.1	6.8	6.8	6.8	7.3	7.3	7.0	7.1	7.0	7.0	6.8		
79160000	0.000	1.819	R 1	1 45	CRACKING		8.5	8.5	7.0	6.5	4.5*	4.5*	4.5*	1.0*	1.0*		10.0	10.0	10.0	10.0		
15A			2 5.9	26000	RIDE		8.4	8.5	8.3	7.9	7.7	7.7	7.9	7.2	6.2*		7.6	7.5	7.6			
DELAND CITY LIMITS(0.0C)				FC125																		
2408221	0.143	1.741	C 2004	0213	CRACKING		9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	5.7		
(2006)			(2006)	SPRIDE			6.9	8.0	7.9	7.7	7.7	7.5	7.6	7.4	7.4	7.4	7.2	7.1	7.3	7.2		
79160000	1.819	3.659	R 1	1 45	CRACKING		10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	3.5*	3.5*	10.0	10.0		
15A			2 9.7	27000	RIDE		8.0	8.1	8.0	7.6	7.7	7.5	7.5	7.2	6.9	7.0	6.3	6.3	8.3			
VOLUSIA AVE W(1.9C)				FC95																		
4171551	1.819	3.659	C 2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC.			(2008)	SPRIDE			8.3	8.2	8.2	8.2	8.2	8.1	8.1	7.7	7.8	7.5	7.7	7.6	7.6	7.2		
79160000	3.659	4.652	R 1	1 50	CRACKING		4.5*	4.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
15A			2 7.0	25000	RIDE		7.8	7.9	7.7	7.2	8.4	8.4	8.4	8.3	8.1	8.2	8.0	8.1	8.2			
PLYMOUTH AVE W(3.8C)				FC125																		
2408551	3.750	4.753	C 2002	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	5.7		
P & S PAVING			(2004)	SPRIDE			8.2	8.0	8.1	7.9	7.9	7.8	7.8	7.7	7.6	7.6	7.4	7.4	7.5	7.2		
4411341	3.659	4.652	C 2022	0012																		
79160000	4.652	6.899	R 1	1 55	CRACKING		4.5*	4.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
15A			2 4.8	17600	RIDE		7.8	7.9	7.7	7.2	8.4	8.4	8.4	8.3	8.0	7.9	7.9		8.4			
GREENS DAIRY RD(4.8R)				FC125																		
2408561	4.800	6.750	C 2005	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC.			(2008)	SPRIDE			8.4	8.4	8.2	8.2	8.2	8.2	8.1	7.9	7.9	7.8	7.8	7.7	7.7	7.4		
79160000	4.652	6.899	L 1	1 55	CRACKING		4.5*	4.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
15A			2 4.8	17600	RIDE		7.8	7.9	7.7	7.2	8.4	8.4	8.4	8.3	8.0	7.9	7.9		8.5			
DELAND CITY LIMITS(4.8L)				FC125																		
2408561	4.800	6.750	C 2005	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0		
P & S PAVING, INC.			(2008)	SPRIDE			8.5	8.4	8.2	8.2	8.2	8.1	8.1	7.9	7.9	7.9	7.8	7.8	7.9	7.5		
79160000	3.659	4.652	L 1	1 50	CRACKING		4.5*	4.5*	3.5*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
15A			2 7.0	25000	RIDE		7.8	7.9	7.7	7.2	8.4	8.4	8.4	8.3	8.1	8.0	8.0	8.1	8.2			
PLYMOUTH AVE W(3.8C)				FC125																		
2408551	3.750	4.753	C 2002	0213	CRACKING		10.0	10.0	10.0	9.0	9.0	8.5	8.0	7.0	7.0	6.5	6.5	6.5	6.5	5.0		
P & S PAVING			(2004)	SPRIDE			8.2	8.2	8.1	7.9	8.0	7.8	7.9	7.8	7.7	7.8	7.5	7.6	7.4	7.4		
4411341	3.659	4.652	C 2022	0012																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
79160000	1.819	3.659	L 1	1 45	CRACKING			10.0	10.0	8.5	7.0	7.0	7.0	7.0	7.0	5.5*	5.5*	3.5*	3.5*	10.0	
15A			2 9.7	27000	RIDE			8.1	8.2	8.2	7.7	7.6	7.8	7.7	7.3	6.9	7.1	6.5	6.4	8.1	
VOLUSIA AVE W(1.9C)				FC95																	
4171551	1.819	3.659	C 2007	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0
P & S PAVING, INC.			(2008)	SPRIDE				8.1	8.1	8.1	8.0	8.0	7.9	7.9	7.7	7.7	7.7	7.6	7.5	7.6	7.3
79160000	0.000	1.819	L 1	1 45	CRACKING			8.5	8.5	7.0	6.5	4.5*	4.5*	4.5*	1.0*	1.0*		10.0	10.0	10.0	
15A			2 5.9	26000	RIDE			8.4	8.5	8.3	7.9	7.7	7.9	7.2	6.2*			7.8	7.8	7.6	
DELAND CITY LIMITS(0.0C)				FC125																	
2408221	0.143	1.741	C 2004	0213	CRACKING			9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	5.7
			(2006)	SPRIDE				7.0	7.9	7.8	7.6	7.8	7.6	7.6	7.4	7.4	7.4	7.3	7.3	7.4	7.2
79170000	0.000	1.000	C 1	1 40	CRACKING			9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	
44			1 4.6	10200	RIDE			8.3	8.3	8.1	7.5	7.5	7.6	7.6	7.6	6.8	6.6	6.6	6.6	6.9	
LEG 070001(0.0C)				FC125R																	
4220311	0.000	1.433	C 2009	0012	CRACKING			5.5*	5.5*	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	6.0*	6.0*	6.0*	3.3
P & S PAVING, INC.			(2011)	SPRIDE				6.5	6.4	8.0	8.0	8.0	7.9	7.9	7.5	7.5	7.4	7.0	7.2	7.1	6.5
79170100	0.000	0.100	C 1	6 30	CRACKING																
44			2 4.6	10200	RIDE																
DESOTO DR(0.0R)				DGFC																	
			(2012)		CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
					RIDE																
79170100	0.347	0.437	C 1	6 30	CRACKING																
44			2 4.6	10200	RIDE																
N PENINSULA DR(0.4L)				DGFC																	
			(2012)		CRACKING						10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
					RIDE																
79180000	0.000	0.608	R 1	1 45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	4.5*	4.5*	4.5*	4.5*	
A1A			2 3.7	25500	RIDE			8.0	8.1	7.8	6.3*	7.2	7.7	7.4	7.6	6.2*	6.6	5.5	5.3*	5.8	
PORT ORANGE CITY LIMITS(0.0C)				FC125R																	
4117811	0.000	6.531	C 2010	0012	CRACKING			4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
P & S PAVING, INC.			(2011)	SPRIDE				5.5	5.9	8.4	8.3	8.4	8.3	8.3	8.1	8.1	8.1	7.9	8.1	7.9	7.7
79180000	0.987	6.601	R 1	1 35	CRACKING			8.5	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	
A1A			2 5.1	15400	RIDE			8.1	8.2	8.1	7.1	7.0	7.0	7.0	6.8	6.6	6.5	6.3	6.3	6.2	
PENINSULA DR(1.1R)				FC125R																	
4117811	0.000	6.531	C 2010	0012	CRACKING			5.5*	5.5*		10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.0	7.0	7.0	5.0
P & S PAVING, INC.			(2012)	SPRIDE				6.2	5.6		7.4	7.2	7.1	7.0	7.2	7.1	7.0	7.0	6.8	6.8	6.6
79180000	0.987	6.601	L 1	1 35	CRACKING			10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	5.5*	
A1A			2 5.1	15400	RIDE			8.2	8.5	8.4	7.6	7.5	7.4	7.4	7.3	7.0	7.0	6.9	6.8	6.8	
FRONTAGE RD(1.1L)				FC125R																	
4117811	0.000	6.531	C 2010	0012	CRACKING			5.5*	5.5*		10.0	10.0	10.0	10.0	9.5	9.5	8.5	7.0	7.0	7.0	5.0
P & S PAVING, INC.			(2012)	SPRIDE				6.7	6.2		7.9	7.8	7.8	7.7	7.5	7.5	7.5	7.4	7.4	7.4	7.0
79180000	0.000	0.608	L 1	1 45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	4.5*	3.5*	3.5*	3.5*	
A1A			2 3.7	25500	RIDE			7.7	8.3	7.7	7.9	7.3	7.8	7.7	7.5	6.4*	6.3*	6.2	6.0	5.2*	
PORT ORANGE CITY LIMITS(0.0C)				FC125R																	
4117811	0.000	6.531	C 2010	0012	CRACKING			3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
P & S PAVING, INC.			(2011)	SPRIDE				5.1*	4.6*	8.2	8.3	8.3	8.4	8.3	8.0	8.0	7.9	7.8	7.8	7.9	7.5
79181000	0.376	0.644	R 1	1 45	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	3.5*	3.5*	3.5*	1.0*	
472			2 4.4	29000	RIDE			8.5	8.6	8.3	8.8	8.6	8.7	8.7	8.6	8.1	7.7	7.3	7.3	6.9	
				FC125M																	
4171571	0.376	2.931	C 2007	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	4.5*	3.5*	0.0*	0.0*	0.0*	0.0
P & S PAVING, INC.			(2009)	SPRIDE				8.0	8.1	8.1	8.0	7.9	7.8	7.5	8.1	7.9	7.8	7.9	8.0	7.1	7.1
4391211	0.376	2.931	C 2020	0012																	
79181000	0.644	2.931	R 1	8 60	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	3.5*	3.5*	3.5*	1.0*	
472			2 4.4	29000	RIDE			8.5	8.6	8.3	8.8	8.6	8.7	8.7	8.6	8.1	7.7	7.3	7.3	6.9	
GRAYSON ST(0.8R)				FC5M																	
4171571	0.376	2.931	C 2007	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	4.5*	3.5*	0.0*	0.0*		
P & S PAVING, INC.			(2009)	SPRIDE				8.0	8.1	8.1	8.0	7.9	7.8	7.5	8.1	7.9	7.8	7.9	8.0		
4391211	0.376	2.931	C 2020	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008			
INTERSECT AT (MP SIDE)							=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																	
CONTRACTOR (AGE_ONE YEAR)								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)		
79181000	2.931	3.782	R	1	1 50	CRACKING	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0			
472			2	4.4	29500	RIDE	8.5	8.6	8.3	8.8	8.6			8.5	8.3	7.9	7.9	7.6	7.7	8.0			
						DGFC																	
4324412	2.931	3.782	C	2016	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	7.0		7.0	7.0		10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC.				(2018)		RIDE	7.9	7.9	7.7	7.6	7.5	7.5	7.5	7.3	7.4		7.8	7.2	7.0	7.2	6.0		
79181000	2.931	3.782	L	1	1 50	CRACKING	10.0	10.0	10.0	8.5	8.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0			
472			2	4.4	29500	RIDE	8.5	8.8	8.4	8.7	7.6			8.4	8.1	7.9	7.8	7.6	7.8	7.9			
						DGFC																	
4324412	2.931	3.782	C	2016	0012	CRACKING	8.5	8.5	7.5	7.5	7.5	7.0		7.0	7.0		10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC.				(2018)		RIDE	7.6	7.9	7.6	7.7	7.5	7.4	7.4	6.7			7.8	7.3	7.3	7.3	6.5		
79181000	0.644	2.931	L	1	8 60	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	6.5	3.5*	3.5*	3.5*	1.0*				
472			2	4.4	29000	RIDE	8.5	8.8	8.4	8.7	7.6	8.3	8.8	8.7	7.9	7.5	7.5	7.5	7.2	7.0			
						FC5M																	
LEAVITT AVE(0.9L)																							
4171571	0.376	2.931	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	4.5*	3.5*	0.0*	0.0*					
P & S PAVING, INC.				(2009)		SPRIDE	8.1	8.2	8.1	8.0	8.0	8.0	7.8	8.2	8.1	8.1	8.1	8.2					
4391211	0.376	2.931	C	2020	0012																		
79181000	0.376	0.644	L	1	1 45	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5	6.5	3.5*	3.5*	3.5*	1.0*				
472			2	4.4	29000	RIDE	8.5	8.8	8.4	8.7	7.6	8.3	8.8	8.7	7.9	7.5	7.5	7.5	7.2	7.0			
						FC125M																	
4171571	0.376	2.931	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	4.5*	3.5*	0.0*	0.0*	0.0*	0.0*	0.0		
P & S PAVING, INC.				(2009)		SPRIDE	8.1	8.2	8.1	8.0	8.0	8.0	7.8	8.2	8.1	8.1	8.1	8.2	7.3	7.3			
4391211	0.376	2.931	C	2020	0012																		
79190000	0.000	3.289	R	1	1 45	CRACKING	8.5	8.5	7.0	7.0	7.0	7.0	7.0	5.5*				10.0	10.0	10.0			
5A			2	4.4	21500	RIDE	8.1	8.1	7.9	8.0	7.7	7.7	7.7	7.8				7.6	7.4	7.7			
						FC125																	
PORT ORANGE CITY LIMITS(0.0C)																							
2407571	0.009	2.254	C	2001	0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5	7.5	7.5	7.5	6.2		
MODERN CONTINENTAL SOUTH			I	(2006)		SPRIDE	7.7	7.7	7.7	7.6	7.6	7.5	7.4	7.1	7.1	7.1	6.9	6.9	6.8	6.6			
79190000	3.289	6.166	R	1	1 50	CRACKING	8.5			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5				
5A			3	4.7	29500	RIDE	8.2			8.5	8.4	8.4	8.4	8.1	7.7	7.6	7.5	7.5	7.4				
						FC125R																	
HERBERT ST(3.3C)																							
4220321	3.908	6.010	C	2011	0012	CRACKING	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5		
P & S PAVING, INC.				(2012)		SPRIDE	7.2	7.3	7.1	8.1	8.0	7.9	7.7	7.7	7.9	7.8	7.7	7.7	7.7	7.5	7.5		
79190000	6.166	8.177	R	1	1 50	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5				
5A			3	3.3	37000	RIDE	8.0	8.7	8.8	8.5	8.4	8.4	8.3	8.3	7.7	7.8	7.6	7.6	7.5				
						FC5M																	
SIDE ROAD(6.5C)																							
4324383	6.166	8.177	C	2017	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC.				(2019)		RIDE	7.7	7.4	7.3	7.2	7.2	7.0	6.6	7.4	7.3	7.4	8.6	8.6	8.5	8.3			
79190000	8.177	9.619	R	1	1 45	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	3.5*	3.5*	3.5*	3.5*				
5A			3	3.5	35500	RIDE	8.0	8.0	7.9	7.3	7.0	7.3	7.4	7.1	6.9	6.8	6.4	6.4	6.3				
						FC95																	
SR 600(8.2C)																							
4195561	8.208	9.619	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5		
P & S PAVING, INC.				(2010)		SPRIDE		8.3	8.2	8.3	8.2	8.3	8.1	7.9	7.9	7.7	7.6	7.6	7.5	7.1			
79190000	9.791	10.389	C	1	1 30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
5A			2	5.2	1300	RIDE	8.5	8.9	8.7	8.8	8.6	8.8	8.8	8.7	8.0	8.0	7.9	7.9	7.9				
						FC125M																	
FOURTH ST(10.0L)																							
4369151	9.791	10.389	C	2018	0012	CRACKING	10.0	7.0	7.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	7.0				
P & S PAVING, INC.				(2020)		SPRIDE	7.7	7.5	7.5	7.2	7.2	6.5	7.0	7.1	6.6	6.9	6.9	7.8	7.7				
79190000	10.640	11.696	R	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
5A			3	3.3	29000	RIDE	8.8	8.8	8.6	8.4	8.3	8.3	8.2	8.1	6.9	6.3*	7.6	7.6	7.6				
						FC125M																	
CR 4019(10.9C)																							
4369151	10.640	11.696	C	2018	0012	CRACKING	10.0	8.5	8.5	7.5	7.5	7.5	6.0*	6.0*	6.0*	6.0*		10.0	10.0				
P & S PAVING, INC.				(2020)		SPRIDE	7.6	7.7	7.3	7.2	7.1	7.1	7.0	7.3	7.1	7.1		7.7	7.5				
79190000	11.696	14.185	R	1	1 45	CRACKING	3.5*	3.5*	0.0*	0.0*	0.0*	0.0*	0.0*					10.0	10.0	10.0			
5A			3	3.3	29000	RIDE	7.1	7.1	7.0	6.2*	6.7	6.9	6.7					7.1	7.1	7.3			
						FC125																	
FLOMICH ST(11.7C)																							
2407191	11.836	14.830	C	2001	0213	CRACKING	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	5.4		
MODERN CONTINENTAL SOUTH			I	(2006)		SPRIDE	7.1	7.0	7.0	6.5	6.2	6.7	6.6	6.7	6.6	6.7	6.6	6.5	6.5	6.4	6.1		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
79190000	14.185	14.629	R	1	45	CRACKING		3.5*	3.5*	0.0*	0.0*	10.0	10.0	10.0				10.0	10.0	10.0	
5A			3	3.3	25500	RIDE		7.1	7.1	7.0	6.2*	8.5	8.5	8.5				7.7	7.6	7.2	
STERTHAUS DR(14.2R)																					
2407191	11.836	14.830	C	2001	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.8
MODERN CONTINENTAL SOUTH			I	(2006)		SPRIDE		7.6	7.4	7.2	7.0	6.8	6.9	7.0	6.9	6.7	6.5	6.8	6.5	6.4	6.0
79190000	14.629	15.606	R	1	45	CRACKING		3.5*	3.5*	0.0*	0.0*	10.0	10.0	10.0				10.0	10.0	10.0	
5A			2	3.3	25500	RIDE		7.1	7.1	7.0	6.2*	8.5	8.5	8.5				7.7	7.6	6.5	
LAKEBRIDGE DR(14.9C)																					
2407581	14.405	15.601	C	2001	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.3
MODERN CONTINENTAL SOUTH			I	(2006)		SPRIDE		7.5	7.7	7.5	7.3	7.5	7.3	6.5	7.1	6.9	6.8	6.7	6.6	6.5	6.3
79190000	14.629	15.606	L	1	45	CRACKING		3.5*	3.5*	0.0*	0.0*	10.0	10.0	10.0				10.0	10.0	10.0	
5A			2	3.3	25500	RIDE		7.1	7.1	7.0	6.2*	8.5	8.5	8.5				7.2	7.6	7.4	
LAKEBRIDGE DR(14.9C)																					
2407581	14.405	15.601	C	2001	0213	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5	7.0
MODERN CONTINENTAL SOUTH			I	(2006)		SPRIDE		7.4	7.5	7.6	7.3	7.3	7.3	7.0	7.0	6.9	6.8	6.8	6.5	6.7	6.4
79190000	14.185	14.629	L	1	45	CRACKING		3.5*	3.5*	0.0*	0.0*	10.0	10.0	10.0				10.0	10.0	10.0	
5A			3	3.3	25500	RIDE		7.1	7.1	7.0	6.2*	8.5	8.5	8.5				7.2	7.6	8.0	
MAIN TRL(14.6L)																					
2407191	11.836	14.830	C	2001	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.4
MODERN CONTINENTAL SOUTH			I	(2006)		SPRIDE		8.0	7.9	7.9	7.8	7.8	7.9	7.7	6.3	6.4	6.0	6.1	5.9	5.9	5.3
79190000	11.696	14.185	L	1	45	CRACKING		3.5*	3.5*	0.0*	0.0*	0.0*	0.0*	0.0*				10.0	10.0	10.0	
5A			3	3.3	29000	RIDE		7.1	7.1	7.0	6.2*	6.7	6.9	6.7				7.4	7.3	7.5	
FLOMICH ST(11.7C)																					
2407191	11.836	14.830	C	2001	0213	CRACKING		10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	5.5
MODERN CONTINENTAL SOUTH			I	(2006)		SPRIDE		7.5	7.3	7.4	7.3	7.0	7.1	6.8	6.9	6.8	6.8	6.7	6.4	6.5	6.2
79190000	10.640	11.696	L	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5A			3	3.3	29000	RIDE		8.4	8.5	8.3	8.1	8.0	8.0	7.9	7.9	7.2	7.2	7.4	7.4	7.4	
CR 4019(10.9C)																					
4369151	10.640	11.696	C	2018	0012	CRACKING		10.0	9.5	9.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0		10.0	10.0	
P & S PAVING, INC.				(2020)		SPRIDE		7.4	7.3	7.1	6.9	6.8	6.8	6.7	7.1	6.9	6.9		7.9	7.9	
79190000	8.177	9.619	L	1	45	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	
5A			3	3.5	35500	RIDE		7.6	7.7	7.6	6.9	6.7	6.8	7.0	6.8	6.5	6.3*	6.2	6.0	6.0	
SR 600(8.2C)																					
4195561	8.208	9.619	C	2008	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5
P & S PAVING, INC.				(2010)		SPRIDE			8.3	8.4	8.3	8.2	8.3	7.7	7.6	7.8	7.5	7.4	7.6	7.4	6.8
79190000	6.166	8.177	L	1	50	CRACKING		4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	
5A			3	3.3	37000	RIDE		7.8	8.8	8.9	8.6	8.6	8.6	8.5	8.5	7.9	8.0	7.8	7.7	7.8	
PROMENADE SHOPPING CENTE(6.3L)																					
4324383	6.166	8.177	C	2017	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0
P & S PAVING, INC.				(2019)		RIDE		7.9	7.9	7.8	7.8	7.7	7.7	7.9	7.8	7.6	7.9	8.6	8.5	8.5	8.2
79190000	3.289	6.166	L	1	50	CRACKING		8.5			10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	
5A			2	4.7	29500	RIDE		8.2			8.3	8.2	8.2	8.2	8.0	7.5	7.5	7.2	7.3	7.2	
HERBERT ST(3.3C)																					
4220321	3.908	6.010	C	2011	0012	CRACKING		6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
P & S PAVING, INC.				(2012)		SPRIDE		7.1	7.1	7.0	8.2	8.1	8.2	8.1	8.0	8.0	8.0	7.9	8.0	7.9	7.7
79190000	0.000	3.289	L	1	45	CRACKING		8.5	8.5	7.0	7.0	7.0	7.0	5.5*				10.0	10.0	10.0	
5A			2	4.4	21500	RIDE		8.1	8.1	7.9	8.0	7.7	7.7	7.8				7.8	7.9	7.9	
PORT ORANGE CITY LIMITS(0.0C)																					
2407571	0.009	2.254	C	2001	0213	CRACKING		10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	7.1
MODERN CONTINENTAL SOUTH			I	(2006)		SPRIDE		7.9	7.9	7.9	7.8	7.7	7.8	7.6	7.3	7.3	7.2	7.1	7.0	7.0	6.7
79190005	0.000	0.022	C	1	7	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5A			2	5.2	1300	RIDE															
SR-5A/79190006(0.0C)																					
4369151	0.000	0.022	C	2018	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	10.0	
P & S PAVING, INC.				(2021)		SPRIDE															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																
CONTRACTOR (AGE ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																
79190006	0.000	1.030	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5A			3	4.1	33500	RIDE		8.9	8.8	8.7	8.3	8.7	8.2	8.7	8.6	8.0	7.9	7.6	7.7	7.8		
BRENTWOOD DR(0.0C)					FC125M																	
4369151	0.000	1.030	C	2018	0012	CRACKING		10.0	8.5	8.5	7.5	7.5	7.0	6.0*	6.0*	4.5*	4.5*		10.0	10.0		
P & S PAVING, INC.				(2020)	SPRIDE			7.8	7.3	7.5	6.9	7.0	6.6	6.2	7.0	6.9	7.0		7.7	7.6		
79190006	0.000	1.030	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5A			3	4.1	33500	RIDE		8.5	8.4	8.4	7.9	8.0	6.6	7.9	7.9	7.6	7.6	7.4	7.4	7.5		
BRENTWOOD DR(0.0C)					FC125M																	
4369151	0.000	1.030	C	2018	0012	CRACKING		10.0	9.0	9.0	7.5	7.5	7.5	7.0	6.5	6.0*	4.5*		10.0	10.0		
P & S PAVING, INC.				(2020)	SPRIDE			7.4	7.5	7.3	7.3	7.3	7.1	7.0	7.3	7.1	7.2		8.2	8.2		
79190007	0.000	0.140	C	1	6 30	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5A			2	9.8	550	RIDE																
EIGHTH ST(0.0C)																						
4369151	0.000	0.140	C	2018	0012	CRACKING		9.5	9.5	9.5	9.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	8.5		
P & S PAVING, INC.				(2020)	SPRIDE																	
79210000	0.192	0.363	R	1	6 45	CRACKING		3.5*	3.5*	3.5*		10.0	10.0	10.0			10.0	10.0	10.0	10.0		
442			1	7.8	13168	RIDE		6.2*	6.5	6.6		8.2	7.0	7.8			7.6	6.9	5.9			
					DGFC																	
				(2017)	CRACKING			10.0	10.0	10.0	8.5	8.5	8.5	7.0		10.0	10.0	10.0	10.0	10.0		
					RIDE																	
79210000	0.363	3.972	R	1	1 55	CRACKING		4.5*	3.5*	3.5*		10.0	10.0	10.0			10.0	10.0	10.0	10.0		
442			2	7.8	13168	RIDE		7.2	7.4	7.3		8.9	8.8	8.8			8.1	8.0	8.0	8.0		
COW CREEK RD(0.6C)					FC125																	
2408121	0.375	2.250	C	2002	0213	CRACKING		10.0	10.0	9.0	9.0	9.0	8.5	8.5	7.5	7.0	6.5	6.5	6.5	6.0*	4.8	
P & S PAVING				(2005)	SPRIDE			8.0	8.0	7.9	7.8	7.6	7.6	7.4	7.3	7.3	7.2	7.1	7.1	7.1	6.7	
4411321	0.365	3.966	C	2022	0012																	
79210000	0.363	3.972	L	1	1 55	CRACKING		4.5*	3.5*	3.5*		10.0	10.0	10.0			10.0	10.0	10.0	10.0		
442			2	7.8	13168	RIDE		7.2	7.4	7.3		8.9	8.8	8.8			8.1	7.9	8.0	8.0		
SIDE ROAD(0.5L)					FC125																	
2408121	0.375	2.250	C	2002	0213	CRACKING		10.0	10.0	9.0	9.0	8.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	3.9		
P & S PAVING				(2005)	SPRIDE			8.0	8.0	7.9	7.7	7.5	7.4	7.3	7.1	7.0	6.9	6.8	6.8	6.8	6.2	
4411321	0.365	3.966	C	2022	0012																	
79210000	0.192	0.363	L	1	6 45	CRACKING		3.5*	3.5*	3.5*		10.0	10.0	10.0			10.0	10.0	10.0	10.0		
442			1	7.8	13168	RIDE		6.6	6.7	6.5		8.0	8.1	8.3			7.8	7.4	7.5			
					DGFC																	
				(2017)	CRACKING			9.5	9.5	8.5	8.5	8.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0		
					RIDE																	
79220000	0.000	1.965	C	1	2 35	CRACKING		9.0	9.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*		10.0	10.0		
430			4	3.7	21500	RIDE		7.3	7.4	7.5	6.2*	6.2*	6.0*	6.0	6.2	5.8	5.6		7.3	7.6		
SR483/N CLYDE MORRIS(0.0R)					FC125																	
4117821	0.000	2.168	C	2005	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	8.5	8.0	8.0	7.0	7.0	7.0	7.0	5.5		
P & S PAVING, INC.				(2007)	SPRIDE			7.3	6.9	6.5	6.7	6.5	6.7	6.5	6.8	6.7	6.8	6.7	6.8	6.8	6.4	
79220000	1.965	2.168	R	1	6 35	CRACKING		9.0	9.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*		10.0	10.0		
430			2	3.7	21500	RIDE		7.3	7.4	7.5	6.2*	6.2*	6.0*	6.0	6.2	5.8	5.6		7.3	6.5		
RIDGEWOOD AVE(2.1C)					FC125																	
4117821	0.000	2.168	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC.				(2007)	SPRIDE			5.7	6.0	5.8												
79220000	2.168	2.370	R	1	6 35	CRACKING		9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5		
430			2	3.7	21500	RIDE		7.3	7.4		7.6	7.6	7.8	7.4	7.3	6.6	6.2	6.9	7.1	6.8		
MULBERRY ST(2.2R)					DGFC																	
4306811	2.168	2.370	C	2015	0012	CRACKING		7.5	7.5	7.5	7.5	7.0	7.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC.				(2017)	RIDE			6.6	6.6	6.9	6.8	6.8	6.6	6.6	6.2							
79220000	2.168	2.370	L	1	6 35	CRACKING		9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5		
430			2	3.7	21500	RIDE		7.3	7.4		8.3	6.8	7.1	7.1	7.1	7.6	7.0	6.9	6.6	6.9		
DAYTONA AVE(2.2L)					DGFC																	
4306811	2.168	2.370	C	2015	0012	CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0		
P & S PAVING, INC.				(2017)	RIDE			7.8	7.8	7.8	7.7	7.6	7.3	7.5	6.8							

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR			1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008				
INTERSECT AT	(MP SIDE)				SURFTYPE		=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE																		
CONTRACTOR	(AGE_ONE YEAR)							2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																(REG)			
79220000	1.965	2.168	L	1	6	35	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*				10.0	10.0		
430			2	3.7	21500	RIDE		7.3	7.4	7.5	6.2*	6.2*	6.0*	6.0	6.2	5.8	5.6				7.3	5.8		
STATE AVE(2.0L)					FC125																			
4117821	0.000	2.168	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
P & S PAVING, INC.				(2007)	SPRIDE		5.8	5.8	5.8															
79220001	0.000	0.104	C	1	6	40	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
430			2	4.4	11250	RIDE						6.9	7.3	6.8	7.8	6.4	6.5	6.6	6.9	7.1				
BEACH ST N(0.0C)					DGFC																			
				(2017)		CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
						RIDE	7.2	7.0	6.9	7.1	7.0	7.0	7.0	6.9	6.1									
79220001	0.553	0.983	C	1	1	40	CRACKING					10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
430			3	4.4	4900	RIDE						7.5	7.9	7.4	7.6	7.0	7.1	6.8	6.9	6.5				
HALIFAX AVE(0.6C)					FC3																			
				(2000)		CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	4.4	
4411391	0.553	0.953	C	2021	0012			6.6	6.9	6.7	6.9	6.2	6.6	6.7	6.4	6.0	6.3	6.2	5.8	6.4	5.6			
79220002	0.000	0.442	C	1	6	30	CRACKING					10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
430			2	4.4	6000	RIDE						7.5	7.5	7.5	7.7	6.6	6.6	6.3	6.3	6.4				
ATLANTIC AVE(0.0C)					DGFC																			
4306811	0.000	0.455	C	2015	0012	CRACKING	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	9.0	8.4			
P & S PAVING, INC.				(2017)	RIDE		6.5	6.6	6.1	5.7														
79220002	0.901	0.997	C	1	6	40	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
430			2	4.4	11250	RIDE						8.3	8.1	8.1	8.0	7.3	7.4	7.4	7.3	7.6				
BEACH ST N(1.0C)					DGFC																			
				(2017)		CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
						RIDE	7.7	7.7	7.9	7.8	7.9	7.5	7.5	7.1										
79230000	0.000	2.480	R	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	
421			3	3.7	40000	RIDE		8.7	9.0	9.0	8.7	8.7	8.6	8.7	8.5	7.6	8.1	7.9	7.7	7.7				
AIRPORT RD(0.1C)					FC125A																			
4272791	0.350	2.376	C	2014	0012	CRACKING	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
P & S PAVING, INC.				(2016)	RIDE		7.7	7.8	7.7	7.4	7.6	7.4	7.3	8.2	8.3	8.1	8.2	8.1	8.1	8.1	8.0			
79230000	2.480	4.001	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	10.0	10.0				
421			2	2.3	26500	RIDE		7.7	7.7	7.8	7.2	7.2	6.9	7.1	7.0	6.5	6.0*	6.2	8.1	7.7				
JACKSON ST(2.5R)					FC125																			
4135841	2.382	3.944	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	
P & S PAVING, INC.				(2007)	SPRIDE		7.8	7.7	7.6	7.7														
79230000	2.480	4.001	L	1	1	45	CRACKING	9.0	9.0	7.5	7.5	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	
421			2	2.3	26500	RIDE		7.9	8.1	7.9	7.2	7.0	6.9	6.9	6.7	6.1*	6.0*	6.0*	6.0*	8.1	8.0			
JACKSON ST(2.5L)					FC125																			
4135841	2.382	3.944	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
P & S PAVING, INC.				(2007)	SPRIDE		8.2	8.2	8.2	8.1	8.1	8.0	7.8	7.7	7.8	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.3	
79230000	0.350	2.480	L	1	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	
421			3	3.7	40000	RIDE		8.7	8.9	8.9	8.6	8.6	8.6	8.6	8.5	8.0	7.9	7.7	7.4	7.6				
SIDE ROAD(0.4C)					FC125A																			
4272791	0.350	2.376	C	2014	0012	CRACKING	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.8		
P & S PAVING, INC.				(2016)	RIDE		7.5	7.5	7.6	7.3	7.4	7.3	7.3	8.4	8.5	8.4	8.4	8.4	8.3	8.2	8.0			
79230000	0.000	0.350	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	
421			2	4.0	53500	RIDE		8.7	8.9	8.9	8.6	8.6	8.6	8.6	8.5	8.0	7.9	7.7	7.4					
AIRPORT RD(0.1C)					FC125A																			
4272791	0.064	0.350	C	2014	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
P & S PAVING, INC.				(2016)	RIDE				7.0	6.9	6.9	6.8	6.8	6.8	7.9	8.0	7.6	7.9	7.8	7.6	7.6	7.4		
79260000	0.000	4.281	C	1	1	40	CRACKING	7.0	7.0	7.0	5.5*	5.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
441			2	3.0	6000	RIDE		7.2	7.4	7.3	6.8	6.7	6.7	6.6	6.3		6.8	6.2	6.1	6.2				
DUNLAWTON AVE(0.0C)					DGFC																			
2409551	0.000	5.409	C	2003	0012	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	5.3	
				(2005)	RIDE		6.1	6.1	6.0	6.0	5.8	5.7	5.7	5.5	5.5	5.4*	5.3*	5.2*	5.1*	4.7				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 5 COUNTY = VOLUSIA																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE		
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P		=====															
ITMSEG-P	(AGE_ONE YEAR)				ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
ITMSEG-F																						
79260000	4.281	4.750	C	1	35	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0		
441			4	9.9	9000	RIDE		7.6	7.9	8.1	8.1	8.0	8.0	7.9	7.8	6.0	5.7	5.7	5.7	5.6		
OCEAN DUNES RD(4.3R)					FC4																	
2409551	0.000	5.409	C	2003 (2005)	0012	CRACKING RIDE		10.0 5.4*	10.0 5.5	10.0 5.4*	10.0 5.4*	10.0 5.3*	9.5 5.3*	9.5 5.2*	7.0 4.9*	7.0 4.8*	7.0 4.7*	7.0 4.7*	7.0 4.4*	7.0 4.5*	5.7 4.1	
79260000	4.750	5.409	C	1	6 35	CRACKING		7.0	7.0	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0		
441			2	9.9	9000	RIDE		7.0	7.1	7.1	6.0*	5.8*	6.1*	6.0	5.4*	5.0*	5.4*	5.6	5.0*	5.1*		
SILVER BEACH AVE(4.8C)					FC125M																	
4306821	4.847	5.409	C	2015 (2017)	0012	CRACKING RIDE		7.5 5.2*	7.5 5.1*	7.0 5.0*	7.0 4.8*	7.0 4.7*	6.0* 4.8*	6.0* 4.7*	6.0* 4.4*	10.0	10.0	9.0	8.5	8.5	6.1	
P & S PAVING, INC.																						
79270000	0.000	3.377	R	1	1 40	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		
483			2	5.4	34000	RIDE		8.7	8.6	8.5	8.1	8.1	8.3	8.1	7.9	7.4	7.5	7.3	7.3	7.4		
BEVILLE RD(0.0C)					FC125M																	
4154641	0.000	3.357	C	2008 (2010)	0012	CRACKING SPRIDE		3.5* 7.4	10.0 7.8	10.0 7.7	10.0 7.6	9.0 7.4	9.0 7.4	9.0 7.5	9.0 7.3	7.5 7.1	7.5 7.1	7.0 7.1	7.0 6.9	7.0 7.0	5.1 6.5	
P & S PAVING, INC.																						
79270000	0.000	3.377	L	1	1 40	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*		
483			2	5.4	34000	RIDE		8.7	8.6	8.5	8.1	8.1	8.3	8.1	7.9	7.4	7.5	7.3	7.3	7.4		
BEVILLE RD(0.0C)					FC125M																	
4154641	0.000	3.357	C	2008 (2010)	0012	CRACKING SPRIDE		3.5* 7.4	10.0 8.1	10.0 7.9	10.0 7.9	9.0 7.7	8.5 7.7	8.5 7.7	7.5 7.4	7.0 7.3	7.0 7.4	7.0 7.2	7.0 7.2	7.0 7.1	4.7 6.6	
P & S PAVING, INC.																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).