

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008			
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	=====																
ITMSEG-P	(AGE_ONE YEAR)				ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)		
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-M	F																	
86003000	0.000	0.240	R	1	1	35	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0			
844			2	3.8	22500		RIDE	7.4	7.8	7.8	7.0	7.0	6.9	6.5		6.0	6.1	6.2	6.0	6.6			
FEDERAL HWY(0.0C)							DGFC																
				(2004)			CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.5	7.5	7.5	7.0	7.0	6.4		
4476721	0.000	0.240	C	2025	0012		RIDE	7.0	6.9	7.0	7.0	6.8	6.4	6.0	6.2	6.2	6.5	6.4	5.9	5.9	5.9		
86003000	0.240	0.902	R	1	1	35	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*				
844			2	3.3	14400		RIDE	7.4	7.8	7.8	7.0	7.0	6.9	6.5	6.5	6.0	5.8	4.8*	4.7*				
NE 27 AVE(0.3R)	0.3R)						FC95																
2279541	0.240	0.902	C	2007	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.9		
COMMUNITY ASPHALT CORP.				(2009)			SPRIDE	7.4	7.2	7.1	7.0	7.1	6.9	6.9	6.1	6.2	6.4	5.8	5.7	5.9	5.0		
86003000	0.240	0.902	L	1	1	35	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*				
844			2	3.3	14400		RIDE	7.9	7.9	7.7	7.1	7.1	6.8	6.8	6.5	5.7	5.6	5.3*	5.4*				
NE 27 AVE(0.3L)	0.3L)						FC95																
2279541	0.240	0.902	C	2007	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.6			
COMMUNITY ASPHALT CORP.				(2009)			SPRIDE	7.2	7.1	7.2	7.1	7.1	7.1	7.2	6.4	6.3	6.3	6.1	5.9	6.0	5.3		
86003000	0.000	0.240	L	1	6	35	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0			
844			3	3.8	22500		RIDE	7.9	7.9	7.7	7.1	7.1	6.8	6.8		6.9	6.6	6.4	5.9	6.6			
SPUR(0.0L)							DGFC																
				(2004)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0		
4476721	0.000	0.240	C	2025	0012		RIDE	7.4	7.3	7.4	7.3	7.2	7.2	7.0	7.0	5.5	5.1*	5.0*	4.4*				
86005000	0.000	0.187	R	1	6	35	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	10.0	10.0	9.0	9.0	9.0			
838			3	3.3	36000		RIDE	5.8*	7.3	7.5	7.4	6.0*	5.9*	6.2	5.4*	6.7	6.4	5.8	6.0	6.0			
FEDERAL HWY(0.0C)							FC125																
				(2004)			CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.0	7.0	7.0	5.9		
							RIDE	6.6	6.6	6.5	6.3	6.1	6.5	6.4	6.0	6.3	6.6						
86005000	0.187	0.323	R	1	6	35	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	10.0	10.0	9.0	9.0	9.0			
838			3	3.3	36000		RIDE	5.8*	7.3	7.5	7.4	6.0*	5.9*	6.2	5.4*	6.7	6.4	5.8	6.0	6.0			
							FC3																
				(2018)			CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0		
							RIDE	6.6	6.6	6.5	6.3	6.1	6.5	6.4	6.0								
86005000	0.323	0.820	R	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	10.0	10.0	9.0	9.0	9.0			
838			3	2.0	28500		RIDE	7.7	7.7	7.4	7.0	7.0	7.0	6.9	7.2	6.7	6.4	5.8	6.0	6.0			
MIDDLE RIVER DR(0.3R)	0.3R)						FC125																
2279501	0.394	0.760	C	2001	0012		CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.0	7.0	6.5	6.5	5.6		
				(2004)			SPRIDE	6.6	6.6	6.5	6.3	6.1	6.5	6.4	6.0	5.7	5.9	5.8	5.7	5.8	5.7		
4461811	0.323	0.797	R	2025	0012																		
86005000	0.820	1.191	R	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	9.0	9.0	9.0	9.0	9.0			
838			3	4.4	25000		RIDE	7.7	7.7	7.4	7.0	7.0	7.0	6.9	7.2	4.0*	5.7	5.6	5.7	5.7			
BREAKERS AVE(1.1R)	1.1R)						FC95A																
				(2018)			CRACKING	9.0	7.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0		
							RIDE	5.7	6.0	5.6	5.8	5.3*	5.5	5.5	5.1*	5.1*							
86005000	0.820	1.191	L	1	6	35	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	9.0	9.0	9.0	9.0	9.0			
838			3	4.4	25000		RIDE	7.3	7.2	7.3	7.4	7.3	6.6	6.7	7.1	5.3*	5.4*	5.2*	4.9*	5.7			
FIRE STATION(0.9L)	0.9L)						FC95A																
				(2018)			CRACKING	9.0	9.0	9.0	8.0	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0		
							RIDE	6.0	6.0	5.8	6.0	5.7	5.9	5.6	5.0*	5.1*							
86005000	0.384	0.820	L	1	1	35	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0			
838			3	2.0	28500		RIDE	7.3	7.2	7.3	7.4	7.3	6.6	6.7	7.1	6.6	6.2	6.3	5.9	6.1			
BAYVIEW DR(0.5C)	0.5C)						FC125																
2279501	0.394	0.760	C	2001	0012		CRACKING	10.0	9.5	9.5	9.5	9.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.7		
				(2004)			SPRIDE	6.7	6.8	6.6	6.5	6.5	6.3	5.8	5.1*	4.9*	5.0*	5.3*	5.1*	5.1*	4.6		
86005000	0.083	0.384	L	1	6	35	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0			
838			3	3.3	36000		RIDE	5.6*	7.9	7.7	7.1	6.7	6.6	5.9	6.6	6.6	6.2	6.3	5.9	6.1			
SPUR(0.1L)							DGFC																
				(2018)			CRACKING	10.0	9.5	9.5	9.5	9.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0		
							RIDE	6.7	6.8	6.6	6.5	6.5	6.3	5.8	5.1*								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

SR	US	BMP		EMP		RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR										FUTURE										
		G_BMP	G_EMP	LN	T						AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003		2004	2005	2006	2007	2008					
																											INTERSECT	AT (MP)	SIDE	SURFTYPE	=====
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P	CONTRACTOR	(AGE ONE YEAR)	ASTYPE	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)									
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																										
86005000	0.000	0.083	L	1	6	35	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0										
838			3	3.3	18500		RIDE	5.6*	7.9	7.7	7.1	6.7	6.6	5.9	6.6	6.6	6.2	6.3	5.9	6.1											
FEDERAL HWY(0.0C)				FC125																										
				(2004)			CRACKING	10.0	9.5	9.5	9.5	9.0	7.0	7.0	7.0	5.1*	7.0	7.0	7.0	7.0	5.2										
							RIDE	6.7	6.8	6.6	6.5	6.5	6.3	5.8																	
86006000	0.000	1.966	R	3	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0												
842			3	2.5	45000		RIDE	8.0	8.0	8.0	8.0	7.2	7.1	7.1	7.1	6.6	6.6	6.6		6.8											
PLANTATION CITY LIMITS(0.0C)			(2009)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	4.9										
				C 2022		0012	RIDE	7.5	7.3	7.1	7.1	7.1	7.0	7.0	6.5	6.5	6.4	6.3	6.2	6.3	5.6										
4442651	0.000	1.966	C																												
86006000	1.966	2.958	R	3	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0											
842			3	2.6	46000		RIDE	7.6	7.9	7.7	7.4	6.7	6.6	7.0	7.2	6.7	6.9	6.3	5.7												
SW 54 AVE(2.0R)			(2009)		FC4	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.4										
							RIDE	7.0	6.8	6.9	6.8	6.7	6.9	6.8	6.5	6.4	6.4	6.3	6.2	6.1	5.8										
86006000	2.958	3.362	R	3	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0											
842			3	2.5	47500		RIDE	7.6	7.9	7.7	7.4	6.7	6.6	7.0	7.2	6.7	6.9	6.3	5.7	7.1											
BRYAN BLVD(3.1R)			(1986)		FC4	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.0										
				C 2023		0012	RIDE	6.5	6.5	6.5	6.2	6.1	6.1	6.1	5.7	5.5	5.4*	5.2*	5.2*	5.2*	7.0										
4460941	2.958	4.938	C																												
86006000	3.362	4.938	R	3	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0											
842			3	2.5	47500		RIDE	7.3	7.3	7.2	6.6	6.7	6.6	7.0			6.2	6.0	6.0	5.8											
PLANTATION CITY LIMITS(3.4R)			(2005)		UNKW	CRACKING	10.0	10.0	9.0	9.0	8.0																			

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
86006000	1.966	2.958	L 1	1 45	CRACKING	9.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
842			3 2.6	46000	RIDE	7.7		7.6	7.6	6.8	6.2*	6.1*	6.8	6.8	6.0*	5.9*	5.0*	4.5*			
ACRE DR E	L(2.0L)			FC4																	
			(2009)		CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.0	7.1
					RIDE	6.8		7.0	6.9	6.6	6.6	6.5	6.5	6.5	6.1	5.9	5.9	5.9	5.7	5.9	5.2
86006000	0.000	1.966	L 1	1 45	CRACKING	9.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
842			3 2.5	45000	RIDE	7.4		7.5	7.4	5.9*	5.9*	6.0*	5.8*	6.2*	5.7*	5.8*	5.3*	5.2*			
PLANTATION CITY LIMITS(0.0C)				FC125																	
			(2009)		CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	4.7
					RIDE	7.2		6.8	6.8	6.6	6.7	6.4	6.7	6.9	6.9	6.6	6.4	6.3	6.4	6.4	6.2
4442651	0.000	1.966	C 2022	0012																	
86010000	0.000	0.838	R 1	1 45	CRACKING	9.0		7.5	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*			10.0	10.0	10.0	
5 1			3 4.3	50500	RIDE	8.0		7.7	7.8	7.4	7.2	7.5	7.0	7.1	6.4*			6.9	6.6	7.0	
VIA DA FORTUNA(0.1R)				FC125																	
4035851	0.000	0.780	C 2003	0012	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
COMMUNITY ASPHALT CORP.			(2006)	S	RIDE	6.9		6.5	6.4	6.3	6.9	6.2	6.1	6.2	6.4	6.3	5.9	5.9	5.9	5.8	5.6
4476741	0.000	0.838	C 2025	0012																	
86010000	0.838	2.476	R 1	2 35	CRACKING	7.5		6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0		
5 1			2 2.4	29718	RIDE	7.0		6.8	6.9	6.9	6.7	6.5	6.4	6.5	5.9	5.5	6.3	6.0	6.0		
FIRST CT NE(0.9R)				FC125																	
2280341	0.777	2.426	C 2003	0012	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
COMMUNITY ASPHALT CORP.			(2006)	SPRIDE		6.2		5.8	5.9	5.8	5.9	5.8	5.7	5.3*	5.1*	5.0*	4.9*	4.8*	5.0*	4.4	
86010000	2.476	2.713	C 1	1 25	CRACKING	7.0		7.0	9.0	7.0	9.0	7.0	9.0	9.0	9.0	9.0	7.0		10.0		
5 1			3 3.1	15500	RIDE	7.3		7.2	7.1	6.6	5.7*	6.0*	5.8	5.9	5.2*	5.5	4.6*		4.5*		
S YOUNG CIRCLE(2.5L)				FC95																	
4137931	2.476	2.713	C 2005	0012	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
			(2008)		RIDE	4.7*		5.8	5.1*	4.8*	4.8*	5.2*	4.7*	4.2*	3.9*	3.9*	3.9*	3.8*	3.9*	3.3	
86010000	2.713	4.117	R 1	1 35	CRACKING	9.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5		
5 1			2 3.1	31500	RIDE	7.7		7.7	7.6	6.7	6.6	6.5	6.3	6.3	5.5	5.6	5.3*	5.2*	5.4*		
ALLEY(2.7R)				FC95																	
			(2021)		CRACKING	6.0*		6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	3.5*	3.5*	8.5		
					RIDE	5.2*		5.2*	7.3	7.2	7.0	6.9	7.0	6.9	7.0	7.0	5.2*	6.3	6.2		
86010000	4.117	5.948	R 1	1 35	CRACKING	9.0		9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	
5 1			2 6.5	30500	RIDE	8.1		8.1	8.2	7.4	7.3	7.5	7.5	7.3	6.7	6.3	6.5	6.0	6.1		
SHERIDAN ST(4.1C)				DGFC																	
4138291	4.094	5.806	R 2008	0012	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8	
WEEKLEY ASPHALT PAVING, IN(2010)				SPRIDE		6.6		7.5	7.2	7.3	7.0	7.3	7.1	7.2	7.1	7.0	6.9	6.7	6.7	6.5	
86010000	8.286	8.814	R 1	1 40	CRACKING	9.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*		
5 1			3 4.4	55500	RIDE	8.2		8.2	8.1	7.7	7.8	7.7	7.4	7.3	6.9	6.7	6.5	6.4	6.5		
FORT LAUDERDALE CITY LIM(8.3C)				DGFC																	
			(2013)		CRACKING	4.5*		4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
					RIDE	6.2		6.4	6.2	6.7	7.9	7.8	7.9	7.7	8.0	8.0	7.7	7.8	7.8	7.8	
86010000	8.814	10.330	R 1	1 40	CRACKING	9.0		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*		
5 1			3 2.1	51000	RIDE	8.2		8.2	8.1	7.7	7.8	7.7	7.4	7.3	6.9	6.7	6.5	6.4	6.5		
SE 16 CT(8.9R)				FC125																	
			(2014)		CRACKING	4.5*		4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
					RIDE	6.2		6.4	6.2	6.7	6.7	7.5	7.6	7.4	7.2	7.5	7.6	7.0	7.2	7.0	
86010000	8.814	10.330	L 1	1 40	CRACKING	9.0		9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*		
5 1			3 2.1	51000	RIDE	8.0		8.0	8.1	6.8	7.5	7.3	7.4	7.3	6.4	6.5	6.5	6.0	6.1		
SE 16 CT(8.9L)				FC125																	
			(2014)		CRACKING	4.5*		4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
					RIDE	6.4		6.3	6.2	6.7	6.3	7.3	7.4	7.4	7.1	7.3	7.1	7.1	7.0	6.8	
86010000	8.286	8.814	L 1	1 40	CRACKING	9.0		9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*		
5 1			3 4.4	55500	RIDE	8.0		8.0	8.1	6.8	7.5	7.3	7.4	7.3	6.4	6.5	6.5	6.0	6.1		
FORT LAUDERDALE CITY LIM(8.3C)				DGFC																	
			(2013)		CRACKING	4.5*		4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7	
					RIDE	6.4		6.3	6.2	6.7	7.9	7.8	7.8	7.9	7.7	8.0	7.5	7.7	7.8	7.6	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	=====	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)																						
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	
86010000	4.117	5.948	L	1	1 35	CRACKING		9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		
5 1			2	6.5	30500	RIDE		8.4	8.3	8.2	7.9	7.8	6.2*	6.8	6.5	5.8	5.9	6.1	5.7	5.8		
SHERIDAN ST(4.1C)					DGFC																	
4138291	4.094	5.806	L	2008	0012	CRACKING		4.5*	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	6.5	
WEEKLEY ASPHALT PAVING, IN(2010)					SPRIDE			5.6	7.3	7.1	6.9	6.8	6.7	6.7	6.2	6.4	6.1	6.1	5.9	6.0	5.2	
86010000	2.713	4.117	L	1	1 35	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5		
5 1			2	3.1	31500	RIDE		7.7	7.7	7.7	6.5	6.4*	5.8*	6.2	5.8	5.4*	4.9*	4.8*	4.6*	5.0*		
POLK ST(2.7C)					FC95																	
4137941	2.713	4.117	L	2009	0012	CRACKING		6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
WEEKLEY ASPHALT PAVING, IN(2011)					SPRIDE			4.9*	4.9*	7.0	6.9	6.9	6.8	6.7	7.0	6.9	6.6	6.7	6.5	6.7	6.4	
86010000	0.838	2.476	L	1	1 35	CRACKING		9.0	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0		
5 1			2	2.4	29718	RIDE		6.9	6.6	6.9	6.2*	6.5	5.1*	6.0	5.9	5.1*	5.1*	6.1	6.1	6.2		
FIRST CT NE(0.9L)					FC125																	
2280341	0.777	2.426	C	2003	0012	CRACKING		10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.5	7.5	7.5	7.0	7.0	6.5	5.3	
COMMUNITY ASPHALT CORP. (2006)					SPRIDE			6.1	6.2	6.0	5.8	5.7	5.8	5.8	5.4*	5.3*	5.1*	5.1*	5.1*	5.1*	4.6	
86010000	0.000	0.838	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	6.5	3.5*	3.5*		10.0	10.0	10.0		
5 1			3	4.3	50500	RIDE		8.1	7.8	8.4	7.6	7.4	5.2*	6.5	6.6	6.1*		7.6	7.6	7.8		
NINTH ST SE L(0.1L)					FC125																	
4035851	0.000	0.780	C	2003	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
COMMUNITY ASPHALT CORP. (2006)					S RIDE			7.8	7.6	7.7	7.5	7.5	7.3	7.4	6.9	6.8	7.0	6.7	6.9	6.4	6.2	
4476741	0.000	0.838	C	2025	0012																	
86010001	0.000	0.974	R	1	1 50	CRACKING		9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*		
5 1			3	4.8	35500	RIDE		7.7	7.8	7.7	8.4	8.4	8.4	8.3	8.2	7.2	7.3	7.4	7.0	7.6		
BRIDGE #1(0.0C)					OGFC																	
						CRACKING				10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
						RIDE				7.7	7.8	7.7	7.7		7.7	7.8	7.8	7.8	7.7	7.8	7.8	
(2016)																						
86010001	0.974	2.547	R	1	1 50	CRACKING		9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	
5 1			4	3.6	31000	RIDE		7.7	7.8	7.7	8.4	8.4	8.4	8.3	8.2	7.2	7.3	7.4	7.0	7.6		
UNSIGN(2.3R)					FC5																	
						CRACKING		4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2	
(2010)						RIDE		7.4	8.2	8.2	8.2	8.2	8.2	8.2	8.1	8.2	8.1	7.9	8.0	8.1	7.9	
86010001	0.974	2.547	L	1	1 50	CRACKING		9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	
5 1			3	3.6	31000	RIDE		8.0	7.7	7.8	8.0	7.8	7.7	7.6	7.8	6.7	6.9	7.0	6.5	6.7		
SE 30 ST(2.2L)					FC5																	
						CRACKING		4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
(2010)						RIDE		7.6	8.0	8.1	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.9	8.0	7.9	
86010001	0.000	0.974	L	1	1 50	CRACKING		9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	
5 1			3	4.8	35500	RIDE		8.0	7.7	7.8	8.0	7.8	7.7	7.6	7.8	6.7	6.9	7.0	6.5	6.7		
BRIDGE #1(0.0C)					OGFC																	
						CRACKING				10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
(2016)						RIDE				7.6	7.7	7.7	7.7		7.6	7.7	7.6	7.6	7.6	7.5	7.4	
86010500	0.000	0.248	C	1	1 45	CRACKING								9.0	9.0	9.0	7.5	7.5		10.0		
5 1			3	2.4	14482	RIDE								7.3	5.7*	5.5*	5.1*	5.3*		5.3*		
HOLLYWOOD CITY LIMITS(0.0C)					DGFC																	
						CRACKING		10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.3	
(2008)						RIDE		5.5	5.6	5.3*	5.6	5.6	5.8	5.2*	4.5*	3.9*	4.0*	4.2*	3.8*	3.9*	3.1	
86012000	0.000	0.312	R	1	1 45	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
869			3	10.9	50000	RIDE		8.1	8.2	7.6	7.0	6.4*	7.1	7.1	7.2	6.5	6.2*	6.6	6.2	6.7		
POWERLINE RD(0.0C)					FC95																	
4246651	0.012	0.163	R	2012	0012	CRACKING		6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP. (2014)					SPRIDE			6.0	6.5	5.9	5.5	5.9	7.9	7.5	7.4	7.6	7.7	7.6	7.4	7.6	7.4	
4398911	0.000	1.922	C	2025	0213																	
86012000	0.312	1.330	R	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0		
869			2	10.9	50000	RIDE		7.1	7.0	7.0	6.5	6.3*	6.2*	6.1*	6.0*	5.9*	5.7*	5.9	5.3*	5.7		
SW 30 AVE(0.5R)					FC95																	
4246651	0.163	1.445	R	2012	0012	CRACKING		8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP. (2014)					SPRIDE			5.6	5.7	5.8	5.4*	5.5	7.8	7.8	7.2	7.2	7.2	6.8	6.9	6.9	6.0	
4398911	0.000	1.922	C	2025	0213																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P		=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																				
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021				2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																			(REG)	
86012000	1.330	1.820	R	1	1 40	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5					
869			3	7.9	55000	RIDE		7.1	7.6	7.3	7.4	7.5	7.0	7.4	7.4	6.7	6.1	6.9	6.9	6.5					
CR 809(1.4C)																									
4246651	1.445	1.829	R	2012	0012	CRACKING		6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2014)		SPRIDE		6.1	7.0	7.0	6.9	6.9	8.4	8.4	7.6	7.6	7.7	7.0	7.5	7.6	7.6	7.6	7.6	6.5	
4398911	0.000	1.922	C	2025	0213																				
86012000	1.820	2.152	R	1	1 40	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5			10.0				
869			3	7.9	55000	RIDE		7.1	7.6	7.3	7.4	7.5	7.0	7.4	7.4	6.7	6.1	6.9			8.1				
E NEWPORT CENTER DR(1.8R)																									
				(2008)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
						RIDE		7.3	8.2	8.4	8.2	8.3	8.3	8.3	7.6	7.7	7.3	6.9	7.0	6.8	6.8	6.8	6.8	6.6	
86012000	1.820	2.152	L	1	1 40	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5			10.0				
869			3	7.9	55000	RIDE		7.4	7.6	7.3	7.2	6.7	6.7	6.9	7.1	6.8	6.3	6.5			8.3				
NEWPORT CENTER DR E(1.8L)																									
				(2008)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.2				
						RIDE		7.9	7.5	7.6	7.9	8.4	8.2	8.4	8.1	8.2	8.2	8.2	8.0	8.0	8.0	8.0	8.0	8.0	
86012000	1.557	1.820	L	1	1 40	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5					
869			3	7.9	55000	RIDE		7.4	7.6	7.3	7.2	6.7	6.7	6.9	7.1	6.8	6.3	6.5	6.1	7.0					
CR 809(1.4C)																									
4246651	1.653	1.829	L	2012	0012	CRACKING		6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2014)		SPRIDE		7.1	7.2	7.5	6.7	6.7	7.8	8.3	8.1	7.6	8.0	7.9	7.8	7.7	7.7	7.7	7.7	7.6	
4398911	0.000	1.922	C	2025	0213																				
86012000	0.312	1.557	L	1	1 45	CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	
869			2	10.9	50000	RIDE		8.0	7.9	8.2	7.3	7.4	7.3	7.5	7.3	6.9	6.9	6.8	6.7	6.9					
CR 809(1.4C)																									
4246651	0.312	1.653	L	2012	0012	CRACKING		7.5	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2014)		SPRIDE		6.8	6.8	6.3	6.6	6.6	8.0	7.9	7.4	7.6	7.3	7.4	7.4	7.4	7.3	7.3	7.3	6.8	
4398911	0.000	1.922	C	2025	0213																				
86012000	0.000	0.312	L	1	1 45	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
869			3	10.9	50000	RIDE		8.4	8.2	7.5	8.3	7.4	8.1	7.9	8.2	7.5	7.1	7.1	7.2	6.7					
POWERLINE RD(0.0C)																									
4246651	0.012	0.312	L	2012	0012	CRACKING		6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2014)		SPRIDE		6.5	6.9	6.5	6.4	6.2	7.8	7.4	7.3	7.3	7.4	7.0	7.1	7.1	7.1	7.1	7.1	6.6	
4398911	0.000	1.922	C	2025	0213																				
86014000	0.000	0.803	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.0	6.5					
870			3	3.3	50000	RIDE		8.7	8.4	8.5	8.2	8.1	7.9	8.0	7.9	7.2	7.3	7.3	7.2	6.8					
SR 817(0.0C)																									
4246661	0.017	0.814	C	2012	0012	CRACKING		6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN				(2014)		SPRIDE		6.8	6.9	7.1	6.7	6.5	7.9	8.1	7.5	7.7	7.6	7.4	7.5	7.3	7.3	7.3	7.3	6.9	
86014000	0.803	1.180	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
870			3	3.3	50000	RIDE		8.7	8.4	8.5	8.2	8.1	7.9	8.0	7.9	7.2	7.2	7.0	7.0	7.2					
NW 64 AVE(1.0C)																									
				(2005)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	
						RIDE		7.0	7.2	7.1	7.2	7.0	7.1	7.2	6.8	6.7	6.6	6.4	6.4	6.5	6.5	6.5	6.5	6.3	
86014000	1.180	2.330	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
870			3	2.6	56000	RIDE		8.7	8.4	8.5	8.2	8.1	7.9	8.0	7.9	7.2	6.8	6.6	6.1	6.4					
WHITE OAK LA(1.2R)																									
4270041	1.180	2.330	C	2014	0012	CRACKING		7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC.				(2016)		RIDE		6.4	6.5	6.2	6.8	6.3	6.0	6.1	7.7	7.7	7.9	7.9	7.4	7.7	7.7	7.7	7.7	7.5	
86014000	2.330	2.795	R	1	6 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
870			3	2.9	74500	RIDE		8.7	8.4	8.5	8.2	8.1	7.9	8.0	7.9	7.2	7.3	7.1	6.8						
UNKN																									
				(2011)		CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
						RIDE				7.5	7.3	7.4	7.3	7.5	6.6	6.2	6.3	5.8	5.8	5.8	5.8	5.8	5.8	5.8	
86014000	2.795	4.228	R	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
870			3	5.7	54000	RIDE		7.8	7.6	7.8	7.1	6.9	6.7	6.9	6.6	5.7*	7.3	7.1	6.8	7.1					
NW 47 TER(2.8C)																									
				(2005)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	
						RIDE		7.1	7.0	6.9	6.7	7.0	6.5	6.8	6.6	6.5	6.4	6.2	6.3	6.4	6.4	6.4	6.4	6.0	

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR				1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE		
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
INTERSECT AT (MP SIDE)							=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																		
CONTRACTOR (AGE_ONE YEAR)																								
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																		(REG)
86014000	4.228	6.230	R	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0			
870			3	4.4	56000	RIDE		7.8	7.6	7.8	7.1	6.9	6.7	6.9	6.6	5.7*	5.7*	5.5			7.7			
NW 31 AVE(4.2C)					FC95																			
4109561	4.228	6.230	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.6	
COMMUNITY ASPHALT CORP.				(2008)	SPRIDE			7.6	7.4	7.3	7.2	7.1	7.1	7.3	7.3	7.4	7.4	7.2	7.2	7.2	7.2	7.1		
86014000	6.230	8.350	R	1	1 45	CRACKING		9.5	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*		10.0			
870			3	7.3	57000	RIDE		6.5	6.4*	6.6	6.0*	6.0*	5.8*	5.9*	5.7*	5.0*	5.3*	5.2*			6.7			
POWERLINE RD(6.2C)					FC125																			
				(2008)				10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	8.0	6.6		
4461821	6.230	9.893	C	2024	0012	CRACKING		6.7	6.2	6.5	6.4	6.5	6.4	6.5	5.7	5.6	5.6	5.4*	5.3*	5.2*	4.7			
86014000	8.350	8.738	R	1	1 35	CRACKING		7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
870			3	2.2	39000	RIDE		6.9	7.8	7.6	7.2	7.7	7.3	7.4	7.1	6.2	6.5	6.4	7.0	6.7				
NE 19 AVE(8.4R)					FC125																			
2279391	8.299	8.780	C	1995	0220	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5		
HARDDRIVES OF DELRAY, INC.				(1997)	S	RIDE		7.4	7.2	7.0	7.3	6.2	5.9	6.1	6.1	5.9	5.9	5.6	5.7	5.4*	5.3			
4461821	6.230	9.893	C	2024	0012																			
86014000	8.738	9.586	R	1	1 35	CRACKING		6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
870			3	4.6	43500	RIDE		7.1	6.8	8.0	7.0	6.8	6.7	6.9	6.6	6.3	6.0	6.0	6.4	6.0				
SR 5(8.8C)					FC125																			
2277771	8.780	9.586	C	1996	0220	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	6.7			
PAN AMERICAN CONSTRUCTION				(1998)	S	RIDE		7.5	7.0	7.5	7.1	6.9	7.0	7.1	6.7	6.6	6.4	6.4	6.3	6.3	6.3			
4461821	6.230	9.893	C	2024	0012																			
86014000	9.586	9.893	R	1	1 30	CRACKING		7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
870			2	4.6	43500	RIDE		6.8	6.4*	6.4*	5.6*	5.6*	5.7*	5.1*	6.1	5.4*	5.3*	5.0*	4.7*	5.1*				
E TRADEWINDS AVE(9.7C)					DGFC																			
				(2003)				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
4461821	6.230	9.893	C	2024	0012	CRACKING		5.1*	5.2*	5.6	5.0*	5.2*	5.2*	5.1*	5.2*	5.2*	5.2*	4.9*	5.1*	5.0*	4.9			
86014000	9.586	9.893	L	1	1 30	CRACKING		9.5	9.5	9.5	7.0	6.0*	6.0*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
870			2	4.6	43500	RIDE		6.6	6.6	6.2*	5.7*	5.5*	4.6*	5.3*	6.5	5.3*	5.4*	5.1*	5.0*	5.6				
E TRADEWINDS AVE(9.7C)					DGFC																			
				(2003)				10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5		
4461821	6.230	9.893	C	2024	0012	CRACKING		5.4*	5.5	5.4*	5.3*	5.2*	5.4*	5.4*	5.4*	5.2*	5.3*	5.3*	4.9*	5.1*	5.0			
86014000	8.738	9.586	L	1	1 35	CRACKING		9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
870			3	4.6	43500	RIDE		7.2	6.8	6.6	7.5	6.3*	6.5	6.6	6.6	6.1	6.2	5.7	5.3*	5.6				
SR 5(8.8C)					FC125																			
2277771	8.780	9.586	C	1996	0220	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.0	8.0	7.9			
PAN AMERICAN CONSTRUCTION				(1998)	S	RIDE		6.8	7.3	6.6	6.5	6.8	6.8	6.7	6.7	6.4	6.7	6.4	6.4	6.3	6.3			
4461821	6.230	9.893	C	2024	0012																			
86014000	8.350	8.738	L	1	1 35	CRACKING		7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
870			3	2.2	39000	RIDE		6.1*	7.7	3.3*	8.0	7.8	7.8	7.9	7.7	6.5	6.2	6.2	6.0	6.4				
NE 20 AVE(8.5C)					FC125																			
2279391	8.299	8.780	C	1995	0220	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	7.0	7.0			
HARDDRIVES OF DELRAY, INC.				(1997)	S	RIDE		7.3	7.2	7.2	7.3	7.4	6.5	6.7	6.6	6.5	6.4	6.0	6.3	6.4	6.4			
4461821	6.230	9.893	C	2024	0012																			
86014000	6.230	8.350	L	1	2 45	CRACKING		9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0				
870			3	7.3	57000	RIDE		6.5	6.1*	5.2*	5.9*	5.5*	5.5*	5.4*	5.2*	4.7*	4.8*	4.3*		6.7				
POWERLINE RD(6.2C)					FC125																			
				(2008)				10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.0	7.0	7.0	7.0	7.0	5.5			
4461821	6.230	9.893	C	2024	0012	CRACKING		6.6	6.2	6.0	6.3	6.2	6.1	6.2	5.7	5.6	5.6	5.2*	5.4*	5.3*	4.7			
86014000	4.228	6.230	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0		10.0				
870			3	4.4	56000	RIDE		8.1	7.9	8.0	7.2	6.8	7.2	6.9	6.9	6.2*	6.2*	6.0		7.7				
NW 31 AVE(4.2C)					FC95																			
4109561	4.228	6.230	C	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.0	6.3			
COMMUNITY ASPHALT CORP.				(2008)	SPRIDE			7.7	8.0	7.8	7.4	7.5	7.6	7.3	7.7	7.7	7.6	7.5	7.5	7.5	7.5	7.4		
86014000	2.795	4.228	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	10.0	10.0	10.0	10.0	10.0			
870			3	5.7	54000	RIDE		8.1	7.9	8.0	7.2	6.8	7.2	6.9	6.9	6.2*	6.7	6.6	6.4	6.7				
NW 47 TER(2.8C)					FC125																			
				(2005)				10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.8		
								6.7	6.9	6.5	6.3	6.5	6.4	6.6	6.3	6.4	6.3	6.2	6.4	6.3	6.2			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

.....

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
#@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
86015000	0.000	2.497	L	1	1	45	CRACKING	8.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5			10.0	10.0	
818			3	3.3	32500		RIDE	8.0	8.1	8.2	7.9	7.9	7.8	7.7	7.6	7.1			7.9	7.5	
COOPER CITY LIMITS(0.0C) FC125																					
2274621	0.200	2.424	C	2003	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	6.5	5.2
RUSSELL ENGINEERING, INC (2007) SPRIDE																					
4463711	0.000	2.497	C	2024	0012			7.6	7.5	7.3	7.2	7.3	7.2	7.2	6.5	6.5	6.4	6.2	6.3	5.9	5.4
86015009	0.000	0.369	R	1	1	45	CRACKING														
818			3	6.6	36000		RIDE														
DRIFTWOOD ACRES / SW(0.3R) FC3																					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																								
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR			1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE			
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998														
INTERSECT AT (MP SIDE)																								
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																			
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)			
86018000	1.150	2.335	R	1	1 40	CRACKING		8.5	8.5	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	6.5	6.5	6.5				
824			2	4.7	43000	RIDE		7.7	7.8	7.8	6.0*	6.4*	6.4*	6.2	6.0	5.6	5.6	5.3*	5.7	5.6				
ALCAZAR DR(1.1R)					FC125																			
4114391	1.150	2.267	R	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0			
GENERAL ASPHALT CO., INC. (2009)					SPRIDE			7.3	7.0	6.9	7.1	7.1	6.8	7.0	7.1	6.9	7.0	7.1	7.0	6.8	6.8			
4463721	0.285	2.335	C	2024	0012																			
86018000	2.335	4.910	R	1	1 40	CRACKING		5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
824			3	3.1	50500	RIDE		8.1	8.0	7.9	7.8	7.8	7.7	7.5	7.2	7.1	7.0	7.0	6.9	6.9				
SW 60 TER(2.5R)					FC3																			
2274531	2.282	4.898	C	1994	0213	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0			
THE DE MOYA GROUP INC. (1998)					S RIDE			7.2	7.1	7.0	7.0	6.9	6.6	5.9	6.5	6.6	6.9	6.0	6.3	6.3	5.8			
86018000	4.910	5.220	R	1	6 35	CRACKING		0.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
824			3	3.1	50500	RIDE		6.7	7.4	7.3	6.1*	7.5	7.6	7.6	8.0	6.7	6.4	6.8	6.8	6.9				
SW 31 AVE(4.9R)					FC3																			
2316221	5.029	5.200	C	1995	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0			
COMMUNITY ASPHALT CORP. (1997)					S RIDE			7.0	6.6	6.8	7.0	6.9	6.5	6.8	6.1									
86018000	5.220	6.547	R	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5				
824			2	4.3	37000	RIDE		8.1	8.0	8.0	7.4	7.0	7.0	7.1	6.8	6.5	6.4	6.6	6.2	6.4				
NW 10 AVE(5.3R)					FC95A																			
4305901	5.172	6.150	R	2016	0012	CRACKING		7.5	7.5	7.0	7.0	7.0	7.0	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0			
GENERAL ASPHALT CO., INC. (2018)					SPRIDE			6.3	6.4	6.3	6.0	5.9	6.0	5.9	6.1	6.4	7.6	7.3	7.4	7.4	7.1			
86018000	5.220	6.547	L	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5				
824			2	4.3	37000	RIDE		8.0	8.2	8.3	7.5	7.6	7.5	7.6	7.6	7.0	6.6	7.0	6.4	6.8				
S 28 AVE(5.3L)					FC95A																			
4305901	5.219	6.150	L	2016	0012	CRACKING		9.5	7.5	7.0	7.0	7.0	7.0	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0			
GENERAL ASPHALT CO., INC. (2018)					SPRIDE			6.8	6.8	7.0	6.9	6.7	6.3	4.7*	6.4	6.2	7.7	7.6	7.2	7.3	6.4			
86018000	4.910	5.220	L	1	1 35	CRACKING		7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
824			3	3.1	50500	RIDE		7.7	7.7	7.7	7.6	7.1	6.7	7.1	7.2	6.8	6.5	6.6	6.3	6.4				
S 30 AVE(5.0L)					FC3																			
2316221	5.029	5.200	C	1995	0213	CRACKING		10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	9.0	9.0	9.0	9.0	8.1			
COMMUNITY ASPHALT CORP. (1997)					S RIDE			6.5	6.3	6.6	6.4	6.4	6.2	6.6	6.2	6.0	6.6	6.6	6.5	6.4	5.9			
86018000	2.335	4.910	L	1	1 40	CRACKING		7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
824			3	3.1	50500	RIDE		7.7		8.4	8.3	8.3	8.3	8.2	8.2	7.7	7.6	7.4	7.2	7.4				
S 61 AVE(2.4L)					FC3																			
2274531	2.282	4.898	C	1994	0213	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	7.5	7.4			
THE DE MOYA GROUP INC. (1998)					S RIDE			7.5	7.4	7.4	7.2	6.5	7.0	7.0	7.0	6.9	6.7	6.6	6.7	6.7	6.1			
86018000	1.528	2.335	L	1	1 40	CRACKING		8.5	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5				
824			2	4.7	43000	RIDE		7.7	7.8	7.7	6.8	6.6	6.5	6.5	6.4	5.6	6.3	6.1	5.8	5.9				
S 66 AVE(1.7L)					FC125																			
4114391	1.528	2.334	L	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	6.4			
GENERAL ASPHALT CO., INC. (2009)					SPRIDE			7.3	7.3	7.2	7.1	7.1	6.8	7.1	7.4	7.4	7.2	7.2	7.3	7.3	7.3			
4463721	0.285	2.335	C	2024	0012																			
86018000	0.285	1.528	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5				
824			3	3.6	45000	RIDE		7.2	6.8	6.9	6.7	6.5	6.5	6.7	6.4*	6.2*	6.4*	6.3	6.3	6.4				
UNSIGNED(0.3L)					FC125																			
4114391	0.285	1.528	L	2006	0012	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	8.5	8.5	7.5	7.0	7.0	5.9			
GENERAL ASPHALT CO., INC. (2009)					SPRIDE			7.6	7.6	7.4	7.2	7.6	7.4	7.2	7.2	7.2	7.0	6.9	7.1	6.8	6.6			
4463721	0.285	2.335	C	2024	0012																			
86018000	0.000	0.285	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5		10.0	10.0	10.0				
824			3	3.6	45000	RIDE		7.2	6.8	6.9	6.7	6.5	6.5	6.7	6.4*	6.2*		7.7	7.4	7.4				
MIRAMAR CITY LIMITS(0.0C)					FC125																			
4062781	0.000	0.257	C	2003	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0			
PAVEX CORPORATION (2006)					SPRIDE			6.9	7.0	6.6	6.9	6.9	6.7	6.7	6.6	6.5	6.2	5.8	5.7	5.6	5.2			
86020000	0.000	1.813	R	1	1 35	CRACKING		9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
5			3	3.6	39500	RIDE		8.3	8.1	8.1	7.6	8.3	7.8	8.0	7.6	7.2	7.1	6.8	6.5	7.1				
BROWARD BLVD(0.0C)					FC125A																			
4287261	0.012	1.813	C	2015	0012	CRACKING		9.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0			
COMMUNITY ASPHALT CORP. (2017)					SPRIDE			6.9	7.1	7.0	6.9	6.6	6.3	6.4	6.5	7.3	7.6	7.4	6.8	6.9	6.1			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)																									
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																				
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																				(REG)
86020000	1.813	4.200	R	1	1 45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*					
5 1			3	1.7	54000	RIDE	6.6	6.7	6.9	6.7	6.7	6.7	6.4*	6.4*	6.4*	6.0*	6.0*	5.8	5.7	5.4*					
VICTORIA PK RD(1.9R)					FC95																				
4114401	1.834	4.200	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.5	7.5	7.5	7.0	7.0	7.0	5.0				
PAVEX CORPORATION				(2009)	SPRIDE		7.9	7.8	7.7	7.8	7.6	7.6	7.6	7.7	7.1	7.1	7.1	6.9	6.9	6.9	6.4				
4461851	1.813	4.200	C	2023	0012																				
86020000	4.200	5.736	R	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
5 1			3	3.2	47000	RIDE	8.5	8.5	8.5	8.4	8.3	8.3	8.3	8.3	7.5	7.5	7.5	7.4	7.2	7.5					
NE 33 CT(4.3R)					FC125M																				
4360971	4.200	5.740	R	2018	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	7.0	10.0	10.0	10.0					
COMMUNITY ASPHALT CORP.				(2020)	SPRIDE		7.6	7.6	7.4	7.3	7.4	7.4	7.4	7.4	7.1	7.3	7.1	7.1	8.0	7.9					
86020000	5.736	8.254	R	1	1 45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0					
5 1			3	3.1	43000	RIDE	7.4	7.2	7.3	7.2	7.1	7.0	7.1	7.1	7.0	6.7	6.6	7.3	6.9	7.3					
COMMERCIAL BLVD(5.7C)					FC125																				
2280931	6.831	8.050	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	7.0	7.0	6.5	6.2					
COMMUNITY ASPHALT CORP.				(2006)	SPRIDE		7.1	7.1	7.1	7.1	7.0	6.9	7.0	6.7	6.6	6.6	6.4	6.3	6.4	6.1					
4461881	5.736	8.254	C	2023	0012																				
86020000	8.254	8.756	R	1	1 45	CRACKING	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5					
5 1			3	2.6	40000	RIDE	7.6	7.3	7.5	6.9	6.7	6.7	6.7	6.6	6.6	6.3*	6.4	6.2	6.3						
SE 7 ST(8.3R)					FC95																				
4229981	8.274	8.769	C	2012	0012	CRACKING	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
WEEKLEY ASPHALT PAVING, IN(2013)					RIDE		6.3	6.2	6.2	6.2	7.4	7.4	7.5	7.0	7.2	7.0	6.9	6.8	6.7	6.2					
86020000	8.756	11.863	R	1	1 45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0					
5 1			3	6.1	45000	RIDE	8.5	8.2	8.4	7.9	7.4	7.4				7.6	7.7	7.4	7.0	7.4					
ATLANTIC BLVD(8.8C)					FC125																				
				(2004)	CRACKING		10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	6.0				
					RIDE		7.1	7.2	6.8	7.2	6.8	6.8	6.9	6.6	6.6	6.6	6.5	6.3	6.3	6.3	5.9				
86020000	11.863	14.752	R	1	1 45	CRACKING	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0					
5 1			3	5.1	48500	RIDE	7.6	7.3	7.4	7.2	6.9	6.8	6.8	6.7	6.2*	6.2*	6.0	6.9	6.8						
NE 39 ST(12.1C)					DGFC																				
4035751	11.820	13.360	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.6				
COMMUNITY ASPHALT CORP.				(2007)	SPRIDE		6.9	6.8	6.7	6.8	6.6	6.5	6.5	6.5	6.4	6.4	6.3	6.3	5.9	5.9					
86020000	14.752	15.314	R	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5					
5 1			3	2.9	30000	RIDE	8.3	8.2	8.4	8.1	8.0	7.8	8.3	8.2	7.5	7.3	7.4	6.9	7.2						
HILLSBORO BLVD(14.8C)					DGFC																				
4035753	14.860	15.324	C	2011	0012	CRACKING	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7				
WEEKLEY ASPHALT PAVING, IN(2013)					RIDE		7.2	6.4	7.0	6.4	7.8	7.5	7.3	7.6	7.4	7.5	7.3	7.3	7.2	7.4	7.1				
86020000	14.752	15.314	L	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5					
5 1			3	2.9	30000	RIDE	8.0	7.9	8.2	8.0	7.7	8.0	7.3	8.0	6.7	6.9	6.9	6.9	6.7	6.8					
HILLSBORO BLVD(14.8C)					DGFC																				
4035753	14.860	15.324	C	2011	0012	CRACKING	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
WEEKLEY ASPHALT PAVING, IN(2013)					RIDE		6.5	5.5	5.3*	5.3*	7.6	7.8	7.4	7.0	6.7	6.8	6.7	6.7	6.7	5.8					
86020000	11.863	14.752	L	1	1 45	CRACKING	7.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0					
5 1			3	5.1	48500	RIDE	8.0	7.8	7.7	7.7	7.7	7.4	7.5	7.3	6.6	6.6	6.3	7.2	7.4						
NE 39 ST(12.1C)					DGFC																				
4035751	11.820	13.360	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3					
COMMUNITY ASPHALT CORP.				(2007)	SPRIDE		7.3	7.3	7.2	7.2	7.2	7.1	6.8	6.3	6.3	6.2	6.2	6.0	5.4*	5.2					
86020000	8.756	11.863	L	1	1 45	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0				10.0	10.0	10.0	10.0	10.0					
5 1			3	6.1	45000	RIDE	8.6	8.3	8.6	8.0	7.5	7.8				7.7	7.7	7.6	7.2	7.6					
ATLANTIC BLVD(8.8C)					FC125																				
				(2004)	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	5.9				
					RIDE		7.4	7.4	7.6	7.3	7.2	7.0	7.1	6.9	7.0	6.9	6.8	6.8	6.7	6.4					
86020000	8.254	8.756	L	1	1 45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0					
5 1			3	2.6	40000	RIDE	7.6	7.5	7.8	7.7	7.5	7.4	7.4	7.3	6.6	6.6	6.5	6.7	6.8						
FIFTH CT SE(8.5L)					FC95																				
4229981	8.274	8.769	C	2012	0012	CRACKING	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
WEEKLEY ASPHALT PAVING, IN(2013)					RIDE		6.9	6.5	6.5	6.5	8.4	8.2	8.0	7.8	7.8	7.7	7.6	7.6	7.6	7.0					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
86020000	5.736	8.254	L	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
5			3	3.1	43000	RIDE		6.8	6.6	6.7	5.7*	5.4*	5.6*	5.5*	5.4*	5.0*	5.1*	6.7	6.2	6.6	
COMMERCIAL BLVD(5.7C)																					
2280931	6.831	8.050	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	6.5	5.6
COMMUNITY ASPHALT CORP.				(2006)																	
4461881	5.736	8.254	C	2023	0012	SPRIDE		6.4	6.5	6.3	6.3	6.1	6.0	6.0	5.9	5.7	5.9	6.2	5.5	5.6	5.3
86020000	4.200	5.736	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
5			3	3.2	47000	RIDE		8.2	8.2	8.4	7.7	7.9	7.8	7.8	7.7	6.9	7.1	6.8	6.2	6.7	
NE 33 CT(4.3L)																					
4360971	4.200	5.740	L	2018	0012	CRACKING		10.0	10.0	9.0	9.0	8.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2020)				7.1	7.1	6.9	6.8	6.8	6.8	6.8	6.6	6.6	6.4	6.5	7.7	7.6	
86020000	1.813	4.200	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	
5			3	1.7	54000	RIDE		6.6	6.7	6.9	6.6	6.5	6.4*	6.6	6.4*	5.9*	6.1*	5.8	5.9	5.8	
VICTORIA PARK RD(1.9L)																					
4114401	1.834	4.200	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	6.2
PAVEY CORPORATION				(2009)				7.5	7.5	7.5	7.4	7.3	7.3	7.3	6.9	6.9	6.7	6.4	6.7	6.6	6.0
4461851	1.813	4.200	C	2023	0012	SPRIDE															
86020000	1.080	1.813	L	1	1	35	CRACKING	10.0	10.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
5			3	6.8	56000	RIDE		8.2	8.2	8.1	7.3	8.4	8.0	7.6	7.3	6.8	6.8	6.4	6.4	7.0	
EIGHTH AVE NE(1.1L)																					
4287261	0.012	1.813	C	2015	0012	CRACKING		7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2018)				6.9	6.9	6.5	6.4	6.3	6.5	6.6	6.3		7.9	7.9	7.7	7.7	7.3
86020000	0.000	1.080	L	1	1	35	CRACKING	10.0	10.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
5			3	3.6	39500	RIDE		8.2	8.2	8.1	7.3	8.4	8.0	7.6	7.3	6.8	6.8	6.4	6.4	7.0	
BROWARD BLVD(0.0C)																					
4287261	0.012	1.813	C	2015	0012	CRACKING		7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2017)				6.9	6.9	6.5	6.4	6.3	6.5	6.6	6.3	7.4	7.0	7.0	6.8	7.0	6.3
86028000	0.000	1.428	R	1	1	45	CRACKING	9.0	9.0	9.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
834			3	4.3	33500	RIDE		7.4	7.5	7.4	6.5	7.6	7.7	7.4	7.5	6.8	7.0	6.8	6.2	6.6	
CORAL SPRINGS CITY LIMIT(0.0C)																					
2280371	0.000	1.684	C	1998	0012	CRACKING		9.5	9.5	9.5	9.5	9.0	9.0	9.0	8.0	8.0	8.0	7.0	7.0	7.0	6.7
COMMUNITY ASPHALT CORP.				(2000)				6.6	6.7	6.5	6.4	6.3	6.3	6.3	6.5	6.5	6.5	6.4	6.0	6.2	5.7
4461941	0.000	1.428	C	2024	0012	S RIDE															
86028000	1.428	3.221	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	
834			3	2.8	49500	RIDE		8.4	8.5	8.6	8.3	7.8	7.7	7.9	7.6	7.1	7.1	6.9	6.8	6.7	
BELMONTE BLVD(1.5R)																					
4138381	1.428	3.236	C	2009	0012	CRACKING		4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
HUBBARD CONSTRUCTION COMPA(2011)								6.5	6.4	8.1	8.0	7.9	7.9	8.0	7.8	7.7	7.7	7.6	7.6	7.6	7.3
4363411	1.685	8.160	R	2018	9924	SPRIDE															
86028000	3.221	4.763	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	
834			3	4.3	48500	RIDE		8.4	8.5	8.5	7.9	7.8	7.6	7.8	7.6	7.1	7.2	7.0	6.9	7.1	
NW 54 AVE(3.3C)																					
4216561	3.221	4.763	C	2011	0012	CRACKING		6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2013)								6.9	7.0	6.9	6.8	8.3	8.2	8.2	7.8	7.9	7.7	7.7	7.7	7.7	7.2
4363411	1.685	8.160	R	2018	9924	SPRIDE															
86028000	4.763	5.805	R	1	1	45	CRACKING	9.0	9.0	7.5	6.5	6.5	9.0	6.5	3.5*	3.5*	10.0	10.0	10.0	10.0	
834			3	6.5	58000	RIDE		7.6	7.6	7.6	7.2	6.9	7.5	7.4	7.4	6.6	6.8	6.7	6.7	6.9	
FESTIVAL FLEA MARKET(5.4R)																					
2280721	4.754	7.558	C	2003	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
APAC-FLORIDA INC				(2005)				6.9	6.9	6.8	6.7	6.5	6.8	6.8	6.3	6.3	6.3	6.3	6.3	6.3	6.1
4363411	1.685	8.160	R	2018	9924	SPRIDE															
86028000	5.805	7.070	R	1	1	45	CRACKING	9.0	9.0	7.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	
834			3	4.9	43415	RIDE		7.6	7.6	7.6	7.2	6.9			7.5	6.6	6.5	6.6	6.9	7.0	
CROSSROADS SHOPPING CENT(5.9C)																					
2280721	4.754	7.558	C	2003	0012	CRACKING		10.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	5.0
APAC-FLORIDA INC				(2003)				7.0	6.5	6.5	5.9	6.3	6.5	6.5	6.4	6.6	6.8	6.7	6.6	6.3	6.3
4363411	1.685	8.160	R	2018	9924	SPRIDE															
86028000	7.070	7.187	R	1	6	35	CRACKING	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	
834			3	4.5	56500	RIDE		7.6	7.6	7.6	7.2	6.9	6.0*	5.3*	5.4*	6.6	6.5	6.6	6.9	7.0	
ANDREWS AVE(7.1R)																					
2280721	4.754	7.558	C	2003	0012	CRACKING		10.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0		6.5	6.5	6.5	6.5	4.7
APAC-FLORIDA INC				(2004)				7.0	6.5	6.5	5.9	6.3	6.5	6.5	6.4						
4363411	1.685	8.160	R	2018	9924	SPRIDE															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F															(REG)
86028000	7.187	7.424	R	1	6 35	CRACKING		9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	
834			4	4.5	56500	RIDE		7.6	7.6	7.6	7.2	6.9	6.0*	5.3*	5.4*	4.4*	7.1	7.1	7.1	6.7	
NW 8 AVE(7.3R)					UNKW																
2280721	4.754	7.558	C	2003	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0
APAC-FLORIDA INC				(2005)	SPRIDE			6.5	6.6	6.7	6.5	6.5									
4363411	1.685	8.160	R	2018	9924																
86028000	7.424	9.491	R	1	45	CRACKING		6.5	5.5*	5.5*	5.5*	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
834			3	6.3	41500	RIDE		8.0	7.6	7.3	6.7	6.2*	6.7	5.8*	5.9*	5.6*	5.7*	5.7	5.1*		
NE 2 AVE(8.1R)					FC95																
2280731	7.783	9.491	C	2006	0012	CRACKING		10.0	10.0	10.0	9.0	8.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	3.9
WEEKLEY ASPHALT PAVING, IN(2009)					SPRIDE			7.4	7.2	7.3	7.2	7.2	7.0	7.0	6.6	6.6	6.2	6.3	6.2	6.3	5.6
4416301	8.122	9.491	C	2021	0012																
86028000	7.424	9.491	L	1	45	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	4.5*	4.5*		
834			3	6.3	41500	RIDE		7.8	7.9	7.6	6.4*	6.4*	6.7	6.9	6.6	6.1*	6.2*	6.1	5.8		
FRONTAGE ROAD(7.4L)					FC95																
2280731	7.783	9.491	C	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	6.5	6.5	4.4
WEEKLEY ASPHALT PAVING, IN(2009)					SPRIDE			7.3	6.7	7.0	7.0	7.0	6.8	6.5	6.4	6.3	6.0	6.2	6.1	6.1	5.5
4416301	8.122	9.491	C	2021	0012																
86028000	7.118	7.424	L	1	35	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
834			3	4.5	56500	RIDE		7.7	7.6	7.6	6.7	6.7	5.7*	5.8	5.8	5.2*	6.4	6.3	6.2	5.3*	
FRONTAGE ROAD(7.3L)					UNKW																
				(1986)	CRACKING			9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.4
					RIDE			6.2	6.2	5.9	6.0	6.0	5.9	6.0	5.1*	5.4*	5.2*	5.5	5.3*	5.0*	4.5
86028000	5.805	7.118	L	1	45	CRACKING		10.0	10.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0	
834			3	4.9	43415	RIDE		7.7	7.6	7.6	6.7	6.7			8.0	7.3	7.5	7.5	7.3	7.4	
CROSSROADS SHOPPING CENT(5.9C)					FC125																
2280721	4.754	7.558	C	2003	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0
APAC-FLORIDA INC				(2003)	SPRIDE			7.4	7.5	7.3	7.3	7.4	7.3	7.3	7.1	7.1	7.1	6.9	7.0	6.7	6.7
4461951	5.805	7.116	C	2024	0012																
86028000	4.763	5.805	L	1	45	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	10.0	10.0	10.0	10.0	
834			3	6.5	58000	RIDE		7.7	7.6	7.6	6.7	6.7	7.3	7.2	6.8	6.2*	7.0	6.8	6.8	6.9	
LAND FILL(5.4L)					UNKW																
2280721	4.754	7.558	C	2003	0012	CRACKING		9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
APAC-FLORIDA INC				(2005)	SPRIDE			7.0	7.0	6.9	6.8	6.9	6.5	6.6	5.9	6.0	6.1	5.9	5.9	5.8	5.5
86028000	3.221	4.763	L	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	
834			3	4.3	48500	RIDE		8.3	8.2	8.3	7.9	7.7	7.6	7.9	7.5	7.3	7.3	7.1	6.3	7.0	
NW 54 AVE(3.3C)					FC95																
4216561	3.221	4.763	C	2011	0012	CRACKING		6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2013)					SPRIDE			7.0	7.1	6.8	6.5	8.2	8.2	7.5	7.8	7.8	7.8	7.7	7.7	7.7	7.4
86028000	1.428	3.221	L	1	45	CRACKING		10.0	10.0	10.0	10.0	8.5	8.5	7.0	6.5	6.5	4.5*	3.5*	3.5*	3.5*	
834			3	2.8	49500	RIDE		8.3	8.4	8.4	7.9	8.1	8.0	8.1	7.7	6.8	7.0	6.8	6.6	6.8	
SHOPPING CENTER ENT(1.6L)					FC95																
4138381	1.428	3.236	C	2009	0012	CRACKING		3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
HUBBARD CONSTRUCTION COMPA(2011)					SPRIDE			6.4	6.6	8.1	8.0	7.8	7.8	7.7	7.7	7.7	7.7	7.6	7.5	7.4	7.2
86028000	0.000	1.428	L	1	45	CRACKING		6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
834			3	4.3	33500	RIDE		7.0	6.9	7.1	5.9*	8.0	7.9	7.7	7.7	6.7	6.6	6.5	6.2	6.2	
CORAL SPRINGS CITY LIMIT(0.0C)					FC125																
2280371	0.000	1.684	C	1998	0012	CRACKING		9.0	8.5	8.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	5.2
COMMUNITY ASPHALT CORP. (2000)					S	RIDE		6.2	6.4	5.8	5.9	5.9	5.8	5.9	6.3	6.2	6.0	5.9	5.6	5.7	4.9
4461941	0.000	1.428	C	2024	0012																
86030000	0.000	0.879	R	1	35	CRACKING		10.0	10.0	8.5	8.5					9.0	9.0	9.0	9.0	9.0	
ALA			3	2.0	39500	RIDE		7.6	7.6	7.6	6.7					5.8	6.0	5.3*	4.9*	5.7	
OCEAN DR(0.2R)					FC95A																
4287271	0.000	0.583	R	2014	0012	CRACKING		9.0	9.0	7.5	7.5	7.5	6.5	4.5*		10.0	10.0	9.0	9.0	9.0	7.3
WEEKLEY ASPHALT PAVING, IN(2017)					RIDE			4.4*	3.7*	3.1*	4.1*	4.0*	3.8*	4.8*		6.9	6.2	6.4	6.3	6.3	5.7
86030000	0.879	2.282	R	1	35	CRACKING		10.0	10.0	8.5	8.5	6.5	6.5	6.5		6.5	6.5	6.5	6.5	5.5*	
ALA			3	3.2	28000	RIDE		7.6	7.6	7.6	6.7	5.0*	4.8*	4.9*		4.2*	3.8*	4.4*	3.8*	3.8*	
OCEAN CREST CLUB(1.3R)					FC95																
4168691	1.242	2.011	R	2010	0012	CRACKING		5.5*	5.5*	5.5*		10.0	10.0	10.0	8.5	8.5	8.5	8.0	8.0	7.0	5.4
GENERAL ASPHALT CO., INC. (2013)					SPRIDE			3.6*	4.3*	3.0*		6.3	5.8	6.6	6.1	6.0	6.6	5.8	5.7	5.2*	5.1
4461991	0.879	2.497	C	2025	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 4 COUNTY = BROWARD -----																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																			
CONTRACTOR (AGE_ONE YEAR)								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021					2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																			(REG)
86030000	2.282	2.497	R	1	7 35	CRACKING		6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0					
ALA			3	3.2	28000	RIDE		6.4*	6.2*	6.1*	5.6*	4.6*		7.2	6.6	5.8	5.8	5.5	5.3*	5.2*					
MONROE ST(2.3R)					FC95M																				
4323231	2.288	2.547	R	2017	0012	CRACKING		7.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0					
COMMUNITY ASPHALT CORP.				(2021)		RIDE		5.2*	5.3*	5.2*	5.6	5.5	5.5	5.4*	5.0*	4.8*	4.7*	4.4*		6.8					
4461991	0.879	2.497	C	2025	0012																				
86030000	2.497	4.104	R	1	7 35	CRACKING		8.0	8.0	6.5	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.0					
ALA			2	2.7	24000	RIDE		6.5	6.4*	6.7	5.5*	5.0*		6.3	6.6	5.8	5.8	5.5	5.3*	5.2*					
HOLLYWOOD BLVD(2.6R)					FC95M																				
4323231	2.547	4.104	R	2017	0012	CRACKING		7.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*			10.0					
COMMUNITY ASPHALT CORP.				(2021)		RIDE		5.2*	5.3*	5.2*	5.6	5.5	5.5	5.4*	5.0*	4.8*	4.7*			6.2					
86030000	4.104	5.351	C	1	1 35	CRACKING		10.0	9.0	7.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*					
ALA			2	3.1	8400	RIDE		7.4	7.3	7.7	6.9	6.4*	7.1	6.9	6.8	5.8	5.7	5.5	5.3*	5.2*					
FOREST ST(4.4R)					FC95																				
4114321	4.122	5.193	C	2007	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	6.0*	5.3				
COMMUNITY ASPHALT CORP.				(2010)		SPRIDE			6.8	6.3	6.5	6.1	6.2	6.0	5.8	5.5	5.6	5.3*	5.4*	5.1*	4.4				
86030000	5.351	5.783	C	1	1 30	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0					
ALA			4	2.5	9300	RIDE		6.6	6.8	6.8	6.7	6.3*	6.2*	6.3	6.6	6.2	6.1	6.0	6.0	5.9					
CAMBRIDGE ST(5.4R)					FC95																				
				(2018)		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0				
						RIDE			7.0	5.9							5.9	5.9	5.9	5.6	5.2				
86030000	5.783	6.683	R	1	7 40	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0					
ALA			2	2.5	9300	RIDE		7.4	7.4	7.6	6.9	7.0	7.3	6.9	7.1	6.4	6.5	6.4	6.0	6.2					
GULF STREAM RD R(6.7R)					FC95																				
				(2021)		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
						RIDE			7.8	7.6	7.5	7.5	7.6	7.7	7.4	7.5	7.5	7.4	7.4	7.7					
86030000	6.683	7.449	R	1	1 40	CRACKING		9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5					
ALA			3	5.2	19900	RIDE		7.3	7.0	7.4	6.2*	5.9*	5.5*	6.0	5.5	4.7*	5.2*	4.8*	5.2*	5.2*					
NE 2 CT(7.3R)					FC95																				
				(2010)		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.3				
4461981	6.683	7.449	C	2024	0012	RIDE			7.2	6.7	7.1	7.1	7.1	7.2	7.1	6.9	7.1	7.0	6.8	6.7	6.7				
86030000	6.683	7.449	L	1	1 40	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5					
ALA			3	5.2	19900	RIDE		6.5	6.4*	6.4*	5.4*	5.2*	4.8*	4.9*	5.0*	4.3*	4.5*	4.5*	4.4*	4.8*					
FIFTH AVE SE L(6.9L)					FC95																				
				(2010)		CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.0	7.0	7.0	7.0	5.2				
4461981	6.683	7.449	C	2024	0012	RIDE			6.9	6.7	7.2	6.9	6.7	6.7	6.6	6.6	6.6	6.0	6.4	6.4	6.0				
86030000	6.360	6.683	L	1	7 40	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0					
ALA			2	2.5	9300	RIDE		7.6	7.6	7.8	7.2	7.1	7.1	6.9	6.6	6.2	6.1	6.0	6.0	5.9					
					FC125M																				
				(2021)		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
						RIDE			7.5	7.5	7.4	7.5	7.4	7.5	6.8	7.4	7.2	7.3	7.3	7.7					
86030000	5.783	6.360	L	1	7 40	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0					
ALA			2	2.5	9300	RIDE		7.6	7.6	7.8	7.2	7.1	7.1	6.9	6.6	6.2	6.1	6.0	6.0	5.9					
					FC95																				
				(2021)		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0		9.5	9.5	9.5	10.0					
						RIDE			7.5	7.5	7.4	7.5	7.4	7.5	6.8		6.5	6.4	6.3	6.8					
86030000	2.497	4.104	L	1	7 35	CRACKING		6.5	6.5	6.5	4.5*	3.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0					
ALA			2	2.7	24000	RIDE		7.1	7.0	7.0	5.7*	4.6*		7.8	7.6	6.8	6.6	6.2	5.7	5.8					
SHERIDAN ST(4.1L)					FC95M																				
4323231	2.497	4.104	L	2017	0012	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0					
COMMUNITY ASPHALT CORP.				(2021)		RIDE		5.9	5.4*	5.5	6.1	6.0	5.9	5.9	4.9*	4.9*	4.7*	4.4*		5.9					
86030000	2.282	2.497	L	1	7 35	CRACKING		9.0	9.0	9.0	6.5	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0					
ALA			3	3.2	28000	RIDE		6.5	6.4*	6.5	6.1*	6.0*		8.0	7.6	6.8	6.6	6.2	5.7	5.8					
					FC95M																				
4323231	2.362	2.497	L	2017	0012	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*		10.0					
COMMUNITY ASPHALT CORP.				(2021)		RIDE		5.9	5.4*	5.5	6.1	6.0	5.9	5.9	4.9*	4.9*	4.7*	5.4*		6.6					
4461991	0.879	2.497	C	2025	0012																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
86030000	0.879	2.282	L	1	35	CRACKING		10.0	10.0	10.0	10.0	10.0	8.5	8.5		6.5	6.5	6.5	6.5	6.5	
ALA			3	3.2	28000	RIDE		7.8	7.8	8.0	7.0	7.4	7.4	6.6		5.8	5.8	5.6	5.3*	5.4*	
SEACREST PKWY(0.9L)							FC95														
4168691	1.242	2.011	L	2010	0012	CRACKING		6.5	6.5	6.5		10.0	10.0	10.0	9.5	9.5	8.5	7.0	7.0	7.0	4.5
GENERAL ASPHALT CO., INC. (2013)							SPRIDE	5.8	5.1*	5.6		7.4	7.2	7.2	7.2	7.0	6.9	6.9	6.8	6.3	6.0
4461991	0.879	2.497	C	2025	0012																
86030000	0.000	0.879	L	1	35	CRACKING		10.0	10.0	10.0	10.0					9.0	9.0	9.0	9.0	9.0	
ALA			3	2.0	39500	RIDE		7.8	7.8	8.0	7.0					6.4	6.8	6.6	6.1	6.4	
HEMISPHERES(0.3C)							FC95A														
4287271	0.124	0.774	L	2014	0012	CRACKING		9.0	9.0	9.0	6.5	6.5	6.5	4.5*		10.0	10.0	9.5	9.5	9.5	8.7
WEEKLEY ASPHALT PAVING, IN(2017)							RIDE	6.9	6.7	6.3	5.5	5.9	6.1	5.4*		7.4	7.3	7.2	7.1	7.0	6.5
86039000	0.000	2.482	R	1	45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	
814			3	5.6	51500	RIDE		7.8	7.6	7.7	6.9	6.9	6.9	6.7	6.5	6.2*	6.1*	6.1	5.8	6.1	
MARGATE CITY LIMITS(0.0C)							FC125														
4230021	0.484	1.786	R	2011	0012	CRACKING		7.5	6.0*	4.5*	4.5*	4.5*	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
RANGER CONSTRUCTION INDUST(2014)							SPRIDE	6.0	6.0	5.7	5.9	5.7	8.0	8.1	7.7	7.6	7.7	7.6	7.8	7.4	7.1
86039000	0.000	2.482	L	1	45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	
814			3	5.6	51500	RIDE		7.9	7.7	7.9	7.0	6.9	6.9	7.0	6.8	6.3*	6.5	6.4	6.2	7.3	
MARGATE CITY LIMITS(0.0C)							FC125														
4230021	0.484	1.786	L	2011	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
RANGER CONSTRUCTION INDUST(2014)							SPRIDE	7.2	7.3	7.1	7.2	6.9	7.9	8.0	7.7	7.7	7.8	7.7	7.4	7.5	7.1
86040000	0.000	1.365	R	1	45	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	
820			2	5.0	11100	RIDE		8.4	8.4	8.6	8.2	7.7	7.7	7.5	7.8	7.2	7.3	6.8	7.2	7.4	
PEMBROKE PINES CITY LIMITS(0.0C)							DGFC														
4216571	0.009	1.365	R	2011	0012	CRACKING		4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	7.1
WEEKLEY ASPHALT PAVING, IN(2013)							SPRIDE	7.2	7.1	7.0	7.0	8.0	7.9	7.9	7.8	7.7	7.6	7.7	7.3	7.6	7.1
86040000	1.365	1.667	R	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	
820			3	4.3	28000	RIDE		8.4	8.2	8.5	8.3	8.2	8.2	8.1	8.0	7.5	7.5	7.4	7.3	7.5	
SW 196 AVE(1.5R)							DGFC														
4216571	1.365	1.660	R	2011	0012	CRACKING		7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2013)							SPRIDE	7.3	7.3	7.3	7.2	8.2	7.9	8.0	7.8	7.8	7.8	7.6	7.5	7.3	6.9
86040000	1.667	5.087	R	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	
820			3	4.0	42500	RIDE		8.4	8.2	8.5	8.3	8.2	8.2	8.1	8.0	7.5	7.5	7.4	7.3	7.5	
SW 186 AVE(2.2R)							FC95														
4270061	1.667	3.623	R	2013	0012	CRACKING		7.5	7.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP. (2015)							SPRIDE	7.3	7.3	7.3	7.2	7.1	7.2	8.7	8.3	8.4	8.4	8.3	8.3	8.2	7.9
86040000	5.087	6.320	R	1	45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
820			3	3.2	62000	RIDE		7.7	7.5	7.7	7.7	7.8	7.6	7.9	7.5	7.2	7.3	7.0	6.7	6.9	
SW 149 AVE(5.3R)							OGFC														
(2011)							CRACKING	9.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
							RIDE	6.8	6.5	7.7	7.8	7.7	7.7	7.7	7.6	7.8	7.8	7.7	7.6	7.7	7.7
86040000	6.320	7.870	R	1	45	CRACKING		8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
820			4	1.7	69500	RIDE		7.0		8.5	8.1	8.1	8.0	7.5	7.9	7.3	7.3	7.0	7.8	7.8	
SW 136 AVE(6.5R)							DGFC														
(2007)							CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.0	7.0	7.0	7.0	7.0	6.5	5.4
							RIDE	7.9	7.7	7.8	7.7	7.6	7.5	7.5	7.7	7.7	7.9	7.8	7.7	7.6	7.6
4462001	6.170	7.870	C	2024	0012																
86040000	7.870	9.664	R	1	45	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*		
820			4	1.6	50000	RIDE		8.2	8.0	8.2	7.8	7.7	7.9	7.8	7.9	7.3	7.3	7.1	7.0		
SW 114 AVE(8.2R)							DGFC														
4192411	7.870	9.664	C	2006	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.4
(2009)							RIDE	7.7	7.7	7.8	7.7	7.7	7.7	7.7	7.3	7.3	7.3	7.2	7.1	7.1	6.8
86040000	9.664	10.489	R	1	45	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	4.5*	4.5*	4.5*	7.0	
820			3	3.8	51000	RIDE		8.2	8.0	8.2	7.8	7.7	7.9	7.8	7.9	7.3	7.3	7.1	7.0	7.3	
TANGLEDWOOD PLAZA(9.8R)							DGFC														
4168701	9.516	10.509	R	2008	0012	CRACKING			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	7.5	6.2
(2010)							RIDE		7.8	7.8	7.7	7.7	7.7	7.8	7.5	7.4	7.4	7.3	7.3	7.3	7.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
86040000	10.489	13.410	R	1	1 40	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.0*	6.0*	
820			3	2.5	54000	RIDE			8.4	8.7	8.4	8.3	8.0	8.4	8.3	7.2	7.4	7.0	7.2	6.6	
DOUGLAS RD/NW 89 AVE(10.5R)					DGFC																
4216591	10.489	13.432	C	2011	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	7.5	6.3
COMMUNITY ASPHALT CORP.				(2013)	SPRIDE		6.6	6.7	6.6	6.2	8.1	8.0	8.1	8.0	8.0	8.0	8.1	7.9	7.8	7.8	7.7
86040000	13.410	13.840	R	1	6 35	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	
820			3	5.5	42000	RIDE	7.7	7.5	5.9*	7.0	6.4*	6.5	5.9	6.4	6.4	5.2*	5.8	5.1*	5.0*	4.5*	
SW 63 TER(13.6R)					FC125																
4270071	13.432	13.860	C	2013	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC.				(2015)	RIDE		4.7*	4.7*	4.3*	4.3*	4.0*	4.3*	6.5								
86040000	13.840	14.038	R	1	6 35	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	
820			3	5.5	42000	RIDE	7.7	7.5	5.9*	7.0	6.4*	6.5	5.9	6.4	6.4	5.2*	5.8	5.1*	5.0*	4.5*	
SR 7(14.0C)					UNKW																
				(2020)	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5				10.0	10.0	
					RIDE		4.7*	4.7*	4.3*	4.3*	4.0*	4.3*	3.4*						6.2		
86040000	14.038	15.241	R	1	1 35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	
820			3	3.0	42000	RIDE	7.9	7.7	7.8	7.0	6.6	6.6	6.6	6.6	6.6	5.8	6.0	5.9	5.8	5.7	
WALMART(14.2R)					FC95																
4216592	14.038	15.241	C	2011	0012	CRACKING	7.5	7.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3
COMMUNITY ASPHALT CORP.				(2015)	SPRIDE		5.6	5.6	5.5	5.3*			8.5	7.7	7.8	7.7	7.8	7.8	7.9	7.7	7.3
86040000	15.241	15.402	R	1	1 35	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	
820			3	3.2	37500	RIDE	7.9	7.7	7.8	7.0	6.6	6.6	6.6	6.6	6.6	5.8	6.0	5.9	5.8	5.7	
S CIRCLE DR(15.3R)					FC95																
				(2015)	CRACKING		7.5	7.5	6.5	6.5			10.0	10.0	9.0	9.0	9.0		7.0	5.1	
					RIDE		5.6	5.6	5.5	5.3*			7.7	6.9	6.9	7.3	6.9		6.6	6.0	
86040000	15.402	15.625	C	1	6 30	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	
820			3	3.2	19000	RIDE	7.1	7.8	8.0	7.5	7.3	7.1	7.2	7.1	6.3	6.3	6.2	6.3	6.3		
PRESIDENTIAL CIR(15.5L)					FC95																
2281601	15.402	15.625	C	2008	0012	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.7
COMMUNITY ASPHALT CORP.				(2010)	SPRIDE		6.2	7.5													
86040000	15.625	16.431	R	1	2 35	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
820			3	4.1	46500	RIDE	6.4*	5.8*	6.5	5.3*	4.9*	5.1*	5.0*	5.1*	5.1*	4.5*	4.3*	4.3*	4.2*	4.6*	
ALLEY(15.7C)					FC95																
2281601	15.625	16.431	R	2008	0012	CRACKING	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.6	
COMMUNITY ASPHALT CORP.				(2011)	SPRIDE		4.5*		7.4	7.0	6.5	6.7	6.5	6.9	6.9	7.0	6.8	6.7	6.7	5.9	5.9
86040000	16.431	16.826	R	1	6 35	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
820			3	7.8	55500	RIDE	6.4*	5.8*	6.5	5.3*	4.9*	5.1*	5.0*	5.1*	5.1*	4.5*	4.3*	4.3*	4.2*	4.6*	
CALLE LARGO(16.4R)					FC95																
				(2011)	CRACKING		4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
					RIDE		4.5*		5.4*	4.9*	5.0*	5.1*	5.9	4.3*							
86040000	18.394	19.956	R	1	1 35	CRACKING	10.0	10.0	10.0	10.0	10.0	7.0	6.0*	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*		
820			2	1.9	17020	RIDE	7.9	8.1	8.3	6.5	6.6	7.1	7.7	7.7	6.9	6.8	6.3	6.2	6.4		
S 16 AVE(18.5R)					FC95																
4138351	18.394	19.764	C	2009	0012	CRACKING	1.0*	1.0*		10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0	4.9	
WEEKLEY ASPHALT PAVING, IN(2012)					SPRIDE		6.1	5.7		7.4	6.9	7.1	7.3	6.8	6.7	6.6	6.5	6.7	6.5	6.0	
4476541	18.394	19.956	C	2024	0012																
86040000	18.394	19.956	L	1	1 35	CRACKING	10.0	10.0	10.0	10.0	8.5	7.0	6.0*	5.5*	3.5*	3.5*	1.0*	1.0*	1.0*		
820			2	1.9	17020	RIDE	8.0	8.2	8.1	6.8	6.6	6.7	7.6	7.4	6.2	6.3	6.3	5.8	5.7		
HARRISON ST(18.4L)					FC95																
4138351	18.394	19.764	C	2009	0012	CRACKING	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	7.5	6.7		
WEEKLEY ASPHALT PAVING, IN(2011)					SPRIDE		5.5	5.6	8.0	7.6	7.1	7.0	7.1	7.0	6.7	6.7	6.5	6.5	6.0	5.4	
4476541	18.394	19.956	C	2024	0012																
86040000	16.431	16.826	L	1	1 35	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
820			3	7.8	55500	RIDE	7.1	6.3*	7.9	5.9*	5.8*	5.9*	6.1	5.8	5.9	5.4*	5.2*	5.0*	5.1*		
N 31 AVE(16.4L)					FC95																
				(2011)	CRACKING		6.5		10.0	10.0	8.5	8.5	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	3.1	
					RIDE		5.3*		6.3	6.1	5.8	5.5	6.4	5.5	5.7	5.8	6.0	5.6	5.3*	5.2	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR			1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998											
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
86040000	15.625	16.431	L	1	1	35	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
820			3	4.1	46500	RIDE		7.1	6.3*	7.9	5.9*	5.8*	5.9*	6.1	5.8	5.9	5.4*	5.2*	5.0*	5.1*	
TO 86040215(15.6L)																					
2281601	15.625	16.431	L	2008	0012	CRACKING		6.5		10.0	10.0	10.0	10.0	10.0	8.5	8.0	8.0	8.0	8.0	7.0	5.7
COMMUNITY ASPHALT CORP.			(2011)			SPRIDE		5.3*		7.4	7.3	6.8	6.8	6.8	5.7	5.9	5.8	5.9	6.0	5.9	4.7
86040000	15.241	15.402	L	1	6	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	
820			3	3.2	37500	RIDE		8.0	7.8	8.0	7.5	7.3	7.1	7.2	7.1	6.3	6.3	6.2	6.3	6.3	
CIRCLE DR N(15.3L)																					
			(2015)			CRACKING		7.0	7.0	7.0	7.0			10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3
						RIDE		6.2	6.3	6.4	6.4			5.7							
86040000	14.038	15.241	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	
820			3	3.0	42000	RIDE		8.0	7.8	8.0	7.5	7.3	7.1	7.2	7.1	6.3	6.3	6.2	6.3	6.3	
N 59 AVE(14.1L)																					
4216592	14.038	15.241	C	2011	0012	CRACKING		7.0	7.0	7.0	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.			(2015)			SPRIDE		6.2	6.3	6.4	6.4			8.5	7.7	7.8	7.7	7.6	7.7	7.5	6.9
86040000	13.840	14.038	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	6.5	6.5	6.5	
820			3	5.5	42000	RIDE		7.6	7.6	7.7	7.2	7.3	6.5	7.2	7.1	6.0	6.9	5.3*	5.3*	5.7	
SR 7(14.0C)																					
			(2020)			CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*			10.0	10.0	10.0	
						RIDE		5.5	5.5	5.6	5.2*	5.5	5.2*	5.4*	5.0*			4.3*	6.3	5.8	
86040000	13.410	13.840	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	6.5	6.5	6.5	
820			3	5.5	42000	RIDE		7.6	7.6	7.7	7.2	7.3	6.5	7.2	7.1	6.0	6.9	5.3*	5.3*	5.7	
NW 64 AVE(13.5L)																					
4270071	13.432	13.860	C	2013	0012	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC.			(2015)			RIDE		5.5	5.5	5.6	5.2*	5.5	5.2*	7.5	6.9	6.5	6.6	6.9	6.4	6.4	5.6
86040000	10.489	13.410	L	1	1	40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	6.5	6.5	4.5*	
820			3	2.5	54000	RIDE			8.5	8.6	8.8	8.7	8.6	8.6	8.5	7.7	7.9	7.7	7.7	7.4	
DOUGLAS RD(10.5L)																					
4216591	10.489	13.432	C	2011	0012	CRACKING		4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.			(2013)			SPRIDE		7.3	7.3	7.1	6.9	8.3	8.3	8.4	8.1	8.1	8.2	8.0	7.9	7.9	7.6
86040000	9.664	10.489	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	
820			3	3.8	51000	RIDE		8.5	8.3	8.4	8.3	8.2	8.3	8.3	8.2	7.7	7.5	7.2	7.1	7.2	
NW 98 AVE(9.8L)																					
4168701	8.490	10.509	L	2008	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
			(2010)			RIDE			7.9	7.8	7.8	7.7	7.8	7.8	7.6	7.5	7.7	7.6	7.4	7.5	7.3
86040000	7.870	9.664	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5		
820			3	1.6	50000	RIDE		8.5	8.3	8.4	8.3	8.2	8.3	8.3	8.2	7.7	7.5	7.2	7.1		
NW 114 AVE(8.2L)																					
4192411	7.870	9.664	C	2006	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	7.5	7.5	6.5
			(2009)			RIDE		7.5	7.6	7.6	7.4	7.4	7.3	7.3	7.1	7.1	7.0	7.0	7.1	7.0	6.7
86040000	6.320	7.870	L	1	1	45	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
820			4	1.7	69500	RIDE		8.1		8.5	8.5	8.5	8.2	8.2	8.1	7.5	7.6	7.6	8.0	8.0	
CENTURY VILLAGE(6.5L)																					
			(2007)			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	7.0	6.5	5.4
4462001	6.170	7.870	C	2024	0012	RIDE		7.9	7.9	8.1	8.0	8.0	7.9	8.1	7.8	7.8	7.9	7.8	7.9	7.9	7.8
86040000	5.087	6.320	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
820			3	3.2	62000	RIDE		7.6	7.4	7.6	8.3	8.2	7.7	7.7	7.7	7.5	7.5	7.3	7.5	7.4	
NW 142 AVE(6.2L)																					
			(2011)			CRACKING		7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
						RIDE		7.4	7.5	7.6	7.7	7.4	7.5	7.5	7.5	7.5	7.3	7.5	7.4	7.6	7.4
86040000	1.667	5.087	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
820			3	4.0	42500	RIDE		8.6	8.4	8.5	8.4	8.3	8.3	8.3	8.3	7.6	7.5	7.4	7.4	7.4	
NW 186 AVE(2.2L)																					
4270061	1.667	5.087	L	2013	0012	CRACKING		6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.			(2015)			SPRIDE		7.3	7.3	7.3	7.2	7.2	7.2	8.7	8.4	8.4	8.4	8.3	8.4	8.3	8.0

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)
86040000	0.000	1.667	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	
820			2	5.0	11100	RIDE		8.3	8.2	8.1	8.2	8.3	8.2	8.1	8.2	7.5	7.4	7.3	7.0	6.9	
PEMBROKE PINES CITY LIMITS(0.0C)					DGFC																
4216571	0.009	1.660	L	2011	0012	CRACKING		6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2013)					SPRIDE			7.0	7.1	6.6	6.8	8.1	7.9	7.8	7.7	7.6	7.8	7.7	7.7	7.7	7.4
86040005	0.000	0.289	C	1	6 25	CRACKING								9.0	9.0	9.0	9.0	9.0	9.0	9.0	
820			2	3.1	6400	RIDE								7.3	7.2						
HOLLYWOOD CITY LIMITS(0.0C)					DGFC																
					(2002)	CRACKING		9.0	9.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.0
4476541	0.000	0.289	C	2024	0012	RIDE															
86040215	0.000	0.277	C	1	1 25	CRACKING										8.5	9.0	9.0	9.0	9.0	
820			3	7.8	28000	RIDE														5.9	
EB HOLLYWOOD CIR(0.0C)					DGFC																
					(2010)	CRACKING		7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
						RIDE		5.7	7.2	8.2	8.2	8.1	8.0	8.0	7.3	7.2	7.2	7.1	7.1	6.7	6.4
86050000	2.039	2.497	C	1	6 30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
ALA			2	2.3	14000	RIDE		8.0	7.8	7.8	7.1	7.1	7.1	7.1	6.7	6.0	5.9	5.9	6.0	5.3*	
POINSETTIA DR(2.2L)					FC95A																
4306011	2.040	2.497	C	2016	0012	CRACKING		9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2018)						RIDE		5.5	5.4*	5.3*	5.5	5.6	5.4*	5.4*	5.7	5.7	7.3				
86050000	2.497	3.334	R	1	1 30	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
ALA			2	5.9	27500	RIDE		7.8	7.4	7.5	6.7	6.5	6.6	6.4	6.2	5.6	5.9	7.6	7.4	9.0	5.3*
					FC95A																
4306011	2.497	3.320	R	2016	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	7.5	7.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2018)						RIDE		5.3*	5.6	5.5	5.1*	5.3*	5.6	5.4*	5.9	5.9	6.6	6.4	6.3	6.6	6.4
86050000	3.334	4.322	R	1	6 30	CRACKING		10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	
ALA			1	2.6	18800	RIDE		8.6	8.6		8.0	7.8	7.8	7.8	7.8	7.1	6.9	7.0	6.7	6.9	
PED CROSSWALK(3.5C)					FC125A																
4336884	3.334	4.322	C	2014	0005	CRACKING		9.0	9.0	9.0	9.0	9.0		8.5		10.0	10.0	10.0	10.0	10.0	10.0
RUSSELL ENGINEERING, INC (2017)					SPRIDE			6.6	6.4	6.6	6.2	5.9		6.4		5.6	5.6				
86050000	4.322	5.363	R	1	1 35	CRACKING		10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	
ALA			2	2.2	20300	RIDE		8.1	8.0	8.2	7.2	6.5	6.3*	6.4	6.4	6.1	6.1	5.5	5.6	5.6	
ATLANTIC BLVD N(4.5R)					FC95M																
4168721	4.310	5.365	C	2009	0012	CRACKING		7.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
GENERAL ASPHALT CO., INC. (2011)					SPRIDE			5.5	5.9	7.8	7.6	7.5	7.5	7.6	7.2	7.2	6.6	6.6	6.4	6.6	5.7
86050000	5.363	6.434	R	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
ALA			2	4.7	20000	RIDE		8.2	8.2	8.2	7.5	7.5	7.5	7.0	7.0	6.4	6.6	6.3	6.3	6.4	
OAKLAND PARK BLVD(5.4C)					FC95M																
					(2019)	CRACKING		9.0	7.5	4.5*	4.5*	4.5*	10.0	10.0	10.0		10.0	10.0	9.0	6.7	
						RIDE		6.3	6.1	6.1	6.0	5.8	7.8	7.9	7.7		7.5	7.3	7.3	6.8	
86050000	6.434	7.443	C	1	1 30	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	
ALA			2	5.1	20100	RIDE		6.5	6.3*	6.6	5.6*	5.5*	5.3*	5.3*	6.3	5.4*	5.4*	5.1*	4.9*	4.7*	
CODRINGTON DR(6.4L)					FC125																
2279511	6.656	7.443	C	2000	0012	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0
WEEKLEY ASPHALT PAVING, IN(2003)					SPRIDE			4.7*	4.9*	4.9*	4.7*	4.9*	4.8*	5.0*	4.4*	4.6*	4.6*	4.5*	4.6*	4.5*	4.1
86050000	7.443	9.792	C	1	1 35	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	
ALA			2	2.2	16300	RIDE		7.8	7.7	7.6	5.9*	5.5*	5.7*	5.5	5.4*	6.2	6.4	6.1	6.0	5.9	
PINE AVE(7.5C)					FC125																
2281141	7.443	9.267	C	2002	0012	CRACKING		9.5	10.0	10.0	10.0	9.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	4.8	
APAC-FLORIDA INC (2004)						RIDE		6.5	6.0	5.9	5.6	5.5	5.6	5.8	5.7	5.8	5.6	5.5	5.4*	5.4*	5.1
4416281	7.440	8.678@	C	2021	0012																
86050000	9.792	10.443	C	1	1 35	CRACKING		7.5	7.5	7.5	7.5	6.5	7.5	6.5	7.5	10.0	10.0	10.0	10.0	10.0	
ALA			4	2.7	11822	RIDE		6.5	6.3*	6.2*	5.3*	4.9*	4.9*	5.1*	4.8*	7.3	6.9	6.8	6.6	6.6	
FIRST ST SE(9.8L)					FC125																
					(2018)	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		9.0	9.0	9.0	9.0	9.0
						RIDE		6.4	6.2	6.3	5.9	5.9	5.9	5.6	5.6		5.2*	5.3*	5.7	5.8	5.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																			
CONTRACTOR (AGE_ONE YEAR)								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)				
86050000	10.443	12.090	C	1	1	35	CRACKING	10.0	10.0	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0					
ALA			2	2.6		6300	RIDE	7.5	7.5	7.5	7.3	6.8	7.4	7.3	7.1	6.8	6.7	6.3	6.5	6.3					
FIFTH ST NE(10.5L)						FC125																			
2281151	10.429	12.109	C	1999		0012	CRACKING	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.0	3.5*	3.5*	3.5*	3.4				
WEEKLEY ASPHALT PAVING INC(2001)							SPRIDE	6.2	6.3	6.4	6.2	6.2	6.0	6.2	5.8	5.7	5.6	5.2*	5.2*	5.2*	4.8				
4476551	10.443	12.090	C	2024		0012																			
86050000	12.090	15.170	C	1	7	35	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0					
ALA			2	2.6		6300	RIDE	7.6	7.6	7.7	7.2	7.0	6.8	6.8	6.5	6.7	6.7	6.6	6.6	6.7					
DEERFIELD BEACH CITY LIM(15.2C)						FC125																			
							CRACKING	9.5	9.5	9.0	9.0	9.0	8.0	8.0	7.5	7.5	6.5	6.5			10.0				
(2021)							RIDE	6.6	6.6	6.5	6.4	6.4	6.2	6.3	5.9	5.9	5.9	5.7			6.0				
86050000	15.170	15.669	C	1	1	30	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0					
ALA			2	1.5		13000	RIDE	7.6	7.6	7.7	7.2	7.0	6.8	6.8	6.5	6.7	6.7	6.6	6.6	6.7					
NINTH ST SE(15.3R)						FC125																			
2280441	12.109	15.666	C	2002		0012	CRACKING	9.5	9.5	9.0	9.0	9.0	8.0	8.0	7.5	7.5	6.5	6.5			6.5	5.2			
WEEKLEY ASPHALT PAVING, IN(2004)							RIDE	6.6	6.6	6.5	6.4	6.4	6.2	6.3	5.9	5.9	5.9	5.7			6.6	5.7			
86050000	15.669	16.327	C	1	1	30	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	9.0	9.0	9.0	9.0	9.0					
ALA			2	2.5		8800	RIDE	7.6	7.6	7.7	7.2	7.0	6.8	6.8	6.5	6.7	6.6	6.6	6.3	7.0					
SE 2 ST(15.7C)						FC95M																			
							CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*	10.0	10.0	10.0	10.0	10.0	10.0			
(2018)							RIDE	6.6	6.1	6.4	6.2	5.8	5.9	5.9	5.7	5.1*	7.1	7.0	6.8	6.8	6.2				
86050000	5.363	6.434	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	6.5	6.5					
ALA			2	4.7		20000	RIDE	8.1	8.2	8.3	7.5	7.3	7.5	7.6	7.6	7.2	7.1	6.4	6.6	7.1					
OAKLAND PARK BLVD(5.4C)						FC95M																			
							CRACKING	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0			10.0	10.0	10.0	10.0				
(2019)							RIDE	7.1	7.0	6.7	6.8	6.6	8.0	8.1	7.9			7.4	7.3	7.3	7.0				
86050000	4.322	5.363	L	1	1	35	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.0	6.0*	6.0*	6.0*					
ALA			2	2.2		20300	RIDE	8.1	8.1	8.1	7.6	7.0	7.2	7.2	7.2	6.3	6.5	6.2	6.1	6.2					
NE 21 ST(4.5L)						FC95M																			
4168721	4.310	5.365	C	2009		0012	CRACKING	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
GENERAL ASPHALT CO., INC. (2011)							SPRIDE	6.2	6.0	7.3	7.0	7.0	6.9	6.7	6.6	6.7	6.6	6.4	6.3	6.1	5.7				
86050000	3.334	4.322	L	1	6	30	CRACKING	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0					
ALA			1	2.6		18800	RIDE	8.6	8.6		8.0	7.8	7.8	7.8	7.8	7.1	6.9	7.0	6.7	6.9					
SR 838(3.3L)						FC125A																			
4336884	3.334	4.322	C	2014		0005	CRACKING	9.0	9.0	9.0	9.0	9.0		8.5		10.0	10.0	10.0	10.0	10.0	10.0				
RUSSELL ENGINEERING, INC (2017)							SPRIDE	6.6	6.4	6.6	6.2	5.9		6.4			5.9	5.9							
86050000	2.497	3.334	L	1	1	30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0					
ALA			2	5.9		27500	RIDE	7.0	7.1	7.4	6.5	6.4*	6.3*	6.3	6.1	5.3*	5.2*	4.9*	5.3*	4.9*					
SEVILLE ST(2.5L)						FC95A																			
4306011	2.497	3.320	L	2016		0012	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	4.5*		6.5	10.0	10.0	10.0	10.0	10.0	10.0			
WEEKLEY ASPHALT PAVING, IN(2018)							RIDE	4.8*	4.3*	4.9*	4.6*	4.7*	4.9*	4.7*		5.0*	5.9	5.9	5.8	6.0	6.0				
86050100	0.000	0.926	C	1	1	30	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0					
ALA			2	2.2		14000	RIDE			7.8	7.0	6.8	6.6	6.3	6.2	5.6	5.3*	5.1*	5.8	5.5					
SEVILLE ST(0.0C)						FC95A																			
4306011	0.000	0.926	C	2016		0012	CRACKING	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0			
WEEKLEY ASPHALT PAVING, IN(2018)							RIDE	5.6	5.5	5.5	5.4*	5.2*	5.4*	5.1*	5.1*	5.2*	6.9	6.7	6.4	5.9	4.3				
86060000	0.000	7.190	R	1	1	60	CRACKING	9.0	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0					
25 27			2	26.1		24500	RIDE	8.1	7.6	7.7	8.2	8.0	8.1	8.0	7.9	8.0	8.0	7.9	7.9	7.8					
MIRAMAR CITY LIMITS(2.5R)						FC5M																			
4306031	0.000	7.190	R	2017		0012	CRACKING	8.5	7.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	3.5*			10.0	10.0				
RANGER CONSTRUCTION INDUST(2020)							SPRIDE	7.8	7.7	7.7	7.7	7.6	7.5	7.5	7.7	7.6	7.6			8.5	8.6				
86060000	7.190	27.627	R	1	1	65	CRACKING			10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5					
25 27			2	32.8		11200	RIDE			8.6	9.1	9.0	9.1	8.9	8.8	8.5	8.5	8.3	8.2	8.2					
CIRCLE K TRUCK STOP(7.3R)						FC5																			
4162421	7.192	27.678	C	2009		0012	CRACKING	6.0*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.1				
COMMUNITY ASPHALT CORP. (2011)							RIDE	8.1		8.2	8.2	8.2	8.2	8.3	8.5	8.5	8.5	8.4	8.4	8.5	8.5				
4401431	15.250	27.627@	C	2021		9924																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																			
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR											
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
INTERSECT AT (MP SIDE)																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P														
CONTRACTOR (AGE_ONE YEAR)				ASTYPE															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F														
								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
																		2021	2026 (REG)
86060000	7.190	27.627	L	1	65	CRACKING	0.0*			10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	4.5*	4.5*
25 27			2	32.8	11200	RIDE	6.9			8.9	9.1	8.9	8.9	8.9	8.8	8.3	8.3	8.1	7.9
FRONTAGE RD(11.9C)					FC5														
4162421	7.192	27.678	C	2009	0012	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.2	8.1	8.0	8.3
COMMUNITY ASPHALT CORP. (2011)					RIDE		7.8	7.6	7.8	7.9	7.9	7.8	7.9	7.9	8.2	8.2	8.1	8.0	8.3
4401431	15.250	27.627@	C	2021	9924														
86060000	0.000	7.190	L	1	60	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	10.0	10.0	10.0	10.0
25 27			2	26.1	24500	RIDE	8.9	9.1	9.1	8.9	8.6	8.7	8.7	8.7	8.6	8.1	8.1	8.1	8.0
JOHNSON ST(4.0C)					FC5M														
4306031	0.000	7.190	L	2017	0012	CRACKING	8.5	7.5	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	3.5*	10.0	10.0
RANGER CONSTRUCTION INDUST(2020)					SPRIDE		7.9	7.9	7.7	7.6	7.6	7.5	7.5	7.5	7.8	7.7	7.7	8.3	8.5
86065000	0.000	1.800	R	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
845			2	4.7	23500	RIDE	8.8	8.6	8.8	8.3	8.1	8.0	8.1	8.1	8.0	7.2	7.1	7.1	6.9
FORT LAUDERDALE CITY LIM(0.0C)					FC125A														
4306041	0.000	1.230	R	2017	0012	CRACKING	9.0	9.0	7.5	7.0	7.0	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0
COMMUNITY ASPHALT CORP. (2018)					RIDE		7.7	7.6	7.5	7.3	7.6	6.9	7.0	7.3	7.3	7.3	8.5	8.3	8.2
86065000	1.800	2.025	R	1	6	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0
845			3	7.6	26000	RIDE	6.8	6.8	6.9	5.0*	4.3*	4.0*	5.5*	5.6*	4.7*	5.0*	3.8*	3.5*	5.9
NW 29 CT(1.8R)					FC95														
4035781	1.795	2.025	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
PREFERRED MATERIALS, INC. (2008)					SPRIDE		5.6	5.3*	5.7	5.7	5.8	5.8	5.5						
4417271	1.790	2.043	C	2020	0102														
86065000	2.025	2.920	R	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5
845			3	4.9	26500	RIDE		8.3	8.6	8.5	8.5	8.4	8.3	8.3	7.7	7.7	7.5	7.4	6.4
OAKLAND PARK BLVD(2.0C)					FC95														
4168731	2.065	2.890	C	2009	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2011)					SPRIDE		6.8	7.1	7.1	7.0	6.2	6.5	6.0	6.8	6.7	6.7	7.0	6.5	6.6
86065000	2.920	3.273	R	1	45	CRACKING	9.0	9.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
845			3	3.0	28500	RIDE	7.1	6.7	6.9	6.0*	7.6	7.3	6.0*	7.1	6.9	6.8	6.8	6.7	7.1
PROSPECT RD(3.1C)					FC95														
2281091	3.008	4.329	C	1998	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.4
PAN AMERICAN CONSTRUCTION (2000)					S RIDE		6.5	6.6	6.6	6.3	6.5	6.6	6.7	5.5	5.6	5.5	5.3*	5.6	5.2
86065000	3.273	4.527	R	1	2	45	CRACKING	9.0	9.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
845			3	6.1	37000	RIDE	7.1	6.7	6.9	6.0*	6.4*	8.4	7.7	7.7	7.5	7.2	7.2	6.9	7.3
COMMERCIAL BLVD(3.6C)					FC95														
2281091	3.008	4.329	C	1998	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.5
PAN AMERICAN CONSTRUCTION (2001)					S RIDE		7.0	7.1	6.7	6.9	6.2	6.4	6.4	6.9	6.7	6.8	6.6	6.5	6.7
4461961	3.558	6.519	C	2024	0012														5.6
86065000	4.527	6.519	R	1	45	CRACKING	9.0	9.0	8.0	8.0	8.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*
845			3	7.0	44500	RIDE	7.1	6.7	6.9	6.0*	6.4*	6.2*	6.4*	6.2*	5.7*	5.6*	5.4*	5.1*	5.5
CYPRESS CREEK RD(4.6C)					FC95														
2280751	4.527	6.519	C	2008	0012	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.0
PAVEX CORPORATION (2010)					SPRIDE		5.3*	7.9	7.7	7.7	7.4	7.6	7.5	7.4	7.4	7.4	7.1	6.9	7.0
4461961	3.558	6.519	C	2024	0012														6.8
86065000	6.519	9.142	R	1	45	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0
845			3	7.8	39500	RIDE	7.6	7.2	7.4	6.5	6.4*	6.4*	6.3*	6.4*	5.6*	5.7*		7.4	7.6
NW 2 ST/REV E GRAHAM(6.7R)					FC125														
2281101	6.519	9.424	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.5	7.5	7.5	7.5	7.5	5.8
PAVEX CORPORATION (2007)					SPRIDE		7.7	7.5	7.6	7.5	7.5	7.4	7.5	7.1	7.0	7.1	6.8	6.9	6.8
86065000	9.142	11.941	R	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.0				10.0	10.0	10.0
845			3	10.2	42000	RIDE	6.8	6.6	6.9	6.1*	5.8*	5.7*	5.5*				7.5	7.5	7.5
NW 30 PL(9.2R)					FC125														
2279001	9.612	11.848	C	2001	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	7.0	7.0	7.0	6.0
LANZO CONSTRUCTION CO FLOR(2005)					SPRIDE		7.4	7.4	7.0	7.1	7.0	7.0	7.0	6.7	6.6	6.6	6.5	6.5	6.1
4460961	9.142	11.941	C	2023	0012														
86065000	11.941	13.295	R	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0				9.0	9.0	9.0
845			2	2.3	34500	RIDE	7.8	7.8	8.0	7.4	7.2	7.2	7.2				6.2*	6.0	6.0
NEXT DR(12.0C)					FC95A														
4306051	11.941	13.301	R	2015	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	5.5*			10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2017)					SPRIDE		5.9	5.9	6.0	5.7	5.4*	5.6	5.6			7.5	7.5	7.3	7.1

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====																		
ITMSEG-P	(AGE_ONE YEAR)							2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)				
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																				
ITMSEG-F																									
86065000	11.941	13.295	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0			9.0	9.0	9.0	9.0					
845			3	2.3		34500	RIDE	7.8	7.6	7.8	7.1	6.7	6.9	6.7			6.4*	6.1	6.2	6.4					
NEST DR(12.0C)						FC95A																			
				(2017)			CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0				
							RIDE	6.2	6.1	6.2	6.2	6.1	6.1	6.0		7.7	7.4	7.5	7.6	7.5	7.4				
86065000	9.142	11.941	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0					
845			3	10.2		42000	RIDE	7.8	7.9	8.0	7.5	7.3	7.4	7.0			7.5	7.8	7.4	7.7					
NW 30 PL(9.2L)						FC125																			
2279001	9.612	11.848	C	2001		0213	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.0	7.0	7.0	7.0	6.5	5.5				
LANZO CONSTRUCTION CO FLOR(2005)						SPRIDE		7.6	7.5	7.5	7.4	7.4	7.2	7.3	6.7	6.6	6.5	6.4	6.2	6.3	5.9				
4460961	9.142	11.941	C	2023		0012																			
86065000	6.519	9.142	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.0			10.0	10.0				
845			3	7.8		39500	RIDE	7.7	7.4	7.6	6.3*	6.4*	6.4*	6.3*	6.2*	5.6*	5.6*			7.1	6.9				
NW 2 ST(6.7L)						FC125																			
2281101	6.519	9.424	C	2004		0012	CRACKING	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.0	7.0	7.0	7.0	7.0	7.0	5.4				
PAVEX CORPORATION				(2007)		SPRIDE		6.7	6.8	6.5	6.5	6.5	6.4	6.3	6.4	6.2	6.3	6.1	6.0	5.9	5.6				
86065000	4.527	6.519	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0					
845			3	7.0		44500	RIDE	7.6	7.4	7.6	6.6	6.2*	6.6	6.4*	6.1*	6.0*	5.7*	5.5	5.3*	5.6					
CYPRESS CREEK RD(4.6C)						FC95																			
2280751	4.527	6.519	C	2008		0012	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.0	7.0	5.1				
PAVEX CORPORATION				(2010)		SPRIDE		5.6	8.2	8.1	7.3	7.5	7.3	7.7	7.7	7.6	7.6	7.4	7.4	7.4	7.1				
4461961	3.558	6.519	C	2024		0012																			
86065000	3.273	4.527	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
845			3	6.1		37000	RIDE	7.6	7.4	7.6	6.6	6.2*	8.1	7.8	7.6	7.2	7.1	6.9	6.8	7.1					
NW 47 ST(3.3L)						FC95																			
2281091	3.008	4.329	C	1998		0012	CRACKING	9.5	9.5	9.0	9.0	8.5	8.5	8.0	7.0	7.0	7.0	7.0	6.5	6.5	5.6				
PAN AMERICAN CONSTRUCTION (2001)						S RIDE		6.8	6.7	6.7	6.5	6.4	6.3	6.3	6.4	6.3	6.3	6.2	6.1	5.9	5.4				
4461961	3.558	6.519	C	2024		0012																			
86065000	2.920	3.273	L	1	1	45	CRACKING	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
845			3	3.0		28500	RIDE	7.6	7.4	7.6	6.6	6.0*	5.7*	5.6*	5.4*	5.0*	4.2*	5.0*	4.9*	5.4*					
PROSPECT RD(3.1C)						FC95																			
2281091	3.008	4.329	C	1998		0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.5	7.0	7.0	7.0	7.0	7.0	6.6				
PAN AMERICAN CONSTRUCTION (2000)						S RIDE		4.8*	4.8*	4.9*	5.1*	4.9*	4.7*	5.0*	4.1*	4.0*	4.0*	4.2*	3.8*	3.8*	3.5				
86065000	2.025	2.920	L	1	1	45	CRACKING		10.0	10.0	10.0	10.0	10.0	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*					
845			3	4.9		26500	RIDE		8.2	8.5	8.4	8.3	8.0	7.3	7.4	7.1	7.1	6.9	6.5	5.2*					
OAKLAND PARK BLVD(2.0C)						FC95																			
4168731	2.065	2.890	C	2009		0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
WEEKLEY ASPHALT PAVING, IN(2011)						SPRIDE		5.7	5.9	7.3	7.0	7.1	7.4	7.2	7.3	6.8	7.2	7.3	6.9	6.9	6.9				
86065000	1.800	2.025	L	1	6	45	CRACKING	9.0	9.0	9.0	9.0	9.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0					
845			3	7.6		26000	RIDE	5.8*	6.0*	6.2*	4.8*	4.8*	3.3*	4.2*	4.4*	2.8*	2.9*	3.4*	3.3*	6.9					
NW 30 CT(2.0L)						FC95																			
4035781	1.795	2.025	C	2006		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	6.9				
PREFERRED MATERIALS, INC. (2008)						SPRIDE		6.7	6.6	7.0	6.6	6.5	7.4	5.4*											
4417271	1.790	2.043	C	2020		0102																			
86065000	0.000	1.800	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0					
845			2	4.7		23500	RIDE	8.8	8.5	8.6	8.1	8.3	8.3	8.3	8.2	7.2	6.9	6.6	6.5	6.0					
FORT LAUDERDALE CITY LIM(0.0C)						FC125A																			
4306041	0.000	1.230	L	2017		0012	CRACKING	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0				
COMMUNITY ASPHALT CORP. (2018)						RIDE		6.3	5.8	5.2*	5.5	5.2*	5.3*	5.5	5.3*	5.1*	8.0	7.7	7.7	7.7	7.2				
86070000	0.000	0.755	R	4	1	65	CRACKING	10.0	10.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*			10.0	10.0	10.0				
9 I95	17.3	18.0	4	10.0		240000	RIDE	8.7	8.7	8.7	8.5	8.5	8.5	8.4	8.3	7.6			7.7	7.6	7.7				
COUNTY LINE RD(0.0C)						FC5M																			
				(2017)			CRACKING	10.0	9.0	9.0	9.0	9.0				10.0	10.0	10.0	10.0	10.0	10.0				
							RIDE	7.8	7.8	7.8	7.7	7.6				8.5	8.6	8.1	8.4	8.2	7.8				
86070000	0.755	6.156	R	4	1	65	CRACKING	10.0	10.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*			10.0	10.0	10.0				
9 I95	18.0	23.4	5	10.0		253000	RIDE	8.7	8.7	8.7	8.5	8.5	8.5	8.4	8.3	7.6			7.7	7.6	7.7				
				(2017)			CRACKING	10.0	9.0	9.0	9.0	9.0				10.0	10.0	10.0	10.0	10.0	10.0				
							RIDE	7.8	7.8	7.8	7.7	7.6				8.4	8.5	8.2	8.3	8.4	8.2				

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT	AT (MP	SIDE)					=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																			
CONTRACTOR	(AGE_ONE	YEAR)						2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F														(2026					
																				(REG)					
86070000	6.156	6.432	R	4	2	65	CRACKING	10.0	10.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0					
9 I95	23.4	23.7	5	10.0	213000	RIDE	8.7	8.7	8.7	8.5	8.5	8.5	8.4	8.3	7.6			7.7	7.6	7.7					
					FC5M																				
				(2017)			CRACKING	10.0	9.0	9.0	9.0	9.0			10.0	10.0	10.0	9.0	9.0	7.5					
							RIDE	7.8	7.8	7.8	7.7	7.6			8.3	8.2	7.7	8.2	8.4	8.3					
86070000	6.432	7.700	R	4	1	65	CRACKING	10.0	10.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*	6.5	6.5							
9 I95	23.7	25.0	5	10.0	213000	RIDE	8.0	8.2	8.0	8.4	8.3	8.3	8.2	8.3	7.6	7.2	7.3								
					FC5																				
2317321	6.932	7.614	R	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0				7.5	6.5	3.5*	3.5*	3.5*	0.5					
PAVEX CORPORATION				(2009)	SPRIDE		7.8	7.8	7.7	7.7	7.6				7.8	7.8	7.5	7.6	7.8	7.6					
86070000	7.700	8.382	R	4	8	65	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5							
9 I95	25.0	25.6	4	10.0	202000	RIDE	8.0	8.5	8.5	8.4	8.4	8.4	8.3	8.2	7.6	7.2	7.3								
					FC5																				
2317321	7.614	8.382	R	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	3.5*	3.5*							
PAVEX CORPORATION				(2009)	SPRIDE		7.8	7.8	7.7	7.7	7.6	7.5	7.4	7.8	7.7	7.6	7.6	7.4							
86070000	8.750	9.677	R	4	8	65	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	6.5					
9 I95	26.0	26.9	5	10.0	202000	RIDE	8.2	8.6	8.7	8.4	8.3	8.3	8.2	8.2	7.3	7.4	7.2	7.2	7.2	7.0					
					FC5																				
2317331	8.763	9.677	R	2010	0012	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0			3.5*	3.5*						
				(2012)	RIDE		7.1	6.7		7.5	7.4	7.4	7.4	7.5	7.5			7.8	7.7						
86070000	9.677	14.240	R	4	8	65	CRACKING	10.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*					
9 I95	26.9	31.5	5	10.0	245000	RIDE	8.7	8.5	8.6	8.6	8.6	8.4	8.2	8.3	7.6	7.4	7.7	7.4	7.2	7.2					
					FC5M																				
2317341	10.794	14.245	R	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0										
THE DE MOYA GROUP INC.				(2009)	SPRIDE		7.5	7.6	7.6	7.6	7.6	7.5	7.5	8.0	7.9										
86070000	14.240	15.537	R	4	8	65	CRACKING	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5		4.5*					
9 I95	31.5	32.8	4	10.0	245000	RIDE	8.6	8.6	8.5	8.8	8.7	8.6	8.6	8.5	7.8	7.7	7.7			7.6					
					FC5																				
2317351	14.800	15.395	R	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0										
COMMUNITY ASPHALT CORP.				(2009)	SPRIDE		7.6	7.7	7.6	7.6	7.6	7.6	7.5	7.6	7.5										
86070000	15.537	15.720	R	4	8	65	CRACKING	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5		4.5*					
9 I95	32.8	33.0	4	10.0	245000	RIDE	8.6	8.6	8.5	8.8	8.7	8.6	8.6	8.5	7.8	7.7	7.7			7.6					
					FC5M																				
2317351	15.395	15.901	R	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0										
COMMUNITY ASPHALT CORP.				(2009)	SPRIDE		7.6	7.7	7.6	7.6	7.6	7.6	7.5	7.6	7.5										
86070000	15.720	22.890	R	4	7	65	CRACKING	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5							
9 I95	33.0	40.2	5	10.0	225000	RIDE	8.6	8.6	8.5	8.8	8.7	8.6	8.6	8.5	7.8	7.7	7.7								
					FC5M																				
				(2021)			CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5				10.0					
							RIDE	8.0	8.0	8.0	8.0	7.9	7.9	7.8	8.1	8.1				8.1					
86070000	22.890	25.334	R	4	8	65	CRACKING	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5		10.0					
9 I95	40.2	42.6	4	10.0	206000	RIDE	8.6	8.6	8.5	8.8	8.7	8.6	8.6	8.5	7.8	7.7	7.7			7.7					
					FC5M																				
2317371	21.581	25.285	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0										
PAVEX CORPORATION				(2008)	SPRIDE		7.7	7.7	7.7	7.7	7.7	7.7	7.6	7.5	7.9	7.9				3.5*					
4331086	22.890	25.334	R	2017	0234															7.7					
86070000	22.890	25.334	L	4	8	65	CRACKING	10.0	9.0	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*			10.0					
9 I95	40.2	42.6	4	10.0	206000	RIDE	8.2	8.6	8.4	8.7	8.6	8.5	8.6	8.5	7.6	7.6	7.6			7.7					
					FC5M																				
				(2012)			CRACKING	10.0	7.5	7.5	9.0	9.0	7.5	6.5	4.5*	4.5*									
							RIDE	7.7	7.7	7.7	7.7	7.5	7.4	7.4	7.8	7.7									
86070000	15.806	22.890	L	4	7	65	CRACKING	10.0	9.0	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*								
9 I95	33.1	40.2	5	10.0	225000	RIDE	8.2	8.6	8.4	8.7	8.6	8.5	8.6	8.5	7.6	7.6	7.6								
					FC5M																				
				(2021)			CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	4.5*	4.5*				10.0					
							RIDE	7.9	8.0	7.9	7.9	7.8	7.8	7.7	8.0	8.0				8.1					

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)	
86070902	17.416	20.527	C	4	1		CRACKING															
9 I95			1	10.0	37500		RIDE															
							CRACKING												10.0	10.0		
			(2020)				RIDE												8.0	7.9		
86070902	20.527	24.462	C	4	1		CRACKING															
9 I95			2	10.0	23000		RIDE															
							CRACKING												10.0	10.0		
			(2020)				RIDE												8.1	8.3		
86070902	24.462	25.412	C	4	1		CRACKING															
9 I95			1	10.0	16500		RIDE															
							CRACKING												10.0	10.0		
			(2020)				RIDE												8.2	8.2		
86070903	0.000	8.190	C	4	8		CRACKING															
9 I95			1	1.0	11000		RIDE															
							CRACKING															
							RIDE															
86070904	0.000	8.190	C	4	8		CRACKING															
9 I95			1	1.0	11500		RIDE															
							CRACKING															
							RIDE															
86075000	0.000	1.560	R	4	7	70	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0		10.0		
93 I75	5.4	7.0	4	5.4	196096		RIDE	8.9	8.9	8.7	8.9	8.8	8.8	8.8	8.7	8.2	8.1	7.8		7.4		
					FC5M																	
4378321	0.000	6.000	R	2019	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0			6.5	10.0		
			(2021)				RIDE	7.5	7.7	7.7	7.6	7.5	7.6	7.6	8.3	8.4			8.1	8.6		
86075000	1.560	2.437	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0		10.0		
93 I75	7.0	7.9	4	6.5	180000		RIDE	8.9	8.9	8.7	8.9	8.8	8.8	8.8	8.7	8.2	8.1	7.8		7.4		
					FC5M																	
4378321	0.000	6.000	R	2019	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	4.5*	4.5*			10.0	10.0		
			(2020)				RIDE	7.5	7.7	7.7	7.6	7.5	7.6	7.6	7.7	7.6			8.4	8.6		
86075000	2.437	5.104	R	4	7	70	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0		10.0		
93 I75	7.9	10.5	4	4.2	162000		RIDE	8.9	8.9	8.7	8.9	8.8	8.8	8.8	8.7	8.2	8.1	7.8		7.4		
					FC5M																	
4378321	0.000	6.000	R	2019	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	4.5*	4.5*			3.5*	10.0		
			(2021)				RIDE	7.5	7.7	7.7	7.6	7.5	7.6	7.6	7.7	7.6			7.2	8.9		
86075000	5.104	6.000	R	4	1	70	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0		10.0		
93 I75	10.5	11.4	4	4.2	162000		RIDE	8.9	8.9	8.7	8.9	8.8	8.8	8.8	8.7	8.2	8.1	7.8		7.4		
					FC5M																	
4378321	0.000	6.000	R	2019	0012		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	4.5*	4.5*			10.0	10.0		
			(2020)				RIDE	7.5	7.7	7.7	7.6	7.5	7.6	7.6	7.7	7.6			8.1	8.3		
86075000	6.000	8.120	R	4	7	70	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0			
93 I75	11.4	13.6	4	4.2	162000		RIDE	8.9	8.9	8.7	8.9	8.8	8.8	8.8	8.7	8.2	8.1	7.8	7.9			
					FC5M																	
			(2021)				CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0		
							RIDE	8.1	7.8	7.8	7.7	7.8	7.8	7.8	8.2	8.2	8.1	8.1	8.1	8.4		
86075000	8.120	11.531	R	4	1	70	CRACKING	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*			
93 I75	13.6	17.0	5	4.2	183000		RIDE	8.9	8.7	8.5	8.8	8.5	8.7	8.6	8.5	8.0	8.0	7.8	7.8			
					FC5M																	
4113221	5.917	11.153	R	2006	0012		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8	
(MEDIAN)(11.5R)			(2010)				RIDE		7.8	7.9	7.8	7.8	7.8	7.8	8.0	8.1	8.1	8.0	8.0	8.2	8.2	
COMMUNITY ASPHALT CORP.																						
4378322	5.966	10.706	R	2021	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															FUTURE
SR US	G_BMP	G_EMP	LN	#T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008			
INTERSECT	AT (MP SIDE)						=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE																	
CONTRACTOR	(AGE_ONE YEAR)							2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																(REG)		
86075000	11.531	17.492	R	4	1	70	CRACKING	10.0	10.0	8.5	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0			
93 I75	17.0	22.9	3	6.5	62500	RIDE		8.2	7.8	8.0	8.7	8.7	8.7	8.7	8.6	7.8	7.8	7.6	7.9	8.0			
					FC2																		
4088851	11.153	17.210	R	2004	0012	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.0		
COMMUNITY	ASPHALT CORP.			(2007)		SPRIDE		8.1	8.1	8.1	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.9	8.1	8.0		
4416681	11.531	18.870	R	2021	0012																		
86075000	17.492	18.870	R	4	1	70	CRACKING	10.0	10.0	8.5	7.0	7.0	7.0	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0			
93 I75	22.9	24.3	2	12.1	29675	RIDE		8.1	7.7	7.9	8.8	8.7	8.7	8.7	8.6	7.7	7.8	7.5	7.8	8.0			
					FC2																		
4088851	17.210	18.977	R	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3		
COMMUNITY	ASPHALT CORP.			(2007)		SPRIDE		8.1	8.1	8.0	8.0	8.1	8.0	8.1	8.1	8.1	8.1	8.0	8.0	8.2	8.2		
4416681	11.531	18.870	R	2021	0012																		
86075000	18.870	30.054	R	4	1	70	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	6.5			
93 I75	24.3	35.5	2	12.1	29675	RIDE		8.5	8.0	7.8	8.9	8.8	8.8	8.5	8.6	8.2	8.1	8.0	7.8	7.8			
					FC5																		
4153941	18.870	30.054	C	2009	0012	CRACKING	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
ASPHALT GROUP, INC.	(2012)					RIDE		7.8	7.7		8.1	8.1	8.1	8.1	8.2	8.2	8.2	8.1	8.1	8.3	8.3		
4441221	18.873	45.341	R	2024	0012																		
86075000	30.054	34.870	R	4	1	70	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	7.0	7.0	7.0	7.0			
93 I75	35.5	40.3	2	12.1	29675	RIDE		8.1	8.0	8.1	8.5	8.6	8.7	8.5	8.5	7.8	8.1	8.0	7.8	7.9			
					FC5																		
4153972	30.054	35.000	C	2009	0012	CRACKING	6.5	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
ASPHALT GROUP, INC.	(2012)					RIDE		7.9	7.8		8.0	8.1	8.0	8.1	8.2	8.2	8.2	8.1	8.1	8.3	8.3		
4441221	18.873	45.341	R	2024	0012																		
86075000	34.870	45.367	R	4	2	70	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	3.5*	3.5*	3.5*			
93 I75	40.3	50.8	2	12.1	29675	RIDE		8.1	8.0	8.1	8.5	8.6	8.7	8.5	8.5	7.8	7.7	7.5	7.0	7.2			
					FC5M																		
4153971	35.000	45.410	C	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8		
COMMUNITY	ASPHALT CORP.			(2010)		RIDE		8.0	8.0	7.9	7.9	7.8	7.9	7.8	7.9	8.2	8.2	8.1	8.0	8.4	8.4		
4441221	18.873	45.341	R	2024	0012																		
86075000	35.000	45.367	L	4	1	70	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*			
93 I75	40.4	50.8	2	12.1	29675	RIDE		8.7	8.5	8.1	8.8	8.7	8.6	8.6	8.8	7.8	7.6	7.5	7.2	7.2			
					FC5M																		
4153971	35.000	45.410	C	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.3		
COMMUNITY	ASPHALT CORP.			(2010)		RIDE		7.9	7.9	7.8	7.7	7.6	7.7	7.7	7.9	7.9	7.9	7.8	7.8	8.0	7.9		
86075000	30.050	35.000	L	4	1	70	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	7.0	6.5			
93 I75	35.5	40.4	2	12.1	29675	RIDE		8.7	8.5	8.1	8.8	8.7	8.6	8.6	8.8	7.8	7.6	7.5	7.8	7.9			
					FC5																		
4153972	30.054	35.000	C	2009	0012	CRACKING	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.1		
ASPHALT GROUP, INC.	(2012)					RIDE		7.8	7.7		8.0	8.0	8.0	8.0	8.1	8.1	8.1	8.0	8.0	8.2	8.2		
86075000	18.870	30.050	L	4	1	70	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.0	7.0	7.0	7.0			
93 I75	24.3	35.5	2	12.1	29675	RIDE		8.4	8.3	8.3	8.7	8.7	8.6	8.6	8.5	7.8	7.8	7.7	7.2	7.2			
					FC5																		
4153941	18.870	30.054	C	2009	0012	CRACKING	6.0*	5.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	5.8		
ASPHALT GROUP, INC.	(2012)					RIDE		7.3	7.2		8.0	8.1	8.0	8.1	8.1	8.1	8.1	8.1	8.0	8.3	8.2		
86075000	11.698	18.870	L	4	1	70	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	4.5*	10.0	10.0			
93 I75	17.1	24.3	3	6.5	62500	RIDE		8.4	8.0	7.8	8.4	8.7	8.6	8.6	8.5	7.8	7.7	7.6	7.7	7.9			
					FC2																		
4088851	13.495	17.580	L	2004	0012	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5	7.5	6.2		
COMMUNITY	ASPHALT CORP.			(2007)		SPRIDE		7.9	7.9	7.9	7.8	7.9	7.8	7.9	8.0	8.0	8.0	7.9	7.9	8.1	8.1		
4416681	11.698	18.870	L	2021	0012																		
86075000	10.784	11.698	L	4	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0			
93 I75	16.2	17.1	6	4.2	183000	RIDE		8.4	9.0	9.1	9.0	8.9	9.0	8.9	8.9	8.3	8.3	8.1	7.8	7.8			
RAMP 86075047(11.3L)					FC5M																		
2316641	10.326	13.302	C	1990	0210	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5		
WEEKLEY ASPHALT PAVING, IN(1992)					S	RIDE		8.1	7.8	7.7	7.7	7.8	7.8	7.9	8.0	8.0	8.0	7.9	7.9	8.1	7.6		
4378322	6.013	11.340	L	2021	0012																		
86075000	6.000	10.784	L	4	2	70	CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*				
93 I75	11.4	16.2	4	4.2	175000	RIDE		8.8	8.8	8.7	8.8	8.8	8.8	8.7	8.6	7.9	7.8	7.7	7.2				
					FC5M																		
4113221	5.925	8.760	L	2006	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.3		
COMMUNITY	ASPHALT CORP.			(2010)		RIDE		7.9	7.9	7.9	7.9	7.9	7.9	7.9	8.1	8.1	8.1	8.0	7.9	8.2	8.2		
4378322	6.013	11.340	L	2021	0012																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD

DISTRESS		SURVEYED YEAR		FUTURE																		
SR	US	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE
INTERSECT AT (MP)		G_BMP		G_EMP	LN	%T	AADT	RATINGS														
ITMSEG-P		W_BMP	W_EMP	RW	FY-P	P	WKMX-F	ASTYPE														
CONTRACTOR (AGE ONE YEAR)									2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)
ITMSEG-F		W_BMP	W_EMP	RW	FY-F	F	WKMX-F															
86075000	5.020	6.000	L	4	1	70	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	
93 I75	10.5	11.4	4	4.2	162000		RIDE	8.8	8.8	8.7	8.8	8.8	8.8	8.8	8.7	8.6	7.9	7.8	7.7		7.3	
FC5M																						
4378321	0.000	6.000	L	2019	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	4.5*	4.5*			10.0	10.0	
HALLEY ENGINEERING		CONTRAC(2020)					SPRIDE	7.4	7.4	7.3	7.3	7.3	7.3	7.3	7.4	7.4	7.4			8.2	8.4	
86075000	2.954	5.020	L	4	7	70	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	
93 I75	8.4	10.5	4	4.2	162000		RIDE	8.8	8.8	8.7	8.8	8.8	8.8	8.8	8.7	8.6	7.9	7.8	7.7		7.3	
FC5M																						
4378321	0.000	6.000	L	2019	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	4.5*	4.5*			3.5*	10.0	
HALLEY ENGINEERING		CONTRAC(2021)					SPRIDE	7.4	7.4	7.3	7.3	7.3	7.3	7.3	7.4	7.4	7.4			7.0	8.4	
86075000	2.188	2.954	L	4	1	70	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	
93 I75	7.6	8.4	4	6.5	180000		RIDE	8.8	8.8	8.7	8.8	8.8	8.8	8.8	8.7	8.6	7.9	7.8	7.7		7.3	
FC5M																						
4378321	0.000	6.000	L	2019	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	4.5*	4.5*			10.0	10.0	
HALLEY ENGINEERING		CONTRAC(2020)					SPRIDE	7.4	7.4	7.3	7.3	7.3	7.3	7.3	7.4	7.4	7.4			8.1	8.4	
86075000	1.211	2.188	L	4	7	70	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	
93 I75	6.7	7.6	4	6.5	180000		RIDE	8.8	8.8	8.7	8.8	8.8	8.8	8.8	8.7	8.6	7.9	7.8	7.7		7.3	
FC5M																						
4378321	0.000	6.000	L	2019	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	4.5*	4.5*			6.5	10.0	
HALLEY ENGINEERING		CONTRAC(2021)					SPRIDE	7.4	7.4	7.3	7.3	7.3	7.3	7.3	7.4	7.4	7.4			7.4	8.7	
86075000	0.000	1.211	L	4	1	70	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*		10.0	
93 I75	5.4	6.7	4	5.4	196096		RIDE	8.8	8.8	8.7	8.8	8.8	8.8	8.8	8.7	8.6	7.9	7.8	7.7		7.3	
FC5M																						
4378321	0.000	6.000	L	2019	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0			10.0	10.0	
HALLEY ENGINEERING		CONTRAC(2020)					SPRIDE	7.4	7.4	7.3	7.3	7.3	7.3	7.3	7.4	8.4	8.3			8.4	8.4	

86075900	0.000	2.026	C	4	1		CRACKING															
93 I75			2	4.2	4700		RIDE															
(2020)																			10.0	10.0		
																				8.2	8.1	

86075901	0.000	0.516	C	4	1		CRACKING															
93 I75			3	5.7	27500		RIDE															
(2020)																			10.0	10.0		
																				8.4	8.3	
86075901	0.516	10.610	C	4	1		CRACKING															
93 I75			2	3.4	8500		RIDE															
(2020)																			10.0	10.0		
																				8.3	8.5	

86075902	0.000	10.619	C	4	1		CRACKING															
93 I75			2	2.1	8000		RIDE															
(2020)																			10.0	10.0		
																				8.2	8.3	

86080000	16.171	16.260	R	1	6	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	
84			2	2.8	37000		RIDE	8.2	8.2	8.4	7.6	7.5	7.5	7.5	7.7	7.8	6.6	7.1	6.9	7.3	7.0	
DGFC																						
4230041	16.080	16.803	R	2012	0012	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
ASPHALT GROUP, INC.				(2015)			SPRIDE	7.1	7.2	7.0	6.9	6.5	7.8	7.5	8.3							
86080000	16.260	16.796	R	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	
84			2	2.8	37000		RIDE	8.2	8.2	8.4	7.6	7.5	7.5	7.7	7.8	6.6	7.1	6.9	7.3	7.0		
FC5																						
4230041	16.080	16.803	R	2012	0012	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.5	7.5	
ASPHALT GROUP, INC.				(2014)			SPRIDE	7.1	7.2	7.0	6.9	6.5	7.8	7.5	7.7	7.6	7.6	7.4	7.4	7.4	7.1	

```

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008				
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																	
CONTRACTOR (AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-M	F																	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																	
																					(REG)		
86080000	16.796	17.137	R	1	1	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	4.5*				
84			4	8.1	40000	RIDE		8.0	8.0	8.0	7.9	7.8	7.8	7.6	7.7	7.1	7.2	6.9	6.7	6.7			
SW 29 AVE(16.9R)					FC5																		
4230041	16.803	16.975	R	2012	0012	CRACKING		4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
ASPHALT GROUP, INC.				(2014)	SPRIDE			6.6	6.7	6.4	6.2	6.2	7.6	7.6	7.4	7.0	7.6	7.1	6.6	7.0	6.3		
86080000	17.137	17.514	R	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*			
84			3	8.1	40000	RIDE		8.1	8.4	8.3	7.9	8.2	8.2	8.5	8.2	7.8	7.5	7.2	7.1	7.2			
SW 26 TER(17.2R)					FC95																		
2282431	17.295	17.987	C	2007	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
WEEKLEY ASPHALT PAVING, IN				(2010)	SPRIDE				7.4	7.1	7.6	7.7	7.5	7.5	7.1	7.1	7.4	6.9	7.0	7.0	6.8		
86080000	17.514	17.980	C	1	6	45	CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*			
84			3	8.1	21000	RIDE		8.1	8.4	8.3	7.9	8.2	8.2	8.5	8.2	7.8	7.5	7.2	7.1	7.2			
ACCESS RD(17.9L)					FC95																		
2282431	17.295	17.987	C	2007	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
WEEKLEY ASPHALT PAVING, IN				(2010)	SPRIDE				7.4	7.3													
86080000	17.980	19.776	R	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5			
84			3	9.8	59000	RIDE		7.9	7.6	7.7	6.4*	6.0*	5.9*	6.6	6.6	5.9	5.8	5.8	5.9	5.6			
ACCESS RD 86080002(18.0R)					FC95																		
2282431	18.698	19.570	C	2007	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5	8.5	8.5	7.0	6.7		
WEEKLEY ASPHALT PAVING, IN				(2010)	SPRIDE				7.4	7.1	7.1	7.0	7.0	7.0	6.6	6.6	6.3	6.5	6.3	6.3	5.7		
86080000	17.980	19.776	L	1	1	40	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5			
84			4	9.8	59000	RIDE		7.8	7.8	7.3	7.1	6.9	6.5	6.6	6.5	5.9	5.9	5.5	5.2*	5.6			
ACCESS RD(18.0L)					FC95																		
2282431	18.698	19.570	C	2007	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
WEEKLEY ASPHALT PAVING, IN				(2010)	SPRIDE				7.4	7.3	7.1	7.1	7.1	7.0	6.7	6.5	6.7	6.7	6.6	6.6	6.1		
86080000	17.187	17.514	L	1	1	45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5			
84			4	8.1	40000	RIDE		8.2	8.2	8.1	8.1	7.9	8.0	8.0	7.9	7.3	7.4	7.1	7.0	7.3			
SW 25 TER(17.3L)					FC95																		
2282431	17.295	17.987	C	2007	0012	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
WEEKLEY ASPHALT PAVING, IN				(2010)	SPRIDE				7.4	7.3	7.4	7.6	7.5	7.5	7.5	7.3	7.3	7.3	7.2	7.3	7.2		
86080000	16.260	17.187	L	1	1	45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	4.5*			
84			2	2.8	37000	RIDE		7.3	7.9	7.8	7.9	7.9	7.1	7.9	7.0	7.5	7.5	7.3	7.2	7.2			
FRONTAGE ROAD(16.4L)					FC5																		
4230041	16.080	17.137	L	2012	0012	CRACKING		4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.3		
ASPHALT GROUP, INC.				(2014)	SPRIDE			7.0	6.8	6.6	6.5	6.1	7.4	7.4	7.0	7.0	7.2	7.0	6.9	6.9	6.5		
86080000	16.171	16.260	L	1	6	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5			
84			2	2.8	37000	RIDE		8.2	8.5	8.2	8.1	8.2	8.2	8.2	8.1	7.5	7.6	7.3	7.2	7.4			
CANAL DR(16.2L)					FC2																		
4230041	16.080	17.137	L	2012	0012	CRACKING		7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
ASPHALT GROUP, INC.				(2015)	SPRIDE			7.4	7.4	7.3	7.3	7.2		8.2									
86080100	0.000	2.252	C	1	1	45	CRACKING																
84			2	6.5	21500	RIDE																	
CANAL DR(0.0C)					DGFC																		
				(2016)	CRACKING																		
					RIDE																		
86080500	0.000	3.810	C	1	1	55	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
84			2	3.7	6500	RIDE		8.0		8.5	8.6	8.5	8.4	8.5	8.5	7.8	7.7	7.7	7.5	7.7			
ARVIDA PKWY(0.0C)					FC5																		
4196511	0.000	3.812	C	2010	0012	CRACKING		8.5	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
RANGER CONSTRUCTION INDUST				(2012)	SPRIDE			7.6	7.7	7.5	8.3	8.3	8.1	7.9	8.1	8.0	8.0	7.9	7.8	7.8	7.5		
86080500	3.810	5.443	C	1	1	55	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	4.5*	4.5*	4.5*			
84			2	2.7	9800	RIDE		7.9	8.7	8.3	8.6	8.6	8.7	8.6	8.4	8.0	8.0	7.8	7.9	7.6			
SPUR(3.8L)					FC5																		
				(2015)	CRACKING			4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
					RIDE			7.8	7.8	8.0	8.2	8.0	7.6	8.3	8.3	8.3	8.2	8.2	8.1	8.2	8.0		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
86080500	5.443	10.434	C	1	1 50	CRACKING		3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
84			2	5.2	28500	RIDE		7.3	7.2	7.3		8.4	8.4	8.4	8.3	7.6	7.7	7.6	7.6	7.6	
POINCIANA WAY(5.6R)					DGFC																
			(2015)			CRACKING		7.0	6.5	6.0*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
						RIDE		7.6	7.6	7.5				7.7	7.4	7.3	7.4	7.3	7.2	7.2	6.8
86080500	10.434	12.460	C	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
84			2	16.6	17500	RIDE		7.9	8.3	8.4	8.3	8.2	8.3	7.9	8.0	7.8	7.7	7.5	7.4	7.5	
SW 81 AVENUE(10.6R)					DGFC																
			(2015)			CRACKING		7.5	6.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
						RIDE		7.4	7.6	7.3				7.7	7.1	7.1	7.0	6.9	6.9	6.8	6.1
86080500	12.460	14.188	C	1	1 45	CRACKING															
84			2	7.2	52000	RIDE															
SPUR(12.5R)					DGFC																
			(2016)			CRACKING									10.0	10.0	10.0	10.0	10.0	10.0	10.0
						RIDE									7.4	7.4	7.5	7.4	7.3	7.2	7.1
86080500	14.188	14.750	C	1	1 45	CRACKING															
84			2	3.4	8200	RIDE															
CANAL DR(14.8L)					DGFC																
			(2016)			CRACKING									10.0	10.0	10.0	10.0	10.0	10.0	10.0
						RIDE									7.4	7.3	7.3	7.4	7.3	7.2	7.1
86080550	0.000	1.350	C	1	1 50	CRACKING		7.5	7.5	6.5	10.0	10.0	10.0	7.5	7.5	7.5	6.5	6.5	3.5*	3.5*	
84			3	3.2	29000	RIDE		7.9	7.6	7.5	8.8	8.6	8.5	7.7	8.2	7.3	7.4	7.5	7.3	7.3	
DAVIE RD(0.0L)					DGFC																
			(2015)			CRACKING		3.5*	3.5*	3.5*				10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.9
						RIDE		7.2	7.2	7.2				8.4	8.2	8.1	8.1	8.1	7.9	7.9	7.5
86080550	1.350	2.003	C	1	1 50	CRACKING		7.5	7.5	6.5	10.0	10.0	10.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
84			2	3.0	23500	RIDE		7.9	7.6	7.5	8.8	8.6	8.5	7.3	7.9	6.8	6.6	6.4*	6.2*	6.6	
TURN AROUND(1.5L)					DGFC																
			(2015)			CRACKING		4.5*	4.5*	4.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
						RIDE		6.4*	6.0*	5.8*				7.4	7.6	7.7	7.6	7.5	7.5	7.4	7.4
86080550	2.003	6.545	C	1	1 50	CRACKING		7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.0	
84			2	3.6	17500	RIDE		7.9	7.6	7.5	8.8	8.6	8.5	8.4	8.3	7.8	7.8	7.5	7.5	7.5	
TURN AROUND(2.5L)					DGFC																
			(2015)			CRACKING		6.5	6.5	6.5				10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3
						RIDE		7.6	7.5	7.4				7.8	7.6	7.6	7.6	7.5	7.5	7.4	7.1
86080550	6.545	8.686	C	1	1 55	CRACKING		4.5*	4.5*	6.5		10.0	10.0	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	
84			2	2.3	11000	RIDE		7.4	8.1	7.9		8.5	8.5	8.2	8.1	7.5	7.5	7.4	7.3	7.2	
TURN AROUND(6.6L)					FC5																
4153231	6.545	8.710	C	2010	0012	CRACKING		3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0
COMMUNITY ASPHALT CORP.			(2011)		SPRIDE			7.0	6.9	8.3	8.1	8.1	7.8	7.7	7.8	7.7	7.7	7.6	7.5	7.4	7.0
86080550	8.686	12.387	C	1	1 55	CRACKING		4.5*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.0	6.5	6.5	6.5	
84			2	2.2	7400	RIDE		7.4		8.1	8.1	7.7	8.1	8.5	8.4	7.7	7.8	7.7	7.6	7.4	
TURN AROUND(9.1L)					FC5																
4196511	8.686	12.386	C	2010	0012	CRACKING		6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
RANGER CONSTRUCTION INDUST			(2012)		SPRIDE			7.5	7.5	7.2	8.4	8.2	7.8	7.9	7.9	7.9	7.8	7.7	7.6	7.6	7.2
86081000	0.000	0.591	C	1	1 45	CRACKING															
84			3	7.3	16000	RIDE															
SW 18 TER(0.1R)					DGFC																
			(2012)			CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
						RIDE					7.4	7.5	7.5	7.3	7.4	7.4	7.3	7.2	7.4	7.3	7.2
86090000	0.000	0.910	R	1	1 45	CRACKING		6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	
816			3	2.3	37500	RIDE		7.5	7.3	7.4	7.4	6.9	7.4	7.3	7.3	6.4*	6.3*	6.2	6.4	7.1	
SR 817(0.0C)					FC125																
2281571	0.000	2.332	R	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5
PREFERRED MATERIALS, INC.			(2008)		SPRIDE			7.3	7.3	7.1	7.0	7.1	7.0	7.0	6.6	6.3	6.7	6.5	6.3	6.2	5.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
86090000	0.910	2.102	R	1	1 45	CRACKING		6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	
816			3	8.1	50500	RIDE		7.5	7.3	7.4	7.4	6.9	7.4	7.3	7.3	6.4*	6.3*	6.2	6.4	6.9	
DENTISTRY(1.0R)					FC125																
2281571	0.000	2.332	R	2005	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	7.4
PREFERRED MATERIALS, INC. (2008)					SPRIDE			6.8	6.6	6.5	6.4	6.2	6.0	5.6	6.1	6.0	5.9	6.0	5.9	5.7	5.2
86090000	2.102	3.329	R	1	1 45	CRACKING		9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	
816			3	2.5	52000	RIDE		7.3	7.0	7.0	7.3	7.1	7.0	6.9	7.0	6.5	6.2*	6.1*	6.8	6.7	6.7
NW 49 AVE(2.5R)					FC125																
						CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.8
						RIDE		6.7	6.7	6.6	6.3	6.5	6.5	6.1	6.3	6.3	5.9	6.0	6.0	6.0	5.6
4476751	2.102	4.400	C	2025	0012																
86090000	3.329	4.400	R	1	1 45	CRACKING		9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	
816			3	3.8	60000	RIDE		6.9	7.7	7.7	6.7	6.7	7.0	6.8	6.8	6.1*	6.3*	6.0	6.1	5.9	
NW 36 TER(3.6C)					FC95																
4138861	3.329	4.429	C	2008	0012	CRACKING		4.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	7.6
COMMUNITY ASPHALT CORP. (2011)					SPRIDE			5.5		7.4	7.6	7.2	6.4	7.2	7.0	6.9	6.8	6.5	6.5	6.1	5.7
4476751	2.102	4.400	C	2025	0012																
86090000	4.400	6.230	R	1	1 45	CRACKING		9.0	9.0	9.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
816			3	5.8	54500	RIDE		6.9	7.7	7.7	8.1	7.8	7.6	7.9	7.6	6.8	6.9	6.7	6.5	6.8	
NW 30 AVE(4.5R)					FC95A																
4287321	4.400	6.230	C	2016	0012	CRACKING		9.0	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP. (2018)					SPRIDE			6.7	6.5	6.4	6.4	6.5	4.2*	6.4	5.8	5.5	7.8	7.5	7.6	7.4	6.9
86090000	6.230	9.201	R	1	1 35	CRACKING		10.0	10.0	10.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
816			3	8.7	39500	RIDE		8.2	8.1	8.0	7.7	7.4	7.3	7.3	7.0	6.5	6.4	6.6	6.1	6.1	
NW 9 AVE(6.4C)					FC95																
4137951	6.233	8.672	C	2008	0012	CRACKING		4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	7.6
COMMUNITY ASPHALT CORP. (2011)					SPRIDE			6.1		7.2	6.8	6.9	7.0	7.1	6.7	6.6	6.5	6.2	6.1	6.0	5.5
86090000	9.201	9.720	R	1	6 35	CRACKING		9.5	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	
816			2	2.8	28500	RIDE		6.7	5.7*	6.1*	5.9*	5.6*	5.8*	5.8	6.0	5.2*	6.5	6.4	6.4	5.3*	
ACCESS ROAD(9.3R)					FC125																
2281561	9.239	9.720	C	2003	0012	CRACKING		10.0	10.0	9.5	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	6.5	4.5
WEEKLEY ASPHALT PAVING, IN(2005)					SPRIDE			6.5	6.5	5.1*	6.2	5.7	5.8	5.5	5.4*	5.2*	5.1*	5.1*			
86090000	9.201	9.720	L	1	1 35	CRACKING		10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	
816			2	2.8	28500	RIDE		6.5	6.3*	6.6	5.1*	5.4*	5.7*	5.5	6.1	5.6	6.8	6.4	6.3	5.0*	
ACCESS ROAD(9.3L)					FC125																
2281561	9.239	9.720	C	2003	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2005)					SPRIDE			6.6	5.8	5.4*	5.6	5.4*	6.1	5.9	4.8*	5.1*	4.3*	4.5*	4.4*	4.5*	3.7
86090000	6.230	9.201	L	1	1 35	CRACKING		10.0	9.0	9.0	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	
816			3	8.7	39500	RIDE		8.0	8.0	8.0	7.6	7.5	7.1	6.7	6.6	6.4	6.3	6.2	5.8	5.5	
NW 9 AVE(6.4C)					FC95																
4137951	6.233	8.672	C	2008	0012	CRACKING		3.5*		10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0	7.0	5.6
COMMUNITY ASPHALT CORP. (2011)					SPRIDE			5.9		7.2	7.0	6.9	6.8	6.8	6.3	6.0	6.1	5.8	5.7	5.7	4.7
86090000	4.400	6.230	L	1	1 45	CRACKING		6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	
816			3	5.8	54500	RIDE		7.3	7.8	8.0	8.2	7.7	7.6	7.5	7.5	6.5	6.6	6.4	6.3	6.2	
THE SHOPPES OF OAK(4.5L)					FC95A																
4287321	4.400	6.230	C	2016	0012	CRACKING		8.5	9.0	9.0	7.5	7.5	7.5	7.0	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP. (2018)					SPRIDE			6.4	6.8	6.8	6.0	6.0	5.8	6.2	6.3	6.0	8.1	8.0	7.8	7.8	7.2
86090000	3.329	4.400	L	1	1 45	CRACKING		6.5	6.5	6.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	
816			3	3.8	60000	RIDE		7.3	7.8	8.0	7.3	6.5	7.0	6.7	6.6	5.9*	6.1*	6.1	5.9	5.8	
NW 36 TER(3.6C)					FC95																
4138861	3.329	4.429	C	2008	0012	CRACKING		3.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0
COMMUNITY ASPHALT CORP. (2011)					SPRIDE			5.3*		7.4	7.4	7.3	7.2	7.1	6.9	7.0	7.1	6.9	6.8	6.6	6.4
4476751	2.102	4.400	C	2025	0012																
86090000	2.102	3.329	L	1	1 45	CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	
816			3	2.5	52000	RIDE		6.9	7.0	6.8	6.4*	6.1*	6.3*	6.3*	6.0*	4.5*	5.5*	5.5*	6.9	6.5	6.5
ROCK ISLAND RD(2.1L)					FC125																
						CRACKING		10.0	10.0	9.5	9.5	9.5	9.5	8.5	8.5	7.0	7.0	7.0	7.0	6.5	5.4
						RIDE		6.7	6.7	6.5	6.6	6.5	6.4	6.5	5.9	5.6	5.7	5.6	5.4*	5.6	5.1
4476751	2.102	4.400	C	2025	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

								DISTRICT = 4				COUNTY = BROWARD													
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE			
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																			
CONTRACTOR (AGE_ONE YEAR)								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)				
86090000	0.910	2.102	L	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0					
816			3	8.1		50500	RIDE	7.4	7.0	7.2	7.3	7.1	7.1	6.9	7.0	6.1*	6.1*	6.0	5.9	6.9					
LANDINGS DR(1.1C)						FC125																			
2281571	0.000	2.332	L	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4				
PREFERRED MATERIALS, INC. (2008)						SPRIDE		7.0	6.6	6.9	6.9	6.9	6.9	6.9	6.2	6.1	6.1	5.9	6.0	5.8	5.4				
86090000	0.000	0.910	L	1	1	45	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	10.0					
816			3	2.3		37500	RIDE	7.4	7.0	7.2	7.3	7.1	7.1	6.9	7.0	6.1*	6.1*	6.0	5.9	6.9					
SR 817(0.0C)						FC125																			
2281571	0.000	2.332	L	2005		0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3				
PREFERRED MATERIALS, INC. (2008)						SPRIDE		6.9	6.9	6.7	6.8	6.8	6.8	6.9	6.3	6.4	6.4	6.0	6.3	5.9	5.7				
86095000	0.000	0.592	R	4	1	65	CRACKING	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	10.0					
862 I595	0.0	0.6	5	7.7		129000	RIDE	8.2	8.2	8.2	8.6	8.5	8.4	8.4	8.4	7.8	7.8	7.8	7.5	7.9					
						FC5M																			
							CRACKING	10.0	9.0	9.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
							RIDE	7.7	7.8	7.7				8.0	8.1	8.1	8.0	8.0	8.0	8.1	8.0				
86095000	0.592	5.820	R	4	1	65	CRACKING	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	10.0					
862 I595	0.6	5.8	3	7.7		129000	RIDE	8.2	8.2	8.2	8.6	8.5	8.4	8.4	8.4	7.8	7.8	7.8	7.8	7.9					
SR 84 EB(4.7R)						FC5M																			
4208093	0.920	5.820	R	2011		0213	CRACKING	10.0	9.0	9.0				10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.7				
I 595 EXPRESS, LLC						(2015)		7.7	7.8	7.7				8.0	8.2	8.1	8.1	8.0	7.9	8.1	7.9				
4208098	0.592	10.407	C	2025		0012																			
86095000	5.820	7.720	R	4	1	65	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0					
862 I595	5.8	7.7	4	6.5		159413	RIDE	8.5	8.3	8.2	8.5	8.5	8.5	8.5	8.4	7.8	7.7	7.7	7.7	7.5					
SR-84 EB 86080500(6.9R)						FC5M																			
4208093	5.820	7.720	R	2011		0213	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
I 595 EXPRESS, LLC						(2015)		7.9	7.9	7.9				8.0	8.4	8.3	8.3	8.2	8.2	8.4	8.4				
4208098	0.592	10.407	C	2025		0012																			
86095000	7.720	9.056	R	4	1	65	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0					
862 I595	7.7	9.1	4	5.0		218000	RIDE	8.1	8.0	8.1	8.4	8.3	8.3	8.2	8.2	7.1	7.5	7.5	7.2	7.4					
						FC5M																			
4208093	7.720	10.407	R	2011		0213	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
I 595 EXPRESS, LLC						(2015)		7.9	7.8	8.0				8.0	8.1	8.0	8.0	7.9	7.9	8.0	7.8				
4208098	0.592	10.407	C	2025		0012																			
86095000	9.960	10.407	R	4	1	65	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5					
862 I595	10.0	10.4	3	6.6		94500	RIDE	8.5	8.4	8.3	8.5	8.5	8.5	8.5	8.2	8.0	7.6	7.6	7.5	7.3					
						FC5M																			
4208093	7.720	10.407	R	2011		0213	CRACKING	4.5*	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
I 595 EXPRESS, LLC						(2013)		7.5	7.3	7.3		7.9	7.4	7.8	8.0	8.0	8.0	7.9	7.9	8.1	8.1				
4208098	0.592	10.407	C	2025		0012																			
86095000	10.407	11.156	R	4	1	65	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5					
862 I595	10.4	11.2	3	6.6		94500	RIDE	8.5	8.4	8.3	8.5	8.5	8.5	8.5	8.2	8.0	7.6	7.6	7.5	7.3					
						FC5M																			
4202321	10.735	11.166	R	2009		0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.3				
PAVEX CORPORATION						(2010)		7.5	7.3	7.3	7.2	7.3	7.3	7.3	7.9	7.4	7.8	7.7	7.3	7.5	7.5				
86095000	12.263	12.860	R	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0					
862 I595	12.3	12.9	3	25.9		7600	RIDE	7.7	7.7	7.6	8.4	8.2	8.4	8.1	8.0	7.3	7.5	7.3	7.2	7.2					
						OGFC																			
							CRACKING	9.0	9.0	6.5	6.5	6.5			10.0	10.0	10.0	9.0	9.0	7.6					
							RIDE	7.3	7.1	7.3	7.3	6.8			7.3	7.5	7.3	7.3	7.2	7.4	7.3				
86095000	12.263	12.860	L	4	1	65	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5					
862 I595	12.3	12.9	3	25.9		7600	RIDE	7.3	7.3	7.3	7.3	7.7	7.6	7.7	7.8	7.1	6.8	7.0	6.8	7.1					
						OGFC																			
							CRACKING	6.5	6.5	4.5*	4.5*	4.5*			10.0	10.0	10.0	9.0	9.0	7.6					
							RIDE	6.8	6.9	6.9	6.5	6.4*			6.8	7.0	6.8	7.1	7.2	6.8	6.8				
86095000	9.960	11.156	L	4	1	65	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0					
862 I595	10.0	11.2	2	6.6		94500	RIDE	8.1	8.3	7.9	8.4	8.7	8.4	8.4	8.3	7.6	7.7	7.7	7.5	7.1					
						FC5M																			
							CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
							RIDE	7.2	7.4	7.6	7.6	7.6	7.6	7.6	7.7	7.7	7.7	7.6	7.6	7.8	7.8				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)	
86095000	6.825	9.056	L	4	1	65	CRACKING	10.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0		
862 I595	6.8	9.1	4	5.0	218000		RIDE	7.9	8.3	8.1	8.5	8.4	8.4	8.3	8.2	7.6	7.2	7.5	7.6	7.6		
SR 84 WB(6.9L)					FC5M																	
4208093	6.825	9.525	L	2011	0213		CRACKING	10.0	10.0	9.0					10.0	10.0	10.0	10.0	10.0	9.0	8.8	
I 595 EXPRESS, LLC				(2016)			RIDE	7.8	7.9	7.9					8.2	8.2	8.2	8.1	8.0	8.2	8.0	
4208098	0.592	10.407	C	2025	0012																	
86095000	0.592	6.825	L	4	1	65	CRACKING	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0		
862 I595	0.6	6.8	4	7.7	129000		RIDE	8.3	8.4	8.1	8.7	8.7	8.6	8.6	8.5	7.9	7.8	7.7	7.7	8.0		
SR 84 WB(1.6L)					FC5M																	
4208093	0.592	6.825	L	2011	0213		CRACKING	10.0	10.0	10.0					10.0	10.0	10.0	10.0	10.0	9.0	9.0	
I 595 EXPRESS, LLC				(2015)			RIDE	7.7	7.7	7.6					8.2	8.3	8.3	8.3	8.2	8.2	8.3	
4208098	0.592	10.407	C	2025	0012																	
86095000	0.000	0.592	L	4	1	65	CRACKING	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	10.0		
862 I595	0.0	0.6	5	7.7	129000		RIDE	8.3	8.4	8.1	8.7	8.7	8.6	8.6	8.5	7.9	7.8	7.7	7.4	8.0		
					FC5M																	
				(2015)			CRACKING	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
							RIDE	7.7	7.7	7.6	7.4	7.1		8.1	8.3	8.3	8.2	8.1	8.2	8.3	8.3	
86095900	0.000	0.595	C	4	1	70	CRACKING															
862 I595			1	4.5	17400		RIDE															
				(2020)			CRACKING													10.0	10.0	
							RIDE													7.6	7.4	
86095900	0.595	1.659	C	4	1	70	CRACKING															
862 I595			2	4.5	17400		RIDE															
				(2020)			CRACKING													10.0	10.0	
							RIDE													7.8	7.7	
86095900	1.659	6.725	C	4	1	70	CRACKING															
862 I595			3	4.5	17400		RIDE															
				(2020)			CRACKING													10.0	10.0	
							RIDE													8.0	8.1	
86095900	6.725	8.796	C	4	1	70	CRACKING															
862 I595			2	4.6	12572		RIDE															
				(2020)			CRACKING													10.0	10.0	
							RIDE													8.0	8.1	
86100000	0.000	0.900	R	1	1	40	CRACKING	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*		
7 441			3	2.6	45500		RIDE	8.2	8.0	8.0	7.5	6.7	6.8	6.8	6.7	6.5	6.8	6.4	6.3	6.3		
NW 215 ST/COUNTY LIN(0.0R)					FC125																	
2277731	0.000	1.050	C	2007	0213		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RUSSELL ENGINEERING, INC				(2012)	SPRIDE			7.2	7.5	7.4	7.5	6.8	6.7	6.5	6.3	6.8	6.8	6.8	6.8	6.0		
86100000	0.900	4.957	R	1	1	40	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5		
7 441			3	4.5	35000		RIDE	8.2	8.1	8.2	7.3	7.4	7.3	7.3	7.2	6.5	6.7	6.4	6.3	6.3		
SW 26 ST(1.0R)					FC125M																	
				(2020)			CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*				10.0	10.0		
							RIDE	6.3	6.6	6.5	6.3	6.2	5.9	5.9	6.4				7.3	7.2		
86100000	4.957	5.741	R	1	2	45	CRACKING	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0		
7 441			3	5.0	57000		RIDE	8.5	8.5	8.5	7.9	7.8	7.5	7.7	7.8	7.3	7.5	7.4	6.8	7.4		
OAK ST(5.0R)					DGFC																	
2277762	4.968	5.568	C	2003	0213		CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.8	
(2005)				(2005)			RIDE	7.0	7.3	7.2	7.1	7.2	6.9	7.3	6.5	6.6	7.2	6.9	7.1	7.8	7.0	
4476761	4.957	5.741	C	2025	0012																	
86100000	5.741	6.573	R	1	1	45	CRACKING	9.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0		
7 441			3	5.0	57000		RIDE	8.4	8.0	8.1	7.9	7.7		6.3*	8.6	8.1	8.1	7.9	7.7	7.9		
AUTO AUCTION(5.8R)					DGFC																	
				(2003)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.6	
							RIDE	7.4	7.7	7.4	7.4	7.4	6.8	7.3	7.2	7.3	7.3	7.2	7.2	7.2	6.6	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR			1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998												
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)	
86100000	6.573	7.401	R	1	1 45	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	9.0	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*		
7 441			3	9.9	52500	RIDE	8.4	8.0	8.1	7.9	7.7	8.3	8.2	8.1	7.4	7.4	7.2	6.9	7.1			
AT&T(6.7R)					FC125																	
4168761	6.479	7.400	C	2010	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2013)	SPRIDE		7.1	7.0	7.0	7.2	8.4	8.2	8.3	7.9	7.9	7.9	7.4	7.8	7.7	7.1		
86100000	7.401	8.349	R	1	1 45	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	9.0	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*		
7 441			3	4.3	50500	RIDE	8.4	8.0	8.1	7.9	7.7	8.3	8.2	8.1	7.4	7.4	7.2	6.9	7.1			
					DGFC																	
				(2015)		CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
						RIDE	7.1	7.0	7.0	7.2	6.6	6.1	8.3	8.1	8.0	8.1	7.9	8.0	7.9	7.6		
86100000	8.349	10.461	R	1	1 45	CRACKING	9.0	6.5	6.5					10.0	10.0	10.0	10.0	10.0	10.0	10.0		
7 441			3	5.1	46000	RIDE	7.0	6.9	7.1					8.0	7.9	7.3	7.1	6.9	6.5	7.0		
RIVERLAND RD(8.5R)					FC3																	
2277041	8.500	10.300	C	1998	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.0	8.0	8.0	8.0	8.0	7.6	
TRIPLE R PAVING INC				(2002)	S	RIDE	7.1	6.6	6.4	6.0	6.4	6.3	6.4	6.5	6.6	6.3	6.3	6.3	6.6	6.3	5.7	
4476771	8.349	10.461	C	2025	0012																	
86100000	10.461	12.986	R	1	1 40	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0		
7 441			3	5.4	53000	RIDE	8.4	8.4	8.3	7.8	7.4	5.6*	7.0	6.9	6.3	6.5	6.1	5.9	8.2			
HOSPITAL DR N(10.6R)					FC95																	
2281881	10.461	12.986	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.8	
PAVEX CORPORATION				(2008)	SPRIDE		8.1	7.8	7.9	7.1	7.1	6.8	6.9	7.1	7.0	6.9	6.9	6.4	6.5			
86100000	12.986	14.791	R	1	1 40	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	6.5		
7 441			3	3.7	57000	RIDE	7.6	7.2	7.3	7.9	8.0	8.0	7.6	8.0	7.0	7.2	7.1	6.9	5.3*			
NW 29 ST(13.1R)					FC95																	
2281891	12.985	14.791	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	7.5	
COMMUNITY ASPHALT CORP.				(2009)	SPRIDE		7.5	7.4	7.2	7.3	7.2	7.3	7.3	6.9	7.0	6.6	6.6	6.6	6.6	6.2	6.0	
86100000	14.791	15.796	R	1	1 45	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0		
7 441			3	5.5	47000	RIDE	7.6	7.4	7.5	7.6	7.2	7.4	7.4	6.8	7.2	7.0	7.0	7.0	6.7	6.3		
COMMERCIAL BLVD(14.8C)					FC125																	
2281761	14.820	15.390	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.5	8.5	8.5	8.5	8.1	
WEEKLEY ASPHALT PAVING, IN				(2004)	SPRIDE		6.7	6.8	6.8	6.9	6.6	6.7	6.5	6.3	6.4	6.1	6.3	6.1	6.0	5.8		
4438451	14.791	15.796	C	2022	0012																	
86100000	15.796	16.500	R	1	1 45	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0		
7 441			3	2.2	46500	RIDE	7.6	7.4	7.5	7.6	7.2	7.4	7.4	6.8	7.6	7.7	7.3	7.2	7.4			
RAMP TO MCNAB RD(16.1R)					FC125																	
4168771	15.796	16.389	C	2010	0012	CRACKING	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.2		
COMMUNITY ASPHALT CORP.				(2012)	SPRIDE		7.4	7.5	7.4	8.1	8.0	7.7	7.5	7.3	7.3	7.2	6.8	6.5	6.8	5.7		
86100000	16.500	17.900	R	1	1 45	CRACKING	8.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
7 441			3	3.5	43500	RIDE	8.2			8.5	8.4	8.4	8.3	8.4	7.6	7.7	7.3	7.2	7.4			
SW 13 ST(16.5R)					DGFC																	
				(2012)		CRACKING	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	8.1		
						RIDE	7.4	7.5	7.4	7.5	7.5	7.3	6.6	7.5	7.4	7.4	7.2	7.3	7.4	7.3		
86100000	17.900	20.865	R	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5		
7 441			3	4.8	52500	RIDE	8.7	8.6	8.6	8.1	7.9	7.4	7.5	7.4	7.0	7.0	6.9	6.8	6.8			
MARGATE CT(18.0R)					FC95																	
4168781	17.900	20.865	C	2010	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
RANGER CONSTRUCTION INDUST				(2013)	SPRIDE		6.7	6.7	6.5	5.8	8.3	8.1	8.3	7.9	7.9	7.7	7.7	7.6	7.3	6.8		
86100000	20.865	23.290	R	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5		
7 441			3	3.6	57000	RIDE	8.5	8.4	8.4	8.2	8.2	8.2	8.1	8.2	7.7	7.7	7.6	7.5	7.7			
CULLUM RD(21.4R)					FC95																	
4216621	20.941	23.359	C	2011	0012	CRACKING	7.5	7.5	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC.				(2014)	SPRIDE		7.7	7.5	7.5	7.3		8.3	8.3	8.0	8.0	8.0	7.9	7.8	7.9	7.5		
86100000	23.290	24.597	R	1	1 45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
7 441			3	4.0	51000	RIDE	8.6	8.6	8.7	8.6	8.2	8.5	8.3	8.4	7.4	7.9	7.7	7.5	7.8			
JOHNSON RD(23.5R)					FC125																	
4270101	23.290	24.591	C	2013	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
COMMUNITY ASPHALT CORP.				(2015)	RIDE		7.7	7.8	7.7	7.5	7.6	7.4	8.7	8.1	8.4	8.4	8.3	8.3	8.0	7.8		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008						
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-X-P	ASTYPE																			
ITMSEG-P	(AGE_ONE YEAR)						2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026				(REG)	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-X-F																				
ITMSEG-F																									
86100000	23.290	24.597	L	1	2 45	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
7 441			3	4.0	51000	RIDE	8.8	8.8	8.8	8.5	8.4	8.4	8.4	8.4	8.5	7.7	7.7	7.5	7.5	7.8					
HOLMBERG RD(23.5L)					FC125																				
4270101	23.290	24.591	C	2013	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0		
COMMUNITY ASPHALT CORP.				(2015)		RIDE	7.7	7.6	7.5	7.3	7.4	7.3	8.6	8.1	8.2	8.2	8.1	8.0	7.7	7.7	7.7	7.3			
86100000	20.865	23.290	L	1	1 45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*						
7 441			3	3.6	57000	RIDE	8.5	8.4	8.4	8.2	8.1	8.1	8.0	8.0	7.5	7.4	7.3	7.1	7.2						
CREEKSIDE DR(21.4L)					FC95																				
4216621	20.941	23.359	C	2011	0012	CRACKING	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC.				(2014)		SPRIDE	7.2	7.1	6.8	6.8		8.2	8.3	7.9	7.8	7.9	7.9	7.8	7.8	7.8	7.8	7.4	7.4		
86100000	17.900	20.865	L	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5						
7 441			3	4.8	52500	RIDE	8.5	8.5	8.6	8.4	8.4	8.2	8.1	8.0	7.6	7.5	7.4	7.2	7.4						
NW 3RD ST(18.0L)					FC95																				
4168781	17.900	20.865	C	2010	0012	CRACKING	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5		
RANGER CONSTRUCTION INDUST				(2013)		SPRIDE	7.3	7.1	7.0		8.4	8.4	8.2	8.0	8.0	7.9	7.9	7.6	7.4	7.4	7.4	6.9			
86100000	16.500	17.900	L	1	1 45	CRACKING	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
7 441			3	3.5	43500	RIDE	8.1	7.8		8.5	8.6	8.6	8.4	8.6	8.2	8.1	7.8	7.6	7.6	8.1					
KIMBERLY BLVD(16.8L)					DGFC																				
2277721	16.374	17.850	C	1995	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5		
WALSH GROUP ARCHER-WESTER				(1999)		S RIDE	8.1	8.0	7.9	8.0	8.1	7.9	7.8	8.0	7.9	7.9	7.7	7.5	7.6	7.6	7.6	7.4	7.4		
86100000	15.796	16.500	L	1	1 45	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*						
7 441			3	2.2	46500	RIDE	7.6	7.6	7.5	7.1	6.8	7.3	7.0	6.9	6.4*	6.4*	6.4*	6.2	6.1	5.7					
BROADVIEW BLVD/SW 17(16.1L)					FC125																				
4168771	15.796	16.389	C	2010	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.3		
COMMUNITY ASPHALT CORP.				(2012)		SPRIDE	5.7	6.0	5.9	8.1	8.0	7.7	7.9	7.4	7.5	6.9	7.2	6.9	6.7	6.7	6.7	6.0			
86100000	14.791	15.796	L	1	1 45	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
7 441			3	5.5	47000	RIDE	7.6	7.6	7.5	7.1	6.8	6.8	7.1	7.1	7.1	7.2	7.2	7.2	7.0	7.1					
COMMERCIAL BLVD(14.8C)					FC125																				
2281761	14.820	15.390	C	2002	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.0			
WEEKLEY ASPHALT PAVING, IN				(2004)		SPRIDE	7.0	7.0	7.2	7.1	7.0	7.1	7.0	6.6	6.7	6.5	6.5	6.5	6.5	6.3	6.2				
4438451	14.791	15.796	C	2022	0012																				
86100000	12.986	14.791	L	1	1 40	CRACKING	9.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*					
7 441			3	3.7	57000	RIDE	7.1	7.2	7.2	6.9	7.1	6.8	7.1	7.1	7.1	6.2	6.5	6.3	6.1	5.5					
WALMART(13.1L)					FC95																				
2281891	12.985	14.791	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	4.9			
COMMUNITY ASPHALT CORP.				(2009)		SPRIDE	7.6	7.4	7.3	7.5	7.1	7.1	7.1	7.1	6.9	6.8	6.8	6.7	6.6	6.6	6.6	6.2			
86100000	10.461	12.986	L	1	1 40	CRACKING	10.0	10.0	9.0	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0					
7 441			3	5.4	53000	RIDE	8.4	8.3	8.4	7.9	7.3	7.3	7.1	7.3	6.8	6.7	6.5	6.2	6.2	7.6					
HOSPITAL DR S(10.6L)					FC95																				
2281881	10.461	12.986	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	5.1			
PAVEX CORPORATION				(2008)		SPRIDE	7.4	7.3	6.9	7.3	7.2	7.2	7.2	7.3	7.3	7.2	7.1	7.1	7.1	7.1	7.1	7.0			
86100000	9.065	10.461	L	1	1 45	CRACKING	9.0	7.5	6.5					10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
7 441			3	5.1	46000	RIDE	8.2	8.1	8.3					8.0	8.0	7.7	7.7	7.6	7.1	7.1					
DAVIE BLVD(9.1L)					FC3																				
2277041	8.500	10.300	C	1998	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.0	7.0	7.0			
TRIPLE R PAVING INC				(2002)		S RIDE	7.5	7.0	7.3	7.0	7.2	6.4	6.8	6.8	6.5	6.8	6.9	6.9	6.9	6.8	6.8	6.2			
4476771	8.349	10.461	C	2025	0012																				
86100000	8.370	9.065	L	1	1 45	CRACKING	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
7 441			3	4.3	50500	RIDE	8.1	8.0	8.0				8.6	8.5	8.6	7.8	7.9	7.4	7.4	7.7					
SW 21 ST(8.4L)					FC3																				
2277041	8.500	10.300	C	1998	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5		
TRIPLE R PAVING INC				(2001)		S RIDE	7.8	7.2	7.3	7.5	7.6	7.6	6.2	7.1	7.1	6.9	6.9	6.9	6.8	6.9	6.9	6.2			
4476771	8.349	10.461	C	2025	0012																				
86100000	7.401	8.370	L	1	1 45	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
7 441			3	4.3	50500	RIDE	8.1	8.0	8.0	8.3	7.9	8.1	8.0	8.1	7.6	7.7	7.5	7.4	7.4						
					DGFC																				
				(2015)		CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
						RIDE	7.4	7.4	7.3																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD

[illegible]

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)							=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																				
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021					2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																				(REG)
86110000	6.190	8.161	L	1	2 40	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0					
838			3	6.5	72000	RIDE		8.3	8.0	7.9	7.6	7.3	7.3	7.2		7.4	7.3	7.1	7.2	7.2					
NW 15 AVE(6.5L)					FC3																				
				(2004)		CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.0					6.2
4476781	6.190	8.161	C	2025	0012	RIDE		7.0	7.0	6.7	6.6	6.7	6.4	6.6	6.4	6.4	6.4	6.3	6.3	6.2					5.8
86110000	4.443	6.190	L	1	1 45	CRACKING		6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
838			3	4.8	51500	RIDE		7.2	7.2	7.5	6.9	6.3*	6.2*	8.0	7.7	7.1	7.2	7.0	6.9	6.7					
M L KING AVE(5.0C)					FC3																				
2280761	4.238	6.159	C	2000	0012	CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0					6.5
WEEKLEY ASPHALT PAVING, IN(2002)					S	RIDE		6.8	6.6	6.5	6.3	6.3	6.5	6.5	6.4	6.3	6.3	6.3	6.3	6.3					5.7
86110000	3.565	4.443	L	1	1 45	CRACKING		9.0	9.0	7.5	7.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0					
838			3	4.7	56500	RIDE		8.4	8.1	7.8	7.6			8.0	7.9	7.5	7.6	7.4	7.3	7.5					
NW 45 AVE(3.6L)					FC3																				
				(2002)		CRACKING		10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0					5.5
						RIDE		7.5	7.5	7.5	7.4	7.5	7.4	7.4	6.6	6.7	6.6	6.5	6.6	6.3					6.2
86110000	3.371	3.565	L	1	1 45	CRACKING		9.0	9.0	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
838			3	4.7	56500	RIDE		8.4	8.1	7.8	7.6	8.0	8.2	8.1	8.1	7.5	7.7	7.8	7.4	7.5					
NW 47 AVE(3.4C)					FC3																				
				(2000)		CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5										7.0
						RIDE		7.5	7.4	7.7	7.4	7.5	7.3	7.5	6.9										6.4
86110000	2.707	3.371	L	1	7 45	CRACKING		7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	10.0					
838			3	3.4	58000	RIDE		7.3	7.8	7.9	6.9	8.0	7.9	7.9	7.8	7.1	7.2	7.1	6.9	7.5					
NW 55 AVE(2.8L)					FC125M																				
				(2021)		CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5										10.0
						RIDE		7.5	7.4	7.7	7.4	7.5	7.3	7.5	6.9										7.8
86110000	0.000	2.707	L	1	1 45	CRACKING		9.0	9.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0					
838			3	3.4	35000	RIDE		7.2	6.9	6.9	6.3*	6.2*	6.5	5.0*	8.0	7.5	7.4	7.2	7.1	6.8					
PLANTATION CITY LIMITS(0.0C)					FC125																				
2281171	0.000	3.156	C	2000	0012	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0					8.4
COMMUNITY ASPHALT CORP. (2003)					SPRIDE			7.0	7.1	7.1	7.0	6.8	7.0	6.8	6.7	6.6	6.5	6.4	6.3	6.2					5.9
86120000	0.000	3.080	R	1	1 45	CRACKING		9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
810			3	3.3	40500	RIDE		7.8			8.3	8.2	7.9	8.0	8.0	7.4	7.6	7.3	7.3	7.5					
COCONUT CREEK CITY LIMIT(0.0C)					FC3																				
2274671	0.014	3.084	C	1995	0213	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.5					7.5
ODEBRECHT CONTRACTORS OF F(1999)					S	RIDE		7.3	7.4	7.3	7.4	7.3	7.1	7.3	6.9	7.1	7.1	6.9	6.9	6.9					6.5
4476791	0.000	3.038	C	2025	0012																				
86120000	3.080	4.644	R	1	1 45	CRACKING		10.0	10.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
810			3	2.7	43500	RIDE		7.7	7.7	7.8	7.5		8.1	8.2	8.1	7.6	7.6	7.5	7.3	7.5					
POWERLINE RD(3.1C)					FC3																				
2280771	3.108	4.614	C	1998	0012	CRACKING		10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.5					7.2
PAVEX CORPORATION (2001)					S	RIDE		7.4	7.6	7.4	7.4	7.4	7.4	7.4	7.4	7.6	7.5	7.7	7.5	7.2					7.2
86120000	4.644	5.169	R	1	1 40	CRACKING		7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
810			3	11.8	51000	RIDE		7.6	7.6	8.7	8.5	8.4	8.2	8.1	8.2	7.3	7.5	7.4	7.3	7.3					
GOOLSBY BLVD(4.8R)					FC95M																				
4306021	4.635	5.343	R	2016	0012	CRACKING		9.0	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*				10.0					10.0
GENERAL ASPHALT CO., INC. (2020)						RIDE		7.7	7.3	7.0	6.9	6.6	6.7	6.4	6.0	6.3				7.4					7.6
86120000	5.169	6.100	R	1	1 40	CRACKING		7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
810			3	3.8	60000	RIDE		7.6	7.6	8.7	8.5	8.4	8.2	8.1	8.2	7.3	7.5	7.4	7.3	7.4					
NATURA BLVD(5.7R)					FC95M																				
				(2020)		CRACKING		9.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*									10.0
						RIDE		7.2	7.2	7.0	7.1	7.1	7.2	7.2	7.0	7.0				7.5					7.6
86120000	6.100	6.897	R	1	1 35	CRACKING		9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
810			3	4.4	28500	RIDE		6.5	6.4*	8.7	8.5	8.4	8.2	8.1	8.2	7.3	7.5	7.4	7.3	7.4					
SW 1 TER(6.1R)					FC95M																				
4306021	5.752	6.897	R	2016	0012	CRACKING		9.0	8.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*				10.0					10.0
GENERAL ASPHALT CO., INC. (2020)						RIDE		7.2	7.2	7.0	7.1	7.1	7.2	7.2	7.0	7.0				6.8					6.8

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
86120000	6.897	7.584	R	1	1 35	CRACKING		9.0	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	
810			2	2.5	23500	RIDE		8.1	8.2	7.7	7.4	6.8	6.3*	6.4	6.2	5.8	5.5	5.3*	5.1*	5.2*	
FEDERAL HWY(7.0C)					DGFC																
			(2013)			CRACKING		3.5*				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.3
						RIDE		5.3*				6.8	7.0	6.9	6.3	5.9	6.2	5.9	5.9	5.9	5.0
86120000	7.584	7.823	C	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	6.5	6.5	6.5	6.5	
810			4	2.5	23500	RIDE		6.7	6.3*	6.6	7.0	6.4*	7.0	6.5	7.0	5.8	4.9*				
SE 19 AVE(7.8R)					DGFC																
			(2013)			CRACKING		6.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
						RIDE						7.6	7.2	7.5	6.7	6.5	6.7	6.2	6.5	6.0	5.1
86120000	6.897	7.584	L	1	1 35	CRACKING		9.0	9.0	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	
810			2	2.5	23500	RIDE		7.4	7.7	7.1	7.1	6.7	5.6*	6.5	6.8	5.2*	5.1*	5.4*	4.9*	4.8*	
FEDERAL HWY(7.0C)					DGFC																
			(2013)			CRACKING		3.5*				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.3
						RIDE		4.4*				7.3	6.7	6.8	6.4	6.2	6.6	6.3	6.0	5.9	5.2
86120000	6.383	6.897	L	1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
810			3	4.4	28500	RIDE		6.3*	6.8	8.6	8.1	8.2	8.1	8.1	7.8	7.3	7.3	7.0	6.5	7.4	
ED DIETRICH AVE(6.4C)					FC95M																
4306021	5.752	6.897	L	2016	0012	CRACKING		7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*			10.0	10.0	
GENERAL ASPHALT CO., INC.			(2020)			RIDE		7.3	7.1	7.0	6.9	6.8	6.9	6.8	6.4	6.3			7.4	7.2	
86120000	4.644	6.383	L	1	1 40	CRACKING		7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
810			3	3.8	60000	RIDE		7.4	7.0	8.6	8.1	8.2	8.1	7.8	7.3	7.3	7.0		6.5	7.4	
LOCK RD(4.8L)					FC95M																
			(2020)			CRACKING		7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*			10.0	10.0	
						RIDE		7.3	7.1	7.0	6.9	6.8	6.9	6.8	6.4	6.3			7.3	7.2	
86120000	4.218	4.644	L	1	1 40	CRACKING		9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
810			3	2.7	43500	RIDE		7.4	7.3	7.2	6.3*		8.0	8.1	8.0	7.5	7.6	7.6	7.5	7.3	
CENTURY BLVD(4.5C)					FC3																
			(2018)			CRACKING		10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5		8.5	8.5	7.0	7.0	3.9
						RIDE		7.3	7.3	7.6	7.4	7.3	7.4	7.4	7.4		7.1	7.3	7.2	7.1	7.1
86120000	3.038	4.218	L	1	1 45	CRACKING		9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
810			3	2.7	43500	RIDE		7.4	7.3	7.2	6.3*		8.0	8.1	8.0	7.5	7.6	7.6	7.5	7.3	
POWERLINE RD(3.1C)					FC3																
2280771	3.108	4.614	C	1998	0012	CRACKING		10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.9
PAVEEX CORPORATION			(2001)		S	RIDE		7.3	7.3	7.6	7.4	7.3	7.4	7.4	7.4	7.4	7.4	7.3	7.3	7.2	7.0
86120000	0.000	3.038	L	1	1 45	CRACKING		9.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
810			3	3.3	40500	RIDE		7.8			8.2	8.0	8.3	8.2	8.0	7.6	7.6	7.6	7.5	7.6	
COCONUT CREEK CITY LIMIT(0.0C)					FC3																
2274671	0.014	3.084	C	1995	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5
ODEBRECHT CONTRACTORS OF F(1999)					S	RIDE		7.5	7.5	7.6	7.5	7.5	7.5	7.5	7.3	7.3	7.1	7.1	7.1	6.9	6.8
4476791	0.000	3.038	C	2025	0012																
86130000	2.271	3.228	R	1	1 40	CRACKING		10.0		9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	
849			2	7.7	17600	RIDE		8.5		8.5	8.5	8.4	8.3	8.3	8.2	7.5	7.6	7.3	7.0	7.3	
CHEETAH(2.9R)					FC95																
4230061	2.278	3.175	R	2011	0012	CRACKING		6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.1
WEEKLEY ASPHALT PAVING, IN(2013)					SPRIDE			7.4	7.6	7.4	7.2	7.8	7.8	7.9	7.1	6.8	6.6	6.5	6.2	6.6	5.1
86130000	3.228	3.591	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	3.5*	3.5*	
814			3	5.4	52000	RIDE		7.9	7.9	8.0	7.6	7.3	7.2	7.1	6.8	6.4*	6.3*	6.2	6.2	5.9	
					FC125																
4230021	3.228	3.525	R	2011	0012	CRACKING		7.0	6.0*	6.0*	6.0*	6.0*	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
RANGER CONSTRUCTION INDUST(2014)					SPRIDE			6.8	7.2	6.7	6.5	6.3	7.7	7.5	7.8	7.8	7.6	7.6	7.4	7.5	7.3
86130000	3.591	4.591	R	1	1 45	CRACKING		9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	
814			3	5.4	52000	RIDE		8.1	7.8	7.8	7.1	7.0	7.2	7.3	7.2	6.4*	6.2*	6.3	6.2	5.9	
SW 27 AVE(3.6R)					FC95																
4035771	3.591	4.591	C	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	6.8
COMMUNITY ASPHALT CORP.			(2009)		SPRIDE			7.7	7.4	7.3	7.4	7.4	7.3	7.4	7.2	7.2	7.1	7.2	7.2	7.0	6.9
4476811	3.591	4.591	C	2025	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD

SR		US		BMP		EMP		RW		SYS		TYP		SPD		DISTRESS		SURVEYED YEAR		1996		1997		1998		1999		2000		2001		2002		2003		2004		2005		2006		2007		2008		FUTURE	
INTERSECT AT (MP)		G_BMP		G_EMP		LN		%T		AADT		SURFTYPE		RATINGS		=====																															
CONTRACTOR (AGE_ONE YEAR)		W_BMP		W_EMP		RW		FY-P		WKMX-P		ASTYPE						2009		2010		2011		2012		2013		2014		2015		2016		2017		2018		2019		2020		2021		2026 (REG)			
ITMSEG-F		W_BMP		W_EMP		RW		FY-F		WKMX-F																																					
86130000		4.591		4.816		R		1		6		45		CRACKING		9.0		9.0		7.5		7.5		7.5		6.5		6.5		6.5		6.5		6.5		4.5*		4.5*		3.5*		3.5*					
814				3		5.4		52000		DGFC		RIDE		8.1		7.8		7.8		7.1		7.0		7.2		7.3		7.2		6.4*		6.2*		6.3		6.2		5.9									
ANDREWS AVE(4.8C)																																															
						(2010)						CRACKING		7.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0			
86130000		4.816		5.421		R		1		1		45		CRACKING		9.0		9.0		7.5		7.5		7.5		6.5		6.5		6.5		6.5		6.5		4.5*		10.0		10.0		10.0					
814				3		5.0		60000		DGFC		RIDE		8.1		7.8		7.8		7.1		7.0		7.2		7.3		7.2		6.4*		6.2*		7.2		7.0		7.0									
						(2006)						CRACKING		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0			
86130000		4.816		5.421		L		1		1		45		CRACKING		9.0		9.0		6.5		6.5		6.5		6.5		4.5*		4.5*		4.5*		4.5*		10.0		10.0		10.0							
814				3		5.0		60000		DGFC		RIDE		8.0		7.9		7.9		7.5		7.3		7.6		7.3		7.1		6.4*		6.2*		7.7		7.7		7.4		7.6							
NW 7 AVE(5.4L)						(2006)						CRACKING		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		9.5		9.5		9.5					
86130000		4.591		4.816		L		1		1		45		CRACKING		9.0		9.0		6.5		6.5		6.5		6.5		4.5*		4.5*		4.5*		4.5*		3.5*		3.5*		3.5*							
814				3		5.4		52000		DGFC		RIDE		8.0		7.9		7.9		7.5		7.3		7.6		7.3		7.1		6.4*		6.2*		6.0		5.6		6.4									
SIDE ROAD(4.7L)						(2010)						CRACKING		7.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0					
86130000		3.591		4.591		L		1		1		45		CRACKING		9.0		9.0		6.5		6.5		6.5		6.5		4.5*		4.5*		4.5*		4.5*		3.5*		3.5*		3.5*							
814				3		5.4		52000		FC95		RIDE		8.0		7.9		7.9		7.5		7.3		7.6		7.3		7.1		6.4*		6.2*		6.0		5.6		6.4									
NW 27 AVE(3.6L)																																															
4035771		3.591		4.591		C		2007		0012		CRACKING		10.0		10.0		10.0		10.0		10.0		10.0		10.0		9.0		9.0		9.0		9.0		8.5		8.5		7.8							
COMMUNITY ASPHALT		3.591		4.591		C		2009		0012		SPRIDE		7.7		7.5		7.6		7.5		7.2		7.1		7.2		6.6		6.7		6.3		6.4		6.4		6.5		5.6							
4476811		3.591		4.591		C		2025		0012																																					
86130000		3.228		3.591		L		1		1		45		CRACKING		9.0		9.0		9.0		9.0		9.0		7.0		7.0		7.0		7.0		7.0		7.0		7.0		7.0							
814				3		5.4		52000		FC125		RIDE		7.7		7.4		7.6		7.1		7.5		6.9		6.6		6.7		6.7		6.1*		5.9*		6.1		5.7		5.1*							
NW 30 AVE(3.4L)																																															
4230021		3.228		3.525		L		2011		0012		CRACKING		6.0*		6.0*		6.0*		6.0*		6.0*		10.0		9.0		9.0		9.0		9.0		9.0		9.0		9.0		8.4							
RANGER CONSTRUCTION						(2014)						SPRIDE		6.8		6.9		6.4		6.0		5.7		7.9		8.1		7.5		7.5		7.5		7.7		7.6		7.4		7.1							
86130000		2.271		3.228		L		1		1		40		CRACKING		10.0		9.0		9.0		9.0		9.0		9.0		9.0		9.0		6.5		6.5		6.5		6.5		6.5							
849				2		7.7		17600		FC95		RIDE		8.7		8.3		8.0		7.8		7.9		7.9		7.9		7.7		7.3		7.3		7.3		7.5		7.3		7.7							
CR 912(2.3L)																																															
4230061		2.278		3.175		L		2011		0012		CRACKING		6.0*		6.0*		6.0*		6.0*		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		9.0		9.0		8.7					
WEEKLEY ASPHALT PAVING, IN						(2013)						SPRIDE		7.4		7.3		7.3		7.4		7.8		7.6		7.8		7.4		7.3		7.4		7.1		7.1		7.3		6.7							
86170000		0.000		0.981		C		1		7		30		CRACKING		9.0		9.0		9.0		8.0		8.0		8.0		6.5		6.5		6.5		6.5		6.5		6.5		4.5*		6.5					
811				2		2.5		18500		FC95		RIDE		7.2		7.1		7.4		6.2*		6.1*		5.6*		5.8		5.6		5.3*		5.3*		5.3*		4.5*		4.7*		4.6*							
FORT LAUDERDALE CITY LIM						(2021)						CRACKING		10.0		10.0		10.0		10.0		8.5		8.5		8.5		8.0		8.0		8.0		8.0		8.0		7.0		10.0							
												RIDE		6.0		6.3		6.1		6.0		5.8		5.7		5.0*		4.9*		4.8*		4.8*		4.7*		4.4*		6.6									
86170000		0.981		1.800		C		1		7		30		CRACKING		9.0		9.0		9.0		9.0		9.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0					
811				2		3.1		14700		FC3		RIDE		7.9		7.7		8.2		7.9		7.8		7.8		10.0		10.0		10.0		10.0		10.0		10.0		10.0		10.0		6.7					
NE 19 ST(1.0R)						(2021)						CRACKING		10.0		10.0		9.0		9.0		9.0		9.0		9.0		8.0		8.0		7.0		3.5*		4.5*				10.0		7.3					
86170000		1.800		2.771		C		1		1		35		CRACKING		10.0		10.0		10.0		10.0		10.0		9.0		9.0		10.0		9.0		8.5		7.0		7.0		7.0							
811				4		3.6		20900		FC125		RIDE		7.8		7.6		8.2		7.7		7.6		7.5		7.3		6.9		6.8		6.2		6.4		6.0		6.6									
SPUR TO DIXIE HWY(1.8R)																																															
4246711		1.800		2.858		C		2013		0012		CRACKING		6.5		6.5		6.5		6.5		6.5		6.5		6.5		10.0		10.0		9.0		9.0		9.0		9.0		9.0		7.6					
COMMUNITY ASPHALT CORP.						(2016)						RIDE		6.4		6.0		6.3		6.3		6.2		6.0		5.9		6.2		6.1		5.9		5.9		5.8		5.9		5.5							
86170000		2.771		2.976		C		1		6		35		CRACKING		10.0		10.0		10.0		10.0		10.0		9.0		9.0		10.0		9.0		9.0		7.0		7.0		7.0							
811				4		2.5		25000		DGFC		RIDE		7.8		7.6		7.9		7.3		7.6		7.5		7.3		6.9		6.8		6.8		6.1		6.0		6.6									
NE 37 ST(2.8L)						(2009)						CRACKING		9.5		7.0		6.5		6.5		6.5		6.5		6.5		6.5		6.5		6.5		6.5		6.5		6.5		6.5		5.5					
												RIDE		6.1		6.8		6.6		6.6		6.8		6.7		6.4		6.4		6.5		6.5		6.5		6.5		6.5		6.5							

```

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

							DISTRICT = 4				COUNTY = BROWARD														
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE				
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE																			
ITMSEG-P	(AGE_ONE YEAR)							2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)				
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																				
ITMSEG-F																									
86170000	2.976	5.144	C	1	1 40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	9.0	7.0	7.0	7.0					
811			4	4.9	23500	RIDE	8.5	8.2	8.7	7.6	8.3	7.6	8.0	7.9	6.9	7.3	6.7	6.4	6.9						
NE 39 DR(3.0L)					FC125																				
4246711	2.864	5.440	L	2013	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	8.0				
COMMUNITY ASPHALT CORP.			(2016)			RIDE	6.8	6.8	7.0	6.9	6.8	6.8	6.7	7.2	6.9	6.9	6.8	6.8	6.8	6.8	6.4				
86170000	10.021	12.100	C	1	1 40	CRACKING	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
811			4	3.8	23500	RIDE	7.7			8.5	8.4	8.4	8.3	8.2	8.0	7.5	7.7	7.1	7.4						
SAMPLE RD(10.0C)					FC3																				
2281001	8.971	13.011	C	1995	0213	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.0	8.0	7.7					
TRIPLE R PAVING INC			(1999)		S	RIDE	7.0	7.6	7.5	7.3	7.4	7.2	7.1	7.1	7.4	7.2	7.2	7.1	7.3	6.6					
4481741	10.021	13.120	C	2025	0012																				
86170000	12.100	13.120	C	1	1 35	CRACKING	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
811			4	5.9	16300	RIDE	7.7			7.6	8.5	8.3	8.3	7.8	7.9	7.2	7.2	7.6	7.0						
SW 10 ST(12.1C)					FC3																				
2281001	8.971	13.011	C	1995	0213	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.1					
TRIPLE R PAVING INC			(2000)		S	RIDE	7.2	7.8	7.4	7.0	7.3	7.4	7.1	7.4	7.1	6.9	7.1	7.0	7.2	6.6					
4481741	10.021	13.120	C	2025	0012																				
86180000	0.000	0.336	R	1	1 35	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	7.0	6.5	4.5*	10.0						
ALA			3	5.0	38000	RIDE	8.0	8.0	8.0	8.0	7.1	7.2	6.9	6.6	6.1	6.6	6.1	6.0	7.1						
FEDERAL HWY(0.0C)					DGFC																				
			(2008)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5					
						RIDE	6.9	6.9	6.6	6.7	6.8	6.9	6.7	5.7	5.6	6.0	5.3*	5.2*	5.5	4.6					
86180000	0.336	0.754	R	1	1 35	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	7.0	6.5	4.5*	4.5*						
ALA			3	5.0	38000	RIDE	8.0	8.0	8.0	8.0	7.1	7.2	6.9	6.6	6.1	6.6	6.1	6.0	6.0						
HARBOR SHOPS(0.4R)					FC95																				
4230071	0.330	0.678	C	2012	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
WEEKLEY ASPHALT PAVING, IN			(2014)		SPRIDE		6.1	6.1	6.1	5.8	6.0	7.5	7.4	7.1	6.9	7.3	6.7	6.7	6.5	5.9					
86180000	0.754	0.912	R	1	6 35	CRACKING	10.0	10.0	10.0	10.0				9.5	8.5	7.0	6.5	4.5*	4.5*						
ALA			3	3.6	34500	RIDE	8.0	8.0	8.0	8.0				6.6	6.1	6.6	6.1	6.0	6.0						
EISENHOWER BLVD(0.8C)					DGFC																				
			(2014)			CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.6					
						RIDE	6.1	6.1	6.1	5.8	6.0														
86180000	1.290	1.535	R	1	1 35	CRACKING	6.5	4.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0						
ALA			2	3.6	34500	RIDE	6.9	6.5	6.7	6.4*				7.0	6.5	6.4	6.3	6.3	6.2						
HARBOUR INLET(1.4C)					FC125																				
			(2003)			CRACKING	9.5	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	7.0	7.0	6.0*	6.0*	5.1					
						RIDE	6.3	6.4	6.6	6.6	6.4	6.6	6.4	5.5	5.5	5.1*	5.4*	5.3*	5.3*	5.0					
86180000	1.535	2.535	R	1	1 30	CRACKING	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0						
ALA			2	3.6	34500	RIDE	6.9	6.5	6.7	6.4*	6.1*	5.6*	6.7	6.8	6.2	6.1	4.1*	5.4*	5.2*						
SPUR(1.6R)					FC95A																				
4306011	1.501	2.360	R	2016	0012	CRACKING	9.0	8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	10.0				
WEEKLEY ASPHALT PAVING, IN			(2018)			RIDE	5.3*	5.4*	5.4*	5.1*	5.1*	5.1*	5.1*	4.4*	4.6*	7.1	7.0	6.7	6.8	6.1					
86180000	2.535	2.964	C	1	1 30	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0						
ALA			2	3.8	14500	RIDE	7.6	7.4	7.8	6.0*	6.6	6.4*	6.3	5.9	5.9	6.1	4.1*	5.8	5.7						
BAHIA MAR(2.5L)					FC95A																				
4306011	2.535	2.960	C	2016	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0				
WEEKLEY ASPHALT PAVING, IN			(2018)			RIDE	6.1	5.7	5.4*	5.5	5.6	5.5	5.5	5.7	5.5	6.9	6.3	6.2	6.3	5.2					
86180000	1.535	2.535	L	1	1 30	CRACKING	6.5	4.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0						
ALA			2	3.6	34500	RIDE	6.6	6.4*	6.5	6.1*				8.0	6.9	7.0	6.9	6.6	7.1						
HASKINS AVE(1.6L)					FC95A																				
4306011	1.501	2.360	L	2016	0012	CRACKING	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0				
WEEKLEY ASPHALT PAVING, IN			(2018)			RIDE	6.2	6.2	6.0	6.0	5.8	6.1	5.8	5.4*	5.2*	7.4	7.1	6.9	6.9	6.0					
86180000	1.290	1.535	L	1	1 35	CRACKING	6.5	4.5*	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0						
ALA			2	3.6	34500	RIDE	6.6	6.4*	6.5	6.1*				8.0	6.9	7.0	6.9	6.6	7.1						
HARBOUR INLET(1.4C)					FC125																				
			(2003)			CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0					
						RIDE	6.8	7.2	7.3	7.2	7.1	7.0	7.1	6.1	6.2	6.1	6.3	5.7	6.3	5.8					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)
86180000	0.754	0.912	L	1	6 35	CRACKING		10.0	10.0	10.0	10.0				9.5	8.5	7.0	7.0	6.5	6.5	
ALA			3	3.6	34500	RIDE		7.7	7.5	7.8	7.5				7.0	6.6	6.6	6.4	6.0	6.3	
EISENHOWER BLVD(0.8C)					DGFC																
				(2014)		CRACKING		6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.1
						RIDE		6.3	7.0	5.8	6.0	5.2*									
86180000	0.336	0.754	L	1	1 35	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	7.0	7.0	6.5	6.5	
ALA			3	5.0	38000	RIDE		7.7	7.5	7.8	7.5	7.5	7.5	6.6	7.0	6.6	6.6	6.4	6.0	6.3	
CORDOVA RD(0.4L)					FC95																
4230071	0.330	0.678	C	2012	0012	CRACKING		6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
WEEKLEY ASPHALT PAVING, IN(2014)					SPRIDE			6.3	7.0	5.8	6.0	5.2*	7.3	6.5	6.5	6.7	6.0	5.9	5.8	5.8	4.6
86180000	0.000	0.336	L	1	6 35	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5	7.0	7.0	6.5	10.0	
ALA			3	5.0	38000	RIDE		7.7	7.5	7.8	7.5	7.5	7.5	6.6	7.0	6.6	6.6	6.4	6.0	7.6	
FEDERAL HWY(0.0C)					DGFC																
				(2008)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
						RIDE		7.2	7.5	7.2	6.8	7.3	7.3	7.0							
86190000	2.384	3.700	R	1	1 45	CRACKING		10.0	10.0	9.0	10.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	6.5	6.5	
823			3	1.9	53500	RIDE		8.4	8.3	8.3	8.2	8.2	8.2	8.2	8.1	7.3	7.4	7.1	7.3	7.4	
MIRAMAR CITY LIMITS(2.5C)					FC95																
4138341	2.384	3.669	R	2008	0012	CRACKING		4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
WEEKLEY ASPHALT PAVING, IN(2010)					SPRIDE			7.2	7.7	7.7	7.7	7.7	7.6	7.7	7.4	7.5	7.5	7.4	7.3	7.3	7.1
4476801	2.384	3.700	C	2025	0012																
86190000	3.700	7.599	R	1	1 45	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	6.5	6.5	6.5	
823			3	2.0	41500	RIDE		8.6	8.5	8.5	8.5	8.5	8.5	8.4	8.3	7.7	7.7	7.6	7.5	7.5	
TAFT ST(4.5C)					FC95																
4216701	3.700	7.599	C	2011	0012	CRACKING		6.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2013)					SPRIDE			7.5	7.5	7.4		8.1	8.1	8.2	8.0	7.9	8.0	7.9	7.9	7.9	7.7
86190000	7.599	10.897	R	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	
823			3	2.8	38000	RIDE		8.7	8.5	8.5	8.7	8.7	8.7	8.5	8.5	8.0	8.0	8.0	7.8	7.8	
DAYSTAR(7.9R)					FC95A																
4270121	7.599	10.833	R	2016	0012	CRACKING		7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP. (2018)					SPRIDE			7.7	7.9	7.8	7.6	7.5	7.4	7.8	7.9	7.9	8.7	8.6	8.6	8.6	8.4
86190000	7.599	10.897	L	1	1 50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	
823			3	2.8	38000	RIDE		8.6	8.3	8.5	8.8	8.7	8.7	8.5	8.4	8.1	8.1	8.0	7.9	7.7	
SW 38 ST(7.9L)					FC95A																
4270121	7.599	10.833	L	2016	0012	CRACKING		7.0	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP. (2018)					SPRIDE			7.8	7.9	7.8	7.7	7.5	7.4	7.8	7.8	7.8	8.5	8.4	8.4	8.4	8.2
86190000	3.700	7.599	L	1	1 45	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	6.5	6.5	6.5	
823			3	2.0	41500	RIDE		8.7	8.5	8.5	8.7	8.5	8.5	8.4	8.4	7.7	7.7	7.6	7.5	7.5	
TAFT ST(4.5C)					FC95																
4216701	3.700	7.599	C	2011	0012	CRACKING		6.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
WEEKLEY ASPHALT PAVING, IN(2013)					SPRIDE			7.4	7.4	7.3		8.0	8.0	8.1	7.9	7.9	7.9	7.9	7.9	7.8	7.7
86190000	2.384	3.700	L	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	7.5	6.5	6.5	6.5	6.5	7.0	6.5	
823			3	1.9	53500	RIDE		8.4	8.3	8.2	8.2	8.1	8.1	8.1	8.0	7.3	7.5	7.1	7.1	7.2	
MIRAMAR CITY LIMITS(2.5C)					FC95																
4138341	2.384	3.669	L	2008	0012	CRACKING		6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	7.0	6.1
WEEKLEY ASPHALT PAVING, IN(2010)					SPRIDE			7.2	7.5	7.5	7.5	7.5	7.4	7.5	7.4	7.3	7.4	7.4	7.3	7.3	7.2
4476801	2.384	3.700	C	2025	0012																
86190500	0.000	1.998	R	1	1 45	CRACKING			10.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	
823			3	3.9	40000	RIDE			8.4	7.8	8.6	8.6	8.4	8.5	8.4	7.7	7.6	7.5	7.4	7.1	
DADE CO LINE/BR# 550(0.0C)					FC95																
4138371	0.000	2.032	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP. (2009)					SPRIDE			8.4	8.6	8.5	8.4	8.4	8.4	8.4	7.9	7.8	7.9	7.8	7.9	7.7	7.3
86190500	0.000	1.998	L	1	1 45	CRACKING			10.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	
823			3	3.9	40000	RIDE			8.3	7.9	8.4	8.5	8.4	8.5	8.2	7.5	7.5	7.5	7.4	7.1	
DADE CO LINE/BR# 550(0.0C)					FC95																
4138371	0.000	2.032	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP. (2009)					SPRIDE			8.6	8.2	8.2	8.1	8.2	8.1	8.1	7.7	7.6	7.6	7.6	7.6	7.3	6.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P															
CONTRACTOR (AGE_ONE YEAR)																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F															(REG)
86200000	0.000	2.166	R	1	1 40	CRACKING		9.0	7.5		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	
858			2	6.6	44000	RIDE		7.4	7.3		8.4	8.1	8.2	8.1	7.7	7.0	6.6	7.1	6.8	6.9	
SR 7(0.0C)					FC125M																
4287331	0.220	2.166	C	2017	0012	CRACKING		9.0	9.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	3.5*		10.0	10.0	
COMMUNITY ASPHALT CORP.				(2020)	SPRIDE			7.0	6.5	6.9	6.8	6.6	6.9	6.6	7.1	6.9	6.7		6.7	6.8	
86200000	2.166	3.707	R	1	1 40	CRACKING		9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
858			3	2.7	53980	RIDE		6.7	8.0	7.0	6.2*	6.1*	6.1*	6.3	6.0	6.5	5.4*	5.2*	5.3*	4.9*	5.6
LAKE SHORE DR(2.2R)					FC95																
4137911	2.407	3.707	R	2008	0012	CRACKING		6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN				(2010)	SPRIDE			5.4*	7.0	6.9	6.5	6.7	6.5	6.7	6.3	6.2	6.2	6.1	6.0	5.9	5.4
86200000	3.707	5.000	R	1	1 35	CRACKING		6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	
858			3	9.1	38000	RIDE		6.5	6.7	6.4*	6.1*	5.8*	6.1*	6.0	5.9	5.6	5.5	5.4*	4.6*	6.9	
SE 2 AVE(3.7R)					FC95																
2281591	4.008	5.000	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0	6.5
COMMUNITY ASPHALT CORP.				(2008)	SPRIDE			6.8	6.5	6.3	5.8	5.8	5.7	5.8	5.5	5.3*	5.1*	5.0*	5.1*	4.9*	4.0
86200000	5.000	5.429	R	1	1 35	CRACKING		6.5	6.5	6.5	4.5*					10.0	10.0	10.0	10.0	10.0	
858			3	2.1	35500	RIDE		6.5	6.7	6.4*	6.1*					7.0	6.6	6.5	5.9	6.6	
DIANA DR(5.2R)					FC95																
				(2004)	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
					RIDE			6.2	6.3	6.6	6.4	6.5	6.6	6.6	6.0	6.0	6.3	6.2	5.7	5.7	5.7
86200000	5.000	5.429	L	1	1 35	CRACKING		6.5	6.5	4.5*	4.5*					10.0	10.0	10.0	10.0	10.0	
858			3	2.1	35500	RIDE		6.7	6.5	6.7	6.2*					6.5	6.1	5.7	6.1	5.9	
THREE ISLANDS BLVD(5.0L)					FC95																
				(2004)	CRACKING			10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0
					RIDE			6.0	6.2	6.1	5.7	6.0	6.0	5.9	5.5	5.5	5.7	5.1*	5.1*	5.0*	4.9
86200000	3.707	5.000	L	1	1 35	CRACKING		6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	
858			3	9.1	38000	RIDE		6.7	6.5	6.7	6.2*	6.3*	6.0*	5.8	5.9	5.5	4.9*	5.1*	3.7*	7.3	
NE 2 AVE(3.7L)					FC95																
2281591	4.008	5.000	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	7.0	7.0	7.0	5.8
COMMUNITY ASPHALT CORP.				(2008)	SPRIDE			7.3	6.9	6.8	6.8	6.4	6.7	6.7	5.9	6.0	5.8	5.6	5.6	5.7	4.8
86200000	2.166	3.707	L	1	1 40	CRACKING		7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
858			3	2.7	53980	RIDE		7.1	7.0	7.0	6.4*	6.2*	6.0*	6.2	5.9	5.2*	5.4*	5.1*	5.1*	5.6	
HOLIDAY PARK(2.2C)					FC95																
4137911	2.407	3.707	L	2008	0012	CRACKING		4.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3
WEEKLEY ASPHALT PAVING, IN				(2010)	SPRIDE			5.6	7.4	6.8	6.6	6.5	6.6	6.5	6.6	6.4	6.5	6.0	6.2	6.3	5.7
86200000	0.000	2.166	L	1	1 40	CRACKING		8.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	
858			2	6.6	44000	RIDE		7.8	7.7		8.5	8.5	8.4	8.3	8.2	7.3	7.4	7.0	6.8	7.0	
SR 7(0.0C)					FC125M																
4287331	0.220	2.166	C	2017	0012	CRACKING		8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2020)	SPRIDE			7.1	6.9	6.6	7.3	7.3	7.0	7.2	7.1	7.1	6.4	6.2	7.3	7.1	
86210000	0.000	1.720	R	1	1 40	CRACKING		6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5		
736			2	3.5	29000	RIDE		6.8	6.8		7.5	7.0	7.7	7.8	7.8	7.0	7.2	6.6	6.4		
SR 7(0.0C)					DGFC																
				(2010)	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.5	7.5	7.5	7.0	7.0	5.1
					RIDE				6.6	6.6	6.5	6.2	6.2	6.4	6.0	5.8	5.9	5.8	5.7	5.7	5.2
86210000	1.720	2.350	R	1	2 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5		
736			2	5.3	41000	RIDE		8.1	8.2	7.9	7.1	7.7	7.1	6.9	7.1	6.0	6.5	5.6	5.8		
					FC125																
				(2010)	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
					RIDE				8.0	8.2	8.1	8.1	8.2	8.1	8.0	7.3	8.1	8.0	7.9	7.7	7.6
86210000	2.350	2.698	R	1	6 40	CRACKING		8.5	8.5	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0	6.5		
736			2	5.3	41000	RIDE		5.4*	5.8*	8.6	8.5	7.6	8.1	7.8	7.5	7.4	7.3	6.9	6.7		
SEVENTEENTH AVE SW R(2.4R)					DGFC																
4339671	2.355	2.620	C	2014	0226	CRACKING			9.5	9.0	9.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC.				(2016)	RIDE				4.9*	4.6*	4.8*	4.3*	4.6*	4.4*							

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====														
ITMSEG-P	(AGE_ONE YEAR)							2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM-F																
86210000	2.698	4.033	R	1	1 35	CRACKING		8.5	7.0	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		
736			2	3.2	36500	RIDE		7.0	7.1	6.9	6.4*	6.2*	6.4*	6.3	5.8	5.3*	5.3*	5.2*	4.8*		
NINTH AVE SW(3.0C)																					
2281801	2.698	4.033	C	2007	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.4
WEEKLEY ASPHALT PAVING, IN(2009)								6.9	6.5	6.6	6.6	6.1	6.5	6.6	5.9	5.7	5.5	5.2*	5.3*	5.3*	4.5

86210000	2.698	4.033	L	1	1 35	CRACKING		7.5	7.0	6.5	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*		
736			2	3.2	36500	RIDE		7.3	7.1	7.4	7.0	6.4*	6.3*	6.1	6.3	5.6	4.8*	5.3*	5.5		
NINTH AVE SW(3.0C)																					
2281801	2.698	4.033	C	2007	0012	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	8.5	8.0	7.0	7.0	7.0	5.5
WEEKLEY ASPHALT PAVING, IN(2009)								6.6	6.6	6.4	6.3	6.3	6.3	6.3	5.6	5.6	5.4*	5.0*	5.3*	5.2*	4.4

86210000	2.350	2.698	L	1	6 40	CRACKING		9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0		
736			2	5.3	41000	RIDE		6.4*	6.2*	8.4	8.4	7.5	8.1	8.3	7.3	6.8	6.0	6.5	7.1		
SIXTEENTH AVE SW L(2.4L)																					
4339671	2.355	2.620	C	2014	0226	CRACKING			9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC. (2016)									4.9*	4.7*	4.9*	4.7*	4.6*	4.6*							
86210000	1.720	2.350	L	1	2 40	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0	6.5	
736			2	5.3	41000	RIDE		8.2	8.4	8.4	8.0	7.4	7.5	7.7	7.4	6.4	5.8	6.2	6.3		
SW 22 TERR(1.8L)																					
(2010)																					
86210000	0.000	1.720	L	1	1 40	CRACKING		6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0		
736			2	3.5	29000	RIDE		7.4	7.3		8.0	7.8	8.0	7.6	7.3	7.1	6.3	6.5	6.2		
SR 7(0.0C)																					
(2010)																					
86220000	0.000	1.202	R	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	
817			3	2.7	61500	RIDE		7.6	7.6	7.8	7.1	7.1	6.9		7.9	7.1	7.1	7.0	7.0	7.1	
MIRAMAR PKWY(0.7C)																					
2280781	0.000	1.340	C	2000	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.0	8.0	8.0	8.0	7.0	6.8
WEEKLEY ASPHALT PAVING, IN(2003)								7.0	7.0	7.1	6.9	6.9	7.0	7.5	6.8	6.9	6.6	6.6	6.6	6.8	6.5
86220000	1.202	2.432	R	1	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	
817			3	3.6	61000	RIDE		7.6	7.6	7.8	7.1	7.1	6.9	7.0	6.8	6.6		8.1	7.6	7.8	
SR-824/PEMBROKE RD(1.6R)																					
4062781	1.347	2.572	C	2003	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4
PAVEK CORPORATION								7.7	7.7	7.6	7.6	7.5	7.5	7.6	7.2	7.2	7.1	7.1	6.9	6.9	6.6
86220000	2.432	6.468	R	1	1 45	CRACKING		10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	
817			3	2.1	50000	RIDE		8.2	8.1	8.0	7.7	7.5	7.7	7.6	7.6	6.8	7.0	6.9	6.9	6.7	
PINES BLVD(2.6C)																					
4137961	2.432	6.394	C	2008	0012	CRACKING		4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
COMMUNITY ASPHALT CORP. (2011)								6.6	6.8	8.1	8.0	7.9	7.8	7.7	7.5	7.5	7.4	7.4	7.3	7.1	6.7
86220000	6.468	8.035	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	
817			3	2.8	50500	RIDE		8.5	8.3	8.3	7.9	7.8	7.9	7.8	7.7	7.5	7.3	7.2	7.2	7.1	
ORANGE DR(6.5R)																					
4216721	6.468	7.744	C	2011	0012	CRACKING		6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	4.4
GENERAL ASPHALT CO., INC. (2013)								7.1	7.1	7.0	6.8	8.4	8.2	8.3	7.8	7.5	7.4	7.4	7.3	7.4	6.4
86220000	8.035	8.456	R	1	1 45	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	1.0*	10.0	10.0	
817			3	1.9	62000	RIDE		8.5	8.3	8.3	7.9	7.8	8.0	8.1	7.9	7.6	7.6	7.4	7.3	7.5	
NOVA DR(8.2R)																					
(2017)																					
86220000	8.456	10.276	R	1	1 45	CRACKING		6.5	6.5	4.5*	2.0*	2.0*	1.0*	1.0*	1.0*	1.0*	1.0*		10.0	10.0	
817			3	4.0	53000	RIDE		7.3	7.3	7.3	7.4	7.4	7.4	7.4	7.2	6.5	6.5		7.3	7.3	
S 1900 BLOCK(8.7C)																					
2280791	8.851	10.270	C	2004	0012	CRACKING		10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.0	7.0	6.5	6.5	6.5	6.5	4.4
PAVEK CORPORATION								7.3	7.3	7.3	7.0	7.2	6.9	7.3	6.7	6.8	6.9	6.7	6.6	6.6	6.3

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR												FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	ASTYPE	=====														
ITMSEG-P	(AGE_ONE YEAR)							2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)
CONTRACTOR																					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
86220000	10.276	13.262	R	1	45	CRACKING		6.5	6.5	4.5*	2.0*	2.0*	2.0*	1.0*		10.0	10.0	10.0	10.0	10.0	
817			3	2.6	55500	RIDE		7.4	7.4	7.4	7.4	7.3	7.2	6.8		7.8	7.8	7.7	7.5	7.7	
BROWARD BLVD(10.3R)					FC125																
2280801	10.205	13.537	C	2001	0012	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0
COMMUNITY ASPHALT CORP.				(2004)	SPRIDE			7.8	7.7	7.7	7.7	7.6	7.6	7.7	6.9	6.9	6.9	6.8	6.8	6.8	6.5
86220000	13.262	15.614	R	1	7	45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	
817			3	2.3	59000	RIDE		8.4	8.2	8.3	8.0	7.9	7.8	7.9	7.7	7.2	7.2	7.1	7.0	6.8	
NW 30 PL(13.4R)					DGFC																
				(2021)		CRACKING		6.0*	6.0*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	
						RIDE		7.0	7.1	7.9	7.9	7.9	7.8	7.8	7.4	7.5	7.3	7.3	7.3	7.6	
86220000	15.614	18.000	R	1	45	CRACKING		10.0	10.0	8.5	8.5	8.5	8.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	
817			3	2.6	51000	RIDE		8.3	8.3	8.2	7.6	7.5	7.5	7.4	7.1	6.8	6.8	6.6	6.5	6.7	
NW 58 ST(15.7C)					FC95																
4153221	13.408	18.002	C	2009	0012	CRACKING		3.5*	3.5*	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2
GENERAL ASPHALT CO., INC.				(2011)	SPRIDE			6.7	6.6	7.9	7.9	7.9	7.8	7.8	7.4	7.5	7.3	7.3	7.3	7.5	6.9
86220000	18.000	21.003	R	1	45	CRACKING		10.0	10.0	10.0	10.0	9.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	3.5*	
817			3	2.1	40500	RIDE		8.1	8.0	8.0	7.4	7.8	7.7	7.6	7.5	6.7	6.4*	6.3	5.8	6.0	
SW 1 CT(18.1R)					FC125																
4137971	18.000	21.003	C	2008	0012	CRACKING		3.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2
PAVEX CORPORATION				(2010)	SPRIDE			6.2	8.0	7.8	7.8	7.7	7.7	7.8	7.3	7.4	7.4	7.3	7.2	7.1	6.7
86220000	18.002	21.003	L	1	1	45	CRACKING	10.0	10.0	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	
817			3	2.1	40500	RIDE		8.3	8.1	7.9	7.5	6.6	6.5	6.3*	6.8	6.1*	6.0*	5.7	5.1*	5.6	
FIRST CT SW(18.1L)					FC125																
4137971	18.000	21.003	C	2008	0012	CRACKING		3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
PAVEX CORPORATION				(2010)	SPRIDE			5.2*	7.8	7.7	7.5	7.5	7.4	7.5	7.0	7.1	7.2	7.0	6.9	6.8	6.4
86220000	15.614	18.002	L	1	45	CRACKING		10.0	10.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	
817			3	2.6	51000	RIDE		8.2	8.2	8.1	7.6	7.4	7.6	7.5	7.4	6.7	6.7	6.5	6.4	6.6	
NW 58 ST(15.7C)					FC95																
4153221	13.408	18.002	C	2009	0012	CRACKING		4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO., INC.				(2011)	SPRIDE			6.4	6.5	8.1	8.0	7.9	7.9	7.9	7.5	7.5	7.4	7.3	7.3	7.3	6.7
86220000	13.262	15.614	L	1	7	45	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	
817			3	2.3	59000	RIDE		8.0	7.4	7.3	6.9	6.6	6.7	6.7	6.7	6.4*	6.1*	6.2	6.0	6.1	
OAKLAND PARK(13.6L)					DGFC																
				(2021)		CRACKING		6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
						RIDE		6.2	6.3	8.1	8.0	7.9	7.9	7.9	7.5	7.5	7.4	7.3	7.3	7.3	
86220000	10.276	13.262	L	1	1	45	CRACKING	6.5	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	
817			3	2.6	55500	RIDE		7.3	7.2	7.2	6.8	6.8	6.8	6.6		7.7	7.7	7.7	7.6	7.7	
BROWARD BLVD(10.3L)					FC125																
2280801	10.205	13.537	C	2001	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	6.5	6.5	6.5	6.5	6.5	5.2
COMMUNITY ASPHALT CORP.				(2004)	SPRIDE			7.5	7.6	7.6	7.5	7.4	7.4	7.5	6.8	6.8	6.8	6.7	6.7	6.7	6.4
86220000	8.397	10.276	L	1	45	CRACKING		9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	
817			3	4.0	53000	RIDE		7.9	7.3	7.5	7.0	6.9	6.9	6.9	6.7	6.1*	6.1*		7.1	7.0	
VALENCIA DR(8.5L)					FC125																
2280791	8.851	10.270	C	2004	0012	CRACKING		10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.5	6.5	6.5	6.5	6.5	6.5	4.4
PAVEX CORPORATION				(2007)	SPRIDE			7.1	7.0	7.1	6.9	7.0	6.8	7.3	6.7	6.8	6.8	6.5	6.6	6.6	6.4
86220000	8.114	8.397	L	1	1	45	CRACKING	10.0	10.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
817			3	1.9	62000	RIDE		8.2	8.2	8.2	7.5	7.1	7.3	7.3	7.2	7.0	7.1	6.9	6.9	7.0	
EARL MORRALL PASS(8.2L)					FC125																
				(2017)		CRACKING		9.5	9.5	9.5	9.5	8.5	8.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0
						RIDE		7.0	7.0	6.9	6.9	7.0	7.0	7.1		7.6	7.0	6.6	7.3	7.2	6.8
86220000	6.468	8.114	L	1	45	CRACKING		10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	
817			3	2.8	50500	RIDE		8.2	8.2	8.2	7.5	7.1	7.5	7.3	7.0	6.6	6.6	6.5	6.2	6.3	
ORANGE DR(6.5L)					FC125																
4216721	6.468	7.744	C	2011	0012	CRACKING		4.5*	4.5*	4.5*	4.5*	10.0	10.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	4.2
GENERAL ASPHALT CO., INC.				(2013)	SPRIDE			6.5	6.3	6.3	6.3	8.0	7.9	7.9	7.9	7.5	7.4	7.5	7.4	7.2	6.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																(REG)
86220000	2.432	6.468	L 1	1 45	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	
817			3 2.1	50000	RIDE	8.2	8.2	8.1	7.6	7.5	7.3	7.2	7.3	6.8	6.6	6.4	6.7	6.6			
PINES BLVD(2.6C)				FC125																	
4137961	2.432	6.394	C 2008	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5
COMMUNITY ASPHALT CORP.			(2011)	SPRIDE		6.6	6.9	8.3	8.1	7.9	7.9	7.9	7.9	7.6	7.6	7.6	7.5	7.4	7.4	6.9	
86220000	1.202	2.432	L 1	1 45	CRACKING	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			10.0	10.0	10.0		
817			3 3.6	61000	RIDE	7.7	7.2	7.3	6.6	6.4*	6.2*	6.2*	6.4*	5.9*			8.0	7.6	7.7		
MIRAMAR CITY LIMITS(1.6L)				FC125																	
4062781	1.347	2.572	C 2003	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.6	
PAVEX CORPORATION			(2006)	SPRIDE		7.7	7.7	7.7	7.5	7.5	7.6	7.5	7.3	7.2	6.9	7.1	7.1	7.0	7.0	6.7	
86220000	0.000	1.202	L 1	1 45	CRACKING	9.0	7.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0		
817			3 2.7	61500	RIDE	7.7	7.2	7.3	6.6	6.4*	6.2*		7.6	7.2	6.7	7.0	6.9	7.1			
MIRAMAR PINELAND(0.4L)				FC125																	
2280781	0.000	1.340	C 2000	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
WEEKLEY ASPHALT PAVING, IN(2003)				S	RIDE	7.1	7.2	6.9	7.0	7.0	6.9	7.4	7.1	7.1	7.1	6.8	6.9	6.4	6.4		
86230000	0.000	2.524	R 1	1 40	CRACKING	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*		
822			3 2.1	44000	RIDE	8.3	8.1	8.2	7.5	7.5	7.3	7.4	7.4	6.6	6.6	6.6	6.6	6.4	6.3		
HOLLYWOOD CITY LIMITS(0.0C)				FC95																	
4168831	0.022	2.679	C 2010	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
GENERAL ASPHALT CO., INC. (2012)				SPRIDE		6.2	6.4	6.2	7.8	7.7	7.6	7.8	7.6	7.5	7.5	7.4	7.1	7.4	7.0		
86230000	2.524	3.021	R 1	1 35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5		
822			3 7.1	46500	RIDE		8.1	8.6	8.3	8.0	8.1	8.0	8.1	7.1	7.2	7.1	7.1	6.7	7.2		
N 29 AVE(2.7C)				FC125																	
4246741	2.524	3.015	C 2013	0012	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2016)				SPRIDE		7.2	7.2	6.7	6.5	6.4	6.0	6.3	6.7	6.2	6.3	6.1	6.0	6.4	5.8		
86230000	3.021	3.500	R 1	1 40	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5		
822			3 5.0	44500	RIDE	6.6	8.1	8.6	8.3	8.0	8.1	8.0	8.1	7.1	7.2	7.1	7.1	6.7	7.2		
N 26 AVE(3.0R)				DGFC																	
(2011)					CRACKING	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
					RIDE	7.2	7.2	7.2	6.8	7.0	7.0	6.7	7.6	7.7	7.7	7.7	7.7	7.4	7.6	7.6	
86230000	3.500	4.057	R 1	1 40	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
822			2 2.9	27500	RIDE	6.7	8.3	8.2	7.7	8.1	8.2	8.8	7.1	7.2	6.5	7.2	7.5	7.0			
N 22 AVE(3.5R)				FC2																	
2279471	3.067	4.084	C 1995	0220	CRACKING	10.0	9.0	9.0	9.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	
WEEKLEY ASPHALT PAVING, IN(1997)				S	RIDE	6.7	7.2	6.7	6.6	6.9	6.7	7.0	6.5	6.3	6.4	6.2	5.8	5.8	5.8	4.3	
4416291	3.492	4.050	C 2021	0012																	
86230000	4.057	5.707	R 1	1 45	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0		
822			2 2.2	17400	RIDE	8.3	7.7	8.1	8.1	7.9	7.9	7.4	7.8	7.0	7.2			7.0	7.1		
HOLLYWOOD LINCOLN MERCUR(4.2R)				FC125																	
2279381	4.057	5.639	C 2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	
PAVEX CORPORATION			(2007)	SPRIDE		7.1	6.9	7.1	7.0	6.8	6.8	6.8	6.2	5.9	6.0	5.7	5.7	5.7	5.7	5.1	
86230000	5.707	5.792	R 1	6 35	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			8.5	8.5		
822			2 2.2	17400	RIDE																
HOLLYWOOD CITY LIMITS(5.8C)				FC125																	
(2016)					CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
					RIDE																
86230000	5.707	5.792	L 1	6 35	CRACKING	10.0	10.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0	7.0			8.5	8.5		
822			2 2.2	17400	RIDE																
HOLLYWOOD CITY LIMITS(5.8C)				FC125																	
(2016)					CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
					RIDE																
86230000	4.057	5.707	L 1	1 45	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0		
822			2 2.2	17400	RIDE	8.3	7.7	8.1	8.1	7.9	7.9	7.4	7.8	7.0	7.2			7.3	7.4		
SE 2 AVE(4.2L)				FC125																	
2279381	4.057	5.639	C 2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3	
PAVEX CORPORATION			(2007)	SPRIDE		7.5	7.3	7.3	7.3	7.1	6.9	7.1	6.7	6.8	6.6	6.6	6.6	6.6	6.4	6.1	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS	=====	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)																									
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																			
CONTRACTOR (AGE_ONE YEAR)								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																			(REG)
86230000	3.555	4.057	L	1	1	40	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
822			2	2.9	27500		RIDE	7.4	8.0	8.6	8.3	7.6	7.6	7.6	6.1	7.0	6.9	6.5	7.1	7.4					
CR 5A(3.6C)					FC2																				
2279471	3.067	4.084	C	1995	0220		CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.0	6.5	6.5	6.5	3.5*	3.5*	3.5*	3.5				
WEEKLEY ASPHALT PAVING, IN(1997)					S		RIDE	7.2	7.0	6.9	6.4	7.0	6.9	6.7	6.8	6.4	6.0	6.4	6.5	6.3	5.8				
4416291	3.492	4.050	C	2021	0012																				
86230000	3.021	3.555	L	1	1	40	CRACKING	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	10.0	9.0					
822			3	5.0	44500		RIDE	6.6	8.5	8.6	8.2	7.9	8.1	8.0	7.9	7.3	7.4	7.0	7.1	7.2					
OAKWOOD BLVD(3.0L)					DGFC																				
2279471	3.067	4.084	C	1995	0220		CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4				
WEEKLEY ASPHALT PAVING, IN(1997)					S		RIDE	7.5	7.6	7.3	7.5	7.5	7.4	7.5	7.4	7.5	7.3	7.1	7.1	6.9	6.8				
86230000	2.524	3.021	L	1	1	35	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0					
822			3	7.1	46500		RIDE		7.4	8.0	8.0	8.1	8.1	5.6	8.0	7.1	7.0	7.1	6.4	6.9					
N 29 AVE(2.7C)					FC125																				
4246741	2.524	3.015	C	2013	0012		CRACKING	7.5	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
RANGER CONSTRUCTION INDUST(2016)					SPRIDE			7.1	7.0	6.9	6.6	6.2	6.4	6.1	7.5	7.3	7.0	7.2	7.1	7.2	6.8				
86230000	0.000	2.524	L	1	1	40	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*					
822			3	2.1	44000		RIDE	8.4	8.3	8.2	8.0	7.9	7.8	7.6	7.7	7.0	7.1	6.8	6.8	6.8					
HOLLYWOOD CITY LIMITS(0.0C)					FC95																				
4168831	0.022	2.679	C	2010	0012		CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
GENERAL ASPHALT CO., INC. (2012)					SPRIDE			6.7	6.8	6.7	8.1	8.0	8.0	8.1	7.7	7.8	7.7	7.6	7.6	7.4	7.1				
86470000	0.000	0.749	R	5	1	65	CRACKING	10.0	9.0	7.5	7.5	7.5	7.5	7.5	7.5	6.5	7.5	7.5	6.5	4.5*					
91	3.3	4.1	3	9.1	138600		RIDE	7.8	8.1	8.4	8.6	7.8	8.7	8.6	8.6	6.5	7.9	7.9	7.6	7.5	4.5*				
HEFT(0.4R)					OGFC																				
					(2016)		CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	9.0	8.8				
					RIDE			7.3	7.2	7.8	7.9	7.8	7.8		8.1	8.2	8.2	8.1	8.0	8.1	8.0				
4462231	0.000	3.500	C	2024	0548																				
86470000	0.749	2.590	R	5	1	65	CRACKING	9.0	7.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	8.5	8.5					
91	48.2	50.0	3	9.1	138600		RIDE	7.7	7.4	7.6	8.5	8.4		8.7	8.7	8.1	8.0	8.0	7.9	7.8					
					FC5M																				
4060958	0.749	2.590	C	2011	0226		CRACKING	7.0	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	4.8				
COMMUNITY ASPHALT CORP. (2012)					SPRIDE			7.7	7.6	7.6	7.7	7.9	7.8	7.8	8.0	7.9	7.9	7.8	7.6	7.9	7.8				
4462231	0.000	3.500	C	2024	0548																				
86470000	2.590	3.163	R	5	1	65	CRACKING	8.5	7.0	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5					
91	50.0	50.6	3	9.1	138600		RIDE	7.6	7.7	7.8	8.5	8.4		8.7	8.7	8.1	8.0	8.0	7.9	7.8					
					FC5M																				
					(2012)		CRACKING	7.0	6.5	4.5*	10.0	10.0	10.0	9.0	10.0	10.0	10.0	9.0	9.0	9.0	8.6				
					RIDE			7.7	7.6	7.6	7.4	7.5	7.8	8.1	8.2	8.1	8.1	8.0	7.9	7.9	7.9	8.6			
4462231	0.000	3.500	C	2024	0548																				
86470000	3.163	6.924	R	5	1	65	CRACKING	8.5	7.0	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5					
91	50.6	54.4	3	9.1	146900		RIDE	7.6	7.7	7.8	8.5	8.4		8.7	8.7	8.1	8.0	8.0	7.9	7.8					
					FC5M																				
4060958	3.163	6.924	R	2011	0226		CRACKING	7.0	6.5	4.5*		10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	3.8				
COMMUNITY ASPHALT CORP. (2013)					SPRIDE			7.7	7.6	7.6		8.0	7.9	7.6	8.1	8.0	8.0	7.9	7.9	8.0	8.0				
4379901	0.000	6.960	C	2022	0012																				
86470000	6.924	9.342	R	5	1	65	CRACKING	8.5	7.0	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	8.5	8.5					
91	54.4	56.8	4	10.3	147000		RIDE	7.6	7.7	7.8	8.5	8.4		8.7	8.7	8.1	8.0	8.0	7.9	7.8					
					FC5M																				
					(2016)		CRACKING	7.0	6.5	4.5*					10.0	10.0	10.0	10.0	10.0	10.0	10.0				
					RIDE			7.7	7.6	7.6					8.4	8.4	8.4	8.3	8.3	8.3	8.2				
86470000	9.342	10.985	R	5	1	65	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0					
91	56.8	58.4	4	10.3	145500		RIDE	7.6	7.5	7.7	8.7	8.7	8.5	8.5	8.5	7.7	7.7	7.7	7.7	7.6					
					FC5																				
4060944	9.500	12.530	R	2009	0213		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5				
COMMUNITY ASPHALT CORP. (2012)					SPRIDE					7.9	8.1	8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.8	8.1	7.9				
4420611	10.094	18.125	C	2023	0012																				
86470000	10.985	11.911	R	5	7	65	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0					
91	58.4	59.3	4	10.3	145500		RIDE	7.6	7.5	7.7	8.7	8.7	8.5	8.5	8.5	7.7	7.7	7.7	7.7	7.6					
					FC5M																				
					(2021)		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0					
					RIDE					7.9	8.1	8.0	8.0	8.0	8.0	8.0	8.0	7.9	7.8						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT	AT (MP)	SIDE					=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-M	P																			
CONTRACTOR	(AGE_ONE	YEAR)						2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021					2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																		(REG)	
86470000	11.911	12.484	R	5	1	65	CRACKING	10.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0					
91	59.3	59.9	4	10.3	140900	RIDE		7.9	8.0	7.9	8.2	8.5	8.4	8.4	8.4	7.7	7.7	7.7	7.7	7.7					7.6
4060944	9.500	12.530	R	2009	0213	CRACKING					10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0					8.5
COMMUNITY	ASPHALT	CORP.		(2012)		SPRIDE					7.9	8.1	8.0	8.0	8.0	8.0	8.0	7.9	7.8	7.9					7.8
4420611	10.094	18.125	C	2023	0012																				
86470000	12.484	16.730	R	5	1	65	CRACKING	10.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0					
91	59.9	64.2	4	10.3	140900	RIDE		7.9	8.0	7.9	8.2	8.5	8.4	8.4	8.4	7.7	7.7	7.7	7.7	7.7					7.6
4060974	12.484	18.934	R	2010	0213	CRACKING							10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0					7.9
RUSSELL ENGINEERING, INC				(2014)		SPRIDE							7.9	7.8	7.8	7.8	7.8	7.7	7.9	8.1					8.0
4420611	10.094	18.125	C	2023	0012																				
86470000	16.730	17.480	R	5	8	65	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	4.5*	3.5*	3.5*					
91	64.2	64.9	4	10.3	123300	RIDE		8.3	8.3	8.5	8.3	8.2	8.2	8.2	8.1	7.1	6.9	7.4	7.0	7.2					
4060974	12.484	18.934	R	2010	0213	CRACKING							10.0	10.0	10.0	10.0	9.0	9.0	9.0						
RUSSELL ENGINEERING, INC				(2014)		SPRIDE		3.5*					7.9	7.8	7.8	7.8	7.8	7.7	7.9						
4420611	10.094	18.125	C	2023	0012			7.2																	
86470000	17.480	18.934	R	5	1	65	CRACKING	10.0	10.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*					
91	64.9	66.4	4	10.3	123300	RIDE		7.7	7.6	7.6	8.3	8.2	8.2	8.1	8.1	7.6	6.9	7.4	7.0	7.2					
4060974	12.484	18.934	R	2010	0213	CRACKING							10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0					7.9
RUSSELL ENGINEERING, INC				(2014)		SPRIDE		7.2					7.9	7.8	7.8	7.8	7.8	7.7	7.9	8.1					8.0
4460241	18.125	23.811	C	2023	0012																				
86470000	18.934	25.912	R	5	2	65	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5					
91	66.4	73.3	3	10.3	95600	RIDE		8.3	8.4	8.5	8.5	8.5	8.5	8.4	8.4	8.0	6.5	7.9	6.5	7.8					6.5
4061505	18.660	25.912	R	2012	0226	CRACKING		6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					10.0
COMMUNITY	ASPHALT	CORP.		(2014)		SPRIDE		7.7	7.7	7.6	7.6		8.2	8.2	8.3	8.3	8.3	8.2	8.1	8.2					8.1
4460241	18.125	23.811	C	2023	0012																				
86470000	18.774	25.912	L	5	2	65	CRACKING	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*					
91	66.2	73.3	3	10.3	95600	RIDE		8.1	8.0	8.1	8.3	8.2	8.2	8.2	8.2	7.6	7.4	7.4	7.3	7.3					
4061505	18.960	25.912	L	2012	0226	CRACKING		6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	10.0	10.0	7.5	6.5	6.5					3.8
COMMUNITY	ASPHALT	CORP.		(2014)		SPRIDE		7.2	7.2	7.2	7.1		8.1	8.2	8.2	8.2	8.2	8.1	8.0	8.1					8.0
4460241	18.125	23.811	C	2023	0012																				
86470000	17.526	18.774	L	5	8	65	CRACKING	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*					
91	65.0	66.2	4	10.3	123300	RIDE		7.9	7.7	7.6	8.3	8.1	8.2	8.1	8.1	7.6	7.6	7.4	7.4	7.1					
4460241	18.125	23.811	C	2023	0012																				
86470000	12.660	17.526	L	5	2	65	CRACKING	8.5	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0					
91	60.1	65.0	4	10.3	140900	RIDE		7.9	7.8	7.7	8.5	8.4	8.4	8.4	8.3	7.9	7.9	7.8	7.9	7.6					7.6
4420611	10.094	18.125	C	2023	0012																				
86470000	11.952	12.660	L	5	1	65	CRACKING	8.5	7.0	7.0	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0					
91	59.4	60.1	4	10.3	140900	RIDE		7.9	7.8	7.7	8.5	8.4	8.4	8.4	8.3	7.9	7.9	7.8	7.9	7.6					7.6
4420611	10.094	18.125	C	2023	0012																				
86470000	10.950	11.952	L	5	7	65	CRACKING	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0					
91	58.4	59.4	4	10.3	145500	RIDE		7.7	7.6	8.0	8.7	8.6	8.6	8.5	8.5	7.9	7.9	7.8	7.9	7.6					
4420611	10.094	18.125	C	2023	0012																				
86470000	9.901	10.950	L	5	1	65	CRACKING	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0					
91	57.3	58.4	4	10.3	145500	RIDE		7.7	7.6	8.0	8.7	8.6	8.6	8.5	8.5	7.9	7.9	7.8	7.9	7.6					
4420611	10.094	18.125	C	2023	0012																				
86470000	10.950	11.952	L	5	7	65	CRACKING	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0					
91	58.4	59.4	4	10.3	145500	RIDE		7.7	7.6	8.0	8.7	8.6	8.6	8.5	8.5	7.9	7.9	7.8	7.9	7.6					
4420611	10.094	18.125	C	2023	0012																				
86470000	9.901	10.950	L	5	1	65	CRACKING	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0					
91	57.3	58.4	4	10.3	145500	RIDE		7.7	7.6	8.0	8.7	8.6	8.6	8.5	8.5	7.9	7.9	7.8	7.9	7.6					
4420611	10.094	18.125	C	2023	0012																				
86470000	10.950	11.952	L	5	7	65	CRACKING	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0					
91	58.4	59.4	4	10.3	145500	RIDE		7.7	7.6	8.0	8.7	8.6	8.6	8.5	8.5	7.9	7.9	7.8	7.9	7.6					
4420611	10.094	18.125	C	2023	0012																				
86470000	9.901	10.950	L	5	1	65	CRACKING	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	3.5*	10.0	10.0	10.0	10.0	10.0					

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR															
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE		
INTERSECT	AT (MP)	SIDE					=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																		
CONTRACTOR	(AGE_ONE	YEAR)			ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)		
86470000	6.899	9.901	L	5	1	65	CRACKING	9.0	7.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0			
91	54.3	57.3	4	10.3	147000		RIDE	7.6	7.7	7.5	8.3	8.1		8.8	8.8	8.2	8.1	8.1	8.0	7.9			
					FC5M																		
				(2015)			CRACKING			10.0				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
							RIDE			8.1				8.3	8.4	8.3	8.3	8.3	8.3	8.4	8.4		
86470000	5.711	6.899	L	5	1	65	CRACKING	9.0	7.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0			
91	53.1	54.3	4	9.1	146900		RIDE	7.6	7.7	7.5	8.3	8.1		8.8	8.8	8.2	8.1	8.1	8.0	7.9			
					FC5																		
				(2015)			CRACKING			10.0				10.0	10.0	10.0	9.0	9.0	7.5	7.5	5.1		
							RIDE			8.1				8.0	7.9	7.8	7.8	7.8	7.7	7.9	7.6		
4379901	0.000	6.960	C	2022	0012																		
86470000	3.375	5.711	L	5	2	65	CRACKING	8.5	7.5	7.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0			
91	50.8	53.1	3	9.1	146900		RIDE	7.7	7.8	7.7	8.4	8.4		8.8	8.8	8.2	8.1	8.1	8.0	7.9			
					FC5M																		
4060958	3.163	5.711	L	2011	0226		CRACKING	7.0	6.5	4.5*		10.0	10.0	10.0	9.0	9.0	9.0	6.5	4.5*	3.5*	0.5		
COMMUNITY ASPHALT				(2013)			SPRIDE	7.7	7.7	7.6		8.2	8.2	8.2	8.3	8.2	8.2	8.1	7.9	8.2	8.0		
4379901	0.000	6.960	C	2022	0012																		
86470000	2.590	3.375	L	5	1	65	CRACKING	8.5	7.5	7.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0			
91	50.0	50.8	4	9.1	146900		RIDE	7.7	7.8	7.7	8.4	8.4		8.8	8.8	8.2	8.1	8.1	8.0	7.9			
					FC5M																		
				(2016)			CRACKING	7.0	6.5	4.5*					10.0	10.0	10.0	9.0	7.5	7.5	4.5		
							RIDE	7.7	7.7	7.6					8.1	8.1	8.0	7.9	7.9	8.0	7.7		
4462231	0.000	3.500	C	2024	0548																		
86470000	0.749	2.590	L	5	1	65	CRACKING	8.5	7.5	7.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0			
91	48.2	50.0	3	9.1	138600		RIDE	7.7	7.8	7.7	8.4	8.4		8.8	8.8	8.2	8.1	8.1	8.0	7.9			
					FC5M																		
4060958	0.749	2.590	C	2011	0226		CRACKING	7.0	6.5	4.5*		10.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	6.5	4.2		
COMMUNITY ASPHALT				(2013)			SPRIDE	7.7	7.7	7.6		8.2	8.2	8.1	8.2	8.1	8.0	7.9	7.9	8.0	7.7		
4462231	0.000	3.500	C	2024	0548																		
86470000	0.000	0.749	L	5	1	65	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	4.5*			
91	3.3	4.1	3	9.1	138600		RIDE	7.8	8.3	7.7	8.6	8.7	8.7	8.6	8.6	7.9	7.8	7.8	7.7	7.6			
					FC5M																		
HEFT(0.3L)																							
4232011	0.000	0.763	C	2009	0012		CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
PAVEX CORPORATION				(2011)			SPRIDE	7.6	7.4	8.1	8.0	8.2	8.2	8.1	8.2	8.2	8.2	8.2	8.2	8.3	8.3		
4462231	0.000	3.500	C	2024	0548																		
86471000	0.000	4.200	R	5	8	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5			
821	40.2	44.3	2	6.8	80300		RIDE	8.7	8.6	8.8	8.8	8.7	8.7	8.7	8.6	8.3	8.2	8.2	8.1	8.2			
					FC5M																		
				(2011)			CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5				
							RIDE	7.9	8.1	8.1	8.2	8.4	8.3	8.3	8.5	8.5	8.5	8.4	8.3				
86471000	4.200	6.537	R	5	8	70	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	6.5	6.5	6.5		10.0	10.0	10.0			
821	44.3	46.7	2	6.8	80300		RIDE	8.4	8.3	8.3	8.4	8.3	8.1	7.9	7.8	7.8		8.0	8.1	8.1			
					FC5																		
4136711	4.215	6.500	C	2004	0012		CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0					
COMMUNITY ASPHALT				(2006)			SPRIDE	8.1	8.1	7.9	8.1	8.1	8.1	8.1	8.2	8.1	8.1	8.0					
86471000	6.537	7.149	R	5	1	70	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
821	46.7	47.3	2	6.8	59200		RIDE	8.1	8.0	8.2	8.1	7.8	7.8	7.7	7.7	7.3	7.5	7.0	6.7	6.8			
					OGFC																		
				(2013)			CRACKING	10.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
							RIDE	6.9	7.0	7.1		7.8	7.6	7.8	7.6	7.6	7.6	7.5	7.4	7.4	7.2		
86471000	7.149	7.706	R	5	1	50	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
821	47.3	47.9	1	6.8	59200		RIDE	8.1	8.0	8.2	8.1	7.8	7.8	7.7	7.7	7.3	7.5	7.0	6.7	6.8			
					FC2																		
				(2016)			CRACKING	10.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
							RIDE	6.9	7.0	7.1		7.4	7.2	7.0	7.8	7.7	7.9	7.6	7.3	7.4	6.9		
86471000	7.207	7.706	L	5	1	50	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
821	47.4	47.9	2	6.8	59200		RIDE		8.1	8.5	7.9	7.8	7.9	8.3	7.9	6.7	7.7	7.1	6.9	7.2			
					FC2																		
				(2013)			CRACKING	10.0	7.5	7.0		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.3		
							RIDE	7.2	7.2	7.4		8.0	7.8	8.0	7.7	7.9	7.5	7.8	7.4	7.6	7.2		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																							
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE	
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008			
INTERSECT AT (MP SIDE)							=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																		
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																		
86471000	6.537	7.207	L	5	8 70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
821	46.7	47.4	2	6.8	59200	RIDE		7.9	8.1	8.5	7.9	7.8	7.9	8.3	7.9	6.7	7.7	7.1	6.9	7.2			
					OGFC																		
				(2013)		CRACKING		10.0	7.5	7.0		10.0	10.0	10.0	10.0	10.0	9.0	9.0					
						RIDE		7.2	7.2	7.4		7.2	7.2	7.3	7.6	7.4	7.8	7.2					
86471000	4.200	6.537	L	5	8 70	CRACKING		9.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5		10.0	10.0	10.0			
821	44.3	46.7	2	6.8	80300	RIDE		8.3	8.5	8.6	8.6	8.5	8.5	8.5	8.2	7.7		8.0	8.1	8.1			
					FC5																		
4136711	4.215	6.500	C	2004	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5					
COMMUNITY ASPHALT CORP.				(2006)	SPRIDE			8.2	8.1	8.2	8.1	8.1	8.1	8.1	8.3	8.3	8.2	8.1					
86471000	0.000	4.200	L	5	8 70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5			
821	40.2	44.3	2	6.8	80300	RIDE		8.3	8.6	8.7	8.9	8.8	8.8	8.8	8.8	8.5	8.5	8.3	8.4	8.3			
					FC5M																		
				(2012)		CRACKING		8.5	8.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0				
						RIDE		8.4	8.3		8.4	8.4	8.3	8.4	8.6	8.5	8.5	8.4	8.4				
86472000	0.000	1.774	R	5	1 65	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	7.0	9.0			10.0	10.0	10.0			
869	0.0	1.8	3	6.0	120500	RIDE		7.9	7.6	7.2	7.7	7.5	7.7	7.7	8.2			7.4	7.3	7.3			
					FC5M																		
BEGIN SECTION(0.0C)																							
2323521	0.000	8.173	C	2002	0218	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
BERGERON LAND DEVELOPMENT, (2006)					SPRIDE			7.4	7.3	7.3	7.2	7.2	7.3	8.1	8.3	8.3	8.2	8.2	8.3	8.3	8.3		
4371551	0.500	4.100	C	2025	0213																		
86472000	1.774	2.187	R	5	1 65	CRACKING		9.0	9.0	7.5		7.0	7.0	6.5	6.5			10.0	10.0	10.0			
869	1.8	2.2	3	6.0	107400	RIDE		8.0	7.8	7.9		8.2	8.2	8.3	7.7			7.4	7.3	7.3			
					FC5																		
				(2010)		CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
4371551	0.500	4.100	C	2025	0213				7.7	7.5	7.6	7.6	7.6	7.5	7.6	7.6	7.3	7.5	7.6	7.6	7.5		
86472000	2.187	8.174	R	5	1 65	CRACKING		9.0	9.0	6.5	10.0	10.0	10.0	10.0	10.0			10.0	10.0	10.0			
869	2.2	8.2	3	6.0	95200	RIDE		7.6	7.3	7.4	8.6	8.5	8.6	8.6	8.5			7.9	7.9	7.9			
					FC5M																		
4310893	2.852	8.174	C	2013	0012	CRACKING		10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3		
THE DE MOYA GROUP INC.				(2015)	SPRIDE			8.0	8.1	7.9	7.9	7.9	7.8	8.4	8.1	8.1	8.0	8.0	8.0	8.2	7.9		
86472000	8.174	14.000	R	5	1 65	CRACKING		9.0	9.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0				
869	8.2	14.0	3	6.0	71800	RIDE		7.6	7.3	7.4	7.8	7.7	8.7	8.7	8.6	8.0	8.0	8.0	8.0				
					FC5M																		
4061471	8.000	14.000	C	2006	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2		
4354611	9.000	12.000@	C	2024	0213	RIDE		7.9	8.0	7.9	8.0	8.0	7.9	8.0	8.2	8.2	8.0	8.1	8.0	8.2	8.2		
86472000	14.000	19.665	R	5	1 65	CRACKING		9.0	9.0	7.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0					
869	14.0	19.7	3	6.0	94300	RIDE		7.5	7.4	7.7	8.2	8.2	8.7	8.7	8.6	8.0	8.0	8.0	8.0				
					FC5																		
4061531	14.000	21.800	C	2005	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3		
4354615	14.800	18.400@	C	2026	0213	RIDE		8.1	8.1	8.0	8.1	8.1	8.1	8.2	8.4	8.4	8.1	8.3	8.3	8.4	8.4		
86472000	19.665	21.835	R	5	1 65	CRACKING		9.0	9.0	9.0	9.0	9.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0				
869	19.7	21.8	3	6.0	43400	RIDE		7.3	7.3	7.6	8.1	8.1	8.3	8.3	8.0	7.7	7.5	7.5	7.3				
					FC5																		
4061531	14.000	21.800	C	2005	0213	CRACKING			10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	3.9		
4420621	19.705	21.809	C	2024	0012	RIDE		7.4	7.5	7.5	7.5	7.5	7.5	7.5	7.4	7.3	7.3	7.3	7.1	7.2	7.1		
86472000	21.248	21.835	L	5	1 45	CRACKING		9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
869	21.2	21.8	3	6.0	43400	RIDE		8.1	7.9	7.7	8.5	7.9	8.1	8.4	8.3	7.5	7.5	7.5	7.6				
					FC3																		
C/L OF POWERLINE RD(21.8C)																							
4061531	14.000	21.800	C	2005	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2			
4398911	21.235	21.835	L	2025	0213	RIDE		7.3	7.3	7.2	7.3	7.3	7.2	7.2	7.1	7.3	7.1	7.0	6.9	6.6	6.6		
86472000	19.665	21.248	L	5	1 65	CRACKING		9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0					
869	19.7	21.2	2	6.0	94000	RIDE		8.1	7.9	7.7	8.5	7.9	8.1	8.4	8.3	7.5	7.5	7.5					
					FC5																		
4061531	14.000	21.800	C	2005	0213	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
4420621	19.705	21.809	C	2024	0012	RIDE				7.8	7.8	7.8	7.7	7.9	7.8	7.8	7.8	7.7	7.7	7.7	7.7		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 4 COUNTY = BROWARD																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)	
86472000	14.000	19.665	L	5	1	65	CRACKING	9.0	9.0	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0				
869	14.0	19.7	3	6.0	94300	RIDE		7.8	7.6	7.6	8.2	8.1	8.5	8.5	8.5	7.9	7.9	7.8				
					FC5																	
4061531	14.000	21.800	C	2005	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2	
				(2009)		RIDE		8.0	8.0	7.9	8.0	8.0	8.0	8.1	8.3	8.3	8.3	8.2	8.2	8.4	8.4	
4354615	14.800	18.400@	C	2026	0213																	
86472000	8.174	14.000	L	5	1	65	CRACKING	9.0	9.0	7.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0			
869	8.2	14.0	3	6.0	71800	RIDE		7.8	7.6	7.6	8.2	8.1	8.5	8.5	8.5	7.9	7.9	7.8	7.7			
					FC5M																	
4061471	8.000	14.000	C	2006	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	
				(2010)		RIDE		8.0	8.0	8.0	8.0	8.0	8.0	8.1	8.2	8.2	8.2	8.1	8.1	8.2	8.2	
4354611	9.000	12.000@	C	2024	0213																	
86472000	2.224	8.174	L	5	1	65	CRACKING	9.0	9.0	7.5	6.5	6.5	6.5	4.5*	3.5*			10.0	10.0	9.0		
869	2.2	8.2	3	6.0	95200	RIDE		7.8	7.6	7.6	8.2	8.1	8.1	8.1	8.0			7.6	7.6	7.6		
					FC5M																	
4310893	2.852	8.174	C	2013	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	6.5		10.0	10.0	10.0	10.0	10.0	9.0	8.8	
THE DE MOYA GROUP INC.				(2016)		SPRIDE		7.6	7.6	7.6	7.5	7.4	7.4		7.9	8.0	8.0	7.9	7.9	8.0	8.0	
86472000	1.609	2.224	L	5	1	65	CRACKING	9.0	9.0	6.5		7.0	7.0	7.0	7.0			10.0	10.0	10.0		
869	1.6	2.2	3	6.0	107400	RIDE		7.6	7.5	7.6		8.3	7.7	8.1	7.9			7.4	7.4	7.4		
					FC5																	
				(2010)		CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.3	
4371551	0.500	4.100	C	2025	0213	RIDE		7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.8	7.8	7.7	7.7	7.7	7.5	7.5	
86472000	0.000	1.609	L	5	1	65	CRACKING	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5			10.0	10.0	10.0		
869	0.0	1.6	3	6.0	120500	RIDE		8.1	8.1	7.7	8.4	8.2	8.2	8.1	8.0			7.4	7.4	7.4		
BEGIN SECTION(0.0C)					FC5M																	
4310891	0.570	1.505	L	2012	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST				(2015)		RIDE		7.6	7.5	7.2	7.1	7.1	7.1	8.5	8.3	8.3	8.4	8.3	8.3	8.5	8.4	
4371551	0.500	4.100	C	2025	0213																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).