

**FLORIDA DEPARTMENT OF TRANSPORTATION**  
**INTERSTATE SYSTEM PAVEMENT CONDITION FORECAST**  
**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**  
 SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 COUNTY = DADE																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT	AT (MP)	SIDE					=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																				
CONTRACTOR	(AGE_ONE	YEAR)		ASTYPE				2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)				
87004000	0.486	0.793	R	4	4	55	CRACKING	8.9	9.0	8.9	8.6	8.7	9.0	9.0	9.2	9.1	9.1	9.1	8.4	8.2					
112 I195	0.0	0.3	1	3.8	137000		RIDE	7.3	7.2	6.8	6.9	6.8	6.9	6.9	6.3*	6.2*	5.9*	5.9*	6.3*	6.0*					
					LGD																				
4055781	0.114	2.136	C	2010	0024		CRACKING	9.0	9.0	8.9	8.8		9.3	9.3	9.3	9.2	9.0	9.0	9.0	9.1	8.8				
CONDOTTE	AMERICA,	LLC		(2014)			RIDE	6.3*	5.6*	4.7*			7.4	7.7	8.1	8.2	8.1	8.1	8.2	7.8	7.8				
87004000	0.793	1.278	R	4	4	55	CRACKING	7.6	8.3	8.2	8.6	8.6	8.3	8.1	8.1	8.0	8.0	8.0	7.6	7.5					
112 I195	0.3	0.8	3	5.1	146000		RIDE	7.5	8.1	7.6	7.3	7.3	7.4	7.3	7.2	6.0*	6.1*	6.0*	6.2*	6.3*					
					LGD																				
4055781	0.114	2.136	C	2010	0024		CRACKING	7.5	7.5	8.1	8.0		9.3	9.2	9.1	9.0	9.2	9.1	9.0	9.2	9.0				
CONDOTTE	AMERICA,	LLC		(2014)			RIDE	5.9*	6.1*	5.8*	6.0*		7.7	7.5	8.1	8.4	8.2	8.2	7.9	7.8	7.8				
87004000	1.583	1.805	R	4	4	55	CRACKING	7.3	7.9	8.0	8.1	7.7	8.7	8.5	8.2	8.3	7.6	7.6	6.5	6.4*					
112 I195	1.1	1.3	3	3.4	128500		RIDE	7.2	6.9	6.8	7.3	7.1	6.7	6.4*	6.6	5.5*	4.9*	5.1*	6.3*	5.1*					
					LGD																				
4055781	0.114	2.136	C	2010	0024		CRACKING	8.2	8.2	8.3	8.0		9.4	9.0	8.9	8.9	9.1	9.1	9.0	9.2	9.0				
CONDOTTE	AMERICA,	LLC		(2014)			RIDE	6.1*	6.0*	5.9*	6.1*		7.6	7.0	7.8	7.8	7.6	7.9	8.0	8.2	8.2				
87004000	1.805	2.137	R	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5					
112 I195	1.3	1.7	3	3.4	128500		RIDE	8.7	8.3	8.5	8.1	7.8	7.7	7.9	7.4	6.9	6.6	7.0	6.7	7.1					
					FC5																				
4055784	1.805	4.910	C	2009	0012		CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0				
COMMUNITY	ASPHALT	CORP.		(2011)			SPRIDE	7.1	7.1	7.9	7.9	7.9	7.9	7.9	8.1	8.1	7.4	7.3	7.4	7.7	7.3				
4481752	1.805	4.665	R	2021	9924																				
87004000	2.545	4.387	R	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5					
112 I195	2.1	3.9	3	3.4	128500		RIDE	8.9	9.0	8.8	8.4	8.5	8.5	8.3	8.3	7.7	7.8	7.6	7.8	8.1					
					FC5																				
4055784	1.805	4.910	C	2009	0012		CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
COMMUNITY	ASPHALT	CORP.		(2011)			SPRIDE	7.7	7.7	7.9	7.9	7.9	7.9	7.9	8.1	8.1	8.2	8.2	8.3	8.3	8.3				
4481752	1.805	4.665	R	2021	9924																				
87004000	4.387	4.910	R	4	1	45	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	4.5*					
112 I195	3.9	4.4	2	3.4	128500		RIDE	8.8	8.5	8.5	8.5	8.4	8.6	8.4	8.2	7.4	7.7	7.3	7.6	7.4					
					FC5																				
4055784	1.805	4.910	C	2009	0012		CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
COMMUNITY	ASPHALT	CORP.		(2011)			SPRIDE	6.6	6.5	8.0	7.4	7.0	7.4	7.1	7.5	7.8	7.7	8.0	7.2	7.1	7.1				
4446221	1.898	4.904	C	2022	9924																				
87004000	2.545	4.910	L	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5					
112 I195	2.1	4.4	3	3.4	128500		RIDE	8.8	8.7	8.8	8.3	8.5	8.4	8.4	8.3	7.9	7.8	7.7	7.8	7.9					
					FC5																				
4055784	1.805	4.910	C	2009	0012		CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0				
COMMUNITY	ASPHALT	CORP.		(2011)			SPRIDE	7.8	7.8	7.9	8.1	8.2	8.1	8.1	8.3	8.3	8.0	8.3	8.3	8.4	8.4				
4446221	1.898	4.904	C	2022	9924																				
87004000	1.805	2.137	L	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.5	7.5	6.5	6.5					
112 I195	1.3	1.7	3	3.4	128500		RIDE	8.6	8.4	8.8	8.6	8.6	8.6	8.5	8.4	7.9	7.8	7.6	7.4	7.7					
					FC5																				
4055784	1.805	4.910	C	2009	0012		CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0				
COMMUNITY	ASPHALT	CORP.		(2011)			SPRIDE	7.6	7.6	7.9	8.1	8.2	8.1	8.1	8.3	8.3	8.3	8.3	8.3	8.5	8.5				
4446221	1.898	4.904	C	2022	9924																				
87004000	1.583	1.805	L	4	4	55	CRACKING	7.3	7.7	7.5	7.5	7.0	7.8	6.2*	7.3	7.0	5.9*	6.0*	5.1*	4.9*					
112 I195	1.1	1.3	3	3.4	128500		RIDE	7.9	7.4	7.2	6.6	6.2*	5.7*	5.7*	6.5	4.8*	5.6*	5.0*	5.6*	6.1*					
					LGD																				
4055781	0.114	2.136	C	2010	0024		CRACKING	6.3*	6.3*	6.9	6.7		9.1	8.9	8.7	8.6	9.0	8.9	8.1	8.7	8.2				
CONDOTTE	AMERICA,	LLC		(2014)			RIDE	5.7*	5.8*	5.4*	6.0*		7.7	7.7	8.2	8.1	8.1	8.1	8.1	8.1	8.1				
87004000	0.793	1.278	L	4	4	55	CRACKING	8.0	8.7	8.7	8.3	8.3	9.3	8.5	8.6	8.6	8.0	8.1	7.7	7.6					
112 I195	0.3	0.8	3	5.1	146000		RIDE	8.1	7.9	7.7	7.3	7.3	7.1	7.2	7.1	6.3*	6.2*	6.2*	5.7*	6.1*					
					LGD																				
4055781	0.114	2.136	C	2010	0024		CRACKING	8.1	7.9	7.7	7.6		9.2	9.2	9.1	9.1	9.3	9.2	9.2	8.8	8.8				
CONDOTTE	AMERICA,	LLC		(2014)			RIDE	6.0*	5.9*	5.9*	5.9*		7.9	8.2	8.2	8.4	8.4	8.2	8.4	8.4	8.4				
87004000	0.486	0.793	L	4	4	55	CRACKING	7.1	7.3	7.4	7.3	6.2*	8.8	8.3	8.3	8.3	7.9	8.1	7.8	7.6					
112 I195	0.0	0.3	2	3.8	137000		RIDE	6.7	6.7	6.8	6.9	6.9	6.8	7.0	6.6	6.1*	6.0*	5.8*	6.2*	6.4*					
					LGD																				
4055781	0.114	2.136	C	2010	0024		CRACKING	8.3	8.3				9.1	8.9	8.8	8.8	9.2	9.1	9.1	9.3	9.3				
CONDOTTE	AMERICA,	LLC		(2014)			RIDE	6.1*	6.2*				7												

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

**FLORIDA DEPARTMENT OF TRANSPORTATION**  
**INTERSTATE SYSTEM PAVEMENT CONDITION FORECAST**  
**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**  
 SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 COUNTY = DADE																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)
87075000	0.000	0.490	R	4	1 60	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
93 I75	0.0	0.5	2	5.5	145000	RIDE		8.2	8.4	7.9	9.1	9.1	8.7	8.5	7.9	7.3	7.8	7.7	7.7	7.9	
E END OF BR OVR 826( 0.0C)					FC5M																
2516301	0.000	5.458	C	1991	0210	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO				(1992)	S	RIDE		8.0	8.1	8.1	8.0	8.2	8.0	8.0	8.2	8.2	8.1	8.1	7.9	8.2	7.8
4459881	0.000	0.490	C	2024	0012																
87075000	0.490	5.455	R	4	1 70	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0	
93 I75	0.5	5.5	4	5.5	141000	RIDE		8.4	9.1	8.9	9.1	8.9	8.9	8.8	8.8	8.1	8.0	7.9	7.9	7.9	
BROWARD COUNTY LINE( 5.5C)					FC5M																
				(2020)		CRACKING		6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	10.0	10.0	
						RIDE		7.9	8.0	8.1	8.1	8.1	7.9	7.9	8.1	8.0	7.9	7.9	8.3	8.4	
87075000	0.490	5.455	L	4	1 70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	
93 I75	0.5	5.5	4	5.5	141000	RIDE		8.6	9.0	9.1	9.0	8.9	8.8	8.8	8.8	8.3	8.2	8.1	8.1	8.1	
BROWARD COUNTY LINE( 5.5C)					FC5M																
				(2020)		CRACKING		6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0	
						RIDE		8.1	7.9	8.0	7.9	7.9	7.9	7.9	8.0	8.0	7.9	7.7	8.3	8.5	
87075000	0.000	0.490	L	4	1 70	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
93 I75	0.0	0.5	3	5.5	145000	RIDE		8.2	8.2	8.4	8.2	8.2	7.9	8.0	7.7	8.2	7.9	7.6	7.7	8.1	
E END OF BR OVR 826( 0.0C)					FC5M																
2516301	0.000	5.458	C	1991	0210	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
GENERAL ASPHALT CO				(1993)	S	RIDE		7.7	8.0	8.1	7.9	8.0	7.8	7.8	7.9	6.6	6.9	6.8	5.7*	7.5	6.9
4459881	0.000	0.490	C	2024	0012																
87075901	0.000	5.773	C	4	1	CRACKING															
93 I75			1	11.0	5500	RIDE															
				(2021)		CRACKING															
						RIDE															10.0
																					8.4
87075902	0.000	5.744	C	4	1	CRACKING															
93 I75			1	11.0	5500	RIDE															
				(2021)		CRACKING															
						RIDE															10.0
																					8.4
87200000	11.893	12.055	R	4	4 55	CRACKING		7.7	9.1	9.5	7.5	7.5	8.6	7.4	7.3	7.2	6.9	6.5	5.5*	5.0*	
836 I395	0.1	0.3	2	2.7	144000	RIDE		7.9	7.9	8.6	8.3	8.2	7.5	8.2	7.6	7.8	7.0	7.5	7.2	7.7	
				(1992)	CONC																
						CRACKING		6.5	5.1*	4.8*	4.4*	4.8*	4.6*	5.2*	4.7*	5.3*	7.8	5.7*	5.5*	5.8*	3.8
						RIDE		7.0	7.0	6.4*	6.1*						7.2	7.4	7.4	7.4	6.8
87200000	12.823	12.936	R	4	6 55	CRACKING				7.1	6.8	6.8	8.3	7.8	7.9	7.3	7.5	7.2	5.4*	4.5*	
836 I395	1.1	1.2	2	2.7	144000	RIDE						6.7	6.0*	6.0*							
				(1992)	CONC																
2516883	12.621	13.048	R	2013	0213	CRACKING		3.5*	3.4*	4.3*	4.8*	6.8			8.9	7.0	8.2	7.6	7.5	7.4	6.4
ODEBRECHT CONSTRUCTION, IN(2016)						RIDE															
87200000	12.936	13.048	R	4	6 55	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	
836 I395	1.2	1.3	3	2.7	144000	RIDE				7.9	7.1	6.1*	7.3	6.0*	6.1*						
BEG SEC 060(13.0C)					CONC																
2516883	12.621	13.048	R	2013	0213	CRACKING		6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
ODEBRECHT CONSTRUCTION, IN(2015)						SPRIDE															
87200000	12.936	13.048	L	4	6 45	CRACKING				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5	
836 I395	1.2	1.3	2	2.7	144000	RIDE				7.7	6.6	6.9	7.6	7.7	7.0						
BEG SEC 060(13.0C)					CONC																
2516883	12.755	13.048	L	2013	0213	CRACKING		6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
				(2015)		RIDE															
87200000	12.823	12.936	L	4	6 45	CRACKING				8.6	8.6	8.5	8.4	7.9	8.5	8.1	8.1	7.7	6.3*	5.5*	
836 I395	1.1	1.2	2	2.7	144000	RIDE						5.5*	5.1*	5.9*							
				(1998)	CONC																
						CRACKING		7.3	8.5	8.6	8.7	7.4			8.3	7.8	8.7	8.6	8.4	7.7	7.7
						RIDE															

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

**FLORIDA DEPARTMENT OF TRANSPORTATION**  
**INTERSTATE SYSTEM PAVEMENT CONDITION FORECAST**  
**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**  
 SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 COUNTY = DADE																									
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																	FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT		RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-M	P	=====																		
ITMSEG-P	(AGE_ONE YEAR)				ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-M	F																		(REG)	
87270000	0.000	0.145	C	4	4	40	CRACKING	8.7	8.0	8.7	7.6	7.9	6.9	8.5	8.2	8.2	8.6	8.4	8.1	8.0					
5 I95	0.0	0.1	2	2.9	34500		RIDE	7.3	7.2	7.3	7.2	7.2	7.6	7.4	7.4	6.7	6.2	6.3	6.4	7.0					
BRICKELL AVE NB(		0.0R)			LGD																				
2516621	0.070	13.440	C	1999	0217		CRACKING	9.3	9.2	9.0	9.1	8.8	8.8	8.8	8.8	8.7	9.3	9.0	9.0	9.0				9.0	
GILBERT SOUTHERN		CORP		(2002)			RIDE	8.0	7.8	7.9	8.2	8.3	8.3	8.3	8.4	8.4	8.3	8.3	8.2	8.3				8.3	
4439421	0.000	1.547	C	2023	0227																				
87270000	0.145	0.975	R	4	4	40	CRACKING	8.3	8.0	8.1	7.6	7.9	6.9	8.5	8.2	8.2	8.5	8.4	8.1	8.0					
5 I95	0.1	1.0	3	2.9	66500		RIDE	7.5	7.2	7.5	7.2	7.2	7.6	7.4	7.4	6.7	6.7	6.3	6.4	7.0					
BRICKELL AVE SB(		0.1R)			LGD																				
2516621	0.070	13.440	C	1999	0217		CRACKING	9.3	9.1	9.0	8.9	8.8	8.8	8.8	8.7	8.7	9.0	8.8	8.8	8.6	8.6			8.6	
GILBERT SOUTHERN		CORP		(2002)			RIDE	8.0	8.2	7.9	8.2	8.3	8.3	8.3	8.5	8.4	8.4	8.3	8.5	8.4	8.4			8.4	
4439421	0.000	1.547	C	2023	0227																				
87270000	0.975	1.494	R	4	4	55	CRACKING	8.3	8.0	8.1	7.6	7.9	9.4	8.1	8.1	7.8	8.0	7.9	7.2	7.0					
5 I95	1.0	1.5	3	2.9	66500		RIDE	7.5	7.2	7.5	7.2	7.2	6.4*	6.4*	6.1*	4.7*	4.7*	4.7*	4.6*	5.1*					
					LGD																				
2516623	0.000	2.900	C	2007	0217		CRACKING	9.3	8.0	8.2	8.3	8.3	8.3	8.2	8.2	8.2	8.6	8.2	8.2	8.3	8.1				
KIEWIT INFRASTRUCTURE SOUT(2009)							RIDE	8.2	8.1	8.4	8.4	8.4	8.4	8.2	8.5	8.4	8.4	8.4	8.4	8.4	8.4			8.4	
4439421	0.000	1.547	C	2023	0227																				
87270000	2.671	3.086	R	4	4	55	CRACKING	9.2	9.2	9.3	8.8	8.9	8.9	9.0	9.0	9.0	9.3	9.2	9.2	9.1					
9A I95	2.7	3.1	3	3.7	174500		RIDE	7.9	7.8	7.7	7.2	7.2	8.2	7.8	7.0	7.2	7.6	6.8	7.0	6.9					
2515111	0.000	5.000	C	1983	9917		CRACKING	9.0	9.1	9.1	8.5	8.1	7.7	7.7	7.7	7.8	9.1	8.9	8.9	8.9	8.6			8.4	
				(1983)			RIDE	7.5	7.7	7.7	7.4	7.0	7.5	6.9	7.8	7.9	8.6	8.6	8.6	8.6	8.6			7.6	
4293002	2.671	4.253	C	2017	0217																				
87270000	3.420	4.259	R	4	8	55	CRACKING	9.2	9.2	9.3	8.8	8.9	8.9	9.0	9.0	9.0	9.3	9.2	9.2	9.1					
9A I95	3.4	4.3	3	3.7	201000		RIDE	7.9	7.8	7.7	7.2	7.2	8.2	7.8	7.0	7.2	7.6	6.8	7.0	6.9					
SIDE ROAD(		4.0C)			LGD																				
2515111	0.000	5.000	C	1983	9917		CRACKING	9.0	9.1	9.1	8.5	8.1	7.7	7.7	7.7	7.8	8.1	7.3	7.3						
				(1983)			RIDE	7.5	7.7	7.7	7.4	7.0	7.5	6.9	7.8	7.9	8.1	8.1	7.9						
4293002	2.671	4.253	C	2017	0217																				
87270000	4.259	5.455	R	4	7	55	CRACKING	9.2	9.2	9.3	8.8	8.9	8.9	9.0	9.0	9.0	9.3	9.2	9.2	9.1					
9A I95	4.3	5.5	4	3.7	201000		RIDE	7.9	7.8	7.7	7.2	7.2	8.2	7.8	7.0	7.2	7.6	6.8	7.0	6.9					
					LGD																				
4293003	4.261	5.171	R	2017	0217		CRACKING	9.0	9.1	9.1	8.5	8.1	7.7	7.7	7.7	7.8	8.1	7.3	7.3	9.8					
				(2021)			RIDE	7.5	7.7	7.7	7.4	7.0	7.5	6.9	7.8	7.9	8.1	8.1	7.9	8.1					
87270000	5.455	6.707	R	4	7	60	CRACKING	8.9	8.8	8.8	8.6	8.6	8.6	8.4	8.5	8.5	9.2	8.9	8.7	8.7					
9A I95	5.5	6.7	4	3.7	187500		RIDE	6.9	6.7	6.5	6.1*	6.6	8.5	8.1	7.6	7.9	7.5	7.4	7.2	7.0					
SIDE ROAD(		5.6C)			LGD																				
4293003	5.171	10.511	R	2017	0217		CRACKING	8.9	8.5	8.4	8.1	7.8	7.7	7.3	6.8	7.3	7.7	7.3		10.0					
				(2021)			RIDE	7.5	7.3	7.0	7.1	7.3	6.9	7.1	7.6	7.9	7.7	7.8		7.7					
87270000	7.039	8.792	R	4	4	60	CRACKING	9.0	8.9	8.9	8.4	8.5	8.5	8.8	8.8	8.8	9.2	8.9	8.8	8.7					
9A I95	7.0	8.8	4	3.7	217000		RIDE	7.7	7.5	7.5	7.0	7.1	8.8	8.8	8.8	8.7	8.0	7.8	6.8	8.1					
					LGD																				
4293003	5.171	10.511	R	2017	0217		CRACKING	8.1	7.7	7.9	7.7	6.5	5.6*	5.2*		9.3	9.2	8.9	9.0	9.0	8.5				
				(2017)			RIDE	7.6	7.7	7.2	7.4	7.7	7.4	7.5		8.3	8.2	8.1	8.0	8.4	8.2				
87270000	8.792	10.170	R	4	4	60	CRACKING	8.6	8.5	8.8	8.4	8.4	8.0	8.1	8.3	9.1	8.9	8.4	8.2	8.1					
9A I95	8.8	10.2	4	3.7	267000		RIDE	7.0	6.9	7.1	6.7	6.8	8.7	8.8	8.6	8.1	8.1	7.8	7.2	7.8					
					LGD																				
4293003	5.171	10.511	R	2017	0217		CRACKING	8.0	7.5	7.3	7.2	6.3*	5.4*	4.8*		9.3	9.3	9.1	9.0	8.9	8.4				
				(2017)			RIDE	5.8*	7.5	7.3	7.6	7.3	7.1	7.2		7.8	8.0	7.9	8.1	8.1	8.1			8.1	
87270000	10.170	12.167	R	4	4	60	CRACKING	9.3	9.2	9.1	5.9*	8.7	8.7	8.8	8.8	8.9	8.7	8.2	8.0	8.1					
9A I95	10.2	12.2	4	3.7	269000		RIDE	8.1	8.3	7.2	6.9	7.6	8.6	8.6	8.6	8.1	8.1	7.8	7.8	7.0					
					LGD																				
4307902	8.823	12.091	R	2015	0227		CRACKING	9.0	7.8	7.8	7.2	5.4*	4.6*	2.7*		9.3	9.3	9.2	9.1	9.0	8.6				
GOSALIA CONCRETE CONSTRUCT(2017)							RIDE	7.8	5.6*	5.7*	5.8*	6.1*	6.4*	5.6*		7.9	8.1	7.9	8.3	8.2	8.2			8.2	
87270000	12.167	13.354	R	4	4	55	CRACKING	9.2	9.1	9.1	8.8	8.4	8.3	7.9	7.8	9.2	9.0	9.0	8.7	8.6					
9A I95	12.2	13.4	3	3.7	183000		RIDE	7.8	7.7	7.9	7.2	6.9	8.8	8.0	7.8	8.1	8.2	7.9	7.7	7.7					
					LGD																				
4293011	12.131	13.368	R	2014	0227		CRACKING	7.9	7.6	7.6	7.4	7.1	7.0	6.3*		9.4	9.3	9.4	9.3	9.3	9.2			9.2	
PCL CIVIL CONSTRUCTORS, IN(2017)							RIDE	7.8	7.7	7.3	7.9	7.3	7.1	6.8		8.3	8.4	8.4	8.6	8.5	8.5			8.5	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

**FLORIDA DEPARTMENT OF TRANSPORTATION**

## INTERSTATE SYSTEM PAVEMENT CONDITION FORECAST

**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 COUNTY = DADE

RDWYID	SR	US	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR																FUTURE
			G_BMP	G_EMP	LN	%T	AADT				RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
			(MP)	(SIDE)							=====															
INTERSECT	AT	W_BMP	W_EMP	RW	FY-P	WKMX-P	ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026			
CONTRACTOR	(AGE	ONE	YEAR)																			(REG)				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																					
87270000	13.354	14.315	R	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5				
9 I95	13.4	14.3	4	3.7	183000	OGFC	RIDE	9.0	8.9	9.0	8.8	8.3	7.9	8.4	8.2	8.2	8.2	8.2	8.1	8.1	8.1	7.8				
				(2017)			CRACKING	6.5	6.5	6.5	5.5*	5.5*					10.0	10.0	10.0	10.0	10.0	10.0				
							RIDE	8.2	8.0	8.0	8.0	7.9					8.3	8.0	8.0	8.2	8.5	8.5				
87270000	14.315	17.199	R	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	7.0	6.5	6.5				
9 I95	14.3	17.2	5	3.7	219000	OGFC	RIDE	9.0	8.9	9.0	8.8	8.8	8.6	8.8	8.6	8.2	8.2	8.2	8.1	8.1	8.1	7.8				
				(2017)			CRACKING	6.5	6.5	6.5	5.5*	5.5*					10.0	10.0	10.0	10.0	10.0	10.0				
							RIDE	8.2	8.0	8.0	8.0	7.9					8.3	8.2	8.2	8.4	8.3	8.3				
87270000	15.429	17.199	L	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	6.5					
9 I95	15.4	17.2	5	3.7	219000	OGFC	RIDE	9.1	9.0	9.0	8.8	8.7	8.5	8.8	8.6	8.0	8.0	8.0	7.9	7.9	7.5	8.1				
				(2017)			CRACKING	6.5	6.5	6.5	5.5*	5.5*					10.0	10.0	10.0	10.0	10.0	10.0				
							RIDE	8.2	8.1	8.0	7.8	7.7					8.4	8.3	8.3	8.4	8.4	8.4				
87270000	13.354	15.429	L	4	1	55	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0	6.5					
9 I95	13.4	15.4	5	3.7	183000	OGFC	RIDE	9.1	9.0	9.0	8.8	8.7	8.5	8.8	8.6	8.0	8.0	8.0	7.9	7.9	7.5	8.1				
				(2017)			CRACKING	6.5	6.5	6.5	5.5*	5.5*					10.0	10.0	10.0	10.0	10.0	10.0				
							RIDE	8.2	8.1	8.0	7.8	7.7					8.4	8.1	8.1	8.5	8.1	8.1				
87270000	12.091	13.354	L	4	4	55	CRACKING	8.7	8.6	8.6	8.5	7.2	9.3	8.7	8.1	8.6	8.6	9.0	7.8	7.5	7.5					
9A I95	12.1	13.4	3	3.7	183000	LGD	RIDE	7.5	7.3	7.3	6.6	6.3*	8.6	8.5	8.6	7.6	7.6	7.5	7.4	7.7	7.7					
4293011	12.131	13.172	L	2014	0227		CRACKING	7.5	5.6*	5.1*	4.6*	4.6*	4.1*	2.7*	4.8*	9.2	9.3	9.2	8.9	9.1	8.7					
PCL CIVIL	CONSTRUCTORS,	IN(2017)	IN(2017)	(2017)			RIDE	7.6	7.2	6.8	7.1	6.7	6.2*	6.2*	7.4	8.1	8.1	8.0	7.8	8.2	8.0					
87270000	10.202	12.091	L	4	4	60	CRACKING	9.0	9.0	9.0	6.6	7.6	9.4	8.8	8.7	8.7	8.7	8.6	7.3	7.0	7.0					
9A I95	10.2	12.1	4	3.7	269000	LGD	RIDE	8.0	7.3	7.3	6.9	7.1	8.6	8.7	7.8	7.6	7.4	7.2	7.1	6.6	6.6					
4275151	10.985	11.938	L	2013	0227		CRACKING	6.1*	5.9*	4.1*	3.7*	2.9*	3.3*	8.9	8.9	8.8	8.8	8.7	8.6	8.3	8.0					
RUSSELL ENGINEERING, INC	ENGINEERING, INC	(2015)	(2015)	(2015)			RIDE	6.5	6.4*	5.4*	5.7*	5.4*	5.2*	4.6*	7.7	7.8	7.9	7.7	8.0	7.9	7.9					
87270000	8.823	10.202	L	4	4	60	CRACKING	8.3	8.1	8.1	8.1	8.2	9.4	9.3	9.2	9.1	9.1	8.2	8.0	8.0						
9A I95	8.8	10.2	4	3.7	267000	LGD	RIDE	7.5	7.2	7.3	6.9	6.9	8.7	8.8	8.7	7.9	7.8	7.9	7.9	6.4*	6.9					
4307901	8.823	10.163	L	2015	0227		CRACKING	7.6	7.6	7.1	6.6	6.0*	5.6*	5.2*	8.5	9.1	9.3	9.1	8.9	8.8	8.8					
GOSALIA CONCRETE CONSTRUCT(2016)	4.253	10.511	C	2017	0217		RIDE	7.4	7.3	6.2*	6.2*	5.9*	5.8*	5.4*	8.2	8.0	8.1	7.9	8.2	8.2	8.2					
4293003	7.039	8.823	L	4	2	60	CRACKING	8.4	8.3	8.3	7.9	7.8	9.1	9.1	8.9	9.1	9.1	7.8	7.4	7.3						
9A I95	7.0	8.8	4	3.7	217000	LGD	RIDE	7.4	7.2	7.2	7.0	6.9	8.7	8.8	7.8	8.1	8.0	7.8	7.9	7.0	7.0					
4293003	5.671	10.511	L	2017	0217		CRACKING	7.4	6.6	5.9*	5.0*	4.6*	3.7*	3.4*		9.2	9.1	9.1	8.7	8.6	7.8					
			(2017)	(2017)			RIDE	7.9	7.9	5.7*	7.0	6.4*	6.7	7.2		8.0	8.1	8.0	7.9	8.1	8.0					
87270000	5.121	6.707	L	4	7	55	CRACKING	9.2	9.2	9.2	8.8	8.8	9.3	9.0	9.1	9.1	9.2	9.2	9.0	8.9						
9A I95	5.1	6.7	4	3.7	187500	LGD	RIDE	7.0	6.7	6.4*	6.7	6.2*	8.3	8.2	7.6	7.4	6.8	7.8	6.4*	7.7	7.7					
SIDE ROAD(5.6C)	5.671	10.511	L	2017	0217		CRACKING	8.3	8.8	8.5	7.5	7.2	6.8	6.4*	6.4*	7.5	7.3	7.6		9.9						
4293003	5.671	10.511	(2021)	(2021)			RIDE	7.2	6.9	6.6	7.2	6.5	5.9*	5.8*	6.9	7.4	7.6	7.6		8.3						
87270000	4.800	5.121	L	4	7	55	CRACKING	9.1	9.0	9.0	8.5	8.5	9.3	9.2	9.1	9.1	9.2	9.1	9.0	9.0						
9A I95	4.8	5.1	4	3.7	201000	LGD	RIDE	7.9	7.7	7.8	6.9	7.2	8.2	8.2	8.2	7.4	6.8	7.4	6.3*	7.4						
4293003	4.261	5.671	L	2017	0217		CRACKING	8.5	8.1	8.1	7.3	6.7	6.6	6.0*	6.1*	5.8*	4.9*	6.1*		9.9						
			(2021)	(2021)			RIDE	7.4	7.4	7.1	7.1	6.6	6.3*	6.7	7.6	7.8	6.9	6.9		8.0						
87270000	2.666	4.800	L	4	8	55	CRACKING	9.1	9.0	9.0	8.5	8.5	9.3	9.2	9.1	9.1	9.2	9.1	9.0	9.0						
9A I95	2.7	4.8	3	3.7	201000	LGD	RIDE	7.9	7.7	7.8	6.9	7.2	8.2	8.2	8.2	7.4	6.8	7.4	6.3*	7.4						
SIDE ROAD(4.0C)	0.000	5.000	C	1983	9917		CRACKING	8.5	8.1	8.1	7.3	6.7	6.6	6.0*	6.1*	5.8*	7.2	7.1								
2515111	0.000	5.000	(1983)	(1983)			RIDE	7.4	7.4	7.1	7.1	6.6	6.3*	6.7	7.6	7.8	8.0	8.0								
4293002	2.671	4.253	C	2017	0217																					

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

**FLORIDA DEPARTMENT OF TRANSPORTATION**  
**INTERSTATE SYSTEM PAVEMENT CONDITION FORECAST**  
**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**  
 SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																					
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE_ONE YEAR)					ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)
87270000	0.975	1.547	L	4	4	55	CRACKING	8.7	8.6	8.7	8.8	8.8	8.6	7.9	8.1	8.3	8.3	8.2	8.0	7.9	
5 I95	1.0	1.5	3	2.9	66500		RIDE	7.3	7.3	7.3	6.9	7.3	6.5	6.7	6.3*	5.6*	5.1*	5.0*	5.5*	5.6*	
					LGD																
2515111	0.000	5.000	C	1983	9917		CRACKING	9.4	9.0	9.0	8.8	8.6	8.7	8.6	8.6	8.8	8.4	8.4	8.8	8.4	
				(1983)			RIDE	7.8	8.1	8.1	7.4	8.3	8.2	7.6	8.3	8.4	8.4	8.1	8.4	8.3	7.7
4439421	0.000	1.547	C	2023	0227																
87270000	0.145	0.975	L	4	4	55	CRACKING	8.7	8.6	8.7	8.8	8.8	9.0	9.1	9.0	8.9	8.6	8.5	8.3	8.2	
5 I95	0.1	1.0	2	2.9	66500		RIDE	7.3	7.3	7.3	6.9	7.3	7.9	7.5	7.7	6.3*	6.2*	6.3*	5.9*	6.2*	
					LGD																
2515111	0.000	5.000	C	1983	9917		CRACKING	9.5	9.2	9.3	9.1	9.1	9.1	9.0	8.8	9.0	9.0	9.0	9.0	9.0	9.0
				(1983)			RIDE	7.9	7.8	7.7	8.2	8.0	7.9	8.0	8.4	8.4	8.3	7.9	8.6	8.3	8.0
4439421	0.000	1.547	C	2023	0227																
87270901	0.000	2.434	C	4	7		CRACKING														
9A I95			2	8.2	32000		RIDE														
I 95( 0.0C)																					
				(2021)			CRACKING												9.0	9.7	
							RIDE												7.6	8.1	
87270901	2.723	7.982	C	4	2		CRACKING														
9A I95			2	7.0	35000		RIDE														
				(2020)			CRACKING												9.2	9.0	
							RIDE												8.4	8.4	
87270901	9.072	10.136	C	4	1		CRACKING														
9 I95			1	2.3	14500		RIDE														
				(2020)			CRACKING												10.0	10.0	
							RIDE												8.5	8.5	
87270901	10.136	10.982	C	4	1		CRACKING														
9 I95			2	2.3	14500		RIDE														
				(2020)			CRACKING												10.0	10.0	
							RIDE												8.3	8.3	
87270901	10.982	12.978	C	4	1		CRACKING														
9 I95			1	2.3	14500		RIDE														
				(2020)			CRACKING												10.0	10.0	
							RIDE												8.5	8.5	
87270902	0.000	1.767	C	4	1		CRACKING														
9 I95			1	3.7	17000		RIDE														
DADE/BROWARD CO LINE( 0.0C)																					
				(2020)			CRACKING												10.0	10.0	
							RIDE												8.6	8.6	
87270902	1.767	2.968	C	4	1		CRACKING														
9 I95			1	3.6	35500		RIDE														
				(2020)			CRACKING												10.0	10.0	
							RIDE												8.4	8.4	
87270902	2.968	3.903	C	4	1		CRACKING														
9 I95			1	3.6	35500		RIDE														
				(2020)			CRACKING												10.0	10.0	
							RIDE												8.3	8.3	
87270902	5.100	5.675	C	4	4		CRACKING														
9A I95			1	3.6	35500		RIDE														
							CRACKING												4.7*	4.6*	
							RIDE												7.2	7.4	

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

**FLORIDA DEPARTMENT OF TRANSPORTATION**  
**INTERSTATE SYSTEM PAVEMENT CONDITION FORECAST**  
**PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**  
 SORT BY RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 COUNTY = DADE -----																						
RDWYID	BMP	EMP	RW	SYS	TYP	SPD	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	%T	AADT	RATINGS		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT	AT (MP SIDE)						=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR	(AGE_ONE YEAR)				ASTYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																	(REG)
87270902	5.675	10.255	C	4	2	CRACKING																
9A I95			2	3.4	31500	RIDE																
						CRACKING														9.1	9.1	
						RIDE														8.1	8.4	
						(2020)																
87270902	10.548	12.975	C	4	7	CRACKING																
9A I95			2	3.4	31500	RIDE																
						CRACKING														9.3	9.9	
						RIDE														6.9	8.1	
						(2021)																

\*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.  
 \*\*\* INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.  
 "@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.  
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).