

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = AGI DE MOYA JOINT VENTURE														
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR																	FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008				
INTERSECT AT (MP SIDE)						%T	=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																			
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)			
87471000	38.490	39.000	R	5	1	CRACKING	10.0	10.0	9.0	9.0	8.0	8.0				10.0	10.0	10.0	9.0	9.0				
821	38.5	39.0	3	70	104300	RIDE	8.4	8.9	8.8	8.9	8.7	8.8				7.7	7.7	7.7	7.7	7.8				
					6.8																			
4355421	36.439	38.764	R	2020	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5					10.0	10.0				
AGI DE MOYA JOINT VENTURE (2020)					OGFC	RIDE	7.8	7.4	7.6	7.6	7.5	7.4	7.4	7.7					8.1	8.1				
87471000	39.000	39.640	R	5	1	CRACKING	10.0	10.0	9.0	9.0	8.0	8.0				10.0	10.0	10.0	10.0	10.0				
821	39.0	39.6	2	70	104300	RIDE	8.4	8.9	8.8	8.9	8.7	8.8				7.7	7.7	7.8	7.8	7.9				
					6.8																			
4355421	38.764	39.438	R	2020	0213	CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0					10.0	10.0				
AGI DE MOYA JOINT VENTURE (2020)					OGFC	RIDE	7.9	7.4	7.6	7.6	7.4	7.4	7.3	7.7					8.2	7.9				
87471000	38.524	39.326	L	5	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5				10.0	10.0	10.0	10.0	10.0				
821	38.5	39.3	3	70	104300	RIDE	9.1	8.8	9.2	9.0	8.8	8.9				7.6	7.6	7.6	7.7	7.8				
					6.8																			
4355421	33.273	39.095	L	2020	0213	CRACKING	9.5	8.0	6.5	10.0	10.0	10.0	10.0	10.0					10.0	10.0				
AGI DE MOYA JOINT VENTURE (2020)					OGFC	RIDE	7.8	7.6	8.0	8.3	8.3	8.3	8.3	8.5					8.2	8.1				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = AMERICAN ENGINEERING & DEVEL												
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR															FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE) %T							=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR	(AGE_ONE YEAR)				SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)	
87030000	12.067	13.605	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	7.0	6.5	6.5		
5	1		2	30	42000	RIDE	6.5	7.1	6.7	6.5		6.3*	6.4*	6.0	6.2	5.3*	5.2*	5.2*	4.2*	5.4*		
NE 17 TER(12.2C)																						
4146241	12.067	13.482	C	2009	0005	CRACKING	6.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
AMERICAN ENGINEERING & DEV(2013)							FC95	RIDE	5.2*	5.0*		7.8	7.4	7.3	6.1	6.2	6.0	6.1	5.9	6.1	4.5	
87030000	12.067	13.605	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0	7.5	6.5		
5	1		2	30	42000	RIDE	6.5	6.7	6.9	6.4*	6.5	6.4*	6.2	6.0	5.2*	5.0*	4.6*	4.3*	4.7*			
NE 16 ST(12.1L)																						
4146241	12.067	13.482	C	2009	0005	CRACKING	6.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	
AMERICAN ENGINEERING & DEV(2013)							FC95	RIDE	4.8*	4.3*		7.2	6.7	6.3	6.3	5.9	5.6	5.8	5.9	5.5	4.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6							CONTRACTOR = AMERICAN LIGHTING &																
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008			
INTERSECT AT (MP SIDE) %T							=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																		
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE				2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)		
87008000	7.614	10.253	R	1	1	CRACKING		7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
916			2	40	46500	RIDE		7.0	7.0	8.3	7.9	7.7	7.6	7.6	7.4	6.9	7.1	6.6	6.6	6.6			
NW 2 AVE(7.6C)				2.4																		
2498841	7.596	10.253	C	1996	0012	CRACKING		9.5	9.5	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.5	6.0*	6.0		
AMERICAN LIGHTING &				(1998)	DGFC	RIDE		6.3	6.3	6.5	6.6	6.4	6.2	6.2	6.0	6.0	5.9	6.2	5.9	5.9	5.2		
4293461	7.245	10.253	C	2020	0012																		
87008000	7.614	10.253	L	1	1	CRACKING		6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0			
916			2	40	46500	RIDE		7.5	7.5	8.3	8.0	7.6	7.6	7.6	6.8	6.4	6.3	6.1	6.3	6.1			
BEGIN 87008001 *(7.6L)				2.4																		
2498841	7.596	10.253	C	1996	0012	CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	5.5*	4.9		
AMERICAN LIGHTING &				(1998)	DGFC	RIDE		6.3	5.8	6.1	6.3	6.0	5.8	5.9	5.9	5.9	6.2	6.4	5.9	5.6	5.0		
4293461	7.245	10.253	C	2020	0012																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = APAC-FLORIDA INC																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE									
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008										
INTERSECT AT (MP)	(SIDE)				%T	=====																							
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																								
CONTRACTOR	(AGE ONE YEAR)			SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026									
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															(REG)									
87030000	1.628	4.347	R	1	1	CRACKING	6.0*	6.0*	6.0*	4.0*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.5										
5 1			3	40	78500	RIDE	7.8	7.7	7.7	6.8	6.8	6.5	6.5	8.1	7.6	7.6	7.6	7.6	7.8										
SW 63 AVE(1.9R)				2.7																								
2501881	1.713	4.347	C	2000	0012	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	5.5*	5.1									
APAC-FLORIDA INC				(2003)	FC5	RIDE	7.7	7.3	7.5	7.5	7.4	7.5	7.3	7.6	7.7	7.6	7.7	7.6	7.7	7.5									
4439161	1.646	4.382	C	2022	0012																								
87030000	1.635	4.376	L	1	1	CRACKING	8.5	7.5	7.5	7.0	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0										
5 1			3	45	78500	RIDE	8.0	7.9	8.2	7.5	7.5	7.4	7.5	8.0	7.4	7.4	7.3	7.4	7.5										
SW 62 AVE(2.1C)				2.7																								
2501881	1.713	4.347	C	2000	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	7.5									
APAC-FLORIDA INC				(2003)	FC5	RIDE	7.3	7.5	7.5	7.3	7.4	7.4	7.2	7.5	7.5	7.4	7.4	7.3	7.3	7.3									
4439161	1.646	4.382	C	2022	0012																								
87052000	0.000	2.084	L	1	1	CRACKING	8.0	8.0	10.0	10.0	7.0	7.0	7.0	5.5*	10.0	10.0	10.0	10.0	10.0										
924			3	40	39500	RIDE	8.2	8.1	8.1	7.0	6.6	6.6	6.6	6.5	7.7	7.5	7.0	7.0	6.8										
NW 27 AVE(0.0C)				9.1																								
4056551	0.000	2.021	L	2002	0012	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	5.9									
APAC-FLORIDA INC				(2004)	FC125	RIDE	6.7	6.9	6.9	6.8	6.9	6.7	6.8	7.1	7.1	6.6	6.8	6.8	6.8	6.5									
4399811	0.000	1.999	C	2022	0012																								
87160000	8.041	8.745	R	1	1	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0										
9336			2	30	24000	RIDE	7.3	7.1	6.9	5.9*	7.7	7.7	7.2	6.7	6.3	7.2	7.5	7.0	6.8										
CAVES AVE(8.1C)				6.3																								
4056591	8.041	8.735	R	2003	0012	CRACKING	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3									
APAC-FLORIDA INC				(2005)	FC125	RIDE	6.8	7.2	7.1	6.9	7.1	7.0	6.6	6.7	6.6	7.0	6.7	6.4	6.8	6.4									
4459921	7.066	8.714	C	2023	0012																								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = ASPHALT GROUP, INC.														
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE				
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008				
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	%T	=====																	
ITMSEG-P	(AGE_ONE YEAR)				SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)			
87070000	14.030	14.275	R	1	6	CRACKING	10.0			10.0	9.5	9.5	9.5	9.5	8.0	8.0	7.5	4.5*	4.5*	4.5*				
997			2	40	17500	RIDE	7.7			7.9	8.5	8.3	8.4	8.2	8.2	7.5	7.4	6.9	7.3	7.2				
OKEECHOBEE RD(14.3C)					14.6																			
2496159	1.141	14.150	C	2012	0226	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*			10.0	10.0	10.0	8.0	6.5	4.5*	4.5*	0.0			
ASPHALT GROUP, INC.				(2015)	OGFC	RIDE	6.8	6.9	7.1	6.7	6.5			6.8										
87070000	14.030	14.275	L	1	6	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	7.0	7.0				
997			2	45	17500	RIDE	7.6	7.7	7.0	7.7	7.9	7.8		8.0	7.6	7.0	7.3	6.7	6.2	6.9				
OKEECHOBEE RD(14.3C)					14.6																			
2496159	1.141	14.150	C	2012	0226	CRACKING	7.0	7.0	6.5	6.5	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
ASPHALT GROUP, INC.				(2015)	OGFC	RIDE	6.7	6.8	6.6	6.9	6.8			7.6										
87140000	12.147	14.453	R	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0				
7 441			3	45	57000	RIDE	8.6	8.5	8.6	8.2	8.0	8.1	8.1	7.9	7.2	7.3	7.2	7.2	7.1	7.0				
FRONTAGE DR(12.2R)					5.0																			
4180941	12.147	14.453	C	2011	0012	CRACKING	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
ASPHALT GROUP, INC.				(2013)	FC95	RIDE	6.4	6.7	6.5		8.3	8.3	7.7	7.7	7.7	8.0	7.8	7.9	7.7	7.4	7.4			
87140000	12.147	14.453	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.0	6.0*	6.0*	4.5*	4.5*	4.5*				
7 441			3	45	57000	RIDE	8.6	8.4	8.5	7.8	7.8	7.5	7.8	7.6	6.8	6.8	6.8	6.8	6.7	6.8				
NW 181 ST(12.5L)					5.0																			
4180941	12.147	14.453	C	2011	0012	CRACKING	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.1			
ASPHALT GROUP, INC.				(2013)	FC95	RIDE	6.6	6.7	6.6		8.3	8.2	7.3	7.7	6.9	7.6	7.6	7.5	7.4	6.8				
87240000	2.985	4.894	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	6.5	4.5*	3.5*	3.5*				
9			3	35	39000	RIDE	8.5	8.7	8.7	8.4	8.3	8.1	8.0	7.7	7.2	7.2	7.2	6.7	6.5	6.5				
NW 14 ST(3.2C)					13.5																			
4226121	2.985	4.894	C	2011	0012	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
ASPHALT GROUP, INC.				(2014)	FC125	RIDE	6.4	6.3	6.3	6.2	6.0	8.0	7.9	7.8	7.6	7.5	7.4	7.1	7.2	6.5				
87240000	2.985	4.894	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	4.5*	3.5*	3.5*				
9			3	35	39000	RIDE	8.4	8.6	8.5	8.2	8.2	7.7	7.7	7.9	6.8	6.6	6.6	6.6	6.4	6.0				
NW 14 ST(3.2C)					13.5																			
4226121	2.985	4.894	C	2011	0012	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5			
ASPHALT GROUP, INC.				(2014)	FC125	RIDE	5.5	5.2*	6.0	6.1	6.0	7.9	7.7	7.7	7.6	7.6	7.5	7.1	7.0	6.5				
90030000	0.000	0.415	C	1	6	CRACKING	8.0	8.0	8.0	7.5	7.5	7.0	4.5*	4.5*	4.5*	2.0*	2.0*	2.0*	2.0*					
5 1			2	45	15900	RIDE	7.8	7.7	8.0	8.3	8.0	8.4	8.5	7.5	6.5	6.9	7.0	6.6	6.2					
INDUSTRIAL RD(0.0R)					9.9																			
4056122	0.000	0.440	C	2010	0221	CRACKING	2.0*	2.0*	2.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5				
ASPHALT GROUP, INC.				(2012)	OGFC	RIDE	6.1	5.7	5.9	7.4	7.3	7.3	7.3	7.0	7.0	6.8								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = ASTALDI CONSTRUCTION CORP.												
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008			
INTERSECT AT (MP SIDE)					%T	=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															(REG)		
87002000	0.000	0.889	R	1	1	CRACKING	9.5	7.5	7.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			
823			2	45	34500	RIDE	7.4	7.7	7.7	7.4	7.1	7.2	7.1	7.2	6.4*	6.5	6.3	6.0	6.2			
OKEECHOBEE RD(0.0C)					6.0																	
2499413	0.000	0.628	C	2009	0213	CRACKING	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.3		
ASTALDI CONSTRUCTION CORP.(2013)					FC125	RIDE	6.0	5.9			6.7	7.0	6.5	5.9	5.9	5.7	5.4*	5.6	5.6	4.4		

87002000	0.000	0.889	L	1	1	CRACKING	8.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*			
823			3	45	34500	RIDE	7.4	7.6	7.6	7.4	7.3	7.2	7.2	7.2	6.4*	6.3*	6.1	5.9	6.0			
OKEECHOBEE RD(0.0C)					6.0																	
2499413	0.000	0.628	C	2009	0213	CRACKING	3.5*	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
ASTALDI CONSTRUCTION CORP.(2013)					FC125	RIDE	6.0	6.1			7.3	7.2	6.8	6.3	6.4	6.4	6.3	6.1	5.9	5.1		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = ATLANTIC CIVIL INC																	
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE						
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008								
INTERSECT AT (MP SIDE)					%T	=====																					
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F																						
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026							
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															(REG)							
87020000	0.000	3.620	R	1	1	CRACKING	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0								
5 1			2	45	32500	RIDE	8.2			8.2	8.2	8.1	8.1	8.0	7.4	7.4	7.3	7.4	7.4								
CARD SOUND RD(0.0R)					4.8																						
2500221	0.000	3.596	C	1995	0121	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	6.5	6.5	6.5	6.5	6.5							
ATLANTIC CIVIL INC			(1999)		FC2	RIDE	7.4	7.3	7.2	7.3	7.3	7.3	7.3	7.1	6.8	6.7	6.5	6.7	6.7	6.3							
87020000	3.620	5.278	R	1	1	CRACKING	9.0	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5								
5 1			2	45	29000	RIDE	8.3	8.1	8.4	8.1	8.1	8.1	8.1	5.8*	7.4	7.2	7.2	7.3	7.3								
NE 12 AVE(3.6R)					4.8																						
4106251	3.620	5.278	C	2011	0005	CRACKING	6.5	6.5	7.0			10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5							
ATLANTIC CIVIL INC			(2014)		FC5	RIDE	7.1	7.0	7.2			8.0	7.9	8.0	8.0	8.0	7.8	7.9	7.9	7.8							
87020000	3.620	5.278	L	1	1	CRACKING	9.0	8.0	8.0	7.0	6.5	6.0*	6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	4.0*								
5 1			2	45	29000	RIDE	8.8	8.8	8.8	8.5	8.5	8.5	8.3	8.1	7.4	7.2	7.2	7.0	7.0								
TN LN FR KINGS HWY(3.6L)					4.8																						
4106251	3.620	5.278	C	2011	0005	CRACKING	3.5*	3.5*	3.5*			10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.9							
ATLANTIC CIVIL INC			(2014)		FC5	RIDE	6.9	6.8	6.6			8.0	7.9	8.0	7.9	7.8	7.5	7.8	7.7	7.4							
87020000	2.524	3.620	L	1	8	CRACKING	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0								
5 1			2	45	32500	RIDE	8.1			8.2	8.1	8.0	7.9	7.9	7.5	7.4	7.3	7.4	7.5								
SE 6 AVE(2.7L)					4.8																						
2500221	0.000	3.596	C	1995	0121	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0	7.0	7.0								
ATLANTIC CIVIL INC			(1999)		FC2	RIDE	7.5	7.4	7.4	7.4	7.5	7.4	7.4	7.2	7.1	7.1	6.9	7.2	7.2								
87020000	1.800	2.524	L	1	1	CRACKING	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0								
5 1			3	45	32500	RIDE	8.1			7.9	7.9	7.9	8.0	7.8	7.3	7.4	7.4	7.4	7.5								
FLORIDA CITY CITY LIMITS(1.9C)					4.8																						
2500221	0.000	3.596	C	1995	0121	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0							
ATLANTIC CIVIL INC			(1999)		FC2	RIDE	7.5	7.4	7.4	7.4	7.4	7.4	7.3	7.5	7.4	7.4	7.2	7.3	7.2	7.1							
4418271	1.444	2.679	L	2021	0012																						
87020000	0.000	1.800	L	1	1	CRACKING	7.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0								
5 1			2	45	32500	RIDE	8.1			8.5	8.4	8.4	8.4	8.3	7.8	7.8	7.8	7.8	7.9								
CARD SOUND RD(0.0C)					4.8																						
2500221	0.000	3.596	C	1995	0121	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	7.0	7.0	7.0							
ATLANTIC CIVIL INC			(1999)		FC2	RIDE	7.8	7.7	7.6	7.5	7.4	7.3	7.3	7.4	7.1	7.2	7.1	7.1	7.1	6.6							
4418121	0.000	1.344	C	2021	0012																						
87026005	0.312	0.767	R	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0								
860			2	35	47500	RIDE	8.6	7.7	7.8	7.2	6.7	6.9	6.7	6.4	6.3	6.0	6.0	6.0	6.0								
NW 87 AVE(0.6C)					2.7																						
4165901	0.307	0.799	C	2005	0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0							
ATLANTIC CIVIL INC			(2006)		DGFC	RIDE	7.5	7.4	7.5	7.5	7.4	7.4	7.2	7.3	7.0	7.1	7.1	7.1	6.8	6.8							
87026005	0.312	0.767	L	1	1	CRACKING	10.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5								
860			3	40	47500	RIDE	7.6	7.5	7.3	6.8	6.8	6.6	6.5	6.4	6.0	6.1	6.1	6.1	6.1								
NW 87 AVE(0.6C)					2.7																						
4165901	0.307	0.799	C	2005	0221	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0							
ATLANTIC CIVIL INC			(2006)		DGFC	RIDE	8.1	8.2	8.1	7.9	7.8	7.9	7.7	7.9	7.8	7.7	7.8	7.7	7.6	7.6							
87091000	5.000	6.811	R	1	1	CRACKING	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0								
994			2	40	37000	RIDE	5.9*			8.4	8.3	8.3	8.4	8.1	7.6	7.6	7.4	7.4	7.4								
SW 127 AVE(5.1C)					5.5																						
2495831	5.080	8.039	C	1995	0213	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	8.0	8.0	6.5	6.5	6.5	6.5							
ATLANTIC CIVIL INC			(1999)		FC2	RIDE	7.5	7.3	7.2	7.0	6.8	7.2	7.2	7.3	7.3	7.2	7.0	7.3	7.2	6.6							
4293413	4.953	6.825	C	2021	0012																						
87091000	7.142	8.058	R	1	1	CRACKING	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0								
994			2	40	19300	RIDE	5.8*			7.9	7.8	7.8	7.8	7.1	7.3	7.2	7.2	7.0	6.5								
MARLIN RD(7.5R)					3.5																						
2495831	5.080	8.039	C	1995	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	5.7	5.7							
ATLANTIC CIVIL INC			(1999)		FC2	RIDE	6.7	6.3	6.3	6.5	6.6	6.4	6.4	6.6	6.2	6.3	5.8	6.1	6.2	5.4							
4293412	7.120	7.943	C	2021	0012																						
87091000	7.142	8.058	L	1	1	CRACKING	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0								
994			2	40	19300	RIDE	5.8*			8.4	8.3	8.3	8.0	7.4	6.6	6.2	6.4	6.4	5.9								
SW 109 AVE(7.4L)					3.5																						
2495831	5.080	8.039	C	1995	0213	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	5.7	5.7							
ATLANTIC CIVIL INC			(1999)		FC2	RIDE	6.4	6.0	6.1	6.3	6.0	5.9	5.9	6.6	6.1	6.3	6.1	5.9	6.1	5.1							
4293412	7.120	7.943	C	2021	0012																						

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = ATLANTIC CIVIL INC															
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE					
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008						
INTERSECT AT (MP SIDE)					%T	=====																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																				
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															2026 (REG)					
87091000	5.000	6.811	L	1	1	CRACKING	6.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
994			2	40	37000	RIDE	5.9*			8.4	8.3	8.2	8.2	8.0	7.2	7.2	6.9	7.1	7.1						
SW 127 AVE(5.1C)						5.5																			
2495831	5.080	8.039	C	1995	0213	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5	6.5					
ATLANTIC CIVIL INC				(1999)	FC2	RIDE	6.9	6.8	6.6	6.6	6.7	6.7	6.8	7.1	6.9	6.9	6.2	6.8	6.6	5.9					
4293413	4.953	6.825	C	2021	0012																				
87240000	10.823	11.113	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5		10.0	10.0	10.0						
9			3	45	60500	RIDE		9.0	8.8	7.8	8.0	7.5	7.7	7.5	7.3		7.3	6.9	7.4						
OPA LOCKA CITY LIMITS(10.8C)						8.6																			
4068041	10.859	13.690	C	2003	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0					
ATLANTIC CIVIL INC				(2006)	FC95	RIDE	7.5	7.6	7.0	6.5	6.6	5.7	6.1					6.3	6.3	5.5					
4439141	10.683	11.237	C	2023	0012																				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6							CONTRACTOR = BERGERON LAND DEVELOPMENT, I														
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)						%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)
87037000	0.000	0.183	R	1	6	CRACKING		10.0	10.0	10.0	6.5	6.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	
907			2	30	35000	RIDE		7.2	6.9	6.7	5.3*	5.3*	5.2*	4.5*	5.2*	4.4*	4.2*	4.2*	4.2*	4.2*	
SR A1A(0.0C)					3.5																
2499111	0.028	0.183	R	2013	0005	CRACKING		4.5*	4.5*	4.5*	9.5	9.5	9.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0
BERGERON LAND DEVELOPMENT, (2017)					FC95M	RIDE		3.9*	4.4*	3.9*											
87037000	0.000	0.183	L	1	6	CRACKING		10.0	10.0	10.0	10.0	9.0	7.0	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	
907			2	30	35000	RIDE		7.0	7.1	7.0	6.4*	5.8*	5.6*	5.0*	4.4*	4.2*	3.6*	3.6*	4.0*	3.9*	
SR A1A(0.0C)					3.5																
2499111	0.028	0.402	L	2013	0005	CRACKING		4.5*	4.5*	4.5*	9.5	9.5	9.5	8.5		10.0	10.0	10.0	10.0	10.0	10.0
BERGERON LAND DEVELOPMENT, (2017)					FC95M	RIDE		4.2*	4.4*	3.8*											

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = BREWER CO OF FLORIDA INC															
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE				
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT	AT	(MP SIDE)				%T	=====																		
ITMSEG-P		W_BMP	W_EMP	RW	FY-P	WKMX-P																			
CONTRACTOR	(AGE_ONE YEAR)				SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026				
ITMSEG-F		W_BMP	W_EMP	RW	FY-F	WKMX-F															(REG)				
87060000		12.627	14.047	R	1	1	CRACKING	3.0*	3.0*	3.0*	3.0*	3.0*		10.0	10.0	10.0	10.0	10.0	10.0	9.5					
A1A				2	40	50000	RIDE	7.1	6.7	6.8	6.2*	6.1*		8.2	7.8	7.2	7.3	7.3	7.3	7.6					
2501851		12.659	14.073	C	2000	0012	CRACKING	9.5	9.5	8.5	8.5	8.5	8.5	8.5	7.5	6.0*	6.0*	6.0*	6.0*	5.5*	4.6				
BREWER CO OF FLORIDA INC					(2002)	FC125	RIDE	7.5	7.5	7.4	7.3	7.2	7.2	7.3	7.1	6.9	6.8	6.8	6.6	6.4	6.4				
4309492		12.631	14.024	C	2022	0012																			
87060000		12.627	14.047	L	1	1	CRACKING	3.0*	3.0*	3.0*	3.0*	3.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0					
A1A				2	40	50000	RIDE	7.0	6.8	6.9	6.4*	6.4*		8.1	7.6	7.0	7.2	6.8	7.0	7.1					
2501851		12.659	14.073	C	2000	0012	CRACKING	9.0	9.0	8.5	8.5	8.5	8.5	8.5	7.5	6.0*	6.0*	6.0*	5.5*	3.5*	3.5				
BREWER CO OF FLORIDA INC					(2002)	FC125	RIDE	7.4	7.5	7.4	7.3	7.1	7.0	6.8	6.7	6.4	6.6	6.2	6.3	6.1	6.0				
4309492		12.631	14.024	C	2022	0012																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = BUDGET CONSTRUCTION CO., INC												
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR															FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)						%T	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR	(AGE_ONE YEAR)				SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)	
87066000	2.926	3.741	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	7.5	6.5		
922			2	30	23500	RIDE	5.9*	5.8*	6.4*	6.7	4.4*	5.1*	5.3*	4.8*	4.2*	4.1*	4.3*	5.5	4.7*			
BISCAYNE BLVD(3.0C)					5.5																	
4180711	2.920	3.684	C	2008	0012	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.1	
BUDGET CONSTRUCTION CO.,			I	(2011)	FC95	RIDE	4.8*		6.3	6.3	6.0	6.4	5.7	4.7*	4.5*	4.4*	4.2*	4.0*	4.0*	2.3		
4439351	2.926	3.741	C	2024	0015																	
87066000	2.926	3.741	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0	8.0	7.5	6.5	6.5	6.5		
922			2	30	23500	RIDE	7.8	7.7	7.8	7.2	7.3	6.7	7.1	7.0	6.2	5.9	5.9	5.5	5.4*			
BISCAYNE BLVD(3.0C)					5.5																	
4180711	2.920	3.684	C	2008	0012	CRACKING	6.5		10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.1	
BUDGET CONSTRUCTION CO.,			I	(2011)	FC95	RIDE	5.2*		6.3	6.3	6.0	6.4	5.7	4.7*	4.5*	4.4*	4.2*	4.0*	5.2*	3.0		
4439351	2.926	3.741	C	2024	0015																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = CENTRAL FLORIDA EQUIPMENT																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE								
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008										
INTERSECT AT (MP SIDE)					%T	=====																							
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																								
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)									
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																								
87030000	13.605	15.048	R	1	1	CRACKING	4.5*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*												
5 1			2	35	38500	RIDE	6.2*	6.5	6.5	5.9*	5.7*	5.5*	5.6	4.9*	4.4*	4.2*	4.3*												
NE 39 ST(13.7R)																													
2502241	13.635	15.405	C	2005	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3									
CENTRAL FLORIDA EQUIPMENT (2009)						DGFC	RIDE	7.2	6.9	7.0	6.8	6.6	6.7	6.9	6.9	6.7	6.6	6.6	6.5	6.4									
4478301	13.588	15.048	C	2026	0012																								
87030000	13.605	15.048	L	1	1	CRACKING	10.0	10.0	3.5*	3.5*	3.5*	3.5*	3.5*	7.0	1.0*	1.0*	1.0*												
5 1			2	45	38500	RIDE	7.3	7.3	8.1	8.1	8.2	8.3	7.9	5.6*	6.8	6.5	6.3												
NE 39 ST(13.7L)																													
2502241	13.635	15.405	C	2005	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5	7.9									
CENTRAL FLORIDA EQUIPMENT (2009)						DGFC	RIDE	7.2	7.1	7.0	7.0	6.7	6.8	6.6	7.0	6.8	6.6	6.4	6.5	6.2									
4478301	13.588	15.048	C	2026	0012																								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = CENTRAL FLORIDA EQUIPMENT RE											
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)					%T	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																
87060002	0.000	0.198	R	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0		
A1A			2	35	43000	RIDE	7.5	7.7	8.0	7.5	7.1	7.5	7.0	7.6	5.4*	5.4*	5.2*	4.9*	5.4*		
COLLINS AV AT 44 ST(0.0C)																					
4275051	0.007	0.154	C	2014	0012	CRACKING	9.0	7.5			7.5	7.5	7.5		10.0	10.0	10.0	10.0	9.5	9.2	
CENTRAL FLORIDA EQUIPMENT (2017)																					
4439311	0.000	0.232	C	2024	0012	RIDE	5.8	5.7			5.5	5.6	5.1*		5.6	5.1*	5.0*				

87060002	0.000	0.198	L	1	6	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0		
A1A			2	35	43000	RIDE	7.5	7.7	7.7	7.4	7.8	7.5	6.3	6.3	7.2	6.4	5.9	6.5	5.9		
SR A1A(0.0L)																					
4275051	0.007	0.154	C	2014	0012	CRACKING	9.0	7.5			7.5	7.5	7.5		10.0	10.0	10.0	10.0	9.5	9.2	
CENTRAL FLORIDA EQUIPMENT (2017) DGFC																					
4439311	0.000	0.232	C	2024	0012	RIDE	5.7	5.5			5.5	5.1*	5.1*		5.6	5.1*	5.0*				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6																			CONTRACTOR = COMMUNITY ASPHALT CORP.																														
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR																						FUTURE																			
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026								
INTERSECT	AT	(MP)	(SIDE)				*****																																		(REG)								
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	P																																											
CONTRACTOR	(AGE_ONE	YEAR)		SURF_TYPE																																													
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																																												
87001000	0.000	1.125	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026								
94			2	50	19400	RIDE	8.0	7.9	8.2	8.1	7.9	8.0	7.9	7.7	6.6	6.6	6.5	7.9	7.9																														
KROME AVE/SW 177 AVE(0.0C)							6.2																																										
4124681	0.010	1.397	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0																													
COMMUNITY ASPHALT CORP.				(2007)	FC5	RIDE	7.9	7.5	7.6	7.7	7.5	7.6	7.6	7.9	7.7	7.5	7.8	7.9	7.8	7.9																													
87001000	1.125	1.617	R	1	8	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0																													
94			3	45	39500	RIDE	8.0	7.9	8.2	8.1	7.9	8.0	7.9	7.7	6.6	6.6	6.5	7.9	7.9																														
DEVELOPMENT ENT R(1.1C)							4.1																																										
4124681	0.010	1.397	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0																													
COMMUNITY ASPHALT CORP.				(2007)	DGFC	RIDE	7.9	7.5	7.6	7.7	7.5	7.6	7.6	7.9	7.7	7.5	7.8	7.9	7.8	7.9																													
87001000	1.125	1.617	L	1	8	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0																													
94			2	45	39500	RIDE	7.8	7.9	8.4	8.1	8.1	8.1	8.1	7.7	6.9	6.9	6.8	8.0	7.9																														
DEVELOPMENT ENT R(1.1C)							4.1																																										
4124681	0.010	1.397	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0																													
COMMUNITY ASPHALT CORP.				(2007)	DGFC	RIDE	7.8	7.7	7.7	7.6	7.6	7.6	7.6	7.8	7.8	7.3	7.6	7.7	7.7																														
87001000	0.000	1.125	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0																													
94			2	50	19400	RIDE	7.8	7.9	8.4	8.1	8.1	8.1	8.1	7.7	6.9	6.9	6.8	8.0	7.9																														
KROME AVE/SW 177 AVE(0.0C)							6.2																																										
4124681	0.010	1.397	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0																													
COMMUNITY ASPHALT CORP.				(2007)	FC5	RIDE	7.8	7.7	7.7	7.6	7.6	7.6	7.6	7.8	7.8	7.6	7.6	7.7	7.8	7.5																													
87004000	1.805	2.137	R	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																													
112 I195	1.3	1.7	3	55	128500	RIDE	8.7	8.3	8.5	8.1	7.8	7.7	7.9	7.9	7.4	6.9	6.6	7.0	6.5	6.5																													
4055784	1.805	4.910	C	2009	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0																													
COMMUNITY ASPHALT CORP.				(2011)	FC5	RIDE	7.1	7.1	7.9	7.9	7.9	7.9	7.9	8.1	8.1	7.4	7.3	7.4	7.7	7.3																													
4481752	1.805	4.665	R	2021	9924																																												
87004000	2.545	4.387	R	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5																													
112 I195	2.1	3.9	3	55	128500	RIDE	8.9	9.0	8.8	8.4	8.5	8.5	8.3	8.3	7.7	7.8	7.6	7.8	8.1	8.1																													
4055784	1.805	4.910	C	2009	0012	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0																													
COMMUNITY ASPHALT CORP.				(2011)	FC5	RIDE	7.7	7.7	7.9	7.9	7.9	7.9	7.9	8.1	8.1	8.2	8.2	8.3	8.3	8.3																													
4481752	1.805	4.665	R	2021	9924																																												
87004000	4.387	4.910	R	4	1	CRACKING	10.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	4.5*																													
112 I195	3.9	4.4	2	45	128500	RIDE	8.8	8.5	8.5	8.5	8.4	8.6	8.4	8.2	7.4	7.7	7.3	7.6	7.4	7.4																													

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 CONTRACTOR = COMMUNITY ASPHALT CORP.

ID	SR	US	BMP	G_BMP	EMP	G_EMP	RW	LN	SYSTEM	TYPE	ADT	WKMXP	DISTRESS	SURVEYED YEAR																FUTURE
														RATINGS																
														=====																
INTERSECT	AT	(MP)	(SIDE)																											
ITMSE	G-P	W_BMP	W_EMP	RW	FY-P	WKMXP																								
CONTRACTOR	(AGE)	ONE	YEAR																											
ITMSE	G-F	W_BMP	W_EMP	RW	FY-F	WKMXP																								
																							(REG)							
87008001		0.000	0.301	C	1	1			CRACKING		9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0							
1916				3	30	15500			RIDE		8.2	8.2	8.8	8.2	8.3	7.9	8.0	8.1	7.7	7.6	7.0	8.0	7.7							
LEG 001(0.0C)					4.2																								
4311721		0.043	0.301	C	2016	0012			CRACKING		7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0							
COMMUNITY	ASPHALT		CORP.	(2018)		DGFC			RIDE		7.7	7.5	7.0	7.2	6.5	7.6	7.6	7.9	7.8	8.2	7.8	7.8	10.0							
																						10.0								
																						6.9								
87012000		0.000	2.144	C	1	8			CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5							
847				2	40	17600			RIDE		7.7	7.7	7.8	6.8	6.5	6.4*	6.5	6.6	6.1	6.0	6.5	5.9	6.5							
MIAMI GARDENS DR(0.0C)					7.6																								
2495691		0.000	2.221	C	1988	0216			CRACKING		6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.0*	4.5*	3.5*	3.5*	3.5*								
COMMUNITY	ASPHALT		CORP.	(1990)		FC95M			RIDE		6.0	6.0	6.0	5.8	5.8	5.5	5.8	6.0	6.0	6.1	5.8	5.7								
4306371		0.000	1.307	C	2018	0213																								
87018000		0.775	2.534	R	1	1			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	10.0							
852				2	45	32500			RIDE		8.6	8.5	8.7	8.3	8.1	8.0	7.8	8.1	7.5	7.8	7.3	7.8	7.8							
NW 1700 BLK(0.8C)					3.1																								
4083012		0.759	2.534	C	2004	0012			CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5	8.5	8.0							
COMMUNITY	ASPHALT		CORP.	(2007)		FC125			RIDE		8.1	7.5	7.5	7.8	7.9	7.9	7.8	7.7	7.7	7.8	7.8	7.6	7.6							
4478261		0.759	2.526	C	2026	0012																								
87018000		0.775	2.534	L	1	1			CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0							
852				2	45	32500			RIDE		8.3	8.5	8.5	8.0	7.9	7.9	7.9	8.0	7.5	7.1	7.0	7.7	7.8							

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = COMMUNITY ASPHALT CORP.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		</

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = COMMUNITY ASPHALT CORP.																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE									
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008										
INTERSECT AT (MP)	(SIDE)				\$T	=====																							
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F																								
CONTRACTOR	(AGE_ONE YEAR)			SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026									
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															(REG)									
87044000	3.265	6.218	R	1	1	CRACKING	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5		10.0	10.0	10.0										
976			3	40	52500	RIDE	8.1	7.6	7.8	7.2	7.1	6.7	7.1	6.8	5.6		6.7	7.4	6.5										
SW 84 AVE(3.4C)				0.1																								
4056481	3.182	6.218	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	8.0	8.0	7.7									
COMMUNITY ASPHALT	CORP.			(2006)	FC125	RIDE	7.4	7.3	7.1	7.1	7.2	7.3	7.0	7.0	6.6	7.1	7.1	7.2	7.0	7.0									
4459911	4.345	6.068	R	2024	0012																								
87044000	3.265	6.218	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5		10.0	10.0	10.0										
976			3	40	52500	RIDE	8.1	7.6	7.9	6.9	7.1	6.8	7.1	5.0*	5.8		6.2	6.8	6.2										
SW 84 AVE(3.4C)				0.1																								
4056481	3.182	6.218	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5									
COMMUNITY ASPHALT	CORP.			(2006)	FC125	RIDE	6.7	6.7	6.4	6.4	6.8	6.6	6.7	6.4	6.5	6.8	6.8	6.7	6.8	6.8									
87046000	0.445	1.292	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0										
990			2	45	15000	RIDE	7.9	7.9	8.0	7.5	7.5	7.3	7.2	7.0	6.6	6.7	6.8	6.9	6.6										
KENDALE BLVD (S)(0.5C)				2.8																								
4363431	0.445	1.232	R	2018	0012	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0										
COMMUNITY ASPHALT	CORP.			(2020)	FC125	RIDE	6.7	6.6	6.7	6.6	6.5	6.3	6.2	6.7	6.3	6.6	6.3	7.8	7.8										
87046000	1.292	2.970	C	1	1	CRACKING	9.0	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0										
990			2	35	13300	RIDE	7.4	7.2	8.6	8.5	8.5	8.5	8.1	8.2	7.7	7.1	7.2	7.4	7.2										
SW 95 CT(1.4R)				2.6																								
4363421	1.258	2.196	C	2018	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.0*	6.0*	6.0*	5.5*	10.0	10.0										
COMMUNITY ASPHALT	CORP.			(2020)	FC125	RIDE	7.3	7.4	7.4	7.2	7.0	7.0	7.1	7.3	7.4	7.2	7.2	7.5	7.6										
87046000	0.445	1.292	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0										
990			2	45	15000	RIDE	8.0	8.0	8.0	7.3	7.3	7.2	7.2	6.7	7.1	6.7	6.5	6.4	6.4										
KENDALE BLVD (S)(0.5C)				2.8																								
4363431	0.476	1.232	L	2018	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	10.0	10.0										
COMMUNITY ASPHALT	CORP.			(2020)	FC125	RIDE	6.4	6.4	6.2	6.5	6.4	6.5	6.4	6.9	6.8	6.4	6.2	7.7	7.6										
87047000	8.128	8.678	R	1	1	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0										
973			2	40	34000	RIDE	7.1	6.9	7.2	7.9	7.5	7.7	7.6	7.2	6.9	6.4	5.9	6.8	6.8										
POINCIANA CONDO(8.2R)				2.0																								
4198521	8.128	8.472	C	2011	0012	CRACKING	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7									
COMMUNITY ASPHALT	CORP.			(2013)	FC125	RIDE	6.8	6.7	6.6		7.9	7.8	7.6	6.9	7.0	6.8	6.8	6.5	6.6	5.5									
87047000	8.678	9.505	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0										
973			3	40	52000	RIDE	7.9	7.9	8.1	7.5	7.3	7.3	7.3	7.0	6.5	6.5	6.5	6.6	6.6										
PARK BLVD(8.8C)				2.4																								
4180901	8.665	9.482	C	2009	0012	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
COMMUNITY ASPHALT	CORP.			(2011)	FC95	RIDE	6.7	6.5	8.4	8.0	8.0	8.2	7.8	8.2	8.0	8.0	7.5	7.9	7.8	7.5									
87047000	8.678	9.505	L	1	2	CRACKING	9.5	9.5	9.5	9.5	9.5	8.0	8.0	7.0	6.0*	6.5	5.0*	5.0*	5.0*										
973			3	40	52000	RIDE	8.1	8.0	7.7	6.8	7.2	7.4	7.3	6.7	6.5	6.7	6.1	6.6	6.5										
PARK BLVD(8.8C)				2.4																								
4180901	8.665	9.482	C	2009	0012	CRACKING	5.0*	5.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
COMMUNITY ASPHALT	CORP.			(2011)	FC95	RIDE	6.1	6.4	8.2	8.2	8.1	8.1	8.1	8.0	8.0	7.6	7.8	7.5	7.9	7.4									
87047000	8.128	8.678	L	1	1	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0										
973			2	40	34000	RIDE	6.5	6.6	6.4*	7.6	7.2	7.5	7.6	7.3	6.6	6.2	6.8	5.8	6.4										
SW 4 ST(8.3C)				2.0																								
4198521	8.128	8.472	C	2011	0012	CRACKING	10.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7									
COMMUNITY ASPHALT	CORP.			(2013)	FC125	RIDE	6.4	6.3	6.0	5.7	7.8	7.6	7.7	7.6	6.8	7.3	7.0	7.1	7.3	6.6									
87052000	2.084	3.112	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	7.0										
924			2	30	19400	RIDE	7.9	8.2	7.9	7.8	8.0	7.6	7.4	7.7	7.3	7.1	7.1	7.2	6.6										
NW 5 AVE(2.3C)				3.8																								
4308091	2.084	3.112	C	2015	0012	CRACKING	7.0	7.0	6.5	6.5	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	9.0	9.0	7.5									
COMMUNITY ASPHALT	CORP.			(2017)	FC95A	RIDE	6.5	6.6	6.7	6.6	6.5	6.2	6.2	6.1	7.4	6.9	7.0	6.9	6.8	6.2									
87052000	2.084	3.112	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	7.0										
924			2	30	19400	RIDE	8.1	7.9	7.9	7.1	7.1	7.5	7.1	7.5	7.2	6.6	6.7	6.6	6.2										
NW 5 AVE(2.3C)				3.8																								
4308091	2.084	3.112	C	2015	0012	CRACKING	7.0	6.5	6.5	6.5	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	9.0	9.0	7.5									
COMMUNITY ASPHALT	CORP.			(2017)	FC95A	RIDE	6.1	6.8	6.7	6.6	6.4	6.2	6.2	6.2	7.2	6.6	6.9	6.5	6.8	6.2									

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6															CONTRACTOR = COMMUNITY ASPHALT CORP.																		
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR														FUTURE											
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
INTERSECT AT (MP)	(SIDE)					=====																										(REG)	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F																											
CONTRACTOR	(AGE_ONE	YEAR)																															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F																											
87054000	0.508	3.019	R	1	1	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5		10.0	10.0	10.0	9.0	9.0														
972			2	35	35000	RIDE	7.5	7.4	7.4	6.1*	6.0*	5.9*	5.4*		5.6	5.4*	5.2*	5.0*	5.4*														
SW 36 AVE(0.7C)				3.9																												
4275131	0.500	2.954	R	2013	0012	CRACKING	9.0	7.5	7.5	7.5	7.5	7.5	7.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0													
COMMUNITY ASPHALT	CORP.			(2016)	FC95	RIDE	5.3*	5.1*	5.0*	5.0*	4.8*	4.7*	4.6*	6.4	6.0	6.1	5.9	5.9	5.7	5.7													
87054000	1.021	3.019	L	1	1	CRACKING	7.0	7.0	7.0	6.0*	6.0*	6.0*	6.0*		10.0	10.0	10.0	9.5	9.5														
972			2		35000	RIDE	7.5	7.3	7.5	5.7*	5.9*	5.9*	5.8*		5.7*	5.6*	5.3*	5.6*	5.6*														
SW 32 AVE(1.0C)				3.9																												
4275131	1.086	2.943	L	2013	0012	CRACKING	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	9.5	9.5	9.0	9.0	8.0	6.6													
COMMUNITY ASPHALT	CORP.			(2016)	FC95	RIDE	5.5*	4.9*	4.5*	4.6*	4.1*	4.7*	4.6*	6.3*	6.1*	5.5*	5.9*	5.6*	5.7*	5.0													
87060000	1.082	2.715	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.5	6.5	4.5*	4.5*														
ALA 41			3	45	85500	RIDE	9.1	8.8	9.0	8.7	8.7	8.6	8.6	8.5	7.9	7.9	7.8	7.8	7.9														
SIDE ROAD(1.4C)				3.1																												
4146351	1.082	2.717	C	2008	0012	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	8.0	7.7													
COMMUNITY ASPHALT	CORP.			(2011)	FC2	RIDE	7.8	7.7	7.8	7.8	7.8	7.9	7.8	8.1	8.1	7.9	8.1	8.1	8.1	8.1													
87060000	3.670	4.663	C	1	6	CRACKING	8.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5														
ALA			2	30	12900	RIDE	7.7	7.3	7.7	4.9*	5.2*	4.9*	4.7*	5.2*	4.5*	4.4*	4.0*	3.9*	4.1*														
6 ST(3.7C)					5.0																												
2502361	3.673	4.550	C	2013	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0													
COMMUNITY ASPHALT	CORP.			(2016)	DGFC	RIDE	4.2*	4.1*	4.5*	4.3*	4.3*	3.9*																					
87060000	1.082	2.715	L	1	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.0	7.5	6.5	6.5	6.5	3.5*	3.5*	3.5*														
ALA 41			3	45	85500	RIDE	9.0	8.8	9.0	8.5	8.3	8.4	8.6	8.2	7.5	7.4	7.3	7.2	7.2														
SIDE ROAD(1.4C)				3.1																												
4146351	1.082	2.717	C	2008	0012	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	7.8													
COMMUNITY ASPHALT	CORP.			(2011)	FC2	RIDE	7.2	6.8	8.0	7.9	8.0	8.1	8.1	8.4	8.3	8.3	8.3	8.3	8.2	8.2													
87066000	0.000	1.650	C	1	1	CRACKING		10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	9.5		10.0	10.0														
922			4	35	30000	RIDE		7.7	7.7	7.2	6.3*	6.8	6.7	6.2	6.0	6.0		6.9	6.8														
NW 7 AVE(0.0C)				6.0																												
4075911	0.133	1.886	C	2004	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	8.0	8.0	7.0	7.0													
COMMUNITY ASPHALT	CORP.			(2007)	DGFC	RIDE	6.9	6.5	6.6	6.7	6.4	6.4	6.4	5.4*	5.2*	5.1*	5.2*	4.8*	5.1*	4.1													
87072000	1.117	3.084	C	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	10.0	10.0	10.0	10.0														
985			4	40	26500	RIDE	6.1*	6.1*	5.9*	6.1*	6.7	6.7	6.8	5.4*	5.3*	6.4	6.3	6.4	6.3														
SW 86 ST(1.2C)				2.5																												
4076061	0.000	3.004	C	2003	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	6.1													
COMMUNITY ASPHALT	CORP.			(2005)	FC125	RIDE	6.3	6.8	7.0	6.5	6.8	6.7	6.6	6.3	6.3	6.1	5.8	6.2	6.1	6.1													
87080000	2.678	3.718	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	6.5	6.5													
934			3	35	18000	RIDE	8.5	8.1	8.4	8.4	8.4	8.0	7.6	7.4	6.9	6.5	5.9	6.3	6.2														
BAY DR W(2.7L)				10.2																												
4226171	2.678	3.718	C	2010	0012	CRACKING	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0													
COMMUNITY ASPHALT	CORP.			(2013)	DGFC	RIDE	5.9	5.9	5.8	6.0	8.1	7.4	7.3	7.6	7.6	7.3	7.2	7.3	6.9	6.6													
87080000	3.718	4.175	C	1	6	CRACKING	9.0	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5														
934			2	35	10700	RIDE	7.4	6.9	6.4*		7.6	6.5	5.6	5.8	5.5	4.5*	3.9*	4.4*	4.1*														
BAY DR E(3.7C)				10.2																												
4198251	3.718	4.175	C	2010	0012	CRACKING	9.5	9.5	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0													
COMMUNITY ASPHALT	CORP.			(2013)	FC95	RIDE	4.6*	4.4*	3.7*	3.7*	7.2	6.4	6.7	5.1*	4.9*	4.7*	4.4*	4.2*															
4439261	3.718	4.175	C	2026	0015																												
87080347	0.000	1.042	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	7.5	6.5	6.5														
934			3	35	20000	RIDE	8.1	8.0	8.4	7.4	7.2	6.6	6.6	6.8	6.4	6.1	6.0	6.2	6.5														
BAY DR E(0.0C)				10.2																												
4226161	0.312	1.042	C	2010	0012	CRACKING	6.5	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5													
COMMUNITY ASPHALT	CORP.			(2013)	DGFC	RIDE	6.3	4.8*	5.2*	5.7	7.0	6.8	6.5	6.8	6.3	6.2	6.0	5.9	5.7	4.9													
87085000	3.014	3.603	R	1	1	CRACKING	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0														
933			2	35	24000	RIDE	4.5*	4.2*	4.9*	4.2*	4.0*	4																					

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6															CONTRACTOR = COMMUNITY ASPHALT CORP.																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR														FUTURE												
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
INTERSECT	AT (MP)	(SIDE)					*****																										(REG)	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	W_KMX-P																													
CONTRACTOR	(AGE_ONE	YEAR)																																
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	W_KMX-F																													
87085000	3.014	3.603	L	1		1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	10.0	10.0	10.0														
933			2		24000		RIDE	5.0*	5.1*	4.8*	5.3*	4.0*	4.8*	4.2*	3.8*	3.7*	3.5*	7.1	6.6	6.4*														
NW 20 ST(3.0C)				5.0																													
4077381	3.078	3.591	C	2004	0012		CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	6.5														
COMMUNITY	ASPHALT	CORP.		(2006)	DGFC		RIDE	6.3*	5.8*	6.2*	5.9*	5.8*	5.8*	6.2*	4.7*	5.0*	4.8*	4.7*	4.8*	4.3*														
4327484	2.994	3.603	C	2022	0015																													
87090000	0.000	3.600	R	1		1	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.5	6.5	6.5	4.5*														
25			2	55	21500		RIDE	7.7	7.7	7.5	7.9	7.7	7.8	7.6	7.1	6.6	6.5	6.3*	6.3*	6.3*														
KROME AVE(0.4R)				17.9																													
4252112	0.000	4.791	C	2012	0012		CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0														
COMMUNITY	ASPHALT	CORP.		(2014)	FC5M		RIDE	6.2*	6.1*	5.7*	5.7*	5.8*	8.3	8.4	8.5	8.5	8.4	8.5	8.5	8.5														
4232512	0.000	4.591	C	2022	0213																													
87090000	3.600	4.190	R	1		1	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
25			2	55	35500		RIDE	7.7	7.7	7.5	7.9	7.7	7.8	8.8	8.7	8.2	8.1	8.0	7.9	8.1														
4252112	0.000	4.791	C	2012	0012		CRACKING	7.0	7.0	7.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0														
COMMUNITY	ASPHALT	CORP.		(2012)	FC5M		RIDE	8.0	7.8	7.6	7.7	7.6	7.6	8.0	7.9	7.9	8.0	7.8	7.9	7.9														
4232512	0.000	4.591	C	2022	0213																													
87090000	4.190	5.280	R	1		1	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0		10.0	10.0	10.0	10.0	10.0														
25			2	55	35500		RIDE	7.7	7.7	7.5	7.9	7.7	7.8	7.5		7.9	8.0	7.7	7.8	7.8														
4252112	0.000	4.791	C	2012	0012		CRACKING	10.0	9.5	9.5	9.5	9.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0														
COMMUNITY	ASPHALT	CORP.		(2014)	FC5M		RIDE	7.8	7.6	7.7	7.7	7.7	8.0	8.1	8.2	8.2	8.2	8.1	7.6	7.8														
4355423	4.591	5.377	C	2020	0213																													
87090000	5.280	8.572	R	1		1	CRACKING	10.0	10.0	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
25			3	50	34449		RIDE	8.9	8.5	8.8		8.9	8.7	8.8	8.7	8.3	8.2	8.1	8.1	8.2														
NW 138 ST(5.7C)				17.3																													
2497581	5.166	10.187	C	1998	0012		CRACKING	9.5	8.5	8.5	8.5	8.5	8.5	8.0	6.5	6.5	6.5	6.5	6.5	6.5														
COMMUNITY	ASPHALT	CORP.		(2000)	FC2		RIDE	8.0	8.1	8.0	8.0	7.9	7.8	7.9	8.1	8.0	8.0	8.1	8.0	7.9														
4232515	6.346	8.114@	C	2022	0218																													
87090000	9.037	10.027	R	1		1	CRACKING	10.0	10.0	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
25			3	45	42000		RIDE	8.9	8.5	8.8		8.9	8.7	8.8	8.7	8.3	8.2	8.1	8.1	8.2														
2497581	5.166	10.187	C	1998	0012		CRACKING	9.5	8.5	8.5	8.5	8.5	8.5	8.0	6.5	6.5	6.5	6.5	7.0	7.0														
COMMUNITY	ASPHALT	CORP.		(2000)	FC5		RIDE	8.0	8.1	8.0	8.0	7.9	7.8	7.9	8.1	8.0	8.1	7.9	8.1	7.9														
4232513	9.486	10.153	C	2025	0213																													
87090000	9.037	10.027	L	1		1	CRACKING	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5														
25			3	45	42000		RIDE	8.9	8.8	8.9		8.9	8.7	8.8	8.7	8.3	8.2	8.1	8.0	8.1														
JOHN HILL RD(9.6L)				19.0																													
2497581	5.166	10.187	C	1998	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.5	6.5														
COMMUNITY	ASPHALT	CORP.		(2000)	FC5		RIDE	7.7	7.8	7.9	7.9	7.8	7.8	7.7	7.7	7.5	7.7	7.8	7.9	7.9														
4232513	9.486	10.153	C	2025	0213																													
87090000	5.334	8.572	L	1		1	CRACKING	9.5	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5														
25			3	50	34449		RIDE	8.9	8.8	8.9		8.9	8.7	8.8	8.7	8.3	8.2	8.1	8.0	8.1														
NW 138 ST(5.7C)				17.3																													
2497581	5.166	10.187	C	1998	0012		CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	4.5*														
COMMUNITY	ASPHALT	CORP.		(2000)	FC2		RIDE	7.7	7.8	7.9	7.9	7.8	7.8	7.7	8.2	8.1	8.0	8.1	8.2	8.2														
4232515	6.346	8.114@	C	2022	0218																													
87090000	3.760	5.334	L	1		1	CRACKING	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*														
25			2	55	35500		RIDE	7.9	7.8	7.8	8.4	8.3	8.2	8.1	7.7	7.0	6.9	6.8	6.8	6.9														
NW 154 ST(3.9L)				30.4																													
4252112	0.000	4.791	C	2012	0012		CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0														
COMMUNITY	ASPHALT	CORP.		(2014)	FC5M		RIDE	6.5	6.5	6.2*	6.1*	6.1*	8.3	8.2	8.4	8.4	8.4	8.3	7.7	7.8														
4232512	0.000	4.591	C	2022	0213																													
87090000	0.000	3.760	L	1		1	CRACKING	10.0	10.0	10.0	9.5	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*														
25			2	55																														

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6																		CONTRACTOR = COMMUNITY ASPHALT CORP.															
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR										FUTURE															
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	*****																										(REG)	
ITMSEG-P	(AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	WKM-F																											
CONTRACTOR																																	
ITMSEG-F																																	
87170000	3.701	4.935	R	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	4.5*															
826			4	45	61500	RIDE	7.8	7.9	7.7	8.1	8.0	8.1	8.0	7.4	6.8	6.9	6.7	6.6															
INTERAMA BLVD(4.8R)					3.6																												
4076302	3.701	5.085	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0													
COMMUNITY ASPHALT CORP.				(2009)	FC5	RIDE	8.0	7.6	7.9	7.8	7.6	7.4	7.1	7.8	7.5	7.7	7.6	7.8	7.6														
87170000	4.935	5.100	C	1	1	CRACKING	10.0	10.0	9.0	10.0	9.0	8.0	6.5	4.5*	4.5*	6.5	6.5	4.5*															
826			4	35	26000	RIDE	7.8	7.9	7.7	7.6	5.7*	4.9*	8.0	7.4	6.8	7.1	7.0	7.0															
NE 35 AVE(4.9L)					3.7																												
4076302	3.701	5.085	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.2													
COMMUNITY ASPHALT CORP.				(2009)	FC5	RIDE	8.0	7.7	7.9	7.6	7.6	7.4	7.1	7.8	7.5	7.6	7.6	7.7	7.6														
87170000	3.701	4.935	L	1	2	CRACKING	10.0	10.0	9.0	9.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	4.5*															
826			4	45	61500	RIDE	7.8	8.3	8.1	8.0	8.2	8.4	8.1	7.9	7.3	7.1	7.0	7.0															
TRN LN TO SR 5/US-1(3.7L)					3.6																												
4076302	3.701	5.085	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0													
COMMUNITY ASPHALT CORP.				(2009)	FC5	RIDE	7.9	7.7	7.5	7.6	7.6	7.4	7.6	7.6	7.5	7.7	7.3	7.1	7.6														
87190000	0.000	0.513	R	1	1	CRACKING	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0														
909			2	40	22000	RIDE	6.2*	6.4*	7.0	7.6	7.4	7.1	7.2	7.2	6.2	6.0	6.0	5.8	6.9														
NE 118 TER(0.0R)					10.4																												
4127542	0.000	0.237	C	2005	0008	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	7.0	7.0	7.0	7.0	5.3														
COMMUNITY ASPHALT CORP.				(2008)	DGFC	RIDE	5.7	5.9	6.2	6.0	5.9	5.8	5.8	5.6	5.3*	5.7	5.6	5.1*	5.2*														
4399761	0.000	0.513	C	2023	0012																												
87190000	0.000	0.513	L	1	1	CRACKING	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0														
909			2	40	22000	RIDE	6.2*	6.4*	7.0	7.6	7.4	7.1	7.2	7.2	6.2	6.0	6.0	5.8	7.5														
SR-924/NE 119 ST(0.0L)					10.4																												
4127542	0.000	0.237	C	2005	0008	CRACKING	10.0	10.0	9.5	9.5	9.5	9.0	8.5	8.0	7.0	7.0	7.0	7.0	5.1														
COMMUNITY ASPHALT CORP.				(2008)	DGFC	RIDE	6.8	7.4	6.9	6.6	6.7	6.4	6.4	5.8	5.5	5.6	5.2*	5.3*	5.0*														
4399761	0.000	0.513	C	2023	0012																												
87210000	0.000	1.704	R	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5														
856			3	55	40000	RIDE	8.2	7.5	7.7	7.6	7.1	6.5	7.6	8.1	7.0	7.3	7.1	7.3	6.8														
BISCAYNE BLVD(0.0C)					2.8																												
4284861	0.000	1.125	C	2013	0012	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
COMMUNITY ASPHALT CORP.				(2015)	FC5	RIDE	7.0	7.0	6.9	6.9	7.3	6.8	7.5	7.9	7.7	7.6	7.8	7.5	7.7														
87210000	0.000	1.704	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5															
856			3	45	40000	RIDE	7.8	7.9	7.9	7.9	7.7	7.8	7.8	7.5	7.1	7.3	7.3	7.2	7.1														
BISCAYNE BLVD(0.0C)					2.8																												
4284861	0.000	1.125	C	2013	0012	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
COMMUNITY ASPHALT CORP.				(2015)	FC5	RIDE	6.8	7.4	7.3	6.8	6.9	6.8	8.1	7.7	8.1	8.0	8.1	8.0	7.9														
87240000	11.345	13.110	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5														
9			2	50	29181	RIDE		8.5	8.6	8.5	8.4	8.5	8.5	8.3	7.8	7.8	7.7	7.7	7.7														
NW 22 AVE(11.8C)					8.3																												
4291841	11.237	13.318	C	2014	0012	CRACKING	8.5	6.5	6.5	6.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0														
COMMUNITY ASPHALT CORP.				(2016)	FC5A	RIDE	7.8	7.2	7.5	7.4	7.4	7.1	7.2	8.1	8.1	8.1	8.0	8.0	8.0														
87240000	13.110	13.690	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.0														
9			2	50	35500	RIDE		8.5	8.6	8.5	8.4	8.5	8.5	8.3	7.8	7.8	7.7	7.7	6.9														
SR 7 / US 441 SB(13.7R)					9.4																												
4284762	13.281	13.690	C	2012	0012	CRACKING	6.0*	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
COMMUNITY ASPHALT CORP.				(2014)	OGFC	RIDE	6.7	7.0	6.7	6.4*	6.7	8.1	8.2	8.2	8.2	8.2	8.1	8.0	7.8														
87240000	13.110	13.690	L	1	1	CRACKING	9.0	9.0	9.0	9.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0														
9			2	50	35500	RIDE	7.9	7.9	7.4	6.8	8.2	8.0	7.9	8.2	7.6	7.6	7.1	7.4	7.4														
					9.4																												
4284762	13.281	13.690	C	2012	0012	CRACKING	9.0	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0														
COMMUNITY ASPHALT CORP.				(2014)	OGFC	RIDE	7.3	7.6	7.3	7.3	7.3	8.0	8.5	8.3	8.3	8.3	8.3	8.3	8.1														
87240000	11.345	13.110	L	1	1	CRACKING		10.0	10.0	10.0	10.0																						

FLORIDA DEPARTMENT OF TRANSPORTATION

ALL SYSTEM PAVEMENT CONDITION FORECAST

PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 CONTRACTOR = COMMUNITY ASPHALT CORP.

SR	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR															FUTURE	
INTERSECT AT (MP)	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008				
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																		
CONTRACTOR	(AGE_ONE_YEAR)				SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																		
87260000	16.379	19.053	R	3	1	1	CRACKING	6.5	7.5	7.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	9.5	8.0			
826	16.4	19.1	3	55	157000	7.9	RIDE	7.7	7.8	7.7	8.4	8.3		8.2	8.5	8.1	7.9	8.0	8.0	8.0			
DIRECTION	CHANGES AT THI		(16.9C)																				
4291351	16.417	19.063	C	2014	0012	CRACKING	8.0	7.0	7.0	7.0	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.0	8.4			
COMMUNITY	ASPHALT CORP.		(2017)		FC5M	RIDE	8.0	7.8	7.9	7.7	7.8	7.7			8.2	8.2	8.2	8.2	8.2	8.2			
4471651	8.355	17.950	C	2022	0213																		
87260000	19.053	22.273	R	3	1	1	CRACKING	6.5	7.5	7.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5			
826	19.1	22.3	3	55	150000	5.9	RIDE	7.7	7.8	7.7	8.4	8.3	8.3	8.9	8.7	8.0	7.3	7.9	8.1	8.2			
4327432	19.053	21.623	C	2016	0012	CRACKING	8.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	7.8			
COMMUNITY	ASPHALT CORP.		(2018)		FC5M	RIDE	8.2	8.0	8.0	7.9	7.8	7.7	7.6	7.9	7.9	8.4	8.3	8.4	8.4	8.4			
87260000	22.273	23.014	R	4	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5			
826	22.3	23.0	4	55	155000	7.0	RIDE	8.6	8.8	8.9	8.5	8.3	8.3	8.8	8.6	8.2	8.1	8.0	7.6	8.2			
4327433	22.220	23.046	C	2016	0012	CRACKING	9.5	9.5	9.5	8.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0			
COMMUNITY	ASPHALT CORP.		(2018)		FC5M	RIDE	8.1	7.8	8.0	7.7	8.0	8.0	8.0	7.9	8.2	8.1	8.4	8.4	8.5	8.5			
87260000	22.273	23.046	L	4	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5			
826	22.3	23.0	4	55	155000	7.0	RIDE	8.5	8.6	8.7	8.5	8.5	8.3	8.9	8.3	8.1	8.2	8.1	7.8	8.2			
4327433	22.220	23.046	C	2016	0012	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0			
COMMUNITY	ASPHALT CORP.		(2018)		FC5M	RIDE	8.1	8.0	7.8	7.9	7.8	7.6	7.6	7.6	8.2	8.2	8.5	8.6	8.7	8.8			
87260000	19.053	22.273	L	3	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5			
826	19.1	22.3	3	55	150000	5.9	RIDE	7.4	7.4	7.4	8.2	8.3	8.3	8.8	8.7	8.0	8.2	8.1	7.7	8.2			
4327432	19.053	21.623	C	2016	0012	CRACKING	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0			
COMMUNITY	ASPHALT CORP.		(2018)		FC5M	RIDE	8.2	8.0	7.9	7.8	7.7	7.7	7.6	7.9	7.8	8.6	8.5	8.7	8.6	8.6			
87260000	16.379	19.053	L	3	1	1	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	9.5	9.5			
826	16.4	19.1	3	55	157000	7.9	RIDE	7.4	7.4	7.4	8.2	8.3		8.2	8.1	7.6	7.7	7.6	7.0	7.8			
DIRECTION	CHANGES AT THI		(16.9C)																				
4291351	16.417	19.063	C	2014	0012	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.0	8.4			
COMMUNITY	ASPHALT CORP.		(2017)		FC5M	RIDE	7.8	7.7	7.5	7.5	7.5	7.4	7.3		8.5	8.4	8.5	8.6	8.5	8.5			
4471651	8.355	17.950	C	2022	0213																		
87281000	9.598	11.735	R	3	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0			
953			3	40	21500	8.1	RIDE	7.5	7.3	7.3	6.1*	5.9*	5.9*	5.4*	5.8	7.5	7.1	7.1	7.1	7.2			
SR 932(9.7C)																							
4056561	9.704	11.735	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.5			
COMMUNITY	ASPHALT CORP.		(2004)		FC125	RIDE	6.8	7.1	6.8	6.8	6.7	6.8	6.5	6.4	6.5	6.6	6.6	6.4	6.5	6.1			
4478031	9.717	11.714	R	2025	0012																		
87281000	9.722	11.735	L	3	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0			
953			3	40	21500	8.1	RIDE	7.7	7.2	7.4	6.6	6.8	6.6	6.8	6.3	7.8	7.7	7.6	7.3	7.6			
E 50 ST(9.8L)																							
4056561	9.704	11.735	C	2002	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5			
COMMUNITY	ASPHALT CORP.		(2004)		FC125	RIDE	7.6	7.7	7.5	7.6	7.5	7.4	7.2	6.6	6.4	7.0	7.1	7.0	7.0	6.6			
4478031	9.794	11.714	L	2025	0012																		
87471000	25.731	27.248	R	5	8	8	CRACKING	10.0	10.0	10.0	10.0	8.0	7.0					10.0	10.0	10.0			
821	25.7	27.2	5	60	161900	6.8	RIDE	8.6	9.2	9.2	9.0	8.1	8.6					7.7	7.6	8.0			
SR 836(26.5R)																							
2519281	26.314	31.709	C	2000	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0			
COMMUNITY	ASPHALT CORP.		(2006)		FC5	RIDE	7.8	7.5	7.7	7.8	7.7	7.7	7.7	7.7	7.9	7.9	7.9	7.8	7.8	7.8			
4150514	23.737	26.800	C	2016	0213																		
87471000	27.248	30.720	R	5	8	8	CRACKING	10.0	10.0	9.0	9.0	8.0	8.0			10.0	10.0	10.0	10.0	10.0			
821	27.2	30.7	4	70	124100	6.8	RIDE	8.4	8.9	8.8	8.9	8.7	8.8			7.8	7.7	7.8	7.8	8.1			
2519281	26.314	31.709	C	2000	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5			
COMMUNITY	ASPHALT CORP.		(2005)		FC2	RIDE	8.1	7.6	7.8	7.9	7.8	7.7	7.8	7.8	8.2	8.2	8.0	8.2	8.2	8.2			
4355431	27.100	33.125	C	2019	0213																		
87471000	33.000	34.909	R	5	1	1	CRACKING	10.0	10.0	9.0	9.0	8.0	8.0			10.0	10.0	10.0	9.0	9.0			
821	33.0	34.9	3	70	112700	6.8	RIDE	8.4	8.9	8.8	8.9	8.7	8.8			7.7	7.7	7.7	7.7	7.8			
2519291	31.747	39.623	C	2000	0218	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	5.5*	4.6			
COMMUNITY	ASPHALT CORP.		(2004)		FC2	RIDE	7.8	7.4	7.6	7.6	7.5	7.4	7.4	7.4	7.7	7.6	7.4	7.6	7.7	7.8			
4355421	33.273	39.438	C	2020	0213															7.5			

* * INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 * * INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.

"@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6																				CONTRACTOR = COMMUNITY ASPHALT CORP.									
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR																	FUTURE				
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008										
INTERSECT AT (MP SIDE)						=====																							
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																								
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026									
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F															(REG)									
87471000	35.445	38.490	R	5	1	CRACKING	10.0	10.0	9.0	9.0	8.0	8.0			10.0	10.0	10.0	9.0	9.0										
821	35.4	38.5	3	70	104300	RIDE	8.4	8.9	8.8	8.9	8.7	8.8			7.7	7.7	7.7	7.7	7.8										
2519291	31.747	39.623	C	2000	0218	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5		3.5*	3.5*	6.5	6.5	3.5									
COMMUNITY ASPHALT CORP.					(2004) FC2	RIDE	7.8	7.4	7.6	7.6	7.5	7.4	7.4	7.7		8.3	8.3	8.5	8.4	8.3									
4355421	33.273	39.438	C	2020	0213																								
87471000	27.550	30.443	L	5	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5				10.0	10.0	10.0	10.0										
821	27.6	30.4	3	70	124100	RIDE	9.1	8.8	9.2	9.0	8.8	8.9				7.9	7.8	7.9	8.2										
2519281	26.314	31.709	C	2000	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5									
COMMUNITY ASPHALT CORP.					(2005) FC2	RIDE	8.2	8.1	8.0	8.0	8.0	7.9	8.0	8.3	8.3	8.2	8.3	8.3	8.1	8.1									
4355431	27.100	33.125	C	2019	0213																								
87471000	26.233	27.550	L	5	8	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0					10.0	10.0	10.0										
821	26.2	27.6	3	60	161900	RIDE	8.4	8.3	8.9	8.5	8.2	8.4					7.7	7.5	7.8										
SR 836(26.3L)					6.8																								
2519281	26.314	31.709	C	2000	0218	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0											
COMMUNITY ASPHALT CORP.					(2006) FC5	RIDE	7.8	7.7	7.6	7.6	7.6	7.6	7.7	7.8	7.9	7.8	7.9	7.9	7.9										
90020000	10.085	10.730	C	1	1	CRACKING	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	7.0	8.0										
5	1		2	55	18600	RIDE	7.5	7.4	7.8	7.9	7.9	7.8	7.9	7.6	7.2	6.7	7.1	7.1	7.1										
BAY POINT DR(10.3R)					8.7																								
4256007	10.085	10.730	C	2012	0226	CRACKING	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
COMMUNITY ASPHALT CORP.					(2014) FC95	RIDE	6.9	6.7	6.5	6.4*	6.4*	7.3	7.5	7.3	7.3	7.2	7.1	7.2	7.1	6.9									
90020000	16.158	18.585	C	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	8.0	7.0	7.0	6.5	4.0*	4.0*	4.5*	4.5*										
5	1		2	45	18400	RIDE	7.6	7.7	8.6	8.4	8.4	8.4	8.4	8.2	7.6	7.4	7.5	7.3	6.6										
DROST DR(16.5R)					10.7																								
4181001	16.140	18.576	C	2008	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	6.5	6.5	4.5*	3.8									
COMMUNITY ASPHALT CORP.					(2010) FC5	RIDE	7.0	7.6	7.7	7.7	7.7	7.7	7.7	7.6	7.6	7.5	7.4	7.5	7.4	7.3									
4438981	16.178	18.583	C	2022	0012																								
90030000	1.545	2.051	R	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.0											
5	1		1	45	15900	RIDE	7.1	7.4	7.9	7.9	7.9	7.9	7.8	7.6	7.1	7.1	7.0	7.1	7.0										
LONG BEACH BLVD(1.9R)					9.9																								
4291431	1.683	1.975	C	2014	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
COMMUNITY ASPHALT CORP.					(2016) FC95A	RIDE	7.0	7.0	6.8	6.8	6.6	6.6	6.6	8.0	8.0	7.8	7.7	7.8	7.8	7.5									
90030000	1.545	2.051	L	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	7.0											
5	1		1	45	15900	RIDE	7.1	7.4	7.9	7.9	7.9	7.9	7.8	7.6	7.1	7.1	7.0	7.1	6.3										
4291431	1.683	1.975	C	2014	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	8.8									
COMMUNITY ASPHALT CORP.					(2016) FC95A	RIDE	6.6	6.1	6.1	6.1	5.9	5.5	5.4*	8.0	7.9	7.9	7.8	7.7	7.8	7.5									
90040000	1.003	6.455	R	1	1	CRACKING	10.0	10.0	10.0	9.0	9.0	7.5	7.5	7.0	6.5	4.5*	3.5*	3.5*											
5	1		2	45	29000	RIDE	8.2	7.8	8.4	8.0	8.0	8.0	7.9	7.7	7.4	7.2	7.0	6.8											
MARATHON PARK ENT(1.2R)					9.4																								
4198541	2.180	5.982	C	2010	0012	CRACKING	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
COMMUNITY ASPHALT CORP.					(2013) FC95	RIDE	6.6	6.6	6.4	5.1*	8.0	7.9	8.0	7.8	7.8	7.5	7.5	7.6	7.6	7.2									
90040000	1.003	6.455	L	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	7.5	7.0	7.0	5.5*	3.5*	3.5*	3.5*											
5	1		2	45	29000	RIDE	8.3	7.9	8.6	8.3	8.2	8.2	8.1	7.8	7.3	6.9	6.9	6.8	6.8										
37 STREET(1.0L)					9.4																								
4198541	2.180	5.982	C	2010	0012	CRACKING	1.0*	1.0*	1.0*	1.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
COMMUNITY ASPHALT CORP.					(2013) FC95	RIDE	6.6	6.6	6.3	5.8	7.9	7.8	7.7	7.6	7.6	7.6	7.4	7.4	7.4	7.0									
90060000	16.313	17.105	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	8.0	7.5	7.0	6.5											
5	1		2	45	31500	RIDE	8.0	7.8	8.3	8.3	8.3	8.3	8.3	7.9	7.7	7.5	7.6	7.7	7.6										
BESSIE RD(16.7R)					8.9																								
4255991	16.465	17.105	C	2012	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
COMMUNITY ASPHALT CORP.					(2014) FC95	RIDE	7.4	7.3	7.2	6.6	6.8	8.3	8.1	7.9	7.8	7.9	7.8	7.7	7.7	7.3									
90060000	25.728	26.207	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	6.0*	6.0*	6.0*	4.5*										
5	1		2	45	40500	RIDE	8.6	8.5	9.1	8.9	8.9	8.9	8.9	8.7	8.2	8.0	8.0	8.0	7.7										
SPUR(25.7L)					7.5																								
4198531	25.728	25.951	L	2010	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.3									
COMMUNITY ASPHALT CORP.					(2012) OGFC	RIDE	7.3	7.2	6.8	8.4	8.4	8.4	7.6	8.2	8.1	8.0	8.0	7.9	8.0	7.6									
4439211	23.203	26.177	C	2023	0012																								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT <

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6							CONTRACTOR = COMMUNITY ASPHALT CORP.															
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR															FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)						%T	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)	
90060000	16.313	17.105	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	6.5		
5 1			2	45	31500	RIDE		7.9	7.8	8.3	8.3	8.1	8.2	8.0	7.8	6.9	7.0	6.7	6.8	6.9		
ROYAL POINCIANA(16.3L)																						
4255991	16.465	17.105	C	2012	0012	CRACKING		4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2014)	FC95	RIDE		6.7	6.7	6.4	6.6	6.4	8.0	7.4	7.3	7.5	7.3	7.2	7.2	7.1	6.6	
90060001	0.000	2.494	C	1	1	CRACKING		10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	6.0*	6.0*	6.0*	6.0*		
5 1			2	45	19500	RIDE		8.2	8.0	8.5	8.2	8.3	8.1	8.1	7.6	6.7	6.6	7.4	7.4	7.1		
N OCEAN BAY DR(0.0R)																						
4198531	0.000	2.494	C	2010	0012	CRACKING		6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
COMMUNITY ASPHALT CORP.				(2012)	OGFC	RIDE		6.7	6.4	6.3	8.1	8.1	8.1	8.1	8.2	8.3	8.1	8.0	8.1	8.1	8.1	
90060002	0.000	0.772	C	1	1	CRACKING		9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.0	6.0*	6.0*	6.0*	6.0*		
5 1			2	45	16000	RIDE		7.8	7.9	8.1	8.1	7.9	8.4	7.9	7.5	6.7	6.3*	6.4	6.2	5.6		
US-1/SR-5/ID90060000(0.0C)																						
4198491	0.000	0.772	R	2010	0012	CRACKING		6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
COMMUNITY ASPHALT CORP.				(2012)	DGFC	RIDE		5.0*	5.5	5.2*	8.4	8.4	8.4	8.1	7.9	8.1	7.7	7.8	7.8	7.6	7.1	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = CONDOTTE AMERICA, LLC										
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP)	(SIDE)					=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	W_KMX-P															
CONTRACTOR	(AGE_ONE YEAR)			SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	W_KMX-F															(REG)
87004000	0.000	0.486	R	3	4	CRACKING	6.7	7.1	7.3	7.6	7.4	7.8	7.6	7.3	7.8	7.8	8.0	7.7	7.7	
112			2	55	137000	RIDE	7.6	7.7	7.5	7.2	7.2	7.2	6.8	6.6	6.2*	5.7*	5.2*	6.3*	6.4*	
NW 11 AVE(0.0C)					3.8															
4055781	0.114	2.136	C	2010	0024	CRACKING	8.6	8.1	8.1	8.0		9.4	9.2	9.0	9.0	9.1	8.9	8.8	8.8	8.4
CONDOTTE AMERICA, LLC				(2014)	LGD	RIDE	6.1*	6.4*	5.6*	6.0*		6.9	7.7	8.1	8.2	7.9	8.2	8.3	8.2	8.2
87004000	0.486	0.793	R	4	4	CRACKING	8.9	9.0	8.9	8.6	8.7	9.0	9.0	9.2	9.1	9.1	9.1	8.4	8.2	
112 I195	0.0	0.3	1	55	137000	RIDE	7.3	7.2	6.8	6.9	6.8	6.9	6.9	6.3*	6.2*	5.9*	5.9*	6.3*	6.0*	
					3.8															
4055781	0.114	2.136	C	2010	0024	CRACKING	9.0	9.0	8.9	8.8		9.3	9.3	9.3	9.2	9.0	9.0	9.0	9.1	8.8
CONDOTTE AMERICA, LLC				(2014)	LGD	RIDE	6.3*	5.6*	4.7*			7.4	7.7	8.1	8.2	8.1	8.1	8.2	7.8	7.8
87004000	0.793	1.278	R	4	4	CRACKING	7.6	8.3	8.2	8.6	8.6	8.3	8.1	8.1	8.0	8.0	8.0	7.6	7.5	
112 I195	0.3	0.8	3	55	146000	RIDE	7.5	8.1	7.6	7.3	7.3	7.4	7.3	7.2	6.0*	6.1*	6.0*	6.2*	6.3*	
					5.1															
4055781	0.114	2.136	C	2010	0024	CRACKING	7.5	7.5	8.1	8.0		9.3	9.2	9.1	9.0	9.2	9.1	9.0	9.2	9.0
CONDOTTE AMERICA, LLC				(2014)	LGD	RIDE	5.9*	6.1*	5.8*	6.0*		7.7	7.5	8.1	8.4	8.2	8.2	7.9	7.8	7.8
87004000	1.583	1.805	R	4	4	CRACKING	7.3	7.9	8.0	8.1	7.7	8.7	8.5	8.2	8.3	7.6	7.6	6.5	6.4*	
112 I195	1.1	1.3	3	55	128500	RIDE	7.2	6.9	6.8	7.3	7.1	6.7	6.4*	6.6	5.5*	4.9*	5.1*	6.3*	5.1*	
					3.4															
4055781	0.114	2.136	C	2010	0024	CRACKING	8.2	8.2	8.3	8.0		9.4	9.0	8.9	8.9	9.1	9.1	9.0	9.2	9.0
CONDOTTE AMERICA, LLC				(2014)	LGD	RIDE	6.1*	6.0*	5.9*	6.1*		7.6	7.0	7.8	7.8	7.6	7.9	8.0	8.2	8.2
87004000	1.583	1.805	L	4	4	CRACKING	7.3	7.7	7.5	7.5	7.0	7.8	6.2*	7.3	7.0	5.9*	6.0*	5.1*	4.9*	
112 I195	1.1	1.3	3	55	128500	RIDE	7.9	7.4	7.2	6.6	6.2*	5.7*	5.7*	6.5	4.8*	5.6*	5.0*	5.6*	6.1*	
					3.4															
4055781	0.114	2.136	C	2010	0024	CRACKING	6.3*	6.3*	6.9	6.7		9.1	8.9	8.7	8.6	9.0	8.9	8.1	8.7	8.2
CONDOTTE AMERICA, LLC				(2014)	LGD	RIDE	5.7*	5.8*	5.4*	6.0*		7.7	7.7	8.2	8.1	8.1	8.1	8.1	8.1	8.1
87004000	0.793	1.278	L	4	4	CRACKING	8.0	8.7	8.7	8.3	8.3	9.3	8.5	8.6	8.6	8.0	8.1	7.7	7.6	
112 I195	0.3	0.8	3	55	146000	RIDE	8.1	7.9	7.7	7.3	7.3	7.1	7.2	7.1	6.3*	6.2*	6.2*	5.7*	6.1*	
					5.1															
4055781	0.114	2.136	C	2010	0024	CRACKING	8.1	7.9	7.7	7.6		9.2	9.2	9.1	9.1	9.3	9.2	9.2	8.8	8.8
CONDOTTE AMERICA, LLC				(2014)	LGD	RIDE	6.0*	5.9*	5.9*	5.9*		7.9	8.2	8.2	8.4	8.4	8.2	8.4	8.4	8.4
87004000	0.486	0.793	L	4	4	CRACKING	7.1	7.3	7.4	7.3	6.2*	8.8	8.3	8.3	8.3	7.9	8.1	7.8	7.6	
112 I195	0.0	0.3	2	55	137000	RIDE	6.7	6.7	6.8	6.9	6.9	6.8	7.0	6.6	6.1*	6.0*	5.8*	6.2*	6.4*	
					3.8															
4055781	0.114	2.136	C	2010	0024	CRACKING	8.3	8.3				9.1	8.9	8.8	8.8	9.2	9.1	9.1	9.3	9.3
CONDOTTE AMERICA, LLC				(2014)	LGD	RIDE	6.1*	6.2*				7.6	7.9	8.0	8.2	8.2	7.9	8.1	8.2	8.2
87004000	0.363	0.486	L	3	4	CRACKING	7.6	7.0	5.5*	3.7*	2.6*	4.0*	6.2*	6.0*	8.7	7.1	6.7	5.4*	4.8*	
112			2	55	137000	RIDE	7.8	7.5	7.8	7.4	7.5	7.5	7.2	7.5	6.7	6.1*	6.8	6.4*	6.6	
					3.8															
4055781	0.114	2.136	C	2010	0024	CRACKING	5.1*	6.4*				9.2	8.8	8.8	8.4	9.4	9.1	9.0	8.9	8.9
CONDOTTE AMERICA, LLC				(2014)	LGD	RIDE	6.1*	6.1*				7.4	7.2	8.0	8.1	8.0	8.1	8.2	8.3	8.3
87004000	0.000	0.363	L	3	4	CRACKING	5.7*	8.5	7.4	7.0	7.4	9.0	8.0	8.5	9.1	8.8	8.2	7.8	7.9	
112			1	55	137000	RIDE	7.2	7.2	7.3	7.0	6.9	6.6	6.8	6.8	5.5*	5.9*	5.9*	6.0*	6.2*	
NW 11 AVE(0.0C)					3.8															
4055781	0.114	2.136	C	2010	0024	CRACKING	8.2	7.8	8.2	8.0		9.2	8.8	8.5	8.4	8.8	8.8	8.7	9.0	8.7
CONDOTTE AMERICA, LLC				(2014)	LGD	RIDE	6.0*	6.0*	5.1*			7.4	7.7	7.8	8.2	8.3	8.2	8.3	8.4	8.4
87047000	5.945	8.128	R	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	
973			2	40	35000	RIDE	7.0	7.1	7.2	6.6	6.5	6.4*	6.5	6.2	5.6	5.4*	5.3*		7.2	
BIRD RD(6.0C)					3.5															
4075871	7.086	8.154	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3
CONDOTTE AMERICA, LLC				(2008)	FC95	RIDE	7.1	6.8	6.8	6.7	6.7	6.3	6.3	6.3	5.9	6.1	6.0	6.1	6.2	5.4
87047000	5.945	8.128	L	1	1	CRACKING	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	
973			2	40	35000	RIDE	6.9	6.7	6.5	6.9	6.6	6.7	6.5	6.2	5.9	5.2*	4.5*		7.6	
BIRD RD(6.0C)					3.5															
4075871	7.086	8.154	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3
CONDOTTE AMERICA, LLC				(2008)	FC95	RIDE	7.2	7.0	6.9	6.8	6.6	6.8	6.8	6.7	6.5	6.3	6.2	6.4	6.1	5.7

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = CONDOTTE AMERICA, LLC																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR										FUTURE												
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008										
INTERSECT AT (MP)	SIDE					%T	=====																						
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F																							
CONTRACTOR	(AGE ONE YEAR)				SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)									
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F																							
87120000	2.440	5.481	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5			10.0	10.0	10.0										
90 41			3	45	39500	RIDE		8.3	8.5	8.4	8.2	8.3	8.3	8.3			6.5	6.8	6.9										
SW 152 AV(2.5R)				6.0																								
2497042	2.152	4.022	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.2									
CONDOTTE AMERICA, LLC				(2006)	FC125	RIDE	6.8	7.3	7.1	6.8	7.1	7.1	6.5	6.6	6.3	6.7	6.7	6.9	6.8	6.7									
87120000	2.440	5.481	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5			10.0	10.0	10.0										
90 41			3	45	39500	RIDE		8.4	8.6	8.6	8.3	8.5	8.2	7.8			6.3	7.2	7.3										
TN LN FR SW 137 AVE(4.0L)				6.0																								
2497042	2.152	4.022	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.4									
CONDOTTE AMERICA, LLC				(2006)	FC125	RIDE	7.3	7.4	7.4	7.3	7.2	7.3	7.0	6.6	6.3	6.7	6.5	6.7	6.8	6.5									
87471000	11.940	12.571	R	5	1	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5										
821	11.9	12.6	3	60	145000	RIDE	8.5	8.7	8.7	8.9	8.8	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9										
4154881	11.767	12.300	R	2013	0213	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0									
CONDOTTE AMERICA, LLC				(2018)	FC5M	RIDE	7.7	7.5	7.8	7.9	7.8	7.8				8.1	8.0	8.2	7.9	7.8									
87471000	12.571	14.100	R	5	1	CRACKING	10.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5										
821	12.6	14.1	4	60	145000	RIDE	8.5	8.6	8.5	8.5	8.4	8.4	8.3	8.2	7.4	7.3	7.2	7.2	7.2										
4154881	12.300	14.473	R	2013	0213	CRACKING	6.5	6.5	10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0									
CONDOTTE AMERICA, LLC				(2018)	FC5M	RIDE	7.4	7.2	7.7	7.9	7.7	7.7				7.5	7.6	7.6	7.6	7.6									
87471000	12.864	14.100	L	5	2	CRACKING	10.0	10.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	4.5*									
821	12.9	14.1	5	60	145000	RIDE	8.0	8.4	8.7	8.6	8.5	8.5	8.4	8.2	7.5	7.4	7.3	7.3	7.4										
4154881	12.571	14.473	L	2013	0213	CRACKING	4.5*		10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0									
CONDOTTE AMERICA, LLC				(2018)	FC5M	RIDE	7.5		7.9	8.0	8.0	8.0				7.8	8.1	8.1	7.8	7.8									
87471000	11.767	12.864	L	5	2	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	6.5	6.5	6.5										
821	11.8	12.9	3	60	145000	RIDE	8.7	8.6	9.0	8.9	8.8	8.9	8.8	8.6	8.0	7.9	7.7	7.7	7.9										
4154881	11.767	12.571	L	2013	0213	CRACKING	6.5		10.0	10.0	10.0	10.0				10.0	10.0	10.0	10.0	10.0									
CONDOTTE AMERICA, LLC				(2018)	FC5M	RIDE	7.6		7.6	7.8	7.7	7.7				7.7	7.9	8.0	7.9	7.9									

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6																					CONTRACTOR = FERREIRA CONSTRUCTION CO., I									
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE									
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008										
INTERSECT AT	(MP SIDE)					%T	=====																							
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																									
CONTRACTOR	(AGE_ONE YEAR)				SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026										
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F															(REG)										
87085000	3.603	4.245	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	8.0	7.0											
933			2	35	24000	RIDE	8.0	7.8	7.8	7.1	7.2	7.5	7.3	7.1	6.3	6.5	5.8	6.1	6.3											
NW 29 TER(3.6R)					5.0																									
4308161	3.603	4.245	C	2015	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	7.6										
FERREIRA CONSTRUCTION CO., (2016)					FC125	RIDE	6.0	6.0	5.8	5.8	5.6	5.8	5.7		6.4	5.6	6.0	5.9	5.4*	4.7										
87085000	3.603	4.245	L	1	1	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0											
933			2	35	24000	RIDE	7.9	7.7	7.7	7.2	7.2	7.4	7.1	6.9	6.2	6.3	5.8	6.4	6.3											
NW 29 TER(3.6L)					5.0																									
4308161	3.603	4.245	C	2015	0012	CRACKING	7.5	7.5	7.5	7.5	7.5	6.5	6.5	10.0	10.0	10.0	9.0	9.0	9.0	7.6										
FERREIRA CONSTRUCTION CO., (2016)					FC125	RIDE	6.4	5.7	6.2	5.7	5.7	4.9*	5.4*		5.6	5.5	5.5	5.6	5.3*	5.2										

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = GENERAL ASPHALT CO																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE									
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008										
INTERSECT AT (MP SIDE)					%T	=====																							
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																								
CONTRACTOR (AGE_ONE YEAR)				SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)									
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																								
87075000	0.000	0.490	R	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0										
93 I75	0.0	0.5	2	60	145000	RIDE	8.2	8.4	7.9	9.1	9.1	8.7	8.5	7.9	7.3	7.8	7.7	7.7	7.9										
E END OF BR OVR 826(0.0C)						5.5																							
2516301	0.000	5.458	C	1991	0210	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
GENERAL ASPHALT CO				(1992)	FC5M	RIDE	8.0	8.1	8.1	8.0	8.2	8.0	8.0	8.2	8.2	8.1	8.1	7.9	8.2	7.8									
4459881	0.000	0.490	C	2024	0012																								
87075000	0.000	0.490	L	4	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0										
93 I75	0.0	0.5	3	70	145000	RIDE	8.2	8.2	8.4	8.2	8.2	7.9	8.0	7.7	8.2	7.9	7.6	7.7	8.1										
E END OF BR OVR 826(0.0C)						5.5																							
2516301	0.000	5.458	C	1991	0210	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
GENERAL ASPHALT CO				(1993)	FC5M	RIDE	7.7	8.0	8.1	7.9	8.0	7.8	7.8	7.9	6.6	6.9	6.8	5.7*	7.5	6.9									
4459881	0.000	0.490	C	2024	0012																								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6																			CONTRACTOR = GENERAL ASPHALT CO., INC.																
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR			1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE												
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
INTERSECT AT (MP SIDE)							*****																											(REG)	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	WKM-F																													
CONTRACTOR (AGE_ONE YEAR)																																			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F	WKM-F																													
87020000	17.386	19.709	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.5	7.0	7.0	7.0	6.5	4.5*																
5	1		3	45	70000	RIDE	9.0	8.9	8.9	8.7	8.7	8.6	8.3	8.3	7.8	7.7	7.6	7.6	7.7																
HOWARD DR(17.4C)																																			
4255131	17.386	19.550	C	2012	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC. (2015)																																			
87020000	12.014	14.123	L	1	1	CRACKING	6.0*	4.0*	4.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
5	1		3	45	56500	RIDE	8.0	7.7	7.9		8.6	8.5	8.5	8.2	7.7	7.7	7.5	7.6	7.7																
SW 112 AVE(12.0L)																																			
4291881	12.014	14.123	C	2014	0012	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC. (2016)																																			
87027000	0.000	0.479	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5														
969			3	40	27500	RIDE		8.3	7.8	6.5	8.0	7.2	7.4	7.4	5.4*	5.2*	5.2*	5.5	5.5	5.5	5.6														
FLAGLER ST(0.0C)																																			
4146221	0.053	0.433	C	2008	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.5	6.5	6.5	6.5	6.5	5.5*	3.1													
GENERAL ASPHALT CO., INC. (2010)																																			
4293453	0.019	0.436	C	2021	0012	RIDE	5.8	7.7	7.2	7.5	7.7	7.7	7.7	7.7	7.4	6.9	7.1	7.2	6.8	6.9	6.9	6.6													
87027000	1.183	2.491	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	6.5	6.5														
969			3	45	25500	RIDE	8.2	8.0	8.3	7.8	6.8	6.5	7.6	7.3	7.0	6.8	6.2	6.7	6.7																
MILITARY RD R(1.9R)																																			
4146221	1.225	2.361	C	2008	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.4													
GENERAL ASPHALT CO., INC. (2010)																																			
87027000	2.491	5.406	R	1	1	CRACKING	3.5*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5														
969			3	45	31500	RIDE	6.8			8.2	7.8	7.1	6.9	6.7	6.7	6.5	6.0	6.0	6.0	6.0	5.8	6.2													
NW 30 ST(2.7R)																																			
4293451	2.491	4.303	C	2016	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	10.0	9.0	9.0	9.0	9.0	9.0	7.3												
GENERAL ASPHALT CO., INC. (2018)																																			
87027000	2.491	5.406	L	1	1	CRACKING	6.5			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0													
969			3	45	31500	RIDE	6.5			7.9	7.7	7.8	7.5	7.2	6.7	6.1*	6.7	6.7	6.7	6.8															
NW 31 ST(2.8L)																																			
4293451	2.491	4.303	C	2016	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.0	7.8													
GENERAL ASPHALT CO., INC. (2018)																																			
87027000	1.183	2.491	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.0	6.5	6.5																
969			3	45	25500	RIDE	8.4	8.2	8.3	7.5	7.8	7.6	7.3	6.8	6.5	6.4*	5.8	6.0	6.5																
TRN LN TO NW 12 ST(1.2L)																																			
4146221	1.225	2.361	C	2008	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5													
GENERAL ASPHALT CO., INC. (2010)																																			
87027000	0.000	0.479	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.0															
969			3	40	27500	RIDE		8.4	8.1	7.9	7.5	7.6	7.2	7.5	5.7	6.0	5.7	6.5	6.5	6.2															
FLAGLER ST(0.0C)																																			
4146221	0.053	0.433	C	2008	0012	CRACKING	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	5.5*	4.6														
GENERAL ASPHALT CO																																			

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6															CONTRACTOR = GENERAL ASPHALT CO., INC.																		
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE											
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	W_KMX-P	*****	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	(REG)												
ITMSEG-P	(AGE_ONE YEAR)	W_BMP	W_EMP	RW	FY-F	W_KMX-F																											
87030000	0.840	1.635	L	1	1	CRACKING	8.5	8.5	8.5	7.5	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5													
5 1			3	45	53500	RIDE	7.9	7.7	8.0	8.1	8.0	8.1	7.9	7.9	7.3	7.2	7.2	7.3	7.4														
KENDALL DR(0.8L)					2.4																												
4274191	0.840	1.442	C	2012	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0												
GENERAL ASPHALT CO., INC.				(2015)	DGFC	RIDE	7.3	7.2	7.1	6.9	6.9	6.9	8.3	8.2	8.0	7.7	7.9	8.0	7.9	8.0	7.9												
87044000	8.098	8.466	C	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	7.5	5.5*	9.5	9.0	9.0	7.5	6.5	6.5														
976			2	40	38500	RIDE	7.5	6.8	6.8	7.0	5.5*	7.1	7.4	5.3*	5.7	5.1*	6.2	5.9	5.4*														
SW 38 AVE(8.1C)					6.5																												
4284792	8.100	8.432	C	2018	0015	CRACKING	9.0	9.0	9.0	9.0	9.0	9.5	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0													
GENERAL ASPHALT CO., INC.				(2020)	FC125	RIDE	5.1*	5.1*	4.7*	4.9*	4.8*	5.3*	5.1*	3.7*	4.1*																		
87053000	1.183	1.572	R	1	6	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0	6.5														
968			3	40	49000	RIDE		8.1	8.2	7.6	7.4	7.7	7.4	7.2	7.5	7.1	7.1	7.1	7.5														
FLORIDA BLVD(1.3R)					7.4																												
4291941	1.183	1.498	C	2017	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0													
GENERAL ASPHALT CO., INC.				(2019)	DGFC	RIDE	7.3	7.4	7.2	6.5	6.1	6.9	6.2	6.9	6.3																		
87053000	1.572	1.774	R	1	6	CRACKING		10.0	10.0	9.0	9.5	9.5	8.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5													
968			2	40	46000	RIDE		8.1	8.2	5.9*	5.9*	6.0*	5.7	5.6	6.6	5.5	5.3*	4.8*	5.5														
SW 71 AVE(1.6R)					2.9																												
4146291	1.577	1.782	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0													
GENERAL ASPHALT CO., INC.				(2009)	DGFC	RIDE	7.2	7.1	6.3																								
87053000	1.774	5.900	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.5	9.5	8.0	10.0	10.0	10.0	10.0	10.0	10.0														
968			2	40	40000	RIDE	7.1	6.8	7.1	5.9*	5.9*	6.0*	5.7	7.1	6.7	7.0	6.8	6.9	6.8														
CR 962(1.8C)					7.4																												
4252713	1.774	4.534	C	2017	0012	CRACKING	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0													
GENERAL ASPHALT CO., INC.				(2019)	FC95M	RIDE	6.9	6.6	6.3	6.3	6.2	6.2	5.9	6.3	5.9	6.4	6.9	6.7	6.6	5.8													
87053000	1.774	5.900	L	1	1	CRACKING	9.0	9.0	9.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	9.5	9.5														
968			2	40	40000	RIDE	6.3*	6.1*	6.4*	5.2*	4.9*	5.3*	4.9*	7.1	6.7	6.5	6.2	6.2	6.2														
CR 962(1.8C)					7.4																												
4252713	1.774	4.534	C	2017	0012	CRACKING	9.5	9.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	9.0	6.7												
GENERAL ASPHALT CO., INC.				(2019)	FC95M	RIDE	6.4	5.9	5.5	5.6	5.5	5.6	5.6	5.6	5.6	5.6	5.6	6.6	6.7	6.6													
87053000	1.572	1.774	L	1	6	CRACKING		10.0	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5														
968			2	40	46000	RIDE		8.1	7.9	7.3	7.6	7.3	4.9*	4.2*	4.7*	5.0*	4.3*	5.2*	5.3*														
SHOPPING CENTER ENT(1.6L)					2.9																												
4146291	1.577	1.782	C	2008	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0													
GENERAL ASPHALT CO., INC.				(2009)	DGFC	RIDE	6.7	7.1	6.9																								
87053000	1.183	1.572	L	1	6	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0														
968			3	40	49000	RIDE		8.1	7.9	7.3	7.6	7.3	7.6	7.4	7.1	6.7	6.5	6.8	6.2														
NW 75 AVE(1.2L)					7.4																												
4291941	1.183	1.498	C	2017	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0													
GENERAL ASPHALT CO., INC.				(2019)	DGFC	RIDE	6.2	6.7	5.6	6.2	6.6	5.9	5.7	6.0	5.8																		
87054000	3.019	4.190	R	1	1	CRACKING	10.0	10.0	10.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.5	6.5	6.5														
972			2	40	22500	RIDE	8.4	8.2	8.4	7.9	7.9	7.8	7.7	7.4	6.6	6.5	6.2	6.2	6.3														
SW 22 ST(3.0R)					5.5																												
4124751	2.943	4.591	C	2008	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.1													
GENERAL ASPHALT CO., INC.				(2011)	FC95	RIDE	6.2	6.0	7.9	7.8	7.7	7.5	7.7	7.2	7.0	6.8	6.8	6.8	6.6	5.9													
4459981	2.954	4.672	C	2025	0012																												
87054000	4.190	4.672	C	1	6	CRACKING	8.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5														
972			4	35	24000	RIDE	7.0	7.2	7.7	7.1	7.2	4.5*	4.4*	4.3*	2.8*	3.7*	3.6*	3.7*	4.5*														
BROADWAY(4.2L)					6.3																												
4124751	2.943	4.591	C	2008	0012	CRACKING	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.6													
GENERAL ASPHALT CO., INC.				(2011)	DGFC	RIDE	3.9*	3.6*	7.4	7.2	6.8	6.2	6.4	5.8	5.3*	5.2*	5.0*																
4459981	2.954	4.672	C	2025	0012																												
87054000	3.019	4.190	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5														
972			2	40	22500	RIDE	8.4	8.3	8.3</																								

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = GENERAL ASPHALT CO., INC.																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR														FUTURE							
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008										
INTERSECT AT (MP SIDE)																													
ITMSEG-P																													
CONTRACTOR (AGE_ONE YEAR)																													
ITMSEG-F																													
							2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)									
87055000 1.689 3.978 R 1 1 CRACKING								10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5									
986 2 40 37000 RIDE								8.2	8.2	7.9	7.5	7.2	7.5	7.3	7.1	6.5	6.0	6.4	5.9										
SW 109 PL(1.7C) 2.5																													
4276511 1.697 4.018 R 2013 0012 CRACKING							6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.3									
GENERAL ASPHALT CO., INC. (2015) FC125 RIDE							6.0	6.1	5.9	5.9	5.7	5.6	6.3	6.5	6.9	7.0	7.0	7.0	6.9	6.9									
87055000 3.978 5.800 R 1 1 CRACKING								10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5										
986 2 40 40500 RIDE								8.2	8.2	7.9	7.5	7.2	7.5	7.3	7.1	7.2	6.6	7.1	7.3										
SR 973(4.0C) 2.2																													
4226141 4.179 5.812 C 2011 0012 CRACKING							6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
GENERAL ASPHALT CO., INC. (2014) FC95 RIDE							7.0	7.0	7.0	7.2	7.1	8.3	7.9	7.5	7.4	7.9	7.9	7.8	7.8	7.6									
87055000 3.978 5.800 L 1 1 CRACKING								10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	6.5	6.5	6.5	6.5										
986 2 40 40500 RIDE								8.2	8.1	7.7	7.3	6.9	7.2	7.3	6.5	6.6	6.0	6.4	6.4										
SR 973(4.0C) 2.2																													
4226141 4.179 5.812 C 2011 0012 CRACKING							6.5	6.5	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
GENERAL ASPHALT CO., INC. (2014) FC95 RIDE							6.0	6.2	6.2	6.0	6.0	8.0	7.3	7.3	7.4	7.4	7.4	7.3	7.2	6.9									
87055000 1.689 3.978 L 1 1 CRACKING								10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	7.5	7.5	7.5	6.5										
986 2 40 37000 RIDE								8.0	8.0	7.6	7.5	7.5	7.4	7.2	6.6	6.6	6.3	6.4	6.1										
SW 109 PL(1.7C) 2.5																													
4276511 1.697 3.838 L 2013 0012 CRACKING							3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.9									
GENERAL ASPHALT CO., INC. (2015) FC125 RIDE							6.2	6.1	6.0	5.6	5.7	5.6	7.2	6.7	6.9	6.9	6.8	6.9	6.7	6.5									
87060000 4.814 5.490 C 1 1 CRACKING							8.0	8.0	8.0	7.5	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0										
ALA 4 30 23500 RIDE							8.0	7.9	7.1	3.6*	5.5*	4.5*		5.8	5.1*	5.1*	4.2*	3.9*	5.3*										
17 ST(4.9C) 10.0																													
4255041 4.814 5.649 C 2012 0012 CRACKING							10.0	10.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5									
GENERAL ASPHALT CO., INC. (2014) FC95 RIDE							5.5	5.2*	5.5	4.8*	4.5*	7.3	6.7	6.1	6.1	5.3*	5.6	5.2*	5.5	3.7									
87060000 5.490 5.636 C 1 8 CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0										
ALA 4 30 23500 RIDE							7.9	7.7	7.9	6.3*	6.5	6.1*	5.9		6.3	5.5	5.8	5.1*	5.0*										
25 ST(5.6R) 10.0																													
4255041 4.814 5.649 C 2012 0012 CRACKING							10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0										
GENERAL ASPHALT CO., INC. (2014) FC95 RIDE							5.0*	4.9*	4.6*	4.4*	4.5*	7.3	6.7	6.1	6.1														
87060000 8.658 9.775 C 1 1 CRACKING							4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5									
ALA 3 30 19000 RIDE							6.3*	5.8*	6.1*		7.1	6.7	7.0	6.7	5.8	5.5	5.0*	4.6*	5.1*										
65 ST(8.9L) 5.0																													
4245791 8.658 9.579 R 2010 0012 CRACKING							7.5	7.5	6.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	8.5	8.4									
GENERAL ASPHALT CO., INC. (2012) FC95 RIDE							5.5	5.3*	5.2*	7.4	7.0	6.1	6.1	6.4	5.8	6.1	5.8	5.6	5.2*	4.3									
87060000 14.047 16.052 R 1 1 CRACKING									10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	6.5										
ALA 3 30 55500 RIDE									8.7	8.4	8.3	8.0	7.5	6.6	6.1	6.8	6.4	6.3	6.3										
SUNNY ISLES/SR 826(14.6R) 5.0																													
4309491 14.046 16.052 R 2017 0012 CRACKING							6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	10.0	10.0										
GENERAL ASPHALT CO., INC. (2020) FC95M RIDE							6.0	6.0	5.8	5.6	5.3*	5.7	5.7	5.6	5.2*	4.2*	4.0*	7.0	7.0										
87060000 14.047 16.191 L 1 1 CRACKING									10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5										
ALA 3 35 55500 RIDE									8.7	8.5	8.3	8.2	7.5	7.2	7.5	7.6	7.4	7.4	7.5										
BAYVIEW DR/158 ST(14.1L) 5.0																													
4309491 14.046 16.275 L 2017 0012 CRACKING							4.5*	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	10.0	10.0										
GENERAL ASPHALT CO., INC. (2020) FC95M RIDE							7.4	7.3	7.2	7.1	6.9	6.9	6.9	6.8	6.4	5.5	5.4*	7.6	7.4										
87066000 1.650 2.926 R 1 1 CRACKING								10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5		7.5	6.5										
922 2 35 31000 RIDE								7.5	7.6	7.2	6.9	6.7	6.7	6.2	5.5	5.7		5.5	4.7*										
NE 7 CT(1.7R) 5.5																													
4291371 1.650 2.926 C 2015 0012 CRACKING							6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	9.5	9.2										
GENERAL ASPHALT CO., INC. (2017) FC95A RIDE							4.8*	4.7*	5.1*	5.1*	4.7*	4.8*	4.8*	4.6*	7.0	7.1	7.2	6.8	6.5	6.0									
87066000 1.650 2.926 L 1 1 CRACKING								10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5		6.5	6.5										
922 2 35 31000 RIDE								7.3	7.4	6.8	6.5	6.7	6.7	6.2	5.7	6.0		5.5	5.4*										
NE 8 AVE(1.8C) 5.5																													
4291371 1.650 2.926 C 2015 0012 CRACKING							6.5	6.5	6.5	6.5	4.5*	4.5*	3.5*	3.5*	10.0	10.0	10.0	9.0	8.4										
GENERAL ASPHALT CO., INC. (2017) FC95A RIDE							5.2*	5.1*	5.1*	5.1*	4.7*	4.8*	4.8*	4.6*	7.0	7.1	7.2	6.8	6.6	6.2									

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = GENERAL ASPHALT CO., INC.																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE									
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2026									
INTERSECT AT (MP SIDE)					%T	=====															(REG)								
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F																								
CONTRACTOR (AGE ONE YEAR)					SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021										
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																								
87070000	8.151	10.733	R	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0										
997			2	55	22500	RIDE	8.1	8.0	8.1	7.8	7.8	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1										
SIDE ROAD(10.2C)					12.3																								
2496158	8.151	10.935	C	2015	0213	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0									
GENERAL ASPHALT CO., INC.	(2018)				FC5M	RIDE	7.1	7.2	6.7	6.5	6.5	8.8	8.2	8.2		8.4	8.4	8.4	8.4	8.4									
87070000	8.151	10.733	L	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0										
997			2	55	22500	RIDE	8.1	8.0	8.1	7.8	7.8	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1										
SIDE ROAD(10.2C)					12.3																								
2496158	8.151	10.935	C	2015	0213	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0									
GENERAL ASPHALT CO., INC.	(2018)				FC5M	RIDE	7.1	7.2	6.7	6.5	6.5	8.8	8.2	8.2		8.4	8.4	8.4	8.4	8.4									
87072000	0.000	0.736	C	1	1	CRACKING	10.0	10.0	9.0	10.0	9.0	10.0	10.0	9.0	9.0	9.0	7.5	6.5	4.5*										
985			4	35	27000	RIDE	7.3	7.1	7.6	6.7	7.1	7.0	6.9	6.9	5.7	6.3	5.7	6.2	6.4										
KILLIAN PKWY(0.0C)					1.7																								
4259131	0.163	0.940	C	2013	0012	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
GENERAL ASPHALT CO., INC.	(2015)				DGFC	RIDE	6.2	6.3	6.4	6.1	6.1	6.1	7.9	7.7	7.5	7.4	7.1	7.4	7.3	6.7									
87080001	0.000	0.761	C	1	1	CRACKING	5.5*	3.5*	3.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0										
934			2	35	12500	RIDE	7.6	7.2	7.4	7.9	7.8	7.6	7.6	7.3	6.3	6.5	6.3	6.6	6.6										
SR 934(0.0L)					10.2																								
4106463	0.000	0.680	C	2011	0012	CRACKING	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0									
GENERAL ASPHALT CO., INC.	(2013)				FC95	RIDE	6.9	6.3	6.3	5.9	8.3	8.1	7.4	7.5	7.1	7.0	7.0	6.8	6.7	5.6									
87080900	36.311	37.987	R	1	1	CRACKING	8.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0										
934			3	40	33500	RIDE	7.8	7.5		8.0	7.8	7.5	7.6	7.6	7.4	7.1	7.1	7.0	7.0	7.1									
SR 9(36.4C)					8.5																								
4291471	36.330	37.754	C	2014	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.2									
GENERAL ASPHALT CO., INC.	(2017)				FC95A	RIDE	7.1	6.9	7.2	7.2	7.1	6.8	6.9	7.2	8.2	8.2	8.1	8.1	8.1	7.9									
87080900	36.311	37.987	L	1	1	CRACKING	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0										
934			3	40	33500	RIDE	7.8	7.6		8.1	8.1	8.1	8.0	7.7	7.2	7.2	7.2	7.2	7.4										
SR 9(36.4C)					8.5																								
4291471	36.330	37.754	C	2014	0012	CRACKING	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0									
GENERAL ASPHALT CO., INC.	(2017)				FC95A	RIDE	7.4	7.3	7.1	6.9	7.0	6.8	6.7	6.7	7.9	8.1	8.0	7.9	7.9	7.8									
87090000	17.514	18.527	C	1	2	CRACKING	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0										
25 27			2	35	19600	RIDE	6.8	6.3*	6.4*	7.8	7.3	7.8	7.8	7.5	7.0	6.7	6.4	6.2	6.1										
NW 17 AVE(17.5C)					3.6																								
4291591	17.594	18.527	C	2013	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	9.0	9.0	8.0									
GENERAL ASPHALT CO., INC.	(2016)				FC95	RIDE	5.7	6.1	6.0	5.5	5.2*	5.9		7.7	7.4	7.2	7.3	7.0	6.8	6.0									
87150000	6.607	8.027	R	1	8	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0	7.0										
997			2	45	17600	RIDE		8.6	8.8	8.5	8.5	8.5	8.5	8.2	7.8	7.6	7.6	7.7	7.7										
CCNUT PLM DR/SW 248(6.9C)					12.5																								
4349306	6.594	8.704	C	2016	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	10.0	10.0	10.0											
GENERAL ASPHALT CO., INC.	(2018)				FC5A	RIDE	7.7	7.6	7.4	7.5	7.5	7.3	7.4	7.2	7.2	8.1	7.9	8.0											
4273691	3.825	7.499	C	2019	0213																								
87150000	13.799	17.492	R	1	4	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	10.0	7.0	6.0*	6.0*	6.0*										
997			2	50	25000	RIDE	8.6	8.1	8.5	8.1	7.7	7.3	7.5	7.2	6.6	6.5	6.7	6.7	6.6										
BLACK CREEK TR(15.3R)					12.8																								
2496147	13.789	17.310	C	2016	0213	CRACKING	4.0*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0			9.4	9.9										
GENERAL ASPHALT CO., INC.	(2020)				LGD	RIDE	6.4*	6.0*	6.5	6.3*	6.1*	6.0*	8.8	8.4	8.3		8.5	8.5											
87150000	13.799	17.492	L	1	4	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	10.0	7.0	6.0*	6.0*	6.0*										
997			2	50	25000	RIDE	8.6	8.1	8.5	8.1	7.7	7.3	7.5	7.2	6.6	6.5	6.7	6.7	6.6										
SW 136 ST(13.9L)					12.8																								
2496147	13.789	17.310	C	2016	0213	CRACKING	4.0*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0			9.4	10.0										
GENERAL ASPHALT CO., INC.	(2020)				LGD	RIDE	6.4*	6.0*	6.5	6.3*	6.1*	6.0*	8.8	8.4	8.3		8.3	8.4											
87160000	0.000	5.068	C	1	1	CRACKING	7.0	7.0	6.5	3.5*	3.5*	1.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0										
9336			2	45	1650	RIDE	8.0	8.1	7.4	7.5	7.5	7.2	7.2	6.5	5.4*	7.5	7.6	7.8	7.8										
DIRT RD(1.4C)					11.0																								
4056582	0.000	7.066	C	2003	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5									
GENERAL ASPHALT CO., INC.	(2005)				FC5	RIDE	7.6	7.6	7.5	7.4	7.4	7.3	7.2	7.5	7.5	7.5	7.5	7.7	7.6	7.4									
4459871	0.000	5.068	C	2023	0012																								

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 CONTRACTOR = GENERAL ASPHALT CO., INC.

SR	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE											
							AT	(MP)	(SIDE)	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001		2002	2003	2004	2005	2006	2007	2008				
														CONTRACTOR	(AGE ONE YEAR)	SURF TYPE	2009	2010	2011		2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
																	ITMSEG-F	W_BMP	W_EMP		RW	FY-F	WKMX-F	(REG)							
87160000	5.068	6.103	C	1	1	CRACKING	7.0	7.0	6.5	3.5*	3.5*	1.0*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0												
9336			2	45	1650	RIDE	8.0	8.1	7.4	7.5	7.5	7.2	7.2	6.5	5.4*	7.5	7.6	7.8	7.8												
SW 372 ST(5.3C)																															
4056582	0.000	7.066	C	2003	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5											
GENERAL ASPHALT CO., INC.				(2005)	FC5	RIDE	7.6	7.6	7.5	6.7	7.1	7.0	7.1	7.8	7.8	7.8	7.7	7.9	7.9	7.7											
4459891	5.068	7.066	C	2023	0012																										
87160000	7.066	8.041	C	1	1	CRACKING	10.0	10.0	9.0	9.0	4.5*	4.5*	0.0*	0.0*	0.0*	10.0	10.0	10.0	10.0												
9336			2	45	24000	RIDE	7.9	7.9	7.6	7.6	7.9	7.5	7.7	7.2	6.0*	8.0	8.1	8.1	8.1												
FLORIDA CITY CITY LIMITS(7.1L)																															
4106402	7.066	8.013	C	2003	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3											
GENERAL ASPHALT CO., INC.				(2005)	DGFC	RIDE	8.1	8.0	8.0	7.9	7.9	7.9	7.7	7.6	7.7	7.4	7.4	7.6	7.7	7.3											
4459921	7.066	8.714	C	2023	0012																										
87240000	7.227	8.834	R	1	2	CRACKING	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0											
9			2	40	34500	RIDE	8.3	8.5	8.5	8.0	7.9	7.9	7.8	7.4	7.2	6.9	6.8	6.6	6.7												
SR 934(7.3C)																															
4291851	7.227	8.741	R	2014	0012	CRACKING	9.0	7.5	6.5	6.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	9.0	8.4											
GENERAL ASPHALT CO., INC.				(2017)	FC95A	RIDE	6.7	6.8	6.7	6.6	6.6	6.6	6.6		7.9	7.9	7.8	7.7	6.9	6.1											
87240000	8.834	9.648	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	4.5*												
9			3	40	38500	RIDE		8.8	8.8	8.2	8.2	8.2	8.2	7.9	7.6	7.5	7.2	7.1	7.3												
SR 932(8.8C)																															
4256591	8.873	9.687	C	2012	0226	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0											
GENERAL ASPHALT CO., INC.				(2014)	FC95	RIDE	7.1	6.9	7.1	6.8	6.7	8.1	8.0	7.9	7.9	7.7	7.8	7.7	7.7	7.4											
87240000	8.834	9.648	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	7.5	6.5												
9			2	45	38500	RIDE		8.7	8.8	8.3	8.3	8.2	8.2	8.1	7.3	7.1	7.1	6.9	7.2												
SR 932(8.8C)																															
4256591	8.873	9.687	C	2012	0226	CRACKING	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.1											
GENERAL ASPHALT CO., INC.				(2014)	FC95	RIDE	7.1	6.9	7.2	7.0	7.0	8.1	8.0	7.7	7.8	7.7	7.8	7.6	7.5	7.2											
87240000	7.227	8.834	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.0	7.0	7.0	7.0												
9			2	40	34500	RIDE	8.3	8.4	8.5	7.6	7.6	7.7	7.6	7.7	7.1	7.1	7.1	6.8	7.0												
SR 934(7.3C)																															
4291851	7.701	8.834	L	2014	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	9.0	8.4											
GENERAL ASPHALT CO., INC.				(2017)	FC95A	RIDE	6.9	6.9	7.2	7.0	7.0	6.7	6.9		8.0	7.8	7.9	7.8	7.4	6.9											
87250000	0.691	1.192	R	1	1	CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0												
944			2	40	21000	RIDE	6.9	6.8		7.9	7.7	7.8	7.5	7.0	6.5	6.5	6.4	6.3	6.4												
E 6 AVE(0.7C)																															
4182391	0.436	1.192	C	2010	0012	CRACKING	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0											
GENERAL ASPHALT CO., INC.				(2013)	DGFC	RIDE	6.3	6.1	6.1		8.2	7.9	8.0	7.8	7.5	7.4	7.7	6.9	7.0	6.3											
87250000	0.691	1.192	L	1	1	CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.0	7.0												
944			2	40	21000	RIDE	6.5	6.4*		7.8	7.6	7.5	7.2	7.0	6.3	6.3	6.2	6.1	6.2												
E 6 AVE(0.7C)																															
4182391	0.436	1.192	C	2010	0012	CRACKING	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0											
GENERAL ASPHALT CO., INC.				(2013)	DGFC	RIDE	6.1	5.7	5.8		7.8	7.2	6.9	7.8	7.4	7.6	7.5	7.3	7.4	7.4											
87471000	33.000	34.689	L	5	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0												
821	33.0	34.7	3	70	112700	RIDE	9.1	8.8	9.2	9.0	8.8	8.9			7.6	7.6	7.6	7.7	7.8												
4311001	33.263	35.400	L	2016	0012	CRACKING	9.5	8.0	8.0	8.0	8.0	8.0	6.5	6.5		9.0	9.0	9.0	7.5	5.7											
GENERAL ASPHALT CO., INC.				(2018)	FC2	RIDE	7.8	7.6	7.6	7.6	7.5	7.5	7.5	7.7		7.7	7.8	8.0	7.8	7.8											
4355421	33.273	39.438	C	2020	0213																										
90010000	0.401	1.335	C	1	6	CRACKING	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0											
5			2	25	11900	RIDE	5.6*		7.4	6.5	6.7	6.1*	6.5	6.0	5.7	5.7	5.5	5.2*	5.4*												
TRUMAN AVE(0.4R)																															
4306701	0.401	1.337	C	2015	0015	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0											
GENERAL ASPHALT CO., INC.				(2017)	UNKW	RIDE	5.2*	4.8*	4.8*	4.9*	4.8*	4.6*	4.1*																		
90020000	0.000	1.466	R	1	1	CRACKING	5.5*	5.5*	6.0*	6.0*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.5	8.0	7.0												
5			2	45	29000	RIDE	7.4	7.5	7.5	8.1	8.1	7.8	8.0	7.6	7.0	6.9	7.0	7.1	7.0												
S OF MCDONALD AVE(0.0C)																															
4291401	0.000	4.484	R	2014	0012	CRACKING	7.0	7.0	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0											
GENERAL ASPHALT CO., INC.				(2018)	FC125	RIDE	7.0	6.6	6.4	6.1	5.9	5.8	5.4*	5.8		8.0	7.9	7.9	7.9	7.7											

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```


ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 CONTRACTOR = GENERAL ASPHALT CO., INC.

DWDWID	BMP		EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT	AT	(MP)	(SIDE)				=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR	(AGE	ONE	YEAR)		SURF	TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															(REG)		
90030000	2.724	4.209	C	1	1	CRACKING	9.0	9.0	10.0	10.0	9.0	8.0	6.5	5.5*	10.0	10.0	10.0	10.0	10.0			
5	1		2	55	15900	RIDE	7.7	7.8	7.6	8.6	8.6	8.5	8.5	8.1	7.9	8.0	7.9	7.9	7.8			
SIDE ROAD(3.8L)				9.9																	
4124831	2.724	4.209	C	2009	0012	CRACKING	10.0		10.0	10.0	9.5	9.5	9.5	9.0	7.5	6.5	6.5	6.5	4.5*	2.8		
GENERAL ASPHALT CO., INC.	(2011)				FC5	RIDE	7.9		7.5	7.6	7.5	7.5	7.5	7.6	7.5	7.5	7.4	7.5	7.5	7.5		
4438951	2.051	5.465	C	2022	0012																	
90030000	15.672	16.059	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
5	1		2	35	12800	RIDE	7.4	7.5	8.1	8.2	8.4	8.0	7.7	7.6	7.6	7.4	7.4	7.5	7.3			
					15.2																	
4291873	15.725	16.060	C	2017	0012	CRACKING	9.0	8.0	8.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5		10.0	10.0			
GENERAL ASPHALT CO., INC.	(2020)				FC95M	RIDE	7.0	7.1	7.1	7.0	6.7	6.4	6.7	6.4	6.4	6.8			7.8			
90030000	16.059	16.872	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.0	6.5	6.5			
5	1		2	35	12800	RIDE	8.1	7.9	8.8	9.0	8.8	9.0	8.9	8.2	8.4	7.5	7.3	7.8	7.5			
CAMP GROUNDS(16.1R)					15.2																	
4256005	16.060	16.702	C	2014	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC.	(2016)				FC125	RIDE	7.4	7.3	7.2	6.5	6.6	6.2	5.6	7.6	7.6	7.5	7.5	7.3	7.4	7.1		
90040000	6.455	9.509	C	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	4.5*			
5	1		2	55	14900	RIDE	8.3	8.2	8.3	7.9	7.8	7.7	7.8	7.6	6.9	6.7	6.5	6.7	6.4*			
SIDE ROAD(8.2L)				13.0																	
4256004	6.455	9.393	C	2014	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC.	(2016)				FC125	RIDE	6.3*	6.0*	5.9*	6.3*	6.4*	6.2*	6.0*	8.3	8.3	8.2	8.2	8.2	8.2	8.1		
90040000	9.509	11.713	C	1	1	CRACKING	10.0	8.0	8.0	8.0	7.0	7.0	6.5	5.5*	3.5*	2.5*	2.5*	2.5*	2.5*			
5	1		2	55	14900	RIDE	8.0	8.8	7.9	8.7	8.7	8.5	8.5	8.3	7.4	7.0	7.0	7.3	7.2			
KYLE AVE(9.6L)				13.0																	
4255826	9.393	11.637	C	2008	0005	CRACKING	2.5*	2.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0		
GENERAL ASPHALT CO., INC.	(2012)				FC5	RIDE	6.9	6.9		8.1	8.0	7.9	8.0	8.0	8.0	7.9	7.9	8.0	7.9	7.9		
90050000	8.527	11.137	C	1	1	CRACKING	6.5	6.0*	6.0*	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	7.5			
5	1		2	55	12700	RIDE	8.0	8.4	7.5	8.2	8.0	7.9	8.5	8.3	7.7	7.8	7.7	7.8	7.8			
SOUTH LAYTON DR(8.7R)				14.2																	
4322761	8.530	14.126	C	2014	0012	CRACKING	7.0	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC.	(2016)				FC95M	RIDE	7.6	7.4	7.2	6.9	6.9	6.7	6.5	8.3	8.2	8.1	8.0	8.1	8.1	7.8		
90050000	12.000	14.072	C	1	1	CRACKING	7.5	7.5	7.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	10.0	10.0	10.0			
5	1		2	50	12700	RIDE	7.5	7.9	7.4	7.9	8.0	8.0	7.8	7.6	7.2	7.2	7.4	7.6	7.6			
					14.2																	
4322761	8.530	14.126	C	2014	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	7.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC.	(2016)				FC95M	RIDE	7.6	7.5	7.5	7.4	7.4	7.4	7.2	8.2	8.1	8.1	8.0	8.0	8.1	7.9		
90060000	0.000	3.712	C	1	1	CRACKING	9.0	7.5	7.5	7.5	7.0	7.0	4.5*	4.5*	4.5*	3.5*	3.5*	1.0*	1.0*			
5	1		2	55	14600	RIDE	7.8	8.5	8.0	8.7	8.6	8.6	8.4	8.1	7.0	6.9	6.8	6.9	6.3*			
CALOOSA COVE ENT(0.0R)				17.9																	
4124841	0.020	3.739	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5	7.5	6.5	6.5	4.5*	3.8		
GENERAL ASPHALT CO., INC.	(2009)				FC2	RIDE	7.8	7.7	7.7	7.8	7.7	7.7	7.7	7.9	7.9	7.8	7.7	7.8	7.8	7.8		
4438931	0.142	3.741	C	2022	0012																	
90060000	3.712	4.183	C	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5			
5	1		2	55	14600	RIDE	7.1	7.3	7.3	7.7	7.7	7.7	7.7	7.5	7.3	7.1	6.9	7.2	6.7			
					17.9																	
4256006	3.712	4.563	C	2016	0012	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC.	(2018)				FC95M	RIDE	6.6	6.0*	6.1*	6.5	6.1*	6.0*	5.9*	5.9*	5.9*	8.0	7.9	7.9	7.9	7.7		
90060000	4.564	7.685	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5			
5	1		2	45	14600	RIDE	8.5	8.1	8.8	8.9	9.0	9.0	9.0	8.7	8.3	8.3	8.3	7.9	8.1			
FRONTAGE RD(6.2L)				17.9																	
4256006	5.971	7.675	C	2016	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC.	(2018)				FC95M	RIDE	7.6	8.1	7.9	7.6	7.5	7.4	7.3	7.8	7.7	8.4	8.3	8.2	8.2	7.8		
90060000	7.685	11.939	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	7.0	6.5	6.5	6.5			
5	1		2	45	21500	RIDE	8.5	8.1	8.8	8.9	9.0	9.0	9.0	8.7	8.3	8.3	8.3	8.3	8.1			
PALM AVE(7.7R)				8.9																	
4256003	7.675	10.240	C	2013	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0		
GENERAL ASPHALT CO., INC.	(2017)				DGFC	RIDE	7.6	8.1	7.9	7.6	7.5	7.4	7.3		8.5	8.5	8.4	8.4	8.4	8.2		

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = GENERAL ASPHALT CO., INC.														
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2026			
INTERSECT AT (MP SIDE)						%T	=====														(REG)			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																			
CONTRACTOR (AGE_ONE YEAR)						SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																			
90060000	11.939	13.135	C	1	1	CRACKING	9.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	4.5*		10.0	10.0	10.0					
5 1			2	45	21500	RIDE	7.5	7.6	7.9	8.0	7.9	8.2	7.8	7.6	6.9		6.6	6.8	6.7					
NB OFF WEIGH(12.2R)																								
4055826	11.769	13.209	C	2008	0005	CRACKING	10.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0				
GENERAL ASPHALT CO., INC.					(2011)	FC5	6.7		7.7	7.7	7.7	7.7	7.6	7.6	7.5	7.4	7.3	7.3	7.2	7.0				
90060000	17.105	18.507	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5				
5 1			2	45	31500	RIDE	8.2	8.0	8.4	8.5	8.4	8.4	8.3	8.1	7.7	7.7	7.7	7.9	7.8					
OCEAN BLVD(17.7R)																								
4256008	17.105	18.279	C	2013	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
GENERAL ASPHALT CO., INC.					(2016)	DGFC	7.7	7.7	7.8	7.7	7.2	7.3	7.1	8.4	8.3	8.3	8.2	8.2	8.2	8.0				
90060000	18.507	19.253	C	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0				
5 1			2	45	15000	RIDE	8.2	8.0	8.3	8.2	8.2	8.3	8.2	7.9	7.6	7.3	7.5	7.4	7.5					
JULEP RD(18.6C)																								
4256009	18.507	19.232	C	2013	0012	CRACKING	7.0	7.0	7.0		9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
GENERAL ASPHALT CO., INC.					(2016)	FC2	7.2	7.0	7.1		7.2	7.3	7.4	8.1	8.1	8.0	7.9	7.7	7.9	7.5				
90060000	19.253	22.623	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5				
5 1			2	50	31000	RIDE	8.0	7.8	7.8	8.0	8.0	8.0	7.8	7.5	7.2	7.2	7.2	7.3	7.2					
PEACE AVE(20.2R)																								
4198481	19.298	22.682	R	2013	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0		10.0	10.0	10.0	10.0	10.0	9.0	8.8				
GENERAL ASPHALT CO., INC.					(2016)	FC5	7.0	7.1	7.0	6.7	6.3*	6.5		8.2	8.3	8.2	8.2	8.2	8.3	8.3				
90060000	22.623	23.218	C	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.5	7.5				
5 1			2	50	20000	RIDE	7.5	7.5	8.1	8.0	8.0	8.0	8.1	7.7	7.4	7.4	7.3	7.5	7.5					
JULEP RD(18.6C)																								
4198481	22.682	23.218	C	2013	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5		10.0	9.0	9.0	9.0	9.0	9.0	8.1				
GENERAL ASPHALT CO., INC.					(2016)	UNKW	7.5	7.4	7.3	7.3	7.2	7.2		7.5	7.5	7.4	7.8	7.8	7.9	7.9				
90060000	25.728	32.450	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.0					
5 1			2	45	40500	RIDE	8.4	8.6	8.9	8.9	8.8	8.8	8.9	8.7	8.2	8.2	8.1	8.2	8.2					
TRN LN TO ATLANTIC B(25.8R)																								
4198461	29.243	32.432	C	2013	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0				
GENERAL ASPHALT CO., INC.					(2016)	FC5	8.2	8.1	7.8	7.7	7.6	7.6		8.3	8.3	8.3	8.1	8.3	8.3	8.2				
90060000	26.207	32.459	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.5	6.0*	4.5*	4.5*	4.5*	4.5*					
5 1			2	45	40500	RIDE	8.4	8.6	9.0	8.5	8.5	8.2	8.3	8.1	7.9	7.4	7.1	7.1	6.9					
SIDE ROAD(26.2L)																								
4198461	29.243	32.432	C	2013	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
GENERAL ASPHALT CO., INC.					(2015)	FC5	6.7	6.7	6.6	6.4	6.5	6.0	8.1	8.4	8.4	8.4	8.3	8.4	8.4	8.4				
90060000	19.253	22.623	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	8.5	8.5	7.0	7.0	6.0*	6.0*	6.0*	6.0*					
5 1			2	50	31000	RIDE	7.7	7.6	8.2	8.0	8.1	8.0	8.2	7.7	6.9	6.5	7.6	7.5	7.2					
LEG 002 *(19.3L)																								
4198481	19.376	22.682	L	2013	0012	CRACKING	4.0*	4.0*	4.0*	4.0*	4.0*	4.0*		10.0	10.0	10.0	10.0	10.0	8.5	8.1				
GENERAL ASPHALT CO., INC.					(2016)	FC5	6.7	6.9	6.3*	6.1*	5.6*	5.2*		8.2	8.3	8.3	8.2	8.3	8.3	8.3				
90060000	17.105	18.507	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5					
5 1			2	45	31500	RIDE	8.2	8.1	8.3	8.1	7.0	7.4	7.4	7.5	6.9	7.0	7.0	7.1	7.1					
TAVERNIER TOWNE(17.7L)																								
4256008	17.105	18.279	C	2013	0012	CRACKING	8.5	8.5	7.5	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
GENERAL ASPHALT CO., INC.					(2016)	DGFC	7.1	6.7	6.8	6.7	6.5	6.1	5.7	8.2	8.1	7.9	8.0	7.9	7.9	7.6				
90060001	2.494	3.105	C	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	7.5	6.0*	6.0*	6.0*	6.0*					
5 1			2	50	19500	RIDE	8.2	8.0	8.5	8.2	8.3	8.1	8.1	7.6	6.7	6.6	7.4	7.4	7.1					
BUTTONWOOD BAY(3.1R)																								
4198481	2.494	3.026	C	2013	0012	CRACKING	6.0*	6.0*	6.0*	7.0	7.0	6.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0				
GENERAL ASPHALT CO., INC.					(2016)	FC5	6.7	6.4*	6.3*	5.8*	5.4*	5.0*		8.3	8.4	8.3	8.3	8.4	8.4	8.4				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = GILBERT SOUTHERN CORP -----																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR												
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
INTERSECT AT (MP SIDE)						%T	=====												
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P														
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F														2026
																			(REG)
87270000	0.000	0.145	C	4	4	CRACKING	8.7	8.0	8.7	7.6	7.9	6.9	8.5	8.2	8.2	8.6	8.4	8.1	8.0
5 I95	0.0	0.1	2	40	34500	RIDE	7.3	7.2	7.3	7.2	7.2	7.6	7.4	7.4	6.7	6.2	6.3	6.4	7.0
BRICKELL AVE NB(0.0R)				2.9														
2516621	0.070	13.440	C	1999	0217	CRACKING	9.3	9.2	9.0	9.1	8.8	8.8	8.8	8.8	8.7	9.3	9.0	9.0	9.0
GILBERT SOUTHERN CORP				(2002)	LGD	RIDE	8.0	7.8	7.9	8.2	8.3	8.3	8.3	8.4	8.4	8.3	8.3	8.2	8.3
4439421	0.000	1.547	C	2023	0227														
87270000	0.145	0.975	R	4	4	CRACKING	8.3	8.0	8.1	7.6	7.9	6.9	8.5	8.2	8.2	8.5	8.4	8.1	8.0
5 I95	0.1	1.0	3	40	66500	RIDE	7.5	7.2	7.5	7.2	7.2	7.6	7.4	7.4	6.7	6.7	6.3	6.4	7.0
BRICKELL AVE SB(0.1R)				2.9														
2516621	0.070	13.440	C	1999	0217	CRACKING	9.3	9.1	9.0	8.9	8.8	8.8	8.8	8.7	8.7	9.0	8.8	8.8	8.6
GILBERT SOUTHERN CORP				(2002)	LGD	RIDE	8.0	8.2	7.9	8.2	8.3	8.3	8.3	8.5	8.4	8.4	8.3	8.5	8.4
4439421	0.000	1.547	C	2023	0227														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = GOSALIA CONCRETE CONSTRUCTOR										
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)					%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P															
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															2026 (REG)
87270000	10.170	12.167	R	4	4	CRACKING	9.3	9.2	9.1	5.9*	8.7	8.7	8.8	8.8	8.9	8.7	8.2	8.0	8.1	
9A I95	10.2	12.2	4	60	269000	RIDE	8.1	8.3	7.2	6.9	7.6	8.6	8.6	8.6	8.1	8.1	7.8	7.8	7.0	
					3.7															
4307902	8.823	12.091	R	2015	0227	CRACKING	9.0	7.8	7.8	7.2	5.4*	4.6*	2.7*		9.3	9.3	9.2	9.1	9.0	8.6
GOSALIA CONCRETE CONSTRUCT(2017)					LGD	RIDE	7.8	5.6*	5.7*	5.8*	6.1*	6.4*	5.6*		7.9	8.1	7.9	8.3	8.2	8.2
87270000	8.823	10.202	L	4	4	CRACKING	8.3	8.1	8.1	8.1	8.2	9.4	9.3	9.2	9.1	9.1	8.2	8.0	8.0	
9A I95	8.8	10.2	4	60	267000	RIDE	7.5	7.2	7.3	6.9	6.9	8.7	8.8	8.7	7.9	7.8	7.9	6.4*	6.9	
					3.7															
4307901	8.823	10.163	L	2015	0227	CRACKING	7.6	7.6	7.1	6.6	6.0*	5.6*	5.2*	8.5	9.1	9.3	9.1	8.9	8.8	8.8
GOSALIA CONCRETE CONSTRUCT(2016)					LGD	RIDE	7.4	7.3	6.2*	6.2*	5.9*	5.8*	5.4*	8.2	8.0	8.1	7.9	8.2	8.2	8.2
4293003	4.253	10.511	C	2017	0217															

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6							CONTRACTOR = H & J ASPHALT, INC														
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2026	
INTERSECT AT (MP SIDE)						=====														(REG)	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	P															
CONTRACTOR (AGE_ONE YEAR)							2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																
87037000	1.539	2.590	R	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	9.5	9.5	9.5	10.0	10.0	10.0		
907			2	30	43000	RIDE	7.0	6.9	7.1	6.0*	5.8*	5.5*	5.9	7.1	6.3	4.8*	6.4	6.3	5.6		
MICHIGAN AVE(1.5R)					3.4																
4075712	1.524	2.700	C	2004	0012	CRACKING	10.0	9.5	8.5	8.5	8.5	8.5	8.0	6.5	6.5	6.5	6.5	5.5*	3.5*	3.2	
H & J ASPHALT, INC				(2006)	FC125	RIDE	5.9	5.8	5.3*	5.5	5.3*	5.2*	5.1*	4.1*	4.1*	4.0*	3.9*	3.7*	3.8*	2.7	
4291931	1.511	2.939	C	2025	0005																
87037000	1.539	2.583	L	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0		
907			2	30	43000	RIDE	7.6	7.3	7.6	6.4*	6.4*	6.2*	6.2	5.8	5.7	5.4*	6.5	6.4	6.0		
MICHIGAN AVE(1.5L)					3.4																
4075712	1.524	2.700	C	2004	0012	CRACKING	10.0	9.5	8.5	8.5	8.5	8.5	8.0	8.0	8.0	8.0	8.0	6.5	4.5*	4.5	
H & J ASPHALT, INC				(2006)	FC125	RIDE	6.3	6.2	5.7	5.9	6.0	5.8	5.7	5.1*	5.0*	5.0*	4.8*	4.7*	4.6*	4.0	
4291931	1.511	2.939	C	2025	0005																
87044000	6.218	7.800	R	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.5	7.5	6.5		
976			2	35	45000	RIDE	8.4	8.4	8.2	8.1	8.1	7.4	7.9	7.3	6.8	6.5	6.2	6.2	5.3*		
SOUTH MIAMI CITY LIMITS(6.2C)					3.2																
4180931	6.218	8.100	C	2009	0012	CRACKING	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.4	
H & J ASPHALT, INC				(2012)	FC95	RIDE	6.0	5.9	5.9	8.0	8.0	7.5	7.6	7.4	7.4	7.7	7.5	7.4	7.1	6.9	
87044000	7.800	8.098	L	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0	7.5	6.5	6.5	6.5		
976			2	40	38500	RIDE	8.3	8.1	8.1	7.9	7.7	7.5	7.6	7.3	6.3	5.9	5.9	5.9	5.4*		
SALZEDO ST(7.9L)					6.5																
4180931	6.218	8.100	C	2009	0012	CRACKING	9.0	6.5	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	
H & J ASPHALT, INC				(2012)	FC95	RIDE	5.4*	5.4*	5.6	7.6	7.4	7.0	6.7	6.5	6.5	6.7	4.8*	5.0*	4.8*	3.3	
4460011	7.800	8.100	C	2025	0012																
87047000	0.362	2.399	C	1	1	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	7.0	7.0	7.0	10.0	10.0	10.0	10.0		
973			2	40	15400	RIDE	6.7	6.7	6.6	6.9	6.5	6.7	7.0	6.5	5.9	7.1	7.0	7.1	7.2		
SW 128 ST(0.4C)					2.3																
2502251	0.399	2.430	C	2003	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	
H & J ASPHALT, INC				(2005)	FC125	RIDE	7.1	6.9	7.3	7.1	7.2	7.1	7.0	6.7	6.6	6.6	6.1	6.3	6.2	6.1	
87047000	2.399	2.920	C	1	1	CRACKING	10.0	10.0	10.0	6.0*	6.0*	6.0*	7.0	7.0	7.0	9.0	9.0	7.5	8.0		
973			2	40	19600	RIDE	7.7	7.8	7.8	6.9	6.5	6.7	7.0	6.5	5.9	6.5	6.6	6.8	5.9		
SW 94 ST(2.5C)					2.2																
4146271	2.399	2.920	C	2008	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	8.9	
H & J ASPHALT, INC				(2010)	FC125	RIDE	6.1	6.3	6.6	6.5	6.6	6.3	6.6	6.5	5.9	5.5	5.2*	5.8	5.7	5.0	
87047000	2.920	5.945	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	6.5	4.5*		
973			2	40	24000	RIDE	7.3	7.3	6.7	6.9	6.8	6.7	6.7	6.2	5.7	5.5	5.5	5.5	5.5		
KENDALL DR(2.9C)					2.4																
4146271	2.920	5.945	C	2008	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.8	
H & J ASPHALT, INC				(2010)	FC95	RIDE	5.3*	7.2	6.8	6.7	7.0	6.8	6.8	6.6	6.3	6.6	6.4	6.4	6.4	6.0	
87047000	2.920	5.945	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	6.5		
973			2	40	24000	RIDE	7.2	7.2	6.9	6.8	6.8	6.4*	6.7	6.2	5.9	6.0	5.9	5.8	5.8		
KENDALL DR(2.9C)					2.4																
4146271	2.920	5.945	C	2008	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
H & J ASPHALT, INC				(2010)	FC95	RIDE	5.3*	6.7	6.9	6.8	6.7	6.7	6.7	6.6	6.5	6.6	6.2	6.5	6.4	6.2	
87055000	1.124	1.689	R	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	7.5	7.5	7.5		
986			2	40	38500	RIDE	8.1	7.7	7.7	7.3	7.0	7.1	6.8	7.2	6.5	6.3	5.8	6.0	6.1		
SW 113 PL(1.4C)					2.6																
4124761	1.124	1.883	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
H & J ASPHALT, INC				(2009)	DGFC	RIDE	7.0	7.2	7.2	7.0	6.9	6.9	5.9	6.6	6.2	6.9	6.9	6.7	6.7	6.3	
87055000	1.124	1.689	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	7.5	5.5*	5.5*	4.5*	4.5*	4.5*	4.5*	3.5*		
986			2	40	38500	RIDE	8.3	7.7	7.9	8.2	7.7	7.9	8.0	7.5	6.8	6.8	6.2	6.5	6.5		
SUNSET ST PLAZA(1.2L)					2.6																
4124761	1.124	1.883	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
H & J ASPHALT, INC				(2009)	DGFC	RIDE	7.4	7.3	7.3	7.5	7.5	7.1	6.8	7.0	7.3	7.4	7.2	7.3	7.3	7.2	
87060000	3.114	3.670	R	1	6	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	7.5	6.5	6.5	6.5		
ALA 41			3	35	31000	RIDE	8.0	7.9	7.9	7.6	7.2	7.2	7.0	6.3	5.5	5.7	5.3*	5.2*	5.2*		
ALTON RD(3.2R)					5.0																
4146361	3.175	3.670	C	2011	0012	CRACKING	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
H & J ASPHALT, INC				(2013)	FC95	RIDE	5.1*	5.1*	4.8*	5.0*	7.0	7.0	6.9	6.0	5.9	5.6	5.4*	4.6*			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 *@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6							CONTRACTOR = H & J ASPHALT, INC															
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2026	
INTERSECT AT (MP SIDE)							*****															
ITMSEG-P W_BMP W_EMP RW FY-P WKMX-P																						
CONTRACTOR (AGE_ONE YEAR) SURF_TYPE								2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	(REG)	
ITMSEG-F W_BMP W_EMP RW FY-F WKMX-F																						
87060000 3.114 3.670 L 1 1 CRACKING							10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	6.5	6.5		
A1A 41 3 35 31000 RIDE							8.0	7.9	8.0	7.1	6.8	6.6	5.9	5.6	4.8*	4.8*	4.4*	4.5*	4.5*			
WEST AVE(3.1L) 5.0																						
4146361 3.175 3.670 C 2011 0012 CRACKING							3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
H & J ASPHALT, INC (2013) FC95 RIDE							4.6*	4.0*	4.4*	4.4*	7.2	7.1	7.1	6.1	5.9	5.9	5.8	5.5	5.4*	4.0		
87066000 4.546 5.245 R 1 1 CRACKING							9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5			
922 2 30 33000 RIDE							5.3*	5.8*	6.3*	5.7*	4.9*	4.4*	6.1	6.4	6.7	6.5	6.4	6.5	6.4			
BROADVIEW DR E(4.8C) 5.5																						
4291372 4.546 5.245 C 2014 0012 CRACKING							6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	9.5	9.2		
H & J ASPHALT, INC (2017) FC95A RIDE							5.9	6.2	6.3	6.2	6.1	6.1	5.7	4.1*	7.6	6.7	6.8	6.6	6.7	5.6		
87066000 4.546 5.245 L 1 6 CRACKING							10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5			
922 2 30 33000 RIDE							6.6	6.4*	6.4*	6.5	5.0*	5.8*	6.1	5.6	5.6	5.7	5.6	5.7	5.6			
BAY VIEW DR W(4.6L) 5.5																						
4291372 4.546 5.245 C 2014 0012 CRACKING							7.5	6.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	10.0	10.0	10.0	10.0	9.5	9.2		
H & J ASPHALT, INC (2017) FC95A RIDE							5.5	5.5	5.1*	5.5	5.2*	4.9*	3.9*	4.0*	6.8	6.4	6.2	6.4				
87080900 34.211 34.448 C 1 6 CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	9.5	10.0	10.0	9.5		
934 4 30 16300 RIDE							4.6*	4.4*	5.1*	5.2*	4.5*	4.8*	4.1*	4.2*	5.7	4.5*	5.7	5.1*	4.1*			
E 22 ST(34.3R) 10.2																						
4284831 34.264 34.435 C 2013 0226 CRACKING							8.0	8.0	8.0	8.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5		
H & J ASPHALT, INC (2015) DGFC RIDE							4.5*	4.2*	4.0*	4.0*	3.9*	4.2*										
87080900 34.448 36.311 R 1 1 CRACKING							9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
934 2 40 28000 RIDE							6.9	6.9		7.6	7.6	7.2	7.3	7.1	6.3	6.7	6.5	6.5	6.5			
E 5 AVE(34.6C) 10.2																						
4311781 34.458 36.311 C 2015 0012 CRACKING							9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	10.0	9.0	9.0	9.0	9.0	7.8		
H & J ASPHALT, INC (2017) FC95A RIDE							6.2	6.3	6.6	6.5	6.3	6.4	5.8	6.1	7.0	6.7	6.8	6.6	6.4	5.8		
87080900 34.448 36.311 L 1 1 CRACKING							9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		
934 2 40 28000 RIDE							6.7	6.7		8.3	8.1	8.1	8.0	7.8	7.0	6.9	6.7	7.0	7.0			
E 5 AVE(34.6C) 10.2																						
4311781 34.458 36.311 C 2015 0012 CRACKING							9.5	9.5	9.5	8.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	9.5	9.2		
H & J ASPHALT, INC (2017) FC95A RIDE							6.7	6.7	6.6	6.6	6.4	6.2	6.3	6.1	7.4	7.4	7.4	6.8	7.0	6.2		
87085000 0.000 0.659 C 1 1 CRACKING									10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.5		
933 2 30 7600 RIDE									7.9	7.5	7.6	7.4	7.5	7.2	6.3	6.3	6.3	6.4	6.0	6.1		
SR 972(0.0C) 3.9																						
4291451 0.138 0.659 L 2014 0012 CRACKING							6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.1	
H & J ASPHALT, INC (2016) FC125 RIDE							6.0	5.9	5.5	5.7	5.5	5.5	5.1*	6.6	6.6	6.4	6.6	6.4	6.3	6.2	5.7	
87090000 14.902 15.254 R 1 7 CRACKING							8.5	8.5	8.5	8.5	7.5	7.5	7.5	7.0	7.0	7.0	7.0	10.0	7.0	7.0		
25 27 2 40 66000 RIDE							7.4	7.5	7.4	6.6	6.4*	6.2*	6.2	6.1	5.6	5.4*	6.9	6.4	6.4			
TN LN FR LEJEUNE RD(15.0R) 8.2																						
4259792 15.031 15.193 R 2018 0012 CRACKING							7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	10.0			
H & J ASPHALT, INC (2021) FC125 RIDE							6.2	6.9	6.4	6.9	6.1	6.3	6.3	5.7	5.6	6.2						
87090000 19.288 19.674 C 1 2 CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.5	9.5	9.5	9.0		10.0			
25 27 4 30 19400 RIDE							7.2	7.4	6.8	7.0	5.6*	5.7*	6.8	6.2	4.8*	5.2*	4.3*		6.6			
MIAMI AVE N(19.3C) 3.3																						
4291592 19.317 19.653 C 2017 0015 CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0		6.5	10.0	10.0			
H & J ASPHALT, INC (2020) FC125 RIDE							6.0	6.5	5.7	6.2	5.5	6.4	6.5	6.4		5.4*		5.3*				
87120000 15.195 17.501 C 1 1 CRACKING							10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5			
90 41 3 30 21500 RIDE							8.1	8.0	8.1	7.3	7.2	7.0	7.3	7.0	6.0	5.8	5.4*	5.6	5.6			
SW 25 AV(15.2C) 2.5																						
4146461 15.195 17.501 C 2008 0012 CRACKING							4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5		
H & J ASPHALT, INC (2010) DGFC RIDE							5.4*	7.3	7.1	6.5	6.5	6.2	5.9	5.9	5.5	5.8	5.7	5.3*	5.0*	4.1		
4460001 15.195 17.501 C 2024 0012																						
87120001 0.452 2.998 C 1 1 CRACKING							9.0	9.0	9.0	9.0	9.0	9.0	6.5	4.5*	4.5*	4.5*	4.5*	2.0*				
90 41 3 30 17000 RIDE							7.9	7.6	8.0	6.8	6.9	6.6	6.3	6.1	4.8*	4.7*	4.6*	4.4*				
SW 3 AVE(0.5C) 2.5																						
4124811 0.000 2.933 C 2006 0012 CRACKING							10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	8.0	8.0	8.0	8.0	8.0	6.6		
H & J ASPHALT, INC (2009) FC95 RIDE							6.7	6.7	6.4	6.3	6.1	5.8	5.5	5.4*	5.6	5.7	5.7	5.7	5.5	4.8		
4478081 0.452 2.998 C 2026 0012																						

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = H & J ASPHALT, INC										
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)						*****														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	P														
CONTRACTOR (AGE_ONE YEAR)							2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															(REG)
87240000	0.000	1.739	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5	10.0	
9			2	40	36500	RIDE	8.4	8.4	8.2	7.5	7.1	7.2	7.4	7.4	6.8	7.0	6.6	6.5	7.5	
DIXIE HWY S(0.0C)					4.3															
4146881	0.056	1.739	C	2005	0008	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.3
H & J ASPHALT, INC			(2008)		DGFC	RIDE	7.7	7.2	7.4	6.7	6.8	6.3	6.7	6.8	6.6	6.5	6.1	6.1	6.0	5.4
87240000	10.028	10.823	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	6.5	
9			3	45	46500	RIDE		9.0	8.8	7.8	8.0	7.5	7.7	7.5	7.3	7.0	6.7	6.3	6.6	
NW 122 ST(10.0C)					10.2															
4284761	10.006	10.818	C	2013	0012	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
H & J ASPHALT, INC			(2015)		FC125	RIDE	6.6	6.4	6.7	6.6	6.7	6.4	7.9	7.3	7.3	7.3	7.3	7.7	6.8	6.7
87240000	10.028	10.823	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	8.0	8.0	8.0	8.0	7.5	6.5	
9			3	45	46500	RIDE		8.7	8.8	8.3	8.3	8.2	8.2	8.1	7.3	7.1	7.1	6.9	7.2	
NW 122 ST(10.0C)					10.2															
4284761	10.006	10.818	C	2013	0012	CRACKING	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
H & J ASPHALT, INC			(2015)		FC125	RIDE	7.1	7.6	7.4	7.4	7.1	6.8	8.0	7.8	7.7	7.7	7.6	7.6	7.4	7.0
87240000	0.000	1.739	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	7.5	4.5*	4.5*	10.0	
9			2	40	36500	RIDE	8.4	8.4	8.3	7.9	6.9	7.7	7.5	7.7	7.1	6.8	6.3	6.5	7.5	
DIXIE HWY S(0.0C)					4.3															
4146881	0.056	1.739	C	2005	0008	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.5	8.5	7.6
H & J ASPHALT, INC			(2008)		DGFC	RIDE	7.5	6.8	7.3	7.4	6.6	7.1	7.0	7.1	6.6	6.6	6.4	6.5	6.3	6.0
87281000	0.000	0.400	R	1	1	CRACKING	9.5	9.5	9.5	9.5	9.0	9.0	9.0	7.5	7.5	6.5	4.5*	4.5*	6.5	
953			2	40	24500	RIDE	8.3	7.9	8.4	7.4	7.3	7.6	7.5	6.9	6.8	6.4	6.2	6.7	5.1*	
DIXIE HWY S(0.0C)					2.7															
4284821	0.213	0.397	C	2011	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2
H & J ASPHALT, INC			(2013)		FC95	RIDE	5.6	5.3*	5.5	5.3*	5.9	5.8	5.5	5.4*	5.2*	5.5	5.3*	5.3*	5.1*	4.7
4460021	0.000	0.400	C	2025	0012															
87281000	5.494	5.945	R	1	7	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.0		10.0	10.0	10.0	
953			3	40	46000	RIDE	3.3*	3.4*	3.7*	6.6	6.1*	6.4*	6.1	6.7	6.6		6.7	6.9	7.0	
SR 948(5.6C)					8.2															
4259792	5.536	5.945	R	2018	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	10.0	
H & J ASPHALT, INC			(2021)		FC125	RIDE	6.9	6.9	6.8	6.7	6.3	6.5	5.4*							
87281000	5.945	8.177	R	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	9.0	7.5	7.5	7.5	7.5	
953			2	40	34000	RIDE	8.5	8.2	8.4	7.7	7.6	7.6	7.3	7.3	6.6	7.0	6.9	6.7	6.7	
ELEVENTH PL SE(6.0C)					4.8															
4274201	5.945	8.177	R	2012	0226	CRACKING	5.5*	5.5*	5.5*	5.5*	5.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
H & J ASPHALT, INC			(2015)		DGFC	RIDE	6.6	6.3	6.6	6.4	6.1		6.6	5.9	6.0	6.3	6.2	6.2	6.1	6.0
87281000	5.945	8.177	L	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.0	7.5	7.5	7.5	7.5	7.5	7.5	
953			2	40	34000	RIDE	8.5	8.2	8.4	7.5	7.7	7.9	7.6	7.5	6.6	7.0	6.8	6.8	6.7	
ELEVENTH PL SE(6.0C)					4.8															
4274201	5.945	8.177	L	2012	0226	CRACKING	5.5*	4.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.7
H & J ASPHALT, INC			(2015)		DGFC	RIDE	6.4	6.5	6.4	5.8	6.0		6.0	6.0	5.6	6.2	6.0	5.9	5.9	5.9
87281000	0.000	0.400	L	1	6	CRACKING	9.5	9.5	9.0	9.0	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
953			2	40	24500	RIDE	8.0	7.3	7.4	6.8	6.3*	6.1*	6.5	6.1	5.7	5.0*	5.5	4.9*	4.8*	
DIXIE HWY S(0.0C)					2.7															
4284821	0.213	0.397	C	2011	0012	CRACKING	6.5	6.5	6.5	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.2
H & J ASPHALT, INC			(2013)		FC95	RIDE	5.8	5.1*	5.3*	5.6	5.8	5.9	5.2*	4.0*						
4460021	0.000	0.400	C	2025	0012															
87470000	0.000	0.202	L	5	6	CRACKING	10.0	8.0	8.0	8.0	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	
91	0.0	0.2	1	55	103200	RIDE	8.0	7.7	8.2	8.2	8.0	8.0	8.1	7.1	7.0	6.3*	6.0*	5.8*	6.1*	
BRIDGE #38(0.0C)					9.1															
4146471	0.086	0.324	C	2008	0012	CRACKING	10.0	9.5	9.5	9.5	9.5			6.5	6.5	6.5	6.5	6.5	4.5*	3.1
H & J ASPHALT, INC			(2009)		FC5M	RIDE	7.3	6.8	7.0	7.3	7.1									

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 CONTRACTOR = H&R PAVING INC

RDWDID	SR US	BMP G_BMP	EMP G_EMP	RW LN	SYSTEM SPEED	TYPE AADT	DISTRESS RATINGS	SURVEYED YEAR												FUTURE	
INTERSECT AT (MP)	W_BMP (AGE ONE YEAR)	W_EMP (AGE ONE YEAR)	RW	FY-F	WKM	X-P SURF_TYPE	=====	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKM	X-P		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)
87002000 823 NW 142 ST(5.0C) 4308031 H&R PAVING INC	4.969 5.0C 4.969 INC	7.777 7.777 7.777 INC	R 3	1 45 2016 (2019)	1 52500 4.9 0012 FC95A	1 CRACKING RIDE 1 CRACKING RIDE			10.0 8.3	10.0 8.4	10.0 8.3	10.0 8.3	10.0 8.0	10.0 8.2	9.0 7.7	9.0 7.6	9.0 7.5	9.0 7.5	9.0 7.1	9.0 7.3	
87002000 823 NW 142 ST(5.0C) 4308031 H&R PAVING INC	4.969 5.0C 4.969 INC	7.777 7.777 7.777 INC	L 3	1 45 2016 (2019)	1 52500 4.9 0012 FC95A	1 CRACKING RIDE 1 CRACKING RIDE		10.0 8.3	10.0 8.4	10.0 8.3	10.0 8.1	10.0 8.1	9.0 8.0	9.0 7.9	9.0 7.5	9.0 7.2	9.0 6.9	9.0 6.7	8.0 6.7		
87026000 860 SR 9 DR(6.5R) 4308051 H&R PAVING INC	6.470 6.5R 6.584 INC	8.848 8.848 7.818 INC	R 2	1 40 2014 (2016)	1 53500 3.5 0012 FC95A	1 CRACKING RIDE 1 CRACKING RIDE	5.5* 7.4	7.0 7.4	6.0* 7.6	10.0 8.5	10.0 8.4	10.0 8.2	10.0 8.2	10.0 8.2	10.0 7.8	10.0 7.6	8.5 7.6	8.5 7.6	8.5 7.6		
87026000 860 NE 23 CT(8.9R) 4308052 H&R PAVING INC	8.848 8.9R 8.865 INC	9.311 9.311 9.225 INC	R 3	1 40 2014 (2017)	6 39500 2.1 0012 FC95A	CRACKING RIDE 1 CRACKING RIDE	5.5* 7.4	7.0 7.0	7.0 6.6	10.0 6.9	10.0 7.0	10.0 7.9	10.0 7.4	10.0 7.5	10.0 6.8	10.0 6.9	8.5 6.5	8.5 6.5	8.5 6.6		
87026000 860 NE 23 CT(8.9L) 4308052 H&R PAVING INC	8.848 8.9L 8.792 INC	9.311 9.311 9.225 INC	L 2	1 30 2014 (2017)	6 39500 2.1 0012 FC95A	CRACKING RIDE 1 CRACKING RIDE	7.0 7.7	6.5 7.5	6.5 7.4	10.0 7.8	10.0 7.7	10.0 7.6	10.0 7.9	10.0 7.6	10.0 7.2	10.0 7.3	8.5 7.2	8.5 6.9	8.5 7.1		
87026000 860 NE 5 AVE(6.5L) 4308051 H&R PAVING INC	6.470 6.5L 6.584 INC	8.848 8.848 7.818 INC	L 2	1 30 2014 (2016)	1 53500 3.5 0012 FC95A	CRACKING RIDE 1 CRACKING RIDE	7.0 7.7	6.5 7.5	6.5 7.4	10.0 7.8	10.0 7.7	10.0 7.6	10.0 7.9	10.0 7.6	10.0 7.2	10.0 7.3	8.5 7.2	8.5 6.9	8.5 7.1		
87030000 5 SW 27 TER(6.7R) 4334554 H&R PAVING INC	6.639 6.7R 7.131 INC	8.293 8.293 8.293 INC	R 3	1 45 2019 (2021)	7 83500 2.4 0012 FC95M	CRACKING RIDE 1 CRACKING RIDE	9.0 7.9	8.0 7.8	8.0 7.9	8.0 7.2	8.0 7.5	10.0 8.8	10.0 8.7	10.0 8.4	10.0 8.0	10.0 8.1	10.0 8.0	10.0 8.0	10.0 8.1		
87030000 5 SW 24 AVE(6.8C) 4334554 H&R PAVING INC	6.646 6.8C 7.131 INC	8.293 8.293 8.293 INC	L 3	1 45 2019 (2021)	7 83500 2.4 0012 FC95M	CRACKING RIDE 1 CRACKING RIDE	4.5* 7.9	4.0* 7.7	4.0* 7.5	3.5* 6.1*	3.5* 6.2*	10.0 8.6	10.0 8.6	10.0 8.3	10.0 7.8	10.0 8.1	10.0 7.9	10.0 8.0	10.0 8.1		
87037000 907 ALTON BYPASS(3.0R) 4075711 H&R PAVING INC 4304441	2.981 3.0R 2.700 INC 2.925	3.750 3.750 5.659 INC 3.748	R 2	1 30 2003 (2006) 2025	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 LAKEVIEW DR(3.8R) 4075711 H&R PAVING INC 4304442	3.750 3.8R 2.700 INC 3.748	4.125 4.125 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 37500 2.8 0012 FC125 0005	CRACKING RIDE 1 CRACKING RIDE	6.5 7.0	6.5 6.9	6.5 7.1	6.5 6.0*	6.5 5.8*	6.5 5.5*	4.5* 5.9	9.5 7.1	9.5 6.3	9.5 4.8*	10.0 6.4	10.0 6.3	10.0 5.6		
87037000 907 W 53 ST(4.2C) H&R PAVING INC 4304442	4.125 4.2C 2.700 INC 3.748	5.440 5.440 5.659 INC 5.524	R 2	1 30 2003 (2006) 2026	1 																

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = H&R PAVING INC															
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR													FUTURE				
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008						
INTERSECT AT (MP SIDE)					\$T	=====																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F																				
CONTRACTOR (AGE_ONE YEAR)				SURF	TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															(REG)					
87037000	3.750	5.440	L	2	2	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5*	4.5*	10.0	10.0	10.0						
907			2	30	37500	RIDE	7.6	7.3	7.6	6.4*	6.4*	6.2*	6.2	5.7	5.0*	5.0*	6.2	5.9	5.3*						
NORTH BAY RD(3.8L)																									
4075711	2.700	5.659	C	2003	0012	CRACKING	9.0	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	5.5*	4.5*	2.4					
H&R PAVING INC				(2006)	FC125	RIDE	6.0	5.9	5.4*	5.7	5.6	5.7	5.4*	4.5*	4.5*	4.5*	4.3*	4.2*	4.3*	3.6					
4304442	3.748	5.524	C	2026	0005																				
87037000	2.583	2.957	L	1	6	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	9.5	9.5	9.5						
907			1	30	37500	RIDE	7.6	7.3	7.6	6.4*	6.4*	6.2*	6.2	5.8	5.7	5.4*	7.2	7.1	6.8						
3600 BLOCK(2.7C)																									
4075711	2.700	5.659	C	2003	0012	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.5	8.5					
H&R PAVING INC				(2006)	DGFC	RIDE	7.2	7.2	7.0	6.8	6.9	6.4	6.5	6.9	6.9	6.9	6.3								
4291931	1.511	2.939	C	2025	0005																				
87038000	3.381	4.911	R	1	1	CRACKING	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
932			2	40	42500	RIDE	7.5	7.6	7.6	8.5	8.3	7.4	7.6	6.9	6.9	6.6	6.4	6.3	6.2						
W 2 AVE(3.4R)																									
4179141	3.381	4.911	C	2007	0012	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	7.0	7.0	7.0	7.0	6.5	4.9					
H&R PAVING INC				(2009)	FC125	RIDE	7.5	7.3	7.4	7.3	6.9	7.0	7.0	6.5	6.6	6.5	6.6	6.4	6.4	5.8					
4347683	3.271	4.909	C	2022	0012																				
87038000	4.911	8.199	R	1	1	CRACKING	9.0	9.0	9.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5						
932			3	40	42500	RIDE	7.4	7.7	7.7	6.5	8.1	8.1	7.8	7.7	7.3	7.4	7.3	7.2	7.2						
E 10 CT(4.9R)																									
4311761	5.240	8.150	C	2015	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0					
H&R PAVING INC				(2017)	FC125	RIDE	7.4	7.3	7.3	7.2	7.2	7.2	7.1	7.3	7.8	7.8	7.6	7.6	7.6	7.3					
87038000	4.911	8.199	L	1	1	CRACKING	9.0	9.0	9.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5						
932			3	40	42500	RIDE	7.3	7.3	7.4	5.7*	7.7	7.4	7.2	6.9	6.5	6.5	6.3	6.2	6.2						
E 10 CT(4.9L)																									
4311761	5.240	8.150	C	2015	0012	CRACKING	9.0	8.5	8.5	8.5	8.5	8.5	8.5	6.5	10.0	10.0	10.0	8.5	8.5	6.3					
H&R PAVING INC				(2017)	FC125	RIDE	6.6	6.5	6.5	6.3	6.1	6.3	6.3	6.2	7.2	7.3	7.0	6.8	7.1	6.6					
87038000	3.381	4.911	L	1	1	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5						
932			2	40	42500	RIDE	7.3	7.7	7.3	7.7	7.7	7.6	7.2	7.2	6.7	5.9	6.2	5.8	6.3						
W 2 AVE(3.4L)																									
4179141	3.381	4.911	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	7.0	6.5	6.5	6.5	6.5	4.2					
H&R PAVING INC				(2009)	FC125	RIDE	7.0	6.3	6.5	6.5	6.4	6.3	6.3	6.5	6.4	6.5	6.3	6.2	6.2	6.1					
4347683	3.271	4.909	C	2022	0012																				
87072000	3.084	4.189	C	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	5.5*						
985			4	40	28500	RIDE	7.6	7.7	7.8	7.3	7.0	6.6	6.8	6.5	6.2	6.5	6.1	5.9	6.1						
SW 55 TER(3.1L)																									
4146421	3.004	4.142	C	2008	0012	CRACKING	5.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0					
H&R PAVING INC				(2010)	FC95	RIDE	6.1	6.9	6.8	6.8	6.7	6.8	6.8	6.4	6.4	6.4	6.0	6.1	5.9	5.6					
87072000	4.189	5.139	C	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	6.5	6.5	6.5	6.5	5.5*						
985			4	40	28000	RIDE	7.6	7.7	7.8	7.3	7.0	6.6	6.8	6.5	6.2	6.5	6.1	5.9	6.1						
SW 38 ST(4.3C)																									
2495932	4.189	5.185	C	2009	0012	CRACKING	5.5*	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0					
H&R PAVING INC				(2011)	FC125	RIDE	6.1	5.9	7.4	7.0	7.0	7.1	7.2	6.9	7.1	6.9	6.9	7.0	6.7	6.6					
87085000	0.659	2.002	C	1	1	CRACKING			10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	7.0	6.5						
933			4	30	17700	RIDE			7.0	7.4	7.2	7.1	6.7	5.9	5.9	5.9	5.4*	5.5	5.3*						
SW 12 ST(0.7C)																									
4327482	0.667	1.449	C	2017	0015	CRACKING	6.5		10.0	10.0	10.0	10.0	9.0	9.0	9.0	6.5	6.5	9.0	8.0						
H&R PAVING INC				(2020)	FC95	RIDE	5.0*		6.6	6.3	6.3	5.7	4.7*	4.7*	4.5*	4.5*	5.4*	4.7*	4.4*						
87120000	7.195	9.755	R	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	6.5	6.5	3.5*						
90 41			4	45	58000	RIDE	8.7	8.5	8.6	8.3	8.2	8.2	8.3	8.2	7.5	7.5	7.0	7.3	7.3						
SW 105 AVE(7.2R)																									
4251451	7.045	9.056	C	2012	0012	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
H&R PAVING INC				(2015)	FC95	RIDE	6.8	7.3	7.1	7.0	6.8		7.0	7.5	7.2	7.9	7.9	7.8	7.7	7.7					
87120000	7.195	9.755	L	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.0	9.0	9.0	8.0	6.5	6.5	4.5*						
90 41			4	45	58000	RIDE	8.7	8.9	8.8	8.5	8.5	8.5	8.5	8.3	7.5	7.6	7.0	7.4	7.2						
RUBEN DARIO AV/SW97A(8.0C)																									
4251451	7.045	9.056	C	2012	0012	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0					
H&R PAVING INC				(2015)	FC95	RIDE	7.1	7.2	7.0	6.9	6.6		7.4	7.9	7.5	7.9	7.9	7.8	7.9	7.9					

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 CONTRACTOR = H&R PAVING INC

DOWID	SR	US	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR												FUTURE	
INTERSECT	AT	(MP)	(SIDE)	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	FUTURE
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P			=====														
CONTRACTOR	(AGE ONE YEAR)			SURF	TYPE				2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)	
87140000	11.087	11.896	C	1	1	CRACKING	8.5	7.0	6.5	8.5	6.5	8.5	4.5*	7.5	4.5*	4.5*	4.5*			10.0		
7 441			2	45	35500	RIDE	7.2	7.4	7.5	6.8	6.3*	6.9	6.8	7.1	6.2*	6.2*	5.9			6.0		
BEGIN SEC	87140001(11.9L)				5.0																	
4077391	11.087	12.283	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0	5.6	
H&R PAVING	INC		(2008)		DGFC	RIDE	5.6	6.2	6.1	6.3	6.1	6.3	6.0	5.9	6.3	6.3	6.3	6.2	6.1	6.1	6.1	
87190000	2.869	3.767	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
909			2	40	17500	RIDE	8.4	8.4	8.2	7.8	7.5	7.7	7.6	7.2	6.9	6.7	6.5	6.4	6.1	6.1		
NE 153 ST(3.0R)				2.8																	
4308191	2.854	3.767	C	2015	0012	CRACKING	9.0	7.0	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	
H&R PAVING	INC		(2017)		FC95A	RIDE	6.1	5.8	5.6	5.8	5.4*	5.5	5.6		6.9	6.8	6.4	6.6	6.5	6.5	5.9	
87190000	2.869	3.767	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0		
909			2	40	17500	RIDE	8.4	8.4	8.3	7.8	7.8	7.7	7.3	7.3	6.6	6.5	6.4	6.5	6.3	6.3		
NE 153 ST(3.0L)				2.8																	
4308191	2.854	3.767	C	2015	0012	CRACKING	9.0	7.0	6.5	6.5	6.5	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
H&R PAVING	INC		(2017)		FC95A	RIDE	6.2	6.0	6.1	6.3	6.0	6.1	6.0	6.7	6.8	6.2	6.2	6.2	6.2	6.2	5.5	
87220000	0.000	3.352	R	1	2	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0		
948			3	40	68500	RIDE	8.8	8.8	8.8	8.5	8.5	8.5	8.5	8.2	7.5	7.7	7.6	7.7	7.8	7.8		
87260391	NB ON(0.0R)			6.5																	
4291361	1.167	3.352	C	2014	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.6	
H&R PAVING	INC		(2016)		FC95A	RIDE	7.6	7.6	7.5	7.5	7.3	7.1	7.1	7.7	7.6	7.4	7.4	7.4	7.2	7.3	6.8	
87220000	0.000	3.352	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	7.5	6.5		
948			3	40	68500	RIDE	8.5	8.5	8.6	8.2	8.1	8.3	8.2	7.9	7.4	7.3						
EB EXIT TO	SR 826(0.0C)			6.5																	
4291361	1.167	3.352	C	2014	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	6.5	6.5	6.5	6.5	6.5	1.7	
H&R PAVING	INC		(2016)		FC95A	RIDE	7.3	7.3	7.3	7.3	7.1	7.1	7.1	7.8	7.6	7.5	7.4	7.1	7.2	7.2	6.5	
87260000	24.200	24.708	R	1	2	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	8.0	6.5	4.5*		
826	24.2	24.7	2	40	53500	RIDE	8.0	8.2	8.2	8.5	8.1	8.3	8.0	7.7	6.8	6.6	7.0	7.0	7.0	7.3		
NW 171 ST(24.4R)				5.9																	
4180881	24.090	24.538	C	2009	0012	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
H&R PAVING	INC		(2011)		FC95	RIDE	7.1	7.1	7.1	7.0	6.9	6.5	6.5	5.9	5.5	5.1*	6.1	6.5	6.5	5.0		
87260000	24.209	24.708	L	1	1	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	8.0	7.5	7.5	7.5	6.5	6.5	6.5	4.5*		
826	24.2	24.7	2	40	53500	RIDE	7.8	8.4	8.5	7.8	7.0	7.6	7.6	7.9	6.1	6.0	6.6	6.6	6.6	6.6		
NW 7 AVE(24.4L)				5.9																	
4180881	24.090	24.538	C	2009	0012	CRACKING	3.5*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	
H&R PAVING	INC		(2011)		FC95	RIDE	6.4	6.3	7.1	7.0	6.9	6.8	6.9	6.5	6.2	5.7	6.4	6.3	6.4	6.4	5.6	
87471000	0.284	0.538	C	5	8	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	9.5	7.5	8.0	8.0	8.0	7.5	7.5	7.5		
821	0.3	0.5	2	65	44000	RIDE	8.7	8.7	8.7	8.9	8.8	8.9	8.4	8.0	7.7	7.1	7.0	7.0	7.0	7.3		
4195781	0.000	9.200	C	2009	0012	CRACKING	7.5	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	6.5	3.5*	3.5*	3.5*		
H&R PAVING	INC		(2012)		FC5	RIDE	7.1	6.9		7.8	7.6	7.6	7.7				7.2	7.4	7.4	7.4		
4404231	0.284	2.500	C	2020	0012																	
87471000	0.538	2.371	R	5	8	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	6.5		
821	0.5	2.4	2	65	44000	RIDE	8.0	8.7	8.7	8.9	8.8	8.9	8.8	8.4	8.0	8.0	8.0	7.9	7.8	7.9		
4195781	0.000	9.200	C	2009	0012	CRACKING	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5		
H&R PAVING	INC		(2012)		FC5	RIDE	8.0	7.7		7.9	7.8	7.8	7.7	8.2	8.1	8.1	8.2	8.2	8.3	8.3		
4404231	0.284	2.500	C	2020	0012																	
87471000	3.878	5.120	L	5	8	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5		
821	3.9	5.1	2	65	63400	RIDE	8.7	8.6	9.0	8.9	8.8	8.9	8.8	8.6	8.0	7.9	7.7	7.7	7.7	7.9		
4195781	0.000	9.200	C	2009	0012	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	9.0	9.0				7.5	7.5		
H&R PAVING	INC		(2012)		FC5	RIDE	7.9	7.8		8.3	8.2	8.1	8.0	8.3	8.3				8.4	8.4		
4404231	3.800	5.100	C	2020	0012																	
87471000	0.538	2.500	L	5	8	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	6.5		
821	0.5	2.5	2	65	44000	RIDE	8.7	8.6	9.0	8.9	8.8	8.9	8.8	8.6	8.0	7.9	7.7	7.7	7.7	7.9		
4195781	0.000	9.200	C	2009	0012	CRACKING	6.5	6.5		10.0	10.0	10.0	10.0	9.0	9.0	7.5	3.5*	3.5*	3.5*	3.5*		
H&R PAVING	INC		(2012)		FC5	RIDE	7.9	7.8		8.3	8.2	8.1	8.0	8.3	8.3	8.1	8.0	8.0	8.2	8.2		
4404231	0.284	2.500	C	2020	0012																	

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = HALLEY ENGINEERING CONTRACTO													
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR												FUTURE			
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008				
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	=====																	
ITMSEG-P	(AGE_ONE YEAR)				SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																		
87030000	10.389	10.556	R	1	8	CRACKING		10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.5	7.0	7.0				
90 41			3	30	36000	RIDE		7.3	7.5	7.7	7.6	7.6	6.5	6.5	5.7	5.5	6.2	6.1	6.2				
4124738	10.396	10.556	C	2016	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*	9.0							
HALLEY ENGINEERING CONTRAC				(2018)	DGFC	RIDE	5.6	5.1*	5.3*	4.9*	5.2*	4.5*											
87030000	21.350	24.278	R	1	1	CRACKING	5.0*	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
5 1			4	45	69500	RIDE	7.1	8.0	8.4		8.7	8.6	8.6	8.3	7.8	7.7	7.5	7.4	7.6				
NE 156 ST(21.5R)					2.3																		
4308081	21.255	24.278	R	2016	0012	CRACKING	9.5	9.5	7.0	6.5	6.5	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0			
HALLEY ENGINEERING CONTRAC				(2019)	FC95A	RIDE	7.5	7.3	7.2	7.2	7.2	7.1	6.8	7.2	7.3		8.4	8.3	8.2	7.7			
87030000	23.965	24.278	L	1	1	CRACKING	10.0	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5				
5 1			3	45	81000	RIDE	8.6	8.1	8.6		7.6	7.6	7.8	7.4	6.8	6.6	6.3	6.8	6.6				
4308081	24.077	24.278	L	2016	0012	CRACKING	9.5	9.5	8.0	7.0	7.0	7.0	7.0	7.0	6.5		10.0	10.0	10.0	10.0			
HALLEY ENGINEERING CONTRAC				(2019)	FC95A	RIDE	6.4	6.8	6.7	6.4	6.7	6.5	6.5	6.9	6.4		8.0	8.1	8.1	8.1			
87030000	21.350	23.965	L	1	1	CRACKING	0.0*	9.5	9.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	7.5				
5 1			4	45	69500	RIDE	6.8	8.1	8.6		8.6	8.5	8.4	8.1	7.6	7.3	7.4	7.5	7.5				
SR 826/NE 163 ST(21.9C)					2.3																		
4308081	21.225	24.077	L	2016	0012	CRACKING	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	5.5*		10.0	10.0	10.0	10.0			
HALLEY ENGINEERING CONTRAC				(2019)	FC95A	RIDE	7.4	7.0	7.2	7.1	7.0	7.1	6.8	7.2	7.2		8.2	8.1	8.1	7.8			
87030000	10.221	10.556	L	1	6	CRACKING		10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5				
90 41			3	30	36000	RIDE		6.5	6.7	6.5	7.3	7.4	7.0	6.3	5.4*	4.9*	5.5	6.3	4.6*				
SR 90 *(10.3L)					2.4																		
4124738	10.396	10.556	C	2016	0012	CRACKING	7.5	7.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	9.0	9.0	9.0	8.5	7.9			
HALLEY ENGINEERING CONTRAC				(2018)	UNKW	RIDE	5.3*	5.7	5.6	5.8	4.8*	4.5*	4.5*										
87039000	0.000	2.462	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.5				
992			2	45	31500	RIDE	8.5	8.5	8.4	7.6	7.6	7.6	7.9	7.6	7.2	7.0	7.1	7.1	7.1				
SW 113 AVE(0.2R)					5.0																		
4332862	0.155	2.190	R	2017	0012	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5		10.0	10.0				
HALLEY ENGINEERING CONTRAC				(2020)	FC95A	RIDE	7.2	7.0	7.1	6.8	6.9	7.0	6.9	7.1	6.8	7.1		7.5	7.4				
87039000	0.000	2.462	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	8.5				
992			2	45	31500	RIDE	8.4	8.5	8.5	7.4	7.6	7.7	7.9	7.6	7.1	7.1	7.2	7.3	7.1				
FRONTAGE RD(0.4L)					5.0																		
4332862	0.330	2.190	L	2017	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5		10.0	10.0				
HALLEY ENGINEERING CONTRAC				(2020)	FC95A	RIDE	7.1	6.9	6.8	6.8	6.6	6.5	6.8	7.2	7.2	7.2		7.1	7.1				
87044000	1.727	3.265	R	1	1	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0				
976			3	40	48500	RIDE			8.7	8.8	8.7	8.5	8.7	8.6	8.2	8.0	7.4	8.0	7.2				
SW 100 AVE(1.8R)					6.5																		
4363551	1.739	3.265	C	2018	0012	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	10.0	10.0				
HALLEY ENGINEERING CONTRAC				(2020)	FC95M	RIDE	7.9	7.5	7.3	7.4	7.7	7.5	7.5	7.8	7.7	7.7	7.7	8.2	8.1				
87044000	1.727	3.265	L	1	1	CRACKING			10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0				
976			3	40	48500	RIDE			8.6	8.7	8.6	8.6	8.7	8.6	8.0	7.9	7.2	7.7	7.8				
SW 99 CT(1.8L)					6.5																		
4363551	1.739	3.265	C	2018	0012	CRACKING	8.0	8.0	8.0	8.0	7.5	7.5	7.5	6.5	6.5	5.5*	5.5*	10.0	10.0				
HALLEY ENGINEERING CONTRAC				(2020)	FC95M	RIDE	7.8	7.7	7.6	7.6	7.4	7.3	7.4	7.6	7.6	7.6	7.6	8.0	8.0				
87070000	10.733	14.030	R	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0				
997			2	55	22500	RIDE	8.1	8.0	8.1	7.8	7.8	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1				
NW 122 AVE(12.0R)					12.3																		
2496155	10.935	13.841	C	2016	0213	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
HALLEY ENGINEERING CONTRAC				(2018)	FC5A	RIDE	7.1	7.2	6.7	6.5	6.5	8.8	8.2	8.2	8.2	8.2	8.2	8.1	8.1	7.9			
87070000	10.733	14.030	L	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	8.0	7.0	7.0				
997			2	55	22500	RIDE	8.1	8.0	8.1	7.8	7.8	7.7	7.7	7.5	7.1	7.1	6.3*	7.1	7.1				
NW 130 ST/NW 122 AVE(12.0L)					12.3																		
2496155	10.935	13.841	C	2016	0213	CRACKING	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
HALLEY ENGINEERING CONTRAC				(2018)	FC5A	RIDE	7.1	7.2	6.7	6.5	6.5	8.8	8.2	8.2	8.2	8.2	8.3	8.3	8.3	8.3			

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = HALLEY ENGINEERING CONTRACTO																							
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR														FUTURE											
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	W_KMX-P	*****																											
ITMSEG-P	(AGE_ONE YEAR)				SURF_TYPE																												
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	W_KMX-F																												
87150000	8.027	13.278	R	1	7	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0															
997			2	45	17500	RIDE		8.6	8.8	8.5	8.5	8.5	8.5	8.2	7.8	7.6	7.6	7.7															
HAINLIN ML DR/SW	216(8.9C)			15.8																												
4273692	7.499	10.750	C	2018	0213	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	10.0														
HALLEY ENGINEERING CONTRAC	(2021)	FC5M			RIDE			7.5	7.5	7.6	7.5	7.4	7.4	7.3	7.2	6.9	6.9	7.0	7.9														
87150000	13.278	13.799	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.5	7.0														
997			2	45	25000	RIDE		8.6	8.8	8.5	8.5	8.5	8.5	8.2	7.8	7.9	7.9	8.0	7.9														
4273693	11.702	13.702	C	2018	0213	CRACKING	7.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	3.5*	10.0	10.0			10.0	10.0													
HALLEY ENGINEERING CONTRAC	(2020)	FC5M			RIDE			7.8	7.7	7.4	7.5	7.3	7.2	7.2	7.3	8.4	8.5		7.8	7.8													
87150000	8.027	13.799	L	1	5	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.5	8.0	7.0														
997			2	45	25000	RIDE		8.6	8.8	8.5	8.5	8.5	8.5	8.2	7.8	7.6	7.6	7.7	7.9														
SW 224 ST(8.4L)				12.8																												
4273692	7.499	10.750	C	2018	0213	CRACKING	7.0	6.5	6.5	6.5	5.5*	5.5*	5.5*	3.5*	10.0	10.0			10.0	10.0													
HALLEY ENGINEERING CONTRAC	(2021)	FC5M			RIDE			7.8	7.7	7.4	7.5	7.3	7.2	7.2	7.3	8.4	8.5		7.4	7.4													
87260000	0.000	1.063	R	1	1	CRACKING	8.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5														
826	0.0	1.1	2	45	61000	RIDE	8.0			8.5	8.4	8.3	8.4	8.0	7.7	7.5	7.6	7.7	7.5														
SOUTH DIXIE HWY(0.0C)				3.6																												
4327431	0.000	0.957	R	2016	0012	CRACKING	9.5	9.5	8.0	7.0	7.0	7.0	6.5	6.5		10.0	10.0	10.0	9.0														
HALLEY ENGINEERING CONTRAC	(2018)	FC5M			RIDE			7.6	7.6	7.7	7.2	7.4	7.5	7.5	7.5	8.0	8.2	8.2	8.1	7.8													
87260000	1.063	2.271	R	1	1	CRACKING	8.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5														
826	1.1	2.3	3	55	112500	RIDE	8.0			8.5	8.4	8.3	8.4	8.5	7.9	7.9	7.9	7.8	7.8														
4308212	1.343	2.271	R	2016	0012	CRACKING	9.5	8.0	8.0	7.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	9.0														
HALLEY ENGINEERING CONTRAC	(2018)	FC5M			RIDE			7.7	7.9	7.9	7.9	7.8	7.7	7.7	7.9	7.8	7.8	7.8	7.8	7.8													
87260000	1.343	2.039	L	1	1	CRACKING	8.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5														
826	1.3	2.0	3	55	112500	RIDE	7.9			8.3	6.3*	8.3	8.4	8.4	7.6	7.9	7.8	7.3	8.0														
4308212	1.343	1.879	L	2016	0012	CRACKING	8.0	8.0	7.0	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	9.0														
HALLEY ENGINEERING CONTRAC	(2018)	FC5M			RIDE			8.0	7.9	7.8	7.4	7.6	7.4	7.5	7.6	8.2	8.1	8.2	8.2	8.2													
87260000	0.000	1.343	L	1	1	CRACKING	8.0			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0														
826	0.0	1.3	2	55	61000	RIDE	7.9			8.3	6.3*	8.3	8.4	8.0	7.2	7.6	7.7	7.1	7.9														
SR 5(0.0L)				3.6																												
4327431	0.000	1.154	L	2016	0012	CRACKING	10.0	10.0	9.5	8.0	8.0	7.0	7.0	6.5		10.0	10.0	10.0	9.0														
HALLEY ENGINEERING CONTRAC	(2018)	FC5M			RIDE			7.5	7.7	7.3	7.2	7.3	7.3	7.2	7.2	8.0	7.6	7.8	7.8	7.8													
87471000	3.840	5.112	R	5	1	CRACKING	10.0	10.0	9.5	9.5	8.0	8.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5														
821	3.8	5.1	2	65	63400	RIDE	8.0	8.7	8.7	8.9	8.8	8.9	8.8	8.4	8.0	8.0	7.9	7.8	7.9														
4404231	3.800	5.100	C	2020	0012	CRACKING	6.5	6.5		10.0	10.0	10.0	9.0	9.0	9.0				9.0	7.5													
HALLEY ENGINEERING CONTRAC	(2020)	FC5			RIDE			8.0	7.7		7.9	7.8	7.8	7.7	8.2	8.1		8.2	8.5														
87471000	32.000	33.000	R	5	1	CRACKING	10.0	10.0	9.0	9.0	8.0	8.0			10.0	10.0	10.0	9.0	9.0														
821	32.0	33.0	3	70	116900	RIDE	8.4	8.9	8.8	8.9	8.7	8.8			7.7	7.7	7.7	7.7	7.8														
4276851	31.543	33.275	R	2013	0548	CRACKING	9.0	9.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0														
HALLEY ENGINEERING CONTRAC	(2016)	FC2			RIDE			7.8	7.4	7.8	7.9	7.9	7.9		8.6	8.5	8.5	8.5	8.6	8.4													
4355431	27.100	33.125	C	2019	0213																												
87471000	31.904	33.000	L	5	1	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5			10.0	10.0	10.0	10.0	10.0														
821	31.9	33.0	4	70	116900	RIDE	9.1	8.8	9.2	9.0	8.8	8.9			7.6	7.6	7.6	7.6	7.7	7.8													
4276851	31.259	33.275	L	2013	0548	CRACKING	9.5	8.0	10.0	10.0	10.0	10.0		10.0	10.0	10.0	10.0	10.0	10.0														
HALLEY ENGINEERING CONTRAC	(2016)	FC2			RIDE			7.8	7.6	7.7	7.9	7.7	7.8		8.6	8.5	8.5	8.5	8.5	8.6													
4355431	27.100	33.125	C	2019	0213																												

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```


FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = J V A ENGINEERING CONTRACTOR											
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)					%T	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																
CONTRACTOR	(AGE_ONE YEAR)			SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F															(REG)	
87053001	0.000	0.780	C	1	1	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0	10.0		
968			3	30	19500	RIDE	8.1	7.8	8.1	7.4	7.6	7.7	7.5	7.0	6.1	6.0	5.6	7.4	7.9		
SR 968/W FLAGLER ST(0.0L)						3.5															
4146332	0.270	0.737	C	2016	0005	CRACKING	10.0	10.0	10.0	9.0	9.0	8.5	7.5	7.5	7.5		10.0	10.0	10.0	10.0	
J V A ENGINEERING	CONTRACT(2019)				FC95A	RIDE	7.6	7.5	7.5	6.8	7.2	6.6	6.4	6.3	5.9		7.3	6.2	5.9	2.3	
87053001	0.780	1.948	C	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	10.0	10.0	10.0	10.0	10.0		
968			3	30	14000	RIDE	8.0	8.0	8.0	7.1	6.2*	6.3*	6.0	6.0	6.9	6.2	5.8	5.9	5.6		
SW 16 AVE(0.9C)						4.1															
4183122	0.791	1.954	C	2017	0005	CRACKING	10.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5			10.0	10.0		
J V A ENGINEERING	CONTRACT(2020)				FC95M	RIDE	5.2*	5.2*	5.0*	4.6*	4.5*	4.3*	4.1*	4.1*	4.1*			6.6	6.3		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = KIEWIT INFRASTRUCTURE SOUTH														
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE			
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008				
INTERSECT AT (MP SIDE)							=====																	
ITMSEG-P							W_BMP	W_EMP	RW	FY-P	WKMX-P													
CONTRACTOR							(AGE_ONE YEAR)		SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
ITMSEG-F							W_BMP	W_EMP	RW	FY-F	WKMX-F											(REG)		
87270000		0.975	1.494	R	4	4	CRACKING	8.3	8.0	8.1	7.6	7.9	9.4	8.1	8.1	7.8	8.0	7.9	7.2	7.0				
5	I95	1.0	1.5	3	55	66500	RIDE	7.5	7.2	7.5	7.2	7.2	6.4*	6.4*	6.1*	4.7*	4.7*	4.7*	4.6*	5.1*				
2516623		0.000	2.900	C	2007	0217	CRACKING	9.3	8.0	8.2	8.3	8.3	8.3	8.2	8.2	8.2	8.6	8.2	8.2	8.3	8.1			
KIEWIT INFRASTRUCTURE SOUT(2009)							LGD	RIDE	8.2	8.1	8.4	8.4	8.4	8.2	8.5	8.4	8.4	8.4	8.4	8.4	8.4	8.4		
4439421		0.000	1.547	C	2023	0227																		

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR											FUTURE		
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT	(MP SIDE)	\$T				=====														
ITMSEG-F	W_BMP	W_EMP	RW	FY-P	WKMX-F															
CONTRACTOR	(AGE_ONE_YEAR)	SURF_TYPE					2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															
87030000	16.686	18.057	R	1	1	CRACKING	6.0*	4.5*	4.5*	4.5*	3.5*	3.5*	1.0*	1.0*	1.0*	1.0*			10.0	
5_1			2	35	52000	RIDE	7.7	7.2	7.5	6.9	7.1	7.0	6.8	6.4	5.9	5.7			7.5	
NE 88 TER(16.7R)					4.7															
2502221	16.620	18.057	C	2004	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.5
M. VILA & ASSOCIATES, INC.(2008)					FC95	RIDE	7.5	7.3	7.3	7.1	7.1	7.1	6.9	6.7	6.5	6.6	6.4	6.2	6.3	5.7
4478271	16.686	18.057	C	2026	0012															
87030000	16.686	18.057	L	1	1	CRACKING	6.0*	4.5*	6.5	6.5	4.5*	4.5*	3.5*	3.5*	1.0*	1.0*			10.0	
5_1			2	45	52000	RIDE	7.7	7.2	7.8	7.2	7.2	7.1	6.8	6.2*	5.9*	5.6*			7.6	
SR 915(16.7L)					4.7															
2502221	16.620	18.057	C	2004	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5
M. VILA & ASSOCIATES, INC.(2008)					FC95	RIDE	7.6	7.5	7.0	7.3	7.3	7.0	7.1	6.8	6.6	6.6	6.5	6.4	6.4	5.8
4478271	16.686	18.057	C	2026	0012															
87072000	7.154	7.604	R	1	1	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0		10.0	10.0	10.0	10.0	
985			3	40	61500	RIDE	6.9	6.6	6.2*	6.7	6.2*	6.1*	5.9	6.6		8.0	7.9	8.0	7.8	
FOUNTAIN BLEU BLVD(7.2C)					2.4															
2497712	7.154	7.604	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
M. VILA & ASSOCIATES, INC.(2005)					FC125	RIDE	7.8	7.7	7.8	7.8	7.7	7.6	7.6	7.4	7.3	7.3	7.0	7.3	7.3	6.9
87072000	7.118	7.604	L	1	1	CRACKING	9.0	9.0	10.0	10.0	10.0	10.0	9.0	7.5		10.0	10.0	10.0	10.0	
985			3	40	61500	RIDE	7.4	7.3	7.4	7.0	5.9*	6.6	6.7	6.3		8.0	8.0	8.0	7.8	
FOUNTAIN BLEU BLVD(7.2C)					2.4															
2497712	7.154	7.604	C	2002	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5
M. VILA & ASSOCIATES, INC.(2005)					FC125	RIDE	7.8	7.6	7.7	7.5	7.4	7.3	7.2							

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = MARKS BROTHERS, INC.																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE								
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008										
INTERSECT AT (MP SIDE)						%T	=====																						
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																								
CONTRACTOR	(AGE_ONE YEAR)			SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026									
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															(REG)									
87120000	10.370	15.195	C	1	1	CRACKING	3.0*	3.0*	3.0*	3.0*		10.0	10.0	9.5	10.0	9.5	10.0	9.5	9.5										
90 41			2	35	46000	RIDE	7.3	7.2	6.8	5.7*		7.1	7.2	6.9	6.0	6.5	6.6	6.2	6.0										
SW 73 CT(10.4L)						1.6																							
4088801	10.244	15.677	C	2001	9924	CRACKING	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.0	9.0	9.0	9.0	8.9									
MARKS BROTHERS, INC.						(2001) FC3	RIDE	5.9	6.9	5.6	5.5	5.4*	5.7	5.5	5.6	5.5	5.7	5.4*	5.6	5.5	4.8								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = MCM CORP.																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE									
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008										
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	%T																							
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P	%T																							
CONTRACTOR (AGE ONE YEAR)	W_BMP	W_EMP	RW	FY-P	WKMX-P	%T	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)									
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F	%T																							
87002000	0.889	2.354	R	1	1	CRACKING	9.5	7.5	7.5	6.5	6.5	6.5	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*										
823			3	45	40500	RIDE	7.4	7.7	7.7	7.4	7.1	7.2	7.1	7.2	6.4*	6.5	6.3	6.0	6.2										
W 29 ST(1.3C)					4.5																								
2499415	0.889	2.354	C	2012	0213	CRACKING	3.5*	3.5*			4.5*					10.0	10.0	10.0	10.0	10.0									
MCM CORP.			(2018)		FC125	RIDE	6.0	5.9			5.6					6.7	6.3	6.4	6.3	5.7									
87002000	0.889	2.354	L	1	1	CRACKING	8.0	6.5	6.5	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*										
823			3	45	40500	RIDE	7.4	7.6	7.6	7.4	7.3	7.2	7.2	7.2	6.4*	6.3*	6.1	5.9	6.0										
W 29 ST(1.3C)					4.5																								
2499415	0.889	2.354	C	2012	0213	CRACKING	3.5*	3.5*			4.5*					10.0	10.0	10.0	10.0	10.0									
MCM CORP.			(2018)		FC125	RIDE	6.0	6.1			5.3*					6.8	6.7	6.8	6.3	5.7									
87080900	31.090	33.196	R	1	1	CRACKING	9.0	9.0	9.0	8.0	8.0	8.0	7.5	7.5	7.5			10.0	10.0										
934			3	45	50500	RIDE	7.9	8.0	8.0	7.2	7.0	6.7	6.9	6.2*	5.7*			7.9	7.8										
EB ENT FROM SR 826 SB L(31.1C)					10.2																								
2499851	31.281	33.248	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	8.0									
MCM CORP.			(2007)		FC95	RIDE	8.1	7.9	7.8	7.9	7.7	7.7	7.7	7.1	7.0	6.9	6.9	6.9	7.0	6.4									
87080900	31.090	33.196	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0			10.0	10.0										
934			3	45	50500	RIDE	7.7	8.1	8.1	6.5	6.3*	6.5	6.5	6.0*	5.7*			8.3	8.2										
OFF RAMP 87260399(31.1L)					10.2																								
2499851	31.281	33.248	C	2003	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5									
MCM CORP.			(2007)		FC95	RIDE	8.1	8.0	8.1	8.0	7.9	7.9	7.8	7.4	7.0	7.4	6.9	6.8	6.8	6.3									

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6																					CONTRACTOR = ODEBRECHT CONSTRUCTION, INC.									
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE									
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008										
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	%T	=====																							
ITMSEG-P	(AGE_ONE YEAR)				SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)									
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																									
87070000	0.000	0.780	R	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0											
997			2	55	22500	RIDE	8.3	8.0	8.2	8.2	7.9	7.7	7.7	8.1		7.2	6.5	7.2	7.1											
SR 90/US-41(0.0C)					12.3																									
2496143	0.000	0.657	C	2015	0213	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5			10.0	10.0											
ODEBRECHT CONSTRUCTION, IN(2020)					FC5M	RIDE	6.9	7.0	7.2	7.0	6.9	6.9	6.4*	6.6	6.4*			8.1	8.0											
87070000	0.000	0.780	L	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5		10.0	10.0	10.0	10.0											
997			2	55	22500	RIDE	8.3	8.0	8.2	8.2	7.9	7.7	7.7	8.1		7.2	6.5	7.2	7.1											
SR 90/US-41(0.0C)					12.3																									
2496143	0.000	0.657	C	2015	0213	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.5	7.5			10.0	10.0											
ODEBRECHT CONSTRUCTION, IN(2020)					FC5M	RIDE	6.9	7.0	7.2	7.0	6.9	6.9	6.4*	6.6	6.4*			8.0	7.6											
87110000	25.210	25.715	C	1	1	CRACKING	7.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0										
90 41			4	55	5500	RIDE	7.3	6.8	8.2	8.5	8.3	8.5	8.2	8.2	7.6	7.6	6.7	6.8	7.1											
KROME AVE(25.7C)					10.2																									
2496143	25.207	25.548	C	2015	0213	CRACKING	7.0	7.0	6.5	6.5	6.5	6.5	6.5					10.0	10.0											
ODEBRECHT CONSTRUCTION, IN(2020)					FC5M	RIDE	6.8	6.7	7.2	6.9	6.9	6.7	6.2*					7.5	7.5											
87120000	0.000	0.297	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5		10.0	10.0	10.0	10.0											
90 41			2	55	21500	RIDE		8.3	8.5	8.4	8.2	8.3	8.3	8.3		7.7	7.0	7.5	7.2											
KROME AVENUE(0.0C)					9.1																									
2496143	0.000	0.305	C	2015	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				10.0	10.0											
ODEBRECHT CONSTRUCTION, IN(2020)					FC5M	RIDE	6.7	6.5	6.6	7.0	6.9	7.1	7.2					7.0	7.1											
87120000	0.000	0.390	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	9.5	9.5		10.0	10.0	10.0	10.0											
90 41			2	55	21500	RIDE		8.4	8.6	8.6	8.3	8.5	8.2	7.8		7.4	6.4*	6.6	6.4*											
KROME AVENUE(0.0C)					9.1																									
2496143	0.000	0.305	C	2015	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				10.0	10.0											
ODEBRECHT CONSTRUCTION, IN(2020)					FC5M	RIDE	6.6	6.8	6.8	7.1	6.9	6.9	6.4*					7.8	7.9											
87150000	17.492	22.430	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	10.0	7.0	6.0*	6.0*	6.0*											
997			2	55	25000	RIDE	8.6	8.1	8.5	8.1	7.7	7.3	7.5	7.2	6.6	6.5	6.7	6.7	6.6											
SR 90(22.4C)					14.9																									
2496143	17.333	22.253	C	2015	0213	CRACKING	4.0*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*			10.0	10.0											
ODEBRECHT CONSTRUCTION, IN(2020)					FC5M	RIDE	6.4*	6.0*	6.5	6.3*	6.1*	6.0*	6.2*	5.7*	5.3*			8.2	8.2											
87150000	17.492	22.430	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	8.5	8.5	7.5	10.0	7.0	6.0*	6.0*	6.0*											
997			2	55	25000	RIDE	8.6	8.1	8.5	8.1	7.7	7.3	7.5	7.2	6.6	6.5	6.7	6.7	6.6											
SW 58 ST(18.8L)					14.9																									
2496143	17.333	22.253	C	2015	0213	CRACKING	4.0*	3.5*	3.5*	3.5*	3.5*	3.5*	1.0*	1.0*	1.0*			10.0	10.0											
ODEBRECHT CONSTRUCTION, IN(2020)					FC5M	RIDE	6.4*	6.0*	6.5	6.3*	6.1*	6.0*	6.2*	5.7*	5.3*			8.2	8.2											
87200000	12.823	12.936	R	4	6	CRACKING			7.1	6.8	6.8	8.3	7.8	7.9	7.3	7.5	7.2	5.4*	4.5*											
836 I395	1.1	1.2	2	55	144000	RIDE					6.7	6.0*	6.0*																	
2516883	12.621	13.048	R	2013	0213	CRACKING	3.5*	3.4*	4.3*	4.8*	6.8			8.9	7.0	8.2	7.6	7.5	7.4	6.4										
ODEBRECHT CONSTRUCTION, IN(2016)					CONC	RIDE																								
87200000	12.936	13.048	R	4	6	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7.0	6.5											
836 I395	1.2	1.3	3	55	144000	RIDE		7.9	7.1	6.1*	7.3	6.0*	6.1*																	
BEG SEC 060(13.0C)					2.7																									
2516883	12.621	13.048	R	2013	0213	CRACKING	6.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0										
ODEBRECHT CONSTRUCTION, IN(2015)					CONC	RIDE																								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = P J CONSTRUCTORS INC										-----									
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE									
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008										
INTERSECT AT (MP SIDE)					%T	=====																							
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																								
CONTRACTOR (AGE_ONE YEAR)				SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026									
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F															(REG)									
87008000	7.114	7.614	C	1	2	CRACKING	6.0*	8.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5										
916			2	30	16000	RIDE	7.5	8.0	9.0	8.4	8.5	8.3	8.4	8.1	7.8	7.6	6.3	7.3	6.8										
SR 7(7.1C)					4.2																								
2495821	5.294	7.383	C	1993	0213	CRACKING	8.0	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	4.2									
P J CONSTRUCTORS		INC		(1998)	FC2	RIDE	7.1	6.4	6.3	6.4	6.9	6.8	6.8	7.1	7.0	6.7	7.1	6.9	6.4	5.8									
4293461	7.245	10.253	C	2020	0012																								
87044000	0.000	0.280	R	1	8	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5										
976			3	40	52000	RIDE	7.8	7.5	7.6	8.0	7.9	8.2	8.1	7.6	7.2	7.4	6.7	6.9	6.8										
SR 821 ENT(0.0C)					5.0																								
2490591	0.129	3.159	C	1994	0213	CRACKING	9.0	9.0	9.0	9.0	8.0	8.0	8.0	6.5	6.5														
P J CONSTRUCTORS		INC		(1995)	DGFC	RIDE	7.2	7.2	6.5	6.5	6.5	6.2	6.3	6.0	6.2														
87044000	0.280	1.727	R	1	1	CRACKING			10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0										
976			3	40	52000	RIDE			8.7	8.8	8.7	8.5	8.7	8.6	8.2	8.0	7.4	8.0	7.2										
SW 112 AVE(0.6C)					5.0																								
2490591	0.129	3.159	C	1994	0213	CRACKING	8.0	8.0	8.0	8.0	8.0	8.0	8.0	6.5	6.5	5.5*	5.5*	5.5*	5.5*	4.6									
P J CONSTRUCTORS		INC		(1998)	FC2	RIDE	7.9	7.5	7.3	7.4	7.7	7.5	7.5	7.8	7.7	7.7	7.7	7.7	7.8	7.1									
4363552	0.282	1.727	C	2020	0012																								
87044000	0.280	1.727	L	1	1	CRACKING			10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.0	8.0										
976			3	40	52000	RIDE			8.6	8.7	8.6	8.6	8.7	8.6	8.0	7.9	7.2	7.7	7.8										
SW 11500 BLOCK(0.3L)					5.0																								
2490591	0.129	3.159	C	1994	0213	CRACKING	8.0	8.0	8.0	8.0	7.5	7.5	7.5	6.5	6.5	5.5*	5.5*	5.5*	5.5*	4.4									
P J CONSTRUCTORS		INC		(1998)	FC2	RIDE	7.8	7.7	7.6	7.6	7.4	7.3	7.4	7.6	7.6	7.6	7.6	7.8	7.7	7.0									
4363552	0.282	1.727	C	2020	0012																								
87044000	0.000	0.280	L	1	8	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0										
976			3	40	52000	RIDE	8.1	6.9	8.1	7.5	7.8	7.9	7.6	7.5	7.1	7.9	7.2	7.7	7.8										
OFF RAMP 87471261(0.0L)					5.0																								
2490591	0.129	3.159	C	1994	0213	CRACKING	8.0	8.0	8.0	8.0	7.5	7.5	7.5	6.5	6.5														
P J CONSTRUCTORS		INC		(1995)	DGFC	RIDE	7.8	7.7	7.6	7.6	7.4	7.3	7.4	6.2	6.2														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = PAN AMERICAN CONSTRUCTION L											
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)						%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-X-P																
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-X-F																
87090000	16.871	17.514	C	1	2	CRACKING		0.0*	0.1*	0.0*			10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
25 27			4	30	25000	RIDE		2.6*	2.4*	2.1*			8.1	7.6	7.3	7.4	6.5	7.1	7.0	7.1	
NW 23 AV(16.9C)					3.9																
2494891	15.236	17.473	C	1997	0005	CRACKING		8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	9.5	9.5	9.5	9.5	8.0	8.0
PAN AMERICAN CONSTRUCTION				(2001)	FC3	RIDE		7.2	6.6	7.2	7.0	7.5	7.2	7.2	7.1	7.6	7.4	7.6	7.6	7.4	7.4

87281000	8.177	9.598	R	1	1	CRACKING		7.5	7.5	7.5	7.5	7.5	6.5	10.0	10.0	10.0	10.0	10.0	9.0	9.0	
953			2	40	36500	RIDE		6.5	6.4*	6.4*	5.4*	5.4*	5.4*	8.5	8.4	7.7	7.5	7.6	7.5	7.7	
SIDE ROAD(8.2C)					5.8																
2501931	8.210	9.725	C	2000	0012	CRACKING		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.5	7.5	7.0	7.0	7.0	6.7
PAN AMERICAN CONSTRUCTION				(2002)	FC125	RIDE		6.7	7.4	6.8	6.8	6.8	6.4	6.1	6.6	6.3	6.7	6.6	6.5	6.3	5.5
4439271	8.215	9.686	C	2023	0012																

87281000	8.177	9.722	L	1	1	CRACKING		6.0*	6.0*	6.0*	6.0*	6.0*	6.0*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
953			2	40	36500	RIDE		7.7	7.7	7.7	6.8	6.6	6.6	8.3	7.8	7.8	7.8	7.7	7.7	7.8	
SIDE ROAD(8.2C)					5.8																
2501931	8.210	9.725	C	2000	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.0	7.0	7.0	7.0
PAN AMERICAN CONSTRUCTION				(2002)	FC125	RIDE		7.6	7.5	7.4	7.6	7.5	7.1	6.8	7.3	6.8	7.5	7.4	7.3	7.2	6.8
4439271	8.215	9.686	C	2023	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = PAVEX CORP.																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE									
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008									
INTERSECT AT (MP)	SIDE					%T	=====																						
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																								
CONTRACTOR	(AGE	ONE YEAR)			SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026								
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)								
87190000	0.597	2.869	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0									
909			2	40	22000	RIDE	8.4	8.4	8.2	7.8	7.5	7.7	7.6	7.2	6.9	6.7	6.5	6.4	6.7										
SR 915(0.6C)						10.4																							
2499451	0.000	3.767	C	1994	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	7.0	7.0	7.0	7.0	7.0									
PAVEX CORP.				(1996)	DGFC	RIDE	6.5	6.4	6.3	6.2	6.3	6.3	6.1	5.5	5.4*	5.5	5.4*	5.3*	5.3*	4.5									
4439361	0.866	2.858	C	2023	0012																								
87190000	0.597	2.869	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0									
909			2	40	22000	RIDE	8.4	8.4	8.3	7.8	7.8	7.7	7.3	7.3	6.6	6.5	6.4	6.5	7.4										
SR 915(0.6C)						10.4																							
2499451	0.000	3.767	C	1994	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5	8.0	8.0	8.0	8.0	7.9									
PAVEX CORP.				(1996)	DGFC	RIDE	7.4	7.2	7.2	6.9	7.2	6.9	6.5	6.1	5.8	6.1	5.8	5.8	5.9	5.4									
4439361	0.866	2.858	C	2023	0012																								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6							CONTRACTOR = PAVEX CORPORATION																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR															FUTURE				
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008						
INTERSECT AT	(MP	SIDE)				\$T	=====																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																					
CONTRACTOR	(AGE	ONE YEAR)			SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															(REG)						
87240000	4.894	7.227	R		1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	6.5	10.0	10.0						
9			2	35	33000	RIDE	7.3	7.2	7.4	6.9	6.6	6.6	6.4	6.3	5.9	5.7	5.7	6.9	6.6							
NB EXIT TO SR 112			R(5.0R)		8.6																					
4076501	4.956	7.311	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.0	8.0	7.0	7.0	7.0	6.2						
PAVEX CORPORATION			(2007)		FC125	RIDE	6.7	6.8	6.7	6.5	6.4	6.3	6.3	5.9	5.8	5.9	5.6	5.6	5.6	5.0						
4291852	4.950	7.233	C	2021	0012																					
87240000	4.894	7.227	L		1	CRACKING	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	6.5	10.0	10.0							
9			2	35	33000	RIDE	7.0	7.2	7.1	6.2*	6.2*	6.2*	5.5	5.6	5.2*	4.9*	5.3*	6.8	6.8							
NB ENT FROM SR 112			R(5.0C)		8.6																					
4076501	4.956	7.311	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.0	7.0	7.0	7.0	7.0	5.5						
PAVEX CORPORATION			(2007)		FC125	RIDE	6.8	6.8	6.8	6.7	6.5	6.2	6.4	5.7	5.7	5.6	5.5	5.5	5.3*	4.7						
4291852	4.950	7.233	C	2021	0012																					
87471000	39.640	40.150	R		6	CRACKING	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5							
821	39.6	40.2	2	70	59200	RIDE	8.4	8.9	8.8	8.9	8.7	8.8	8.6	8.6	8.1	8.0	8.0	8.0	8.2							
					6.8																					
2517951	0.000	40.000	C	1990	0215	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*	4.5						
PAVEX CORPORATION			(1991)		OGFC	RIDE	8.2	7.7	8.0	8.2	8.2	8.2	8.2	8.5	8.5	8.5	8.5	8.1								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = PCL CIVIL CONSTRUCTORS, INC.											
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)						=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															(REG)	
87270000	12.167	13.354	R	4	4	CRACKING	9.2	9.1	9.1	8.8	8.4	8.3	7.9	7.8	9.2	9.0	9.0	8.7	8.6		
9A I95	12.2	13.4	3	55	183000	RIDE	7.8	7.7	7.9	7.2	6.9	8.8	8.0	7.8	8.1	8.2	7.9	7.7	7.7		
					3.7																
4293011	12.131	13.368	R	2014	0227	CRACKING	7.9	7.6	7.6	7.4	7.1	7.0	6.3*		9.4	9.3	9.4	9.3	9.3	9.2	
PCL CIVIL CONSTRUCTORS, IN(2017)					LGD	RIDE	7.8	7.7	7.3	7.9	7.3	7.1	6.8		8.3	8.4	8.4	8.6	8.5	8.5	
87270000	12.091	13.354	L	4	4	CRACKING	8.7	8.6	8.6	8.5	7.2	9.3	8.7	8.1	8.6	9.0	7.8	7.5	7.5		
9A I95	12.1	13.4	3	55	183000	RIDE	7.5	7.3	7.3	6.6	6.3*	8.6	8.5	8.6	7.6	7.5	7.4	7.7	7.7		
					3.7																
4293011	12.131	13.172	L	2014	0227	CRACKING	7.5	5.6*	5.1*	4.6*	4.6*	4.1*	2.7*	4.8*	9.2	9.3	9.2	8.9	9.1	8.7	
PCL CIVIL CONSTRUCTORS, IN(2017)					LGD	RIDE	7.6	7.2	6.8	7.1	6.7	6.2*	6.2*	7.4	8.1	8.1	8.0	7.8	8.2	8.0	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6							CONTRACTOR = PETRO HYDRO, INC																	
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE			
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP)	(SIDE)				%T	=====																		
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																			
CONTRACTOR	(AGE_ONE YEAR)			SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)			
87034000	2.185	3.641	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.0		10.0					
915			4	30	25417	RIDE	8.0	8.4	8.3	7.4	7.3	7.4	7.9	7.7	6.6	6.5	6.3		6.4					
NE 123 ST(2.2C)				1.7																			
4146871	2.369	3.641	C	2005	0008	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0	6.5	6.5	6.5	4.9				
PETRO HYDRO, INC				(2008)	FC95	RIDE	6.4	6.3	6.2	6.3	6.3	5.7	6.1	5.6	5.4*	5.3*	5.1*	4.8*	4.7*	4.2				
4439321	2.602	3.641	C	2023	0012																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = PREFERRED MATERIALS, INC.																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR										FUTURE											
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008										
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	=====																							
ITMSEG-P	(AGE_ONE YEAR)			SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)									
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F																								
87008000	4.888	5.102	C	1	1	CRACKING		9.0	9.0	9.0	9.0	7.5	7.5	6.5	6.5	6.5	10.0	10.0	10.0										
916			5	40	13000	RIDE		7.3	7.8	7.1	5.0*	5.4*	4.9*	6.0	5.2*	4.9*	7.8	6.8	6.3										
END 87008001	ONE-WAY(4.9L)				4.2																								
4077241	4.826	5.073	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.5	6.5									
PREFERRED MATERIALS, INC. (2006)					FC125	RIDE		7.1	7.1	6.1	6.1	6.6	6.4	5.8	6.2	5.7	5.7	6.0	5.7	5.1									
4478051	4.826	5.073	C	2024	0012																								
87019000	4.007	4.866	R	1	1	CRACKING	10.0	10.0	10.0	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5										
817			3	45	49500	RIDE		8.3	8.5	8.7	8.5	8.3	8.3	8.4	8.2	7.7	7.6	7.4	7.4	7.4									
NW 203 ST(4.1R)					3.9																								
4124711	4.007	4.785	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	3.5*	0.0*	0.0*	0.0*	0.0									
PREFERRED MATERIALS, INC. (2009)					FC2	RIDE		7.1	7.3	7.0	7.0	7.2	7.1	7.1	7.2	7.0	6.9	6.8	7.2	6.9									
4291863	4.007	4.853	C	2022	0012																								
87019000	4.007	4.866	L	1	1	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	7.5	7.5	7.5	7.0	7.0	7.0										
817			3	45	49500	RIDE		8.2	8.4	8.8	8.4	8.3	8.5	8.2	8.2	7.7	7.2	7.0	6.8	7.0									
NW 207 ST(4.4C)					3.9																								
4124711	4.007	4.785	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	6.5	6.5	3.5*	0.0*	0.0*	0.0*	0.0									
PREFERRED MATERIALS, INC. (2009)					FC2	RIDE		7.1	7.1	6.7	6.8	7.1	7.2	7.0	7.1	7.1	6.6	6.8	5.7	6.3									
4291863	4.007	4.853	C	2022	0012																								
87060000	6.686	8.406	R	1	1	CRACKING	10.0	10.0	9.5	9.5	9.5	9.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0										
ALA			3	35	38500	RIDE		8.6	8.4	8.7	7.9	8.1	7.9	7.8	7.6	7.1	7.0	6.9	8.4	8.3									
FOUNTAINBLEAU HOTEL(6.7R)					5.4																								
4106451	6.713	8.692	C	2004	0012	CRACKING	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.0	8.0	6.5	6.5									
PREFERRED MATERIALS, INC. (2007)					DGFC	RIDE		7.9	7.4	7.2	7.5	7.3	7.4	7.4	7.4	7.5	7.3	7.3	7.3	6.8									
87060000	8.406	8.658	C	1	1	CRACKING	8.0	10.0	6.5		10.0	10.0	10.0	10.0	10.0	10.0	9.0	10.0	10.0										
ALA			3	30	19000	RIDE		8.4	7.9	6.3*		7.1	6.7	7.0	6.7	5.8	5.5	5.0*	7.5	6.7									
TRN LN FR INDIAN CRK(8.4L)					5.0																								
4106451	6.713	8.692	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	6.5	6.5	6.5	5.5*	4.7									
PREFERRED MATERIALS, INC. (2007)					FC95	RIDE		6.0	6.0	5.6	5.5	5.6	4.9*	5.0*	4.8*	4.6*	4.3*	4.3*	4.3*	3.0									
4308132	8.406	8.658	C	2022	0015																								
87060000	7.214	8.406	L	1	1	CRACKING	8.0	7.5	7.5	7.5	7.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0										
ALA			3	35	38500	RIDE		8.4	8.1	8.4	7.9	6.9	6.8	7.1	6.4	5.8	5.8	5.7	8.2	7.8									
INDIAN CREEK DR(8.4L)					5.4																								
4106451	6.713	8.692	C	2004	0012	CRACKING	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0									
PREFERRED MATERIALS, INC. (2007)					DGFC	RIDE		8.0	7.8	7.8	8.0	7.8	8.0	7.3	7.6	7.6	7.6	7.4	7.4	7.1									
87062000	4.072	5.064	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0										
959			2	40	21800	RIDE		7.3	7.2	7.6	6.5	6.5	6.1*	5.8	5.6	5.3*	5.1*	5.0*	7.6	7.5									
SEVENTH ST SW(4.1C)					2.9																								
4124781	4.082	5.540	C	2004	0012	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	8.0	8.0	8.0	7.0	6.5									
PREFERRED MATERIALS, INC. (2007)					FC125	RIDE		7.2	6.6	6.8	6.8	6.5	6.5	5.9	5.7	5.9	5.7	6.0	5.7	4.7									
87062000	5.064	5.424	R	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	8.0	8.0	7.5	10.0	10.0										
959			3	40	38000	RIDE		7.8	8.3	8.4	8.1	7.6	7.5	7.7	7.4	7.0	6.8	6.7	7.6	7.9									
BLUE LAGOON DR(5.3C)					3.4																								
4124781	4.082	5.540	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0									
PREFERRED MATERIALS, INC. (2007)					FC125	RIDE		8.0	7.5	7.8	7.7	7.7	7.7	7.8	7.6	7.4	7.1	7.3	7.3	7.1									
4478041	4.803	5.422	C	2025	0012																								
87062000	5.064	5.424	L	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	10.0	10.0										
959			3	40	38000	RIDE		7.7	7.7	7.8	7.7	7.6	8.0	7.5	7.6	5.5	5.8	5.2*	8.1	7.7									
BLUE LAGOON DR(5.3C)					3.4																								
4124781	4.082	5.540	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5									
PREFERRED MATERIALS, INC. (2007)					FC125	RIDE		7.3	7.1	7.3	7.1	7.0	6.7	6.7	6.8	6.2	6.1	7.0	6.5	5.8									
4478041	4.803	5.422	C	2025	0012																								
87062000	4.072	5.064	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	8.0	8.0	7.0	10.0	10.0										
959			3	40	21800	RIDE		7.4	7.4	7.6	6.5	6.6	6.2*	6.2	4.8*	5.0*	5.2*	5.0*	6.7	7.6									
SEVENTH ST SW(4.1C)					2.9																								
4124781	4.082	5.540	C	2004	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0	8.0	5.5*	5.5									
PREFERRED MATERIALS, INC. (2007)					FC125	RIDE		7.2	6.5	7.0	7.1	7.0	6.5	5.9	5.7	5.9	5.7	6.0	5.7	5.2									

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

----- DISTRICT = 6 CONTRACTOR = RANGER CONSTRUCTION INDUSTRI -----																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR												
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
INTERSECT AT (MP SIDE)						%T	=====												
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P														
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F														2026 (REG)
87150000	4.532	5.104	R	1	8	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	7.0
997			2	45	17600	RIDE		8.6	8.8	8.5	8.5	8.5	8.5	8.2	7.8	7.3	6.7	7.2	7.7
SW 282 ST(4.7R)					12.5														
4349305	4.532	5.104	C	2015	0226	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2017)					FC125	RIDE	7.5	7.2	6.5	7.0	7.0	6.9	7.0	6.9	8.3	8.2	8.1	8.3	
4273691	3.825	7.499	C	2019	0213														
87150000	5.579	6.118	R	1	8	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	8.5
997			2	45	17600	RIDE		8.6	8.8	8.5	8.5	8.5	8.5	8.2	7.8	7.5	7.6	7.6	7.7
BAUER DR(5.8C)					12.5														
4349302	5.579	6.118	C	2015	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	
RANGER CONSTRUCTION INDUST(2017)					FC125	RIDE	7.6	7.5	7.3	7.4	7.2	7.1	7.1	7.1	8.4	8.4	8.0	8.1	
4273691	3.825	7.499	C	2019	0213														

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = ROADWAY CONSTRUCTION LLC																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE									
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2026									
INTERSECT AT (MP SIDE) %T =====																													
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																								
CONTRACTOR	(AGE_ONE YEAR)			SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	(REG)									
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																								
87060001	2.498	3.014	R	1	7	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5											
ALA			3	30	38500	RIDE	8.3	8.0	7.9	6.5	6.2*	5.9*	5.6	5.7	5.6	5.8	6.0	5.3*											
CONDO ENTRANCE(2.6R) 5.4																													
4308131	2.498	2.831	R	2019	0015	CRACKING	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	10.0										
ROADWAY CONSTRUCTION LLC			(2021)			RIDE	6.6	6.0	6.1	5.2*	5.4*	5.3*	5.5	4.8*	4.5*	4.5*	4.6*	4.2*	6.2										
87060001	2.498	3.014	L	1	7	CRACKING	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5											
ALA			3	30	38500	RIDE	8.3	8.0	7.3	6.6	6.5	6.5	6.4	5.8	5.5	5.4*	5.2*	5.4*											
HARDING AVE(2.6L) 5.4																													
4308131	2.616	3.014	L	2019	0015	CRACKING	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	10.0										
ROADWAY CONSTRUCTION LLC			(2021)		DGFC	RIDE	7.1	6.9	6.9	7.0	7.3	7.0	6.9	5.7	6.6	5.9	5.3*	7.4											

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = ROENCA DADE INC															
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE				
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008						
INTERSECT AT (MP)	(SIDE)				%T	=====																			
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																				
CONTRACTOR	(AGE_ONE YEAR)			SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)					
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																				
87120000	5.481	6.000	R	1	8	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	8.0	8.0	8.0	8.0						
90 41			4	45	53000	RIDE	8.6	8.5	8.6	8.0	8.6	8.4	8.5	8.4	7.6	7.8	7.2	7.7	7.6						
SW 122 AV(5.5C)				6.0																				
2496621	5.024	6.801	C	1991	0213	CRACKING	8.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5						
ROENCA DADE INC				(1995)	FC2	RIDE	7.1	7.6	7.6	7.5	7.3	7.3	6.7	7.2	7.4	7.5	7.5								
87120000	5.481	6.000	L	1	8	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	8.0	8.0	8.0	8.0						
90 41			4	45	53000	RIDE	8.7	8.8	8.8	8.5	8.2	7.9	8.3	8.3	7.5	7.6	7.1	7.7	7.6						
SW 122 AV(5.5C)				6.0																				
2496621	5.024	6.801	C	1991	0213	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5						
ROENCA DADE INC				(1995)	FC2	RIDE	7.6	7.6	7.7	7.6	7.5	7.1	7.7	7.4	7.1	7.4	7.4								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 CONTRACTOR = RUSSELL ENGINEERING, INC																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR												
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
INTERSECT AT (MP SIDE)						%T	=====												
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P														
CONTRACTOR (AGE_ONE YEAR)					SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F														2026 (REG)
87053000	5.900	6.348	R	1	1	CRACKING	8.0	8.0	7.5	7.5	7.5	7.5	7.5	6.5	6.5	6.5	4.5*	4.5*	4.5*
968			2	40	28000	RIDE	6.1*	6.0*	6.4*	2.8*	5.2*	5.1*	5.7	3.1*	2.5*	3.0*	2.2*	2.6*	2.9*
SW 29 AVE(5.9R)				7.4														
4180911	6.022	6.324	C	2016	0005	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.0*			10.0	10.0
RUSSELL ENGINEERING, INC				(2020)	FC95M	RIDE	3.0*	2.9*	2.9*	2.9*	2.7*	2.6*						5.0*	4.9*
87053000	5.900	6.348	L	1	6	CRACKING	9.0	9.5	9.0	7.0	7.0	7.0	7.0	8.5	8.5	8.5	8.5	8.0	6.5
968			2	40	28000	RIDE	6.7	6.6	6.4*	5.2*	4.9*	5.3*	4.9*	3.5*	3.1*	2.4*	2.4*	2.8*	2.4*
NW 27 CT(6.0L)				7.4														
4180911	6.022	6.324	C	2016	0005	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	0.0*			10.0	10.0
RUSSELL ENGINEERING, INC				(2020)	FC95M	RIDE	2.8*	2.4*	2.2*	2.7*	2.0*	2.0*						5.0*	
87270000	10.202	12.091	L	4	4	CRACKING	9.0	9.0	9.0	6.6	7.6	9.4	8.8	8.7	8.7	8.6	7.3	7.0	7.0
9A I95	10.2	12.1	4	60	269000	RIDE	8.0	7.3	7.3	6.9	7.1	8.6	8.7	7.8	7.6	7.4	7.2	7.1	6.6
					3.7														
4275151	10.985	11.938	L	2013	0227	CRACKING	6.1*	5.9*	4.1*	3.7*	2.9*	3.3*	8.9	8.9	8.8	8.8	8.7	8.6	8.3
RUSSELL ENGINEERING, INC				(2015)	LGD	RIDE	6.5	6.4*	5.4*	5.7*	5.4*	5.2*	4.6*	7.7	7.8	7.9	7.7	8.0	7.9

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = SOUTHEASTERN ENGINEERING CON											
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)					%T	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR (AGE_ONE YEAR)				SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026	
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															(REG)	
87062000	3.024	3.678	C	1	1	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5		
959			2	35	22000	RIDE	8.1	8.0	8.3	7.7	7.6	7.8	7.6	7.5	7.1	7.0	6.8	7.1	7.1		
SW 22 ST(3.2L)					2.9																
4227231	3.087	3.497	C	2012	0012	CRACKING	7.5	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
SOUTHEASTERN ENGINEERING			C(2015)	FC95	RIDE		7.0	6.7	6.7	6.7	6.6		7.0	6.3	6.3	6.4	6.1	5.9	6.2	5.3	
87062000	3.678	4.072	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5		
959			3	35	22000	RIDE	8.0	7.9	7.1	6.8	7.5	6.5	6.4	6.0	5.7	6.0	6.8	5.7	5.6		
SW 14 ST(3.7L)					2.9																
4227231	3.737	4.012	C	2012	0012	CRACKING	7.0	6.5	6.5	6.5	6.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
SOUTHEASTERN ENGINEERING			C(2015)	FC95	RIDE		6.3	6.9	5.7	5.8			7.5	6.7	6.6	6.2	6.3	6.1	5.7	4.5	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = THE BREWER CO. OF FLORIDA, I												
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR											FUTURE				
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008		
INTERSECT AT (MP SIDE)						%T	=====															
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR	(AGE_ONE YEAR)				SURF_TYPE	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026			
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															(REG)		
87200000	0.000	0.785	R	3	8	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0			
836			3	55	123500	RIDE	8.8	8.7	8.9	8.0	8.2	8.2	8.5	8.3	7.7	7.6	7.5	7.8	8.0			
HEFT(0.0C)						2.7																
2499261	0.000	1.065	C	1993	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.5*	5.5*	5.5*					
THE BREWER CO. OF FLORIDA,(1996)						OGFC	RIDE	7.8	7.7	7.6	7.9	7.7	7.5	7.6	7.9	7.8	7.8	7.7				

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = THE BREWER COMPANY OF FLORID											
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR												FUTURE		
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT	AT	(MP	SIDE)			%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR	(AGE	ONE	YEAR)		SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)
87091000	0.000	4.075	C	1	1	CRACKING		7.0	7.0	7.0	6.5		10.0	10.0	9.5	9.5	9.5	9.5	9.5	9.5	
994			2	45	8200	RIDE		7.0	7.0	7.2	6.4*		8.4	8.2	8.1	7.5	7.2	7.3	7.5	7.3	
KROME AVE(0.0C)				14.8																
2498991	0.000	4.325	C	1999	0012	CRACKING		9.5	9.5	9.5	9.0	9.0	9.0	9.0	9.0	8.5	8.5	8.5	7.5	7.5	
THE BREWER	COMPANY OF	FLOR(2001)		FC125	RIDE			7.3	7.3	7.2	7.0	7.0	6.8	7.0	7.2	7.2	7.3	7.3	7.3	7.3	6.8
4439071	0.098	4.035	C	2023	0012																

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6 CONTRACTOR = THE DE MOYA GROUP INC.

RDWID	BMP		EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR												FUTURE	
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT	AT	(MP)	(SIDE)				=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR	(AGE)	ONE	YEAR		SURF	TYPE															
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															(REG)	

87008001	0.533	2.779	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5	
916			3	40	15500	RIDE	7.5	8.0	8.2	7.8	7.7	7.8	8.1	7.4	6.5	6.5	6.5	6.2	6.3	6.4	
NW 8 AVE(0.7R)																					
4146181	0.519	2.522	C	2008	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
THE DE MOYA GROUP INC.			(2010)		DGFC	RIDE	6.2	7.3	7.0	7.0	7.0	7.0	7.0	7.1	7.0	7.0	7.0	6.9	6.8	6.7	6.7

87019000	0.178	2.977	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
817			3	45	39500	RIDE	7.5	7.7	7.7	7.7	7.7	7.5	7.4	7.4	7.2	6.5	6.5	6.6	6.5	6.7	6.5
SR 9 SB(0.2R)																					
4124701	0.164	2.977	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	6.5	4.7
THE DE MOYA GROUP INC.			(2009)		FC5	RIDE	7.7	7.8	7.6	7.7	7.6	7.5	7.5	7.9	7.8	7.8	7.7	7.7	7.6	7.8	7.8
4439371	0.178	1.655@	C	2023	0012																

87019000	0.178	2.977	L	1	1	CRACKING	8.5	7.0	7.0	7.0	7.0	7.0	7.0	6.5	6.5	6.5	6.5	6.5	3.5*	3.5*	
817			3	45	39500	RIDE	7.7	7.9	7.9	7.7	7.6	7.7	7.7	7.7	7.6	7.0	6.9	6.9	6.9	6.9	6.9
BURLINGTON ST(0.2L)																					
4124701	0.164	2.977	C	2007	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	6.5	6.5	6.5	6.5	4.8
THE DE MOYA GROUP INC.			(2009)		FC5	RIDE	7.8	7.8	7.8	7.8	7.5	7.6	7.4	7.9	7.8	7.9	7.9	7.7	7.7	7.9	7.8
4439371	0.178	1.655@	C	2023	0012																

87090000	10.027	12.125	R	1	1	CRACKING	6.5	4.5*	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5			10.0	10.0
25 27			3	40	63000	RIDE	6.7	6.5	7.5	6.3*	6.3*	6.4*	6.2	6.1	5.9	5.6				8.0	8.2
NW 79 AVE(10.0R)																					
2501052	10.442	11.575	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.5	8.5
THE DE MOYA GROUP INC.			(2007)		DGFC	RIDE	8.1	8.0	8.0	8.1	7.9	8.0	8.0	7.8	7.7	7.6				7.6	7.0

87090000	12.125	13.493	R	1	1	CRACKING	6.5	4.5*	4.5*	2.0*	2.0*	2.0*	2.0*				10.0	10.0	10.0	10.0	
25 27			3	40	48000	RIDE	6.7	6.5	5.9*	4.8*	4.6*	4.7*	4.6*				7.4	7.2	7.1	7.0	
SIDE ROAD(12.1C)																					
2498391	11.818	13.486	C	2001	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5
THE DE MOYA GROUP INC.			(2005)		DGFC	RIDE	6.6	7.2	7.2	7.3	6.9	6.9	6.9	7.2	7.1	7.1	7.0	6.9	6.9	6.9	6.9
4478281	12.125	14.640	C	2026	0012																

87090000	13.493	14.902	R	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	
25 27			3	40	66000	RIDE	6.9	6.9	6.8	5.6*	5.3*	5.5*	5.2*	4.0*			7.3	6.9	7.1	7.0	
CURTISS PKWY(13.6R)																					
2498392	13.486	14.774	C	2001	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.9
THE DE MOYA GROUP INC.			(2005)		DGFC	RIDE	6.4	6.8	6.8	6.7	6.7	6.8	6.8	6.3	6.3	6.1	6.0	5.8	6.2	6.2	5.7
4478281	12.125	14.640	C	2026	0012																

87090000	13.493	14.732	L	1	1	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	3.5*			10.0	10.0	10.0	10.0
25 27			3	40	66000	RIDE	6.9	6.9	6.8	5.6*	5.3*	5.5*	5.2*	4.3*			7.3	7.1	7.2	6.9	
PALM AVE(13.6L)																					
2498392	13.486	14.774	C	2001	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	8.5	8.4
THE DE MOYA GROUP INC.			(2005)		DGFC	RIDE	6.9	7.0	6.9	6.9	6.8	6.9	6.9	6.0	6.0	5.9	6.1	5.9	5.8	5.7	5.3
4478281	12.125	14.640	C	2026	0012																

87090000	12.125	13.493	L	1	1	CRACKING	8.5	8.5	8.5	7.0	6.5	6.5	6.5	6.5			10.0	10.0	10.0	10.0	
25 27			3	40	48000	RIDE	8.0	7.9	7.9	6.6	7.1	7.0	7.2				7.4	7.4	7.4	7.6	
SIDE ROAD(12.1C)																					
2498391	11.818	13.486	C	2001	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0
THE DE MOYA GROUP INC.			(2005)		DGFC	RIDE	7.0	7.3	7.4	7.3	7.2	7.1	7.3	6.8	6.8	6.7	6.8	6.8	6.8	6.8	6.5
4478281	12.125	14.640	C	2026	0012																

87090000	10.027	12.125	L	1	1	CRACKING	8.5	8.5	8.5	7.0	6.5	6.5	6.5	7.0	7.0				10.0	10.0	
25 27			3	50	63000	RIDE	8.0	7.9	7.9	6.6	7.1	7.0	7.2	6.9	6.3*				8.2	8.1	
FRONTAGE RD(10.4L)																					
2501052	10.442	11.575	C	2004	0213	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0
THE DE MOYA GROUP INC.			(2007)		DGFC	RIDE	8.0	7.9	7.9	7.8	7.7	7.6	7.7	7.1	7.1	7.1	7.0	6.8	6.8	6.8	6.3

90003000	0.759	2.588	C	1	1	CRACKING	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	1.0*	0.0*			
ALA			4	30	13000	RIDE	6.6	6.6	6.7	5.6*	5.6*	5.7*	5.4*	5.1*	4.6*	3.7*	4.3*				
FARALDO CIR(1.3L)																					
2505482	0.830	2.895	C	2005	0005	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
THE DE MOYA GROUP INC.			(2009)		DGFC	RIDE	6.6	6.2	6.4	6.3	6.3	6.3	6.2	6.0	6.0	6.0	6.0	5.9	5.9	5.9	5.6

90030000	5.487	6.129	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	7.5	7.5	6.5	
5 1			2	55	15900	RIDE	8.1	8.2	8.3	8.3	8.1	7.8	7.9	7.4	6.9	6.5	6.4*	6.8	6.3*		
SIDE ROAD(12.1C)																					
4146481	5.465	5.977	C	2008	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5
THE DE MOYA GROUP INC.			(2010)		FC5	RIDE	5.8*	7.2	7.1	7.2	7.2	7.2	7.2	7.1	7.2	7.1	6.6	6.7	6.7	6.7	6.5
4478061	5.465	7.282	C	2024	0012																

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = THE DE MOYA GROUP INC.																			
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR													FUTURE									
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008										
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKM-F	=====																							
ITMSEG-P	(AGE ONE YEAR)				SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026									
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKMX-F															(REG)									
90030000	6.129	7.282	C	1	1	CRACKING	8.0	8.0	8.0	7.5	7.5	7.5	7.0	6.5	6.5	5.5*	3.5*	3.5*	3.5*										
5 1			2	55	12800	RIDE	7.6	7.9	8.0	8.3	8.2	8.6	8.3	7.7	7.5	7.4	7.5	7.1	7.0										
4146481	5.977	7.284	C	2008	0012	CRACKING	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.0	8.0	8.0	6.5	5.9									
THE DE MOYA GROUP INC.				(2010)	FC5	RIDE	6.8	7.5	7.5	7.6	7.7	7.6	7.6	7.7	7.7	7.6	7.6	7.7	7.7	7.7									
4478061	5.465	7.282	C	2024	0012																								
90030000	5.487	6.129	L	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.5	7.5	7.5	6.5										
5 1			2	55	15900	RIDE	8.4	8.2	8.6	7.8	8.2	8.0	8.2	7.9	7.7	7.5	7.7	6.8	6.4*										
4146481	5.465	5.977	C	2008	0012	CRACKING	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0									
THE DE MOYA GROUP INC.				(2010)	FC5	RIDE	6.2*	7.3	7.4	7.4	7.5	7.4	7.4	7.3	7.2	7.1	7.2	7.3	7.3	7.1									
4478061	5.465	7.282	C	2024	0012																								
90050000	0.000	0.864	C	1	1	CRACKING	8.0	7.5	7.5	6.5	6.5	6.5	5.0*	4.5*	4.5*	2.0*	1.0*	1.0*	1.0*										
5 1			2	55	12700	RIDE	7.5	7.7	7.7	8.5	8.4	8.1	8.4	8.2	7.0	6.8	6.8	7.1	7.2										
W OF TOMS HARBOR BRIDGE(0.0C)	14.2																								
4256001	0.187	8.530	C	2013	0012	CRACKING	1.0*	1.0*	3.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
THE DE MOYA GROUP INC.				(2015)	FC95	RIDE	6.7	6.7	7.0	7.9	7.9	7.9	8.5	8.4	8.4	8.3	8.3	8.3	8.2	8.0									
90050000	1.144	1.778	R	1	1	CRACKING	6.5	6.5	6.5	6.5	4.0*	4.0*	10.0	10.0	10.0	9.0	9.0	7.5	7.5										
5 1			1	55	12700	RIDE	7.3	7.5	7.5	8.1	8.0	8.0	8.6	8.4	7.9	7.8	7.8	7.9	7.9										
4256001	0.187	8.530	C	2013	0012	CRACKING	6.5	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
THE DE MOYA GROUP INC.				(2015)	FC95	RIDE	7.8	7.7	7.6	7.5	7.3	7.3	7.8	7.6	7.5	7.0	7.4	7.4	7.5	7.1									
90050000	1.778	3.517	C	1	1	CRACKING	6.5	6.5	6.5	6.5	4.0*	4.0*	10.0	10.0	10.0	10.0	9.0	9.0	9.0										
5 1			2	55	12700	RIDE	7.3	7.5	7.5	8.1	8.0	8.0	8.3	8.2	7.6	7.5	7.6	7.7	7.6										
CORAL KEY VILLAGE(3.2R)				14.2																									
4256001	0.187	8.530	C	2013	0012	CRACKING	8.0	7.5	7.5	6.5	6.5	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
THE DE MOYA GROUP INC.				(2015)	FC95	RIDE	7.5	7.3	7.0	6.7	6.7	6.4*	8.5	8.1	8.1	7.9	7.7	7.9	7.9	7.3									
90050000	5.784	8.527	C	1	1	CRACKING	6.5	6.0*	6.0*	4.0*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.0	9.0	7.5										
5 1			2	55	12700	RIDE	8.0	8.4	7.5	8.2	8.0	7.9	8.5	8.3	7.7	7.8	7.7	7.8	7.8										
LAYTON CITY LIMITS(8.4R)				14.2																									
4256001	0.187	8.530	C	2013	0012	CRACKING	7.0	6.5	6.5	6.5	4.5*	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
THE DE MOYA GROUP INC.				(2015)	FC95	RIDE	7.6	7.4	7.2	6.9	6.9	6.7	8.6	8.1	8.0	8.0	8.0	7.9	7.9	7.4									
90050000	1.144	1.778	L	1	1	CRACKING	6.5	6.5	6.5	6.5	4.0*	4.0*	10.0	10.0	10.0	9.0	9.0	10.0	10.0										
5 1			1	55	12700	RIDE	7.3	7.5	7.5	8.1	8.0	8.0	8.6	8.4	7.9	7.8	7.8	8.2	8.2										
4256001	0.187	8.530	C	2013	0012	CRACKING	9.5	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0									
THE DE MOYA GROUP INC.				(2015)	FC95	RIDE	7.8	7.9	8.0	8.0	8.0	7.9	8.3	7.9	8.0	7.9	7.9	8.0	7.9	7.7									
90060000	13.135	16.313	C	1	1	CRACKING	9.0	9.0	9.0	7.5	7.5	7.0	7.0	6.5	6.5	4.5*	4.5*	4.5*	4.5*										
5 1			2	45	31500	RIDE	7.9	8.0	8.4	8.5	8.5	8.5	8.5	8.1	7.4	7.4	7.5	7.4	7.3										
FRONTAGE RD(13.5R)				8.9																									
4146491	13.027	16.322	C	2008	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	6.5	6.5									
THE DE MOYA GROUP INC.				(2010)	FC5M	RIDE	7.0	7.6	7.6	7.6	7.7	7.6	7.6	7.7	7.7	7.6	7.5	7.7	7.6	7.6									
4478101	13.417	16.359	C	2025	0012																								

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6							CONTRACTOR = THE STOUT GROUP LLC																	
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE			
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)						%T	=====																	
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																			
CONTRACTOR	(AGE_ONE YEAR)			SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026				
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															(REG)				
87017000	0.000	0.145	C	1	6	CRACKING	7.6	10.0	10.0	10.0	10.0	9.0	9.5	9.5	9.0	9.5	9.5	9.5	9.0					
913			4	30	20000	RIDE	4.7*	6.8	5.8*	6.0*	6.2*	6.4*	4.3*	5.7	5.0*	4.6*	4.7*	5.2*	5.5					
SW 1 AVE(0.0C)						2.4																		
4291491	0.000	0.161	C	2015	0015	CRACKING	9.5	9.5	9.0	9.0	9.0	9.0	9.0		9.0	9.0	9.0	9.0	9.0	9.0				
THE STOUT GROUP LLC						(2017)																		
4459951	0.000	0.373	C	2024	0012																			

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6							CONTRACTOR = TOPPINO'S INC.															
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008			
INTERSECT AT	(MP)	SIDE			%T	=====																
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																	
CONTRACTOR	(AGE_ONE YEAR)			SURF_TYPE			2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026		
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F															(REG)		
90010000	0.000	0.401	C	1	6	CRACKING	0.0*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0			
5 1			2	25	7600	RIDE			8.0	7.6	6.8	6.9	7.2	5.6	5.5	5.3*	6.6	5.1*	5.6			
FLEMING ST(0.0C)				6.5																	
2504491	0.095	1.244	C	1994	0102	CRACKING	10.0	9.5	9.5	9.5	9.5	9.5	9.5	9.5	9.5	8.0	6.5	6.5	6.5	6.5		
TOPPINO'S INC.				(1998)	UNKW	RIDE	5.2*															
4438921	0.000	0.401	C	2022	0012																	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = TRANS FLORIDA DEVELOPMENT CO											
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR														FUTURE
SR	US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE) %T							=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKMX-P																
CONTRACTOR	(AGE_ONE YEAR)			SURF_TYPE				2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																(REG)
87020000	5.278	7.001	R	1	1	CRACKING	9.0	9.5	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	6.5	6.5	6.5	
5 1			2	45	44000	RIDE	8.3	8.1	8.4	8.1	8.1	8.1	8.1	8.1	5.8*	7.4	7.2	7.2	7.3	7.3	
SW 284 ST(5.4R)				3.3																
4106252	5.278	7.001	C	2010	0005	CRACKING	6.5	6.5				10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.3
TRANS FLORIDA DEVELOPMENT	(2013)			FC5		RIDE	7.1	7.0				7.5	7.5	7.6	7.7	7.7	7.7	7.4	7.7	7.6	7.6
87020000	5.278	7.001	L	1	1	CRACKING	9.0	8.0	8.0	7.0	6.5	6.0*	6.0*	5.5*	5.5*	4.0*	4.0*	4.0*	4.0*	4.0*	
5 1			2	45	44000	RIDE	8.8	8.8	8.8	8.5	8.5	8.5	8.3	8.1	7.4	7.2	7.2	7.0	7.0	7.0	
SW 284 ST(5.4L)				3.3																
4106252	5.278	7.001	C	2010	0005	CRACKING	3.5*	3.5*				10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	8.7
TRANS FLORIDA DEVELOPMENT	(2013)			FC5		RIDE	6.9	6.8				7.5	7.6	7.6	7.8	7.8	7.8	7.3	7.7	7.5	7.5

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 "@" INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

ALL SYSTEM PAVEMENT CONDITION FORECAST

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

CONTRACTOR = WEEKLEY ASPHALT PAVING, INC.

```

** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
"@ INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).

```

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = WEEKLEY ASPHALT PAVING, INC.														
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR															FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008					
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	=====																		
ITMSEG-P	(AGE_ONE YEAR)				SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026				
CONTRACTOR	W_BMP	W_EMP	RW	FY-F	WKMX-F															(REG)				
ITMSEG-F																								
87026000	5.529	6.470	R	1	1	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0					
860			3	40	44500	RIDE	8.3	8.0	8.0	7.6	6.3*	7.2	5.7	5.7	6.9	6.9	6.4	7.0	7.1					
SR 7(5.5C)					3.5																			
4124721	5.561	6.601	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.0	8.0	7.3				
WEEKLEY ASPHALT PAVING, IN(2007)					FC95	RIDE	6.4	6.6	6.7	6.3	6.5	6.0	6.3	6.4	6.3	6.0	6.1	6.2	6.0	5.6				
4478011	5.441	6.440	C	2025	0012																			
87026000	5.529	6.470	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	7.0	10.0	10.0					
860			3	40	44500	RIDE	8.5	8.5	8.5	7.4	7.7	8.1	7.9	7.9	7.0	6.9	6.6	7.7	7.9					
SR 7(5.5C)					3.5																			
4124721	5.561	6.601	C	2005	0012	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
WEEKLEY ASPHALT PAVING, IN(2007)					FC95	RIDE	8.0	8.0	7.9	7.7	7.6	7.5	7.4	7.5	7.4	7.5	6.9	7.3	7.2	6.9				
4478011	5.441	6.440	C	2025	0012																			
87026005	0.767	3.664	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	7.0	7.0	7.0					
860			2	40	47000	RIDE	7.4	7.2	7.2	6.7	6.7	6.7	6.3	6.0	6.0	6.0	5.8	5.2*	5.7					
NW 84 CT(0.8R)					3.5																			
4077361	0.767	2.543	C	2010	0012	CRACKING	7.0	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0				
WEEKLEY ASPHALT PAVING, IN(2012)					FC95	RIDE	5.8	5.8	5.7	7.4	7.5	7.4	7.3	7.0	7.1	7.0	6.9	7.0	6.9	6.5				
87026005	0.767	3.664	L	1	1	CRACKING	9.0	9.0	9.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	4.5*					
860			2	40	47000	RIDE	7.4	7.5	7.3	6.8	6.8	6.6	6.5	6.4	6.0	6.1	6.0	5.7	5.9					
IBIS VILLA S ENT(0.8L)					3.5																			
4077361	0.767	2.543	C	2010	0012	CRACKING	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	7.5	6.3				
WEEKLEY ASPHALT PAVING, IN(2012)					FC95	RIDE	6.0	6.0	6.0	7.6	7.5	7.5	7.3	7.1	7.1	7.0	6.9	6.9	6.9	6.4				
87030000	24.278	24.907	R	1	1	CRACKING	9.0	8.0	8.0		7.0			10.0	10.0	10.0	10.0	10.0	9.5					
5			4	45	53000	RIDE	8.3	8.0	8.4		7.3			8.1	7.3	7.1	7.1	7.2	7.6					
AVENTURA BLVD(24.3R)					3.5																			
4146243	24.354	24.927	R	2015	0012	CRACKING	9.5	9.5	7.0	7.0	7.0	7.0	7.0	6.5	10.0	10.0	10.0	10.0	10.0	10.0				
WEEKLEY ASPHALT PAVING, IN(2018)					FC95A	RIDE	7.5	7.4	7.2	7.0	6.9	7.1	6.9	6.5	5.9	7.9	7.7	7.7	7.7	7.4				
87030000	24.907	25.464	R	1	1	CRACKING	10.0	10.0	9.0	9.0	7.0	7.0	6.5	6.5	6.5	6.5		10.0	10.0					
5			3	45	53000	RIDE	8.6	8.0	8.5	8.7	7.3	8.0	8.5	7.9	7.4	7.3		8.1	7.8					
NE 209 ST(25.0C)					3.5																			
4146243	24.927	25.464	R	2015	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0				
WEEKLEY ASPHALT PAVING, IN(2018)					FC95A	RIDE	8.0	7.5	7.7	7.6	7.6	7.3	7.3	7.2	7.3	7.8	7.7	7.2	7.6	6.9				
87030000	24.278	25.464	L	1	1	CRACKING	10.0	10.0	9.0	9.0	9.0			10.0	10.0	10.0	10.0	10.0	10.0					
5			3	45	53000	RIDE	8.9	7.9	8.6	8.1	8.2			7.8	7.4	7.5	7.5	7.4	7.4					
TN LN FR NE 203 ST(24.6L)					3.5																			
4146243	24.278	25.464	L	2015	0012	CRACKING	9.5	9.5	8.0	8.0	8.0	8.0	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0				
WEEKLEY ASPHALT PAVING, IN(2018)					FC95A	RIDE	7.7	7.6	7.2	6.9	6.8	6.6	6.6	7.2	6.5	8.1	8.1	8.1	7.8	7.4				
87034000	3.641	5.867	C	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	7.0	7.0	6.5					
915			4	40	27500	RIDE	8.0	8.2	8.3	7.4	7.3	8.0	7.2	7.7	6.8	6.5	6.5	6.1	6.2					
NE 147 ST(3.7L)					4.5																			
4226201	3.641	5.867	C	2013	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
WEEKLEY ASPHALT PAVING, IN(2015)					FC95	RIDE	6.1	6.2	6.0	6.0	6.0	5.7	6.9	6.7	6.4	6.5	6.1	6.2	6.1	5.4				
87053000	0.000	1.183	R	1	1	CRACKING	9.0	9.0	9.0	9.0	9.0	9.0	9.0	8.0	9.0	9.0	7.5	7.5	6.5					
968			3	40	56000	RIDE	8.2	8.1	8.1	7.6	7.1	7.4	7.6	7.1	6.9	6.3	6.1	6.4	6.5					
GALLOWAY RD(0.0C)					7.1																			
4198501	0.000	1.119	C	2010	0015	CRACKING	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0				
WEEKLEY ASPHALT PAVING, IN(2013)					DGFC	RIDE	6.4	6.4	6.3		6.9	6.7	6.6	7.5	7.1	7.2	7.4	7.4	7.3	7.3				
87053000	0.000	1.183	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	6.5	6.5					
968			3	40	56000	RIDE	8.6	8.6	8.6	8.4	8.3	8.2	7.8	8.1	7.4	7.2	7.1	6.5	7.1					
GALLOWAY RD(0.0C)					7.1																			
4198501	0.000	1.119	C	2010	0015	CRACKING	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	7.9				
WEEKLEY ASPHALT PAVING, IN(2013)					DGFC	RIDE	7.0	6.5	6.6		7.1	6.8	6.7	7.1	7.1	6.9	7.1	7.3	7.3	7.3				
87060000	4.663	4.814	C	1	6	CRACKING	8.0	8.0	8.0	7.5	7.5	7.5	10.0	10.0	9.5	9.5	7.0	7.0	7.0					
A1A			4	30	23500	RIDE	8.0	7.9	7.1	3.6*	5.5*	4.5*	5.1*	5.1*	5.4*	4.8*	4.3*	3.8*	4.3*					
HOTEL ENTRANCE(4.7R)					10.0																			
4180671	4.584	4.800	C	2009	0015	CRACKING	6.5	6.5	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.5	7.0				
WEEKLEY ASPHALT PAVING, IN(2011)					FC95	RIDE	4.5*	3.9*	5.4*	6.0	5.8	5.4*												

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = WEEKLEY ASPHALT PAVING, INC.																
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED YEAR																	FUTURE		
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008							
INTERSECT AT (MP SIDE)	W_BMP	W_EMP	RW	FY-P	WKMX-P	=====																				
ITMSEG-P	(AGE_ONE YEAR)				SURF_TYPE		2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026 (REG)						
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKMX-F																					
87060000	9.775	11.691	C	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	7.0	7.0	6.5							
ALA			3	30	25000	RIDE		8.7	8.8	7.9	8.1	7.6	7.1	7.2	6.3	5.9	6.1	6.1	6.2							
76 ST(9.8C)					5.0																					
4198581	9.775	11.769	C	2012	0012	CRACKING	6.5	6.5	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.5	8.4						
WEEKLEY ASPHALT PAVING, IN(2014)					FC95	RIDE	6.0	6.0	6.0	5.7		7.1	7.1	6.6	6.4	6.3	6.1	5.7	5.9	4.7						
87060000	11.691	12.386	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	10.0	10.0	10.0	7.0							
ALA			3	30	50000	RIDE	8.5	8.3	8.6	8.2	8.2	8.2	8.1	8.0	7.4	6.4	5.9	5.7	5.6							
SAINT REGIS(11.7R)					2.4																					
4291441	11.750	12.302	R	2013	0012	CRACKING	7.0	7.0	7.0	7.0	7.0	7.0	10.0	10.0	10.0	10.0	10.0	9.0	8.5	7.8						
WEEKLEY ASPHALT PAVING, IN(2015)					FC95	RIDE	5.5	5.8	5.8	5.5	5.0*	5.3*	6.6	6.3	5.7	5.8	5.8	5.6	5.5	4.6						
87060000	11.691	12.386	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	6.5							
ALA			3	30	50000	RIDE	8.6	8.4	8.7	8.5	8.6	8.5	8.5	8.3	7.7	7.7	7.5	7.2	7.6							
BAL HARBOUR(11.7L)					2.4																					
4291441	11.750	12.302	L	2013	0012	CRACKING	6.5	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0						
WEEKLEY ASPHALT PAVING, IN(2015)					FC95	RIDE	7.5	7.5	7.3	7.0	7.1	7.0	7.2	6.9	6.9	6.5	6.2	6.0	5.9	4.7						
87060001	1.947	2.498	C	1	1	CRACKING	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5							
ALA			3	30	26500	RIDE	6.0*	6.3*	6.2*		7.6	7.5	6.9	6.7	6.1	5.7	5.6	6.0	6.3							
74 ST(2.0C)					3.1																					
4198581	1.855	2.590	C	2012	0012	CRACKING	9.5	9.5	7.0	6.5	6.5	10.0	10.0	10.0	10.0	9.0	9.0	8.5	7.5							
WEEKLEY ASPHALT PAVING, IN(2014)					FC95	RIDE	5.9	6.2	5.6	5.7	5.5	7.0	6.5	6.2	6.1	5.7	5.0*	4.4*	4.6*	2.5						
4438991	0.000	2.471	C	2023	0012																					
87066000	5.245	5.548	C	1	6	CRACKING	6.5	9.0	9.0	9.0	9.0	9.0		10.0	10.0	10.0	10.0	9.0	9.0							
922			4	30	33000	RIDE	4.8*	5.8*	6.3*	5.7*	4.9*	4.4*		5.6	5.3*	4.2*	4.3*	4.3*	4.2*							
BAL BAY DR(5.3L)					5.5																					
4274211	5.176	5.480	C	2013	0012	CRACKING	9.0	6.5	6.5	6.5	6.5	6.5	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5						
WEEKLEY ASPHALT PAVING, IN(2015)					FC125	RIDE	4.2*	3.9*	3.2*	3.7*	3.7*	3.6*	6.1													
87080000	0.000	0.676	C	1	1	CRACKING	7.5	7.5	7.5	5.5*	5.5*	4.5*	4.5*	4.5*		10.0	10.0	10.0	10.0							
934			4	35	27800	RIDE	7.3	7.1	7.2	7.1	7.1	7.0	7.1	4.4*		7.0	6.5	7.5	7.5							
BISCAYNE BLVD(0.0C)					10.2																					
4274521	0.000	0.662	C	2014	0012	CRACKING	7.5	7.5	7.5	7.0	7.0	7.0	6.0*		10.0	10.0	10.0	10.0	9.5	9.2						
WEEKLEY ASPHALT PAVING, IN(2017)					FC95A	RIDE	6.3	6.6	6.4	6.6	6.4	6.2	6.0		7.9	7.8	7.8	6.9	6.9	5.4						
87080000	0.676	2.678	R	1	1	CRACKING	9.0	9.0	8.0	8.0	8.0	8.0	7.5	6.5	6.5	6.5	6.5	6.5	6.5							
934			3	30	41500	RIDE	8.7	8.6	8.9	8.0	7.8	7.8	7.5	7.4	6.8	6.7	6.6	6.3	6.8							
EB EXIT TO BAYSHORE CT(0.7R)					6.9																					
4311801	0.676	2.678	C	2015	0012	CRACKING	4.5*	4.5*	4.5*	3.5*	3.5*	3.5*	3.5*	3.5*	10.0	10.0	10.0	10.0	9.5	9.2						
WEEKLEY ASPHALT PAVING, IN(2017)					FC95M	RIDE	6.6	6.5	6.4	6.3	6.2	6.2	6.3	6.0	8.0	7.6	7.8	7.5	7.6	7.1						
87080000	0.676	2.678	L	1	1	CRACKING	10.0	10.0	9.0	9.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	7.0	6.5							
934			3	35	41500	RIDE	8.6	8.6	8.8	7.8	7.6	7.7	7.7	7.3	6.9	6.7	6.5	6.5	6.6							
TRN LN TO BAYSHORE(0.7L)					6.9																					
4311801	0.676	2.678	C	2015	0012	CRACKING	6.5	6.5	6.5	4.5*	4.5*	4.5*	4.5*	4.5*	10.0	10.0	10.0	10.0	9.5	9.2						
WEEKLEY ASPHALT PAVING, IN(2017)					FC95M	RIDE	6.0	6.3	6.1	5.7	5.7	5.5	5.5	5.7	7.9	7.6	7.7	7.0	7.5	6.6						
87080900	33.196	33.627	R	1	1	CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0							
934			2	35	27000	RIDE	4.6*	5.0*		6.6	6.7	6.4*	6.4	6.3	5.6	5.8	5.3*	5.4*	5.5							
W 3 AVE(33.3R)					10.5																					
4180661	33.196	34.211	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8.5	8.5	8.5						
WEEKLEY ASPHALT PAVING, IN(2010)					FC95	RIDE		6.7	7.0	6.4	6.1	6.3	5.9	5.4*	5.6	5.7	5.3*	5.0*	5.1*	4.1						
4439091	33.196	34.211	C	2024	0012																					
87080900	33.627	34.211	R	1	1	CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5							
934			2	35	27000	RIDE	6.0*	5.9*		6.9	6.7	7.6	7.5	7.0	7.2	7.3	7.1	6.5	7.2							
SIDE ROAD(33.6C)					10.5																					
4180661	33.196	34.211	C	2008	0012	CRACKING		10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	7.0	7.0	7.0	7.0	5.1						
WEEKLEY ASPHALT PAVING, IN(2010)					FC95	RIDE		7.3	7.3	7.3	6.8	6.8	6.4	6.5	6.6	6.1	6.2	5.9	6.0	5.2						
4439091	33.196	34.211	C	2024	0012																					
87080900	37.987	38.617	R	1	6	CRACKING	8.0	7.5		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0							
934			2	40	26000	RIDE	6.5	6.9		5.7*	5.7*	6.3*	6.3	5.0*	4.7*	5.4*	5.2*	5.2*	5.4*							
NW 10 AVE(38.2R)					10.2																					
4274521	38.069	38.557	C	2014	0012	CRACKING	6.5		10.0	10.0	8.5	8.5	8.5	8.5	10.0	10.0	10.0	10.0	10.0	10.0						
WEEKLEY ASPHALT PAVING, IN(2017)					FC95A	RIDE	5.7		6.4	6.1	6.3	6.3	6.1		6.9											

FLORIDA DEPARTMENT OF TRANSPORTATION**ALL SYSTEM PAVEMENT CONDITION FORECAST****PAVEMENT IMPROVEMENT PROJECTS IN FM WPA TENTATIVE PLAN – 2021 - 2026, EXTRACTED ON 02/16/2021**

SORT BY CONTRACTOR RDWYID MILEPOST R ASCENDING L DESCENDING

DISTRICT = 6										CONTRACTOR = WEEKLEY ASPHALT PAVING, INC.										
RDWYID	BMP	EMP	RW	SYSTEM	TYPE	DISTRESS	SURVEYED	YEAR											FUTURE	
SR US	G_BMP	G_EMP	LN	SPEED	AADT	RATINGS	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
INTERSECT AT (MP SIDE)					%T	=====														
ITMSEG-P	W_BMP	W_EMP	RW	FY-P	WKM-F	TYPE														
CONTRACTOR (AGE ONE YEAR)							2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2026
ITMSEG-F	W_BMP	W_EMP	RW	FY-F	WKM-F															(REG)
87080900	38.617	40.027	C	1	6	CRACKING	8.0	7.5	7.5	7.5	7.5	6.5	6.5	6.5	6.5	6.5	3.5*	4.5*	3.5*	
934			4	35	29700	RIDE	8.2	7.8	8.0	7.5	7.1	7.0	7.2	6.0	5.6	5.7	5.6	5.2*	5.9	
MIDAS ENTRANCE(38.6L)					10.2															
4274521	38.557	40.027	C	2014	0012	CRACKING	3.5*	3.5*	3.5*	3.5*	3.5*	3.5*	2.5*		10.0	10.0	10.0	10.0	9.5	9.2
WEEKLEY ASPHALT PAVING, IN(2017)					FC95A	RIDE	5.5	5.7	5.5	5.4*	5.2*	5.3*	5.4*							
87080900	37.987	38.617	L	1	6	CRACKING	8.0	8.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	8.0	7.0	
934			2	35	26000	RIDE	6.2*	6.3*		6.3*	6.8	6.3*	6.4	6.4	4.9*	6.8	6.2	6.8	6.7	
ELEVENTH CT NW(38.0L)					10.2															
4274521	38.069	38.557	C	2014	0012	CRACKING	7.0		10.0	10.0	8.5	8.5	8.5		10.0	10.0	10.0	10.0	8.0	6.8
WEEKLEY ASPHALT PAVING, IN(2017)					FC95A	RIDE	6.2		6.4	6.1	6.3	6.3	6.1		6.9					
87080900	33.627	34.211	L	1	1	CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	
934			2	35	27000	RIDE	7.4	7.3		7.2	6.7	5.9*	5.7	5.4*	4.9*	5.3*	5.0*	4.7*	5.4*	
SIDE ROAD(33.6C)					10.5															
4180661	33.196	34.211	C	2008	0012	CRACKING		10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.0	8.0	7.0	7.0	5.7
WEEKLEY ASPHALT PAVING, IN(2010)					FC95	RIDE		7.5	7.4	6.7	6.6	6.6	6.9	5.8	5.7	5.9	6.1	5.9	5.5	4.7
4439091	33.196	34.211	C	2024	0012															
87080900	33.196	33.627	L	1	1	CRACKING	9.0	9.0		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	
934			2	35	27000	RIDE	5.5*	5.2*		6.5	6.9	7.2	6.8	6.7	4.5*	5.1*	4.7*	5.4*	5.3*	
W 3 AVE(33.3L)					10.5															
4180661	33.196	34.211	C	2008	0012	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5
WEEKLEY ASPHALT PAVING, IN(2010)					FC95	RIDE		5.8	5.9	5.1*	5.7	5.9	5.9	5.8	5.6	4.9*	5.5	4.7*	4.8*	4.6
4439091	33.196	34.211	C	2024	0012															
87170000	0.373	3.701	R	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	7.5	7.5	10.0	
826			3	35	61000	RIDE	8.8	8.8	8.7	8.0	8.1	8.2	8.1	8.1	7.4	7.3	7.2	7.4	8.1	
TN LN TO NW 2 AVE(0.5R)					3.2															
4126372	2.015	3.557	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.3
WEEKLEY ASPHALT PAVING, IN(2008)					DGFC	RIDE	7.8	7.9	7.7	7.7	7.5	7.4	7.1	7.1	6.8	7.0	7.0	6.8	7.0	6.2
87170000	0.373	3.701	L	1	1	CRACKING	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	7.5	10.0	
826			3	35	61000	RIDE	9.0	8.8	8.6	7.9	8.0	8.0	7.6	8.0	7.3	7.0	7.2	7.0	7.8	
TRN LN TO NW 2 AVE(0.5L)					3.2															
4126372	2.015	3.557	C	2006	0012	CRACKING	10.0	10.0	10.0	10.0	9.0	9.0	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.4
WEEKLEY ASPHALT PAVING, IN(2008)					DGFC	RIDE	7.7	7.8	7.7	7.7	7.6	7.4	7.3	7.3	6.8	6.8	6.9	6.6	6.9	6.2
87240000	1.739	2.985	R	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	10.0	8.5	7.0	7.0	6.5	4.5*	4.5*	
9			3	40	41500	RIDE		8.6	8.6	8.5	8.4	8.3	8.3	8.1	7.0	6.7	6.6	6.6	6.3	
SEVENTH ST SW(1.8C)					4.8															
4198471	1.739	2.975	C	2009	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
WEEKLEY ASPHALT PAVING, IN(2010)					FC95	RIDE	6.4	7.1	6.9	6.7	6.6	6.5	6.4	6.7	6.6	6.5	6.3	6.0	5.9	5.6
87240000	1.739	2.985	L	1	1	CRACKING		10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5	6.5	6.5	4.5*	4.5*	
9			3	35	41500	RIDE		8.1	8.2	7.7	7.8	7.9	7.8	7.2	6.2	6.3	6.3	6.0	5.3*	
SEVENTH ST SW(1.8C)					4.8															
4198471	1.739	2.975	C	2009	0012	CRACKING	4.5*	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	7.5	7.5
WEEKLEY ASPHALT PAVING, IN(2010)					FC95	RIDE	5.6	7.1	6.7	6.8	6.4	6.6	6.7	6.4	6.2	6.4	6.3	6.3	6.3	5.9
87250000	4.526	5.822	C	1	7	CRACKING	9.0	9.0	9.0	10.0	10.0	10.0	8.0	8.0	9.0		10.0	10.0	10.0	
944			4	40	16100	RIDE	7.0	6.5	6.9	6.3*	6.1*	5.7*	5.9	5.5	5.6		7.1	6.6	6.7	
ENT FROM SR 9A(4.6C)					0.5															
4282782	4.517	5.761	C	2018	0012	CRACKING	8.5	8.5	8.5	8.5	8.5	8.5	8.5	7.0	7.0	6.5	6.5	6.5	10.0	
WEEKLEY ASPHALT PAVING, IN(2021)					FC95M	RIDE	6.6	6.1	5.8	6.0	5.5	5.2*	5.1*	5.5	5.1*	5.2*	5.0*	4.6*	6.4	

*** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2006, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 50 MPH.
 *** INDICATES PAVEMENT DEFICIENT (ANY RATING <=6); START 2002, RIDE RATING OF 6 NOT CONSIDERED DEFICIENT WHEN SPEED LIMIT < 45 MPH.
 @* INDICATES G1 PROJECT LENGTH SHORTER THAN ROADWAY SEGMENT 1 MILE OR MORE.
 2026 FORECASTED BY SIMPLE LINEAR REGRESSION (REG).