



Florida Department of Transportation

JEB BUSH
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

THOMAS F. BARRY, JR.
SECRETARY

January 7, 2003

Mr. Donald Davis
Program Operations Engineer
Federal Highway Administration
227 N. Bronough Street, Suite 2015
Tallahassee, Florida 32301

Re: Office of Design, Specifications
Section 311
Proposed Specification: D3110006.D01 – Sand Seal Coat – Method of
Measurement

Dear Mr. Davis:

We are submitting, for your approval, two copies of a proposed Supplemental Specification for Sand Seal Coat – Method of Measurement.

This change has been developed by David Chason, of the State Construction Office to require the submittal of a certification of quantities for bituminous material.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via Email to SP965DB or duane.brautigam@dot.state.fl.us.

If you have any questions relating to this specification change, please call Duane F. Brautigam, State Specifications Engineer at 414-4110.

Sincerely,

Duane F. Brautigam, P.E.
State Specifications Engineer

DFB/sh
Attachment

cc: General Counsel
Florida Transportation Builders' Assoc.
State Construction Engineer

**SAND SEAL COAT – METHOD OF MEASUREMENT.
(REV 11-4-02)**

ARTICLE 311-6 (Page 230) is expanded by the following new Subarticle:

311-6 Method of Measurement.

311-6.1 Bituminous Material: The quantity to be paid for will be the volume, in gallons [liters], applied on the road and accepted, determined as provided in 300-8.

311-6.2 Cover Material: The quantity to be paid for will be the volume, in cubic yards [cubic meters], applied on the road and accepted, determined by measurement, in loose volume, in truck bodies.

311-6.3 Submittal of Certification of Quantities for Bituminous Material:

Provide a Certification of Quantities on the form provided by the Department, no later than Twelve o'clock noon, Monday after the monthly estimate cutoff date based on the quantity of bituminous material placed and accepted.

Show on Certification of Quantities the following:

*Certification Number and period represented by the Certification,
Contract, FPID,*

Type of bituminous material placed,

Gallons [Liters] based on the criteria specified in 300-8.

**SAND SEAL COAT – METHOD OF MEASUREMENT.
(REV 11-4-02)**

ARTICLE 311-6 (Page 230) is expanded by the following new Subarticle:

311-6 Method of Measurement.

311-6.1 Bituminous Material: The quantity to be paid for will be the volume, in gallons [liters], applied on the road and accepted, determined as provided in 300-8.

311-6.2 Cover Material: The quantity to be paid for will be the volume, in cubic yards [cubic meters], applied on the road and accepted, determined by measurement, in loose volume, in truck bodies.

311-6.3 Submittal of Certification of Quantities for Bituminous Material:

Provide a Certification of Quantities on the form provided by the Department, no later than Twelve o'clock noon, Monday after the monthly estimate cutoff date based on the quantity of bituminous material placed and accepted.

Show on Certification of Quantities the following:

Certification Number and period represented by the Certification,
Contract, FPID,
Type of bituminous material placed,
Gallons [Liters] based on the criteria specified in 300-8.