



Florida Department of Transportation

JEB BUSH
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

THOMAS F. BARRY, JR.
SECRETARY

January 6, 2003

Mr. Donald Davis
Program Operations Engineer
Federal Highway Administration
227 N. Bronough Street, Suite 2015
Tallahassee, Florida 32301

Re: Office of Design, Specifications
Section 341
Proposed Specification: DD3410008.D01

Dear Mr. Davis:

We are submitting, for your approval, two copies of a proposed Supplemental Specification for Asphalt Rubber Membrane Interlayer-Method of Measurement.

This change has been developed by David Chason, of the State Construction Office to require the Contractor to submit a Certification of Quantities for the amount of bituminous materials used for the item monthly.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via Email to SP965DB or duane.brautigam@dot.state.fl.us.

If you have any questions relating to this specification change, please call Duane F. Brautigam, State Specifications Engineer at 414-4110.

Sincerely,

Signature on file

Duane F. Brautigam, P.E.
State Specifications Engineer

DFB/jf
Attachment

cc: General Counsel
Florida Transportation Builders' Assoc.
State Construction Engineer

ASPHALT RUBBER MEMBRANE INTERLAYER-METHOD OF MEASUREMENT.
(REV 11-5-02)

ARTICLE 341-8 (of the Supplemental Specifications) is deleted and the following substituted:

341-8 Method of Measurement.

341-8.1 Asphalt Rubber Membrane Interlayer: The quantity to be paid for will be *plan quantity* ~~the area~~, in square yards [square meters], completed and accepted.

341-8.2 Bituminous Material (Asphalt Rubber Binder-Interlayer): The quantity to be paid for will be the volume, in gallons [liters], determined as provided in 300-8.

341-8.3 Submittal of Certification of Quantities for Bituminous Material: *Prepare a Certification of Quantities, using the Department's current approved form, for the quantity of bituminous material placed and accepted. Submit this certification to the Engineer no later than Twelve O'clock noon Monday after the monthly estimate cutoff date or as directed by the Engineer. The certification must include the Contract Number, FPID Number, State Project Number, Certification Number and period represented by the Certification*

**ASPHALT RUBBER MEMBRANE INTERLAYER-METHOD OF MEASUREMENT.
(REV 11-5-02)**

ARTICLE 341-8 (of the Supplemental Specifications) is deleted and the following substituted:

341-8 Method of Measurement.

341-8.1 Asphalt Rubber Membrane Interlayer: The quantity to be paid for will be plan quantity, in square yards [square meters], completed and accepted.

341-8.2 Bituminous Material (Asphalt Rubber Binder-Interlayer): The quantity to be paid for will be the volume, in gallons [liters], determined as provided in 300-8.

341-8.3 Submittal of Certification of Quantities for Bituminous Material: Prepare a Certification of Quantities, using the Department's current approved form, for the quantity of bituminous material placed and accepted. Submit this certification to the Engineer no later than Twelve O'clock noon Monday after the monthly estimate cutoff date or as directed by the Engineer. The certification must include the Contract Number, FPID Number, State Project Number, Certification Number and period represented by the Certification