



Florida Department of Transportation

JEB BUSH
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

THOMAS F. BARRY, JR.
SECRETARY

MEMORANDUM

DATE: November 25, 2002
TO: Specification Review Distribution List
COPY TO: David Chason, State Construction Office
FROM: Duane F. Brautigam, P.E., State Specifications Engineer
SUBJECT: **Proposed Specifications Change** – D3120014.D01 – Bituminous Crack Relief Layer – Method of Measurement

In accordance with Specification Development Procedures, we are sending you a copy of a proposed specification change to Bituminous Crack Relief Layer – Method of Measurement.

This change was proposed by David Chason to require the submittal of a certification of quantities, for bituminous material.

Please share this proposal with others within your responsibility. Review comments are due within four weeks and should be sent to Mail Station 75 or to my attention via e-mail at SP965DB or duane.brautigam@dot.state.fl.us. Comments received after December 23, 2002 may not be considered. Your input is encouraged.

DFB/sh

Attachment

COMMENTS:

Submitted by:

Phone #:

**BITUMINOUS CRACK RELIEF LAYER – METHOD OF MEASUREMENT.
(REV 11-4-02)**

ARTICLE 312-14 (Page 233) is expanded by the following new Subarticle:

312-14 Method of Measurement.

312-14.1 Bituminous Material: The quantity to be paid for will be the volume, in gallons [liters], applied on the road and accepted, determined as provided in 300-8.

312-14.2 Cover Material: The quantity to be paid for will be *plan quantity* ~~the area~~, in square yards [square meters], applied on the road and accepted, ~~determined by surface area~~.

312-14.3 Submittal of Certification of Quantities for Bituminous Material:

Provide a Certification of Quantities on the form provided by the Department, no later than Twelve o'clock noon, Monday after the monthly estimate cutoff date based on the quantity of bituminous material placed and accepted.

Show on Certification of Quantities the following:

Certification Number and period represented by the Certification Contract, FPID,

Type of bituminous material placed,

Gallons [Liters] based on the criteria specified in 300-8.