

IMPLEMENTATION PROCESS

THE INFORMATION BELOW IS TO BE PROVIDED BY THE ORIGINATOR

(The person who receives or originates the issue and needs to forward the issue for action.)

Modify Specification 555/d5550000_____.
Section/File number

New Specification _____.
Section number

Subject: Directional Bore

Origination date:

Originator: Bob Dion

Office/Phone: District 5 Specifications/SC373-5161

Email address/ bob.dion@dot.state.fl.us

Userid:

Problem statement: The spec as written does not address if the Contractor is responsible for furnishing the material, it speaks to the installation method and the materials to be used. This will expand the payment portion to include mention of furnishing and installing,

Information source: Bob Dion

Background data: The only changes to the body of the specification are in 555-8, and is similar to the changes proposed for the Jack and Bore specification mailed 11/15/02..

DIRECTIONAL BORE.

Article 555-8 (of the Supplemental Specifications) is deleted and the following added:

555-8 Basis of Payment.

*Price and P*ayment will be full compensation for all work specified in this Section, including *furnishing and installing pipe or conduit* all installations, from plan point of beginning to plan point of ending (i.e. pull box) at plan depth, ~~product, tracking conductor,~~ removal of excavated materials and spoils, removal and disposal of drilling fluids, backfilling, and complete restoration of the site. Bundled product in a single bore will be paid for as a single bore based on the required drill bit head or back reamer head size. Separate payment shall not be made for individual products in a bundle.

The installation and attachment of tracking conductors (wire or tape) will be included in the cost of the bore and will not be paid for separately.



Florida Department of Transportation

JEB BUSH
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

THOMAS F. BARRY, JR.
SECRETARY

MEMORANDUM

DATE: January 9, 2003
TO: Specification Review Distribution List
FROM: Duane F. Brautigam, P.E., State Specifications Engineer
SUBJECT: **Proposed Specifications Change – D5550008 - Directional Bore-Basis of Payment**

In accordance with Specification Development Procedures, we are sending you a copy of a proposed specification change to Section 555.

This change was proposed by Bob Dion to expand payment to include furnishing and installing pipe or conduit.

Please share this proposal with others within your responsibility. Review comments are due within four weeks and should be sent to Mail Station 75 or to my attention via e-mail at SP965DB or duane.brautigam@dot.state.fl.us. Comments received after February 6, 2002 may not be considered. Your input is encouraged.

DFB/jf

Attachment

COMMENTS:

Submitted by:

Phone #:

**DIRECTIONAL BORE-BASIS OF PAYMENT.
(REV 1-9-03)**

ARTICLE 555-8 (of the Supplemental Specifications) is deleted and the following substituted:

555-8 Basis of Payment.

*Price and P*payment will be full compensation for all work specified in this Section, including ~~furnishing and installing pipe or conduit~~~~all installations~~, from plan point of beginning to plan point of ending (i.e. ~~pull box~~) at plan depth, ~~product, tracking conductor~~, removal of excavated materials and spoils, removal and disposal of drilling fluids, backfilling, and complete restoration of the site. Bundled product in a single bore will be paid for as a single bore based on the required drill bit head or back reamer head size. Separate payment shall not be made for individual products in a bundle.

The installation and attachment of tracking conductors (wire or tape) will be included in the cost of the bore and will not be paid for separately.

No payment will be made for failed bore paths, injection of flowable fill, products taken out of service or incomplete installations.

No payment will be made for directional boring until a Bore Path Report has been delivered to the Engineer. After the Engineer's acceptance of the Bore Path Report, payment will be made in the amount of 70% of the unit price bid, for Directional Boring. The remaining 30% of the unit price bid will be made after submittal of As-Built Plans, in accordance with 555-6.2.

Payment will be made under:

Item No. 555-1 -	Directional Bore - per foot of bore diameter
Item No. 2555-1 -	Directional Bore - per meter of bore diameter

No payment will be made for failed bore paths, injection of flowable fill, products taken out of service or incomplete installations.

No payment will be made for directional boring until a Bore Path Report has been delivered to the Engineer. After the Engineer's acceptance of the Bore Path Report, payment will be made in the amount of 70% of the unit price bid, for Directional Boring. The remaining 30% of the unit price bid will be made after submittal of As-Built Plans, in accordance with 555-6.2.

Payment will be made under:

- Item No. 555-1 - Directional Bore - per foot of bore diameter
- Item No. 2555-1 - Directional Bore - per meter of bore diameter

**Desired
implementation
date:**

7/03