

11/13/03

WORKBOOK CHANGE(S)

Add D 9750002  
Rev Date 8-28-03  
F.A. Date 11-13-03  
Letting Date 7-04

Move D \_\_\_\_\_  
To Deleted File \_\_\_\_\_  
Rev Date \_\_\_\_\_  
F.A Date \_\_\_\_\_  
Letting Date \_\_\_\_\_

Remarks New SS.

Usage notes: All  
Post-Retirement Jobs

Dates


\*Copy of Spec to Paul that Impacts  
QPL (ONLY) \_\_\_\_\_  
Added to Nextwb file 11-20-03  
Deleted from Nextwb file \_\_\_\_\_  
History File Updated \_\_\_\_\_  
Rolodexed 4/21/04 sh  
Additional back-up see \_\_\_\_\_

# Route Slip

U.S. Department of Transportation  
Federal Highway Administration  
Florida Division  
227 N. Bronough Street, Room 2015  
Tallahassee, FL 32301

Distribution:

## FDOT MS-75



<b>To:</b>  MR. DUANE BRAUTIGAM	<b>Organization:</b>  FDOT, SPECIFICATIONS ENGINEER	<b>Date:</b>  NOV 13, 2003	<b>Routing Symbol:</b>  MS-75
--	--	----------------------------------	-------------------------------------

- Per Your Request
- For Your Information
- Per Our Conversation
- Comment
- Take Appropriate Action
- Note and Return
- Discuss With Me
- For Your Approval
- For Your Signature
- Please Answer
- Prepare Reply  
    For Signature of


**Remarks:**

FLORIDA SPECIFICATIONS:  
D9750002 - Supplemental Specifications for Elastomeric Coating System, Section 975

ATTACHMENTS

<b>FOR: JAMES E. ST. JOHN,</b> <b>DIVISION ADMINISTRATOR</b>	<b>Telephone Number:</b> (850) 942-9650, EXT. 3035	<b>FDOT MS:</b> # 29	<b>Org/Rtg Symbol</b>
---	---	----------------------	-----------------------

DON Davis: ANN to file in binders cc: 1 (w/specification) H:ANN\FORMS\ROUTGSPECS.DOC





## Florida Department of Transportation

JEB BUSH  
GOVERNOR

605 Suwannee Street  
Tallahassee, FL 32399-0450

JOSÉ ABREU  
SECRETARY

October 28, 2003

Mr. Donald Davis  
Program Operations Engineer  
Federal Highway Administration  
227 N. Bronough Street, Suite 2015  
Tallahassee, Florida 32301

Re: Office of Design, Specifications  
Section 975  
Proposed Specification: D9750002 - Elastomeric Coating System

Dear Mr. Davis:

We are submitting, for your approval, two copies of a proposed Supplemental Specification for Elastomeric Coating System.

This change was proposed by Robert Robertson of the State Structures Office to include certification and QPL requirements.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via Email to SP965DB or [duane.brautigam@dot.state.fl.us](mailto:duane.brautigam@dot.state.fl.us).

If you have any questions relating to this specification change, please call Duane F. Brautigam, State Specifications Engineer at 414-4110.

Sincerely,

Signature on file

Duane F. Brautigam, P.E.  
State Specifications Engineer

DFB/jf

Attachment

cc: General Counsel  
Florida Transportation Builders' Assoc.  
State Construction Engineer

**ELASTOMERIC COATING SYSTEM.  
(REV 8-28-03)**

ARTICLE 975-2 (Page 918) is deleted and the following substituted:

**975-2 Qualified Products List.**

The elastomeric coating system used shall be one of the products listed on the Department's Qualified Products List. Manufacturers seeking evaluation of their products shall submit an application in accordance with Section 6.

The Contractor shall provide the Engineer with certification from the manufacturer, confirming that the elastomeric coating system meets the requirements of this Section. The certification shall conform to the requirements of Section 6.

**Deleted: Certification**

**Deleted:** Provide a written certification from the manufacturer that the product meets the requirements of this Section. The manufacturer must have quality control standards conforming to ISO 9000 Standards.

**ELASTOMERIC COATING SYSTEM.  
(REV 8-28-03)**

ARTICLE 975-2 (Page 918) is deleted and the following substituted:

**975-2 Qualified Products List.**

The elastomeric coating system used shall be one of the products listed on the Department's Qualified Products List. Manufacturers seeking evaluation of their products shall submit an application in accordance with Section 6.

The Contractor shall provide the Engineer with certification from the manufacturer, confirming that the elastomeric coating system meets the requirements of this Section. The certification shall conform to the requirements of Section 6.

**Deleted: Certification**  
**Deleted: Provide a written certification from the manufacturer that the product meets the requirements of this Section. The manufacturer must have quality control standards conforming to ISO 9000 Standards.**

APPROVED:  DATE: 11/13/03  
For the Division Administrator



**Judy F Frazier**

10/29/2003 08:16 AM

To: donald.davis@fhwa.dot.gov,  
cc: ann.allshouse@fhwa.dot.gov, Clay McGonagill/CO/FDOT,  
bburleson@ftba.com, David Sadler/CO/FDOT, Robert  
Robertson/CO/FDOT,  
cc:  
Subject: D9750002

Please review the attached draft specification and return your approval/comments within two weeks. Thank you.



D9750002.doc

Judy Frazier  
(850) 414-4127, SC 994-4127  
judy.frazier@dot.state.fl.us



## Florida Department of Transportation

JEB BUSH  
GOVERNOR

605 Suwannee Street  
Tallahassee, FL 32399-0450

JOSÉ ABREU  
SECRETARY

October 28, 2003

Mr. Donald Davis  
Program Operations Engineer  
Federal Highway Administration  
227 N. Bronough Street, Suite 2015  
Tallahassee, Florida 32301

Re: Office of Design, Specifications  
Section 975  
Proposed Specification: D9750002 - Elastomeric Coating System

Dear Mr. Davis:

We are submitting, for your approval, two copies of a proposed Supplemental Specification for Elastomeric Coating System.

This change was proposed by Robert Robertson of the State Structures Office to include certification and QPL requirements.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via Email to SP965DB or [duane.brautigam@dot.state.fl.us](mailto:duane.brautigam@dot.state.fl.us).

If you have any questions relating to this specification change, please call Duane F. Brautigam, State Specifications Engineer at 414-4110.

Sincerely,

A handwritten signature in black ink, appearing to read "Duane F. Brautigam".

Duane F. Brautigam, P.E.  
State Specifications Engineer

DFB/jf

Attachment

cc: General Counsel  
Florida Transportation Builders' Assoc.  
State Construction Engineer

**ELASTOMERIC COATING SYSTEM.  
(REV 8-28-03)**

ARTICLE 975-2 (Page 918) is deleted and the following substituted:

**975-2 ~~Certification~~ *Qualified Products List.***

~~Provide a written certification from the manufacturer that the product meets the requirements of this Section. The manufacturer must have quality control standards conforming to ISO 9000 Standards. The elastomeric coating system used shall be one of the products listed on the Department's Qualified Products List. Manufacturers seeking evaluation of their products shall submit an application in accordance with Section 6.~~

*The Contractor shall provide the Engineer with certification from the manufacturer, confirming that the elastomeric coating system meets the requirements of this Section. The certification shall conform to the requirements of Section 6.*

**ELASTOMERIC COATING SYSTEM.  
(REV 8-28-03)**

ARTICLE 975-2 (Page 918) is deleted and the following substituted:

**975-2 ~~Certification~~ *Qualified Products List.***

~~Provide a written certification from the manufacturer that the product meets the requirements of this Section. The manufacturer must have quality control standards conforming to ISO 9000 Standards.~~ *The elastomeric coating system used shall be one of the products listed on the Department's Qualified Products List. Manufacturers seeking evaluation of their products shall submit an application in accordance with Section 6.*

*The Contractor shall provide the Engineer with certification from the manufacturer, confirming that the elastomeric coating system meets the requirements of this Section. The certification shall conform to the requirements of Section 6.*



**Judy F Frazier**

10/28/2003 08:52 AM

To: Robert Robertson/CO/FDOT,  
cc: David A Bremer/CO/FDOT,  
cc:  
Subject: D9750002

Robert, attached is the only comment received from Industry Review. It's from one of the guys in our Product Evaluation Section. Would you please answer the question directly to him. There is no need to post this comment on the web. Thanks.



David Bremer.doc

Judy Frazier  
(850) 414-4127, SC 994-4127  
judy.frazier@dot.state.fl.us



POSTED 7/26/2003  
J.A.D.

# Florida Department of Transportation

JEB BUSH  
GOVERNOR

605 Suwannee Street  
Tallahassee, FL 32399-0450

JOSÉ ABREU  
SECRETARY

## MEMORANDUM

**DATE:** September 26, 2003

**TO:** Specification Review Distribution List

**FROM:** Duane F. Brautigam, P.E., State Specifications Engineer 

**SUBJECT:** **Proposed Specifications Change: D9750002 - Elastomeric Coating System**

In accordance with Specification Development Procedures, we are sending you a copy of a proposed specification change to Section 975.

This change was proposed by Robert Robertson of the State Structures Office to include certification and QPL requirements.

Please share this proposal with others within your responsibility. Review comments are due within four weeks and should be sent to Mail Station 75 or to my attention via e-mail at SP965DB or duane.brautigam@dot.state.fl.us. Comments received after October 24, 2003 may not be considered. Your input is encouraged.

DFB/jf

Attachment

COMMENTS:

---



---



---



---



---



---



---

Submitted by:

Phone #:

---

**ELASTOMERIC COATING SYSTEM.  
(REV 8-28-03)**

ARTICLE 975-2 (Page 918) is deleted and the following substituted:

**975-2 ~~Certification~~ Qualified Products List.**

~~Provide a written certification from the manufacturer that the product meets the requirements of this Section. The manufacturer must have quality control standards conforming to ISO 9000 Standards.~~ *The elastomeric coating system used shall be one of the products listed on the Department's Qualified Products List. Manufacturers seeking evaluation of their products shall submit an application in accordance with Section 6.*

*The Contractor shall provide the Engineer with certification from the manufacturer, confirming that the elastomeric coating system meets the requirements of this Section. The certification shall conform to the requirements of Section 6.*




**David Sadler**  
09/25/2003 12:42 PM

To: Judy F Frazier/CO/FDOT@FDOT  
cc:  
Subject: Re: D9750002 

Looks good to go.

Please let me know if you have any questions.

David A. Sadler, P.E.  
Construction Engineer  
(850)414-5203, SC 994-5203  
FAX (850)412-8021, SC 994-8021  
userid: cn982da email: david.sadler@dot.state.fl.us  
Judy F Frazier



**Judy F Frazier**  
09/19/2003 07:58 AM

To: bburleson@ftba.com, David Sadler/CO/FDOT@FDOT, Brian A  
Blanchard/CO/FDOT@FDOT, William N Nickas/CO/FDOT@FDOT,  
Phillip G Davis/CO/FDOT@FDOT  
cc: Robert Robertson/CO/FDOT@FDOT  
Subject: D9750002

Please review the attached draft specification and return your approval/comments by  
September 26th. Thank you.



D9750002.doc

Judy Frazier  
(850) 414-4127, SC 994-4127  
judy.frazier@dot.state.fl.us



**Phillip G Davis**  
09/19/2003 08:03 AM

To: Judy F Frazier/CO/FDOT@FDOT  
cc:  
Subject: Re: D9750002

Looks good to me.....Greg

Phillip "Greg" Davis, P.E.  
State Estimates Engineer  
Florida Department of Transportation  
Email: phillipgreg.davis@dot.state.fl.us  
Office: 850.414.4170 suncom 994.4170  
FAX: 850.412.8039 suncom 277.4584  
Mobile Phone: 850.544.2324

Judy F Frazier



**Judy F Frazier**  
09/19/2003 07:58 AM


To: bburleson@ftba.com, David Sadler/CO/FDOT@FDOT, Brian A  
Blanchard/CO/FDOT@FDOT, William N Nickas/CO/FDOT@FDOT,  
Phillip G Davis/CO/FDOT@FDOT  
cc: Robert Robertson/CO/FDOT@FDOT  
Subject: D9750002

Please review the attached draft specification and return your approval/comments by  
September 26th. Thank you.



D9750002.doc

Judy Frazier  
(850) 414-4127, SC 994-4127  
judy.frazier@dot.state.fl.us



**Judy F Frazier**

09/19/2003 07:55 AM

To: bburleson@ftba.com, David Sadler/CO/FDOT, Brian A  
Blanchard/CO/FDOT, William N Nickas/CO/FDOT, Phillip G  
Davis/CO/FDOT,  
cc: Robert Robertson/CO/FDOT,  
cc:  
Subject: D9750002

Please review the attached draft specification and return your approval/comments by  
September 26th. Thank you.



D9750002.doc

Judy Frazier  
(850) 414-4127, SC 994-4127  
judy.frazier@dot.state.fl.us



# Florida Department of Transportation

JEB BUSH  
GOVERNOR


605 Suwannee Street  
Tallahassee, FL 32399-0450

JOSE ABREU  
SECRETARY

## MEMORANDUM

**DATE:** September 18, 2003

**TO:** Bob Burluson, FTBA, David Sadler, State Construction Office, Brian Blanchard, State Roadway Design Office, William N. Nickas, State Structures Design Office, Greg Davis, State Estimates Office

**FROM:** Clinton J. Shaw, State Specifications Office 

**SUBJECT: Proposed Specification: D9750002**

Attached for your review and comments is a copy of the subject Special Provision for Elastomeric Coating System

This change was proposed by Robert Robertson of the State Structures Office to include certification and QPL requirements.

Please review and offer your comments.

CS/jf  
Attachment

**ELASTOMERIC COATING SYSTEM.  
(REV 8-28-03)**

ARTICLE 975-2 (Page 918) is deleted and the following substituted:

**975-2 ~~Certification~~ *Qualified Products List.***

~~Provide a written certification from the manufacturer that the product meets the requirements of this Section. The manufacturer must have quality control standards conforming to ISO 9000 Standards.~~ *The elastomeric coating system used shall be one of the products listed on the Department's Qualified Products List. Manufacturers seeking evaluation of their products shall submit an application in accordance with Section 6.*

**975-2.1 *Certification:*** *The Contractor shall provide the Engineer with certification from the manufacturer, confirming that the elastomeric coating system meets the requirements of this Section. The certification shall conform to the requirements of Section 6.*



**Robert Robertson**  
09/18/2003 06:58 AM

To: Judy F Frazier/CO/FDOT@FDOT  
cc:  
Subject: Re: D9750002 

proceed

Robert Robertson  
FDOT Tallahassee Structures  
SC 994-4267  
(850) 414-4267  
Judy F Frazier



**Judy F Frazier**  
09/17/2003 01:09 PM

To: Robert Robertson/CO/FDOT@FDOT  
cc:  
Subject: D9750002

Robert, I'm still waiting on your reply.

Judy Frazier  
(850) 414-4127, SC 994-4127  
judy.frazier@dot.state.fl.us

----- Forwarded by Judy F Frazier/CO/FDOT on 09/17/2003 01:08 PM -----



**Judy F Frazier**  
08/28/2003 12:46 PM

To: Robert Robertson/CO/FDOT@FDOT  
cc:  
Subject: D9750002

Please review the attached draft specification and return your approval/comments so that we may proceed with the review process. Thank you.



D9750002.doc

Judy Frazier  
(850) 414-4127, SC 994-4127  
judy.frazier@dot.state.fl.us



**Judy F Frazier**

08/28/2003 11:31 AM

To: Robert Robertson/CO/FDOT  
cc:  
cc:  
Subject: D9750002

Please review the attached draft specification and return your approval/comments so that we may proceed with the review process. Thank you.



D9750002.doc

Judy Frazier  
(850) 414-4127, SC 994-4127  
judy.frazier@dot.state.fl.us



# Florida Department of Transportation

JEB BUSH  
GOVERNOR

605 Suwannee Street  
Tallahassee, FL 32399-0450

JOSÉ ABREU  
SECRETARY

## MEMORANDUM

**DATE:** August 28, 2003  
**TO:** Robert Robertson  
**FROM:** Clinton J. Shaw, State Specifications Office   
**SUBJECT:** **Proposed Specification: D9750002 - Elastomeric Coating System**

Your proposed specification has been formatted and entered for processing. As the originator for this specification, please review the formatted draft and make any necessary changes.

Additionally, please verify the condition under which this specification is to be used (see usage note under specification number).

If you have any questions, please contact Clinton Shaw at (850) 414-4129 or Suncom 994-4129. Your response within two weeks will be appreciated, as further processing is dependent upon your response. We will continue to update you as we process this request for implementation.

CS/jf  
Attachment

**ELASTOMERIC COATING SYSTEM.  
(REV 8-28-03)**

ARTICLE 975-2 (Page 918) is deleted and the following substituted:

**975-2 ~~Certification~~ *Qualified Products List.***

~~Provide a written certification from the manufacturer that the product meets the requirements of this Section. The manufacturer must have quality control standards conforming to ISO 9000 Standards.~~ *The elastomeric coating system used shall be one of the products listed on the Department's Qualified Products List. Manufacturers seeking evaluation of their products shall submit an application in accordance with Section 6.*

**975-2.1 *Certification:*** *The Contractor shall provide the Engineer with certification from the manufacturer, confirming that the elastomeric coating system meets the requirements of this Section. The certification shall conform to the requirements of Section 6.*



**SPECIFICATION PROCESSING AND STATUS FORM**

**Begin date:** August 28, 2003

**File Number:** D9750002

**Projected completion date:** November 27, 2003.

**Implementation team member:** Judy Frazier.

**Schedule of activities:** Internal, Industry and FHWA reviews.

**Resource needs:** Product Evaluation.

**Implementation schedule:** Beginning with the July 2004 letting.

**Proposed solution:** Include QPL and certification requirements.

**Recommended Usage Note:**

**Progress report:** What is the current status of the issue? Detail problems encountered, that hinders the process.

## Section 975

### Elastomeric Coating System

#### 975-2 Qualified Products List

~~Use only elastomeric coating systems that are listed on the Department's Qualified Products List (QPL). Manufacturers seeking evaluation of their products shall submit an application in accordance with Section 6 and shall include independently certified test reports. Provide a written certification from the manufacturer that the product meets the requirements of this section. The manufacturer must have quality control standards conforming to ISO 9000 Standards.~~

*The elastomeric coating system used shall be one of the products listed on the Department's Qualified Products List. Manufacturers seeking evaluation of their products shall submit an application in accordance with Section 6.*

*Products may only be used for applications recommended by the manufacturer.*

**975-2.1 Certification:** *The Contractor shall provide the Engineer with certification from the manufacturer, confirming that the elastomeric coating system meets the requirements of this Section. The certification shall conform to the requirements of Section 6.*