

RESPONSE TO COMMENTS RECEIVED

Ralph Deleon

In response to the change I am in favor of the change, I agree that a Concrete Production Facility Manager should have a CTQP Concrete Laboratory Technician Level I, Concrete Field Technician- Level I, and Batch Plant Operator. I also agree with the alternatives to CTQP qualification. Plus the Three years of QC experience directly related to cement concrete production. Demonstrated proficiency in implementing, supervising, and maintaining surveillance over a QC Program. **Experience and Certification** in performance of required QC tests and statistical evaluation of quality control test results.

Ralph Deleon
spi_engineering@bellsouth.net
Phone: (386) 668-7745 ext. 29

RESPONSE

We have accepted this comment. Please change 105-5.7.4, #4 to read, "Experience **and** certification in performance,...."

Jeff O'Leary

Jeff O'Leary
Florida Rock Ind
904-355-1781, ext. 267.

I just wanted to clarify something. The two alternatives replace the three current certification requirements (Concrete Lab Technician Level I, Concrete Field Technician Level I and Batch Plant Operator) - correct? The line "*As alternatives to CTQP qualification, the ...*" might ought to read "*As alternatives to CTQP qualifications, the ...*" as many do not understand that CTQP qualification includes all three certifications, not just one of them. Or add "CTQP" in front of all three certifications listed.

RESPONSE

In an effort to clarify the confusion please rewrite the second sentence of #1. to read, "As alternatives to ~~CTQP~~ these qualifications, the Department will accept:"