



## Florida Department of Transportation

JEB BUSH  
GOVERNOR

605 Suwannee Street  
Tallahassee, FL 32399-0450

DENVER J. STUTLER, JR.  
SECRETARY

July 21, 2005

Mr. Donald Davis  
Program Operations Engineer  
Federal Highway Administration  
227 N. Bronough Street, Suite 2015  
Tallahassee, Florida 32301

Re: Office of Design, Specifications  
Section 936  
Proposed Specification: 9310036 – Metal Accessory Materials for Concrete Pavement  
and Concrete Structures.

Dear Mr. Davis:

We are submitting, for your approval, two copies of a proposed Supplemental Specification for Metal Accessory Materials for Concrete Pavement and Concrete Structures.

These changes were made by Karen Byram, of the State Specifications Office as a result of changes made to Sections 560, 561, 562, 971 or the addition of the new Section 975.

Please review and transmit your comments, if any, within two weeks. Comments should be sent via Email to SP965DB or [duane.brautigam@dot.state.fl.us](mailto:duane.brautigam@dot.state.fl.us).

If you have any questions relating to this specification change, please call Duane F. Brautigam, State Specifications Engineer at 414-4110.

Sincerely,

Signature on file

Duane F. Brautigam, P.E.  
State Specifications Engineer

DFB/jho  
Attachment

cc: General Counsel  
Florida Transportation Builders' Assoc.  
State Construction Engineer

**METAL ACCESSORY MATERIALS FOR CONCRETE PAVEMENT AND CONCRETE STRUCTURES.**

**(REV 4-15-05)**

SUBARTICLE 931-3.6 (Page 829) is deleted and the following substituted:

**931-3.6 Materials:** The wire for the welded assembly shall be in accordance with all applicable requirements of ASTM A 82.

*Apply one coat of ~~zinc chromate paint~~ rust preventative compound shall be used as specified in meeting the requirements of 971-5560-2.7. ~~Application~~ Apply the rust preventive shall be in accordance with ~~Section 561~~ the manufacturers recommendations.*

**METAL ACCESSORY MATERIALS FOR CONCRETE PAVEMENT AND CONCRETE STRUCTURES.**

**(REV 4-15-05)**

SUBARTICLE 931-3.6 (Page 829) is deleted and the following substituted:

**931-3.6 Materials:** The wire for the welded assembly shall be in accordance with all applicable requirements of ASTM A 82.

Apply one coat of rust preventative compound meeting the requirements of 560-2.7. Apply the rust preventive in accordance with the manufacturers recommendations.