



Florida Department of Transportation

JEB BUSH
GOVERNOR

605 Suwannee Street
Tallahassee, FL 32399-0450

JOSÉ ABREU
SECRETARY

MEMORANDUM

DATE: February 3, 2005

TO: Specification Review Distribution List

FROM: Duane F. Brautigam, P.E., State Specifications Engineer

SUBJECT: **Proposed Specifications Change: 4000057 - Stay-In-Place Metal Forms-General**

In accordance with Specification Development Procedures, we are sending you a copy of a proposed specification change to Section 400.

This change was proposed by Robert Robertson of the State Structures Office to restrict form flute fill to concrete.

Please share this proposal with others within your responsibility. Review comments are due within four weeks and should be sent to Mail Station 75 or to my attention via e-mail at SP965DB or duane.brautigam@dot.state.fl.us. Comments received after March 3, 2005 may not be considered. Your input is encouraged.

DFB/jf

Attachment

COMMENTS:

Submitted by:

Phone #:

STAY-IN-PLACE METAL FORMS-GENERAL.
(REV 2-1-05)

SUBARTICLE 400-5.7.1 (of the Supplemental Specifications). The first paragraph is deleted and the following substituted:

(a) Use of permanent stay-in-place metal forms: Permanent stay-in-place metal forms may be used in lieu of removable forms to form concrete bridge deck slabs only when allowed by design note in the plans, and is subject to the conditions, limitations, and requirements contained herein. Use forms made of corrugated material of cellular or non-cellular construction. *Fill form flutes completely with concrete. Do not use fillers, such as sand, Styrofoam, etc. to fill the form flutes.*